B4465-5.1F

LOS
LENGTH OF STAY BY DRG

HKS PUBLICATIONS

United States, 1988-89

Healthcare Knowledge Systems
Ann Arbor, Michigan
December, 1989

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1988-89
Length of Stay by DRG and Payment Source, Northeastern Region, 1988-89
Length of Stay by DRG and Payment Source, North Central Region, 1988-89
Length of Stay by DRG and Payment Source, Southern Region, 1988-89
Length of Stay by DRG and Payment Source, Western Region, 1988-89

Length of Stay data have been published annually since 1963. In addition to Length of Stay by DRG and Payment Source, other volumes in the Cost Containment Series are:

Length of Stay by Diagnosis and Operation
Length of Stay by Psychiatric Diagnosis
(Available for the United States, Northeastern, North Central, Southern, and Western regions)

Pediatric Length of Stay by Diagnosis and Operation
Geriatric Length of Stay by Diagnosis and Operation
(Available for the United States only)

Copyright © 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Preface iv

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Database Characteristics
Projecting to the Universe

Organization of the Tables x

Explanation of the Statistics xii

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: State Inclusions by Region 469

Appendix 2: Diagnosis Related Groups 470

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The Length of Stay by DRG and Payment Source series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

These statistics provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, employers, and healthcare researchers interested in cost containment and quality of care.

1988-89 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Healthcare Knowledge Systems
Tracey Stewart, Publications Specialist, Normative Publications

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Stacey Cavanaugh, Customer Service Representative, HKS,
Robert Travis, Librarian,
Linda Vanek, Assistant Manager, Normative Publications, HKS,
Roger Wroblewski, Director, Database Research, CPHA.

INTRODUCTION

The Length of Stay by DRG and Payment Source series has been designed as a companion to the standard reference, LOS by Diagnosis and Operation, to provide length of stay data by another patient classification system. Similar to the Diagnosis and Operation series, this five volume set is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the Length of Stay by DRG and Payment Source series and the Length of Stay by Diagnosis and Operation series are primarily with the data source. Data used for the Length of Stay by DRG and Payment Source series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 570 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in the Length of Stay by DRG and Payment source represent projections rather than actual numbers.

Additionally, the Length of Stay by DRG and Payment Source series adds power by providing length of stay by the following four principal payment sources: Medicare, Medicaid, Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay by DRG and Payment Source tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay by DRG and Payment Source series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay by DRG and Payment Source series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1988. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The characteristics of all hospitals with discharge data included in the books are displayed in the table below. The hospital universe is based on facility and discharge records collected for the 1987 Annual Survey of Hospitals of the American Hospital Association (AHA).

1988-89 Length of Stay by DRG and Payment Source
Sample Hospital Characteristics

	Universe	LOS by DRG Sample
Total Number of Hospitals	5512	570
Northeastern	786	150
North Central	1609	181
Southern	2089	104
Western	1028	135
Number of Urban[1] Hospitals	2893	284
Number of High/Medium Teaching Intensity[2] Hospitals	925	122

---

1. Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.
2. The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Projecting to the Universe

To make the LOS by DRG and Payment Source sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the 570 hospitals are stratified by factors known to affect inpatient utilization. The two factors used are:

1. **Program Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:
   - Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
   - Cancer Program approved by the American College of Surgeons (CP)
   - Residency approved by the American Medical Association (RES)
   - Medical School Affiliation reported by the American Medical Association (MS)
   - Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
   - Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Nonteaching Institution
- Minor Teaching Institution
- Major Teaching Institution

The statistical formula is:

$$Ip = 9.9\,(JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the Length of Stay by DRG and Payment Source series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0+	Teaching Institution

---

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

2. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	**Division**
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, West, South). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1988 to June 1989 discharges from the U.S. nonfederal, short-term general hospital universe.

ORGANIZATION OF THE TABLES

The Length of Stay by DRG and Payment Source series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 1 lists the states comprising each region.



** Includes Alaska and Hawaii

Length of Stay by DRG and Payment Source Patient Variables

The length of stay data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 477 DRGs in the 1988-89 LOS by DRG and Payment Source series. These DRGs are based on the sixth revision, effective October 1, 1989. Appendix 2 provides a listing of all DRGs for the sixth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence , Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468, 476, 477	Unrelated Operating Room Procedures
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable

In the 1988-89 LOS by DRG and Payment Source series a table is not created for the excluded DRGs listed above. Additionally, new procedure codes were added 10/1/89 for grouping to DRGs 436 and 437 (Alcohol and Drug Dependence with Rehab and with Rehab and Detox). The patient records used in this book represent

discharges prior to the addition of these new codes, and therefore do not contain the procedure codes anticipated to group to these DRGs. As a result, no patient records have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources.

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1989.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates without a birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the LOS by DRG and Payment Source series is drawn from patient discharges from 570 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.*

Since the LOS by DRG and Payment Source series is drawn from discharges that have been projected to the universe of U.S. hospitals, one actual patient discharge represents multiple projected patients. The average projection factor is 10.5.

If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay.

Variance

The variance is a measure of the spread of the data around the average. For the LOS by DRG and Payment Source tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+. Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups. The Grand Total represents the total number of projected patients in the DRG and Payment Source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay by DRG and Payment Source series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population.

For this reason, the LOS by DRG and Payment Source series share most applications of the present LOS by Diagnosis and Operation and the Psychiatric LOS series. Among them:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay by DRG and Payment Source regional or national volumes:

Step 1: Consult Appendix 2 of the appropriate Length of Stay by DRG and Payment Source book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the Length of Stay by DRG and Payment Source book.

Step 3: Depending on the purpose of the review, find the appropriate table category:

Payment Source
Complication/Comorbidity Status
Age Group

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

The differences between the Length of Stay by DRG and Payment Source and the other LOS series make it an important new contribution to the array of quantitative measures that assist healthcare professionals in evaluating cost containment and quality assurance programs for institutions or special populations.

While the LOS by Diagnosis and Operation series offers a diagnosis and procedure-specific profile of inpatient utilization, and the Psychiatric LOS series provides the same for a special population, the LOS by DRG and Payment Source series describes the impact of financing mechanisms through highlighting the four payment source categories. Simultaneously, it takes into account other patient attributes, such as complication and comorbidity status, that may affect length of stay, thereby reporting DRG length of stay patterns in U.S. nonfederal, short-term general hospitals.

Finally, increasing concern about costs and quality care, paired with the need for more sophisticated and accountable performance measures to conduct these cost and quality reviews, make the Length of Stay by DRG and Payment Source tables an accessible, convenient, and essential tool for the healthcare industry.

DRG Length of Stay Tables

Length of Stay by DRG and Payment Source

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

	MEDICARE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4114	20.9	306	6	9	15	26	54	66
70-74	2483	21.5	323	6	10	16	29	47	78
75-79	1971	21.3	242	7	9	18	29	46	56
80-84	1292	23.3	315	7	12	19	30	55	80
85 +	571	23.8	324	8	13	20	26	54	68
SUBTOTAL	**10431**	**21.6**	**300**	**6**	**9**	**17**	**29**	**52**	**69**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2490	10.6	39	4	7	9	14	19	25
70-74	1578	11.0	86	5	7	9	12	17	22
75-79	1301	12.4	99	5	6	9	14	28	38
80-84	570	11.5	39	5	7	10	14	21	26
85 +	319	11.1	35	6	7	9	14	16	27
SUBTOTAL	**6258**	**11.2**	**64**	**5**	**7**	**9**	**13**	**20**	**27**
GRAND TOTAL	**16689**	**17.7**	**237**	**5**	**8**	**13**	**22**	**39**	**59**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group
(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

All DRGS

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1780537	8.6	76	2	4	6	10	17	24	0-17	596009	6.2	85	1	2	3	6	13	22
70-74	1250730	8.9	75	2	4	7	11	17	24	18-34	627451	5.9	52	1	2	4	6	11	19
75-79	1208391	9.3	80	3	4	7	11	18	26	35-49	703829	6.8	57	2	3	5	8	14	20
80-84	960254	9.7	87	3	4	7	12	19	27	50-69	1260511	7.8	66	2	3	6	9	16	22
85 +	906944	10.2	93	3	5	8	12	20	28	70 +	81354	9.3	96	2	4	7	11	19	27
SUBTOTAL	**6106855**	**9.2**	**81**	**2**	**4**	**7**	**11**	**18**	**25**		**3269154**	**7.0**	**66**	**2**	**3**	**5**	**8**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1038386	5.9	42	1	2	4	7	12	17	0-17	3078753	3.3	21	1	2	2	4	5	7
70-74	671847	5.6	30	1	2	4	7	11	14	18-34	3270466	3.6	19	1	2	3	4	6	8
75-79	557609	6.0	34	1	3	4	8	12	15	35-49	1846273	4.4	24	1	2	3	5	8	11
80-84	394904	6.4	38	2	3	5	8	12	16	50-69	1584246	4.6	21	1	2	3	6	9	12
85 +	316854	6.7	42	2	3	5	8	13	17	70 +	52899	5.4	30	1	2	4	7	11	15
SUBTOTAL	**2979599**	**6.0**	**37**	**1**	**2**	**4**	**7**	**12**	**16**		**9832637**	**3.8**	**21**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**9086454**	**8.1**	**69**	**2**	**3**	**6**	**10**	**16**	**23**		**13101791**	**4.6**	**34**	**1**	**2**	**3**	**5**	**9**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	295604	7.0	102	2	2	4	7	15	28	0-17	230613	6.5	94	1	2	4	7	14	24
18-34	290495	6.5	69	1	2	4	7	13	21	18-34	314485	5.9	55	1	2	4	6	12	19
35-49	167543	8.4	90	2	3	6	10	18	26	35-49	241888	7.0	62	1	3	5	8	14	21
50-69	227154	8.8	94	2	4	6	10	18	27	50-69	324844	7.7	67	2	3	5	9	16	22
70 +	31682	10.6	132	3	4	7	13	26	53	70 +	78148	8.6	90	2	3	6	10	18	26
SUBTOTAL	**1012477**	**7.6**	**91**	**2**	**3**	**5**	**9**	**16**	**26**		**1189978**	**6.9**	**70**	**1**	**2**	**4**	**8**	**14**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1311104	3.6	29	1	2	2	4	6	9	0-17	1423141	2.8	11	1	1	2	3	5	6
18-34	1003978	3.7	24	1	2	2	4	6	10	18-34	1323531	3.2	15	1	1	2	4	6	8
35-49	189621	5.9	47	1	2	4	7	12	20	35-49	479705	4.0	20	1	2	3	5	8	11
50-69	119712	6.3	45	1	3	4	7	13	18	50-69	344991	4.5	22	1	2	3	6	9	12
70 +	13304	6.7	39	2	3	5	9	14	21	70 +	55053	5.3	41	1	2	4	7	11	15
SUBTOTAL	**2637719**	**3.9**	**30**	**1**	**2**	**3**	**4**	**7**	**11**		**3626420**	**3.3**	**16**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**3650197**	**4.9**	**50**	**1**	**2**	**3**	**5**	**10**	**16**		**4816398**	**4.2**	**32**	**1**	**2**	**3**	**5**	**8**	**12**

Total U.S., July 1988 - June 1989

DRG 1: Craniotomy Age >17 except for Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4114	20.9	306	6	9	15	26	54	66	0-17	0								
70-74	2483	21.5	323	6	10	16	29	47	78	18-34	1688	16.2	242	4	6	10	19	44	56
75-79	1971	21.3	242	7	9	18	29	46	56	35-49	3232	19.1	278	6	9	14	25	50	84
80-84	1292	23.3	315	7	12	19	30	55	80	50-69	4780	21.1	332	6	9	14	31	54	80
85 +	571	23.8	324	8	13	20	26	54	68	70 +	192	30.6	624	7	11	26	58	79	99 +
SUBTOTAL	**10431**	**21.6**	**300**	**6**	**9**	**17**	**29**	**52**	**69**		**9892**	**19.8**	**310**	**6**	**9**	**14**	**26**	**51**	**77**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2490	10.6	39	4	7	9	14	19	25	0-17	0								
70-74	1578	11.0	86	5	7	9	12	17	22	18-34	2881	8.8	51	3	5	7	10	16	19
75-79	1301	12.4	99	5	6	9	14	28	38	35-49	4075	9.1	40	4	5	8	11	16	19
80-84	570	11.5	39	5	7	10	14	21	26	50-69	4945	10.5	54	4	6	9	13	17	23
85 +	319	11.1	35	6	7	9	14	16	27	70 +	81	10.7	30	4	7	10	12	19	24
SUBTOTAL	**6258**	**11.2**	**64**	**5**	**7**	**9**	**13**	**20**	**27**		**11982**	**9.6**	**49**	**4**	**6**	**8**	**12**	**17**	**20**
GRAND TOTAL	**16689**	**17.7**	**237**	**5**	**8**	**13**	**22**	**39**	**59**		**21874**	**14.2**	**192**	**4**	**7**	**10**	**16**	**33**	**51**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	560	17.1	394	3	7	10	19	48	81	18-34	403	15.7	248	3	6	11	19	34	55
35-49	360	18.7	436	5	10	13	24	99 +	99 +	35-49	846	24.2	400	6	9	18	31	59	73
50-69	397	28.1	528	8	10	22	57	99 +	99 +	50-69	1068	19.5	216	7	9	15	26	45	70
70 +	57	17.4	10	13	14	18	20	21	21	70 +	185	16.7	130	8	9	13	20	40	47
SUBTOTAL	**1374**	**20.7**	**450**	**6**	**9**	**14**	**29**	**89**	**99 +**		**2502**	**20.3**	**287**	**6**	**9**	**15**	**26**	**49**	**70**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	594	8.7	36	3	5	8	11	14	15	18-34	747	11.4	102	3	5	8	14	24	41
35-49	313	11.9	99	4	6	8	15	18	40	35-49	760	10.9	52	4	6	9	14	20	25
50-69	182	10.4	28	5	6	8	14	20	20	50-69	999	11.2	90	4	6	9	12	21	38
70 +	14	10.0								70 +	134	9.2	43	2	4	6	12	20	24
SUBTOTAL	**1104**	**9.9**	**54**	**3**	**6**	**8**	**12**	**16**	**20**		**2641**	**11.1**	**80**	**4**	**5**	**9**	**13**	**22**	**29**
GRAND TOTAL	**2478**	**15.9**	**302**	**4**	**7**	**10**	**19**	**55**	**93**		**5143**	**15.6**	**202**	**4**	**7**	**11**	**20**	**37**	**50**

DRG 2: Craniotomy for Trauma Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	446	26.2	336	5	14	26	48	81	99 +
70-74	337	21.1	234	7	7	16	32	44	54
75-79	225	13.5	36	6	10	13	21	99 +	99 +
80-84	131	23.9	136	12	17	21	37	99 +	99 +
85 +	388	24.0	246	9	12	19	34	47	56
SUBTOTAL	**1527**	**22.5**	**246**	**7**	**11**	**19**	**35**	**54**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	253	8.7	51	4	4	7	10	20	28
70-74	229	11.5	103	2	4	8	14	26	38
75-79	366	13.8	271	4	6	9	14	42	90
80-84	182	11.7	21	6	8	11	16	19	20
85 +	150	11.1	16	7	9	11	12	15	22
SUBTOTAL	**1179**	**11.6**	**123**	**4**	**5**	**9**	**14**	**22**	**33**
GRAND TOTAL	**2706**	**17.7**	**221**	**5**	**8**	**13**	**24**	**47**	**65**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1196	30.9	516	8	14	26	47	79	96
35-49	521	33.0	569	8	15	31	57	92	99 +
50-69	451	28.1	393	6	11	25	43	66	74
70 +	130	36.0	429	11	18	39	52	86	99 +
	2298	**31.1**	**502**	**8**	**14**	**27**	**47**	**76**	**99 +**
0-17	0								
18-34	1009	11.1	109	3	4	7	15	22	34
35-49	356	11.7	96	2	4	9	16	25	32
50-69	384	12.2	107	5	6	9	14	24	42
70 +	54	13.0	44	5	5	13	20	22	22
	1804	**11.5**	**104**	**3**	**5**	**8**	**15**	**23**	**34**
	4102	**22.5**	**422**	**4**	**7**	**16**	**33**	**62**	**86**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	273	38.9	491	11	28	50	99 +	99 +	99 +
35-49	84	35.6	283	15	26	48	99 +	99 +	99 +
50-69	91	30.9	296	12	21	34	59	99 +	99 +
70 +	17	17.4	26						
SUBTOTAL	**465**	**36.0**	**420**	**13**	**23**	**46**	**99 +**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	176	12.7	154	4	5	7	15	25	47
35-49	17	6.5							
50-69	15	11.4	50						
70 +	27	29.5	234						
SUBTOTAL	**236**	**14.2**	**178**	**4**	**5**	**8**	**17**	**31**	**47**
GRAND TOTAL	**701**	**28.6**	**444**	**6**	**14**	**31**	**60**	**99 +**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	858	27.1	391	9	13	24	53	99 +	99 +
35-49	376	30.6	423	8	15	29	52	99 +	99 +
50-69	177	29.3	530	6	10	32	55	99 +	99 +
70 +	48	27.7	811	4	6	14	47	83	83
	1459	**28.3**	**431**	**8**	**14**	**25**	**52**	**99 +**	**99 +**
0-17	0								
18-34	746	10.2	60	4	6	7	12	21	31
35-49	344	14.3	247	4	5	10	14	43	45
50-69	43	11.0	93						
70 +	44	11.1	36						
	1176	**11.5**	**118**	**4**	**6**	**8**	**12**	**21**	**35**
	2635	**20.8**	**361**	**5**	**7**	**15**	**35**	**76**	**99 +**

Total U.S., July 1988 - June 1989

DRG 3: Craniotomy Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**14**	**3.0**							
GRAND TOTAL	**14**	**3.0**							

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	8156	12.7	249	2	3	7	17	35	54
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**8156**	**12.7**	**249**	**2**	**3**	**7**	**17**	**35**	**54**
2.PATIENTS W/OUT CCs									
0-17	11394	6.1	43	2	3	4	7	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**11394**	**6.1**	**43**	**2**	**3**	**4**	**7**	**12**	**17**
GRAND TOTAL	**19549**	**8.9**	**140**	**2**	**3**	**5**	**10**	**21**	**33**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3442	14.2	284	2	4	8	21	42	78
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3442**	**14.2**	**284**	**2**	**4**	**8**	**21**	**42**	**78**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5018	7.0	65	2	3	5	8	14	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5018**	**7.0**	**65**	**2**	**3**	**5**	**8**	**14**	**22**
GRAND TOTAL	**8460**	**10.0**	**167**	**2**	**3**	**5**	**11**	**26**	**41**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	2579	14.8	313	2	3	9	21	38	78
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2579**	**14.8**	**313**	**2**	**3**	**9**	**21**	**38**	**78**
2.PATIENTS W/OUT CCs									
0-17	3638	6.2	35	2	3	4	8	12	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3638**	**6.2**	**35**	**2**	**3**	**4**	**8**	**12**	**16**
GRAND TOTAL	**6217**	**9.7**	**163**	**2**	**3**	**5**	**11**	**25**	**36**

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	1011	16.6	196	4	8	13	21	37	44		0-17	1095	13.1	149	4	6	9	15	28	47	
70-74	421	20.1	284	2	7	18	27	40	53		18-34	820	18.6	305	4	8	13	24	41	68	
75-79	408	20.7	249	6	9	17	30	41	45		35-49	858	15.9	290	3	5	9	20	44	65	
80-84	246	24.7	236	5	11	22	35	44	49		50-69	1066	15.7	219	3	6	11	19	35	50	
85 +	90	22.2	327	7	13	16	22	62	62		70 +	18	21.9	1							
SUBTOTAL	**2177**	**19.2**	**240**	**4**	**8**	**16**	**26**	**41**	**48**			**3856**	**15.7**	**236**	**4**	**6**	**10**	**20**	**37**	**55**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	727	8.1	34	2	5	7	10	14	21		0-17	2488	9.8	50	3	6	7	12	23	27	
70-74	439	10.0	58	3	5	7	13	22	29		18-34	1297	7.0	74	2	2	4	9	14	20	
75-79	150	9.3	64	2	3	6	20	23	25		35-49	2348	5.7	31	2	3	4	7	10	12	
80-84	83	9.3	64	1	2	7	18	22	22		50-69	1326	7.7	31	3	4	6	9	16	19	
85 +	0										70 +	17	11.8	13							
SUBTOTAL	**1399**	**8.9**	**47**	**3**	**4**	**7**	**11**	**20**	**24**			**7476**	**7.7**	**48**	**2**	**4**	**6**	**9**	**16**	**23**	
GRAND TOTAL	**3577**	**15.2**	**190**	**3**	**6**	**11**	**21**	**34**	**42**			**11332**	**10.4**	**126**	**3**	**4**	**7**	**12**	**24**	**33**	

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	331	12.8	77	5	6	8	18	31	31		0-17	211	14.0	190	5	6	8	18	50	59	
18-34	259	24.8	344	4	12	22	41	72	94		18-34	286	25.0	206	10	16	23	33	46	58	
35-49	101	17.2	442	5	5	7	15	52	74		35-49	255	11.0	87	3	5	14	19	99 +	99 +	
50-69	62	17.8	74	7	10	18	23	30	30		50-69	233	14.5	253	1	1	9	26	38	43	
70 +	0										70 +	34	8.6	84							
SUBTOTAL	**754**	**17.9**	**245**	**5**	**7**	**14**	**24**	**41**	**72**			**1020**	**16.3**	**211**	**1**	**5**	**15**	**27**	**56**	**99 +**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	690	10.2	53	4	6	8	11	19	26		0-17	469	8.3	35	4	5	6	9	18	25	
18-34	211	11.1	157	2	4	9	11	17	55		18-34	390	9.6	70	2	3	6	14	28	28	
35-49	122	6.0	9	2	4	6	9	9	10		35-49	320	6.8	29	3	3	5	8	15	17	
50-69	42	6.8	10								50-69	237	6.2	26	1	2	5	8	14	18	
70 +	0										70 +	33	8.4	25							
SUBTOTAL	**1064**	**9.8**	**70**	**3**	**6**	**8**	**10**	**19**	**26**			**1449**	**8.0**	**43**	**2**	**4**	**6**	**10**	**18**	**25**	
GRAND TOTAL	**1818**	**13.2**	**158**	**4**	**6**	**9**	**16**	**30**	**46**			**2469**	**11.4**	**129**	**2**	**4**	**7**	**16**	**30**	**46**	

DRG 5: Extracranial Vascular Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5878	8.3	46	3	4	6	10	16	22	0-17	38	8.5	71						
70-74	5872	8.9	56	3	4	6	11	19	26	18-34	38	10.5	27						
75-79	4267	8.7	50	3	4	6	11	17	22	35-49	445	7.3	27	3	4	5	9	14	18
80-84	2241	10.0	47	4	5	8	13	19	24	50-69	4508	7.9	61	3	4	5	9	15	21
85 +	609	12.8	70	5	6	11	17	28	33	70 +	319	6.3	23	3	4	5	6	13	14
SUBTOTAL	**18867**	**8.9**	**52**	**3**	**4**	**6**	**11**	**18**	**24**		**5347**	**7.8**	**56**	**3**	**4**	**5**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7892	5.4	11	3	4	4	6	9	12	0-17	33	2.5	3						
70-74	7274	5.4	15	3	3	4	6	9	12	18-34	159	3.8	30	1	1	2	3	17	17
75-79	4809	5.4	14	3	4	4	6	9	12	35-49	778	5.2	11	2	3	4	7	11	11
80-84	2269	6.3	22	3	4	5	7	11	16	50-69	7400	5.0	8	3	3	4	6	9	10
85 +	626	6.4	20	3	4	5	8	10	16	70 +	276	4.3	3	3	3	4	5	7	8
SUBTOTAL	**22870**	**5.5**	**14**	**3**	**4**	**4**	**6**	**9**	**12**		**8647**	**5.0**	**8**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**41737**	**7.1**	**34**	**3**	**4**	**5**	**8**	**14**	**18**		**13994**	**6.1**	**28**	**3**	**3**	**5**	**7**	**10**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	30	7.6	22							0-17	14	11.0							
18-34	8	7.0								18-34	58	5.5	11	1	3	5	9	12	12
35-49	48	6.5	3							35-49	111	14.0	77	4	6	13	16	22	39
50-69	430	10.3	59	3	4	7	15	19	23	50-69	640	6.2	24	3	3	4	7	11	18
70 +	16	8.0	4							70 +	241	7.8	55	3	3	5	7	20	25
SUBTOTAL	**531**	**9.7**	**51**	**3**	**5**	**7**	**15**	**19**	**23**		**1064**	**7.4**	**41**	**3**	**4**	**5**	**10**	**16**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	40	3.2	5							0-17	16	1.5							
18-34	40	2.2	2							18-34	152	2.9	4	1	1	3	3	7	7
35-49	104	4.7	2	4	4	4	5	6	8	35-49	144	7.5	63	2	2	4	7	22	22
50-69	309	4.8	3	3	4	5	6	7	7	50-69	1302	4.1	5	2	3	3	5	8	9
70 +	53	8.3	56	3	4	6	7	26	26	70 +	399	4.4	5	2	3	4	5	7	9
SUBTOTAL	**546**	**4.8**	**9**	**2**	**3**	**4**	**6**	**7**	**7**		**2013**	**4.3**	**10**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1077**	**7.2**	**36**	**3**	**4**	**6**	**7**	**16**	**19**		**3077**	**5.3**	**23**	**2**	**3**	**4**	**6**	**11**	**15**

DRG 6: Carpal Tunnel Release

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	251	4.9	53	1	1	2	4	9	25	0-17	6	13.0							
70-74	122	3.2	4	1	1	3	6	6	6	18-34	54	6.0	11						
75-79	52	1.7	2	< 1	1	1	1	5	5	35-49	223	2.4	8	1	1	2	2	4	8
80-84	76	6.8	101	1	1	1	19	19	31	50-69	141	2.0	3	1	1	1	2	5	5
85 +	50	2.6	8							70 +	10	13.0							
SUBTOTAL	**551**	**4.3**	**42**	**< 1**	**1**	**2**	**4**	**8**	**25**		**434**	**3.1**	**12**	**1**	**1**	**2**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	553	2.2	15	< 1	< 1	< 1	1	3	6	0-17	41	1.2							
70-74	492	1.4	1	< 1	< 1	1	2	2	2	18-34	710	1.5	3	< 1	< 1	1	1	2	3
75-79	197	1.7	3	< 1	< 1	1	2	3	3	35-49	1548	1.5	2	< 1	< 1	1	1	2	4
80-84	78	1.5		< 1	< 1	1	2	3	3	50-69	1412	1.3	1	< 1	< 1	1	1	2	3
85 +	93	1.6	1	< 1	< 1	1	2	4	4	70 +	32	1.6	1						
SUBTOTAL	**1413**	**1.8**	**7**	**< 1**	**< 1**	**1**	**2**	**3**	**5**		**3743**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1964**	**2.5**	**18**	**< 1**	**< 1**	**1**	**2**	**5**	**7**		**4178**	**1.6**	**3**	**< 1**	**< 1**	**1**	**1**	**3**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	9	12.0							
35-49	0									35-49	17	2.9	1						
50-69	60	3.3	16	1	2	2	3	9	15	50-69	67	2.3	1	1	2	2	3	4	4
70 +	0									70 +	8	1.0							
SUBTOTAL	**60**	**3.3**	**16**	**1**	**2**	**2**	**3**	**9**	**15**		**101**	**3.2**	**9**	**1**	**2**	**2**	**4**	**4**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	1.0								0-17	8	1.0							
18-34	51	1.9	1	< 1	1	1	3	3	3	18-34	86	1.4		< 1	< 1	1	2	2	2
35-49	100	3.1	15	< 1	1	2	3	10	14	35-49	203	2.3	8	< 1	< 1	1	2	6	9
50-69	88	2.0	4	< 1	< 1	< 1	1	5	7	50-69	130	1.0		< 1	< 1	1	1	1	1
70 +	0									70 +	25	1.0							
SUBTOTAL	**253**	**2.3**	**8**	**< 1**	**< 1**	**1**	**3**	**5**	**7**		**452**	**1.6**	**4**	**< 1**	**< 1**	**1**	**1**	**2**	**6**
GRAND TOTAL	**313**	**2.5**	**9**	**< 1**	**< 1**	**1**	**3**	**5**	**13**		**552**	**1.9**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**6**

Total U.S., July 1988 - June 1989

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1262	17.0	430	2	4	9	26	59	96	0-17	637	12.4	291	1	2	4	20	31	49
70-74	966	18.1	330	3	6	12	24	45	69	18-34	739	9.7	170	1	3	7	11	20	24
75-79	790	18.5	426	2	3	11	29	64	99+	35-49	748	9.9	125	2	3	7	13	36	99+
80-84	639	23.6	581	4	8	16	39	91	99+	50-69	1232	12.1	213	1	3	8	14	26	48
85+	511	23.1	561	3	8	19	32	87	99+	70+	48	12.0	189	3	3	3	17	41	41
SUBTOTAL	**4168**	**19.3**	**451**	**2**	**5**	**12**	**29**	**75**	**99+**		**3404**	**11.2**	**200**	**1**	**3**	**7**	**14**	**26**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4168**	**19.3**	**451**	**2**	**5**	**12**	**29**	**75**	**99+**		**3404**	**11.2**	**200**	**1**	**3**	**7**	**14**	**26**	**47**

MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	190	9.4	158	1	3	4	10	22	25	0-17	155	16.3	305	2	5	7	35	56	74
18-34	117	13.5	191	3	6	12	47	99+	99+	18-34	653	8.8	127	1	2	5	14	28	99+
35-49	87	27.1	737	2	8	21	33	93	93	35-49	193	14.9	159	4	7	12	21	64	99+
50-69	158	28.4	576	6	10	13	61	63	63	50-69	139	15.2	182	3	8	11	18	35	56
70+	44	16.2	49	5	10	19	24	99+	99+	70+	53	13.0	317	2	2	6	49	99+	99+
SUBTOTAL	**595**	**18.4**	**418**	**2**	**5**	**10**	**30**	**63**	**99+**		**1193**	**11.7**	**180**	**2**	**3**	**7**	**19**	**56**	**99+**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**595**	**18.4**	**418**	**2**	**5**	**10**	**30**	**63**	**99+**		**1193**	**11.7**	**180**	**2**	**3**	**7**	**19**	**56**	**99+**

Total U.S., July 1988 - June 1989

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1330	4.1	21	1	2	2	5	9	14	0-17	2840	2.9	11	1	1	2	3	5	9
70-74	771	3.3	21	1	1	2	4	7	10	18-34	3481	2.9	11	1	1	2	3	6	9
75-79	497	6.5	112	1	1	3	8	17	21	35-49	3266	2.9	12	< 1	1	2	3	7	10
80-84	262	5.7	41	1	1	2	10	16	20	50-69	2725	2.7	7	< 1	1	2	3	6	8
85 +	126	6.6	53	1	1	4	7	20	22	70 +	23	2.1	2						
SUBTOTAL	**2987**	**4.6**	**41**	**1**	**1**	**2**	**5**	**10**	**17**		**12335**	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**2987**	**4.6**	**41**	**1**	**1**	**2**	**5**	**10**	**17**		**12335**	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1019	3.4	16	1	1	2	4	7	9	0-17	876	4.1	25	1	1	2	5	9	14
18-34	592	2.8	8	1	1	2	3	6	7	18-34	1292	3.4	25	1	1	2	3	7	13
35-49	237	3.6	9	1	1	3	5	7	10	35-49	789	2.3	5	1	1	1	2	6	7
50-69	172	5.6	22	1	2	4	8	9	9	50-69	424	3.0	9	1	1	2	4	6	9
70 +	0									70 +	53	6.3	32	< 1	1	4	14	14	14
SUBTOTAL	**2021**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**9**		**3434**	**3.3**	**19**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**2021**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**9**		**3434**	**3.3**	**19**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 9: Spinal Disorders & Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	298	11.0	123	2	3	7	17	23	28	0-17	133	7.8	293	1	1	3	6	12	75
70-74	234	16.9	303	5	5	11	23	29	48	18-34	253	15.6	524	2	5	7	15	65	88
75-79	148	16.9	94	4	11	17	19	35	41	35-49	228	8.5	80	1	1	5	15	22	24
80-84	116	13.1	72	3	6	10	21	27	28	50-69	249	17.3	205	5	7	10	24	46	49
85 +	221	9.9	80	3	3	9	11	22	35	70 +	32	9.3	31						
SUBTOTAL	**1016**	**13.2**	**154**	**3**	**5**	**10**	**17**	**28**	**35**		**895**	**12.9**	**286**	**1**	**3**	**7**	**15**	**32**	**58**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	75	6.0	10	1	3	6	9	9	12	0-17	648	3.8	38	< 1	< 1	1	3	9	18
70-74	39	10.4	39							18-34	427	4.6	30	1	2	3	4	11	18
75-79	57	3.5	14	1	2	2	3	12	14	35-49	271	5.6	26	1	3	4	7	15	18
80-84	49	6.9	35	1	3	4	10	17	17	50-69	205	10.5	60	3	5	7	15	20	31
85 +	49	8.1	32							70 +	16	5.5	7						
SUBTOTAL	**269**	**6.7**	**28**	**2**	**3**	**4**	**9**	**17**	**18**		**1567**	**5.2**	**41**	**< 1**	**1**	**3**	**6**	**15**	**18**
GRAND TOTAL	**1285**	**11.8**	**134**	**3**	**4**	**9**	**17**	**27**	**34**		**2462**	**8.0**	**143**	**< 1**	**2**	**4**	**9**	**18**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	142	12.3	140	2	3	5	21	32	32	0-17	89	13.9	234	2	3	9	44	99 +	99 +
18-34	73	6.4	33	3	4	4	20	99 +	99 +	18-34	247	22.8	709	2	5	13	53	89	99 +
35-49	44	7.2	65							35-49	54	7.7	50	1	1	2	16	17	17
50-69	22	4.7	1							50-69	67	27.6	353	5	7	32	42	54	54
70 +	0									70 +	23	17.3	97						
SUBTOTAL	**281**	**9.4**	**98**	**1**	**3**	**5**	**20**	**32**	**32**		**479**	**19.9**	**502**	**2**	**4**	**13**	**32**	**76**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	281	5.1	61	< 1	< 1	1	5	16	26	0-17	131	4.3	71	1	1	2	3	7	37
18-34	65	5.3	17	< 1	1	5	9	12	12	18-34	255	8.1	150	1	2	3	7	17	42
35-49	38	10.1	52							35-49	121	7.3	35	1	3	5	10	13	22
50-69	0									50-69	69	4.5	25	1	2	3	5	18	18
70 +	0									70 +	6	6.0							
SUBTOTAL	**383**	**5.6**	**55**	**< 1**	**< 1**	**2**	**6**	**12**	**22**		**582**	**6.6**	**94**	**1**	**2**	**3**	**7**	**16**	**37**
GRAND TOTAL	**665**	**7.2**	**77**	**< 1**	**1**	**4**	**9**	**22**	**32**		**1061**	**12.6**	**322**	**1**	**2**	**5**	**17**	**44**	**76**

Total U.S., July 1988 - June 1989

DRG 10: Nervous System Neoplasms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4410	9.6	75	2	4	7	13	20	26	0-17	1120	6.1	58	1	1	3	7	17	27
70-74	2955	11.1	133	2	4	7	14	23	34	18-34	528	7.7	108	1	2	4	10	18	24
75-79	2533	11.7	144	3	4	8	15	23	31	35-49	2310	8.4	98	2	3	5	10	19	28
80-84	1120	14.2	191	2	6	9	18	32	40	50-69	5297	9.9	79	2	4	7	13	22	28
85+	741	10.8	118	2	4	8	12	30	39	70+	294	9.1	51	3	4	5	13	17	22
SUBTOTAL	**11758**	**10.9**	**120**	**2**	**4**	**8**	**14**	**23**	**31**		**9548**	**8.9**	**84**	**2**	**3**	**6**	**11**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11758**	**10.9**	**120**	**2**	**4**	**8**	**14**	**23**	**31**		**9548**	**8.9**	**84**	**2**	**3**	**6**	**11**	**21**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	415	10.9	207	1	3	6	11	28	38	0-17	287	7.6	107	<1	1	4	8	24	37
18-34	154	10.3	173	2	5	6	9	22	54	18-34	227	5.7	23	2	2	4	7	12	12
35-49	336	8.5	48	3	5	7	9	22	23	35-49	595	8.0	56	1	3	6	11	19	29
50-69	547	9.9	48	3	5	8	14	23	26	50-69	1182	7.6	36	2	3	6	10	14	16
70+	55	4.8	3							70+	259	10.8	209	2	4	6	14	16	31
SUBTOTAL	**1507**	**9.7**	**104**	**2**	**4**	**7**	**11**	**23**	**28**		**2551**	**7.9**	**66**	**1**	**3**	**6**	**10**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1507**	**9.7**	**104**	**2**	**4**	**7**	**11**	**23**	**28**		**2551**	**7.9**	**66**	**1**	**3**	**6**	**10**	**15**	**21**

DRG 11: Nervous System Neoplasms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1240	6.5	101	1	2	4	7	12	17	0-17	1862	3.3	19	1	1	2	4	8	10
70-74	701	7.2	41	2	3	5	9	14	18	18-34	818	3.5	11	1	1	2	4	8	11
75-79	582	7.7	41	2	3	7	9	17	24	35-49	1297	4.6	18	1	2	3	6	10	12
80-84	456	8.8	51	1	3	7	14	18	22	50-69	2515	5.4	40	1	2	3	7	12	16
85 +	205	6.7	23	2	4	5	9	18	21	70 +	30	9.3	19						
SUBTOTAL	**3184**	**7.2**	**65**	**1**	**3**	**5**	**9**	**15**	**22**		**6522**	**4.4**	**27**	**1**	**1**	**3**	**6**	**10**	**12**
GRAND TOTAL	**3184**	**7.2**	**65**	**1**	**3**	**5**	**9**	**15**	**22**		**6522**	**4.4**	**27**	**1**	**1**	**3**	**6**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	482	3.5	9	1	1	2	4	8	11	0-17	482	3.8	14	1	1	2	5	11	12
18-34	85	5.4	20	2	2	4	6	7	18	18-34	90	2.8	2	1	2	2	4	5	6
35-49	138	5.0	19	1	2	3	9	13	14	35-49	245	5.7	21	1	2	7	8	10	14
50-69	213	3.7	6	1	2	4	6	7	8	50-69	570	7.0	166	1	2	4	8	15	19
70 +	0									70 +	72	8.7	77	1	1	3	16	24	24
SUBTOTAL	**917**	**3.9**	**11**	**1**	**2**	**3**	**5**	**9**	**12**		**1459**	**5.5**	**80**	**1**	**2**	**3**	**7**	**11**	**16**
GRAND TOTAL	**917**	**3.9**	**11**	**1**	**2**	**3**	**5**	**9**	**12**		**1459**	**5.5**	**80**	**1**	**2**	**3**	**7**	**11**	**16**

DRG 12: Degenerative Nervous System Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2783	11.0	168	2	4	7	13	22	39
70-74	2181	12.0	183	3	4	8	14	24	48
75-79	2919	11.5	157	3	4	7	14	31	47
80-84	2432	13.1	209	3	5	9	15	27	58
85 +	1866	10.3	101	3	4	8	14	20	43
SUBTOTAL	**12181**	**11.6**	**167**	**3**	**4**	**8**	**14**	**25**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2231	7.6	60	2	3	5	10	15	19
70-74	1717	9.6	110	2	4	6	10	20	35
75-79	2747	9.0	97	2	3	6	11	21	31
80-84	1623	10.0	145	2	4	6	11	19	37
85 +	1128	9.2	84	3	4	7	10	18	27
SUBTOTAL	**9446**	**9.0**	**98**	**2**	**4**	**6**	**10**	**18**	**31**
GRAND TOTAL	**21626**	**10.5**	**139**	**2**	**4**	**7**	**13**	**22**	**38**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	566	5.8	40	1	1	3	7	20	22
18-34	295	7.0	68	2	3	4	7	14	23
35-49	464	8.9	35	2	4	8	12	16	21
50-69	1039	10.7	150	2	3	7	12	21	43
70 +	148	15.3	488	1	4	7	28	97	99 +
	2513	**9.1**	**120**	**2**	**3**	**6**	**12**	**21**	**30**
0-17	1252	2.8	6	1	1	2	4	5	8
18-34	597	6.2	123	1	2	3	7	12	15
35-49	825	5.7	51	1	2	4	6	11	19
50-69	1631	6.3	37	1	2	4	8	14	18
70 +	129	15.6	226	3	3	6	33	38	38
	4433	**5.5**	**53**	**1**	**2**	**3**	**7**	**11**	**17**
	6946	**6.8**	**80**	**1**	**2**	**4**	**8**	**15**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	487	9.8	240	2	2	4	9	28	28
18-34	113	16.5	410	3	5	6	14	54	62
35-49	141	10.1	129	2	3	7	13	27	42
50-69	329	9.4	183	1	3	6	10	18	23
70 +	49	8.4	13						
SUBTOTAL	**1118**	**10.3**	**220**	**2**	**3**	**6**	**11**	**28**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	683	6.0	150	1	2	3	5	9	27
18-34	351	6.7	55	2	3	4	6	10	29
35-49	159	4.0	11	< 1	2	3	4	10	11
50-69	282	5.8	14	2	3	5	6	12	13
70 +	50	6.8	3						
SUBTOTAL	**1524**	**5.9**	**84**	**1**	**2**	**4**	**6**	**10**	**27**
GRAND TOTAL	**2643**	**7.8**	**146**	**1**	**2**	**4**	**8**	**23**	**29**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	207	5.1	51	1	1	2	7	11	11
18-34	134	8.4	89	2	2	6	11	42	99 +
35-49	90	11.2	741	1	1	3	6	7	99
50-69	376	10.9	55	3	5	11	14	20	25
70 +	389	14.6	236	2	4	9	21	59	99 +
	1196	**10.8**	**178**	**1**	**3**	**7**	**14**	**35**	**70**
0-17	351	3.3	8	1	1	2	4	9	10
18-34	374	5.6	24	1	1	4	10	13	15
35-49	207	10.5	283	2	3	6	14	22	83
50-69	368	5.9	27	1	2	4	9	11	21
70 +	393	15.4	707	1	2	5	10	84	84
	1692	**8.0**	**231**	**1**	**2**	**4**	**8**	**15**	**23**
	2888	**9.2**	**211**	**1**	**2**	**5**	**11**	**21**	**56**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1450	10.7	84	4	5	9	13	19	31	0-17	111	11.5	116	1	3	8	16	29	36
70-74	129	10.4	44	4	7	8	11	22	22	18-34	575	8.7	50	3	4	7	10	15	19
75-79	62	11.7	98	2	4	8	10	29	29	35-49	1653	8.8	65	3	5	7	10	15	21
80-84	74	7.8	15	3	5	6	12	14	14	50-69	633	8.6	24	3	5	8	11	16	19
85 +	49	3.9	3							70 +	6	19.0							
SUBTOTAL	**1762**	**10.4**	**78**	**3**	**5**	**8**	**13**	**21**	**29**		**2978**	**8.9**	**56**	**3**	**5**	**7**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1967	8.8	57	3	5	7	10	15	21	0-17	513	3.6	6	1	2	3	5	9	9
70-74	163	6.3	29	2	2	4	9	13	20	18-34	2039	6.5	20	2	4	5	8	12	16
75-79	80	8.4	11	6	6	7	10	13	17	35-49	4183	6.8	31	2	4	5	9	12	15
80-84	52	5.7	27							50-69	1209	6.9	25	2	4	6	9	13	15
85 +	26	6.2	22							70 +	14	5.0							
SUBTOTAL	**2288**	**8.5**	**53**	**3**	**5**	**7**	**10**	**15**	**20**		**7958**	**6.5**	**26**	**2**	**3**	**5**	**8**	**12**	**15**
GRAND TOTAL	**4050**	**9.3**	**65**	**3**	**5**	**7**	**11**	**16**	**23**		**10937**	**7.1**	**35**	**2**	**4**	**6**	**9**	**13**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	2.0								0-17	38	1.8	1						
18-34	229	8.0	21	4	5	7	9	15	21	18-34	132	10.6	43	3	6	10	11	22	26
35-49	358	11.6	210	2	4	8	11	25	52	35-49	230	8.8	43	2	3	8	13	18	18
50-69	118	8.6	10	5	6	10	15	99 +	99 +	50-69	109	7.2	34	2	2	4	11	15	21
70 +	0									70 +	8	2.0							
SUBTOTAL	**722**	**9.7**	**117**	**3**	**5**	**8**	**11**	**21**	**73**		**517**	**8.3**	**43**	**2**	**3**	**7**	**11**	**18**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	111	3.8	9	1	1	2	6	9	10	0-17	98	4.1	6	2	2	3	5	8	8
18-34	341	7.7	41	3	4	5	10	17	27	18-34	412	6.3	18	2	4	6	8	11	12
35-49	267	9.1	95	3	4	5	10	19	30	35-49	530	8.5	156	2	3	6	8	16	22
50-69	108	8.0	10	4	6	8	10	11	17	50-69	104	5.9	11	3	3	4	9	11	12
70 +	0									70 +	9	2.0							
SUBTOTAL	**827**	**7.7**	**53**	**2**	**4**	**5**	**10**	**16**	**19**		**1153**	**7.1**	**82**	**2**	**3**	**6**	**8**	**12**	**16**
GRAND TOTAL	**1549**	**8.6**	**84**	**2**	**4**	**6**	**10**	**18**	**30**		**1669**	**7.5**	**70**	**2**	**3**	**6**	**9**	**14**	**18**

Total U.S., July 1988 - June 1989

DRG 14: Specific Cerebrovascular Disorders except TIA

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	33910	11.0	109	3	5	8	13	22	30	0-17	221	10.3	107	1	3	6	14	29	37
70-74	34123	11.6	120	3	5	9	14	23	34	18-34	694	11.0	67	3	5	8	15	25	27
75-79	39346	12.5	142	4	6	9	15	25	38	35-49	3428	9.8	116	3	4	7	11	21	28
80-84	38556	13.0	154	4	6	9	15	26	40	50-69	18595	11.2	123	3	5	8	13	23	31
85 +	39288	13.3	151	4	6	10	16	28	39	70 +	2491	11.5	109	4	5	8	14	22	33
SUBTOTAL	**185223**	**12.3**	**137**	**4**	**6**	**9**	**15**	**25**	**36**		**25429**	**11.1**	**120**	**3**	**5**	**8**	**13**	**22**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17349	7.5	50	3	4	6	9	13	17	0-17	342	6.3	46	1	2	4	8	15	17
70-74	17345	7.7	48	3	4	6	9	13	20	18-34	1176	6.0	26	1	3	4	7	13	18
75-79	19030	8.2	49	3	4	6	10	15	20	35-49	3888	6.3	32	1	2	5	9	12	17
80-84	16212	9.1	79	3	4	7	10	17	25	50-69	15405	7.1	40	2	3	6	9	13	18
85 +	14771	8.7	62	3	4	7	10	15	21	70 +	1572	8.0	49	2	4	6	9	16	19
SUBTOTAL	**84707**	**8.2**	**58**	**3**	**4**	**6**	**10**	**15**	**20**		**22383**	**7.0**	**39**	**2**	**3**	**6**	**9**	**13**	**18**
GRAND TOTAL	**269930**	**11.0**	**116**	**3**	**5**	**8**	**13**	**22**	**32**		**47812**	**9.2**	**86**	**2**	**4**	**7**	**11**	**18**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	151	14.5	227	1	6	10	20	33	54	0-17	137	11.4	116	2	3	5	19	34	36
18-34	216	12.2	248	3	4	9	16	26	95	18-34	344	9.3	66	2	4	6	12	22	27
35-49	873	12.9	305	4	5	8	15	83	99 +	35-49	1682	13.9	196	3	5	10	17	30	42
50-69	4482	13.3	202	3	5	9	15	30	52	50-69	6895	11.0	115	3	5	8	13	24	39
70 +	1088	16.6	287	4	5	13	24	83	99 +	70 +	2321	10.7	116	3	5	8	14	23	46
SUBTOTAL	**6810**	**13.7**	**232**	**3**	**5**	**9**	**17**	**33**	**82**		**11380**	**11.3**	**127**	**3**	**5**	**8**	**14**	**24**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	60	10.7	152							0-17	75	5.0	5	< 1	5	6	6	8	8
18-34	197	7.0	40	1	2	7	9	25	25	18-34	511	6.6	73	1	2	4	8	11	22
35-49	567	10.0	53	3	4	7	16	20	23	35-49	1985	6.5	25	2	3	5	9	11	13
50-69	1760	7.5	38	2	4	6	9	14	21	50-69	6092	7.1	52	2	3	5	8	13	20
70 +	436	8.4	18	3	6	8	10	17	17	70 +	1460	7.2	36	2	4	6	8	13	19
SUBTOTAL	**3020**	**8.1**	**41**	**2**	**4**	**7**	**10**	**17**	**22**		**10124**	**6.9**	**45**	**2**	**3**	**5**	**8**	**13**	**18**
GRAND TOTAL	**9830**	**12.0**	**180**	**3**	**5**	**8**	**14**	**28**	**52**		**21504**	**9.3**	**93**	**2**	**4**	**7**	**11**	**20**	**29**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14423	5.5	32	2	3	4	7	10	13	0-17	31	5.0	14						
70-74	15502	5.7	23	2	3	4	7	11	14	18-34	256	4.2	8	2	2	3	6	7	11
75-79	18744	5.9	36	2	3	4	7	11	14	35-49	1510	4.6	17	1	2	4	6	9	10
80-84	16852	6.3	45	2	3	5	7	11	16	50-69	8864	4.9	21	1	2	4	6	9	12
85 +	16708	7.2	63	2	3	5	8	13	20	70 +	979	7.2	144	2	3	4	6	10	15
SUBTOTAL	**82229**	**6.1**	**41**	**2**	**3**	**5**	**7**	**11**	**15**		**11641**	**5.1**	**31**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12480	3.9	14	1	2	3	5	7	9	0-17	22	1.0							
70-74	11960	4.0	19	1	2	3	5	7	9	18-34	468	3.0	3	1	2	2	4	6	7
75-79	13080	4.3	11	1	2	4	5	8	10	35-49	2872	3.6	8	1	2	3	5	7	8
80-84	11558	4.4	12	2	2	4	5	8	10	50-69	14043	3.7	8	1	2	3	5	7	9
85 +	10683	5.4	42	2	2	4	6	10	12	70 +	1043	3.5	5	1	2	3	5	6	8
SUBTOTAL	**59760**	**4.4**	**19**	**1**	**2**	**3**	**5**	**8**	**10**		**18447**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**141989**	**5.4**	**32**	**2**	**3**	**4**	**6**	**10**	**13**		**30087**	**4.2**	**17**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	2.0								0-17	8	2.0							
18-34	86	4.8	19	3	3	3	4	5	18	18-34	82	5.0	20	< 1	1	3	11	13	13
35-49	402	4.7	15	1	2	4	6	10	10	35-49	400	4.7	10	1	2	4	7	9	11
50-69	1703	5.2	23	2	3	4	6	10	13	50-69	1916	4.8	21	1	2	4	5	10	12
70 +	592	5.9	27	3	4	5	8	12	99 +	70 +	916	5.0	13	2	2	5	8	13	99 +
SUBTOTAL	**2790**	**5.2**	**23**	**2**	**3**	**4**	**6**	**10**	**13**		**3322**	**4.9**	**17**	**1**	**2**	**4**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	2.0								0-17	9	1.0							
18-34	112	4.5	6	2	2	5	6	8	9	18-34	208	2.4	1	1	2	3	3	4	4
35-49	344	4.4	10	2	2	4	6	8	10	35-49	1217	3.5	9	1	2	3	4	6	10
50-69	1113	3.8	9	1	2	3	5	7	8	50-69	2876	3.4	9	1	2	3	4	7	8
70 +	325	5.5	16	2	3	4	6	12	12	70 +	1178	3.2	7	1	1	2	4	6	9
SUBTOTAL	**1905**	**4.2**	**11**	**1**	**2**	**3**	**6**	**8**	**10**		**5488**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**4695**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**		**8810**	**3.9**	**12**	**1**	**2**	**3**	**5**	**8**	**11**

Total U.S., July 1988 - June 1989

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1881	9.0	59	3	4	6	11	20	26
70-74	1673	8.3	47	2	4	6	11	17	23
75-79	2575	8.8	74	3	4	7	10	16	24
80-84	2796	10.0	84	3	4	7	12	22	28
85 +	2602	10.4	140	3	4	7	12	20	30
SUBTOTAL	**11526**	**9.4**	**86**	**3**	**4**	**7**	**11**	**19**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11526**	**9.4**	**86**	**3**	**4**	**7**	**11**	**19**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	361	6.3	98	1	2	3	6	16	20
18-34	309	9.0	172	1	2	4	7	23	42
35-49	685	9.3	199	2	3	5	9	24	57
50-69	1092	7.2	36	2	3	6	9	14	17
70 +	95	10.9	102	4	5	6	14	18	41
SUBTOTAL	**2542**	**8.0**	**109**	**2**	**3**	**5**	**9**	**16**	**26**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2542**	**8.0**	**109**	**2**	**3**	**5**	**9**	**16**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	254	5.6	53	1	2	2	5	14	31
18-34	112	13.7	470	3	4	6	10	22	80
35-49	140	6.8	33	1	3	5	11	14	22
50-69	195	12.9	460	2	4	5	8	42	82
70 +	102	8.1	33	4	4	5	12	18	20
SUBTOTAL	**804**	**9.0**	**214**	**2**	**3**	**5**	**9**	**18**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**804**	**9.0**	**214**	**2**	**3**	**5**	**9**	**18**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	23	10.3	86						
18-34	148	5.5	7	2	3	5	7	9	11
35-49	102	8.0	37	2	3	6	16	16	19
50-69	189	4 9	20	1	2	3	7	9	14
70 +	149	8.1	68	2	3	4	14	15	33
SUBTOTAL	**612**	**6.6**	**36**	**2**	**3**	**5**	**8**	**15**	**19**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**612**	**6.6**	**36**	**2**	**3**	**5**	**8**	**15**	**19**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	863	4.7	28	1	2	3	6	9	12	0-17	834	4.4	106	1	1	2	4	9	11
70-74	759	4.4	10	2	2	4	5	8	12	18-34	317	4.5	19	1	1	3	6	12	14
75-79	1085	5.3	12	2	3	4	8	10	11	35-49	452	3.6	7	1	2	3	5	6	9
80-84	849	6.9	28	2	3	6	9	13	16	50-69	1065	4.3	9	1	2	4	6	8	11
85 +	857	7.9	74	2	3	5	9	14	31	70 +	98	3.9	10	1	1	2	5	10	11
SUBTOTAL	**4412**	**5.8**	**31**	**2**	**3**	**4**	**7**	**10**	**14**		**2765**	**4.2**	**39**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**4412**	**5.8**	**31**	**2**	**3**	**4**	**7**	**10**	**14**		**2765**	**4.2**	**39**	**1**	**2**	**3**	**5**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	294	3.8	8	1	1	3	6	8	10	0-17	212	4.7	39	1	2	3	4	13	14
18-34	55	3.0	7	< 1	1	1	5	8	8	18-34	68	5.7	38	1	2	4	9	99 +	99 +
35-49	29	3.8	10							35-49	122	3.1	11	< 1	1	2	4	10	12
50-69	148	10.5	245	2	4	7	9	9	67	50-69	147	5.2	32	1	2	3	6	10	11
70 +	14	6.4	10							70 +	101	11.0	218	1	2	6	9	42	50
SUBTOTAL	**540**	**5.6**	**82**	**1**	**2**	**3**	**7**	**9**	**10**		**651**	**5.6**	**65**	**1**	**2**	**3**	**6**	**12**	**28**
GRAND TOTAL	**540**	**5.6**	**82**	**1**	**2**	**3**	**7**	**9**	**10**		**651**	**5.6**	**65**	**1**	**2**	**3**	**6**	**12**	**28**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5169	8.2	82	2	3	6	10	16	24
70-74	2340	8.2	51	2	4	6	11	17	25
75-79	2094	8.4	56	3	4	6	10	16	22
80-84	1540	8.9	70	3	4	6	11	19	26
85 +	868	9.0	49	3	5	7	10	20	23
SUBTOTAL	**12011**	**8.4**	**68**	**2**	**4**	**6**	**10**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12011**	**8.4**	**68**	**2**	**4**	**6**	**10**	**17**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	272	9.9	121	1	2	7	13	33	36
18-34	887	6.5	74	1	2	4	7	13	29
35-49	1955	7.4	47	2	3	5	10	14	21
50-69	2892	8.7	96	2	3	6	10	19	23
70 +	127	19.9	800	2	3	5	26	71	85
	6133	**8.3**	**96**	**2**	**3**	**5**	**10**	**18**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6133	**8.3**	**96**	**2**	**3**	**5**	**10**	**18**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	104	15.0	422	1	3	6	11	61	61
18-34	433	5.5	13	2	3	5	7	12	15
35-49	386	8.9	81	2	4	6	12	16	20
50-69	601	7.5	24	2	4	7	9	13	20
70 +	22	5.7	1						
SUBTOTAL	**1547**	**7.8**	**67**	**2**	**3**	**6**	**10**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1547**	**7.8**	**67**	**2**	**3**	**6**	**10**	**14**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	67	17.1	319	1	5	9	48	99 +	99 +
18-34	306	7.7	97	1	3	5	7	19	32
35-49	599	8.1	65	2	3	5	10	18	28
50-69	571	9.8	146	2	3	6	11	21	32
70 +	103	6.7	19	2	3	9	10	17	99 +
	1646	**8.9**	**110**	**2**	**3**	**5**	**10**	**21**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1646	**8.9**	**110**	**2**	**3**	**5**	**10**	**21**	**32**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3398	5.6	50	1	2	4	7	10	12
70-74	1977	4.9	28	1	2	3	7	11	14
75-79	1318	6.5	33	2	3	5	8	14	16
80-84	825	4.9	19	2	2	3	6	10	12
85+	578	6.7	35	1	2	5	10	15	18
SUBTOTAL	**8096**	**5.6**	**38**	**1**	**2**	**4**	**7**	**11**	**15**
GRAND TOTAL	**8096**	**5.6**	**38**	**1**	**2**	**4**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	1417	6.5	66	1	1	3	8	18	24
18-34	2878	5.0	35	1	2	3	6	10	16
35-49	5716	4.0	20	1	1	3	5	8	11
50-69	5899	4.4	16	1	2	3	6	10	13
70+	172	3.5	10	1	1	2	5	8	8
	16082	**4.6**	**25**	**1**	**1**	**3**	**6**	**10**	**13**
	16082	**4.6**	**25**	**1**	**1**	**3**	**6**	**10**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	322	9.1	194	1	2	4	12	19	33
18-34	437	4.4	10	1	2	4	6	8	10
35-49	476	5.6	32	1	2	3	7	14	21
50-69	458	4.0	6	1	2	4	5	6	9
70+	50	2.0							
SUBTOTAL	**1744**	**5.4**	**52**	**1**	**2**	**4**	**6**	**11**	**17**
GRAND TOTAL	**1744**	**5.4**	**52**	**1**	**2**	**4**	**6**	**11**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	547	5.4	49	1	1	3	5	11	21
18-34	1033	4.8	38	1	1	3	6	9	14
35-49	1191	4.0	19	1	1	3	4	9	13
50-69	878	3.8	20	1	1	3	4	8	11
70+	147	4.4	10	1	2	4	6	11	13
	3796	**4.4**	**29**	**1**	**1**	**3**	**5**	**9**	**14**
	3796	**4.4**	**29**	**1**	**1**	**3**	**5**	**9**	**14**

DRG 20: Nervous System Infection except Viral Meningitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	828	12.8	122	4	6	10	15	23	36	0-17	3353	11.2	42	4	8	11	13	16	22
70-74	747	13.8	140	3	5	10	21	32	38	18-34	662	10.1	68	2	5	7	14	22	26
75-79	665	14.9	121	4	6	12	19	29	40	35-49	611	14.3	91	4	8	13	20	23	28
80-84	389	17.0	159	5	7	14	21	37	39	50-69	760	14.4	116	3	6	12	22	31	32
85 +	331	11.6	76	5	7	8	12	28	29	70 +	46	15.9	24						
SUBTOTAL	**2960**	**13.9**	**128**	**4**	**6**	**10**	**18**	**29**	**39**		**5433**	**11.9**	**63**	**3**	**7**	**11**	**14**	**22**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	512	7.8	31	2	3	6	12	15	21	0-17	6294	9.0	18	3	7	10	11	14	15
70-74	345	9.1	39	2	4	7	15	17	21	18-34	1287	6.8	26	2	3	6	9	12	14
75-79	248	8.1	34	3	4	6	10	21	22	35-49	930	7.3	22	1	3	6	10	15	16
80-84	269	8.2	25	3	4	7	11	17	18	50-69	779	7.7	30	2	3	7	11	14	16
85 +	177	8.7	21	4	4	10	11	13	18	70 +	41	2.8							
SUBTOTAL	**1551**	**8.3**	**31**	**2**	**4**	**7**	**12**	**17**	**21**		**9332**	**8.4**	**21**	**2**	**5**	**9**	**11**	**14**	**15**
GRAND TOTAL	**4511**	**12.0**	**102**	**3**	**5**	**9**	**16**	**25**	**32**		**14765**	**9.7**	**39**	**3**	**6**	**10**	**11**	**15**	**21**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1663	12.5	62	5	9	11	14	22	28	0-17	1819	11.6	57	5	9	10	13	16	28
18-34	190	14.6	222	6	8	10	17	21	69	18-34	402	11.6	86	2	4	10	18	21	26
35-49	184	15.6	133	5	8	11	20	36	38	35-49	234	12.4	68	3	6	12	17	32	99 +
50-69	89	15.3	119	4	9	14	21	33	42	50-69	296	9.8	63	2	3	9	14	21	38
70 +	0									70 +	17	31.5	686						
SUBTOTAL	**2126**	**13.1**	**86**	**5**	**9**	**11**	**15**	**23**	**30**		**2768**	**11.6**	**69**	**3**	**7**	**10**	**13**	**20**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2854	8.6	14	3	6	10	11	13	15	0-17	2892	9.3	17	3	7	10	12	14	16
18-34	113	7.7	32	1	3	5	12	18	18	18-34	381	7.6	60	2	3	5	9	14	23
35-49	44	15.5	276	1	3	9	22	47	47	35-49	300	6.0	16	2	4	4	8	12	17
50-69	40	6.8	16							50-69	176	11.7	32	6	8	11	16	16	25
70 +	0									70 +	16	2.5							
SUBTOTAL	**3050**	**8.6**	**19**	**3**	**6**	**10**	**11**	**13**	**15**		**3764**	**8.9**	**24**	**3**	**5**	**9**	**11**	**14**	**16**
GRAND TOTAL	**5177**	**10.4**	**52**	**3**	**7**	**10**	**12**	**17**	**21**		**6533**	**10.1**	**45**	**3**	**6**	**10**	**12**	**16**	**21**

DRG 21: Viral Meningitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	162	10.9	224	1	4	6	12	49	56	0-17	1140	4.6	11	2	3	4	6	8	11
70-74	46	6.6	5							18-34	920	5.7	32	2	3	4	6	9	14
75-79	80	11.0	8	6	7	13	13	13	13	35-49	407	6.3	26	3	3	5	7	12	12
80-84	27	10.7	14							50-69	180	7.7	24	3	5	6	9	13	21
85+	51	15.9	77	8	9	13	19	32	32	70+	0								
SUBTOTAL	**366**	**11.1**	**119**	**3**	**5**	**8**	**13**	**15**	**32**		**2648**	**5.5**	**22**	**2**	**3**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	215	5.7	13	3	3	4	6	9	16	0-17	8695	3.4	3	2	2	3	4	5	7
70-74	48	9.2	39	2	6	8	12	23	23	18-34	4011	3.6	5	1	2	3	4	6	7
75-79	22	12.1	29							35-49	1245	4.4	6	2	3	4	6	7	8
80-84	42	7.7	11							50-69	375	4.9	8	2	3	5	5	11	12
85+	0									70+	0								
SUBTOTAL	**327**	**6.9**	**21**	**3**	**4**	**6**	**9**	**16**	**16**		**14326**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**693**	**9.1**	**77**	**3**	**4**	**7**	**12**	**16**	**19**		**16974**	**3.9**	**8**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	835	4.9	14	2	3	4	6	10	11	0-17	633	4.8	21	2	3	4	6	7	10
18-34	145	5.8	31	3	3	5	7	8	8	18-34	532	5.9	23	2	3	4	7	10	13
35-49	45	4.7	6							35-49	131	6.4	22	4	4	5	6	15	20
50-69	18	8.6								50-69	17	4.9	1						
70+	32	6.0								70+	16	8.5	7						
SUBTOTAL	**1075**	**5.1**	**15**	**2**	**3**	**4**	**6**	**10**	**11**		**1328**	**5.4**	**22**	**2**	**3**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3590	3.9	5	2	3	3	5	7	9	0-17	3827	3.5	4	2	2	3	4	6	8
18-34	421	4.6	5	2	3	4	6	7	7	18-34	1844	3.8	7	1	2	3	5	7	9
35-49	69	5.5	7	2	4	5	6	10	10	35-49	505	4.3	7	2	3	3	5	9	10
50-69	20	12.8	43							50-69	117	5.1	30	2	2	3	5	13	22
70+	0									70+	0								
SUBTOTAL	**4101**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**6293**	**3.7**	**5**	**2**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**5176**	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**10**		**7621**	**4.0**	**9**	**2**	**2**	**3**	**5**	**7**	**9**

DRG 22: Hypertensive Encephalopathy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2295	6.3	37	2	3	5	8	12	14
70-74	1650	5.7	19	2	3	4	6	13	17
75-79	1286	5.9	14	2	3	5	8	11	14
80-84	1045	7.9	80	2	3	4	9	19	35
85 +	728	6.3	16	3	4	4	9	13	17
SUBTOTAL	**7004**	**6.3**	**33**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1235	4.2	15	1	2	3	4	8	13
70-74	857	4.2	7	2	2	3	5	7	10
75-79	568	4.0	6	2	3	3	5	7	11
80-84	616	4.3	10	1	2	3	5	10	12
85 +	368	3.9	7	1	2	4	5	7	7
SUBTOTAL	**3644**	**4.2**	**10**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**10648**	**5.6**	**26**	**2**	**3**	**4**	**7**	**11**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	7.6	8						
18-34	115	4.4	5	2	2	5	5	9	9
35-49	642	5.2	18	2	3	4	7	11	11
50-69	1419	6.8	34	2	3	5	9	14	18
70 +	118	12.1	195	2	5	8	9	48	48
	2330	**6.5**	**38**	**2**	**3**	**5**	**8**	**13**	**17**
0-17	42	2.0							
18-34	353	2.6	1	1	2	3	3	4	4
35-49	1277	3.0	2	1	2	3	4	5	6
50-69	1648	3.5	4	1	2	3	4	6	7
70 +	56	3.4	1						
	3376	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
	5706	**4.6**	**20**	**2**	**2**	**3**	**5**	**8**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	3.6	3						
18-34	223	4.2	7	2	3	3	4	7	11
35-49	219	5.1	23	1	1	4	7	11	18
50-69	357	7.3	129	1	3	4	6	13	25
70 +	32	3.8	4						
SUBTOTAL	**861**	**5.7**	**63**	**1**	**3**	**4**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	122	1.9	1	1	1	2	3	3	3
35-49	245	3.1	2	2	2	3	4	6	6
50-69	138	3.6	3	1	3	4	5	5	7
70 +	22	4.9	6						
SUBTOTAL	**527**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**1388**	**4.7**	**42**	**1**	**2**	**3**	**5**	**7**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	90	4.3	6	1	3	4	5	5	11
35-49	323	5.0	23	2	2	4	6	8	9
50-69	472	5.8	37	2	2	4	6	13	17
70 +	94	3.2	1						
	980	**5.2**	**27**	**2**	**3**	**4**	**6**	**8**	**13**
0-17	0								
18-34	26	3.3	4						
35-49	156	3.2	4	1	2	2	4	7	7
50-69	467	3.9	5	2	2	3	5	7	9
70 +	22	2.9	2						
	671	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
	1652	**4.5**	**18**	**2**	**2**	**4**	**5**	**8**	**10**

DRG 23: Nontraumatic Stupor & Coma

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	688	5.6	27	1	2	4	7	11	22
70-74	507	6.1	18	1	2	6	9	12	13
75-79	387	7.0	30	3	3	6	8	18	22
80-84	482	5.9	20	3	3	4	8	11	16
85 +	428	7.6	77	3	4	6	8	13	18
SUBTOTAL	**2492**	**6.3**	**33**	**2**	**3**	**5**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	158	6.4	53	2	2	4	6	12	28
70-74	63	4.9	2						
75-79	322	4.1	13	1	2	3	4	12	13
80-84	273	7.9	55	3	3	6	8	27	27
85 +	164	3.8	4	1	3	3	5	6	7
SUBTOTAL	**980**	**5.5**	**32**	**2**	**2**	**4**	**6**	**11**	**13**
GRAND TOTAL	**3471**	**6.1**	**33**	**2**	**3**	**4**	**8**	**12**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	224	4.1	64	1	1	1	3	5	34
18-34	142	4.6	39	1	1	2	5	14	22
35-49	95	3.3	3	1	3	3	4	5	7
50-69	373	6.9	36	1	3	5	9	15	25
70 +	8	1.0							
	841	**5.3**	**42**	**1**	**1**	**3**	**7**	**11**	**22**
0-17	195	2.6	8	1	1	2	3	3	12
18-34	165	3.7	53	1	1	2	3	4	5
35-49	187	2.8	4	1	1	2	4	4	5
50-69	110	2.6	3	1	1	3	4	5	5
70 +	32	4.0							
	689	**3.0**	**16**	**1**	**1**	**2**	**3**	**4**	**5**
	1530	**4.3**	**32**	**1**	**1**	**3**	**4**	**9**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	44	6.7	36						
18-34	47	7.6	107	1	2	3	4	28	28
35-49	78	3.3	4	1	2	3	4	7	7
50-69	98	7.4	45	2	3	7	8	10	31
70 +	10	5.0							
SUBTOTAL	**277**	**6.1**	**43**	**1**	**2**	**4**	**7**	**15**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	135	3.3	8	1	1	2	3	9	9
18-34	16	3.5	7						
35-49	40	1.4	1						
50-69	54	4.2	12						
70 +	0								
SUBTOTAL	**244**	**3.2**	**8**	**1**	**1**	**2**	**3**	**9**	**9**
GRAND TOTAL	**521**	**4.7**	**29**	**1**	**2**	**3**	**7**	**9**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	3.0	6						
18-34	126	1.9	1	< 1	1	2	2	4	4
35-49	185	2.3	5	1	1	2	2	4	9
50-69	118	3.9	2	2	3	3	5	6	6
70 +	90	4.4	19	1	1	3	5	13	14
	557	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**9**
0-17	142	1.8	1	1	1	2	2	3	3
18-34	212	2.5	2	1	1	3	4	4	4
35-49	97	3.4	2	1	3	4	4	4	7
50-69	50	3.6	10						
70 +	39	3.4	4						
	541	**2.6**	**3**	**1**	**1**	**2**	**4**	**4**	**5**
	1098	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 24: Seizure & Headache Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	18907	6.7	56	2	3	5	8	13	19
70-74	8638	6.7	52	2	3	5	8	13	17
75-79	8153	7.3	61	2	3	5	8	15	20
80-84	6438	7.9	83	2	3	6	9	15	20
85 +	5206	7.8	42	2	4	6	10	15	21
SUBTOTAL	47342	7.1	58	2	3	5	8	14	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	47342	7.1	58	2	3	5	8	14	20

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7475	5.0	24	1	2	3	6	10	14
35-49	10101	5.0	29	1	2	4	6	10	13
50-69	9499	5.5	27	2	3	4	7	11	15
70 +	421	6.9	53	2	3	5	8	13	20
	27496	5.2	27	1	2	4	6	10	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	27496	5.2	27	1	2	4	6	10	14

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	4518	5.0	24	1	2	3	6	11	15
35-49	3728	5.5	42	1	2	4	6	11	16
50-69	3430	6.5	60	2	3	4	8	13	17
70 +	420	7.4	25	2	4	6	10	15	16
SUBTOTAL	12097	5.7	40	1	2	4	7	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	12097	5.7	40	1	2	4	7	12	16

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3708	4.0	17	1	2	3	4	8	10
35-49	3978	4.3	19	1	2	3	5	8	11
50-69	3443	5.8	36	1	2	4	6	12	15
70 +	517	6.1	23	2	3	6	7	13	16
	11645	4.7	24	1	2	3	6	9	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11645	4.7	24	1	2	3	6	9	13

DRG 25: Seizure & Headache Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12061	4.1	16	1	2	3	5	7	9
70-74	4421	4.2	11	1	2	3	5	8	10
75-79	3423	4.3	10	1	2	4	5	8	9
80-84	2785	5.1	30	1	2	4	6	9	14
85 +	2062	5.2	27	2	3	4	6	9	13
SUBTOTAL	**24752**	**4.4**	**17**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**24752**	**4.4**	**17**	**1**	**2**	**3**	**5**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	25902	3.3	8	1	2	3	4	6	8
35-49	22447	3.5	9	1	2	3	4	7	9
50-69	11517	3.5	10	1	2	3	4	6	9
70 +	401	4.0	12	1	2	3	4	8	10
	60267	**3.4**	**9**	**1**	**2**	**3**	**4**	**7**	**9**
	60267	**3.4**	**9**	**1**	**2**	**3**	**4**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	7891	3.8	13	1	2	3	5	7	9
35-49	3656	3.8	8	1	2	3	5	8	9
50-69	2129	4.6	34	1	2	3	6	8	10
70 +	186	4.1	12	1	2	4	4	6	11
SUBTOTAL	**13861**	**3.9**	**15**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**13861**	**3.9**	**15**	**1**	**2**	**3**	**5**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	9940	2.9	7	1	1	2	4	6	7
35-49	5059	3.0	6	1	1	2	4	6	8
50-69	2640	3.2	9	1	1	2	4	7	9
70 +	361	3.5	5	1	2	3	6	7	7
	18000	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
	18000	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

Total U.S., July 1988 - June 1989

DRG 26: Seizure & Headache Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	119	7.6	16	2	4	7	10	13	15	0-17	9106	3.6	16	1	2	3	4	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**119**	**7.6**	**16**	**2**	**4**	**7**	**10**	**13**	**15**		**9106**	**3.6**	**16**	**1**	**2**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	108	2.0	2	1	1	2	2	3	7	0-17	45451	2.8	9	1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**108**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**7**		**45451**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**227**	**4.9**	**17**	**1**	**2**	**3**	**8**	**11**	**13**		**54556**	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5415	4.6	22	1	2	3	5	10	13	0-17	3581	4.1	35	1	1	3	4	8	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5415**	**4.6**	**22**	**1**	**2**	**3**	**5**	**10**	**13**		**3581**	**4.1**	**35**	**1**	**1**	**3**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22860	3.3	12	1	2	2	4	6	8	0-17	17362	2.5	5	1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**22860**	**3.3**	**12**	**1**	**2**	**2**	**4**	**6**	**8**		**17362**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**28274**	**3.6**	**14**	**1**	**2**	**3**	**4**	**7**	**9**		**20943**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	194	14.6	308	4	4	10	22	38	87	0-17	474	12.8	151	1	2	8	19	37	40
70-74	91	13.8	184	4	9	10	10	36	49	18-34	646	12.7	122	1	4	11	20	30	36
75-79	94	16.4	788	4	4	5	9	95	99 +	35-49	456	15.5	181	3	6	11	29	37	37
80-84	120	18.0	139	7	11	14	19	42	42	50-69	155	14.8	224	3	5	11	22	52	99 +
85 +	94	24.5	553	7	8	14	48	80	99 +	70 +	18	9.5	58						
SUBTOTAL	**592**	**17.0**	**380**	**4**	**5**	**10**	**21**	**48**	**87**		**1748**	**13.6**	**155**	**1**	**4**	**11**	**20**	**35**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	188	7.4	118	2	2	3	6	27	41	0-17	932	5.9	91	1	1	2	7	14	21
70-74	111	7.4	20	2	3	7	12	14	14	18-34	978	4.8	31	1	1	2	5	14	18
75-79	58	7.7	71	1	4	4	6	25	31	35-49	409	3.9	16	1	1	2	4	11	14
80-84	85	4.1	20	2	2	2	2	16	16	50-69	225	3.1	8	1	1	2	4	8	10
85 +	38	5.2	8							70 +	18	4.8	6						
SUBTOTAL	**481**	**6.7**	**65**	**2**	**2**	**4**	**7**	**14**	**27**		**2562**	**4.9**	**49**	**1**	**1**	**2**	**5**	**13**	**18**
GRAND TOTAL	**1073**	**12.4**	**265**	**2**	**4**	**7**	**14**	**38**	**49**		**4310**	**8.4**	**110**	**1**	**2**	**4**	**12**	**22**	**35**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	183	18.3	282	6	8	16	19	52	81	0-17	224	10.5	105	1	3	7	22	32	33
18-34	216	22.9	785	1	2	7	36	72	80	18-34	793	14.5	291	1	2	9	21	35	56
35-49	74	16.6	252	1	4	8	22	48	48	35-49	297	14.6	227	1	3	7	21	39	43
50-69	40	14.5	200							50-69	103	22.5	536	1	4	5	46	61	99 +
70 +	0									70 +	22	5.9	47						
SUBTOTAL	**513**	**19.7**	**489**	**1**	**6**	**12**	**23**	**52**	**80**		**1438**	**14.3**	**270**	**1**	**2**	**7**	**22**	**43**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	190	5.4	46	1	1	2	8	21	23	0-17	859	5.5	41	< 1	1	3	8	15	23
18-34	142	11.5	242	1	2	3	9	40	40	18-34	873	7.5	186	1	2	3	8	14	23
35-49	58	3.3	4	1	2	2	5	7	7	35-49	317	4.0	9	1	1	4	6	8	9
50-69	0									50-69	58	5.5	28	2	2	3	6	18	18
70 +	0									70 +	0								
SUBTOTAL	**391**	**7.3**	**121**	**1**	**1**	**2**	**7**	**23**	**40**		**2107**	**6.1**	**97**	**1**	**1**	**3**	**7**	**12**	**23**
GRAND TOTAL	**905**	**14.3**	**368**	**1**	**2**	**7**	**18**	**40**	**72**		**3546**	**9.4**	**184**	**1**	**2**	**4**	**11**	**25**	**39**

Total U.S., July 1988 - June 1989

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1320	7.7	71	1	2	4	10	21	24
70-74	1010	8.4	71	2	3	6	11	17	27
75-79	1188	10.1	76	2	4	8	14	19	28
80-84	1010	11.5	107	2	4	9	17	22	37
85 +	1404	11.4	151	2	4	8	15	28	34
SUBTOTAL	**5932**	**9.8**	**100**	**2**	**3**	**7**	**13**	**21**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5932**	**9.8**	**100**	**2**	**3**	**7**	**13**	**21**	**30**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1896	4.0	19	1	1	3	5	9	11
35-49	1180	7.3	115	1	2	4	9	15	25
50-69	1050	6.2	31	1	2	5	9	13	17
70 +	219	6.6	38	1	1	4	10	17	20
	4345	**5.6**	**51**	**1**	**2**	**3**	**7**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4345	**5.6**	**51**	**1**	**2**	**3**	**7**	**12**	**17**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	497	4.8	27	1	1	3	6	11	20
35-49	297	5.8	33	1	2	4	8	16	19
50-69	194	6.6	38	1	2	3	10	17	21
70 +	80	6.5	11						
SUBTOTAL	**1068**	**5.5**	**30**	**1**	**2**	**3**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1068**	**5.5**	**30**	**1**	**2**	**3**	**8**	**13**	**19**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1951	5.8	67	1	1	3	7	13	20
35-49	944	6.1	114	1	1	2	6	13	29
50-69	600	8.2	90	1	2	6	10	16	19
70 +	190	11.5	122	1	3	6	24	24	37
	3685	**6.5**	**88**	**1**	**2**	**3**	**8**	**14**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3685	**6.5**	**88**	**1**	**2**	**3**	**8**	**14**	**23**

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	621	3.6	9	1	1	2	5	9	9	0-17	0								
70-74	518	6.5	59	1	2	5	7	15	16	18-34	6193	3.0	10	1	1	2	4	7	9
75-79	961	5.1	23	1	2	4	7	12	18	35-49	2481	3.1	9	1	1	2	4	7	10
80-84	604	4.0	13	1	2	3	5	7	12	50-69	1802	3.5	13	1	2	2	4	7	10
85+	887	5.1	29	1	2	3	6	12	14	70+	344	4.0	12	1	2	2	4	10	12
SUBTOTAL	**3592**	**4.9**	**26**	**1**	**2**	**3**	**6**	**11**	**14**		**10820**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**3592**	**4.9**	**26**	**1**	**2**	**3**	**6**	**11**	**14**		**10820**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	746	3.0	7	1	1	2	4	6	9	18-34	4471	2.9	11	1	1	2	3	7	9
35-49	240	4.0	20	1	2	2	4	9	18	35-49	1213	3.7	17	1	1	2	4	9	13
50-69	182	5.6	31	[illegible]	2	5	7	10	26	50-69	672	2.8	6	1	1	2	4	5	8
70+	27	2.7	2							70+	143	3.0	6	1	2	2	4	4	11
SUBTOTAL	**1195**	**3.6**	**14**	[illegible]	**1**	**2**	**5**	**7**	**10**		**6499**	**3.1**	**11**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**1195**	**3.6**	**14**	**1**	**1**	**2**	**5**	**7**	**10**		**6499**	**3.1**	**11**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14	2.0								0-17	2409	5.2	68	1	1	2	6	11	16
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**2.0**									**2409**	**5.2**	**68**	**1**	**1**	**2**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	1.0								0-17	20036	2.1	11	1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**1.0**									**20036**	**2.1**	**11**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**30**	**1.5**									**22445**	**2.4**	**18**	**1**	**1**	**1**	**2**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	893	5.6	47	1	2	3	8	12	21	0-17	1091	5.0	40	1	1	2	6	15	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**893**	**5.6**	**47**	**1**	**2**	**3**	**8**	**12**	**21**		**1091**	**5.0**	**40**	**1**	**1**	**2**	**6**	**15**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6668	2.5	23	1	1	1	2	5	6	0-17	9996	2.0	4	1	1	1	2	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6668**	**2.5**	**23**	**1**	**1**	**1**	**2**	**5**	**6**		**9996**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**7561**	**2.8**	**27**	**1**	**1**	**1**	**3**	**5**	**9**		**11086**	**2.3**	**9**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 31: Concussion Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	947	4.3	32	1	2	3	5	10	10	0-17	0								
70-74	779	5.1	21	1	2	4	5	13	16	18-34	2806	3.3	23	1	1	2	3	6	9
75-79	707	7.7	46	2	3	6	10	14	23	35-49	1423	3.3	12	1	1	2	4	8	12
80-84	806	7.3	51	2	3	6	10	16	21	50-69	910	3.7	12	1	2	3	5	8	12
85 +	830	7.1	75	2	3	5	8	11	23	70 +	282	6.5	41	1	2	5	9	13	23
SUBTOTAL	4068	6.2	47	1	2	4	8	13	17		5421	3.5	19	1	1	2	4	7	11
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	4068	6.2	47	1	2	4	8	13	17		5421	3.5	19	1	1	2	4	7	11

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	347	2.2	4	1	1	1	2	6	7	18-34	2647	2.9	10	1	1	2	4	5	7
35-49	298	3.1	10	1	1	1	4	10	10	35-49	726	3.1	6	< 1	1	2	4	6	8
50-69	214	2.4	1	1	1	2	3	4	4	50-69	531	3.9	7	1	2	3	5	7	10
70 +	48	2.8	7							70 +	132	4.8	43	1	1	2	5	8	26
SUBTOTAL	906	2.6	6	1	1	2	3	6	8		4036	3.1	10	1	1	2	4	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	906	2.6	6	1	1	2	3	6	8		4036	3.1	10	1	1	2	4	6	8

DRG 32: Concussion Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1245	3.3	27	1	1	2	3	5	6	0-17	0								
70-74	602	2.7	4	1	1	2	3	4	7	18-34	11664	1.9	3	1	1	1	2	3	5
75-79	741	3.7	13	1	2	2	4	10	14	35-49	4754	2.3	5	1	1	2	3	5	7
80-84	795	4.0	13	1	2	3	5	9	10	50-69	2980	2.8	11	1	1	2	3	5	7
85 +	660	5.8	76	1	2	4	7	10	15	70 +	328	3.2	7	1	1	2	4	7	7
SUBTOTAL	**4043**	**3.8**	**27**	**1**	**2**	**2**	**4**	**8**	**12**		**19727**	**2.2**	**5**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**4043**	**3.8**	**27**	**1**	**2**	**2**	**4**	**8**	**12**		**19727**	**2.2**	**5**	**1**	**1**	**1**	**3**	**4**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1199	1.9	2	1	1	2	2	3	5	18-34	7682	2.1	4	1	1	1	2	4	5
35-49	349	2.5	1	1	2	2	3	4	5	35-49	1982	2.3	3	1	1	2	3	4	5
50-69	236	4.4	30	1	2	2	4	18	18	50-69	765	2.4	3	1	1	2	3	5	5
70 +	25	2.0	1							70 +	179	3.1	6	1	1	3	4	6	6
SUBTOTAL	**1809**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**		**10608**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1809**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**		**10608**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 33: Concussion Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	8	5.0									0-17	1751	2.4	5	1	1	2	3	5	7
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	8	5.0										1751	2.4	5	1	1	2	3	5	7
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	32	6.0									0-17	23237	1.5	3	1	1	1	2	2	3
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	32	6.0										23237	1.5	3	1	1	1	2	2	3
GRAND TOTAL	40	5.8										24988	1.5	3	1	1	1	2	2	3

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	479	2.9	8	1	1	2	4	6	7		0-17	883	4.5	41	1	1	2	5	8	21
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	479	2.9	8	1	1	2	4	6	7			883	4.5	41	1	1	2	5	8	21
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	5658	1.5	1	1	1	1	2	2	3		0-17	8883	1.4	1	1	1	1	2	2	3
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	5658	1.5	1	1	1	1	2	2	3			8883	1.4	1	1	1	1	2	2	3
GRAND TOTAL	6137	1.6	2	1	1	1	2	3	4			9765	1.7	5	1	1	1	2	3	4

DRG 34: Other Disorders of Nervous System w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3234	8.2	79	2	3	5	10	18	25
70-74	1682	8.9	63	2	4	6	11	20	28
75-79	1937	7.6	44	2	3	6	10	15	19
80-84	1409	7.7	48	2	4	6	9	16	25
85 +	936	9.2	109	3	4	6	10	16	25
SUBTOTAL	**9198**	**8.2**	**67**	**2**	**3**	**6**	**10**	**17**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9198**	**8.2**	**67**	**2**	**3**	**6**	**10**	**17**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1885	5.4	82	1	2	3	5	10	18
18-34	850	8.1	183	1	2	3	8	21	38
35-49	1109	8.1	189	1	2	4	9	24	55
50-69	1679	8.0	74	2	3	6	10	16	30
70 +	70	8.9	17	5	5	9	17	99 +	99 +
	5594	**7.2**	**117**	**1**	**2**	**4**	**8**	**16**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5594	**7.2**	**117**	**1**	**2**	**4**	**8**	**16**	**29**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1085	5.5	47	1	2	3	5	16	35
18-34	600	7.6	80	1	2	5	10	19	29
35-49	395	5.6	24	2	3	4	6	13	15
50-69	428	9.1	77	2	4	6	11	24	30
70 +	8	6.0							
SUBTOTAL	**2516**	**6.6**	**58**	**1**	**2**	**4**	**8**	**17**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2516**	**6.6**	**58**	**1**	**2**	**4**	**8**	**17**	**29**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	582	5.6	58	< 1	1	2	10	30	99 +
18-34	407	6.7	33	2	3	4	9	17	17
35-49	358	5.1	28	1	3	4	5	10	11
50-69	496	7.6	72	1	3	5	10	17	32
70 +	123	4.8	12	1	3	4	5	11	13
	1965	**6.2**	**49**	**1**	**2**	**4**	**8**	**17**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1965	**6.2**	**49**	**1**	**2**	**4**	**8**	**17**	**28**

DRG 35: Other Disorders of Nervous System w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1383	4.6	14	1	2	3	6	10	12	0-17	4526	4.0	55	1	1	2	4	7	17
70-74	829	6.3	47	1	2	3	9	14	19	18-34	1832	3.9	35	1	1	2	4	7	10
75-79	796	6.4	47	1	2	4	7	13	22	35-49	2346	3.1	9	1	1	2	4	6	8
80-84	655	6.2	20	2	3	5	8	13	17	50-69	2056	3.6	18	1	1	2	4	7	10
85 +	318	5.3	13	2	3	4	8	10	14	70 +	68	5.0	11	< 1	1	4	8	8	9
SUBTOTAL	**3981**	**5.6**	**29**	**1**	**2**	**4**	**7**	**12**	**15**		**10827**	**3.7**	**34**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**3981**	**5.6**	**29**	**1**	**2**	**4**	**7**	**12**	**15**		**10827**	**3.7**	**34**	**1**	**1**	**2**	**4**	**7**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2492	3.9	37	1	1	2	4	7	12	0-17	1502	4.5	81	1	1	2	3	7	25
18-34	466	3.5	7	1	1	3	5	7	9	18-34	660	3.0	5	1	1	2	4	7	8
35-49	320	3.8	8	1	2	3	5	7	11	35-49	518	2.9	4	1	1	2	4	5	7
50-69	145	6.8	58	1	2	4	7	24	27	50-69	395	3.8	12	1	2	3	5	8	12
70 +	6	7.0								70 +	85	5.1	11	2	2	4	9	9	11
SUBTOTAL	**3429**	**3.9**	**32**	**1**	**1**	**2**	**4**	**7**	**12**		**3160**	**3.8**	**42**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**3429**	**3.9**	**32**	**1**	**1**	**2**	**4**	**7**	**12**		**3160**	**3.8**	**42**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	2205	3.4	6	1	2	3	4	6	8	0-17	134	2.8	2	2	2	2	3	5	6	
70-74	1211	3.6	7	2	2	3	4	7	10	18-34	455	3.7	4	2	2	3	5	7	8	
75-79	784	3.2	4	1	2	3	4	6	7	35-49	515	3.2	5	1	2	3	4	6	9	
80-84	323	4.4	14	2	3	3	5	7	13	50-69	1672	3.2	10	1	2	2	4	5	7	
85 +	300	3.3	4	2	2	3	4	4	6	70 +	55	2.5	1	1	2	2	4	4	4	
SUBTOTAL	**4823**	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**2831**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	4243	3.0	4	1	2	3	4	5	6	0-17	1117	1.9	1	1	1	2	2	3	4	
70-74	2599	2.9	3	1	2	2	3	5	6	18-34	2013	2.4	2	1	2	2	3	4	5	
75-79	2108	2.9	3	1	2	2	3	5	6	35-49	2755	2.8	3	1	2	2	3	5	6	
80-84	975	2.8	2	1	2	3	3	4	5	50-69	7242	2.6	3	1	2	2	3	4	5	
85 +	569	3.0	3	1	2	3	4	5	5	70 +	262	2.8	11	1	2	2	3	3	4	
SUBTOTAL	**10494**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**13389**	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	
GRAND TOTAL	**15317**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**		**16221**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**6**	

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	7.0	10							0-17	61	4.4	9	1	2	4	6	11	11
18-34	139	4.2	34	1	2	2	3	9	24	18-34	157	4.7	48	2	2	3	4	8	25
35-49	147	3.0	9	1	2	2	3	4	15	35-49	243	4.6	15	1	3	3	5	7	12
50-69	242	6.6	39	2	2	4	10	12	15	50-69	568	3.5	9	1	2	3	5	6	9
70 +	0									70 +	98	3.5	6	1	1	3	5	8	8
SUBTOTAL	**543**	**5.0**	**31**	**2**	**2**	**3**	**5**	**12**	**15**		**1127**	**4.0**	**16**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	458	2.5	4	1	1	2	3	4	5	0-17	485	2.8	11	1	1	2	3	4	7
18-34	344	3.1	19	1	2	2	3	4	6	18-34	743	2.8	4	1	1	2	4	5	7
35-49	243	2.5	1	1	2	2	3	4	4	35-49	1089	2.9	4	1	2	2	3	5	7
50-69	271	2.8	2	1	2	3	3	6	6	50-69	1948	2.6	7	1	1	2	3	4	6
70 +	25	3.9	2							70 +	387	1.9	1	1	1	2	3	3	4
SUBTOTAL	**1341**	**2.7**	**7**	**1**	**2**	**2**	**3**	**4**	**6**		**4653**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1884**	**3.4**	**15**	**1**	**2**	**2**	**3**	**6**	**10**		**5780**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

Total U.S., July 1988 - June 1989

DRG 37: Orbital Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	373	5.2	32	1	2	3	7	10	11
70-74	262	4.3	10	1	2	3	6	9	12
75-79	158	9.2	345	1	3	5	8	11	58
80-84	199	4.5	8	1	2	3	7	7	9
85 +	278	7.7	65	1	3	5	8	18	29
SUBTOTAL	1270	6.0	73	1	2	4	7	10	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	302	3.1	9	1	1	2	3	9	9
70-74	263	3.3	7	1	1	3	3	9	9
75-79	255	3.7	16	1	1	2	4	9	9
80-84	353	4.1	31	1	1	2	6	7	10
85 +	224	3.7	6	1	1	3	6	7	8
SUBTOTAL	1398	3.6	15	1	1	2	5	8	9
GRAND TOTAL	2668	4.7	44	1	2	3	6	9	11

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	292	7.3	170	1	2	5	7	10	26
18-34	391	4.0	14	1	1	3	6	9	11
35-49	203	6.8	66	1	1	3	7	23	23
50-69	276	5.0	19	1	2	3	5	12	16
70 +	18	26.6	150						
	1180	5.9	73	1	2	3	6	12	23
0-17	1273	2.8	7	1	1	2	3	7	9
18-34	940	2.7	9	1	1	2	3	6	8
35-49	929	2.2	3	1	1	2	3	4	6
50-69	490	3.0	4	1	2	2	4	6	8
70 +	25	2.1	1						
	3657	2.6	6	1	1	2	3	6	8
	4836	3.4	24	1	1	2	4	7	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	32	3.9	8						
18-34	78	4.7	11	2	2	3	7	10	11
35-49	37	5.8	23						
50-69	35	5.4	10						
70 +	10	20.0							
SUBTOTAL	193	5.7	23	1	2	4	8	11	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	477	3.7	11	< 1	1	2	5	10	11
18-34	238	3.6	27	1	1	2	3	7	10
35-49	134	3.3	6	1	2	3	4	7	11
50-69	93	4.1	7	1	2	4	7	8	8
70 +	0								
SUBTOTAL	941	3.7	14	1	1	2	4	8	11
GRAND TOTAL	1134	4.0	16	1	1	3	5	9	11

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	3.8	4	2	2	3	6	7	7
18-34	243	4.0	8	1	2	3	6	7	7
35-49	153	11.3	109	1	3	7	21	23	35
50-69	106	8.7	37	2	2	8	15	16	16
70 +	16	2.5							
	572	6.8	50	1	2	4	7	19	21
0-17	516	3.2	9	1	1	2	5	8	10
18-34	597	5.3	182	1	1	2	4	8	13
35-49	295	4.0	16	1	1	2	6	10	10
50-69	244	5.0	45	1	1	2	6	9	21
70 +	44	1.5							
	1696	4.3	77	1	1	2	5	9	10
	2268	4.9	71	1	1	2	5	10	16

DRG 38: Primary Iris Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	114	3.0	2	1	2	3	4	5	6	0-17	8	1.0							
70-74	50	9.3	189	1	2	2	5	36	36	18-34	10	1.0							
75-79	134	2.8	3	1	1	3	3	6	6	35-49	23	1.0							
80-84	98	2.5	8	1	1	2	2	3	12	50-69	49	2.8	2						
85+	22	3.1	1							70+	9	1.0							
SUBTOTAL	**418**	**3.6**	**30**	**1**	**2**	**2**	**3**	**6**	**6**		**99**	**1.9**	**2**	**1**	**1**	**1**	**2**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	155	8.8	168	1	1	2	5	34	34	0-17	45	1.3							
70-74	168	2.5	5	1	2	2	2	4	11	18-34	31	1.8	1						
75-79	177	2.2	3	1	1	2	2	4	5	35-49	48	1.0							
80-84	122	2.4	2	1	1	2	3	5	5	50-69	226	2.6	3	1	2	2	2	6	7
85+	76	2.4	1	1	2	2	3	4	4	70+	0								
SUBTOTAL	**698**	**3.8**	**47**	**1**	**1**	**2**	**3**	**5**	**11**		**350**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**6**
GRAND TOTAL	**1116**	**3.7**	**40**	**1**	**1**	**2**	**3**	**5**	**11**		**449**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	58	6.5	26	1	2	5	6	15	15	18-34	16	3.5							
35-49	10	3.0								35-49	8	3.0							
50-69	6	2.0								50-69	8	1.0							
70+	0									70+	0								
SUBTOTAL	**74**	**5.7**	**23**	**1**	**2**	**4**	**6**	**15**	**15**		**31**	**2.7**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	1.0								0-17	0								
18-34	29	3.5	6							18-34	24	5.9	16						
35-49	8	6.0								35-49	0								
50-69	0									50-69	29	2.9	7						
70+	0									70+	8	1.0							
SUBTOTAL	**59**	**2.9**	**6**								**61**	**3.8**	**12**	**<1**	**1**	**1**	**7**	**9**	**9**
GRAND TOTAL	**133**	**4.4**	**17**	**<1**	**1**	**3**	**6**	**15**	**15**		**92**	**3.4**	**9**	**1**	**1**	**2**	**4**	**9**	**9**

DRG 39: Lens Procedures with or without Vitrectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1830	2.6	24	1	1	2	2	4	7	0-17	55	1.4							
70-74	1684	2.0	2	<1	1	2	2	3	4	18-34	38	1.9	1						
75-79	1898	2.5	10	<1	1	2	2	4	7	35-49	131	3.0	9	<1	1	2	3	6	6
80-84	1728	2.3	4	<1	1	2	2	4	7	50-69	1034	2.2	8	1	1	2	2	3	8
85+	1502	2.3	3	1	1	2	3	4	6	70+	52	1.7		1	1	2	2	2	2
SUBTOTAL	**8641**	**2.3**	**9**	**1**	**1**	**2**	**2**	**4**	**6**		**1311**	**2.2**	**7**	**1**	**1**	**2**	**2**	**3**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2767	1.4	1	<1	<1	1	2	2	3	0-17	1019	1.4	3	<1	1	1	1	2	3
70-74	3515	1.4	1	<1	<1	1	2	2	3	18-34	257	2.5	2	1	1	2	3	4	5
75-79	4311	1.4	1	<1	<1	1	2	2	2	35-49	482	1.5		<1	<1	1	2	3	3
80-84	4205	1.5	1	<1	<1	1	2	2	3	50-69	2413	1.3		<1	<1	1	2	2	2
85+	3507	1.8	19	<1	<1	1	2	2	3	70+	342	1.2		<1	<1	1	1	2	2
SUBTOTAL	**18304**	**1.5**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**		**4514**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**26946**	**1.8**	**6**	**<1**	**<1**	**1**	**2**	**3**	**3**		**5824**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	116	1.6	1	1	1	1	2	4	4	0-17	58	1.5	1	<1	1	1	1	3	3
18-34	40	1.2								18-34	73	2.8	6	1	1	2	2	8	8
35-49	45	1.9	1							35-49	54	1.6	1	<1	1	1	2	3	3
50-69	211	2.4	3	1	2	2	2	7	7	50-69	229	3.2	19	<1	1	1	2	14	14
70+	10	2.0								70+	56	1.2		<1	<1	1	1	2	2
SUBTOTAL	**422**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**7**		**471**	**2.5**	**11**	**<1**	**1**	**1**	**2**	**7**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	454	1.5	1	1	1	1	2	2	3	0-17	263	2.1	6	<1	1	1	2	8	9
18-34	88	6.8	157	1	1	2	4	41	41	18-34	115	1.4		1	1	1	2	2	2
35-49	74	2.2	1	1	2	2	2	4	4	35-49	106	1.1		<1	<1	1	1	2	2
50-69	91	10.6	600	<1	1	2	3	79	79	50-69	497	1.3	1	<1	<1	<1	1	2	3
70+	82	1.4		<1	1	1	2	2	3	70+	593	1.0		<1	<1	<1	<1	1	1
SUBTOTAL	**788**	**3.2**	**96**	**1**	**1**	**1**	**2**	**3**	**4**		**1574**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**
GRAND TOTAL	**1211**	**2.8**	**63**	**1**	**1**	**2**	**2**	**3**	**4**		**2045**	**1.6**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**

DRG 40: Extraocular Procedures except Orbit Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	383	4.2	18	1	1	2	6	13	13	0-17	0									
70-74	355	4.9	28	1	1	2	6	16	16	18-34	285	2.6	4	1	1	2	3	5	6	
75-79	318	5.4	34	1	1	3	7	12	20	35-49	176	3.8	33	1	1	2	3	9	22	
80-84	382	3.4	13	1	1	2	4	10	10	50-69	209	2.9	9	1	1	2	3	8	10	
85 +	178	5.7	30	2	2	3	6	18	21	70 +	17	2.6	2							
SUBTOTAL	**1616**	**4.6**	**24**	**1**	**1**	**2**	**6**	**12**	**16**		**687**	**3.0**	**13**	**1**	**1**	**2**	**3**	**6**	**10**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	761	1.7	2	< 1	1	1	2	3	5	0-17	0									
70-74	671	1.8	3	< 1	1	1	2	3	5	18-34	1308	1.6	2	< 1	< 1	1	1	3	4	
75-79	687	2.2	10	< 1	1	1	2	4	8	35-49	1594	1.6	2	< 1	1	1	1	3	4	
80-84	493	1.9	4	1	1	1	2	4	6	50-69	1728	1.7	2	< 1	1	1	2	3	5	
85 +	410	3.7	50	< 1	1	2	4	7	11	70 +	6	1.0								
SUBTOTAL	**3022**	**2.1**	**11**	**< 1**	**1**	**1**	**2**	**4**	**7**		**4635**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**	
GRAND TOTAL	**4638**	**3.0**	**17**	**< 1**	**1**	**1**	**3**	**7**	**11**		**5322**	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	52	2.5	5	1	1	1	4	7	7	18-34	270	4.0	24	< 1	1	2	4	12	20	
35-49	78	14.7	369	3	3	3	33	57	57	35-49	99	3.1	2	1	2	3	4	5	5	
50-69	17	10.0								50-69	154	3.4	7	1	1	3	4	9	10	
70 +	0									70 +	43	4.2	20							
SUBTOTAL	**148**	**9.8**	**228**	**1**	**3**	**3**	**9**	**33**	**57**		**565**	**3.7**	**15**	**1**	**1**	**3**	**4**	**8**	**12**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	114	2.1	3	< 1	< 1	1	2	6	6	18-34	822	1.8	2	< 1	1	1	2	4	4	
35-49	175	2.0	1	1	1	2	3	3	3	35-49	477	1.4	1	< 1	1	1	1	2	4	
50-69	90	2.5	5	1	1	1	3	7	7	50-69	591	1.7	4	< 1	1	1	2	3	4	
70 +	8	2.0								70 +	81	2.8	6	1	1	1	5	7	7	
SUBTOTAL	**387**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**		**1971**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**	
GRAND TOTAL	**534**	**4.3**	**76**	**< 1**	**1**	**2**	**3**	**7**	**10**		**2536**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**	

DRG 41: Extraocular Procedures except Orbit Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	449	2.7	12	< 1	1	1	3	5	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**449**	**2.7**	**12**	**< 1**	**1**	**1**	**3**	**5**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	7458	1.3	1	< 1	< 1	< 1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**7458**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**6**	**1.0**									**7907**	**1.3**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	214	2.2	4	< 1	1	1	2	6	8	0-17	149	2.8	5	< 1	1	2	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**214**	**2.2**	**4**	**< 1**	**1**	**1**	**2**	**6**	**8**		**149**	**2.8**	**5**	**< 1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2322	1.3	1	< 1	< 1	1	1	2	3	0-17	2057	1.4	6	< 1	< 1	< 1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2322**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**2057**	**1.4**	**6**	**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
GRAND TOTAL	**2536**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**2206**	**1.5**	**6**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1676	3.9	20	1	2	3	4	8	11	0-17	130	3.7	9	1	2	3	4	11	11
70-74	1462	3.8	10	1	2	3	4	8	10	18-34	417	3.3	13	1	2	2	4	5	7
75-79	1477	4.0	14	1	2	3	5	8	10	35-49	508	3.3	10	1	2	2	3	7	7
80-84	1192	3.9	10	2	2	3	4	8	11	50-69	1078	3.5	13	1	2	2	4	6	11
85 +	637	4.3	22	1	2	3	5	9	11	70 +	122	2.6	4	1	2	2	3	5	9
SUBTOTAL	**6444**	**3.9**	**15**	**1**	**2**	**3**	**4**	**8**	**10**		**2255**	**3.4**	**12**	**1**	**2**	**2**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2872	2.7	4	1	2	2	3	5	7	0-17	2088	2.7	4	1	1	2	4	5	6
70-74	2960	2.5	4	1	1	2	3	4	5	18-34	1604	2.7	9	1	1	2	3	5	7
75-79	3115	2.6	5	1	2	2	3	4	6	35-49	1733	2.4	2	1	1	2	3	4	5
80-84	2390	2.5	3	1	1	2	3	4	6	50-69	2944	2.3	2	1	1	2	3	4	5
85 +	1573	3.1	9	1	2	2	3	6	7	70 +	189	1.5		1	1	1	2	2	2
SUBTOTAL	**12911**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**		**8558**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**19355**	**3.1**	**8**	**1**	**2**	**2**	**3**	**6**	**8**		**10814**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	86	5.8	8	2	3	6	8	8	12	0-17	55	3.4	3	1	2	3	5	6	6
18-34	197	4.0	10	1	2	3	5	7	13	18-34	119	4.2	7	1	2	3	7	7	9
35-49	137	3.8	3	1	3	4	5	6	8	35-49	140	5.1	18	1	2	4	6	13	16
50-69	336	4.6	25	2	2	3	4	9	14	50-69	248	4.6	14	1	2	3	6	9	14
70 +	38	2.6	2							70 +	71	4.6	5	2	2	4	6	8	8
SUBTOTAL	**793**	**4.4**	**15**	**2**	**2**	**3**	**5**	**8**	**12**		**634**	**4.5**	**12**	**1**	**2**	**3**	**6**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	952	2.6	4	1	1	2	4	6	6	0-17	710	3.7	7	1	2	3	5	7	10
18-34	340	2.5	3	1	2	2	3	4	6	18-34	753	3.1	2	1	2	3	4	5	6
35-49	139	3.0	4	1	1	2	5	6	6	35-49	448	4.4	14	1	2	3	5	11	12
50-69	407	2.9	5	1	2	2	3	4	7	50-69	633	3.1	11	1	1	2	3	6	10
70 +	43	3.0	1							70 +	236	1.5	1	< 1	1	1	2	3	4
SUBTOTAL	**1882**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**2780**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**10**
GRAND TOTAL	**2675**	**3.2**	**8**	**1**	**2**	**2**	**4**	**6**	**8**		**3414**	**3.5**	**9**	**1**	**1**	**3**	**4**	**7**	**10**

DRG 43: Hyphema

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	24	4.0	3								0-17	70	4.2	4	2	2	5	6	8	8	
70-74	60	4.8	7								18-34	40	3.1	3							
75-79	40	3.4	1								35-49	30	6.8	19							
80-84	8	3.0									50-69	38	5.8	4							
85 +	14	15.2	52								70 +	0									
SUBTOTAL	146	5.2	19	2	3	4	5	12	23			178	4.8	8	2	2	5	5	8	9	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	59	4.8	2	3	3	5	6	6	6		0-17	1518	4.0	3	2	3	4	5	6	7	
70-74	28	4.7									18-34	785	3.5	4	1	2	3	5	5	7	
75-79	14	3.3	2								35-49	298	3.1	3	1	2	3	5	5	5	
80-84	0										50-69	101	2.9	2	1	2	3	4	5	5	
85 +	17	4.1	1								70 +	0									
SUBTOTAL	119	4.5	2	3	3	5	5	6	6			2702	3.7	3	1	2	4	5	6	7	
GRAND TOTAL	265	4.9	11	2	3	4	5	6	12			2880	3.8	4	1	2	4	5	6	7	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	22	4.2	3								0-17	37	5.5	7							
18-34	48	3.0									18-34	96	3.9	5	1	3	4	5	8	9	
35-49	0										35-49	54	2.1	2							
50-69	10	1.0									50-69	0									
70 +	0										70 +	0									
SUBTOTAL	79	3.1	2	1	3	3	3	5	6			187	3.7	6	< 1	1	4	4	6	9	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	502	4.2	4	2	3	4	5	7	8		0-17	570	4.1	4	1	2	4	5	7	8	
18-34	42	3.7	3	< 1	2	5	5	5	5		18-34	433	3.4	3	1	2	4	5	6	6	
35-49	8	3.0									35-49	120	3.2	3	2	2	2	5	5	7	
50-69	10	5.0									50-69	8	1.0								
70 +	0										70 +	0									
SUBTOTAL	561	4.1	4	2	3	4	5	6	8			1131	3.7	4	1	2	4	5	6	7	
GRAND TOTAL	641	4.0	4	2	3	4	5	6	7			1317	3.7	4	1	2	4	5	6	7	

DRG 44: Acute Major Eye Infections

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	209	7.0	24	3	3	5	9	16	16	0-17	989	4.1	6	2	3	4	5	7	8
70-74	125	6.5	22	2	4	6	7	8	21	18-34	36	3.4	1						
75-79	188	7.4	24	3	4	6	9	17	20	35-49	168	5.6	14	2	2	5	6	13	14
80-84	84	5.6	2	3	5	6	7	7	7	50-69	130	6.7	4	4	5	7	8	9	10
85+	176	7.2	18	2	4	7	10	11	11	70+	0								
SUBTOTAL	**782**	**6.9**	**20**	**3**	**4**	**6**	**8**	**13**	**17**		**1322**	**4.5**	**8**	**2**	**3**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	316	5.6	10	2	4	5	7	10	12	0-17	7621	3.4	4	2	2	3	4	6	7
70-74	148	7.3	27	2	4	7	8	11	24	18-34	539	4.2	7	2	3	4	5	7	8
75-79	254	6.3	55	2	3	4	7	13	16	35-49	354	4.4	12	2	3	4	5	6	8
80-84	304	6.2	7	3	4	6	8	9	12	50-69	319	4.9	6	2	3	4	6	7	10
85+	220	7.3	19	3	4	7	9	12	18	70+	34	5.4	2						
SUBTOTAL	**1242**	**6.4**	**22**	**2**	**4**	**6**	**8**	**11**	**13**		**8867**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2025**	**6.6**	**22**	**3**	**4**	**6**	**8**	**12**	**16**		**10189**	**3.6**	**5**	**2**	**2**	**3**	**4**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	487	5.4	10	2	3	5	7	10	12	0-17	449	3.4	1	2	2	3	4	5	6
18-34	62	12.2	168	5	6	6	9	41	41	18-34	71	3.4	1						
35-49	36	8.3	15							35-49	24	4.3	3						
50-69	26	5.1	4							50-69	9	6.0							
70+	0									70+	23	9.7	31						
SUBTOTAL	**611**	**6.3**	**30**	**2**	**3**	**5**	**7**	**11**	**14**		**577**	**3.7**	**4**	**2**	**3**	**3**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3232	3.9	5	2	2	3	5	7	8	0-17	3276	3.9	6	2	2	3	4	7	10
18-34	213	3.7	4	1	2	3	6	6	6	18-34	371	4.6	16	2	3	4	5	7	9
35-49	91	4.4	2	3	3	4	6	6	7	35-49	134	4.6	6	3	4	4	4	7	14
50-69	76	7.0	4	4	6	7	7	11	11	50-69	50	5.8	3						
70+	29	4.5	2							70+	14	2.0							
SUBTOTAL	**3640**	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**8**		**3846**	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**4251**	**4.3**	**9**	**2**	**3**	**4**	**5**	**7**	**9**		**4422**	**4.0**	**7**	**2**	**2**	**3**	**5**	**6**	**9**

Total U.S., July 1988 - June 1989

DRG 45: Neurological Eye Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	634	3.8	5	1	2	3	5	7	8
70-74	376	5.4	20	1	3	4	6	11	15
75-79	432	4.2	8	1	2	3	6	7	9
80-84	120	4.8	8	2	3	4	6	11	11
85 +	85	6.9	22	3	3	5	10	15	15
SUBTOTAL	**1648**	**4.5**	**11**	**1**	**2**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	421	3.8	8	1	2	3	6	8	8
70-74	349	3.9	7	1	2	3	6	7	10
75-79	219	2.9	3	1	2	2	5	6	6
80-84	151	3.0	3	1	2	2	4	5	6
85 +	23	2.1	1						
SUBTOTAL	**1163**	**3.5**	**6**	**1**	**2**	**2**	**5**	**7**	**8**
GRAND TOTAL	**2810**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	2.1	1	1	1	2	3	3	4
18-34	142	3.0	2	1	2	3	4	5	5
35-49	251	4.9	7	2	3	4	7	9	11
50-69	496	3.9	7	1	2	3	5	7	10
70 +	8	10.0							
	974	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	317	3.2	3	1	2	3	5	6	7
18-34	416	3.7	4	1	2	4	5	6	7
35-49	494	3.0	5	1	1	2	4	6	6
50-69	948	3.3	5	1	2	3	4	6	9
70 +	24	3.9	8						
	2200	**3.3**	**5**	**1**	**2**	**3**	**5**	**6**	**7**
	3174	**3.5**	**6**	**1**	**2**	**3**	**5**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	1.5							
18-34	46	3.7	3						
35-49	59	14.5	605	1	2	3	7	68	68
50-69	70	6.9	15						
70 +	0								
SUBTOTAL	**190**	**8.1**	**215**	**2**	**2**	**4**	**7**	**13**	**68**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	84	2.2	1	1	1	2	3	4	4
18-34	94	3.0	3	2	2	3	3	5	8
35-49	47	3.8	2	2	3	4	5	5	5
50-69	0								
70 +	0								
SUBTOTAL	**226**	**2.9**	**2**	**1**	**2**	**3**	**3**	**5**	**5**
GRAND TOTAL	**416**	**5.3**	**106**	**1**	**2**	**3**	**5**	**8**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	76	4.6	3	2	4	4	5	8	8
35-49	74	4.0	12	1	1	4	5	13	13
50-69	140	3.2	5	1	1	2	5	7	8
70 +	18	3.0							
	308	**3.7**	**6**	**1**	**2**	**4**	**5**	**7**	**8**
0-17	142	1.8	1	1	1	2	2	3	3
18-34	132	2.7	4	1	1	2	3	6	9
35-49	103	3.0	4	1	1	3	4	5	8
50-69	224	2.0	3	1	1	1	3	4	7
70 +	32	3.2	8						
	634	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
	941	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**8**

Total U.S., July 1988 - June 1989

DRG 46: Other Disorders of the Eye Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	936	4.2	12	1	2	3	6	9	16	0-17	0								
70-74	646	4.3	9	1	2	4	6	8	10	18-34	524	4.6	23	1	1	4	5	13	15
75-79	720	5.2	17	1	2	5	7	10	14	35-49	384	6.0	26	1	2	5	8	11	15
80-84	555	5.7	28	1	2	4	8	12	16	50-69	495	3.6	9	1	1	3	5	7	11
85 +	612	6.1	19	2	2	5	10	12	14	70 +	16	3.0	1						
SUBTOTAL	**3469**	**5.0**	**17**	**1**	**2**	**4**	**7**	**10**	**14**		**1419**	**4.6**	**19**	**1**	**1**	**4**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3469**	**5.0**	**17**	**1**	**2**	**4**	**7**	**10**	**14**		**1419**	**4.6**	**19**	**1**	**1**	**4**	**6**	**11**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	241	5.7	60	1	2	3	4	14	18	18-34	443	4.8	59	1	2	3	6	9	15
35-49	110	4.5	14	2	3	3	5	8	15	35-49	253	8.5	30	1	3	8	14	15	18
50-69	208	3.3	4	1	2	3	5	6	7	50-69	136	4.8	18	1	2	3	7	14	14
70 +	18	7.7	26							70 +	26	3.7	6						
SUBTOTAL	**577**	**4.6**	**31**	**1**	**2**	**3**	**5**	**14**	**99 +**		**858**	**5.9**	**45**	**1**	**2**	**3**	**8**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**577**	**4.6**	**31**	**1**	**2**	**3**	**5**	**14**	**99 +**		**858**	**5.9**	**45**	**1**	**2**	**3**	**8**	**14**	**15**

DRG 47: Other Disorders of the Eye Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	605	3.4	9	1	1	2	4	9	10	0-17	0									
70-74	646	4.2	10	1	2	4	5	9	11	18-34	809	3.2	10	1	1	2	4	7	8
75-79	454	3.8	11	< 1	1	2	6	10	11	35-49	590	2.9	4	1	1	2	4	5	7
80-84	445	3.5	6	1	2	3	5	7	9	50-69	789	2.9	4	1	1	2	4	6	8
85 +	355	4.5	77	1	1	2	3	9	13	70 +	55	2.3	2	1	1	2	3	5	5
SUBTOTAL	**2504**	**3.9**	**19**	**1**	**1**	**2**	**5**	**9**	**11**		**2244**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**2504**	**3.9**	**19**	**1**	**1**	**2**	**5**	**9**	**11**		**2244**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	181	5.4	12	2	3	5	6	12	12	18-34	548	3.0	6	1	1	2	4	6	8
35-49	89	4.9	21	< 1	1	3	8	13	13	35-49	360	3.2	6	1	1	3	4	6	10
50-69	119	3.4	7	1	1	2	6	6	9	50-69	198	2.5	4	< 1	1	1	4	6	7
70 +	16	11.3	1							70 +	31	1.7	1						
SUBTOTAL	**405**	**4.9**	**15**	**1**	**2**	**3**	**6**	**12**	**12**		**1137**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**405**	**4.9**	**15**	**1**	**2**	**3**	**6**	**12**	**12**		**1137**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

Total U.S., July 1988 - June 1989

DRG 48: Other Disorders of the Eye Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	12.0								0-17	598	4.5	8	1	2	5	7	8	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**8**	**12.0**									**598**	**4.5**	**8**	**1**	**2**	**5**	**7**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2676	2.9	5	1	1	2	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**2676**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**8**	**12.0**									**3274**	**3.2**	**5**	**1**	**1**	**2**	**4**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	419	5.1	9	2	3	5	7	8	11	0-17	264	2.6	3	1	1	2	3	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**419**	**5.1**	**9**	**2**	**3**	**5**	**7**	**8**	**11**		**264**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1808	3.4	7	1	1	3	4	7	9	0-17	1819	3.3	11	1	2	2	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1808**	**3.4**	**7**	**1**	**1**	**3**	**4**	**7**	**9**		**1819**	**3.3**	**11**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**2227**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**10**		**2084**	**3.2**	**10**	**1**	**2**	**2**	**4**	**6**	**7**

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1599	16.2	144	4	9	14	20	30	39	0-17	68	3.8	4	2	2	3	4	7	7
70-74	1161	17.3	213	7	9	13	20	33	57	18-34	80	11.3	77	3	4	9	19	29	29
75-79	721	19.2	298	5	8	15	22	55	62	35-49	546	11.7	42	2	6	12	16	19	21
80-84	393	14.3	217	5	6	9	18	27	37	50-69	2359	15.3	149	5	9	12	18	28	34
85 +	111	21.7	506	5	9	13	24	56	80	70 +	93	9.7	35	2	4	10	13	19	21
SUBTOTAL	**3986**	**17.0**	**212**	**5**	**8**	**13**	**21**	**35**	**52**		**3147**	**14.2**	**127**	**4**	**8**	**12**	**17**	**27**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	826	7.9	34	2	3	7	12	16	17	0-17	448	3.7	28	1	2	3	4	5	7
70-74	560	9.1	46	2	4	8	12	16	25	18-34	501	3.6	11	1	2	3	3	7	10
75-79	333	9.1	35	3	4	9	11	18	25	35-49	674	8.2	106	1	2	4	11	20	23
80-84	176	8.1	25	3	3	6	11	14	14	50-69	1510	8.2	43	1	3	8	11	16	23
85 +	117	8.1	111	1	2	3	9	23	38	70 +	41	4.8	6						
SUBTOTAL	**2012**	**8.5**	**41**	**2**	**3**	**7**	**12**	**16**	**20**		**3176**	**6.8**	**53**	**1**	**2**	**4**	**10**	**14**	**22**
GRAND TOTAL	**5998**	**14.1**	**171**	**3**	**6**	**11**	**17**	**29**	**39**		**6322**	**10.5**	**103**	**2**	**3**	**9**	**13**	**22**	**28**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	33	8.2	69						
18-34	23	15.3	36							18-34	29	29.9	1285						
35-49	223	18.4	81	10	12	14	22	36	37	35-49	140	18.8	351	2	8	14	23	46	72
50-69	529	21.4	175	10	13	17	27	40	47	50-69	479	13.5	72	5	7	11	16	27	31
70 +	8	52.0								70 +	34	19.8	292						
SUBTOTAL	**784**	**20.7**	**154**	**10**	**13**	**16**	**26**	**38**	**46**		**715**	**15.2**	**201**	**3**	**7**	**11**	**19**	**29**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	120	7.2	40	1	3	4	11	20	20	0-17	91	2.4	1	1	1	2	3	4	4
18-34	84	6.6	18	1	4	5	10	12	15	18-34	84	3.4	8	1	2	3	3	10	10
35-49	64	7.3	14	2	2	10	10	11	11	35-49	178	6.7	20	1	2	7	10	12	16
50-69	143	11.3	78	2	7	10	12	21	30	50-69	395	8.7	26	2	4	8	13	16	17
70 +	8	2.0								70 +	23	3.0	3						
SUBTOTAL	**417**	**8.4**	**49**	**2**	**4**	**7**	**11**	**15**	**20**		**772**	**6.7**	**25**	**1**	**2**	**5**	**10**	**15**	**16**
GRAND TOTAL	**1201**	**16.4**	**151**	**4**	**9**	**14**	**20**	**36**	**40**		**1487**	**10.8**	**127**	**2**	**3**	**8**	**14**	**23**	**29**

Total U.S., July 1988 - June 1989

DRG 50: Sialoadenectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	565	3.9	13	1	2	2	5	10	11	0-17	53	4.9	51	1	1	2	3	22	22
70-74	405	3.4	7	1	2	2	5	8	9	18-34	67	1.6	1	1	1	1	2	3	3
75-79	172	3.2	6	1	2	2	4	6	9	35-49	202	3.1	2	1	2	3	4	5	6
80-84	113	3.8	5	2	2	4	4	7	9	50-69	670	3.7	6	1	2	3	5	7	9
85 +	72	5.4	18	2	2	4	10	12	12	70 +	14	6.2	7						
SUBTOTAL	**1328**	**3.7**	**10**	**1**	**2**	**2**	**5**	**9**	**11**		**1006**	**3.5**	**7**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1584	2.3	1	1	1	2	3	4	4	0-17	495	2.1	4	1	1	2	2	4	5
70-74	1157	2.4	3	1	1	2	3	4	6	18-34	1852	2.1	2	1	1	2	3	4	5
75-79	651	2.4	4	1	1	2	3	5	6	35-49	3135	2.2	3	1	1	2	3	4	5
80-84	315	2.3	2	1	1	2	3	3	6	50-69	3535	2.1	1	1	1	2	3	3	4
85 +	121	6.3	88	1	2	3	6	10	36	70 +	51	4.6	4	1	3	5	6	7	7
SUBTOTAL	**3828**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**		**9067**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**5156**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**		**10073**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	5.0	17							0-17	14	2.4							
18-34	23	1.0								18-34	33	2.8							
35-49	0									35-49	34	2.0							
50-69	23	4.3	7							50-69	104	1.9	1	1	1	2	2	3	3
70 +	8	13.0								70 +	34	4.9	8						
SUBTOTAL	**70**	**4.3**	**18**	**1**	**1**	**2**	**8**	**13**	**13**		**219**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	130	2.8	3	1	1	3	4	6	6	0-17	73	1.5	1	< 1	1	1	1	3	3
18-34	207	1.8	1	1	1	2	2	3	3	18-34	588	1.5	1	1	1	1	2	3	3
35-49	121	2.3	3	1	1	2	3	6	7	35-49	602	1.9	1	1	1	1	3	3	4
50-69	161	2.5	2	1	1	3	3	4	5	50-69	743	2.1	2	1	1	2	2	3	4
70 +	9	3.0								70 +	48	2.0	1	1	1	1	3	4	4
SUBTOTAL	**628**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**2054**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**698**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**2273**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

Total U.S., July 1988 - June 1989

DRG 51: Salivary Gland Procedures except Sialoadenectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	103	4.1	15	1	2	2	5	9	15	0-17	16	3.0	1						
70-74	40	2.6	10							18-34	26	2.8	1						
75-79	38	3.4	3							35-49	6	1.0							
80-84	0									50-69	85	4.2	12						
85 +	32	3.0								70 +	0								
SUBTOTAL	**212**	**3.5**	**10**	**1**	**1**	**3**	**4**	**9**	**10**		**132**	**3.6**	**9**	**2**	**2**	**3**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	221	1.7	1	1	1	1	2	3	4	0-17	124	1.6	1	< 1	1	1	2	3	4
70-74	122	2.1	2	1	1	2	3	4	5	18-34	196	1.9	1	1	1	2	2	4	4
75-79	88	3.6	7	1	2	3	4	10	10	35-49	384	2.2	4	1	1	1	2	5	7
80-84	68	1.8	1	< 1	1	1	2	3	5	50-69	523	1.7	1	1	1	1	2	3	4
85 +	16	2.6								70 +	6	10.0							
SUBTOTAL	**516**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**1233**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**729**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**7**		**1365**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	8	1.0								18-34	0								
35-49	0									35-49	18	6.4	9						
50-69	8	1.0								50-69	25	5.1	10						
70 +	9	3.0								70 +	6	2.0							
SUBTOTAL	**25**	**1.7**	**1**								**49**	**5.2**	**10**	**1**	**2**	**7**	**8**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	54	1.5								0-17	91	1.5	1	< 1	1	1	2	3	3
18-34	25	1.0								18-34	48	1.7							
35-49	0									35-49	97	1.8	1	1	1	2	2	3	3
50-69	0									50-69	79	2.9	8	1	1	2	3	8	11
70 +	0									70 +	16	1.0							
SUBTOTAL	**79**	**1.3**		**< 1**	**< 1**	**1**	**2**	**2**	**2**		**330**	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**104**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**3**		**379**	**2.3**	**5**	**1**	**1**	**2**	**3**	**3**	**8**

DRG 52: Cleft Lip & Palate Repair

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	510	4.0	11	1	2	3	5	7	11
70-74	0									18-34	60	3.9	14						
75-79	0									35-49	25	8.4	20						
80-84	10	16.0								50-69	8	1.0							
85 +	0									70 +	0								
SUBTOTAL	**18**	**9.9**	**51**								**603**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	103	1.8	2	1	1	1	3	4	5	0-17	11225	2.3	2	1	1	2	3	4	5
70-74	8	2.0								18-34	282	2.6	6	1	1	2	3	4	8
75-79	0									35-49	262	1.8	1	1	1	1	2	3	4
80-84	0									50-69	196	2.2	2	1	1	2	3	4	4
85 +	0									70 +	0								
SUBTOTAL	**110**	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**5**		**11964**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**128**	**3.0**	**16**	**1**	**1**	**1**	**3**	**5**	**16**		**12568**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	342	5.0	38	2	2	4	6	8	9	0-17	148	3.3	3	1	2	3	5	6	7
18-34	19	10.3	38							18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	42	5.9	8						
70 +	0									70 +	0								
SUBTOTAL	**361**	**5.3**	**39**	**2**	**3**	**4**	**6**	**9**	**16**		**190**	**3.9**	**5**	**1**	**2**	**3**	**6**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3969	2.7	3	1	1	2	3	5	6	0-17	2908	2.5	2	1	1	2	3	4	5
18-34	61	2.3	2	1	1	2	4	4	4	18-34	115	2.6	5	1	1	2	3	7	7
35-49	14	5.4								35-49	63	1.9		1	1	2	2	3	3
50-69	0									50-69	41	1.4							
70 +	0									70 +	0								
SUBTOTAL	**4044**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**3127**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4405**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**		**3318**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 53: Sinus & Mastoid Procedures Age >17

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	961	3.4	10	1	1	2	4	9	10	0-17	0								
70-74	510	4.8	20	1	2	3	7	11	16	18-34	702	4.6	24	1	1	2	7	9	12
75-79	201	4.0	22	1	1	2	4	12	12	35-49	862	4.3	19	1	1	2	7	10	12
80-84	130	10.8	194	1	2	4	15	36	51	50-69	965	4.4	39	1	1	3	5	10	12
85+	82	5.1	12	1	3	5	6	9	14	70+	8	2.0							
SUBTOTAL	**1884**	**4.4**	**30**	**1**	**1**	**2**	**5**	**10**	**15**		**2537**	**4.4**	**28**	**1**	**1**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3314	2.2	6	1	1	1	2	4	6	0-17	0								
70-74	1787	2.0	6	1	1	1	2	4	6	18-34	9560	1.7	3	1	1	1	2	3	4
75-79	948	2.4	8	1	1	1	2	4	10	35-49	11843	1.7	2	1	1	1	2	3	4
80-84	338	3.2	12	1	1	2	4	7	11	50-69	9701	1.7	2	1	1	1	2	3	4
85+	108	3.2	8	1	1	2	5	7	10	70+	149	1.5	1	1	1	1	2	2	6
SUBTOTAL	**6495**	**2.2**	**7**	**1**	**1**	**1**	**2**	**4**	**7**		**31252**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**8379**	**2.7**	**13**	**1**	**1**	**2**	**3**	**6**	**9**		**33789**	**1.9**	**5**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	87	6.3	23	1	2	5	11	13	15	18-34	124	3.6	19	1	1	2	4	15	15
35-49	115	6.4	41	1	2	3	9	18	21	35-49	229	3.8	29	1	1	2	4	10	13
50-69	28	1.6	1							50-69	197	3.6	15	1	1	2	4	7	9
70+	9	1.0								70+	25	3.8	5						
SUBTOTAL	**239**	**5.6**	**32**	**1**	**1**	**3**	**9**	**15**	**18**		**575**	**3.7**	**21**	**1**	**1**	**2**	**4**	**9**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	831	1.8	4	1	1	1	2	4	5	18-34	1722	2.3	11	1	1	1	2	6	7
35-49	402	2.1	4	1	1	1	2	5	6	35-49	1639	1.8	5	1	1	1	2	3	4
50-69	235	1.8	2	1	1	1	2	3	5	50-69	1210	1.7	3	1	1	1	2	3	4
70+	0									70+	84	1.6		1	1	1	2	3	3
SUBTOTAL	**1468**	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**5**		**4655**	**2.0**	**6**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1707**	**2.4**	**9**	**1**	**1**	**1**	**3**	**5**	**7**		**5230**	**2.1**	**8**	**1**	**1**	**1**	**2**	**4**	**7**

Total U.S., July 1988 - June 1989

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	694	5.3	62	1	1	3	8	12	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**694**	**5.3**	**62**	**1**	**1**	**3**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	82	1.4		< 1	1	1	2	2	2	0-17	6777	1.7	4	1	1	1	1	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**82**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**2**		**6777**	**1.7**	**4**	**1**	**1**	**1**	**1**	**3**	**6**
GRAND TOTAL	**82**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**2**		**7471**	**2.1**	**10**	**1**	**1**	**1**	**2**	**5**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	80	13.2	378	2	3	9	11	38	71	0-17	119	4.8	20	1	1	2	9	13	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**80**	**13.2**	**378**	**2**	**3**	**9**	**11**	**38**	**71**		**119**	**4.8**	**20**	**1**	**1**	**2**	**9**	**13**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1189	2.5	14	1	1	1	2	6	12	0-17	1104	1.9	7	1	1	1	2	4	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1189**	**2.5**	**14**	**1**	**1**	**1**	**2**	**6**	**12**		**1104**	**1.9**	**7**	**1**	**1**	**1**	**2**	**4**	**8**
GRAND TOTAL	**1269**	**3.2**	**43**	**1**	**1**	**1**	**2**	**8**	**13**		**1223**	**2.2**	**9**	**1**	**1**	**1**	**2**	**6**	**9**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	766	2.8	10	1	1	2	3	6	8	0-17	789	4.3	53	1	1	2	4	12	20	
70-74	346	5.4	115	1	2	2	5	8	15	18-34	986	3.9	27	1	1	2	4	11	15	
75-79	286	5.1	27	1	1	4	7	14	15	35-49	792	3.0	17	1	1	2	3	6	12	
80-84	174	7.3	115	1	1	4	6	26	30	50-69	895	3.4	15	1	1	2	3	8	12	
85 +	30	8.0	34							70 +	19	4.1	9							
SUBTOTAL	**1602**	**4.4**	**50**	**1**	**1**	**2**	**5**	**9**	**15**		**3481**	**3.6**	**28**	**1**	**1**	**2**	**4**	**9**	**15**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	2803	1.6	2	1	1	1	2	2	4	0-17	12400	1.6	3	1	1	1	1	3	4	
70-74	1338	1.6	1	1	1	1	2	2	4	18-34	18789	1.4	1	1	1	1	1	2	3	
75-79	805	1.7	2	1	1	1	2	3	4	35-49	12997	1.4	1	1	1	1	1	2	3	
80-84	212	2.0	2	1	1	1	2	5	5	50-69	9085	1.7	5	1	1	1	2	3	4	
85 +	149	5.8	45	1	2	3	7	16	23	70 +	61	1.1		1	1	1	1	2	2	
SUBTOTAL	**5306**	**1.7**	**4**	**1**	**1**	**1**	**2**	**3**	**4**		**53332**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**	
GRAND TOTAL	**6908**	**2.4**	**16**	**1**	**1**	**1**	**2**	**4**	**7**		**56813**	**1.6**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	369	9.1	104	1	2	5	11	23	38	0-17	276	8.2	108	1	2	3	11	17	33	
18-34	77	5.3	23	1	2	3	5	15	16	18-34	270	4.6	18	1	2	3	5	9	19	
35-49	79	4.8	12	1	2	4	7	10	12	35-49	155	5.0	46	1	1	2	5	9	25	
50-69	65	3.6	7	1	1	4	5	9	9	50-69	124	2.3	3	1	1	2	2	6	6	
70 +	0									70 +	16	2.5	2							
SUBTOTAL	**590**	**7.4**	**75**	**1**	**2**	**4**	**8**	**20**	**23**		**842**	**5.5**	**54**	**1**	**1**	**3**	**6**	**12**	**19**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	2662	2.4	19	1	1	1	2	4	7	0-17	2839	1.6	3	1	1	1	1	3	5	
18-34	964	1.4	1	1	1	1	2	2	3	18-34	2208	1.5	2	1	1	1	1	3	4	
35-49	289	1.7	3	1	1	1	2	2	6	35-49	1753	1.9	33	1	1	1	1	2	4	
50-69	217	1.5	1	1	1	1	2	3	4	50-69	1266	1.4	2	1	1	1	1	2	3	
70 +	9	1.0								70 +	68	1.2		< 1	1	1	1	3	3	
SUBTOTAL	**4141**	**2.1**	**13**	**1**	**1**	**1**	**2**	**3**	**6**		**8134**	**1.6**	**9**	**1**	**1**	**1**	**1**	**3**	**4**	
GRAND TOTAL	**4731**	**2.8**	**23**	**1**	**1**	**1**	**2**	**6**	**9**		**8975**	**2.0**	**15**	**1**	**1**	**1**	**2**	**3**	**6**	

DRG 5[illegible] Rhinoplasty

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	142	2.4	6	1	1	2	2	5	5	0-17	133	1.8	1	1	1	2	2	4	4
70-74	62	3.4	7	1	2	2	5	7	10	18-34	270	3.1	13	1	1	1	3	12	12
75-79	39	10.7	112							35-49	228	1.9	2	1	1	1	3	4	6
80-84	14	3.2	4							50-69	141	3.7	7	1	1	3	6	8	8
85 +	17	4.0								70 +	0								
SUBTOTAL	**274**	**3.9**	**28**	**1**	**1**	**2**	**4**	**10**	**12**		**773**	**2.6**	**7**	**1**	**1**	**1**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	529	1.5	1	1	1	1	2	2	4	0-17	1698	1.3		1	1	1	1	2	2
70-74	239	1.6	2	1	1	1	1	4	4	18-34	5834	1.3	1	1	1	1	1	2	2
75-79	128	1.9	4	1	1	1	2	4	9	35-49	3727	1.3	1	1	1	1	2	2	3
80-84	46	2.0	4							50-69	1706	1.4	1	1	1	1	1	2	3
85 +	0									70 +	20	1.5							
SUBTOTAL	**941**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**12984**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**1215**	**2.1**	**9**	**1**	**1**	**1**	**2**	**4**	**7**		**13757**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	22	2.0							
18-34	16	1.0								18-34	31	1.5	1						
35-49	24	8.0	62							35-49	16	1.0							
50-69	0									50-69	30	3.9	5						
70 +	0									70 +	8	7.0							
SUBTOTAL	**40**	**5.2**	**49**								**107**	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	323	2.5	20	1	1	1	2	3	5	0-17	398	1.3	1	< 1	1	1	1	2	3
18-34	262	1.2		1	1	1	1	2	2	18-34	1286	1.1		1	1	1	1	1	2
35-49	109	1.4	1	1	1	1	1	2	4	35-49	695	1.2		1	1	1	1	1	3
50-69	36	1.8								50-69	381	1.2	1	< 1	1	1	1	2	3
70 +	0									70 +	8	1.0							
SUBTOTAL	**730**	**1.8**	**10**	**1**	**1**	**1**	**2**	**2**	**3**		**2767**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**770**	**2.0**	**12**	**1**	**1**	**1**	**2**	**2**	**4**		**2874**	**1.2**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

Total U.S., July 1988 - June 1989

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	192	7.5	47	1	3	5	11	18	21
70-74	96	8.7	44	2	2	9	12	15	25
75-79	10	6.0							
80-84	16	36.7	2022						
85 +	45	5.4	21						
SUBTOTAL	**359**	**8.8**	**164**	**1**	**3**	**5**	**12**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	214	2.9	7	1	1	2	3	8	8
70-74	148	2.7	4	1	1	2	4	5	8
75-79	27	4.7							
80-84	22	5.9	6						
85 +	8	14.0							
SUBTOTAL	**419**	**3.3**	**8**	**1**	**1**	**2**	**5**	**8**	**9**
GRAND TOTAL	**778**	**5.9**	**87**	**1**	**2**	**3**	**7**	**12**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	765	3.1	6	1	1	2	4	7	10
35-49	307	5.5	68	1	2	3	5	12	17
50-69	224	4.1	16	1	2	2	5	10	13
70 +	0								
	1296	**3.8**	**24**	**1**	**1**	**2**	**5**	**8**	**10**
0-17	0								
18-34	3997	2.0	2	1	1	2	3	4	5
35-49	1773	2.3	3	1	1	2	3	4	6
50-69	652	2.9	9	1	1	2	3	5	8
70 +	0								
	6422	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	7718	**2.4**	**7**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	190	5.0	6	1	4	5	7	7	11
35-49	32	1.0							
50-69	20	27.5	684						
70 +	0								
SUBTOTAL	**242**	**6.4**	**102**	**1**	**2**	**4**	**6**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	403	2.4	3	1	1	2	3	4	7
35-49	82	3.1	6	1	1	2	4	8	8
50-69	44	4.7	26						
70 +	8	1.0							
SUBTOTAL	**537**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**780**	**3.8**	**39**	**1**	**1**	**2**	**4**	**7**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	321	4.1	34	1	2	3	4	5	14
35-49	73	3.4	6	1	2	2	5	8	8
50-69	24	3.3	1						
70 +	0								
	417	**3.9**	**28**	**1**	**2**	**3**	**4**	**7**	**12**
0-17	0								
18-34	1413	2.3	2	1	1	2	3	4	5
35-49	411	2.2	2	1	1	2	3	5	5
50-69	156	2.9	9	1	1	2	3	6	12
70 +	0								
	1980	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	2397	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	2013	2.9	23	1	1	2	3	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2013**	**2.9**	**23**	**1**	**1**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	65	1.0								0-17	27601	1.3	1	1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**65**	**1.0**									**27601**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**65**	**1.0**									**29614**	**1.4**	**3**	**1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	469	3.6	5	1	1	3	6	7	8	0-17	469	2.5	7	1	1	1	3	5	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**469**	**3.6**	**5**	**1**	**1**	**3**	**6**	**7**	**8**		**469**	**2.5**	**7**	**1**	**1**	**1**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4987	1.4	2	1	1	1	1	2	3	0-17	6228	1.5	5	1	1	1	1	2	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4987**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**		**6228**	**1.5**	**5**	**1**	**1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**5455**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**5**		**6697**	**1.6**	**5**	**1**	**1**	**1**	**1**	**2**	**4**

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	66	2.3	1							0-17	0								
70-74	25	2.6	6							18-34	1217	2.1	3	1	1	1	2	3	6
75-79	8	17.0								35-49	213	2.1	3	1	1	1	2	6	6
80-84	6	1.0								50-69	16	6.4							
85 +	0									70 +	0								
SUBTOTAL	**105**	**3.3**	**17**	**1**	**1**	**3**	**3**	**6**	**17**		**1446**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	206	1.7	1	1	1	1	2	3	3	0-17	0								
70-74	28	7.7	120							18-34	22619	1.1		1	1	1	1	1	2
75-79	18	2.4								35-49	2629	1.3	1	1	1	1	1	2	3
80-84	0									50-69	259	1.6	3	1	1	1	1	2	4
85 +	0									70 +	41	1.8							
SUBTOTAL	**252**	**2.4**	**17**	**1**	**1**	**1**	**2**	**3**	**4**		**25549**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**357**	**2.7**	**17**	**1**	**1**	**2**	**3**	**3**	**6**		**26994**	**1.2**	**1**	**1**	**1**	**1**	**1**	**2**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	118	2.6	17	< 1	1	2	2	3	13	18-34	160	1.4		1	1	1	2	2	3
35-49	0									35-49	23	1.3							
50-69	0									50-69	8	1.0							
70 +	0									70 +	0								
SUBTOTAL	**118**	**2.6**	**17**	**< 1**	**1**	**2**	**2**	**3**	**13**		**191**	**1.4**		**1**	**1**	**1**	**2**	**2**	**2**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1032	1.3	1	1	1	1	1	2	2	18-34	3303	1.1		1	1	1	1	1	2
35-49	112	2.2	2	1	1	2	4	4	4	35-49	333	1.3	1	1	1	1	1	2	3
50-69	14	2.0								50-69	66	1.8	5						
70 +	0									70 +	8	1.0							
SUBTOTAL	**1158**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**		**3709**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**1277**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**		**3901**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**

Total U.S., July 1988 - June 1989

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	131	1.1		1	1	1	1	1	1
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**131**	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**131**	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2719	1.9	3	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2719	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
0-17	86992	1.1		1	1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	86992	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
	89711	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	529	4.6	29	1	1	2	5	11	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**529**	**4.6**	**29**	**1**	**1**	**2**	**5**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12664	1.2	1	1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12664**	**1.2**	**1**	**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**13193**	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**3**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	505	3.0	27	1	1	1	2	4	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	505	**3.0**	**27**	**1**	**1**	**1**	**2**	**4**	**17**
0-17	17273	1.1		1	1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	17273	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**
	17778	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**

Total U.S., July 1988 - June 1989

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	60	8.0	31	2	2	8	12	18	18
70-74	36	12.1	257						
75-79	0								
80-84	25	3.9	3						
85 +	0								
SUBTOTAL	**121**	**8.4**	**100**	**2**	**3**	**4**	**10**	**18**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	219	1.3	1	< 1	1	1	1	2	3
70-74	123	6.1	228	< 1	1	1	2	4	56
75-79	62	1.8	1	1	1	2	2	4	4
80-84	58	1.9	2	< 1	1	1	3	4	4
85 +	0								
SUBTOTAL	**462**	**2.7**	**65**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**582**	**3.9**	**77**	**< 1**	**1**	**1**	**3**	**6**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	45	8.1	52						
35-49	42	6.0	21						
50-69	44	7.9	136						
70 +	0								
	132	**7.4**	**70**	**< 1**	**1**	**4**	**7**	**21**	**29**
0-17	0								
18-34	507	1.5	1	1	1	1	2	3	4
35-49	889	1.8	5	< 1	1	1	1	3	7
50-69	449	1.3	1	< 1	1	1	1	2	4
70 +	22	1.0							
	1866	**1.6**	**3**	**< 1**	**1**	**1**	**1**	**3**	**5**
	1998	**2.0**	**10**	**< 1**	**1**	**1**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	1.9	1						
35-49	0								
50-69	14	2.0							
70 +	0								
SUBTOTAL	**28**	**1.9**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	192	1.6	1	1	1	1	2	3	5
35-49	35	3.1	21						
50-69	0								
70 +	14	6.0							
SUBTOTAL	**242**	**2.0**	**5**	**1**	**1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**270**	**2.0**	**5**	**1**	**1**	**1**	**2**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	13.3	187						
35-49	0								
50-69	8	24.0							
70 +	0								
	39	**15.4**	**167**						
0-17	0								
18-34	138	2.2	6	< 1	1	1	1	8	8
35-49	152	1.3	1	< 1	1	1	1	2	3
50-69	70	1.0		< 1	1	1	1	1	1
70 +	15	1.0							
	375	**1.6**	**3**	**< 1**	**1**	**1**	**1**	**2**	**7**
	415	**2.9**	**35**	**< 1**	**1**	**1**	**1**	**7**	**24**

Total U.S., July 1988 - June 1989

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	922	3.9	14	< 1	1	2	5	10	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**2.0**									**922**	**3.9**	**14**	**< 1**	**1**	**2**	**5**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	10486	1.6	5	< 1	< 1	< 1	1	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**10486**	**1.6**	**5**	**< 1**	**< 1**	**< 1**	**1**	**3**	**6**
GRAND TOTAL	**8**	**2.0**									**11408**	**1.8**	**6**	**< 1**	**< 1**	**< 1**	**1**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	361	4.5	87	< 1	1	2	4	8	9	0-17	116	6.5	48	1	2	3	7	21	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**361**	**4.5**	**87**	**< 1**	**1**	**2**	**4**	**8**	**9**		**116**	**6.5**	**48**	**1**	**2**	**3**	**7**	**21**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2731	1.8	7	< 1	< 1	< 1	2	3	6	0-17	1435	1.8	4	< 1	< 1	1	1	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2731**	**1.8**	**7**	**< 1**	**< 1**	**< 1**	**2**	**3**	**6**		**1435**	**1.8**	**4**	**< 1**	**< 1**	**1**	**1**	**4**	**7**
GRAND TOTAL	**3092**	**2.1**	**18**	**< 1**	**< 1**	**1**	**2**	**4**	**7**		**1551**	**2.2**	**9**	**< 1**	**< 1**	**1**	**2**	**6**	**8**

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	995	10.8	164	2	3	7	13	22	53	0-17	1147	6.5	55	1	2	3	9	13	20
70-74	505	9.7	82	1	4	7	15	25	37	18-34	2122	5.9	42	1	2	4	7	12	19
75-79	447	10.6	128	1	3	7	14	20	33	35-49	1289	5.1	23	1	2	4	7	11	13
80-84	266	9.8	83	2	4	7	13	18	23	50-69	1029	7.1	97	1	2	3	8	19	27
85 +	170	12.2	176	2	4	7	13	36	53	70 +	50	9.0	16	5	5	7	10	16	16
SUBTOTAL	**2382**	**10.5**	**132**	**2**	**3**	**7**	**14**	**23**	**41**		**5636**	**6.1**	**50**	**1**	**2**	**4**	**7**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1075	3.2	7	1	1	2	4	6	8	0-17	7809	2.5	4	1	1	2	3	4	5
70-74	699	4.2	18	1	2	3	5	8	14	18-34	15007	2.5	4	1	1	2	3	4	5
75-79	377	5.7	21	1	2	4	8	12	17	35-49	7484	2.5	5	1	1	2	3	4	5
80-84	270	3.5	6	2	2	3	4	8	9	50-69	3604	2.8	6	1	1	2	3	5	7
85 +	102	3.9	4	2	2	3	6	6	7	70 +	51	3.3	4	< 1	1	3	5	7	7
SUBTOTAL	**2523**	**3.9**	**12**	**1**	**2**	**3**	**5**	**8**	**9**		**33955**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4905**	**7.1**	**81**	**1**	**2**	**4**	**8**	**16**	**23**		**39591**	**3.0**	**12**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	240	8.6	71	1	2	5	12	18	27	0-17	322	7.5	66	1	2	5	10	18	24
18-34	481	7.0	38	2	3	5	9	16	18	18-34	1522	6.4	49	1	2	4	8	15	23
35-49	303	7.7	31	3	4	6	9	15	21	35-49	701	6.4	28	1	3	5	8	14	16
50-69	162	17.4	255	1	6	15	22	40	54	50-69	419	6.6	32	1	2	5	9	12	17
70 +	14	16.0								70 +	48	8.0	15	4	5	7	9	16	16
SUBTOTAL	**1201**	**9.0**	**83**	**2**	**3**	**6**	**12**	**20**	**27**		**3012**	**6.6**	**43**	**1**	**2**	**4**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1193	3.4	14	1	1	2	4	6	9	0-17	1721	2.4	5	1	1	2	3	5	6
18-34	843	2.8	5	1	1	2	3	4	8	18-34	5690	2.5	4	1	1	2	3	5	6
35-49	354	3.8	16	1	2	2	5	6	12	35-49	1991	2.0	3	1	1	2	2	4	5
50-69	115	3.2	5	1	1	2	4	7	8	50-69	809	2.7	5	1	1	2	3	5	7
70 +	0									70 +	33	3.7	13						
SUBTOTAL	**2505**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**9**		**10244**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3706**	**5.1**	**42**	**1**	**2**	**3**	**6**	**12**	**18**		**13256**	**3.3**	**16**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 64: Ear, Nose, Mouth & Throat Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1435	9.2	88	2	3	6	13	21	31	0-17	226	7.5	73	2	3	5	8	14	28
70-74	540	10.9	150	1	2	8	14	22	40	18-34	8	7.0							
75-79	588	9.9	153	2	2	5	12	28	28	35-49	261	11.4	92	2	3	9	13	26	27
80-84	249	5.5	13	2	3	4	8	11	13	50-69	1080	8.0	79	1	2	6	11	17	25
85 +	219	12.1	202	2	5	10	14	17	21	70 +	46	9.5	81						
SUBTOTAL	**3031**	**9.5**	**116**	**2**	**3**	**6**	**13**	**21**	**28**		**1621**	**8.5**	**82**	**1**	**2**	**6**	**12**	**18**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	389	3.7	17	< 1	1	3	4	7	18	0-17	151	2.8	5	1	1	2	3	6	9
70-74	396	3.6	13	1	1	2	6	10	10	18-34	15	2.5	2						
75-79	190	3.3	20	1	1	2	3	7	18	35-49	151	4.9	19	1	1	4	7	14	16
80-84	179	3.5	3	1	2	4	4	5	9	50-69	669	3.5	12	1	1	2	5	8	12
85 +	133	2.2	4	< 1	< 1	1	3	6	6	70 +	28	1.5	1						
SUBTOTAL	**1286**	**3.4**	**13**	**< 1**	**1**	**2**	**4**	**7**	**10**		**1014**	**3.5**	**12**	**1**	**1**	**2**	**5**	**8**	**12**
GRAND TOTAL	**4318**	**7.7**	**93**	**1**	**2**	**4**	**10**	**18**	**26**		**2634**	**6.6**	**61**	**1**	**1**	**4**	**9**	**14**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	30	50.8	2065							0-17	16	16.5	77						
18-34	20	19.5	32							18-34	15	4.0	4						
35-49	216	9.2	73	2	5	6	8	27	31	35-49	128	4.0	9	1	1	5	6	8	10
50-69	396	13.1	143	1	4	9	19	31	36	50-69	442	7.8	84	1	3	5	8	19	30
70 +	10	5.0								70 +	30	4.4	7						
SUBTOTAL	**672**	**13.6**	**268**	**2**	**5**	**7**	**17**	**31**	**36**		**631**	**7.0**	**68**	**1**	**2**	**5**	**7**	**17**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	44	3.3	7							0-17	18	1.9	1						
18-34	8	7.0								18-34	32	1.7	1						
35-49	37	3.0	1							35-49	146	4.1	21	< 1	1	2	3	12	14
50-69	202	6.8	80	1	1	4	9	12	27	50-69	296	4.5	22	1	1	2	7	9	15
70 +	0									70 +	16	4.5	13						
SUBTOTAL	**292**	**5.8**	**59**	**1**	**1**	**3**	**7**	**9**	**27**		**508**	**4.1**	**20**	**< 1**	**1**	**2**	**7**	**12**	**14**
GRAND TOTAL	**964**	**11.2**	**217**	**1**	**3**	**7**	**12**	**29**	**33**		**1138**	**5.7**	**49**	**1**	**1**	**3**	**7**	**12**	**21**

DRG 65: Dysequilibrium

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4396	4.0	11	1	2	3	5	7	9	0-17	91	3.1	10	1	2	2	3	3	13
70-74	3495	4.0	11	1	2	3	5	7	11	18-34	448	3.4	9	1	2	2	4	7	9
75-79	3652	5.1	16	2	3	4	6	9	13	35-49	1465	3.5	5	1	2	3	4	7	8
80-84	3265	5.2	21	2	2	4	6	11	14	50-69	4018	3.6	8	1	2	3	4	6	9
85 +	2003	5.1	28	2	2	4	6	9	11	70 +	364	3.6	4	1	2	3	5	6	7
SUBTOTAL	**16810**	**4.6**	**17**	**2**	**2**	**4**	**5**	**8**	**11**		**6386**	**3.6**	**7**	**1**	**2**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4730	3.3	6	1	2	3	4	6	7	0-17	378	2.3	3	< 1	1	2	3	5	5
70-74	4162	3.3	4	1	2	3	4	6	7	18-34	1957	2.9	4	1	2	2	4	5	7
75-79	3505	3.5	7	1	2	3	4	6	8	35-49	4585	2.9	5	1	1	2	4	5	7
80-84	2740	4.3	9	1	2	3	5	9	11	50-69	8750	2.9	9	1	1	2	3	5	6
85 +	1683	4.1	12	1	2	3	5	9	11	70 +	295	2.8	5	1	1	3	4	4	9
SUBTOTAL	**16819**	**3.6**	**7**	**1**	**2**	**3**	**4**	**7**	**9**		**15965**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**33629**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**10**		**22351**	**3.1**	**7**	**1**	**2**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	19	2.5	2						
18-34	61	3.1	1							18-34	142	3.2	5	1	2	3	3	7	10
35-49	147	3.4	6	1	2	2	5	8	8	35-49	266	4.5	13	1	2	4	6	7	11
50-69	483	4.2	7	2	3	3	5	6	13	50-69	665	4.0	8	1	2	3	5	9	10
70 +	88	5.4	4							70 +	255	3.1	5	1	1	3	4	6	9
SUBTOTAL	**779**	**4.1**	**6**	**2**	**2**	**3**	**5**	**7**	**8**		**1347**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	92	2.2	1	1	1	2	2	4	4	0-17	79	2.3	1	1	1	2	3	4	5
18-34	132	6.1	134	2	2	3	5	5	52	18-34	515	2.4	2	1	1	2	3	5	6
35-49	212	4.1	6	1	2	4	6	7	8	35-49	742	2.7	3	1	1	2	3	5	6
50-69	288	4.0	6	1	2	3	5	7	8	50-69	1340	2.9	2	1	2	3	4	5	6
70 +	64	2.5	12							70 +	363	2.8	5	1	1	2	4	5	9
SUBTOTAL	**788**	**4.1**	**28**	**1**	**2**	**3**	**5**	**7**	**8**		**3040**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**1567**	**4.1**	**17**	**1**	**2**	**3**	**5**	**7**	**8**		**4386**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

Total U.S., July 1988 - June 1989

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1400	3.7	5	1	2	3	5	7	7	0-17	106	2.8	3	< 1	< 1	3	5	5	5
70-74	919	4.1	7	2	2	3	5	8	10	18-34	174	4.6	13	1	2	4	6	11	13
75-79	791	4.8	14	1	2	4	6	10	12	35-49	418	3.6	7	1	2	3	4	8	9
80-84	765	4.6	11	1	2	4	6	10	12	50-69	1074	4.4	13	1	2	4	6	8	10
85 +	645	4.2	9	2	2	3	5	8	10	70 +	63	5.4	11	1	2	5	8	10	11
SUBTOTAL	**4521**	**4.2**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**1836**	**4.2**	**11**	**1**	**2**	**3**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1371	3.0	4	1	2	3	4	5	6	0-17	118	2.0	3	< 1	1	1	2	6	6
70-74	915	3.2	4	1	2	3	4	6	7	18-34	668	3.1	3	1	2	3	4	6	6
75-79	826	3.3	4	1	2	3	5	6	7	35-49	1342	3.3	3	1	2	3	5	6	7
80-84	523	3.0	4	1	2	3	4	5	6	50-69	2279	3.5	4	1	2	3	5	6	7
85 +	519	3.7	6	1	2	3	5	7	8	70 +	52	3.8	1	2	3	4	5	5	5
SUBTOTAL	**4154**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**4458**	**3.4**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**8675**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**6295**	**3.6**	**6**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	209	2.8	9	< 1	< 1	1	3	10	10	0-17	77	1.7	1	1	1	1	2	3	4
18-34	14	3.4								18-34	95	2.8	3	1	1	2	4	5	7
35-49	78	8.9	87	2	4	6	10	25	35	35-49	312	5.4	92	2	2	3	5	8	10
50-69	144	4.0	5	2	2	3	5	8	9	50-69	359	3.6	11	1	1	4	4	5	7
70 +	17	1.5								70 +	56	4.4	5	1	3	5	6	8	8
SUBTOTAL	**462**	**4.2**	**25**	**< 1**	**1**	**3**	**5**	**10**	**10**		**899**	**4.0**	**38**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	113	1.9	1	< 1	1	2	2	3	3	0-17	57	3.1	4	< 1	< 1	4	5	5	5
18-34	65	3.4	2	1	3	3	4	5	5	18-34	205	3.9	7	1	3	3	4	10	10
35-49	69	4.3	5	1	2	6	6	6	6	35-49	292	3.1	4	< 1	1	3	5	6	6
50-69	170	2.9	3	< 1	2	2	5	6	7	50-69	621	3.5	3	1	2	4	5	6	7
70 +	23	1.5	1							70 +	104	4.3	11	1	1	3	9	9	9
SUBTOTAL	**441**	**2.9**	**3**	**< 1**	**1**	**2**	**4**	**6**	**6**		**1278**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**903**	**3.5**	**15**	**< 1**	**1**	**2**	**5**	**7**	**10**		**2177**	**3.7**	**19**	**1**	**2**	**3**	**5**	**6**	**8**

Total U.S., July 1988 - June 1989

DRG 67: Epiglottitis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	31	10.8	30							0-17	375	5.7	6	3	4	5	7	10	10	
70-74	14	7.3	4							18-34	122	3.9	2	2	3	3	6	6	7	
75-79	18	34.0	67							35-49	123	4.8	13	1	3	3	7	9	15	
80-84	0									50-69	89	5.2	9	1	3	4	9	10	10	
85 +	17	3.1	1							70 +	0									
SUBTOTAL	81	13.7	155	3	4	9	19	41	41		710	5.2	7	3	3	5	7	10	10	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	123	2.9	1	2	2	3	3	5	5	0-17	958	4.4	9	1	2	4	6	8	9	
70-74	43	4.2	19							18-34	421	2.8	2	1	2	3	3	4	5	
75-79	27	2.7								35-49	446	3.3	3	2	2	3	4	5	7	
80-84	0									50-69	270	4.1	9	2	2	3	5	6	15	
85 +	8	6.0								70 +	6	1.0								
SUBTOTAL	201	3.2	5	2	2	3	3	5	6		2101	3.8	7	1	2	3	5	7	8	
GRAND TOTAL	282	6.3	70	2	2	3	5	13	25		2811	4.1	7	1	2	3	5	7	10	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	137	8.2	25	3	5	9	9	11	26	0-17	145	6.0	5	3	4	5	8	10	10	
18-34	8	9.0								18-34	34	3.9	3							
35-49	22	3.6								35-49	29	3.2	2							
50-69	10	6.0								50-69	50	6.4	10	3	4	5	8	12	12	
70 +	0									70 +	0									
SUBTOTAL	177	7.5	22	3	5	6	9	10	11		259	5.5	7	3	4	5	7	10	10	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	200	4.0	9	2	2	3	5	9	10	0-17	262	3.7	4	1	2	3	5	7	7	
18-34	71	3.4	1	2	3	3	4	6	6	18-34	352	2.8	1	2	2	2	4	5	5	
35-49	8	3.0								35-49	162	3.3	3	1	2	3	5	6	7	
50-69	8	2.0								50-69	90	6.1	16	2	3	5	9	12	15	
70 +	32	1.0								70 +	0									
SUBTOTAL	319	3.5	6	1	2	3	4	8	10		866	3.5	5	2	2	3	5	6	7	
GRAND TOTAL	496	4.9	16	2	2	4	6	10	11		1124	4.0	6	2	2	3	5	7	8	

DRG 68: Otitis Media & URI Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5323	5.3	14	2	3	4	7	10	12
70-74	3338	5.8	17	2	4	5	7	9	13
75-79	3003	5.7	15	2	3	5	7	11	13
80-84	2488	6.4	25	2	3	5	8	11	14
85 +	2756	7.8	87	3	4	6	9	13	16
SUBTOTAL	**16908**	**6.0**	**29**	**2**	**3**	**5**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16908**	**6.0**	**29**	**2**	**3**	**5**	**7**	**11**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8105	3.3	4	2	2	3	4	5	7
35-49	5149	3.8	5	2	2	3	5	7	8
50-69	4773	4.6	10	2	3	4	6	8	10
70 +	181	5.7	24	2	3	4	7	11	22
	18209	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	18209	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1938	3.6	5	1	2	3	4	6	7
35-49	868	4.6	12	1	3	4	6	7	8
50-69	652	5.9	14	2	4	5	7	11	14
70 +	64	4.3	15						
SUBTOTAL	**3522**	**4.3**	**9**	**2**	**2**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3522**	**4.3**	**9**	**2**	**2**	**4**	**5**	**7**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2372	3.3	6	1	2	3	4	5	9
35-49	1038	4.6	21	2	2	4	5	8	11
50-69	1042	4.5	12	1	2	4	6	8	12
70 +	214	3.7	3	1	3	4	5	6	6
	4667	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4667	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 69: Otitis Media & URI Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2221	4.0	8	1	2	3	5	7	9
70-74	1270	5.2	14	2	3	4	7	9	14
75-79	1151	4.3	10	2	2	3	4	8	13
80-84	854	4.5	5	2	3	4	6	7	8
85 +	632	5.9	17	2	3	5	8	11	12
SUBTOTAL	**6128**	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**12**
GRAND TOTAL	**6128**	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**12**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	14060	3.0	3	1	2	3	4	5	6
35-49	8112	3.3	4	1	2	3	4	6	7
50-69	4339	3.8	5	1	2	3	5	7	8
70 +	210	3.8	3	2	2	4	5	7	7
	26721	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
	26721	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2475	4.4	113	1	2	3	4	5	7
35-49	685	3.9	4	2	3	4	5	6	7
50-69	370	3.6	3	2	2	3	6	6	6
70 +	25	6.9	6						
SUBTOTAL	**3554**	**4.2**	**80**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3554**	**4.2**	**80**	**1**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4502	2.8	3	1	2	2	4	4	5
35-49	1574	3.0	3	1	2	3	4	5	6
50-69	749	3.1	4	1	2	3	4	5	7
70 +	152	3.7	7	1	1	3	6	8	8
	6976	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
	6976	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 70: Otitis Media & URI Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	109	3.2	6	1	1	2	5	7	9	0-17	22911	3.1	5	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**109**	**3.2**	**6**	**1**	**1**	**2**	**5**	**7**	**9**		**22911**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	106	3.8	1	3	3	4	5	5	5	0-17	43576	3.0	4	1	2	3	4	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**106**	**3.8**	**1**	**3**	**3**	**4**	**5**	**5**	**5**		**43576**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**216**	**3.5**	**4**	**1**	**2**	**3**	**5**	**5**	**7**		**66487**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10352	3.5	8	1	2	3	4	6	7	0-17	6661	3.1	8	1	2	3	4	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10352**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**7**		**6661**	**3.1**	**8**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22072	3.1	4	1	2	3	4	5	6	0-17	15719	2.8	5	1	2	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**22072**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**6**		**15719**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**32424**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**7**		**22380**	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	32	2.6	1						
70-74	8	13.0							
75-79	15	13.6	31						
80-84	0								
85 +	0								
SUBTOTAL	**56**	**7.2**	**38**	**2**	**2**	**4**	**13**	**18**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	65	2.3	1	< 1	1	2	3	3	4
70-74	16	4.0	4						
75-79	14	3.4							
80-84	9	1.0							
85 +	8	6.0							
SUBTOTAL	**111**	**2.8**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**167**	**4.3**	**18**	**1**	**2**	**3**	**4**	**12**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2150	3.2	10	1	2	2	4	5	8
18-34	8	8.0							
35-49	57	4.0	1						
50-69	79	5.5	5	2	4	5	7	7	10
70 +	0								
	2294	**3.3**	**10**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	21545	2.1	2	1	1	2	3	4	5
18-34	92	3.0	6	1	1	3	3	5	11
35-49	164	3.7	3	2	2	3	5	7	7
50-69	48	6.6	44	2	3	5	5	21	21
70 +	0								
	21848	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	24142	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1211	4.6	35	1	2	3	5	8	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1211**	**4.6**	**35**	**1**	**2**	**3**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7008	2.7	4	1	1	2	3	5	6
18-34	25	3.3	2						
35-49	0								
50-69	18	2.0							
70 +	0								
SUBTOTAL	**7051**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**8261**	**3.0**	**9**	**1**	**1**	**2**	**4**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	781	4.0	15	1	2	3	5	7	10
18-34	6	4.0							
35-49	16	3.5							
50-69	0								
70 +	0								
	803	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	6923	2.2	3	1	1	2	3	4	5
18-34	23	2.9	1						
35-49	17	2.9	1						
50-69	0								
70 +	0								
	6964	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	7766	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 72: Nasal Trauma & Deformity

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	54	4.8	2							0-17	219	6.5	60	1	1	3	8	22	22
70-74	69	3.2	7							18-34	378	2.0	2	1	1	2	3	3	5
75-79	76	3.5	3	1	1	5	5	5	5	35-49	154	2.8	2	1	1	3	4	4	5
80-84	87	3.8	16	1	1	3	5	8	15	50-69	54	4.7	4	2	3	5	5	8	8
85 +	182	5.6	13	2	3	5	6	9	14	70 +	16	1.5							
SUBTOTAL	**470**	**4.5**	**11**	**1**	**3**	**4**	**5**	**7**	**14**		**821**	**3.5**	**21**	**1**	**1**	**2**	**4**	**5**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	98	1.7	1	1	1	2	2	3	4	0-17	1069	1.4	1	< 1	< 1	1	1	3	3
70-74	85	2.9	5	1	1	2	6	6	7	18-34	1033	2.2	26	< 1	1	1	3	3	4
75-79	36	1.9	1							35-49	330	2.5	7	< 1	< 1	1	3	8	8
80-84	36	3.1	1							50-69	248	2.3	1	1	1	2	3	4	5
85 +	103	5.0	9	2	2	4	9	9	9	70 +	56	3.9	1						
SUBTOTAL	**359**	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**9**		**2736**	**2.0**	**11**	**< 1**	**< 1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**829**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**3557**	**2.3**	**14**	**< 1**	**1**	**1**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	4.0								0-17	107	1.4		1	1	1	2	2	3
18-34	45	2.7	5	< 1	1	2	5	6	6	18-34	309	2.1	3	< 1	1	2	2	3	7
35-49	44	3.8	10							35-49	65	2.5	6	1	1	1	2	8	8
50-69	8	1.0								50-69	83	1.7	1						
70 +	0									70 +	22	1.6							
SUBTOTAL	**105**	**3.2**	**7**	**< 1**	**1**	**2**	**4**	**6**	**10**		**585**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	173	1.4		< 1	1	1	2	2	2	0-17	503	1.5	1	< 1	< 1	1	1	3	4
18-34	167	1.5		< 1	< 1	1	2	2	3	18-34	587	1.6	2	< 1	1	1	2	3	5
35-49	16	1.0								35-49	112	2.1	2	< 1	1	2	2	4	6
50-69	0									50-69	54	1.8	1	< 1	1	2	2	4	4
70 +	0									70 +	25	2.1	1						
SUBTOTAL	**356**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**2**		**1282**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**461**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**		**1867**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**

Total U.S., July 1988 - June 1989

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1078	5.7	28	1	2	5	7	11	15
70-74	663	7.0	41	2	3	5	10	16	19
75-79	960	7.6	31	2	3	7	12	17	20
80-84	620	8.2	51	2	4	6	10	15	19
85 +	899	8.1	77	2	3	6	9	15	24
SUBTOTAL	**4220**	**7.2**	**46**	**2**	**3**	**5**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	975	2.9	6	< 1	1	2	4	7	8
70-74	536	4.5	28	1	1	3	6	8	14
75-79	716	3.8	8	1	2	3	5	7	10
80-84	310	2.9	5	1	1	2	3	6	7
85 +	422	5.5	16	1	3	5	8	10	13
SUBTOTAL	**2958**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**7178**	**5.8**	**35**	**1**	**2**	**4**	**7**	**12**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	851	4.7	18	1	2	4	6	8	10
35-49	555	4.1	9	1	2	3	6	8	9
50-69	988	5.3	21	1	2	5	6	9	13
70 +	44	7.3	21	1	5	7	11	16	16
	2437	**4.8**	**18**	**1**	**2**	**4**	**6**	**8**	**11**
0-17	0								
18-34	2357	3.2	6	1	1	3	4	6	7
35-49	2304	3.3	5	1	1	3	5	6	7
50-69	2004	3.3	16	1	1	2	4	6	8
70 +	69	3.9	22	1	1	1	3	13	13
	6734	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**7**
	9171	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	187	6.2	40	1	2	3	6	18	23
35-49	105	8.4	135	1	3	4	7	8	43
50-69	126	4.0	5	2	2	3	5	7	10
70 +	18	5.3	4						
SUBTOTAL	**436**	**6.0**	**54**	**1**	**2**	**4**	**7**	**12**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	378	3.9	6	1	2	3	5	7	9
35-49	172	2.4	3	1	1	2	3	4	6
50-69	180	4.1	30	1	1	2	4	7	25
70 +	0								
SUBTOTAL	**730**	**3.6**	**11**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1166**	**4.5**	**29**	**1**	**2**	**3**	**5**	**8**	**12**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	219	3.4	5	1	1	3	4	5	6
35-49	224	3.3	3	1	2	3	4	6	7
50-69	303	7.4	101	1	3	6	8	12	14
70 +	93	5.0	34	1	1	2	5	12	21
	839	**5.0**	**46**	**1**	**2**	**4**	**6**	**10**	**12**
0-17	0								
18-34	1116	2.8	5	1	1	2	4	5	7
35-49	674	2.8	3	< 1	1	2	4	5	7
50-69	471	2.7	6	< 1	1	1	4	6	7
70 +	33	4.8	9						
	2294	**2.8**	**5**	**< 1**	**1**	**2**	**4**	**6**	**7**
	3133	**3.4**	**17**	**1**	**1**	**3**	**4**	**7**	**9**

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	1216	4.2	31	1	1	3	4	9	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1216**	**4.2**	**31**	**1**	**1**	**3**	**4**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	40	4.2	3							0-17	8318	2.4	7	< 1	1	1	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**40**	**4.2**	**3**								**8318**	**2.4**	**7**	**< 1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**40**	**4.2**	**3**								**9534**	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	677	6.1	110	1	2	3	6	31	99 +	0-17	580	4.3	30	1	1	2	6	12	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**677**	**6.1**	**110**	**1**	**2**	**3**	**6**	**31**	**99 +**		**580**	**4.3**	**30**	**1**	**1**	**2**	**6**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4336	3.0	15	1	1	2	3	7	9	0-17	3238	2.4	5	< 1	1	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4336**	**3.0**	**15**	**1**	**1**	**2**	**3**	**7**	**9**		**3238**	**2.4**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**5013**	**3.4**	**29**	**1**	**1**	**2**	**4**	**7**	**12**		**3819**	**2.7**	**9**	**< 1**	**1**	**2**	**3**	**6**	**8**

DRG 75: Major Chest Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8891	14.6	102	6	8	11	18	28	35
70-74	5898	14.6	108	7	8	11	17	28	33
75-79	3323	15.5	132	7	9	12	20	28	39
80-84	1187	19.0	191	7	9	15	25	41	52
85 +	296	19.5	130	7	12	16	25	33	42
SUBTOTAL	**19595**	**15.1**	**116**	**7**	**8**	**12**	**18**	**28**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2468	9.8	21	5	7	9	11	16	20
70-74	1954	10.0	30	5	7	9	12	16	22
75-79	1032	10.2	40	5	7	8	12	16	23
80-84	384	11.1	26	6	8	10	14	19	22
85 +	71	11.1	14	8	9	10	11	20	20
SUBTOTAL	**5909**	**10.0**	**28**	**5**	**7**	**9**	**11**	**16**	**22**
GRAND TOTAL	**25504**	**13.9**	**100**	**6**	**8**	**11**	**16**	**26**	**33**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1200	12.2	91	5	5	9	18	25	41
18-34	1731	13.1	98	5	7	10	15	24	31
35-49	3144	12.3	90	5	7	9	15	23	26
50-69	11027	12.7	69	6	8	10	15	23	28
70 +	311	14.5	45	8	9	13	18	24	29
	17413	**12.7**	**77**	**5**	**7**	**10**	**15**	**23**	**28**
0-17	2457	5.7	18	3	4	5	6	8	12
18-34	1940	8.0	20	4	5	7	10	14	17
35-49	2368	8.1	27	4	5	7	9	14	19
50-69	5284	8.8	24	5	6	8	10	14	18
70 +	154	6.8	6	3	5	7	8	11	12
	12204	**7.9**	**24**	**4**	**5**	**7**	**9**	**13**	**17**
	29617	**10.7**	**61**	**4**	**6**	**9**	**13**	**20**	**25**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	453	16.7	125	5	8	14	24	35	44
18-34	354	15.0	136	6	7	11	22	37	46
35-49	341	18.9	229	5	8	16	25	36	51
50-69	724	16.6	208	7	8	13	19	28	46
70 +	31	12.0	13						
SUBTOTAL	**1903**	**16.7**	**177**	**6**	**8**	**13**	**22**	**34**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	520	6.9	42	1	3	5	7	18	21
18-34	300	8.9	30	4	5	7	10	17	23
35-49	172	8.0	18	4	5	7	11	16	17
50-69	212	11.5	23	6	8	10	15	18	20
70 +	0								
SUBTOTAL	**1204**	**8.4**	**35**	**3**	**5**	**6**	**11**	**17**	**20**
GRAND TOTAL	**3107**	**13.5**	**138**	**4**	**6**	**10**	**17**	**28**	**36**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	482	16.9	253	4	6	10	22	34	57
18-34	914	13.4	73	6	7	10	17	27	33
35-49	942	10.7	67	5	6	9	13	18	28
50-69	2591	11.5	61	5	7	9	14	21	27
70 +	322	12.0	56	6	8	9	14	24	32
	5250	**12.2**	**84**	**5**	**7**	**9**	**15**	**24**	**31**
0-17	469	6.7	16	3	4	6	8	12	15
18-34	852	8.4	22	3	5	7	11	17	19
35-49	672	7.4	13	4	5	7	10	12	15
50-69	1312	8.0	23	4	6	7	9	13	22
70 +	96	9.1	35	4	5	7	11	17	25
	3401	**7.8**	**20**	**4**	**5**	**7**	**9**	**14**	**18**
	8652	**10.5**	**64**	**4**	**6**	**8**	**12**	**20**	**26**

Total U.S., July 1988 - June 1989

DRG 76: Other Resp System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8368	13.1	133	3	6	10	17	27	37
70-74	5972	13.0	140	3	6	10	16	27	37
75-79	5240	14.8	163	3	7	12	19	31	43
80-84	2647	16.0	144	4	9	14	21	35	48
85 +	1987	17.7	209	6	9	13	22	36	50
SUBTOTAL	**24215**	**14.1**	**151**	**3**	**7**	**11**	**18**	**29**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**24215**	**14.1**	**151**	**3**	**7**	**11**	**18**	**29**	**40**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	495	10.1	81	1	5	7	11	24	27
18-34	1721	13.3	137	2	5	10	18	28	37
35-49	3254	11.6	112	2	4	9	16	25	29
50-69	8688	11.8	109	2	5	9	15	24	33
70 +	449	13.2	244	2	4	9	16	22	40
	14608	**11.9**	**116**	**2**	**4**	**9**	**16**	**25**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14608	**11.9**	**116**	**2**	**4**	**9**	**16**	**25**	**33**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	278	11.9	178	1	4	7	12	32	48
18-34	652	19.3	322	6	7	14	23	42	67
35-49	645	17.8	202	5	8	13	23	38	48
50-69	912	14.9	105	4	8	13	19	33	38
70 +	101	16.4	107	9	12	14	15	38	40
SUBTOTAL	**2587**	**16.4**	**197**	**4**	**7**	**12**	**21**	**35**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2587**	**16.4**	**197**	**4**	**7**	**12**	**21**	**35**	**45**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	9.9	61	4	6	9	9	27	30
18-34	734	15.5	185	3	6	12	22	33	38
35-49	899	13.7	122	2	6	10	18	34	38
50-69	1855	11.9	110	2	5	10	15	25	31
70 +	316	13.6	128	1	2	11	22	33	33
	3912	**13.1**	**129**	**2**	**5**	**10**	**17**	**30**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3912	**13.1**	**129**	**2**	**5**	**10**	**17**	**30**	**35**

DRG 77: Other Resp System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1476	5.7	29	1	2	4	8	12	17
70-74	1060	7.8	99	1	2	4	10	15	21
75-79	621	7.0	45	1	2	4	12	17	19
80-84	538	8.2	52	2	4	6	10	18	30
85 +	204	16.2	151	3	11	16	24	26	36
SUBTOTAL	**3899**	**7.3**	**65**	**1**	**2**	**5**	**10**	**16**	**24**
GRAND TOTAL	**3899**	**7.3**	**65**	**1**	**2**	**5**	**10**	**16**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	771	4.8	63	1	1	2	4	10	15
18-34	1041	4.9	24	1	1	3	8	13	15
35-49	1530	4.7	21	1	1	3	8	11	15
50-69	2565	5.6	28	1	1	4	8	12	16
70 +	68	4.9	9	1	2	4	9	9	9
	5976	**5.1**	**30**	**1**	**1**	**3**	**8**	**12**	**15**
	5976	**5.1**	**30**	**1**	**1**	**3**	**8**	**12**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	349	3.4	7	1	1	3	5	7	8
18-34	211	5.9	27	1	1	3	10	12	16
35-49	132	6.8	38	1	2	6	7	19	24
50-69	114	8.4	55	1	3	4	14	18	25
70 +	6	12.0							
SUBTOTAL	**812**	**5.4**	**27**	**1**	**1**	**3**	**7**	**13**	**18**
GRAND TOTAL	**812**	**5.4**	**27**	**1**	**1**	**3**	**7**	**13**	**18**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	158	7.2	68	1	2	5	5	22	29
18-34	303	3.8	13	1	2	2	4	10	11
35-49	502	7.9	51	1	2	5	15	19	19
50-69	572	7.1	67	1	1	4	10	17	32
70 +	69	5.4	18	1	2	3	11	11	11
	1605	**6.6**	**52**	**1**	**2**	**4**	**9**	**19**	**22**
	1605	**6.6**	**52**	**1**	**2**	**4**	**9**	**19**	**22**

DRG 78: Pulmonary Embolism

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4827	10.9	31	6	8	10	13	18	21
70-74	4340	11.0	25	6	8	10	13	16	22
75-79	3511	13.2	79	6	8	11	15	22	32
80-84	2577	12.3	61	6	8	10	14	19	25
85 +	2099	12.1	55	7	8	10	14	19	24
SUBTOTAL	**17353**	**11.8**	**47**	**6**	**8**	**10**	**14**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2059	8.2	11	4	6	8	10	12	14
70-74	1333	9.0	9	5	7	9	11	12	14
75-79	1400	9.6	36	6	7	9	11	14	17
80-84	704	9.2	15	5	7	9	12	13	16
85 +	536	9.0	22	4	5	9	12	16	17
SUBTOTAL	**6032**	**8.9**	**18**	**5**	**7**	**8**	**11**	**13**	**15**
GRAND TOTAL	**23385**	**11.0**	**41**	**6**	**7**	**10**	**13**	**17**	**22**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	8.5	20						
18-34	647	10.6	66	5	6	9	13	16	17
35-49	1874	10.1	42	4	7	9	11	16	21
50-69	3552	10.7	39	6	7	9	12	17	20
70 +	181	12.3	61	8	9	12	13	16	18
	6291	**10.6**	**43**	**6**	**7**	**9**	**12**	**16**	**20**
0-17	71	6.7	3	3	6	7	8	9	9
18-34	951	7.5	16	3	5	7	9	12	13
35-49	1803	8.3	12	4	6	8	10	12	15
50-69	2833	8.6	12	5	7	8	10	12	13
70 +	91	6.6	3	5	5	6	7	10	10
	5749	**8.3**	**13**	**4**	**6**	**8**	**10**	**12**	**14**
	12040	**9.5**	**30**	**5**	**7**	**9**	**11**	**15**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	4.8	2						
18-34	239	7.9	18	< 1	5	8	12	12	15
35-49	300	9.9	15	6	7	9	11	15	19
50-69	481	10.6	40	4	7	10	12	15	19
70 +	124	20.9	304	11	12	14	16	43	72
SUBTOTAL	**1182**	**10.8**	**69**	**4**	**7**	**10**	**12**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9	9.0							
18-34	287	8.2	7	4	7	9	9	11	12
35-49	98	9.5	14	4	8	10	10	14	18
50-69	37	7.3	8						
70 +	14	11.0	13						
SUBTOTAL	**446**	**8.5**	**9**	**4**	**7**	**9**	**10**	**12**	**14**
GRAND TOTAL	**1628**	**10.2**	**54**	**4**	**7**	**9**	**12**	[illegible]	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	6.0							
18-34	379	10.1	39	6	7	8	11	20	25
35-49	456	10.4	35	6	7	9	12	17	21
50-69	1015	10.1	15	6	7	10	12	15	16
70 +	321	10.9	42	6	7	8	13	20	24
	2178	**10.3**	**27**	**6**	**7**	**9**	**12**	**16**	**20**
0-17	16	3.0	4						
18-34	482	7.1	9	3	6	8	9	10	12
35-49	553	8.0	8	5	7	8	9	13	13
50-69	526	9.2	18	5	6	8	11	15	17
70 +	120	7.4	12	3	5	7	9	12	16
	1697	**8.0**	**13**	**4**	**6**	**8**	**9**	**13**	**15**
	3875	**9.3**	**22**	**5**	**7**	**8**	**11**	**15**	**17**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16960	11.7	79	4	6	9	14	21	28
70-74	13437	11.6	72	4	6	9	14	22	28
75-79	15830	12.2	109	4	6	9	15	23	34
80-84	16112	12.0	77	5	7	10	15	21	30
85 +	21012	13.0	98	5	7	10	16	24	32
SUBTOTAL	**83351**	**12.2**	**88**	**4**	**6**	**10**	**15**	**23**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**83351**	**12.2**	**88**	**4**	**6**	**10**	**15**	**23**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4112	12.6	69	4	6	11	17	22	26
35-49	3969	13.1	98	4	6	10	17	24	29
50-69	6023	11.1	73	4	6	9	14	20	27
70 +	883	12.3	64	5	6	11	16	26	32
	14988	**12.1**	**79**	**4**	**6**	**10**	**16**	**22**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14988	**12.1**	**79**	**4**	**6**	**10**	**16**	**22**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	2750	13.0	92	5	7	10	15	24	31
35-49	2261	13.7	137	4	6	10	19	27	35
50-69	2479	14.4	174	4	7	11	18	29	49
70 +	617	13.4	187	4	6	10	21	97	99 +
SUBTOTAL	**8108**	**13.6**	**137**	**4**	**7**	**10**	**17**	**26**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8108**	**13.6**	**137**	**4**	**7**	**10**	**17**	**26**	**38**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2289	13.7	85	4	7	11	19	26	30
35-49	2588	12.9	100	4	6	11	16	25	30
50-69	2227	12.4	78	4	6	10	16	25	29
70 +	824	14.3	133	4	6	11	20	42	45
	7928	**13.1**	**93**	**4**	**6**	**11**	**18**	**26**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7928	**13.1**	**93**	**4**	**6**	**11**	**18**	**26**	**31**

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2287	8.9	89	3	5	7	9	14	21	0-17	0								
70-74	1659	8.1	28	3	5	7	10	14	15	18-34	1170	6.9	38	3	3	5	8	14	20
75-79	2213	8.9	41	3	5	7	11	16	20	35-49	1626	7.9	27	3	4	6	10	17	21
80-84	1978	8.2	32	4	5	6	10	14	19	50-69	1885	7.2	27	3	4	6	8	12	15
85 +	2465	9.1	30	4	5	8	12	17	20	70 +	183	8.9	29	5	6	7	9	15	19
SUBTOTAL	**10602**	**8.7**	**45**	**3**	**5**	**7**	**10**	**15**	**20**		**4864**	**7.4**	**30**	**3**	**4**	**6**	**9**	**14**	**19**
GRAND TOTAL	**10602**	**8.7**	**45**	**3**	**5**	**7**	**10**	**15**	**20**		**4864**	**7.4**	**30**	**3**	**4**	**6**	**9**	**14**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	507	6.6	29	2	3	5	8	11	14	18-34	837	7.0	23	2	4	6	9	14	18
35-49	365	9.5	33	4	5	8	14	21	21	35-49	915	8.5	29	3	5	7	11	15	18
50-69	399	8.9	39	3	5	7	11	15	22	50-69	625	7.7	39	3	3	6	9	18	23
70 +	165	9.7	18	3	5	10	13	13	19	70 +	169	9.8	41	3	6	8	12	17	20
SUBTOTAL	**1437**	**8.3**	**34**	**3**	**4**	**7**	**11**	**15**	**21**		**2546**	**7.9**	**31**	**3**	**4**	**7**	**10**	**15**	**18**
GRAND TOTAL	**1437**	**8.3**	**34**	**3**	**4**	**7**	**11**	**15**	**21**		**2546**	**7.9**	**31**	**3**	**4**	**7**	**10**	**15**	**18**

DRG 81: Respiratory Infections & Inflammations Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	54	11.0	39						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**54**	**11.0**	**39**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**54**	**11.0**	**39**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3321	10.2	51	3	5	9	14	17	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3321	**10.2**	**51**	**3**	**5**	**9**	**14**	**17**	**22**
0-17	2220	5.1	19	2	2	4	6	10	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2220	**5.1**	**19**	**2**	**2**	**4**	**6**	**10**	**15**
	5541	**8.1**	**44**	**2**	**3**	**6**	**12**	**16**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2486	11.0	76	3	5	9	14	20	30
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2486**	**11.0**	**76**	**3**	**5**	**9**	**14**	**20**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1795	5.1	15	1	3	4	6	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1795**	**5.1**	**15**	**1**	**3**	**4**	**6**	**9**	**13**
GRAND TOTAL	**4282**	**8.5**	**59**	**2**	**4**	**6**	**12**	**16**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	841	10.2	53	2	5	9	14	18	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	841	**10.2**	**53**	**2**	**5**	**9**	**14**	**18**	**22**
0-17	859	5.7	25	1	2	4	8	14	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	859	**5.7**	**25**	**1**	**2**	**4**	**8**	**14**	**15**
	1700	**7.9**	**44**	**2**	**3**	**6**	**12**	**16**	**20**

Total U.S., July 1988 - June 1989

DRG 82: Respiratory Neoplasms

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13458	10.3	80	3	5	8	13	20	28
70-74	11451	9.7	64	2	4	8	13	19	24
75-79	8565	11.0	97	3	5	9	14	24	29
80-84	5272	10.0	81	3	4	8	12	19	24
85 +	2955	12.5	102	3	6	9	16	26	31
SUBTOTAL	41702	10.4	81	3	4	8	13	21	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2055	5.4	22	1	2	4	8	11	15
70-74	1589	5.6	18	1	2	5	8	12	14
75-79	1142	6.1	38	1	2	5	8	12	18
80-84	905	7.6	45	1	3	6	10	15	21
85 +	532	6.2	37	1	3	5	8	11	16
SUBTOTAL	6223	6.0	29	1	2	5	8	12	15
GRAND TOTAL	47925	9.8	77	2	4	7	13	20	26

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	8.8	56	2	3	6	15	21	25
18-34	223	6.4	27	1	2	5	8	15	15
35-49	3258	8.2	45	2	4	6	11	16	21
50-69	14835	9.0	54	2	4	7	12	18	23
70 +	676	9.3	57	2	3	7	13	19	25
	19166	8.8	53	2	4	7	12	18	22
0-17	137	4.3	26	1	1	2	5	10	22
18-34	120	4.1	41	1	1	3	4	6	18
35-49	815	5.6	29	1	2	4	7	15	15
50-69	3541	5.2	30	1	2	3	7	11	15
70 +	69	3.9	11	< 1	2	2	5	8	12
	4682	5.2	30	1	2	3	7	11	15
	23848	8.1	50	2	3	6	11	17	21

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	75	8.7	71	1	1	4	12	24	24
18-34	173	8.9	35	3	6	7	13	21	22
35-49	805	9.4	42	3	4	8	13	16	22
50-69	1938	11.1	114	3	4	8	14	26	30
70 +	199	14.0	243	2	5	8	16	32	53
SUBTOTAL	3191	10.7	100	3	4	8	13	23	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	75	6.9	26	1	1	5	9	15	15
18-34	121	8.1	19						
35-49	95	5.0	50	1	1	2	7	9	27
50-69	345	6.9	62	1	2	5	8	11	22
70 +	8	2.0							
SUBTOTAL	644	6.8	48	1	2	5	9	14	21
GRAND TOTAL	3835	10.0	93	2	4	7	13	22	29

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	2.4							
18-34	212	6.4	46	2	3	5	6	9	10
35-49	1096	9.2	52	2	4	8	12	20	25
50-69	3657	8.9	73	2	4	6	11	17	22
70 +	816	8.8	129	2	3	6	10	17	31
	5805	8.8	76	2	4	6	11	18	23
0-17	24	1.8	1						
18-34	33	3.8	3						
35-49	426	4.4	20	1	2	2	7	8	16
50-69	1019	5.4	18	1	2	4	8	12	14
70 +	227	6.6	20	2	3	5	8	15	15
	1728	5.2	19	1	2	3	8	12	15
	7533	8.0	65	2	3	6	10	16	21

DRG 83: Major Chest Trauma w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1778	6.9	25	2	3	6	9	13	18
70-74	1343	7.9	46	3	4	6	10	14	19
75-79	1780	8.1	67	2	4	6	10	13	21
80-84	1248	8.7	56	2	4	8	11	15	20
85 +	2123	9.4	53	3	4	8	11	18	24
SUBTOTAL	8273	8.2	50	2	4	6	10	15	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8273	8.2	50	2	4	6	10	15	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	250	3.6	5	1	2	3	4	7	7
18-34	1185	4.5	9	2	2	4	5	7	11
35-49	1951	5.4	12	2	3	5	8	10	12
50-69	2393	6.5	22	2	3	6	8	12	16
70 +	743	7.8	26	2	4	7	11	14	17
	6522	5.9	18	2	3	5	8	11	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6522	5.9	18	2	3	5	8	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	3.3	1						
18-34	130	6.5	50	3	4	4	6	10	30
35-49	45	3.6	1	2	3	4	4	5	5
50-69	128	5.3	10	2	3	4	6	13	13
70 +	8	10.0							
SUBTOTAL	343	5.5	25	2	3	4	6	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	343	5.5	25	2	3	4	6	10	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	4.1	8	1	2	3	5	10	10
18-34	869	5.0	9	2	3	5	7	8	9
35-49	840	6.1	24	2	3	5	7	11	20
50-69	806	5.8	17	1	3	5	7	11	14
70 +	216	9.0	39	2	5	6	13	16	19
	2830	5.9	19	2	3	5	7	11	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2830	5.9	19	2	3	5	7	11	14

DRG 84: Major Chest Trauma w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	449	4.1	7	1	2	4	5	7	8
70-74	464	6.0	71	1	2	4	7	9	17
75-79	524	5.3	15	2	3	4	6	10	10
80-84	574	5.3	15	2	3	4	7	10	13
85 +	622	5.4	15	2	3	5	8	10	11
SUBTOTAL	**2633**	**5.2**	**24**	**2**	**3**	**4**	**6**	**10**	**11**
GRAND TOTAL	**2633**	**5.2**	**24**	**2**	**3**	**4**	**6**	**10**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	215	1.6	1	< 1	1	1	2	3	4
18-34	1057	2.6	3	1	1	2	3	5	6
35-49	1531	3.0	4	1	2	3	4	5	7
50-69	1613	3.3	5	1	2	3	4	6	8
70 +	378	3.6	7	1	2	3	4	6	9
	4795	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**7**
	4795	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	4.7	29						
18-34	62	3.2	1	2	3	3	3	6	6
35-49	69	3.6	11	< 1	1	2	9	9	9
50-69	93	3.5	2	2	2	4	5	5	5
70 +	22	11.5	24						
SUBTOTAL	**277**	**4.2**	**14**	**1**	**2**	**3**	**5**	**9**	**14**
GRAND TOTAL	**277**	**4.2**	**14**	**1**	**2**	**3**	**5**	**9**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	146	4.3	10	1	2	3	8	8	10
18-34	792	3.0	5	1	1	3	4	6	7
35-49	701	2.8	5	1	1	2	3	5	10
50-69	518	2.5	3	1	1	2	3	5	6
70 +	104	3.7	6	2	2	3	6	8	9
	2261	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
	2261	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 85: Pleural Effusion w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3383	7.6	39	2	4	6	10	16	20	0-17	216	9.8	109	1	2	5	14	26	39
70-74	2633	7.8	62	2	3	6	10	14	17	18-34	358	5.2	20	2	3	4	5	10	10
75-79	2365	8.2	52	2	4	6	10	16	21	35-49	673	7.1	38	2	3	5	8	14	19
80-84	2335	9.9	57	3	5	8	13	20	23	50-69	2412	7.9	34	2	3	7	10	16	20
85 +	2913	9.7	55	3	5	7	13	19	24	70 +	148	7.8	39	2	2	6	10	16	25
SUBTOTAL	**13629**	**8.6**	**53**	**2**	**4**	**7**	**11**	**17**	**21**		**3806**	**7.6**	**39**	**2**	**3**	**6**	**10**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**13629**	**8.6**	**53**	**2**	**4**	**7**	**11**	**17**	**21**		**3806**	**7.6**	**39**	**2**	**3**	**6**	**10**	**15**	**21**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	102	11.5	528	2	3	6	7	7	91	0-17	74	4.0	5	1	2	5	5	7	7
18-34	80	9.6	91	2	3	6	11	27	35	18-34	237	5.6	17	1	2	4	8	11	12
35-49	167	9.0	37	2	4	7	13	16	25	35-49	341	8.0	25	1	4	7	12	14	19
50-69	606	7.4	24	3	4	6	8	15	18	50-69	559	8.5	42	2	4	7	12	15	17
70 +	54	9.1	53	2	4	7	15	23	23	70 +	206	6.2	36	2	2	4	7	18	22
SUBTOTAL	**1009**	**8.4**	**85**	**2**	**4**	**6**	**9**	**16**	**20**		**1417**	**7.3**	**33**	**2**	**3**	**6**	**10**	**15**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1009**	**8.4**	**85**	**2**	**4**	**6**	**9**	**16**	**20**		**1417**	**7.3**	**33**	**2**	**3**	**6**	**10**	**15**	**17**

Total U.S., July 1988 - June 1989

DRG 86: Pleural Effusion w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	575	6.1	22	2	3	5	7	11	17
70-74	393	3.9	7	2	2	3	5	7	11
75-79	503	6.2	20	2	3	4	9	11	16
80-84	352	5.3	20	1	2	4	6	10	18
85 +	369	7.2	26	2	4	5	9	16	17
SUBTOTAL	**2191**	**5.8**	**20**	**2**	**3**	**5**	**7**	**11**	**16**
GRAND TOTAL	**2191**	**5.8**	**20**	**2**	**3**	**5**	**7**	**11**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	118	7.4	25	2	3	6	8	18	18
18-34	259	4.9	13	1	2	4	7	10	12
35-49	492	4.7	8	2	2	4	6	9	12
50-69	761	4.2	11	1	2	4	5	7	10
70 +	52	2.4	1						
	1681	**4.6**	**12**	**1**	**2**	**4**	**6**	**9**	**12**
	1681	**4.6**	**12**	**1**	**2**	**4**	**6**	**9**	**12**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	61	7.9	27	1	3	7	15	17	17
18-34	18	10.3	75						
35-49	49	10.4	19						
50-69	63	7.5	26	2	4	7	8	20	20
70 +	9	1.0							
SUBTOTAL	**200**	**8.3**	**32**	**2**	**3**	**7**	**12**	**17**	**20**
GRAND TOTAL	**200**	**8.3**	**32**	**2**	**3**	**7**	**12**	**17**	**20**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	53	7.0	4	4	6	7	9	10	10
18-34	184	5.1	5	3	3	5	7	7	11
35-49	204	8.6	61	2	3	5	13	22	26
50-69	229	5.4	25	1	2	3	8	11	12
70 +	25	2.4	2						
	695	**6.3**	**30**	**1**	**3**	**4**	**7**	**12**	**21**
	695	**6.3**	**30**	**1**	**3**	**4**	**7**	**12**	**21**

DRG 87: Pulmonary Edema & Respiratory Failure

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	17869	8.3	54	3	4	7	10	15	19
70-74	10055	8.4	34	3	5	7	10	15	18
75-79	7698	9.2	49	3	5	7	12	16	24
80-84	5291	9.5	90	3	5	8	11	16	21
85 +	3647	9.4	50	3	5	8	12	17	21
SUBTOTAL	**44559**	**8.7**	**53**	**3**	**5**	**7**	**11**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1274	6.7	68	2	4	5	8	10	16
70-74	895	5.7	15	2	3	5	8	11	14
75-79	632	5.9	7	4	4	5	7	10	11
80-84	554	6.0	17	2	3	5	8	11	17
85 +	516	7.0	29	3	4	4	8	16	23
SUBTOTAL	**3871**	**6.3**	**33**	**2**	**4**	**5**	**7**	**11**	**14**
GRAND TOTAL	**48430**	**8.5**	**52**	**3**	**5**	**7**	**10**	**15**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	363	12.7	113	2	5	10	20	24	28
18-34	241	5.0	22	< 1	2	3	9	11	16
35-49	911	7.4	34	2	4	6	10	15	17
50-69	6853	8.3	39	3	5	7	10	16	18
70 +	392	7.7	39	1	3	7	10	14	20
	8760	**8.3**	**42**	**2**	**4**	**7**	**10**	**16**	**20**
0-17	200	4.7	21	1	2	3	6	14	18
18-34	149	3.4	3	1	2	4	4	6	7
35-49	255	4.4	5	1	3	4	6	8	10
50-69	758	4.5	7	2	3	4	6	8	10
70 +	73	4.4	4	1	3	4	6	7	8
	1435	**4.4**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
	10196	**7.8**	**39**	**2**	**4**	**6**	**10**	**15**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	287	13.0	126	3	4	11	17	33	69
18-34	420	8.3	46	2	4	6	10	21	21
35-49	575	8.6	79	2	4	6	11	18	18
50-69	2176	8.8	70	3	4	6	11	17	21
70 +	223	8.6	179	2	3	5	7	12	19
SUBTOTAL	**3682**	**9.0**	**81**	**3**	**4**	**6**	**11**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	68	6.4	15	1	3	7	10	12	12
18-34	67	1.7	1						
35-49	56	5.4	6	3	4	4	6	10	10
50-69	279	5.3	12	1	4	5	6	9	9
70 +	28	4.8	21						
SUBTOTAL	**498**	**4.9**	**12**	**1**	**3**	**4**	**6**	**10**	**12**
GRAND TOTAL	**4180**	**8.6**	**74**	**2**	**4**	**6**	**10**	**17**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	256	16.6	171	4	5	12	24	40	51
18-34	130	5.1	13	1	3	5	6	14	14
35-49	415	5.6	18	1	2	4	9	11	14
50-69	1916	6.7	25	2	3	5	8	14	15
70 +	488	6.9	50	2	3	5	8	12	15
	3205	**7.3**	**47**	**2**	**3**	**5**	**9**	**14**	**19**
0-17	90	7.4	44	1	1	4	15	18	18
18-34	115	4.8	4	3	3	5	7	7	8
35-49	74	5.3	7	1	4	5	5	10	10
50-69	204	7.0	23	3	3	5	10	15	16
70 +	60	4.1	1	3	3	4	5	6	6
	542	**6.0**	**19**	**1**	**3**	**5**	**7**	**15**	**15**
	3747	**7.1**	**43**	**2**	**3**	**5**	**9**	**14**	**18**

Total U.S., July 1988 - June 1989

DRG 88: Chronic Obstructive Pulmonary Disease

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17518	7.8	49	3	4	6	9	14	18	0-17	627	13.5	116	3	7	12	16	29	34
70-74	11936	8.3	75	3	4	6	9	14	19	18-34	504	9.2	34	2	4	10	11	14	22
75-79	10439	8.0	45	3	4	6	10	15	21	35-49	1232	5.6	26	2	3	4	7	10	12
80-84	5574	8.2	40	3	4	7	10	15	19	50-69	7771	7.0	27	3	4	6	9	12	16
85 +	3106	8.4	64	3	4	6	10	16	20	70 +	522	8.3	44	2	4	6	11	14	18
SUBTOTAL	**48573**	**8.0**	**54**	**3**	**4**	**6**	**9**	**15**	**19**		**10656**	**7.4**	**36**	**2**	**4**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13053	6.0	22	2	3	5	7	11	14	0-17	468	3.9	18	1	1	3	4	10	11
70-74	8016	6.0	13	2	4	5	8	11	12	18-34	328	3.7	7	1	2	3	6	8	8
75-79	5642	5.8	18	2	3	5	7	10	13	35-49	1391	5.0	10	2	3	4	6	9	11
80-84	3207	6.1	15	2	4	5	8	11	14	50-69	9152	5.7	18	2	3	5	7	11	12
85 +	1352	6.8	48	2	3	5	7	14	16	70 +	520	5.1	14	2	2	4	6	10	15
SUBTOTAL	**31270**	**6.0**	**19**	**2**	**3**	**5**	**7**	**11**	**14**		**11859**	**5.4**	**16**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**79843**	**7.2**	**42**	**3**	**4**	**6**	**9**	**13**	**17**		**22515**	**6.4**	**27**	**2**	**3**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	307	9.3	41	2	4	8	13	22	22	0-17	162	8.6	5	5	7	9	10	11	12
18-34	166	10.3	14	6	8	10	13	14	17	18-34	113	6.4	17	3	3	5	9	14	14
35-49	713	6.1	11	3	4	5	8	12	13	35-49	513	5.8	24	2	2	4	7	12	17
50-69	3608	7.0	35	3	3	5	8	13	19	50-69	2203	6.7	25	2	4	5	8	12	17
70 +	306	7.8	33	4	4	7	13	26	99 +	70 +	699	7.0	26	4	4	6	8	12	17
SUBTOTAL	**5099**	**7.2**	**32**	**3**	**4**	**5**	**9**	**14**	**19**		**3690**	**6.7**	**24**	**2**	**4**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	61	3.4	5	2	2	2	4	8	8	0-17	69	4.6	12	1	1	5	8	11	11
18-34	98	4.2	6	2	2	3	5	7	10	18-34	145	3.3	2	1	2	4	4	5	5
35-49	643	4.8	8	2	2	4	6	9	10	35-49	745	4.1	4	2	3	4	5	7	9
50-69	3216	5.9	23	2	3	5	7	11	14	50-69	2794	4.5	8	2	2	4	6	8	9
70 +	178	9.3	151	3	4	6	17	99 +	99 +	70 +	572	6.5	54	2	2	5	7	11	34
SUBTOTAL	**4196**	**5.8**	**26**	**2**	**3**	**5**	**7**	**11**	**14**		**4326**	**4.6**	**14**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**9295**	**6.6**	**30**	**2**	**3**	**5**	**8**	**13**	**17**		**8016**	**5.6**	**19**	**2**	**3**	**4**	**7**	**10**	**13**

Total U.S., July 1988 - June 1989

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	68220	8.0	30	3	5	7	10	14	17	0-17	0								
70-74	55601	8.3	36	4	5	7	10	14	18	18-34	10646	6.1	19	2	3	5	7	11	15
75-79	61804	9.2	49	4	5	7	11	16	21	35-49	15773	6.9	25	3	4	6	8	12	16
80-84	57523	9.5	50	4	5	8	11	16	22	50-69	37297	7.4	22	3	4	6	9	13	15
85 +	71872	10.1	61	4	6	8	12	17	22	70 +	3814	7.6	21	3	5	7	9	13	16
SUBTOTAL	**315020**	**9.0**	**46**	**4**	**5**	**7**	**11**	**15**	**20**		**67529**	**7.1**	**23**	**3**	**4**	**6**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**315020**	**9.0**	**46**	**4**	**5**	**7**	**11**	**15**	**20**		**67529**	**7.1**	**23**	**3**	**4**	**6**	**9**	**13**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6089	7.1	28	3	4	6	9	13	16	18-34	5788	6.3	21	2	3	5	8	12	15
35-49	6140	8.0	45	3	4	6	10	13	18	35-49	6845	6.9	25	2	4	6	8	12	16
50-69	10271	8.0	34	3	5	7	10	14	18	50-69	11111	7.4	25	3	4	6	10	13	16
70 +	2185	9.9	58	4	6	9	11	22	27	70 +	3928	7.7	36	3	4	6	9	13	20
SUBTOTAL	**24685**	**7.9**	**38**	**3**	**4**	**7**	**10**	**14**	**18**		**27671**	**7.1**	**26**	**3**	**4**	**6**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**24685**	**7.9**	**38**	**3**	**4**	**7**	**10**	**14**	**18**		**27671**	**7.1**	**26**	**3**	**4**	**6**	**9**	**13**	**16**

Total U.S., July 1988 - June 1989

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	13765	6.1	12	3	4	5	7	10	12	0-17	0								
70-74	11643	6.1	12	3	4	5	7	10	12	18-34	17376	4.3	5	2	3	4	5	7	8
75-79	11621	6.7	16	3	4	6	8	11	14	35-49	18059	4.9	8	2	3	4	6	8	10
80-84	10757	7.0	25	3	4	6	8	12	14	50-69	19598	5.4	8	3	4	5	7	9	11
85+	13335	7.6	27	3	5	7	9	13	15	70+	1043	5.3	11	3	3	5	6	9	12
SUBTOTAL	**61122**	**6.7**	**18**	**3**	**4**	**6**	**8**	**11**	**14**		**56075**	**4.9**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**61122**	**6.7**	**18**	**3**	**4**	**6**	**8**	**11**	**14**		**56075**	**4.9**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	4142	4.6	6	2	3	4	6	7	9	18-34	7280	4.4	9	2	3	4	5	8	9
35-49	2741	4.8	7	2	3	4	6	8	10	35-49	5163	5.2	11	2	3	4	7	9	10
50-69	1941	6.5	13	3	4	6	8	11	14	50-69	4415	5.6	12	2	3	5	7	9	11
70+	474	7.1	21	3	5	6	8	11	13	70+	857	6.1	18	2	3	5	8	13	15
SUBTOTAL	**9298**	**5.2**	**9**	**2**	**3**	**4**	**6**	**9**	**11**		**17714**	**5.0**	**11**	**2**	**3**	**4**	**6**	**9**	**10**
GRAND TOTAL	**9298**	**5.2**	**9**	**2**	**3**	**4**	**6**	**9**	**11**		**17714**	**5.0**	**11**	**2**	**3**	**4**	**6**	**9**	**10**

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	651	7.5	27	3	4	7	9	12	18
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**651**	**7.5**	**27**	**3**	**4**	**7**	**9**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	452	3.8	2	2	3	4	5	6	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**452**	**3.8**	**2**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**1102**	**6.0**	**20**	**2**	**3**	**5**	**8**	**11**	**12**

	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
	0-17	30700	4.5	15	2	2	3	5	8	10
	18-34	0								
	35-49	0								
	50-69	0								
	70 +	0								
SUBTOTAL		**30700**	**4.5**	**15**	**2**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs										
AGE GROUP										
	0-17	93085	3.6	5	2	2	3	4	6	7
	18-34	0								
	35-49	0								
	50-69	0								
	70 +	0								
SUBTOTAL		**93085**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL		**123785**	**3.8**	**8**	**2**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20849	5.0	17	2	3	4	6	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20849**	**5.0**	**17**	**2**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	55643	3.8	5	2	2	3	5	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**55643**	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**76492**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**9**

	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
	0-17	11036	4.8	19	2	2	4	6	9	12
	18-34	0								
	35-49	0								
	50-69	0								
	70 +	0								
SUBTOTAL		**11036**	**4.8**	**19**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs										
AGE GROUP										
	0-17	29859	3.4	4	2	2	3	4	6	7
	18-34	0								
	35-49	0								
	50-69	0								
	70 +	0								
SUBTOTAL		**29859**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL		**40894**	**3.8**	**9**	**2**	**2**	**3**	**4**	**7**	**8**

DRG 92: Interstitial Lung Disease w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2085	7.6	41	3	4	6	9	14	19	0-17	266	8.0	248	1	2	4	8	9	29
70-74	1618	8.0	44	2	4	7	10	16	21	18-34	547	6.0	19	2	3	5	7	14	14
75-79	1679	8.4	30	3	4	7	10	15	21	35-49	872	7.3	58	1	3	5	8	14	17
80-84	1356	9.2	64	3	5	7	11	20	32	50-69	1289	7.1	27	2	4	6	9	16	18
85+	996	8.0	16	4	5	7	11	13	16	70+	130	7.2	18	3	3	7	10	14	15
SUBTOTAL	7735	8.2	41	3	4	7	10	15	21		3104	7.0	53	2	3	5	8	14	18
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	7735	8.2	41	3	4	7	10	15	21		3104	7.0	53	2	3	5	8	14	18

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	211	9.3	51	2	3	7	18	21	21	0-17	92	8.0	52	1	1	7	11	22	22
18-34	389	8.2	21	3	4	8	11	16	17	18-34	355	4.6	6	2	3	4	6	8	9
35-49	251	8.7	35	2	4	7	14	15	17	35-49	366	6.7	24	2	3	6	8	10	20
50-69	318	9.1	21	4	5	7	13	17	17	50-69	419	8.9	60	2	4	7	11	15	19
70+	93	10.3	21	5	6	13	14	14	17	70+	177	8.4	49	2	3	5	10	21	21
SUBTOTAL	1263	8.8	29	3	4	7	13	17	20		1409	7.1	38	2	3	5	9	14	21
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	1263	8.8	29	3	4	7	13	17	20		1409	7.1	38	2	3	5	9	14	21

DRG 93: Interstitial Lung Disease w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	35TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	782	5.4	24	2	3	4	7	10	15
70-74	399	6.8	47	2	2	4	8	14	15
75-79	262	5.0	7	2	3	4	5	9	11
80-84	390	8.0	22	3	5	6	13	17	17
85 +	166	9.8	29	3	6	8	11	19	20
SUBTOTAL	**1999**	**6.5**	**28**	**2**	**3**	**5**	**8**	**14**	**17**
GRAND TOTAL	**1999**	**6.5**	**28**	**2**	**3**	**5**	**8**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	512	3.2	5	1	2	3	4	5	7
18-34	371	4.7	8	2	3	4	6	8	11
35-49	620	5.3	16	1	2	4	7	11	16
50-69	690	5.1	9	1	3	4	7	9	10
70 +	43	5.5	6						
	2235	**4.7**	**11**	**1**	**2**	**4**	**6**	**9**	**11**
	2235	**4.7**	**11**	**1**	**2**	**4**	**6**	**9**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	255	3.4	3	1	2	3	4	5	6
18-34	131	6.6	46	2	3	6	6	9	12
35-49	114	6.8	17	3	3	6	9	9	17
50-69	79	8.2	22	2	6	6	12	16	16
70 +	0								
SUBTOTAL	**579**	**5.5**	**21**	**2**	**3**	**4**	**6**	**9**	**16**
GRAND TOTAL	**579**	**5.5**	**21**	**2**	**3**	**4**	**6**	**9**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	159	5.1	17	< 1	3	4	6	11	17
18-34	202	4.4	17	1	3	3	5	6	12
35-49	171	4.4	5	2	2	4	6	8	8
50-69	217	6.0	16	2	4	5	7	11	12
70 +	9	1.0							
	758	**5.0**	**14**	**1**	**3**	**4**	**6**	**9**	**12**
	758	**5.0**	**14**	**1**	**3**	**4**	**6**	**9**	**12**

DRG 94: Pneumothorax w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2437	9.8	68	3	4	7	13	22	26	0-17	646	6.6	25	1	2	5	10	12	15
70-74	1877	8.7	66	2	4	6	11	18	22	18-34	1945	7.0	91	2	3	5	8	11	17
75-79	1700	8.9	41	3	4	7	12	16	20	35-49	1552	8.2	49	3	4	7	9	15	20
80-84	1143	10.4	65	4	5	8	12	21	28	50-69	2776	8.3	45	2	4	7	11	16	22
85 +	729	9.7	53	4	5	7	13	24	27	70 +	310	12.7	92	4	7	10	14	34	38
SUBTOTAL	**7886**	**9.4**	**60**	**3**	**4**	**7**	**12**	**20**	**25**		**7229**	**8.0**	**60**	**2**	**4**	**6**	**10**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7886**	**9.4**	**60**	**3**	**4**	**7**	**12**	**20**	**25**		**7229**	**8.0**	**60**	**2**	**4**	**6**	**10**	**14**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	197	6.5	34	2	3	4	7	17	20	0-17	217	6.4	26	2	2	4	9	15	18
18-34	610	7.3	34	2	3	6	10	14	16	18-34	1838	5.6	14	2	3	5	7	11	13
35-49	280	8.8	61	3	3	7	9	23	24	35-49	857	6.1	13	3	4	6	7	11	14
50-69	261	9.8	50	5	6	7	12	20	32	50-69	888	7.9	43	3	4	6	9	17	19
70 +	48	5.8	11							70 +	105	9.0	44	3	5	6	11	16	26
SUBTOTAL	**1396**	**7.9**	**43**	**3**	**4**	**6**	**9**	**16**	**22**		**3904**	**6.4**	**23**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1396**	**7.9**	**43**	**3**	**4**	**6**	**9**	**16**	**22**		**3904**	**6.4**	**23**	**2**	**3**	**5**	**8**	**12**	**16**

DRG 95: Pneumothorax w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	692	5.7	18	2	3	5	7	11	15	0-17	1718	4.0	6	2	2	4	5	8	8
70-74	384	4.9	9	2	3	4	6	10	11	18-34	7973	4.4	7	2	3	4	5	8	9
75-79	457	5.8	25	2	3	4	7	9	12	35-49	2733	4.4	9	2	3	4	5	7	11
80-84	229	5.9	11	2	3	6	8	11	11	50-69	1459	5.6	14	2	3	5	7	9	15
85 +	174	5.9	9	2	3	6	7	12	12	70 +	74	3.3	3	1	2	3	5	7	7
SUBTOTAL	**1935**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**12**		**13956**	**4.5**	**8**	**2**	**3**	**4**	**5**	**8**	**10**
GRAND TOTAL	**1935**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**12**		**13956**	**4.5**	**8**	**2**	**3**	**4**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	194	4.4	7	1	2	5	6	8	9	0-17	526	3.8	7	1	2	3	4	7	9
18-34	1084	4.7	8	2	3	4	6	9	11	18-34	5594	4.4	8	2	3	4	6	8	10
35-49	152	3.8	3	2	3	3	5	6	8	35-49	1559	4.5	8	2	3	4	6	8	10
50-69	69	5.1	6	1	3	6	8	8	8	50-69	516	4.7	9	2	3	4	6	8	13
70 +	0									70 +	25	3.7	2						
SUBTOTAL	**1499**	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**10**		**8220**	**4.4**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**1499**	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**10**		**8220**	**4.4**	**8**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	81956	6.7	23	3	4	6	8	12	14
70-74	52519	7.0	26	3	4	6	8	12	15
75-79	43446	7.1	28	3	4	6	8	12	16
80-84	29303	7.3	29	3	4	6	9	13	16
85 +	21750	7.8	45	3	4	6	9	14	18
SUBTOTAL	**228974**	**7.0**	**28**	**3**	**4**	**6**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**228974**	**7.0**	**28**	**3**	**4**	**6**	**8**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	9025	4.6	13	2	3	4	5	8	11
35-49	16425	5.2	12	2	3	4	6	9	11
50-69	40862	6.2	18	3	4	5	8	11	13
70 +	2309	7.1	26	3	4	5	9	14	17
	68621	**5.8**	**17**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	68621	**5.8**	**17**	**2**	**3**	**5**	**7**	**10**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	4238	4.7	13	2	3	4	6	8	10
35-49	7290	5.4	16	2	3	5	7	9	12
50-69	12597	6.3	17	3	4	6	8	11	14
70 +	1428	6.0	18	2	4	6	7	11	14
SUBTOTAL	**25554**	**5.8**	**16**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**25554**	**5.8**	**16**	**2**	**3**	**5**	**7**	**10**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3574	4.0	8	1	2	3	5	7	9
35-49	5700	4.9	10	2	3	4	6	9	11
50-69	10700	5.5	15	2	3	5	7	10	12
70 +	1677	5.6	18	2	3	4	7	10	14
	21651	**5.1**	**13**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	21651	**5.1**	**13**	**2**	**3**	**4**	**6**	**9**	**11**

DRG 97: Bronchitis & Asthma Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	21175	5.3	18	2	3	4	6	9	11
70-74	11843	5.3	9	2	3	5	7	9	11
75-79	8821	5.6	15	2	3	5	7	9	12
80-84	5752	5.8	11	2	4	5	7	10	12
85 +	4347	5.8	20	2	3	5	7	10	11
SUBTOTAL	**51939**	**5.4**	**15**	**2**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**51939**	**5.4**	**15**	**2**	**3**	**5**	**7**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	28000	3.5	5	1	2	3	4	6	7
35-49	31751	4.3	9	2	3	4	5	7	9
50-69	29513	4.8	8	2	3	4	6	8	10
70 +	696	4.3	6	2	3	4	6	7	9
	89961	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
	89961	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10495	3.6	5	2	2	3	4	6	7
35-49	8254	4.2	6	2	3	4	5	7	9
50-69	5792	5.1	9	2	3	5	6	9	10
70 +	257	5.0	9	1	2	5	7	8	9
SUBTOTAL	**24798**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**9**
GRAND TOTAL	**24798**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	13553	3.3	4	1	2	3	4	6	7
35-49	11315	3.9	6	1	2	3	5	7	8
50-69	7458	4.5	7	2	3	4	6	8	10
70 +	635	4.4	6	2	2	4	6	8	9
	32961	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
	32961	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 98: Bronchitis & Asthma Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	117	4.6	6	2	3	4	6	9	10	0-17	32872	3.9	13	2	2	3	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**117**	**4.6**	**6**	**2**	**3**	**4**	**6**	**9**	**10**		**32872**	**3.9**	**13**	**2**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	335	2.9	1	1	2	3	4	4	5	0-17	150115	2.9	3	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**335**	**2.9**	**1**	**1**	**2**	**3**	**4**	**4**	**5**		**150115**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**452**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**		**182987**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	21961	4.3	12	2	2	3	5	8	10	0-17	13195	3.7	9	1	2	3	4	6	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**21961**	**4.3**	**12**	**2**	**2**	**3**	**5**	**8**	**10**		**13195**	**3.7**	**9**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	98279	3.2	6	1	2	3	4	5	7	0-17	68910	2.7	2	1	2	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**98279**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**7**		**68910**	**2.7**	**2**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**120239**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**7**		**82104**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 99: Respiratory Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14114	5.7	27	2	3	4	7	10	13
70-74	8421	5.9	25	2	3	5	7	11	15
75-79	6374	6.3	31	2	3	5	8	13	17
80-84	4229	6.2	32	2	3	5	8	12	15
85 +	3328	6.4	38	2	3	5	8	12	18
SUBTOTAL	**36466**	**6.0**	**29**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**36466**	**6.0**	**29**	**2**	**3**	**5**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2299	4.6	36	1	2	3	5	9	13
18-34	1127	4.9	35	1	2	3	6	10	15
35-49	4109	3.6	7	1	2	3	4	7	8
50-69	9108	4.7	15	2	2	4	6	9	12
70 +	571	5.4	8	2	4	5	7	9	10
	17214	**4.5**	**17**	**1**	**2**	**3**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	17214	**4.5**	**17**	**1**	**2**	**3**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2035	5.0	20	1	2	4	6	11	16
18-34	566	4.1	13	1	1	3	6	9	10
35-49	1111	3.7	7	1	2	3	5	7	8
50-69	2185	5.6	20	2	3	4	7	11	15
70 +	263	4.3	10	1	2	3	7	8	11
SUBTOTAL	**6160**	**4.8**	**17**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6160**	**4.8**	**17**	**1**	**2**	**4**	**6**	**10**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	849	5.8	49	1	2	3	7	12	21
18-34	491	3.4	14	1	1	2	4	6	13
35-49	1307	3.8	15	1	2	3	4	6	10
50-69	2561	3.7	9	1	2	3	5	8	10
70 +	455	4.2	9	1	2	3	5	9	12
	5663	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5663	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 100: Respiratory Signs & Symptoms w/o CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5644	3.3	6	1	2	3	4	6	8	0-17	7690	2.9	9	1	1	2	3	5	7
70-74	3090	3.3	7	1	2	3	4	6	8	18-34	4103	2.4	3	1	1	2	3	4	5
75-79	1935	3.6	10	1	2	3	4	7	9	35-49	12266	2.6	3	1	1	2	3	4	6
80-84	1278	3.1	8	1	2	3	3	5	7	50-69	10701	2.7	4	1	1	2	3	5	6
85+	792	3.6	7	1	2	2	5	7	9	70+	269	2.8	4	1	2	2	3	4	9
SUBTOTAL	**12738**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**35030**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**12738**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**35030**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6526	3.5	11	1	2	3	4	7	8	0-17	3705	3.5	31	1	1	2	4	6	8
18-34	605	2.6	3	1	1	2	4	4	6	18-34	1366	2.1	2	1	1	2	3	4	4
35-49	829	2.4	2	1	1	2	3	4	5	35-49	3892	2.3	2	1	1	2	3	4	5
50-69	982	3.0	3	1	2	3	4	5	6	50-69	3131	2.7	3	1	1	2	3	5	7
70+	40	2.8	3							70+	431	2.2	2	1	1	2	3	4	6
SUBTOTAL	**8984**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**8**		**12525**	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**8984**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**8**		**12525**	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 101: Other Respiratory System Diagnoses w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6554	6.5	28	2	3	5	8	12	15	0-17	1936	5.2	24	1	2	4	7	11	15
70-74	3788	6.9	41	2	3	6	9	13	17	18-34	1441	5.4	56	1	3	4	6	9	12
75-79	3922	6.6	36	2	3	5	9	12	15	35-49	2209	4.9	12	1	2	4	7	10	11
80-84	3162	7.0	29	2	4	6	9	14	17	50-69	4189	5.8	22	2	3	5	7	12	14
85 +	2500	7.2	61	2	3	6	9	13	16	70 +	523	7.0	32	1	3	6	9	15	21
SUBTOTAL	**19926**	**6.8**	**37**	**2**	**3**	**6**	**9**	**12**	**15**		**10297**	**5.5**	**26**	**1**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**19926**	**6.8**	**37**	**2**	**3**	**6**	**9**	**12**	**15**		**10297**	**5.5**	**26**	**1**	**2**	**4**	**7**	**11**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1369	5.0	15	1	3	4	7	12	14	0-17	835	4.9	26	1	2	3	6	11	20
18-34	489	7.8	72	2	4	5	8	15	23	18-34	969	4.3	12	1	2	3	5	9	11
35-49	477	5.3	9	2	3	4	7	10	11	35-49	1042	5.5	47	1	2	4	6	8	17
50-69	709	6.7	24	2	3	5	9	15	17	50-69	1202	6.0	15	2	3	5	9	10	14
70 +	60	14.3	14							70 +	299	6.1	24	1	2	5	8	9	17
SUBTOTAL	**3104**	**6.1**	**27**	**2**	**3**	**5**	**8**	**14**	**16**		**4346**	**5.3**	**25**	**1**	**2**	**4**	**7**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3104**	**6.1**	**27**	**2**	**3**	**5**	**8**	**14**	**16**		**4346**	**5.3**	**25**	**1**	**2**	**4**	**7**	**10**	**15**

DRG 102: Other Respiratory System Diagnoses w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1558	4.0	12	1	2	3	5	8	9
70-74	1085	4.7	11	1	2	4	6	10	12
75-79	1289	3.9	7	1	2	3	5	7	9
80-84	670	5.9	48	1	2	4	7	13	21
85 +	739	5.8	24	2	3	4	7	12	14
SUBTOTAL	**5340**	**4.6**	**18**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**5340**	**4.6**	**18**	**1**	**2**	**3**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6221	2.4	7	1	1	2	3	4	6
18-34	2237	2.7	4	1	1	2	3	5	6
35-49	2473	3.0	7	1	1	2	4	6	8
50-69	2589	3.5	6	1	2	3	5	7	9
70 +	204	5.2	11	2	3	4	7	12	12
	13725	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**7**
	13725	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2423	2.9	7	1	1	2	3	6	8
18-34	300	3.8	7	1	1	4	5	7	7
35-49	210	3.0	3	< 1	1	2	5	5	6
50-69	182	2.8	5	1	1	3	3	4	11
70 +	20	2.9	2						
SUBTOTAL	**3135**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3135**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2331	2.4	6	1	1	2	3	4	5
18-34	1185	2.6	4	1	1	2	3	5	6
35-49	808	2.4	4	1	1	2	3	5	7
50-69	504	3.3	6	1	2	3	4	7	8
70 +	67	3.4	7	< 1	1	2	4	6	9
	4896	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	4896	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 103: Heart Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	143	41.8	646	19	23	47	99 +	99 +	99 +	0-17	73	24.8	89	12	17	22	34	44	44
70-74	0									18-34	36	42.4	399						
75-79	0									35-49	128	41.5	538	12	18	47	49	96	99 +
80-84	0									50-69	201	47.8	727	21	31	44	94	99 +	99 +
85 +	0									70 +	0								
SUBTOTAL	**143**	**41.8**	**646**	**19**	**23**	**47**	**99 +**	**99 +**	**99 +**		**439**	**41.7**	**600**	**17**	**21**	**42**	**72**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	9.0								0-17	0								
70-74	0									18-34	8	34.0							
75-79	0									35-49	0								
80-84	0									50-69	31	18.3	5						
85 +	0									70 +	0								
SUBTOTAL	**8**	**9.0**									**39**	**21.4**	**45**	**16**	**17**	**20**	**34**	**99 +**	**99 +**
GRAND TOTAL	**150**	**40.1**	**665**	**18**	**22**	**47**	**99 +**	**99 +**	**99 +**		**477**	**40.0**	**585**	**17**	**21**	**42**	**71**	**99 +**	**99 +**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	25.0								0-17	0								
18-34	22	46.4	670							18-34	8	64.0							
35-49	0									35-49	23	37.7	123						
50-69	0									50-69	46	29.2	272	9	15	26	47	51	51
70 +	0									70 +	0								
SUBTOTAL	**30**	**40.9**	**581**								**77**	**35.2**	**306**	**11**	**17**	**36**	**51**	**60**	**64**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	8	16.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**8**	**16.0**							
GRAND TOTAL	**30**	**40.9**	**581**								**85**	**33.5**	**308**	**15**	**16**	**30**	**51**	**53**	**64**

DRG 104: Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2218	22.5	178	11	14	20	26	42	57	0-17	300	21.2	301	6	7	15	32	63	99 +
70-74	1819	23.8	203	12	15	20	27	38	55	18-34	140	19.1	79	9	10	20	22	35	36
75-79	1343	23.1	167	12	15	19	29	38	57	35-49	697	19.4	143	8	10	16	23	34	51
80-84	593	23.8	180	11	15	21	27	40	51	50-69	2321	21.2	191	10	13	17	25	34	48
85 +	119	19.0	34	12	14	18	26	26	27	70 +	123	24.1	357	10	11	17	24	53	74
SUBTOTAL	**6091**	**23.1**	**181**	**11**	**15**	**20**	**27**	**40**	**55**		**3581**	**20.9**	**193**	**9**	**13**	**17**	**25**	**36**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	261	16.9	109	8	10	12	22	37	44	0-17	180	8.0	26	2	6	7	9	15	19
70-74	189	16.5	58	10	11	14	18	29	29	18-34	60	10.5	12	6	7	10	11	16	16
75-79	142	14.9	25	8	10	16	18	20	23	35-49	159	14.6	59	9	9	13	15	27	32
80-84	62	16.1	18	9	13	17	18	24	24	50-69	335	14.8	34	8	11	13	16	23	28
85 +	0									70 +	9	14.0							
SUBTOTAL	**654**	**16.3**	**68**	**9**	**11**	**14**	**19**	**29**	**37**		**744**	**12.8**	**44**	**6**	**9**	**12**	**15**	**21**	**28**
GRAND TOTAL	**6746**	**22.4**	**174**	**11**	**14**	**19**	**26**	**39**	**53**		**4325**	**19.5**	**177**	**8**	**11**	**16**	**23**	**34**	**49**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	14.0	101	7	9	10	36	99 +	99 +	0-17	96	15.1	28	8	11	16	19	19	25
18-34	62	16.0	17	10	13	14	20	22	22	18-34	62	18.2	249	7	7	10	32	51	51
35-49	93	21.8	116	14	14	16	29	37	49	35-49	176	16.5	72	8	10	15	20	27	27
50-69	177	17.8	180	9	9	14	18	35	41	50-69	580	19.2	121	8	11	17	23	32	47
70 +	10	19.0								70 +	147	17.5	75	7	10	17	22	35	38
SUBTOTAL	**389**	**18.0**	**130**	**9**	**11**	**15**	**21**	**37**	**67**		**1062**	**18.1**	**107**	**8**	**10**	**16**	**22**	**30**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	75	11.8	10	8	9	10	15	16	16	0-17	66	9.0	52	2	2	6	16	21	21
18-34	0									18-34	22	9.3	1						
35-49	17	14.4	2							35-49	22	9.1	2						
50-69	30	17.8	14							50-69	16	25.0	309						
70 +	0									70 +	8	10.0							
SUBTOTAL	**122**	**13.6**	**16**	**9**	**10**	**13**	**16**	**18**	**22**		**134**	**11.0**	**86**	**2**	**6**	**10**	**13**	**21**	**42**
GRAND TOTAL	**512**	**17.0**	**106**	**9**	**11**	**15**	**19**	**36**	**49**		**1196**	**17.3**	**110**	**7**	**10**	**15**	**22**	**29**	**42**

DRG 105: Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3187	15.6	102	8	10	12	17	27	37	0-17	1180	10.5	58	5	7	9	12	16	20
70-74	2459	15.4	84	8	10	12	18	29	39	18-34	323	11.3	17	7	9	10	15	17	18
75-79	1460	16.0	90	9	10	13	19	29	41	35-49	1295	12.7	104	8	8	10	13	20	31
80-84	503	19.5	262	9	10	14	21	59	99 +	50-69	3663	14.0	107	8	9	11	15	23	35
85 +	60	16.6	129	2	5	16	30	34	34	70 +	168	13.6	95	8	9	11	16	18	23
SUBTOTAL	**7669**	**15.9**	**106**	**8**	**10**	**13**	**18**	**29**	**40**		**6629**	**13.0**	**95**	**7**	**8**	**10**	**14**	**20**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	506	10.3	10	7	8	10	11	14	15	0-17	735	6.6	4	4	5	6	8	9	10
70-74	339	11.0	15	8	9	10	12	16	16	18-34	241	8.0	7	6	7	7	9	11	11
75-79	244	11.4	8	8	10	10	15	16	16	35-49	469	9.3	4	8	8	9	10	12	14
80-84	65	13.3	33	7	10	10	21	23	23	50-69	861	9.7	5	7	8	9	11	13	14
85 +	23	12.0	1							70 +	17	7.5							
SUBTOTAL	**1179**	**10.9**	**13**	**8**	**9**	**10**	**12**	**15**	**16**		**2323**	**8.5**	**6**	**5**	**7**	**8**	**10**	**12**	**13**
GRAND TOTAL	**8847**	**15.2**	**96**	**8**	**10**	**12**	**17**	**26**	**38**		**8952**	**11.8**	**76**	**7**	**8**	**10**	**13**	**18**	**26**

TYPE OF PATIENT	MEDICAID										NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	434	15.3	167	6	7	10	18	31	42	0-17	302	11.4	69	5	6	8	17	34	74
18-34	249	20.5	222	8	9	15	34	51	54	18-34	188	14.7	233	7	8	9	13	21	66
35-49	158	17.5	229	7	8	12	19	62	99 +	35-49	404	12.8	99	7	8	9	15	21	22
50-69	258	17.0	262	7	8	11	19	41	58	50-69	851	13.9	108	7	8	11	16	24	33
70 +	8	91.0								70 +	109	15.8	92	8	10	13	16	34	40
SUBTOTAL	**1107**	**17.7**	**251**	**7**	**8**	**12**	**21**	**43**	**62**		**1855**	**13.4**	**113**	**7**	**8**	**10**	**15**	**24**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	363	8.5	8	5	6	8	9	13	14	0-17	197	7.0	3	5	6	7	8	9	10
18-34	23	10.0	9							18-34	49	9.4	19	6	7	8	9	19	19
35-49	33	11.5	43							35-49	94	7.2	5	4	6	7	8	9	13
50-69	72	22.4	205	7	8	17	38	38	38	50-69	116	8.8	4	6	8	8	10	12	13
70 +	0									70 +	31	8.8	3						
SUBTOTAL	**491**	**10.8**	**63**	**6**	**7**	**8**	**11**	**15**	**38**		**487**	**7.8**	**6**	**5**	**6**	**8**	**9**	**10**	**12**
GRAND TOTAL	**1598**	**15.6**	**203**	**6**	**8**	**10**	**17**	**38**	**54**		**2341**	**12.3**	**96**	**6**	**7**	**9**	**13**	**21**	**34**

DRG 106: Coronary Bypass w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10232	16.3	101	9	11	14	19	25	31
70-74	7588	16.9	76	9	11	15	20	28	35
75-79	4761	17.8	70	10	12	16	21	28	35
80-84	1187	19.3	126	11	14	16	21	31	42
85 +	207	21.6	59	13	17	19	27	34	38
SUBTOTAL	**23976**	**17.0**	**89**	**9**	**11**	**15**	**20**	**27**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2753	13.2	19	9	10	12	15	19	22
70-74	1963	13.7	32	8	10	13	16	19	24
75-79	945	14.9	34	9	12	14	16	21	26
80-84	206	17.5	26	12	13	18	20	27	27
85 +	71	12.2	15	7	10	10	15	20	20
SUBTOTAL	**5937**	**13.8**	**27**	**9**	**11**	**13**	**16**	**20**	**23**
GRAND TOTAL	**29913**	**16.4**	**78**	**9**	**11**	**14**	**19**	**25**	**32**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	59	13.3	25	7	10	12	18	21	21
35-49	3031	12.3	29	7	9	11	14	19	21
50-69	12054	13.9	51	8	10	12	16	21	25
70 +	473	14.9	42	8	10	14	17	23	31
	15617	**13.6**	**47**	**8**	**10**	**12**	**16**	**21**	**25**
0-17	0								
18-34	59	9.6	9	6	7	10	12	15	15
35-49	2280	10.8	12	7	8	10	13	15	18
50-69	6253	11.6	15	8	9	11	13	16	19
70 +	98	10.6	11	7	8	10	13	17	18
	8691	**11.4**	**14**	**7**	**9**	**11**	**13**	**16**	**19**
	24308	**12.8**	**36**	**8**	**9**	**12**	**15**	**19**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	141	15.3	44	9	11	13	21	30	96
50-69	642	18.0	75	8	13	17	22	29	43
70 +	30	26.6	113						
SUBTOTAL	**813**	**17.8**	**75**	**8**	**12**	**17**	**22**	**30**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	9.0							
35-49	88	12.6	10	11	11	12	13	20	20
50-69	179	10.9	9	6	9	12	13	14	17
70 +	10	14.0							
SUBTOTAL	**284**	**11.5**	**10**	**7**	**10**	**12**	**13**	**14**	**17**
GRAND TOTAL	**1097**	**16.2**	**66**	**8**	**11**	**14**	**19**	**28**	**39**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	630	11.8	46	7	9	10	13	17	19
50-69	2622	12.3	39	7	8	11	15	20	22
70 +	377	14.2	76	7	9	12	18	22	26
	3629	**12.4**	**44**	**7**	**8**	**11**	**14**	**20**	**22**
0-17	0								
18-34	0								
35-49	243	9.7	11	6	7	9	12	14	15
50-69	908	10.5	9	7	8	11	13	14	15
70 +	108	10.7	8	8	9	10	12	12	19
	1259	**10.3**	**10**	**7**	**8**	**10**	**12**	**14**	**15**
	4888	**11.9**	**36**	**7**	**8**	**11**	**14**	**18**	**22**

DRG 107: Coronary Bypass w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	11051	11.5	58	7	8	9	12	17	23	0-17	0									
70-74	6744	11.8	43	7	8	10	13	18	23	18-34	76	7.8	3	5	6	8	9	10	11	
75-79	3392	13.4	84	8	9	11	15	21	28	35-49	3582	8.9	10	6	7	8	10	12	14	
80-84	743	12.8	30	8	9	11	15	21	24	50-69	15953	10.3	36	7	8	9	11	14	18	
85 +	94	13.7	22	9	10	15	16	18	25	70 +	387	11.2	29	7	8	9	12	18	24	
SUBTOTAL	**22024**	**11.9**	**57**	**7**	**8**	**10**	**13**	**18**	**24**		**19997**	**10.1**	**31**	**7**	**8**	**9**	**11**	**14**	**17**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	2919	9.1	6	7	8	9	10	12	14	0-17	0									
70-74	1880	9.5	6	7	8	9	10	12	14	18-34	96	7.4	1	6	7	7	7	10	10	
75-79	827	10.8	18	7	8	9	12	15	22	35-49	1997	7.8	3	6	7	8	8	10	11	
80-84	150	12.4	73	7	8	11	12	22	44	50-69	6925	8.7	6	7	7	8	9	11	13	
85 +	0									70 +	101	8.9	4	7	8	8	9	12	14	
SUBTOTAL	**5777**	**9.6**	**10**	**7**	**8**	**9**	**10**	**13**	**15**		**9119**	**8.5**	**5**	**7**	**7**	**8**	**9**	**11**	**12**	
GRAND TOTAL	**27801**	**11.5**	**48**	**7**	**8**	**10**	**12**	**17**	**22**		**29116**	**9.6**	**24**	**7**	**7**	**8**	**10**	**13**	**16**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	23	10.7	4							18-34	0									
35-49	323	9.1	11	7	8	8	10	11	20	35-49	481	8.8	12	6	7	8	9	13	16	
50-69	962	11.9	44	7	8	10	14	20	23	50-69	2750	9.8	22	7	7	8	11	14	20	
70 +	49	14.7	72	7	9	10	27	27	27	70 +	214	11.2	36	6	7	9	14	15	28	
SUBTOTAL	**1357**	**11.4**	**39**	**7**	**8**	**9**	**13**	**19**	**23**		**3445**	**9.7**	**22**	**6**	**7**	**8**	**10**	**14**	**19**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	8	9.0								18-34	0									
35-49	154	9.0	28	6	7	8	9	10	27	35-49	216	8.2	6	6	7	8	9	12	12	
50-69	232	8.6	3	6	8	8	10	11	11	50-69	704	8.3	6	6	7	8	9	11	12	
70 +	8	8.0								70 +	64	8.7	2	7	7	8	9	12	12	
SUBTOTAL	**402**	**8.8**	**12**	**7**	**7**	**8**	**9**	**10**	**11**		**985**	**8.3**	**5**	**6**	**7**	**8**	**9**	**11**	**12**	
GRAND TOTAL	**1759**	**10.8**	**34**	**7**	**8**	**9**	**11**	**17**	**23**		**4430**	**9.4**	**18**	**6**	**7**	**8**	**10**	**13**	**18**	

DRG 108: Other Cardiothoracic or Vascular Procedures, w/ Pump

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5814	17.4	119	8	10	15	20	30	43	0-17	4474	13.4	135	6	7	10	15	26	37
70-74	3757	19.2	145	9	11	16	23	37	50	18-34	371	11.9	64	6	7	9	12	27	28
75-79	1810	18.8	126	9	12	15	23	37	52	35-49	1630	12.4	73	7	8	10	14	18	34
80-84	399	24.7	244	9	15	22	30	50	63	50-69	6584	15.2	103	8	9	12	18	25	35
85 +	65	17.7	46	6	14	18	24	99 +	99 +	70 +	214	18.4	67	9	11	16	25	34	36
SUBTOTAL	**11845**	**18.5**	**134**	**9**	**11**	**15**	**22**	**35**	**46**		**13272**	**14.2**	**110**	**7**	**8**	**11**	**17**	**25**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1292	11.2	18	8	8	10	13	17	21	0-17	4617	7.3	17	4	5	6	8	11	15
70-74	483	13.5	19	9	10	13	15	20	24	18-34	349	7.6	8	5	6	7	8	10	11
75-79	249	15.1	41	9	10	12	20	25	26	35-49	783	9.7	10	7	8	9	12	14	15
80-84	72	12.1	9	8	11	11	14	19	19	50-69	2236	11.2	34	7	8	10	13	16	18
85 +	8	35.0								70 +	73	12.9	31	9	9	11	13	27	27
SUBTOTAL	**2104**	**12.3**	**24**	**8**	**9**	**11**	**14**	**19**	**22**		**8058**	**8.7**	**24**	**5**	**6**	**8**	**10**	**14**	**16**
GRAND TOTAL	**13949**	**17.5**	**123**	**8**	**10**	**14**	**21**	**32**	**44**		**21330**	**12.1**	**84**	**5**	**7**	**10**	**14**	**21**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1980	16.0	184	6	8	11	19	31	43	0-17	1571	13.7	190	5	7	9	15	28	32
18-34	77	17.2	208	5	8	12	21	49	56	18-34	73	12.9	40	7	9	10	16	28	28
35-49	258	11.4	29	7	8	10	13	15	16	35-49	353	12.6	48	6	7	10	15	24	28
50-69	581	18.8	245	8	10	13	21	36	63	50-69	1488	14.9	103	8	9	12	18	26	33
70 +	16	18.0	38							70 +	235	17.2	90	7	10	15	19	31	42
SUBTOTAL	**2912**	**16.2**	**185**	**7**	**8**	**11**	**19**	**31**	**43**		**3720**	**14.3**	**133**	**6**	**8**	**10**	**17**	**27**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1572	8.7	38	5	6	7	9	14	18	0-17	1260	7.9	31	5	5	7	8	12	15
18-34	73	6.5	11	1	5	6	7	12	12	18-34	57	6.9	3	3	6	7	8	9	9
35-49	99	9.6	7	7	8	9	10	13	17	35-49	126	9.1	18	6	7	7	10	14	23
50-69	79	10.6	12	6	9	9	15	16	17	50-69	185	10.7	14	8	8	10	12	15	17
70 +	0									70 +	28	12.2	16						
SUBTOTAL	**1822**	**8.7**	**35**	**5**	**6**	**7**	**10**	**15**	**17**		**1656**	**8.3**	**28**	**5**	**6**	**7**	**8**	**13**	**17**
GRAND TOTAL	**4734**	**13.3**	**140**	**5**	**7**	**9**	**15**	**25**	**37**		**5376**	**12.4**	**108**	**5**	**7**	**9**	**14**	**25**	**31**

Total U.S., July 1988 - June 1989

DRG 109: Other Cardiothoracic Procedures w/o Pump

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1212	14.6	113	3	7	12	21	27	35	0-17	2958	11.4	151	3	5	8	12	27	49	
70-74	984	15.8	137	5	8	13	22	30	36	18-34	370	8.7	38	2	6	7	11	14	20	
75-79	723	14.6	184	3	5	10	20	28	43	35-49	603	11.4	78	3	6	10	14	20	24	
80-84	691	12.7	79	4	6	11	16	23	29	50-69	1558	13.5	87	3	7	11	19	25	32	
85 +	467	12.7	81	4	5	10	18	26	33	70 +	48	11.4	49	3	7	10	16	24	24	
SUBTOTAL	**4077**	**14.3**	**123**	**4**	**7**	**12**	**20**	**28**	**34**		**5538**	**11.8**	**118**	**3**	**6**	**9**	**15**	**24**	**37**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	304	7.6	29	2	3	6	9	15	19	0-17	4534	5.6	14	2	4	5	7	10	13	
70-74	162	10.5	23	1	10	11	12	18	19	18-34	277	6.8	19	2	4	6	8	10	11	
75-79	172	7.5	26	1	3	8	11	16	16	35-49	375	6.6	10	2	3	7	9	11	13	
80-84	179	6.0	5	3	5	6	8	9	9	50-69	519	7.7	37	1	4	7	9	14	19	
85 +	81	6.7	11	1	5	6	10	11	11	70 +	8	14.0								
SUBTOTAL	**898**	**7.7**	**23**	**2**	**4**	**7**	**11**	**15**	**16**		**5714**	**6.0**	**16**	**2**	**4**	**5**	**7**	**11**	**13**	
GRAND TOTAL	**4975**	**13.1**	**111**	**3**	**6**	**11**	**18**	**26**	**32**		**11251**	**8.8**	**75**	**2**	**4**	**7**	**10**	**19**	**25**	

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	1093	14.1	215	4	6	9	17	33	82	0-17	851	10.9	111	4	5	8	14	35	57	
18-34	55	20.7	217							18-34	205	8.2	22	3	6	7	9	15	17	
35-49	112	19.9	229	3	9	18	26	36	56	35-49	211	13.1	177	3	7	9	13	19	36	
50-69	140	11.8	112	3	5	6	14	30	40	50-69	276	11.3	110	2	5	9	13	23	27	
70 +	18	10.8	6							70 +	16	11.5								
SUBTOTAL	**1417**	**14.6**	**208**	**4**	**6**	**10**	**18**	**36**	**62**		**1558**	**11.0**	**108**	**3**	**5**	**8**	**13**	**22**	**36**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	1637	7.3	40	2	4	6	9	14	17	0-17	1016	6.2	32	2	3	5	7	11	13	
18-34	30	9.5	27							18-34	154	5.9	13	1	2	6	8	10	13	
35-49	26	5.4	6							35-49	61	6.0	16	1	1	6	10	11	11	
50-69	9	1.0								50-69	114	7.1	24	1	2	7	10	15	16	
70 +	0									70 +	8	3.0								
SUBTOTAL	**1702**	**7.2**	**39**	**2**	**4**	**6**	**9**	**14**	**17**		**1353**	**6.2**	**28**	**2**	**3**	**5**	**8**	**11**	**13**	
GRAND TOTAL	**3119**	**10.6**	**129**	**3**	**4**	**7**	**12**	**25**	**40**		**2911**	**8.7**	**76**	**2**	**4**	**7**	**11**	**16**	**24**	

Total U.S., July 1988 - June 1989

DRG 110: Major Reconstructive Vascular Proc w/o Pump w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	19816	15.3	156	6	8	11	17	29	43
70-74	15219	15.1	135	6	8	11	18	30	39
75-79	12503	15.8	134	7	9	12	19	31	42
80-84	6622	16.9	158	7	9	13	20	33	44
85 +	3222	17.5	110	7	11	15	22	32	43
SUBTOTAL	**57382**	**15.7**	**144**	**6**	**9**	**12**	**19**	**30**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**57382**	**15.7**	**144**	**6**	**9**	**12**	**19**	**30**	**43**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	389	7.8	14	5	6	6	8	15	15
18-34	141	11.3	53	4	6	10	14	17	36
35-49	1699	10.8	59	5	7	9	12	19	28
50-69	13199	13.2	113	6	8	10	15	25	33
70 +	769	13.5	96	6	8	10	17	24	27
	16197	**12.8**	**105**	**5**	**7**	**10**	**14**	**24**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	16197	**12.8**	**105**	**5**	**7**	**10**	**14**	**24**	**31**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	79	8.3	1	7	7	8	9	10	11
18-34	45	17.4	163						
35-49	350	17.6	139	7	10	13	29	36	51
50-69	1444	18.2	221	7	9	14	19	40	57
70 +	208	24.0	229	7	13	19	34	47	49
SUBTOTAL	**2126**	**18.3**	**206**	**7**	**9**	**13**	**23**	**40**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2126**	**18.3**	**206**	**7**	**9**	**13**	**23**	**40**	**57**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	8.9	22	4	5	6	12	18	18
18-34	44	10.3	11						
35-49	503	18.8	491	5	7	9	24	36	94
50-69	2305	13.7	139	5	7	10	17	28	39
70 +	719	14.2	142	5	8	11	16	21	36
	3642	**14.4**	**188**	**5**	**7**	**10**	**17**	**29**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3642	**14.4**	**188**	**5**	**7**	**10**	**17**	**29**	**39**

DRG 111: Major Reconstructive Vascular Proc w/o Pump w/o CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	0									0-17	0										
70-74	0									18-34	0										
75-79	0									35-49	0										
80-84	0									50-69	0										
85 +	0									70 +	0										
SUBTOTAL	**0**										**0**										
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	5948	8.6	28	4	6	8	10	13	16	0-17	453	6.0	4	4	5	6	7	9	10		
70-74	4605	9.1	21	4	6	9	11	14	17	18-34	121	5.9	4	3	3	7	8	8	8		
75-79	3337	9.4	20	5	7	9	11	14	17	35-49	1370	7.1	10	4	5	7	9	10	11		
80-84	1580	10.1	30	5	7	9	12	15	24	50-69	8454	7.7	11	4	5	7	9	12	13		
85 +	794	11.1	20	6	8	10	14	18	18	70 +	289	8.8	12	4	6	9	11	14	15		
SUBTOTAL	**16264**	**9.2**	**25**	**5**	**6**	**9**	**11**	**14**	**17**		**10687**	**7.6**	**11**	**4**	**5**	**7**	**9**	**11**	**13**		
GRAND TOTAL	**16264**	**9.2**	**25**	**5**	**6**	**9**	**11**	**14**	**17**		**10687**	**7.6**	**11**	**4**	**5**	**7**	**9**	**11**	**13**		

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	144	7.4	10	5	5	6	8	13	14	0-17	114	6.4	3	5	5	6	8	9	11	
18-34	24	6.8	1							18-34	63	4.0								
35-49	181	8.4	20	4	5	7	10	12	15	35-49	297	6.3	6	4	5	6	7	8	9	
50-69	524	9.3	33	5	6	8	10	17	19	50-69	1492	8.1	19	4	6	8	10	13	15	
70 +	26	9.3	23							70 +	266	10.1	64	4	6	8	11	16	16	
SUBTOTAL	**898**	**8.7**	**26**	**5**	**6**	**7**	**10**	**15**	**19**		**2232**	**7.9**	**23**	**4**	**5**	**7**	**9**	**12**	**15**	
GRAND TOTAL	**898**	**8.7**	**26**	**5**	**6**	**7**	**10**	**15**	**19**		**2232**	**7.9**	**23**	**4**	**5**	**7**	**9**	**12**	**15**	

DRG 112: Vascular Procedures except Major Reconstruction w/o Pump

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23940	7.2	53	2	3	5	9	15	19	0-17	470	7.3	50	1	2	6	10	20	25
70-74	14879	8.2	65	2	3	6	11	17	23	18-34	886	5.2	20	1	2	3	8	10	13
75-79	10019	8.7	67	2	3	7	11	17	22	35-49	8858	5.3	18	2	2	4	7	10	13
80-84	5053	10.2	80	3	4	8	13	22	28	50-69	28522	6.0	33	2	2	4	8	12	16
85 +	2942	11.3	111	3	5	9	14	21	31	70 +	723	7.0	44	2	3	5	8	14	21
SUBTOTAL	**56832**	**8.2**	**65**	**2**	**3**	**6**	**10**	**17**	**22**		**39460**	**5.9**	**30**	**2**	**2**	**4**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17050	4.5	13	1	2	3	6	9	11	0-17	859	3.7	20	1	1	2	5	7	9
70-74	9854	4.6	14	1	2	3	6	9	11	18-34	1583	3.9	9	1	2	3	5	8	10
75-79	5732	5.2	17	1	2	4	7	10	14	35-49	15345	4.4	11	1	2	3	6	9	11
80-84	2310	5.3	17	1	2	4	7	11	13	50-69	37130	4.1	10	1	2	3	5	8	10
85 +	907	6.1	25	1	3	5	8	13	16	70 +	716	4.2	16	1	2	3	5	8	11
SUBTOTAL	**35853**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**12**		**55633**	**4.2**	**10**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**92685**	**6.9**	**49**	**2**	**3**	**5**	**9**	**14**	**19**		**95094**	**4.9**	**19**	**1**	**2**	**3**	**6**	**10**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	229	9.4	137	2	3	8	9	14	31	0-17	134	4.1	12	1	2	3	5	12	12
18-34	260	9.4	66	2	5	8	10	17	29	18-34	239	9.5	87	2	4	6	11	28	31
35-49	928	8.0	75	2	3	6	9	16	37	35-49	1960	6.1	33	1	2	4	8	13	18
50-69	1844	8.0	86	2	3	6	10	15	22	50-69	5641	6.0	36	1	2	4	8	13	19
70 +	118	9.8	177	2	3	4	8	34	48	70 +	617	6.7	56	1	2	4	9	14	21
SUBTOTAL	**3379**	**8.2**	**88**	**2**	**3**	**6**	**10**	**16**	**26**		**8591**	**6.2**	**38**	**1**	**2**	**4**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	354	4.6	14	1	2	3	6	11	12	0-17	181	2.7	7	1	1	2	4	5	5
18-34	239	5.9	64	1	2	3	6	10	20	18-34	292	5.8	22	2	3	5	7	10	14
35-49	828	5.3	27	1	2	3	7	11	17	35-49	2615	4.6	15	1	2	3	7	9	13
50-69	1281	4.9	11	2	2	4	6	10	11	50-69	5593	4.2	15	1	2	3	6	9	11
70 +	65	8.1	76	1	2	5	12	29	29	70 +	602	3.4	9	1	1	2	5	7	9
SUBTOTAL	**2767**	**5.1**	**23**	**1**	**2**	**3**	**6**	**11**	**12**		**9283**	**4.3**	**15**	**1**	**2**	**3**	**6**	**9**	**11**
GRAND TOTAL	**6147**	**6.8**	**61**	**2**	**2**	**5**	**8**	**14**	**19**		**17874**	**5.2**	**27**	**1**	**2**	**3**	**7**	**11**	**14**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6480	20.5	260	7	10	16	25	44	67
70-74	4795	18.3	230	6	9	13	23	39	61
75-79	4677	17.4	193	7	9	13	22	35	45
80-84	4628	17.5	191	6	8	14	22	34	50
85+	6598	14.1	155	5	7	11	17	27	38
SUBTOTAL	**27178**	**17.5**	**211**	**6**	**9**	**13**	**21**	**37**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	387	9.9	23	4	8	9	11	16	21
70-74	324	13.1	281	3	4	7	14	24	45
75-79	339	13.8	122	5	7	10	16	32	32
80-84	284	11.5	119	4	6	8	14	21	31
85+	610	8.9	67	2	5	7	9	17	20
SUBTOTAL	**1945**	**11.1**	**114**	**3**	**5**	**8**	**13**	**20**	**32**
GRAND TOTAL	**29123**	**17.1**	**207**	**6**	**8**	**13**	**21**	**36**	**51**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	105	19.2	484	6	6	14	17	23	84
35-49	511	22.7	211	9	13	22	25	36	58
50-69	2332	23.3	299	8	10	17	31	50	63
70+	245	22.4	398	7	8	15	27	55	62
	3194	**23.0**	**299**	**7**	**10**	**17**	**28**	**50**	**63**
0-17	0								
18-34	40	17.8	3						
35-49	41	17.4	58						
50-69	216	15.1	170	4	8	10	18	44	44
70+	8	9.0							
	305	**15.6**	**131**	**4**	**9**	**13**	**18**	**27**	**44**
	3498	**22.3**	**288**	**7**	**10**	**17**	**28**	**47**	**63**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	263	21.7	360	9	10	12	32	67	67
50-69	1048	18.1	257	4	8	13	22	40	46
70+	315	15.3	76	3	9	13	21	24	31
SUBTOTAL	**1626**	**18.2**	**242**	**6**	**9**	**13**	**22**	**40**	**67**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	15	9.5	7						
50-69	84	17.7	50						
70+	0								
SUBTOTAL	**100**	**16.5**	**52**	**10**	**12**	**15**	**22**	**31**	**31**
GRAND TOTAL	**1726**	**18.1**	**231**	**7**	**9**	**13**	**22**	**40**	**55**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	21.3	107						
35-49	186	19.1	137	7	12	14	21	40	45
50-69	1063	21.8	236	8	12	18	28	39	48
70+	263	17.9	239	3	6	10	36	44	44
	1554	**20.8**	**223**	**6**	**10**	**16**	**28**	**41**	**45**
0-17	0								
18-34	0								
35-49	15	5.0	1						
50-69	66	7.5	14	2	7	7	9	15	15
70+	49	7.7	10						
	131	**7.3**	**12**	**2**	**4**	**7**	**10**	**10**	**15**
	1686	**19.8**	**220**	**6**	**9**	**15**	**26**	**40**	**45**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2848	13.4	162	3	5	10	16	29	37
70-74	1371	13.2	162	4	6	8	14	28	42
75-79	1500	13.9	133	3	6	11	17	29	37
80-84	842	11.3	83	2	6	8	14	25	31
85 +	1002	16.6	299	4	7	12	20	32	34
SUBTOTAL	**7563**	**13.6**	**167**	**3**	**6**	**10**	**16**	**29**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	200	9.3	47	3	4	9	11	22	27
70-74	239	10.0	105	2	3	6	14	21	25
75-79	134	6.9	31	2	3	5	10	12	25
80-84	117	7.7	14	3	5	7	11	12	13
85 +	129	11.9	63	1	4	15	15	18	32
SUBTOTAL	**819**	**9.3**	**62**	**2**	**4**	**7**	**12**	**20**	**25**
GRAND TOTAL	**8383**	**13.2**	**158**	**3**	**6**	**10**	**16**	**28**	**36**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	45	15.2	194						
35-49	411	12.4	59	4	7	10	18	23	26
50-69	1569	14.0	134	3	7	10	18	30	35
70 +	54	10.5	40	1	3	11	16	21	21
	2078	**13.6**	**119**	**3**	**7**	**10**	**18**	**28**	**35**
0-17	36	3.8	3						
18-34	28	2.9	3						
35-49	17	4.2	13						
50-69	256	5.9	22	2	2	4	9	12	13
70 +	9	2.0							
	347	**5.2**	**18**	**2**	**2**	**3**	**8**	**12**	**13**
	2425	**12.4**	**113**	**2**	**6**	**9**	**17**	**27**	**31**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	69.0							
18-34	33	9.0	3						
35-49	156	12.0	49	3	6	10	18	22	26
50-69	323	15.3	109	6	9	15	18	28	55
70 +	26	12.8	82						
SUBTOTAL	**545**	**14.7**	**129**	**5**	**8**	**11**	**18**	**26**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	22	7.2	19						
35-49	39	11.5	273						
50-69	22	7.5	58						
70 +	0								
SUBTOTAL	**84**	**9.3**	**150**	**1**	**2**	**4**	**13**	**24**	**44**
GRAND TOTAL	**629**	**13.9**	**135**	**3**	**7**	**10**	**18**	**26**	**44**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	5.0	6						
35-49	211	20.1	313	6	10	13	26	43	54
50-69	624	12.8	160	2	5	9	15	24	30
70 +	57	10.9	55	2	4	10	15	26	26
	938	**13.9**	**194**	**2**	**6**	**10**	**15**	**28**	**43**
0-17	25	5.2	11						
18-34	26	10.0	29						
35-49	30	7.1	29						
50-69	78	8.3	52	2	3	6	8	23	26
70 +	25	3.9	12						
	183	**7.3**	**37**	**2**	**4**	**6**	**8**	**17**	**18**
	1121	**12.8**	**174**	**2**	**5**	**9**	**15**	**27**	**36**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	431	12.3	137	5	6	9	15	21	26	0-17	0								
70-74	571	12.6	59	5	7	10	16	26	28	18-34	0								
75-79	742	12.3	50	6	8	11	14	19	26	35-49	0								
80-84	654	13.1	111	5	6	10	15	23	27	50-69	113	11.1	30	7	7	11	12	20	24
85 +	600	14.7	150	4	7	11	17	27	50	70 +	8	14.0							
SUBTOTAL	**2997**	**13.0**	**98**	**5**	**7**	**11**	**15**	**24**	**29**		**121**	**11.3**	**28**	**7**	**7**	**11**	**14**	**20**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	36	10.9	24							18-34	0								
75-79	30	11.2	53							35-49	10	9.0							
80-84	28	9.9	7							50-69	20	6.5	13						
85 +	43	12.0	10							70 +	0								
SUBTOTAL	**137**	**11.1**	**22**	**5**	**7**	**12**	**15**	**17**	**19**		**31**	**7.3**	**10**						
GRAND TOTAL	**3134**	**12.9**	**95**	**5**	**7**	**11**	**15**	**23**	**28**		**152**	**10.5**	**27**	**3**	**7**	**10**	**12**	**20**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	27	13.8	41							50-69	65	7.2	6						
70 +	26	48.4	1043							70 +	14	11.4							
SUBTOTAL	**53**	**30.6**	**819**	**9**	**9**	**22**	**29**	**87**	**87**		**78**	**8.0**	**7**	**3**	**8**	**8**	**10**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**53**	**30.6**	**819**	**9**	**9**	**22**	**29**	**87**	**87**		**78**	**8.0**	**7**	**3**	**8**	**8**	**10**	**11**	**12**

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5760	8.8	58	2	4	7	11	17	23	0-17	194	6.9	22	3	4	5	12	12	18
70-74	6397	8.8	80	3	4	7	11	16	22	18-34	169	5.6	9	2	2	6	8	9	10
75-79	8650	8.7	46	3	4	7	11	16	21	35-49	517	7.3	54	3	3	5	8	14	18
80-84	8261	9.2	65	3	5	7	12	17	23	50-69	2916	9.0	73	2	4	6	11	17	24
85 +	7813	10.2	77	3	5	8	12	19	24	70 +	463	8.1	39	2	4	6	9	21	22
SUBTOTAL	**36881**	**9.2**	**65**	**3**	**4**	**7**	**11**	**17**	**23**		**4258**	**8.4**	**63**	**2**	**4**	**6**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2800	5.1	12	2	2	4	6	11	12	0-17	184	6.7	79	2	2	3	6	13	35
70-74	4072	5.1	13	2	3	4	6	10	13	18-34	184	4.1	6	2	3	3	5	8	11
75-79	3529	4.8	9	2	3	4	6	8	11	35-49	267	4.1	11	1	1	4	6	7	9
80-84	3388	6.0	32	2	3	5	8	11	13	50-69	2174	5.1	14	2	3	4	7	10	12
85 +	3582	6.3	22	2	3	5	8	12	15	70 +	433	6.0	27	2	3	5	7	11	19
SUBTOTAL	**17372**	**5.5**	**18**	**2**	**3**	**4**	**7**	**10**	**13**		**3242**	**5.2**	**19**	**2**	**2**	**4**	**6**	**10**	**12**
GRAND TOTAL	**54253**	**8.0**	**53**	**2**	**4**	**6**	**10**	**15**	**20**		**7501**	**7.0**	**47**	**2**	**3**	**5**	**9**	**14**	**19**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	60	16.0	443	2	3	5	8	53	53	0-17	61	5.0	22	1	1	2	5	13	13
18-34	16	15.5	195							18-34	49	12.0	30						
35-49	98	8.3	42	2	2	7	15	19	20	35-49	157	6.9	47	1	2	4	10	16	27
50-69	349	10.5	58	4	5	9	13	20	25	50-69	616	6.5	48	2	3	5	7	12	18
70 +	167	11.3	50	5	6	11	13	28	36	70 +	421	7.5	47	2	3	5	10	16	20
SUBTOTAL	**689**	**11.0**	**93**	**3**	**5**	**9**	**13**	**21**	**30**		**1303**	**7.0**	**47**	**1**	**3**	**5**	**9**	**16**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	15	4.5								0-17	59	4.5	8	1	3	3	8	8	8
18-34	40	6.2	5							18-34	95	3.1	2	2	2	3	3	5	6
35-49	0									35-49	118	4.0	6	1	3	4	4	5	12
50-69	110	5.4	9	1	2	6	7	8	12	50-69	486	4.4	13	1	2	3	5	10	13
70 +	67	4.4	11							70 +	348	4.0	10	1	2	3	5	9	11
SUBTOTAL	**233**	**5.2**	**9**	**1**	**2**	**5**	**8**	**9**	**9**		**1105**	**4.1**	**10**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**922**	**9.5**	**78**	**2**	**4**	**7**	**12**	**19**	**29**		**2409**	**5.7**	**32**	**1**	**2**	**4**	**7**	**13**	**16**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	390	8.2	60	1	2	5	14	20	21	0-17	97	3.0	1	2	2	3	3	4	6	
70-74	295	7.8	68	1	2	4	9	21	32	18-34	20	3.3								
75-79	499	7.7	69	2	2	4	9	22	31	35-49	23	4.7	15							
80-84	297	5.5	66	2	2	3	5	8	18	50-69	199	6.2	23	2	3	4	9	14	15	
85 +	380	6.2	46	2	3	4	6	9	16	70 +	33	7.4	11							
SUBTOTAL	**1860**	**7.2**	**62**	**1**	**2**	**4**	**8**	**20**	**22**		**374**	**5.2**	**17**	**2**	**3**	**3**	**7**	**11**	**15**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	290	2.9	3	1	2	3	4	4	5	0-17	96	2.8	1	2	2	3	4	4	4	
70-74	204	2.9	3	1	1	3	4	5	5	18-34	40	2.8	4							
75-79	330	4.1	6	1	2	4	6	7	9	35-49	20	2.5	2							
80-84	227	2.7	2	1	2	2	4	4	5	50-69	311	2.9	5	1	1	2	4	6	8	
85 +	199	5.2	55	1	2	2	5	12	24	70 +	30	2.0	1							
SUBTOTAL	**1251**	**3.5**	**13**	**1**	**2**	**3**	**4**	**6**	**7**		**498**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	
GRAND TOTAL	**3111**	**5.7**	**46**	**1**	**2**	**3**	**6**	**12**	**21**		**872**	**3.8**	**11**	**1**	**2**	**3**	**4**	**9**	**11**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	48	5.8	35							0-17	22	3.6								
18-34	26	3.0								18-34	38	21.3	488							
35-49	0									35-49	23	7.0	9							
50-69	28	15.5	144							50-69	56	4.2	11	< 1	2	4	4	12	12	
70 +	8	19.0								70 +	42	7.0	57							
SUBTOTAL	**109**	**8.6**	**82**	**2**	**3**	**4**	**12**	**19**	**30**		**181**	**8.7**	**161**	**2**	**3**	**4**	**8**	**20**	**49**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	29	5.0	4							0-17	16	2.5	2							
18-34	0									18-34	49	3.0	2	1	2	3	3	6	6	
35-49	0									35-49	52	2.0	1							
50-69	14	1.0								50-69	117	2.7	6	1	1	2	3	6	10	
70 +	0									70 +	57	2.0	1	1	1	2	2	4	4	
SUBTOTAL	**43**	**3.7**	**6**								**291**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	
GRAND TOTAL	**152**	**7.2**	**65**	**1**	**3**	**4**	**7**	**19**	**30**		**471**	**4.8**	**73**	**1**	**2**	**3**	**4**	**10**	**19**	

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	665	5.7	35	1	2	3	8	13	19	0-17	130	5.9	35	1	2	4	5	16	22
70-74	569	5.4	24	1	2	3	8	11	14	18-34	48	3.6	2						
75-79	947	5.0	20	1	2	3	7	12	14	35-49	17	3.4	2						
80-84	812	4.8	21	1	1	3	7	10	15	50-69	350	7.4	122	1	2	5	10	15	15
85 +	1032	5.8	43	1	2	3	7	15	18	70 +	24	3.7	2						
SUBTOTAL	**4024**	**5.3**	**29**	**1**	**2**	**3**	**7**	**13**	**17**		**568**	**6.5**	**85**	**1**	**2**	**4**	**7**	**15**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	435	2.6	6	< 1	1	2	3	6	7	0-17	223	3.3	4	2	2	2	5	5	9
70-74	627	2.5	4	1	1	2	3	5	7	18-34	54	1.9	1						
75-79	651	2.6	9	1	1	2	3	5	8	35-49	93	3.4	6	1	2	3	3	6	10
80-84	625	2.6	3	1	1	2	3	4	6	50-69	361	2.4	3	< 1	1	2	3	4	7
85 +	986	3.1	24	1	1	2	3	5	6	70 +	12	2.5							
SUBTOTAL	**3324**	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**7**		**743**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**7348**	**4.2**	**23**	**1**	**1**	**3**	**5**	**10**	**13**		**1311**	**4.4**	**42**	**1**	**2**	**3**	**5**	**9**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	33	3.6	6							0-17	23	3.3	2						
18-34	30	3.5	1							18-34	8	1.0							
35-49	0									35-49	9	4.0							
50-69	20	2.5								50-69	69	13.8	309	< 1	1	4	21	56	56
70 +	52	5.0								70 +	101	3.6	9	1	1	3	5	8	10
SUBTOTAL	**135**	**4.0**	**3**	**2**	**3**	**3**	**5**	**6**	**8**		**211**	**6.8**	**128**	**1**	**1**	**3**	**5**	**21**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	9.0	9							0-17	43	2.7	2						
18-34	22	1.4								18-34	22	1.9	1						
35-49	0									35-49	33	3.5	2						
50-69	16	22.5	291							50-69	103	3.2	11	1	1	2	3	11	11
70 +	50	6.1	17							70 +	47	1.8	2	1	1	1	2	5	5
SUBTOTAL	**117**	**8.1**	**86**	**1**	**3**	**6**	**12**	**12**	**39**		**247**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**11**
GRAND TOTAL	**252**	**5.9**	**45**	**2**	**3**	**4**	**6**	**12**	**12**		**458**	**4.6**	**66**	**1**	**1**	**3**	**5**	**10**	**21**

Total U.S., July 1988 - June 1989

DRG 119: Vein Ligation & Stripping

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	633	8.5	57	2	3	6	11	18	23	0-17	8	2.0							
70-74	368	6.9	44	2	3	5	8	11	23	18-34	238	3.1	8	1	1	2	3	8	12
75-79	167	8.1	32	2	2	7	14	14	15	35-49	688	4.0	22	1	2	2	4	9	13
80-84	173	10.2	263	1	3	5	11	23	23	50-69	902	5.8	33	1	2	3	9	14	15
85 +	53	7.6	23	1	4	7	12	15	15	70 +	25	11.6	146						
SUBTOTAL	**1395**	**8.2**	**76**	**2**	**3**	**6**	**10**	**18**	**23**		**1860**	**4.8**	**29**	**1**	**2**	**3**	**5**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1642	3.6	26	1	1	2	4	7	12	0-17	75	1.3		< 1	1	1	1	3	3
70-74	728	3.8	38	1	1	2	4	5	11	18-34	3940	2.0	2	1	1	2	2	3	4
75-79	341	2.8	5	1	1	2	4	7	9	35-49	8129	2.2	4	1	1	2	3	4	5
80-84	242	5.3	22	1	2	3	9	15	15	50-69	5045	2.6	6	1	1	2	3	5	7
85 +	58	4.6	29	1	1	2	8	15	15	70 +	40	3.2	8						
SUBTOTAL	**3011**	**3.7**	**27**	**1**	**1**	**2**	**4**	**9**	**12**		**17229**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**4406**	**5.1**	**46**	**1**	**1**	**3**	**6**	**12**	**18**		**19089**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	1.0								0-17	14	2.0							
18-34	53	2.9	2	1	2	2	4	5	5	18-34	52	5.4	28	1	1	3	11	14	14
35-49	66	4.5	11							35-49	71	3.9	7	1	2	3	8	8	8
50-69	82	6.7	58	1	2	4	6	19	28	50-69	82	2.8	5	1	1	2	4	6	8
70 +	9	1.0								70 +	8	2.0							
SUBTOTAL	**217**	**4.6**	**29**	**1**	**2**	**4**	**5**	**11**	**13**		**227**	**3.7**	**11**	**1**	**1**	**2**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	15	2.0	1							0-17	23	2.0	1						
18-34	355	2.3	4	1	1	2	3	4	5	18-34	581	1.4	1	1	1	1	1	2	3
35-49	278	2.1	2	1	1	2	3	4	4	35-49	1091	1.6	2	1	1	1	2	3	3
50-69	209	3.1	3	1	2	3	5	5	5	50-69	758	1.7	2	1	1	1	2	3	4
70 +	8	3.0								70 +	39	1.4							
SUBTOTAL	**865**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**2493**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**1082**	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**6**		**2720**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**

Total U.S., July 1988 - June 1989

DRG 120: Other Circulatory System O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6391	12.2	152	2	4	9	15	28	38	0-17	59	10.1	135	2	5	7	10	39	39
70-74	2551	17.2	237	3	8	13	21	38	55	18-34	222	7.8	66	1	2	5	12	21	21
75-79	2348	16.7	221	4	7	13	21	36	52	35-49	769	12.3	100	2	5	11	16	27	38
80-84	1332	17.9	289	4	6	14	24	57	93	50-69	2346	15.4	156	4	7	13	21	31	44
85 +	1284	19.5	302	3	7	15	25	50	56	70 +	171	10.9	41	4	6	8	15	21	25
SUBTOTAL	**13906**	**15.1**	**214**	**2**	**5**	**12**	**20**	**34**	**51**		**3566**	**13.9**	**138**	**2**	**6**	**11**	**19**	**30**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	983	10.2	82	2	5	7	12	23	31	0-17	189	4.1	5	1	2	4	6	7	7
70-74	624	15.3	302	2	4	9	19	28	39	18-34	231	6.6	18	1	3	7	9	12	13
75-79	429	12.5	88	1	5	14	18	23	31	35-49	569	9.4	109	1	3	5	11	22	26
80-84	452	14.0	214	3	4	10	20	28	35	50-69	629	12.6	176	2	4	10	18	22	36
85 +	209	16.1	412	1	4	8	19	35	56	70 +	51	12.0	33	4	7	11	19	19	19
SUBTOTAL	**2697**	**12.8**	**186**	**2**	**4**	**9**	**18**	**26**	**35**		**1670**	**9.7**	**116**	**2**	**3**	**7**	**11**	**20**	**26**
GRAND TOTAL	**16603**	**14.7**	**210**	**2**	**5**	**11**	**19**	**33**	**49**		**5236**	**12.6**	**135**	**2**	**5**	**9**	**18**	**27**	**38**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	44	3.8								0-17	8	2.0							
18-34	145	10.5	71	2	2	13	17	30	99 +	18-34	122	5.2	8	1	3	4	7	10	11
35-49	230	21.1	283	5	9	14	24	45	60	35-49	332	17.3	230	2	5	13	20	46	51
50-69	655	21.8	348	6	9	16	26	61	77	50-69	579	12.9	127	1	5	11	20	27	46
70 +	108	21.2	235	7	9	14	32	46	48	70 +	164	19.2	259	3	11	14	25	37	43
SUBTOTAL	**1182**	**19.6**	**300**	**4**	**9**	**14**	**26**	**60**	**76**		**1205**	**14.1**	**176**	**2**	**5**	**11**	**20**	**33**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	59	4.2	8							0-17	55	1.5	1						
18-34	97	8.0	32	1	5	5	13	15	20	18-34	101	14.7	214	4	5	8	29	44	44
35-49	157	10.7	73	3	4	7	17	26	27	35-49	74	7.0	31	1	3	7	8	21	21
50-69	137	16.9	146	3	5	20	22	25	49	50-69	261	7.8	26	4	5	6	10	14	23
70 +	0									70 +	97	10.5	38	< 1	7	11	14	21	22
SUBTOTAL	**449**	**11.1**	**96**	**2**	**4**	**7**	**20**	**22**	**27**		**589**	**8.7**	**70**	**1**	**4**	**7**	**10**	**21**	**23**
GRAND TOTAL	**1631**	**17.2**	**258**	**3**	**7**	**13**	**23**	**48**	**66**		**1793**	**12.4**	**148**	**1**	**4**	**9**	**16**	**29**	**44**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	19440	10.2	32	5	7	9	12	16	20
70-74	18402	10.6	40	5	7	9	13	17	21
75-79	22042	10.9	37	5	7	10	13	18	22
80-84	19607	11.6	59	6	8	10	14	19	24
85 +	16109	11.7	58	6	7	10	14	19	25
SUBTOTAL	**95599**	**11.0**	**45**	**5**	**7**	**9**	**13**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	334	6.8	18	1	5	7	9	10	12
70-74	597	7.5	12	4	5	7	10	12	13
75-79	639	8.0	8	4	7	8	9	11	11
80-84	367	8.7	15	4	6	8	11	16	17
85 +	251	8.8	16	4	7	8	12	13	15
SUBTOTAL	**2188**	**7.9**	**13**	**4**	**5**	**8**	**10**	**12**	**15**
GRAND TOTAL	**97786**	**10.9**	**44**	**5**	**7**	**9**	**13**	**18**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	110	11.6	147	3	3	8	13	26	55
35-49	2074	8.5	17	4	6	8	10	12	14
50-69	12468	9.7	30	5	7	9	11	15	18
70 +	1351	10.0	36	5	6	9	12	17	21
	16002	**9.6**	**29**	**5**	**7**	**9**	**11**	**15**	**18**
0-17	0								
18-34	0								
35-49	146	7.6	4	6	6	9	9	10	10
50-69	586	7.8	17	2	5	7	10	14	15
70 +	56	8.0	1						
	788	**7.8**	**13**	**2**	**6**	**7**	**9**	**13**	**14**
	16790	**9.5**	**29**	**4**	**7**	**9**	**11**	**15**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	9.0							
35-49	479	11.1	129	4	6	9	11	19	36
50-69	1884	9.9	17	5	7	9	12	15	18
70 +	452	12.9	241	4	7	9	12	21	42
SUBTOTAL	**2820**	**10.6**	**73**	**5**	**7**	**9**	**12**	**17**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	5.0							
35-49	26	8.7	1						
50-69	23	8.7	15						
70 +	0								
SUBTOTAL	**57**	**8.2**	**8**	**5**	**6**	**7**	**10**	**14**	**14**
GRAND TOTAL	**2877**	**10.5**	**72**	**5**	**7**	**9**	**12**	**17**	**19**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	138	6.4	22	< 1	3	7	7	9	20
35-49	897	7.1	11	2	5	7	10	11	12
50-69	4231	9.9	32	5	7	9	11	16	20
70 +	1503	9.7	33	4	7	9	12	16	19
	6769	**9.4**	**31**	**4**	**7**	**9**	**11**	**15**	**19**
0-17	0								
18-34	0								
35-49	88	4.1	5	2	2	4	6	6	10
50-69	166	7.2	5	4	5	7	8	10	10
70 +	49	6.3	2	4	5	6	8	8	8
	302	**6.1**	**6**	**2**	**4**	**6**	**8**	**10**	**10**
	7071	**9.2**	**30**	**4**	**6**	**9**	**11**	**15**	**19**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10692	8.4	19	4	6	8	10	13	15	0-17	0								
70-74	8371	9.0	24	5	6	8	10	14	17	18-34	97	6.4	13	2	4	7	8	9	15
75-79	7683	8.9	35	5	6	8	10	13	16	35-49	2215	6.7	13	2	4	7	9	10	11
80-84	5719	9.4	31	4	6	8	11	14	18	50-69	8662	7.7	12	4	6	7	9	11	13
85 +	4380	10.0	52	4	6	8	11	16	24	70 +	602	9.6	37	6	7	9	10	13	16
SUBTOTAL	**36845**	**9.0**	**29**	**5**	**6**	**8**	**10**	**14**	**16**		**11576**	**7.6**	**14**	**3**	**6**	**7**	**9**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12875	7.4	9	4	6	7	9	11	12	0-17	0								
70-74	10558	7.4	11	4	6	7	9	11	12	18-34	441	4.0	7	1	2	3	5	8	10
75-79	8990	8.0	16	4	6	8	10	11	14	35-49	7578	6.4	8	3	5	7	8	10	11
80-84	6361	8.1	17	4	6	8	10	12	14	50-69	20235	6.8	8	3	5	7	9	10	11
85 +	3867	8.1	14	4	6	8	10	12	14	70 +	830	7.4	14	3	5	7	9	13	15
SUBTOTAL	**42651**	**7.7**	**13**	**4**	**6**	**7**	**9**	**11**	**13**		**29084**	**6.7**	**9**	**3**	**5**	**7**	**8**	**10**	**11**
GRAND TOTAL	**79496**	**8.3**	**21**	**4**	**6**	**8**	**10**	**12**	**15**		**40660**	**6.9**	**10**	**3**	**5**	**7**	**9**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	30	7.3	8							18-34	102	3.8	8	1	1	4	5	8	10
35-49	485	7.2	7	4	6	6	9	11	12	35-49	822	6.7	12	2	4	6	9	10	14
50-69	1339	8.8	31	3	6	9	10	13	18	50-69	3295	7.7	14	3	5	7	10	12	14
70 +	198	11.2	66	5	5	9	13	21	21	70 +	607	9.6	81	5	6	8	10	13	17
SUBTOTAL	**2052**	**8.7**	**29**	**4**	**6**	**8**	**10**	**13**	**18**		**4827**	**7.7**	**23**	**3**	**5**	**7**	**10**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	5.0								0-17	0								
18-34	68	7.6	15	1	6	7	8	15	15	18-34	175	6.1	11	2	4	7	8	11	11
35-49	622	6.7	7	3	5	7	8	10	12	35-49	2811	6.2	7	2	5	6	8	9	10
50-69	939	8.0	15	4	5	7	10	13	18	50-69	6447	6.7	12	3	5	7	8	10	12
70 +	83	9.1	2	7	8	10	10	10	10	70 +	752	7.0	11	3	5	7	8	11	12
SUBTOTAL	**1718**	**7.5**	**12**	**4**	**5**	**7**	**9**	**11**	**14**		**10185**	**6.6**	**11**	**3**	**5**	**7**	**8**	**10**	**11**
GRAND TOTAL	**3770**	**8.2**	**22**	**4**	**6**	**7**	**10**	**12**	**15**		**15012**	**7.0**	**15**	**3**	**5**	**7**	**8**	**11**	**12**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	21627	6.7	36	1	2	5	9	14	17	0-17	893	5.3	37	1	1	3	7	12	19
70-74	13753	7.2	48	1	2	6	10	15	19	18-34	648	7.4	76	1	2	5	10	14	21
75-79	8708	7.3	33	2	3	6	9	14	19	35-49	5716	5.7	22	1	2	5	8	12	15
80-84	3572	8.6	62	2	4	7	12	16	20	50-69	20290	6.1	29	1	2	5	8	13	16
85 +	1004	9.3	42	2	5	8	13	19	21	70 +	795	6.6	39	1	1	4	10	16	18
SUBTOTAL	**48663**	**7.1**	**41**	**1**	**3**	**6**	**10**	**14**	**19**		**28342**	**6.0**	**29**	**1**	**2**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9406	4.2	11	1	2	3	6	8	10	0-17	165	3.4	10	1	2	2	3	8	12
70-74	5743	4.4	11	1	2	4	6	9	10	18-34	386	3.7	6	1	2	3	5	7	11
75-79	3013	4.9	18	1	2	4	7	10	12	35-49	5457	3.6	14	1	1	2	5	7	9
80-84	1334	6.3	21	1	2	6	9	13	16	50-69	14663	3.8	10	1	1	3	5	8	10
85 +	256	7.1	18	1	4	6	10	14	14	70 +	310	3.9	14	1	1	3	5	11	11
SUBTOTAL	**19751**	**4.5**	**13**	**1**	**2**	**4**	**6**	**9**	**11**		**20981**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**9**
GRAND TOTAL	**68415**	**6.4**	**34**	**1**	**2**	**5**	**9**	**13**	**17**		**49323**	**5.1**	**23**	**1**	**2**	**4**	**7**	**11**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	405	6.3	27	1	2	6	9	14	17	0-17	461	6.5	72	1	2	3	10	15	16
18-34	206	6.6	25	2	2	6	10	14	16	18-34	343	9.2	84	2	3	6	11	21	29
35-49	949	6.8	26	1	2	6	9	14	18	35-49	1518	6.4	22	1	3	6	9	12	15
50-69	2568	6.7	34	1	3	5	9	14	18	50-69	4483	7.0	26	1	4	6	9	12	17
70 +	172	6.6	11	4	5	6	8	11	16	70 +	410	6.7	23	1	3	6	10	14	16
SUBTOTAL	**4300**	**6.7**	**30**	**1**	**2**	**6**	**9**	**14**	**17**		**7216**	**6.9**	**31**	**1**	**3**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	97	4.0	12	1	2	3	5	7	14	0-17	39	3.4	5						
18-34	104	5.1	18	1	1	5	6	14	14	18-34	49	5.5	6	2	3	6	7	9	9
35-49	466	4.0	8	1	1	3	6	8	10	35-49	1047	4.1	7	1	2	4	6	8	9
50-69	754	4.5	13	1	2	4	6	8	13	50-69	2709	4.4	9	1	2	4	6	8	10
70 +	63	6.2	10	2	3	6	9	10	10	70 +	184	4.0	8	1	2	3	6	9	9
SUBTOTAL	**1484**	**4.4**	**12**	**1**	**2**	**4**	**6**	**8**	**10**		**4028**	**4.3**	**8**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**5785**	**6.1**	**26**	**1**	**2**	**5**	**8**	**14**	**16**		**11244**	**6.0**	**24**	**1**	**3**	**5**	**8**	**11**	**15**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	19028	4.1	24	1	1	2	5	9	12
70-74	10951	4.1	20	1	1	2	6	9	12
75-79	6369	4.5	19	1	2	3	7	10	13
80-84	1628	5.2	27	1	1	4	8	11	17
85 +	309	7.7	99	1	2	6	8	15	20
SUBTOTAL	38285	4.2	23	1	1	2	6	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26946	3.0	9	1	1	2	3	7	9
70-74	15372	3.0	9	1	1	2	4	7	10
75-79	7667	3.1	11	1	1	2	4	8	10
80-84	1834	4.3	15	1	2	3	6	10	12
85 +	366	4.2	9	1	2	3	7	9	9
SUBTOTAL	52186	3.0	9	1	1	2	4	8	10
GRAND TOTAL	90470	3.6	16	1	1	2	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4294	2.0	6	< 1	1	1	2	3	4
18-34	1124	3.2	14	1	1	2	4	7	9
35-49	8529	3.6	11	1	1	2	5	8	10
50-69	26983	3.5	14	1	1	2	5	8	11
70 +	673	3.5	23	< 1	1	2	4	8	12
	41603	3.3	13	1	1	2	4	8	10
0-17	8080	1.7	3	< 1	1	1	2	2	3
18-34	2924	2.9	7	1	1	2	4	7	8
35-49	30617	2.9	8	1	1	2	4	7	9
50-69	67145	2.7	7	1	1	2	3	7	9
70 +	1200	2.8	8	< 1	1	2	3	8	10
	109966	2.7	7	1	1	2	3	7	9
	151569	2.9	9	1	1	2	3	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1820	2.3	7	1	1	2	2	5	7
18-34	219	3.6	6	1	2	2	7	7	7
35-49	1055	3.7	15	1	1	2	5	8	11
50-69	1927	4.5	18	1	1	3	7	11	12
70 +	26	5.6	15						
SUBTOTAL	5047	3.5	14	1	1	2	4	8	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3006	1.7	2	1	1	1	2	3	4
18-34	445	2.1	3	< 1	1	1	2	5	7
35-49	2072	2.6	5	1	1	2	3	6	8
50-69	2654	3.0	9	1	1	2	4	7	9
70 +	58	2.4	1	1	1	2	3	4	4
SUBTOTAL	8235	2.4	6	1	1	2	2	5	7
GRAND TOTAL	13282	2.8	9	1	1	2	3	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1099	2.1	5	< 1	1	2	2	3	7
18-34	400	5.0	14	1	2	5	7	10	11
35-49	1868	4.3	11	1	1	3	7	9	11
50-69	4226	4.4	21	1	1	3	7	9	12
70 +	447	4.3	18	1	1	2	7	9	13
	8040	4.1	16	1	1	2	6	9	11
0-17	2331	1.4	1	< 1	1	1	2	2	3
18-34	626	3.2	6	1	1	2	4	7	9
35-49	5003	3.7	9	1	1	3	5	8	9
50-69	9387	3.3	9	1	1	2	5	8	9
70 +	511	2.6	8	< 1	1	1	3	6	10
	17858	3.1	8	1	1	2	4	8	9
	25898	3.4	11	1	1	2	5	8	10

Total U.S., July 1988 - June 1989

DRG 126: Acute & Subacute Endocarditis

MEDICARE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	729	20.6	258	6	10	16	27	42	57
70-74	705	25.6	164	11	15	24	31	44	50
75-79	502	23.3	278	7	12	17	34	41	51
80-84	246	27.3	415	7	14	22	40	56	85
85 +	438	22.8	128	10	14	21	30	37	47
SUBTOTAL	**2620**	**23.5**	**234**	**8**	**13**	**20**	**31**	**43**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	87	12.8	75	2	5	12	17	30	30
70-74	43	14.1	169						
75-79	40	21.9	183						
80-84	33	14.6	291						
85 +	16	17.0	17						
SUBTOTAL	**218**	**15.3**	**150**	**4**	**6**	**12**	**21**	**43**	**44**
GRAND TOTAL	**2838**	**22.8**	**232**	**7**	**12**	**19**	**30**	**43**	**53**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	158	16.2	156	1	5	14	24	35	42
18-34	415	21.7	236	5	9	16	31	43	53
35-49	416	23.8	169	9	15	21	31	41	43
50-69	615	19.9	102	8	12	17	28	35	40
70 +	58	13.9	131	2	3	7	26	32	32
	1662	**20.8**	**165**	**6**	**11**	**17**	**29**	**39**	**43**
0-17	44	22.5	186						
18-34	105	15.1	82	5	5	11	24	28	29
35-49	130	9.7	53	2	4	7	15	21	28
50-69	264	19.1	82	9	10	18	28	29	29
70 +	10	27.0							
	553	**16.5**	**101**	**5**	**7**	**14**	**27**	**29**	**30**
	2215	**19.7**	**152**	**5**	**10**	**17**	**28**	**38**	**42**

MEDICAID TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	73	36.9	537	13	18	30	47	77	77
18-34	354	25.6	134	11	15	28	32	44	45
35-49	188	32.3	174	16	27	29	45	61	99 +
50-69	78	35.5	232	8	21	44	45	51	51
70 +	8	23.0							
SUBTOTAL	**701**	**29.6**	**215**	**12**	**18**	**29**	**43**	**47**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	28.5	7						
18-34	69	13.6	85	1	3	21	21	24	24
35-49	8	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**92**	**15.2**	**109**	**1**	**3**	**21**	**24**	**26**	**31**
GRAND TOTAL	**793**	**28.0**	**223**	**10**	**17**	**28**	**39**	**46**	**59**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	16.7	95						
18-34	390	23.1	187	4	12	23	32	42	44
35-49	290	27.7	212	8	14	30	39	51	54
50-69	241	15.7	97	7	10	12	19	32	34
70 +	0								
	959	**22.4**	**189**	**6**	**11**	**20**	**32**	**43**	**44**
0-17	16	8.5	2						
18-34	42	13.9	187						
35-49	23	15.4	99						
50-69	68	21.5	266	5	9	17	28	56	56
70 +	0								
	149	**17.1**	**208**	**5**	**7**	**10**	**24**	**42**	**56**
	1108	**21.7**	**195**	**6**	**10**	**18**	**31**	**42**	**44**

Total U.S., July 1988 - June 1989

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	98450	7.4	33	3	4	6	9	14	18
70-74	82285	7.8	37	3	4	6	10	14	19
75-79	90225	8.1	43	3	4	6	10	15	19
80-84	80541	8.4	46	3	4	7	10	15	20
85 +	85840	9.1	66	3	4	7	11	17	23
SUBTOTAL	**437340**	**8.1**	**45**	**3**	**4**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15355	5.5	17	2	3	5	6	10	12
70-74	15167	5.5	13	2	3	5	7	10	12
75-79	16750	5.7	18	2	3	5	7	10	12
80-84	17645	6.2	31	2	3	5	7	11	14
85 +	18975	6.2	25	2	3	5	8	10	14
SUBTOTAL	**83891**	**5.8**	**21**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**521232**	**7.8**	**42**	**3**	**4**	**6**	**9**	**14**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	854	7.2	73	2	2	4	7	15	29
18-34	816	6.6	57	2	3	4	6	14	19
35-49	5733	6.6	26	2	3	5	8	13	17
50-69	36606	7.2	34	3	4	6	9	13	17
70 +	5217	7.4	29	3	4	6	9	14	18
SUBTOTAL	**49227**	**7.2**	**33**	**2**	**4**	**6**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	255	4.0	7	1	2	4	4	7	12
18-34	195	3.9	5	2	2	4	4	6	10
35-49	1441	4.3	5	2	3	4	6	7	9
50-69	8827	4.8	9	2	3	4	6	8	10
70 +	1048	4.7	7	2	3	4	6	9	10
SUBTOTAL	**11767**	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**60993**	**6.7**	**29**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	624	6.6	65	2	2	5	8	10	17
18-34	1296	6.0	31	1	3	5	7	10	16
35-49	3970	7.0	25	2	4	6	9	13	18
50-69	13980	7.4	48	3	4	6	9	13	18
70 +	2428	10.1	97	3	5	7	13	23	40
SUBTOTAL	**22297**	**7.5**	**50**	**2**	**4**	**6**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	136	5.4	20	1	2	3	9	12	17
18-34	275	4.7	9	2	2	4	6	7	13
35-49	815	5.6	15	2	3	4	7	13	14
50-69	2577	5.5	10	2	3	5	7	9	12
70 +	555	5.9	12	2	4	5	7	12	13
SUBTOTAL	**4358**	**5.5**	**12**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**26656**	**7.2**	**44**	**2**	**4**	**5**	**8**	**13**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	505	5.7	16	2	3	5	6	12	14
18-34	813	5.7	26	2	3	5	7	10	13
35-49	3615	5.9	18	2	3	5	7	10	14
50-69	14481	6.8	42	2	3	5	8	12	17
70 +	5510	7.0	56	2	3	5	8	13	18
SUBTOTAL	**24923**	**6.6**	**41**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	4.3	5						
18-34	143	3.8	7	< 1	1	4	6	8	9
35-49	857	4.7	13	2	2	4	6	8	12
50-69	3425	4.7	11	2	3	4	6	8	11
70 +	1562	5.3	16	1	3	4	7	11	14
SUBTOTAL	**6032**	**4.8**	**12**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**30955**	**6.3**	**36**	**2**	**3**	**5**	**7**	**12**	**16**

DRG 128: Deep Vein Thrombophlebitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4712	9.3	25	4	6	8	11	15	18	0-17	33	10.0	45						
70-74	3905	9.2	20	5	6	9	11	14	17	18-34	733	7.9	21	3	5	8	10	13	16
75-79	3040	9.3	22	4	6	8	11	15	19	35-49	1566	7.9	20	4	5	7	9	12	16
80-84	2544	9.5	34	5	6	8	11	15	18	50-69	4090	8.7	21	4	6	8	11	13	17
85 +	2286	10.9	43	5	7	9	13	18	21	70 +	109	8.3	9	6	6	7	9	12	18
SUBTOTAL	**16487**	**9.5**	**28**	**5**	**6**	**8**	**11**	**15**	**19**		**6532**	**8.4**	**21**	**4**	**6**	**8**	**10**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4260	7.5	11	4	6	7	9	11	13	0-17	109	6.7	7	4	5	7	10	10	10
70-74	2809	8.1	26	5	6	7	9	12	13	18-34	2536	6.7	10	2	5	7	9	11	13
75-79	2332	7.8	11	4	6	7	9	12	12	35-49	4866	7.1	13	3	5	7	9	11	13
80-84	1941	8.0	15	4	6	7	10	13	16	50-69	6346	7.1	11	3	5	7	9	11	13
85 +	1487	8.3	11	5	6	8	10	13	15	70 +	199	8.4	8	4	6	9	11	11	13
SUBTOTAL	**12829**	**7.8**	**15**	**4**	**6**	**7**	**9**	**12**	**14**		**14056**	**7.1**	**11**	**3**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**29315**	**8.8**	**23**	**4**	**6**	**8**	**10**	**14**	**17**		**20588**	**7.5**	**15**	**3**	**5**	**7**	**9**	**12**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	45	8.7	10							0-17	8	11.0							
18-34	253	8.0	14	3	5	8	10	13	16	18-34	299	7.0	9	2	5	7	9	11	11
35-49	635	10.0	115	4	4	7	11	17	22	35-49	405	7.9	9	5	6	7	10	11	14
50-69	481	8.3	15	2	5	8	12	13	15	50-69	870	7.5	14	4	5	7	10	12	15
70 +	36	12.3	12							70 +	159	8.2	2	7	7	8	9	10	11
SUBTOTAL	**1451**	**9.1**	**60**	**4**	**5**	**8**	**11**	**15**	**17**		**1740**	**7.6**	**11**	**4**	**5**	**7**	**9**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	11.3	35							0-17	16	6.5	2						
18-34	574	6.8	13	1	5	7	9	11	15	18-34	534	6.7	8	4	4	7	9	11	11
35-49	425	8.2	15	4	5	8	10	13	16	35-49	762	6.7	8	3	5	6	8	11	12
50-69	540	7.7	10	4	6	8	9	13	14	50-69	802	7.7	15	3	5	7	9	12	15
70 +	29	8.5	12							70 +	104	7.2	5	4	6	8	8	9	11
SUBTOTAL	**1607**	**7.6**	**14**	**4**	**5**	**7**	**9**	**13**	**15**		**2217**	**7.1**	**10**	**3**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**3058**	**8.3**	**36**	**4**	**5**	**8**	**10**	**14**	**16**		**3957**	**7.3**	**11**	**4**	**5**	**7**	**9**	**11**	**13**

Total U.S., July 1988 - June 1989

DRG 129: Cardiac Arrest, Unexplained

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	387	12.3	214	1	5	9	12	21	57
70-74	192	7.7	33	2	3	7	11	19	57
75-79	356	9.9	57	3	3	8	15	18	22
80-84	365	8.6	32	1	5	7	13	19	19
85 +	126	7.8	10	3	5	8	8	12	13
SUBTOTAL	**1426**	**9.7**	**89**	**2**	**4**	**8**	**12**	**19**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	28	4.6	2						
70-74	25	5.5	7						
75-79	88	5.1	3						
80-84	8	2.0							
85 +	40	1.6	1						
SUBTOTAL	**189**	**4.2**	**5**	**1**	**3**	**4**	**6**	**7**	**8**
GRAND TOTAL	**1615**	**9.1**	**82**	**2**	**4**	**7**	**11**	**18**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	1.0							
18-34	25	12.5	100						
35-49	72	13.7	146	3	3	8	30	32	32
50-69	205	13.8	109	2	5	13	16	32	35
70 +	8	2.0							
	324	**12.9**	**118**	**2**	**3**	**12**	**20**	**32**	**32**
0-17	0								
18-34	0								
35-49	14	6.8	32						
50-69	30	9.0	5						
70 +	8	3.0							
	52	**7.5**	**16**	**2**	**3**	**9**	**12**	**13**	**13**
	376	**12.1**	**107**	**2**	**3**	**9**	**14**	**31**	**32**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	54	8.5	23						
18-34	8	54.0							
35-49	14	2.0							
50-69	39	20.4	30						
70 +	8	1.0							
SUBTOTAL	**123**	**13.9**	**175**	**2**	**6**	**8**	**23**	**27**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	18.0	17						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**15**	**18.0**	**17**						
GRAND TOTAL	**138**	**14.4**	**159**	**2**	**6**	**14**	**22**	**27**	**54**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	70	7.8	46						
35-49	49	21.8	197						
50-69	62	11.1	119	1	2	6	23	30	30
70 +	6	3.0							
	188	**12.4**	**141**	**1**	**2**	**9**	**23**	**32**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	28	11.3	7						
70 +	8	2.0							
	36	**9.3**	**21**						
	223	**11.9**	**123**	**1**	**2**	**9**	**15**	**32**	**32**

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16113	7.8	41	2	4	7	10	14	18
70-74	11646	7.9	36	2	4	7	10	14	18
75-79	11339	8.6	53	2	4	7	11	15	20
80-84	9097	9.0	58	3	5	7	11	16	22
85 +	7769	9.4	73	3	5	8	11	16	23
SUBTOTAL	**55964**	**8.4**	**50**	**2**	**4**	**7**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**55964**	**8.4**	**50**	**2**	**4**	**7**	**10**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	211	8.9	54	1	1	8	15	20	20
18-34	1508	7.6	31	2	4	7	10	12	14
35-49	4231	7.8	26	2	4	7	10	13	15
50-69	10726	7.2	29	2	3	7	9	12	15
70 +	633	7.8	37	1	3	7	10	14	17
	17309	**7.4**	**29**	**2**	**4**	**7**	**10**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	17309	**7.4**	**29**	**2**	**4**	**7**	**10**	**13**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	107	12.7	79	4	5	8	18	28	31
18-34	857	7.4	27	2	3	7	10	14	17
35-49	1216	8.4	26	2	5	8	10	15	20
50-69	1891	8.1	36	1	4	7	11	17	23
70 +	201	17.7	373	5	7	11	27	99 +	99 +
SUBTOTAL	**4271**	**8.6**	**53**	**2**	**4**	**7**	**11**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4271**	**8.6**	**53**	**2**	**4**	**7**	**11**	**17**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	113	6.7	21	2	3	5	11	15	15
18-34	1000	8.1	35	3	4	7	10	14	18
35-49	1544	7.0	15	2	4	7	9	12	14
50-69	2728	7.6	36	2	4	7	10	14	18
70 +	657	7.3	89	1	4	6	8	11	13
	6041	**7.5**	**36**	**2**	**4**	**7**	**9**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6041	**7.5**	**36**	**2**	**4**	**7**	**9**	**13**	**16**

Total U.S., July 1988 - June 1989

DRG 131: Peripheral Vascular Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	9734	5.8	21	1	2	5	8	11	13
70-74	7004	5.8	22	1	2	5	8	10	13
75-79	6017	6.1	22	1	3	6	8	11	13
80-84	4435	7.2	35	1	4	6	9	13	15
85 +	3065	7.3	26	2	4	6	9	13	18
SUBTOTAL	**30255**	**6.2**	**24**	**1**	**3**	**6**	**8**	**11**	**14**
GRAND TOTAL	**30255**	**6.2**	**24**	**1**	**3**	**6**	**8**	**11**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	596	5.8	21	1	2	6	8	11	13
18-34	4167	6.3	12	2	4	6	9	10	12
35-49	8469	6.0	14	1	3	6	8	10	11
50-69	13859	5.4	14	1	2	5	8	10	12
70 +	619	5.3	16	< 1	1	5	8	10	14
	27710	**5.7**	**14**	**1**	**2**	**6**	**8**	**10**	**12**
	27710	**5.7**	**14**	**1**	**2**	**6**	**8**	**10**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	201	5.9	29	1	3	5	7	14	22
18-34	960	6.3	16	2	4	6	8	11	13
35-49	979	6.1	17	1	3	6	9	11	14
50-69	1075	6.2	30	1	2	5	9	13	15
70 +	139	5.3	10	1	2	5	8	10	10
SUBTOTAL	**3355**	**6.2**	**21**	**1**	**3**	**6**	**8**	**12**	**13**
GRAND TOTAL	**3355**	**6.2**	**21**	**1**	**3**	**6**	**8**	**12**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	184	4.2	10	< 1	1	5	7	7	7
18-34	1834	6.5	17	2	4	6	8	10	14
35-49	2596	5.9	9	2	4	6	8	10	11
50-69	2984	5.5	14	1	2	5	8	10	11
70 +	781	6.1	42	1	1	5	8	12	22
	8379	**5.9**	**16**	**1**	**3**	**6**	**8**	**10**	**11**
	8379	**5.9**	**16**	**1**	**3**	**6**	**8**	**10**	**11**

DRG 132: Atherosclerosis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3965	5.2	23	2	3	4	7	9	12	0-17	54	5.4	4						
70-74	3103	5.5	19	2	3	4	7	9	11	18-34	54	4.3	5						
75-79	3295	5.6	21	2	3	4	7	12	14	35-49	726	4.6	20	1	2	4	5	7	17
80-84	2546	7.0	61	2	3	5	8	12	18	50-69	3539	4.2	10	1	2	3	5	8	11
85 +	2211	5.4	13	2	3	5	6	10	13	70 +	280	5.0	8	2	3	4	7	8	11
SUBTOTAL	**15120**	**5.7**	**27**	**2**	**3**	**4**	**7**	**10**	**13**		**4653**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15120**	**5.7**	**27**	**2**	**3**	**4**	**7**	**10**	**13**		**4653**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	44	3.0	1							0-17	0								
18-34	64	4.0	2							18-34	18	4.3	2						
35-49	390	4.0	5	2	2	4	4	7	8	35-49	316	4.3	7	1	2	3	6	7	10
50-69	859	4.9	16	2	3	4	6	8	8	50-69	1134	3.6	4	1	2	3	5	6	8
70 +	88	6.8	11	3	3	7	10	12	12	70 +	232	4.1	8	2	2	3	7	99 +	99 +
SUBTOTAL	**1444**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**9**		**1700**	**3.8**	**5**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1444**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**9**		**1700**	**3.8**	**5**	**1**	**2**	**3**	**5**	**7**	**9**

Total U.S., July 1988 - June 1989

DRG 133: Atherosclerosis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2147	3.8	15	1	2	3	4	7	9	0-17	73	1.3		1	1	1	2	2	2
70-74	1626	3.5	4	1	2	3	4	6	7	18-34	155	2.8	2	1	2	3	4	4	6
75-79	1267	3.8	6	2	2	3	5	6	8	35-49	1507	3.2	18	1	2	2	4	5	7
80-84	1045	5.7	52	1	2	4	6	8	28	50-69	3555	3.3	6	1	2	3	4	6	8
85 +	903	5.8	18	2	3	5	6	11	14	70 +	28	3.6	4						
SUBTOTAL	**6988**	**4.3**	**18**	**1**	**2**	**3**	**5**	**7**	**10**		**5318**	**3.2**	**9**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**6988**	**4.3**	**18**	**1**	**2**	**3**	**5**	**7**	**10**		**5318**	**3.2**	**9**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	61	1.9	1	< 1	< 1	2	2	4	4	0-17	0								
18-34	62	2.6	1							18-34	39	3.9	1						
35-49	177	2.9	4	1	2	2	3	5	8	35-49	341	2.9	4	1	1	2	4	6	8
50-69	352	3.6	10	1	2	3	4	5	7	50-69	685	2.8	3	1	2	2	4	5	6
70 +	19	7.5								70 +	101	4.1	6	2	2	3	6	6	11
SUBTOTAL	**672**	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**8**		**1167**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**672**	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**8**		**1167**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 134: Hypertension

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7040	5.3	16	2	3	4	7	10	12
70-74	4520	5.7	19	2	3	4	7	11	16
75-79	3756	6.3	40	2	3	5	8	12	14
80-84	2809	5.9	22	2	3	5	7	10	17
85 +	1766	8.1	72	2	4	6	10	17	22
SUBTOTAL	**19890**	**5.9**	**28**	**2**	**3**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4535	3.8	9	1	2	3	5	7	8
70-74	2884	3.4	5	1	2	3	4	6	7
75-79	3263	4.2	16	2	2	3	5	7	10
80-84	2037	4.1	9	1	2	4	5	8	9
85 +	1516	5.2	27	1	2	3	6	9	16
SUBTOTAL	**14235**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**34125**	**5.1**	**22**	**2**	**2**	**4**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	356	4.7	20	1	1	4	6	8	14
18-34	630	4.8	14	1	3	4	7	8	12
35-49	3347	4.4	9	2	2	4	6	8	10
50-69	6306	4.8	11	2	3	4	6	8	10
70 +	200	4.7	20	1	2	3	5	10	16
	10840	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	768	3.3	7	1	2	2	4	6	8
18-34	1599	3.4	6	1	2	3	4	6	8
35-49	6778	3.4	4	1	2	3	4	6	7
50-69	9431	3.6	7	1	2	3	4	7	8
70 +	231	6.1	52	2	2	3	6	11	20
	18807	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
	29647	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	139	6.8	61	1	2	3	6	22	27
18-34	221	4.7	9	2	2	3	8	9	9
35-49	1166	4.9	10	2	3	4	6	8	11
50-69	1520	5.9	63	2	3	4	6	9	12
70 +	222	5.1	40	2	2	4	5	99 +	99 +
SUBTOTAL	**3268**	**5.5**	**39**	**2**	**3**	**4**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	233	4.3	16	1	2	3	5	11	17
18-34	446	3.3	3	1	2	3	4	5	5
35-49	950	4.5	4	2	3	4	6	7	8
50-69	859	4.2	7	1	2	4	6	8	10
70 +	82	4.4	5						
SUBTOTAL	**2570**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**9**
GRAND TOTAL	**5838**	**4.9**	**25**	**2**	**3**	**4**	**6**	**8**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	3.2	2	1	2	2	5	5	5
18-34	761	4.1	6	1	2	4	6	7	9
35-49	1554	4.9	19	2	3	3	6	9	13
50-69	2049	5.0	18	2	3	4	7	9	12
70 +	140	4.3	13	1	2	3	5	12	15
	4565	**4.7**	**16**	**2**	**3**	**4**	**6**	**9**	**12**
0-17	141	3.3	5	1	2	3	4	6	11
18-34	657	4.2	70	1	2	3	4	6	9
35-49	2078	3.4	6	1	2	3	4	7	8
50-69	2418	3.2	4	1	2	3	4	6	7
70 +	152	3.4	4	1	2	4	6	99 +	99 +
	5445	**3.4**	**13**	**1**	**2**	**3**	**4**	**6**	**8**
	10010	**4.0**	**15**	**1**	**2**	**3**	**5**	**8**	**10**

Total U.S., July 1988 - June 1989

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	969	5.6	14	2	3	4	7	10	13
70-74	728	5.8	13	2	3	5	7	12	12
75-79	939	6.9	26	2	3	5	8	14	16
80-84	784	7.3	49	2	4	6	8	13	16
85 +	1090	7.8	56	2	4	6	9	14	21
SUBTOTAL	4510	6.7	33	2	3	5	8	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4510	6.7	33	2	3	5	8	13	16

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	310	4.9	16	2	2	3	5	14	14
35-49	576	5.7	40	2	3	4	6	10	24
50-69	865	4.8	15	2	2	3	6	10	15
70 +	54	5.5	14	2	3	4	7	15	15
	1805	5.1	23	2	2	4	6	11	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1805	5.1	23	2	2	4	6	11	14

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	176	9.6	182	1	2	5	6	36	46
35-49	128	15.5	467	3	3	6	11	46	78
50-69	189	5.6	8	2	3	5	7	10	13
70 +	36	6.8	8						
SUBTOTAL	529	9.4	191	1	3	5	7	29	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	529	9.4	191	1	3	5	7	29	46

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	186	3.9	6	2	2	3	5	7	8
35-49	129	6.9	112	1	1	5	5	11	42
50-69	367	4.4	10	1	2	4	5	9	10
70 +	65	13.3	247	4	4	7	13	51	51
	748	5.5	54	1	2	4	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	748	5.5	54	1	2	4	6	9	12

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	463	3.4	4	1	2	3	5	6	6
70-74	216	5.5	44	< 1	1	4	6	8	25
75-79	265	4.0	20	1	1	2	4	8	19
80-84	224	4.0	8	1	3	4	4	7	9
85 +	289	4.1	4	2	2	4	6	7	7
SUBTOTAL	**1457**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1457**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1205	2.5	3	1	1	2	3	4	7
35-49	1498	3.2	10	1	2	2	4	5	7
50-69	1219	3.6	8	1	2	3	4	7	9
70 +	0								
	3922	**3.1**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
	3922	**3.1**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	211	3.1	7	< 1	1	2	3	8	11
35-49	213	3.0	2	2	2	2	4	5	5
50-69	55	3.3	9	1	1	2	5	10	10
70 +	10	3.0							
SUBTOTAL	**489**	**3.1**	**5**	**1**	**2**	**2**	**4**	**5**	**8**
GRAND TOTAL	**489**	**3.1**	**5**	**1**	**2**	**2**	**4**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	283	2.1	2	1	1	2	2	3	7
35-49	342	2.9	2	1	2	2	4	5	6
50-69	218	2.2	1	1	2	2	3	3	4
70 +	16	4.0	4						
	858	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**6**
	858	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**6**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	1449	5.4	108	1	2	3	6	12	17
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1449**	**5.4**	**108**	**1**	**2**	**3**	**6**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	7.0								0-17	2585	4.4	45	< 1	1	2	5	10	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**7.0**									**2585**	**4.4**	**45**	**< 1**	**1**	**2**	**5**	**10**	**14**
GRAND TOTAL	**10**	**7.0**									**4034**	**4.8**	**68**	**< 1**	**1**	**2**	**5**	**10**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1093	5.3	47	1	2	3	8	12	15	0-17	738	5.6	38	1	2	4	7	13	23
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1093**	**5.3**	**47**	**1**	**2**	**3**	**8**	**12**	**15**		**738**	**5.6**	**38**	**1**	**2**	**4**	**7**	**13**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1855	4.4	31	< 1	1	2	6	9	13	0-17	1038	3.9	25	1	1	2	4	8	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1855**	**4.4**	**31**	**< 1**	**1**	**2**	**6**	**9**	**13**		**1038**	**3.9**	**25**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**2948**	**4.7**	**37**	**1**	**1**	**3**	**6**	**10**	**13**		**1775**	**4.6**	**31**	**1**	**2**	**3**	**6**	**9**	**13**

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	41307	5.3	22	2	3	4	6	10	13	0-17	873	4.2	17	1	1	3	5	8	11
70-74	37129	5.6	25	2	3	4	7	10	14	18-34	2688	2.9	5	1	2	2	3	6	7
75-79	36961	6.2	28	2	3	5	8	11	16	35-49	7128	3.6	9	1	2	3	4	7	9
80-84	30224	6.6	31	2	3	5	8	12	16	50-69	26136	4.6	18	1	2	4	6	8	11
85 +	25080	7.0	48	2	3	5	8	13	19	70 +	2063	5.1	16	2	2	4	6	10	14
SUBTOTAL	**170701**	**6.0**	**30**	**2**	**3**	**5**	**7**	**11**	**15**		**38888**	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**170701**	**6.0**	**30**	**2**	**3**	**5**	**7**	**11**	**15**		**38888**	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	553	5.4	49	1	2	3	6	9	17	0-17	397	5.9	79	1	1	3	6	12	25
18-34	773	4.2	12	1	2	3	6	7	14	18-34	1044	2.9	5	1	1	2	3	6	8
35-49	1074	4.3	12	1	2	3	6	9	11	35-49	2458	3.5	9	1	2	2	4	7	10
50-69	4040	5.3	26	2	3	4	6	9	13	50-69	6636	4.3	14	1	2	3	6	8	11
70 +	940	6.5	23	2	4	5	8	11	16	70 +	1901	5.3	18	2	2	4	7	10	14
SUBTOTAL	**7380**	**5.2**	**24**	**2**	**3**	**4**	**6**	**9**	**13**		**12435**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7380**	**5.2**	**24**	**2**	**3**	**4**	**6**	**9**	**13**		**12435**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	21719	3.6	8	1	2	3	5	7	8	0-17	2942	3.1	12	1	1	2	4	6	9
70-74	19535	3.7	8	1	2	3	5	7	9	18-34	6232	2.3	3	1	1	2	3	4	5
75-79	17617	4.1	10	1	2	3	5	8	9	35-49	14608	2.6	4	1	1	2	3	5	6
80-84	12990	4.3	11	2	2	4	5	8	10	50-69	31993	3.1	6	1	2	2	4	6	7
85+	10839	4.7	14	2	2	4	6	8	10	70+	1213	4.1	11	1	2	3	5	8	10
SUBTOTAL	**82701**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**56987**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**82701**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**56987**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	905	3.8	11	1	2	3	5	8	12	0-17	887	3.5	28	1	1	2	4	7	9
18-34	715	2.4	2	1	1	2	3	4	5	18-34	2387	2.1	2	1	1	2	3	4	5
35-49	884	3.7	13	1	2	3	5	7	12	35-49	3642	2.3	3	1	1	2	3	4	6
50-69	1754	4.0	8	1	2	3	5	7	10	50-69	6517	2.8	5	1	1	2	4	5	6
70+	500	4.8	6	2	3	5	6	8	8	70+	1508	3.7	24	1	2	3	4	7	8
SUBTOTAL	**4758**	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**14942**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4758**	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**14942**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	62668	4.8	14	2	3	4	6	8	11	0-17	18	4.6							
70-74	44651	5.0	18	2	3	4	6	9	11	18-34	678	2.9	3	1	2	3	3	5	7
75-79	45505	5.3	20	2	3	4	6	9	12	35-49	8380	3.8	7	1	2	3	5	7	8
80-84	37793	5.7	30	2	3	4	7	10	13	50-69	29796	4.2	7	2	2	4	5	7	9
85 +	28054	5.6	18	2	3	4	7	10	13	70 +	2333	4.6	14	2	3	4	5	8	11
SUBTOTAL	**218671**	**5.2**	**19**	**2**	**3**	**4**	**6**	**9**	**12**		**41205**	**4.1**	**8**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	54522	3.6	5	2	2	3	4	6	8	0-17	0								
70-74	36125	3.8	5	2	2	3	5	6	8	18-34	2119	2.6	2	1	2	2	3	4	5
75-79	34249	4.0	6	2	2	3	5	7	8	35-49	24063	3.0	3	1	2	3	4	5	6
80-84	23717	4.1	10	2	2	3	5	7	9	50-69	55060	3.3	4	1	2	3	4	6	7
85 +	16115	4.4	16	2	2	4	5	8	9	70 +	2072	3.7	6	1	2	3	5	6	8
SUBTOTAL	**164727**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**8**		**83314**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**383398**	**4.6**	**15**	**2**	**3**	**4**	**6**	**8**	**10**		**124519**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	256	3.2	3	1	2	3	4	6	7	18-34	295	2.6	1	1	2	3	3	3	5
35-49	3217	4.1	7	2	2	3	5	7	10	35-49	2512	3.9	6	2	2	3	5	7	9
50-69	9741	4.6	14	2	3	4	6	8	10	50-69	8307	4.0	9	2	2	3	5	7	9
70 +	1113	5.4	15	2	3	5	7	12	99 +	70 +	1940	4.5	14	2	2	3	5	9	10
SUBTOTAL	**14327**	**4.6**	**13**	**2**	**3**	**4**	**6**	**8**	**10**		**13054**	**4.0**	**9**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	486	3.3	3	2	2	3	4	5	6	18-34	514	2.8	4	1	1	2	4	6	6
35-49	3468	3.7	6	1	2	3	4	7	8	35-49	6505	3.0	4	1	2	3	4	5	7
50-69	7035	3.8	5	2	2	3	5	7	8	50-69	15672	3.2	4	1	2	3	4	6	7
70 +	838	4.4	11	2	2	3	6	9	10	70 +	2281	3.0	4	1	2	3	3	6	7
SUBTOTAL	**11827**	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**		**24972**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**26154**	**4.2**	**10**	**2**	**2**	**4**	**5**	**8**	**9**		**38026**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 141: Syncope & Collapse w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	13616	4.6	14	2	2	4	6	8	10	0-17	773	2.5	3	1	1	2	4	5	6
70-74	13605	5.2	26	2	3	4	6	9	12	18-34	1921	3.2	8	1	1	2	4	6	8
75-79	15145	5.5	38	2	3	4	7	9	13	35-49	3717	3.0	6	1	2	2	4	5	7
80-84	13745	6.1	36	2	3	4	7	11	15	50-69	8864	3.7	6	1	2	3	5	7	9
85 +	14198	6.3	45	2	3	5	8	12	17	70 +	1116	4.9	38	1	2	3	6	9	14
SUBTOTAL	**70309**	**5.6**	**32**	**2**	**3**	**4**	**7**	**10**	**14**		**16390**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**70309**	**5.6**	**32**	**2**	**3**	**4**	**7**	**10**	**14**		**16390**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**8**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	356	2.7	4	1	1	2	3	5	8	0-17	277	2.9	4	1	2	3	3	4	8
18-34	592	3.3	5	1	2	3	4	6	9	18-34	742	2.7	2	1	1	3	4	5	5
35-49	672	4.8	23	1	2	4	6	8	10	35-49	1089	3.7	7	1	2	3	5	7	8
50-69	1702	5.7	44	2	3	5	6	9	16	50-69	2473	4.2	13	1	2	3	5	8	10
70 +	382	5.8	21	2	3	5	7	15	21	70 +	1074	4.5	18	1	2	3	6	9	12
SUBTOTAL	**3705**	**4.9**	**29**	**2**	**2**	**4**	**6**	**8**	**13**		**5656**	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**3705**	**4.9**	**29**	**2**	**2**	**4**	**6**	**8**	**13**		**5656**	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 142: Syncope & Collapse w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7640	3.5	7	1	2	3	5	7	9	0-17	2884	2.0	1	1	1	2	3	3	4
70-74	8461	3.6	6	1	2	3	4	7	8	18-34	4886	2.4	3	1	1	2	3	5	6
75-79	9589	4.0	16	1	2	3	5	7	9	35-49	7269	2.5	3	1	1	2	3	4	5
80-84	8870	4.1	13	1	2	3	5	7	10	50-69	11905	2.8	3	1	2	2	4	5	6
85+	7136	4.5	12	1	2	4	6	8	10	70+	915	3.6	9	1	2	3	4	5	8
SUBTOTAL	**41696**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**		**27860**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**41696**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**		**27860**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	660	2.4	1	1	2	2	3	4	5	0-17	750	2.5	2	1	2	2	3	4	5
18-34	722	2.9	3	1	2	2	4	5	6	18-34	1725	2.1	2	1	1	2	3	4	4
35-49	727	3.3	6	1	2	3	5	6	7	35-49	1730	2.4	2	1	2	2	3	4	5
50-69	875	4.0	7	2	2	3	5	8	9	50-69	2923	2.7	5	1	1	2	3	5	6
70+	319	4.7	8	2	3	4	6	8	11	70+	981	3.0	6	1	1	2	4	6	6
SUBTOTAL	**3302**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**8108**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3302**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**8108**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 143: Chest Pain

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	20954	3.8	10	1	2	3	5	7	8
70-74	11467	4.0	12	1	2	3	5	7	10
75-79	9154	3.9	13	1	2	3	4	7	9
80-84	5913	4.0	12	2	2	3	5	7	10
85 +	4597	4.8	44	2	2	3	5	8	11
SUBTOTAL	**52085**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	23800	3.1	5	1	2	3	4	5	7
70-74	12458	2.8	3	1	2	2	3	5	6
75-79	8846	3.1	3	1	2	3	4	6	7
80-84	5052	3.2	6	1	2	3	4	6	8
85 +	3420	3.3	11	1	2	2	4	6	8
SUBTOTAL	**53576**	**3.0**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**105661**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	2.0	1	< 1	< 1	1	3	4	4
18-34	2714	2.8	6	1	1	2	3	6	6
35-49	13502	2.9	4	1	2	2	4	5	7
50-69	20052	3.2	5	1	2	3	4	6	7
70 +	536	3.4	4	1	2	3	4	6	7
	36896	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
0-17	493	4.5	211	1	1	2	3	4	6
18-34	10904	2.1	2	1	1	2	3	4	5
35-49	52196	2.4	2	1	1	2	3	4	5
50-69	51686	2.6	3	1	1	2	3	4	5
70 +	820	2.6	2	1	1	2	3	5	5
	116100	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	152996	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	2.0	1	< 1	< 1	2	3	3	3
18-34	839	3.0	5	1	1	3	4	5	7
35-49	2353	3.4	8	1	2	3	4	6	7
50-69	3736	3.6	5	1	2	3	5	6	8
70 +	250	4.6	5	2	3	5	5	8	9
SUBTOTAL	**7231**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	98	2.5	1	1	2	3	3	4	4
18-34	1342	2.3	2	1	1	2	3	4	5
35-49	3545	2.7	3	1	2	2	3	5	6
50-69	3750	3.1	4	1	2	3	4	5	7
70 +	184	3.7	3	1	2	4	4	7	7
SUBTOTAL	**8920**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**16151**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	1.6	1	1	1	1	2	3	3
18-34	1714	2.1	2	1	1	2	3	4	4
35-49	4889	2.5	3	1	1	2	3	5	6
50-69	7038	3.1	6	1	2	3	4	6	7
70 +	742	3.1	5	1	2	2	4	6	9
	14436	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	139	1.7	3	1	1	1	1	5	8
18-34	4089	2.1	4	1	1	2	2	4	4
35-49	14145	2.3	2	1	1	2	3	4	5
50-69	15176	2.5	3	1	1	2	3	4	6
70 +	1147	2.2	5	1	1	2	3	4	4
	34695	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	49132	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 144: Other Circulatory System Diagnoses w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13505	6.7	37	2	3	5	8	13	17
70-74	8082	7.2	31	2	3	6	9	13	17
75-79	8055	7.5	55	2	4	6	8	14	19
80-84	4530	8.2	43	2	4	7	10	17	22
85 +	2893	7.3	42	2	3	5	9	15	20
SUBTOTAL	**37064**	**7.2**	**41**	**2**	**3**	**6**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**37064**	**7.2**	**41**	**2**	**3**	**6**	**9**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	912	5.3	28	1	2	3	7	14	20
18-34	1655	4.8	14	1	2	4	6	10	12
35-49	3448	6.2	43	2	3	4	7	13	18
50-69	8975	6.4	35	2	3	5	8	13	17
70 +	677	7.8	62	2	4	6	9	14	20
	15667	**6.2**	**36**	**2**	**3**	**5**	**8**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15667	**6.2**	**36**	**2**	**3**	**5**	**8**	**13**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	577	6.4	37	1	2	4	8	15	17
18-34	609	5.6	16	2	3	5	7	10	15
35-49	907	5.8	20	2	3	5	7	12	14
50-69	1652	7.4	59	2	3	5	9	14	19
70 +	124	8.1	50	2	2	10	24	99 +	99 +
SUBTOTAL	**3868**	**6.6**	**40**	**2**	**3**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3868**	**6.6**	**40**	**2**	**3**	**5**	**8**	**14**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	261	5.0	34	1	1	3	6	10	15
18-34	814	4.9	27	1	2	3	5	10	15
35-49	1639	5.1	14	2	3	4	7	8	10
50-69	2662	5.9	29	2	3	4	7	11	14
70 +	421	6.9	42	2	3	4	10	13	18
	5797	**5.6**	**26**	**2**	**3**	**4**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5797	**5.6**	**26**	**2**	**3**	**4**	**7**	**10**	**14**

DRG 145: Other Circulatory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3224	3.8	15	1	2	3	4	7	10	0-17	1542	4.0	31	1	1	3	5	8	10
70-74	1733	4.6	26	2	2	3	5	8	10	18-34	2712	3.1	5	1	2	3	4	6	7
75-79	1157	4.1	14	1	2	3	5	7	13	35-49	3785	3.3	11	1	2	3	4	6	8
80-84	1021	4.3	16	1	2	3	5	9	11	50-69	4862	3.7	8	1	2	3	5	7	9
85 +	645	4.5	8	2	2	4	6	8	10	70 +	161	4.1	9	1	2	3	5	8	10
SUBTOTAL	**7780**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**		**13062**	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**7780**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**		**13062**	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	635	4.4	10	1	2	4	5	9	13	0-17	453	4.9	27	1	2	4	6	12	16
18-34	318	3.7	7	1	2	3	5	9	10	18-34	1173	3.2	8	1	1	2	4	6	9
35-49	363	4.6	9	1	2	4	6	8	9	35-49	1167	3.0	5	1	1	2	4	5	8
50-69	483	5.8	28	2	2	3	6	16	17	50-69	1012	3.4	4	1	2	3	4	6	7
70 +	33	4.1	11							70 +	200	3.8	5	2	2	3	5	7	8
SUBTOTAL	**1832**	**4.7**	**15**	**1**	**2**	**4**	**6**	**10**	**14**		**4005**	**3.4**	**9**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1832**	**4.7**	**15**	**1**	**2**	**4**	**6**	**10**	**14**		**4005**	**3.4**	**9**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 146: Rectal Resection w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1721	14.6	114	8	9	12	16	22	25	0-17	97	21.0	515	4	9	11	19	74	74
70-74	1591	15.0	60	9	10	13	18	24	28	18-34	177	10.4	17	7	7	9	11	18	20
75-79	1579	14.2	53	8	9	13	17	25	29	35-49	488	14.7	245	6	8	10	12	34	46
80-84	947	16.9	165	8	10	13	20	26	43	50-69	1854	14.1	77	8	9	11	16	24	31
85 +	626	18.3	114	10	12	14	23	30	45	70 +	177	12.7	50	8	10	11	14	18	21
SUBTOTAL	**6465**	**15.3**	**95**	**8**	**10**	**13**	**18**	**25**	**31**		**2792**	**14.1**	**119**	**7**	**9**	**11**	**15**	**23**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6465**	**15.3**	**95**	**8**	**10**	**13**	**18**	**25**	**31**		**2792**	**14.1**	**119**	**7**	**9**	**11**	**15**	**23**	**34**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	107	11.2	25	4	5	13	14	16	21	0-17	56	8.6	10	4	7	7	12	14	14
18-34	43	15.0	12							18-34	17	33.3	380						
35-49	41	14.6	42							35-49	80	14.2	32	8	10	13	17	24	26
50-69	97	21.1	268	8	9	12	33	46	61	50-69	548	11.4	25	6	8	10	14	19	21
70 +	14	40.4	1265							70 +	86	10.8	13	7	7	11	13	17	18
SUBTOTAL	**302**	**16.7**	**200**	**7**	**9**	**14**	**17**	**33**	**46**		**787**	**11.9**	**42**	**7**	**8**	**11**	**14**	**19**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**302**	**16.7**	**200**	**7**	**9**	**14**	**17**	**33**	**46**		**787**	**11.9**	**42**	**7**	**8**	**11**	**14**	**19**	**22**

DRG 147: Rectal Resection w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	860	9.4	5	7	8	9	11	13	13	0-17	765	8.0	10	5	6	8	9	11	12
70-74	710	11.2	27	6	8	10	13	18	22	18-34	84	8.7	35	2	2	11	15	16	16
75-79	478	9.9	11	7	8	10	11	15	16	35-49	416	8.2	14	3	7	8	10	11	13
80-84	244	10.8	6	8	8	11	12	14	14	50-69	1378	9.7	11	7	8	9	11	13	16
85 +	157	8.4	18	2	5	9	10	12	18	70 +	55	13.2	55	8	8	10	14	28	28
SUBTOTAL	**2448**	**10.1**	**14**	**7**	**8**	**9**	**11**	**14**	**18**		**2698**	**9.0**	**14**	**5**	**7**	**9**	**10**	**13**	**16**
GRAND TOTAL	**2448**	**10.1**	**14**	**7**	**8**	**9**	**11**	**14**	**18**		**2698**	**9.0**	**14**	**5**	**7**	**9**	**10**	**13**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	379	7.3	15	4	5	7	8	10	18	0-17	291	8.5	19	6	7	8	9	13	13
18-34	33	9.2	3							18-34	34	8.5	6						
35-49	10	16.0								35-49	74	9.0	7	5	7	8	10	14	14
50-69	45	10.4	8							50-69	325	8.9	14	5	7	8	10	13	16
70 +	32	19.0								70 +	66	10.5	11	8	9	9	11	19	19
SUBTOTAL	**500**	**8.7**	**22**	**4**	**6**	**8**	**10**	**18**	**19**		**790**	**8.9**	**15**	**6**	**7**	**8**	**10**	**13**	**14**
GRAND TOTAL	**500**	**8.7**	**22**	**4**	**6**	**8**	**10**	**18**	**19**		**790**	**8.9**	**15**	**6**	**7**	**8**	**10**	**13**	**14**

DRG 148: Major Small & Large Bowel Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	27735	15.7	129	8	9	12	18	29	39	0-17	2778	13.1	151	4	6	9	15	32	52
70-74	26605	15.6	109	8	9	13	18	26	35	18-34	5548	12.8	92	5	7	10	15	24	30
75-79	24301	16.9	132	8	10	13	20	31	42	35-49	11382	13.5	89	6	8	11	15	24	31
80-84	18298	17.8	150	8	10	14	21	30	43	50-69	27720	14.3	102	7	9	11	16	24	34
85 +	13463	18.8	136	9	11	15	22	33	43	70 +	1943	15.6	128	7	9	12	19	32	40
SUBTOTAL	**110403**	**16.7**	**131**	**8**	**10**	**13**	**19**	**30**	**40**		**49372**	**13.9**	**102**	**7**	**8**	**11**	**16**	**24**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**110403**	**16.7**	**131**	**8**	**10**	**13**	**19**	**30**	**40**		**49372**	**13.9**	**102**	**7**	**8**	**11**	**16**	**24**	**34**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1222	15.3	193	5	7	10	20	45	99 +	0-17	1071	13.1	201	4	7	9	14	39	78
18-34	1119	17.9	237	7	9	11	22	38	47	18-34	2701	14.6	175	5	7	10	16	33	41
35-49	1267	15.9	150	7	8	12	19	30	45	35-49	3034	12.6	65	6	8	10	15	22	29
50-69	2567	19.8	232	8	11	15	23	38	53	50-69	6649	14.6	127	7	8	11	16	28	39
70 +	226	22.3	250	9	10	18	37	58	63	70 +	1729	15.7	165	7	9	12	18	27	31
SUBTOTAL	**6401**	**17.9**	**214**	**7**	**9**	**13**	**22**	**40**	**56**		**15184**	**14.2**	**134**	**6**	**8**	**11**	**16**	**28**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6401**	**17.9**	**214**	**7**	**9**	**13**	**22**	**40**	**56**		**15184**	**14.2**	**134**	**6**	**8**	**11**	**16**	**28**	**37**

DRG 149: Major Small & Large Bowel Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8456	10.0	19	6	8	9	11	15	19
70-74	6734	9.9	18	6	7	9	11	15	17
75-79	5415	10.6	20	7	8	10	12	16	18
80-84	3851	10.7	31	7	8	9	12	16	19
85 +	1775	12.3	28	7	8	11	14	21	24
SUBTOTAL	**26231**	**10.4**	**22**	**6**	**8**	**9**	**12**	**16**	**19**
GRAND TOTAL	**26231**	**10.4**	**22**	**6**	**8**	**9**	**12**	**16**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4325	7.1	31	3	4	6	8	11	15
18-34	5006	7.9	22	2	5	7	9	14	17
35-49	7768	9.1	23	5	7	8	10	14	17
50-69	15101	9.2	16	6	7	9	10	13	16
70 +	343	9.7	8	6	8	9	12	14	14
	32542	**8.7**	**21**	**4**	**6**	**8**	**10**	**13**	**17**
	32542	**8.7**	**21**	**4**	**6**	**8**	**10**	**13**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1529	7.5	34	3	4	6	9	14	17
18-34	807	7.5	20	2	4	8	9	14	16
35-49	457	13.0	89	6	8	11	12	23	27
50-69	658	10.6	43	4	7	9	12	16	23
70 +	27	8.7	2						
SUBTOTAL	**3478**	**8.8**	**44**	**3**	**5**	**8**	**10**	**15**	**21**
GRAND TOTAL	**3478**	**8.8**	**44**	**3**	**5**	**8**	**10**	**15**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1392	6.8	29	2	3	6	8	13	17
18-34	2039	8.3	26	3	5	7	10	13	19
35-49	1864	8.4	15	5	7	8	9	12	15
50-69	3217	9.2	41	6	7	8	10	13	18
70 +	559	9.5	14	6	7	8	10	14	16
	9070	**8.5**	**29**	**4**	**6**	**8**	**9**	**13**	**17**
	9070	**8.5**	**29**	**4**	**6**	**8**	**9**	**13**	**17**

DRG 150: Peritoneal Adhesiolysis w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5215	13.2	100	6	8	11	15	23	31
70-74	3752	12.9	77	6	8	11	15	21	26
75-79	3637	14.2	89	7	9	11	16	24	34
80-84	2653	15.1	74	8	9	13	19	25	34
85 +	1861	16.4	109	7	10	14	20	29	33
SUBTOTAL	**17117**	**14.0**	**91**	**7**	**9**	**11**	**16**	**24**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17117**	**14.0**	**91**	**7**	**9**	**11**	**16**	**24**	**31**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	826	13.3	97	6	7	10	14	24	40
18-34	1374	10.8	78	4	6	8	12	20	28
35-49	3182	9.7	37	4	6	9	12	16	21
50-69	3968	12.2	82	5	7	10	14	19	30
70 +	251	13.7	41	7	10	11	15	25	28
	9601	**11.3**	**68**	**4**	**7**	**10**	**13**	**19**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9601	**11.3**	**68**	**4**	**7**	**10**	**13**	**19**	**27**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	251	11.8	29	6	7	11	14	18	22
18-34	498	12.6	157	5	7	9	12	24	38
35-49	519	13.6	74	5	8	13	18	27	28
50-69	605	15.9	152	5	7	12	18	33	5[illegible]
70 +	92	14.4	116	4	8	10	15	34	40
SUBTOTAL	**1365**	**13.9**	**117**	**5**	**7**	**11**	**16**	**28**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1965**	**13.9**	**117**	**5**	**7**	**11**	**16**	**28**	**34**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	345	13.7	139	5	8	10	17	23	29
18-34	691	9.0	41	3	5	7	12	17	25
35-49	849	12.6	96	5	7	8	17	26	31
50-69	1017	12.6	60	6	7	11	16	21	24
70 +	150	14.6	37	7	10	14	18	23	30
	3051	**12.0**	**76**	**5**	**7**	**9**	**16**	**22**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3051	**12.0**	**76**	**5**	**7**	**9**	**16**	**22**	**26**

DRG 151: Peritoneal Adhesiolysis w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2710	7.8	23	3	5	7	10	13	16	0-17	1512	7.0	17	3	5	6	8	12	18
70-74	1655	9.4	26	4	6	9	11	16	18	18-34	4162	6.1	15	3	4	5	8	11	13
75-79	1296	9.3	20	4	6	8	12	15	20	35-49	5940	6.9	15	3	4	6	9	12	15
80-84	1051	10.2	20	6	7	9	12	16	19	50-69	4892	7.7	23	3	5	7	9	13	15
85 +	486	11.9	36	7	8	10	16	21	23	70 +	65	11.3	37	4	8	9	15	23	23
SUBTOTAL	**7197**	**9.0**	**25**	**4**	**6**	**8**	**11**	**16**	**19**		**16572**	**7.0**	**18**	**3**	**4**	**6**	**9**	**12**	**15**
GRAND TOTAL	**7197**	**9.0**	**25**	**4**	**6**	**8**	**11**	**16**	**19**		**16572**	**7.0**	**18**	**3**	**4**	**6**	**9**	**12**	**15**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	351	7.1	32	1	4	6	7	17	19	0-17	433	6.8	12	2	5	6	9	12	14
18-34	917	6.0	16	3	4	5	7	12	12	18-34	1089	7.0	13	3	4	6	9	11	16
35-49	627	7.6	16	3	4	8	10	13	14	35-49	1017	7.6	16	4	5	7	9	12	15
50-69	476	8.3	18	4	5	7	11	16	17	50-69	926	8.6	22	4	5	8	10	14	18
70 +	46	9.2	11							70 +	100	10.2	52	2	7	10	12	17	30
SUBTOTAL	**2416**	**7.1**	**19**	**3**	**4**	**6**	**9**	**13**	**16**		**3565**	**7.6**	**18**	**3**	**5**	**7**	**9**	**13**	**16**
GRAND TOTAL	**2416**	**7.1**	**19**	**3**	**4**	**6**	**9**	**13**	**16**		**3565**	**7.6**	**18**	**3**	**5**	**7**	**9**	**13**	**16**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1678	8.7	24	4	6	8	11	15	18	0-17	335	7.9	29	4	5	7	9	12	20
70-74	1395	9.2	42	3	5	8	11	16	22	18-34	335	8.0	28	2	3	7	11	18	19
75-79	1293	8.9	43	2	4	8	11	16	21	35-49	604	7.9	18	2	5	7	10	14	14
80-84	962	8.2	37	2	4	8	10	13	17	50-69	1271	9.9	98	2	5	8	11	17	25
85 +	815	9.7	107	3	5	7	11	18	22	70 +	112	7.4	17	4	6	7	8	8	21
SUBTOTAL	**6143**	**8.9**	**45**	**3**	**5**	**8**	**11**	**15**	**20**		**2656**	**8.9**	**60**	**2**	**5**	**7**	**10**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6143**	**8.9**	**45**	**3**	**5**	**8**	**11**	**15**	**20**		**2656**	**8.9**	**60**	**2**	**5**	**7**	**10**	**16**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	133	11.5	62	5	7	9	21	35	99 +	0-17	133	14.9	348	2	5	7	11	47	69
18-34	88	13.1	14	7	9	14	16	17	17	18-34	151	6.4	11	2	3	8	9	11	11
35-49	129	9.8	16	6	7	8	10	18	18	35-49	146	9.5	41	3	6	8	13	17	25
50-69	270	8.1	17	3	5	8	10	14	16	50-69	205	10.7	74	3	8	9	11	21	21
70 +	0									70 +	76	12.1	17	6	9	13	14	19	19
SUBTOTAL	**620**	**9.9**	**30**	**4**	**7**	**9**	**14**	**18**	**22**		**711**	**10.5**	**106**	**3**	**5**	**9**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**620**	**9.9**	**30**	**4**	**7**	**9**	**14**	**18**	**22**		**711**	**10.5**	**106**	**3**	**5**	**9**	**11**	**18**	**25**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1240	7.2	8	4	6	8	9	11	12	0-17	1457	5.7	7	2	4	6	7	9	10
70-74	779	6.8	12	2	4	7	9	11	12	18-34	1292	5.8	13	1	3	6	8	9	11
75-79	857	7.4	10	3	6	8	9	12	13	35-49	1386	6.0	11	2	4	6	8	9	11
80-84	435	6.7	31	< 1	4	6	9	11	14	50-69	1942	7.2	10	3	5	7	9	11	13
85 +	182	7.2	8	3	5	7	9	10	12	70 +	67	7.8	23	4	4	6	8	11	21
SUBTOTAL	**3494**	**7.1**	**12**	**2**	**5**	**7**	**9**	**11**	**13**		**6144**	**6.3**	**11**	**2**	**4**	**6**	**8**	**10**	**12**
GRAND TOTAL	**3494**	**7.1**	**12**	**2**	**5**	**7**	**9**	**11**	**13**		**6144**	**6.3**	**11**	**2**	**4**	**6**	**8**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	472	7.1	12	2	6	7	9	11	12	0-17	344	6.4	10	2	5	6	8	10	10
18-34	165	6.0	8	1	6	6	8	10	10	18-34	571	5.6	7	2	4	6	7	8	9
35-49	76	6.9	4	5	5	6	8	11	11	35-49	522	7.0	23	1	4	6	8	14	21
50-69	136	8.2	9	5	6	8	9	14	14	50-69	549	6.2	11	2	4	7	8	11	11
70 +	0									70 +	51	8.9	16	4	6	9	10	17	17
SUBTOTAL	**849**	**7.0**	**11**	**2**	**6**	**7**	**9**	**10**	**12**		**2036**	**6.4**	**13**	**2**	**4**	**6**	**8**	**10**	**12**
GRAND TOTAL	**849**	**7.0**	**11**	**2**	**6**	**7**	**9**	**10**	**12**		**2036**	**6.4**	**13**	**2**	**4**	**6**	**8**	**10**	**12**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12364	15.1	161	5	8	11	18	29	42
70-74	8715	16.3	175	6	8	12	20	32	45
75-79	8672	16.3	167	5	8	13	21	31	42
80-84	6529	17.8	265	5	8	13	21	36	56
85 +	4826	17.3	139	6	9	15	22	32	44
SUBTOTAL	**41107**	**16.3**	**180**	**5**	**8**	**12**	**20**	**31**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**41107**	**16.3**	**180**	**5**	**8**	**12**	**20**	**31**	**44**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2207	10.1	51	4	5	8	12	20	25
35-49	6385	11.6	77	5	6	9	14	22	30
50-69	11041	14.1	118	5	8	11	17	28	39
70 +	565	14.3	83	5	8	11	22	28	32
	20198	**12.9**	**99**	**5**	**7**	**10**	**16**	**26**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	20198	**12.9**	**99**	**5**	**7**	**10**	**16**	**26**	**35**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	618	17.5	261	5	7	13	22	37	69
35-49	1226	14.3	170	5	6	10	17	31	43
50-69	1231	15.0	161	5	8	12	18	31	41
70 +	148	25.9	514	6	9	17	40	95	99 +
SUBTOTAL	**3223**	**15.7**	**206**	**5**	**7**	**11**	**19**	**33**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3223**	**15.7**	**206**	**5**	**7**	**11**	**19**	**33**	**44**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1399	10.7	91	5	6	8	12	18	25
35-49	2163	11.9	88	4	7	9	14	24	29
50-69	3303	14.9	157	5	8	11	18	28	41
70 +	597	14.0	102	5	8	11	16	31	39
	7463	**13.2**	**123**	**5**	**7**	**10**	**16**	**25**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7463	**13.2**	**123**	**5**	**7**	**10**	**16**	**25**	**37**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2963	8.4	25	4	6	8	10	15	19
70-74	2042	9.1	23	4	6	8	11	15	17
75-79	1620	9.7	38	4	6	9	12	15	18
80-84	948	9.5	33	3	6	9	12	18	21
85 +	595	10.7	59	3	5	9	14	21	24
SUBTOTAL	**8167**	**9.1**	**31**	**4**	**6**	**8**	**11**	**16**	**20**
GRAND TOTAL	**8167**	**9.1**	**31**	**4**	**6**	**8**	**11**	**16**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2868	7.3	15	4	5	7	8	12	14
35-49	6066	7.7	18	4	5	7	9	12	15
50-69	5980	8.3	28	4	5	7	10	14	18
70 +	173	8.3	17	2	6	9	10	12	12
	15086	**7.9**	**21**	**4**	**5**	**7**	**9**	**13**	**16**
	15086	**7.9**	**21**	**4**	**5**	**7**	**9**	**13**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	565	6.7	7	5	5	6	8	9	10
35-49	570	8.6	25	4	6	7	10	14	18
50-69	390	9.6	50	5	6	9	11	14	21
70 +	41	7.6	9						
SUBTOTAL	**1567**	**8.1**	**25**	**4**	**5**	**7**	**9**	**13**	**16**
GRAND TOTAL	**1567**	**8.1**	**25**	**4**	**5**	**7**	**9**	**13**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	829	7.7	22	4	5	7	8	13	20
35-49	1416	8.6	34	4	6	7	10	12	17
50-69	1015	8.1	20	3	6	7	10	14	18
70 +	135	8.2	19	3	4	7	11	15	16
	3394	**8.2**	**27**	**4**	**5**	**7**	**9**	**13**	**17**
	3394	**8.2**	**27**	**4**	**5**	**7**	**9**	**13**	**17**

Total U.S., July 1988 - June 1989

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	8.8	10						
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**39**	**8.8**	**10**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	28	7.5	22						
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**28**	**7.5**	**22**						
GRAND TOTAL	**68**	**8.3**	**15**	**3**	**5**	**9**	**11**	**13**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	3607	10.4	169	3	3	6	12	24	49
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**3607**	**10.4**	**169**	**3**	**3**	**6**	**12**	**24**	**49**
2.PATIENTS W/OUT CCs									
0-17	9818	4.3	18	2	2	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**9818**	**4.3**	**18**	**2**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**13426**	**5.9**	**66**	**2**	**3**	**3**	**6**	**12**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1825	12.0	118	3	5	9	17	26	50
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**1825**	**12.0**	**118**	**3**	**5**	**9**	**17**	**26**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3798	5.3	28	2	2	4	7	10	12
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**3798**	**5.3**	**28**	**2**	**2**	**4**	**7**	**10**	**12**
GRAND TOTAL	**5622**	**7.5**	**67**	**2**	**3**	**5**	**9**	**18**	**25**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	1153	10.0	132	2	3	5	11	35	44
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**1153**	**10.0**	**132**	**2**	**3**	**5**	**11**	**35**	**44**
2.PATIENTS W/OUT CCs									
0-17	3102	4.4	13	2	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**3102**	**4.4**	**13**	**2**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**4255**	**5.9**	**52**	**2**	**3**	**4**	**6**	**11**	**23**

DRG 157: Anal & Stomal Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6040	5.9	39	2	3	4	7	12	15	0-17	372	5.7	24	1	2	5	6	11	15
70-74	3480	5.9	30	2	3	4	7	11	16	18-34	2304	4.0	13	1	2	3	5	8	10
75-79	3385	7.3	30	2	4	6	10	14	20	35-49	4422	4.2	17	1	2	3	5	7	11
80-84	2329	7.9	73	2	3	6	9	16	23	50-69	5775	5.0	15	1	2	4	7	10	12
85 +	1674	9.0	69	3	4	7	11	17	22	70 +	184	6.6	23	2	3	5	8	14	18
SUBTOTAL	**16907**	**6.8**	**44**	**2**	**3**	**5**	**8**	**14**	**17**		**13058**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16907**	**6.8**	**44**	**2**	**3**	**5**	**8**	**14**	**17**		**13058**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	157	7.1	20	2	4	6	10	10	18	0-17	143	5.8	32	1	3	4	6	11	26
18-34	574	4.4	14	2	2	3	5	7	11	18-34	507	6.0	31	1	3	4	8	11	18
35-49	473	9.9	301	2	3	4	8	19	36	35-49	966	5.1	17	1	2	4	7	9	11
50-69	405	5.6	14	1	3	4	8	11	12	50-69	922	6.0	48	1	2	4	7	13	18
70 +	94	8.9	38	2	6	8	9	14	26	70 +	117	6.9	34	3	4	6	7	9	27
SUBTOTAL	**1702**	**6.7**	**101**	**2**	**3**	**4**	**8**	**12**	**18**		**2655**	**5.7**	**32**	**1**	**3**	**4**	**7**	**10**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1702**	**6.7**	**101**	**2**	**3**	**4**	**8**	**12**	**18**		**2655**	**5.7**	**32**	**1**	**3**	**4**	**7**	**10**	**16**

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7031	3.0	4	1	2	3	4	5	7
70-74	3944	3.4	11	1	1	2	4	6	8
75-79	2652	3.9	13	1	2	3	5	8	9
80-84	1557	3.8	9	1	2	3	5	9	10
85 +	1214	3.6	6	1	2	3	5	7	8
SUBTOTAL	**16399**	**3.4**	**8**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**16399**	**3.4**	**8**	**1**	**2**	**3**	**4**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2623	3.5	8	1	1	3	5	8	9
18-34	15050	2.5	2	1	1	2	3	4	5
35-49	25603	2.6	3	1	1	2	3	5	6
50-69	17742	2.7	4	1	1	2	3	5	6
70 +	182	4.2	14	1	2	3	5	8	15
	61200	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	61200	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	823	3.4	6	1	1	3	5	7	8
18-34	1970	3.1	2	1	2	3	4	5	6
35-49	1213	3.3	6	1	2	3	4	5	6
50-69	643	3.9	7	1	2	4	5	6	7
70 +	35	3.4	2						
SUBTOTAL	**4684**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**4684**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	900	2.9	5	1	1	2	4	6	7
18-34	4050	2.7	6	1	1	2	3	5	6
35-49	4472	2.4	3	1	1	2	3	4	5
50-69	3241	2.6	5	1	1	2	3	6	7
70 +	148	2.5	3	< 1	1	2	4	4	7
	12812	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
	12812	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6244	5.9	20	2	3	5	7	11	15	0-17	0								
70-74	3328	6.3	29	2	3	5	8	10	14	18-34	576	3.6	5	1	2	3	5	7	8
75-79	2448	6.6	23	2	4	6	8	12	15	35-49	1783	5.2	33	1	3	4	6	8	11
80-84	1414	7.8	48	3	4	5	9	17	22	50-69	4503	5.3	22	2	3	4	7	9	11
85 +	812	10.4	145	4	5	8	11	15	30	70 +	150	7.0	42	2	4	5	8	12	30
SUBTOTAL	**14246**	**6.6**	**34**	**2**	**3**	**5**	**8**	**12**	**16**		**7013**	**5.2**	**24**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**14246**	**6.6**	**34**	**2**	**3**	**5**	**8**	**12**	**16**		**7013**	**5.2**	**24**	**2**	**3**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	255	5.2	9	2	3	5	6	11	13	18-34	118	4.8	18	1	2	3	7	12	14
35-49	636	5.9	39	2	3	5	7	10	14	35-49	583	4.9	10	1	3	4	6	8	12
50-69	892	6.0	18	2	3	5	8	12	16	50-69	798	4.9	24	1	2	4	6	9	10
70 +	44	25.4	1343							70 +	149	3.9	8	1	1	4	5	8	8
SUBTOTAL	**1826**	**6.3**	**64**	**2**	**3**	**5**	**7**	**12**	**14**		**1648**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1826**	**6.3**	**64**	**2**	**3**	**5**	**7**	**12**	**14**		**1648**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**11**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6156	3.6	5	1	2	3	5	7	8	0-17	0								
70-74	4445	3.9	10	1	2	3	5	7	8	18-34	4354	2.4	3	1	1	2	3	4	6
75-79	2941	4.2	7	1	2	4	5	7	10	35-49	11220	2.9	4	1	1	2	4	5	6
80-84	1312	4.0	8	1	2	3	5	6	9	50-69	13120	3.2	4	1	2	3	4	6	7
85+	611	4.4	8	1	3	4	5	9	11	70+	146	3.2	5	1	1	2	5	6	8
SUBTOTAL	**15465**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**		**28839**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**
GRAND TOTAL	**15465**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**		**28839**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1008	2.9	2	1	2	3	4	5	6	18-34	1129	2.7	4	1	1	2	4	5	7
35-49	1279	3.1	4	1	2	3	4	6	7	35-49	2453	2.8	5	1	1	2	4	5	7
50-69	1084	4.2	8	1	2	4	5	8	11	50-69	2625	3.1	10	1	1	2	4	6	8
70+	69	5.9	12	3	3	6	7	13	13	70+	297	3.1	4	1	2	3	4	6	6
SUBTOTAL	**3440**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**6504**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**3440**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**6504**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7948	4.0	25	1	2	3	5	8	10
70-74	7067	4.2	22	1	2	3	5	8	12
75-79	7156	4.6	21	1	2	3	6	9	12
80-84	5188	6.1	82	1	2	4	6	12	18
85 +	3616	6.6	33	2	2	5	9	14	19
SUBTOTAL	**30974**	**4.9**	**35**	**1**	**2**	**3**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**30974**	**4.9**	**35**	**1**	**2**	**3**	**6**	**9**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1029	2.2	3	1	1	1	3	5	6
35-49	2152	3.1	8	1	1	2	4	6	8
50-69	6373	3.2	7	1	1	2	4	6	8
70 +	480	3.7	9	1	1	2	5	8	11
	10035	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10035	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	106	2.9	2	1	2	2	4	4	5
35-49	148	2.8	4	1	1	2	4	6	8
50-69	437	3.7	8	1	1	4	5	6	7
70 +	87	4.9	8	3	3	4	5	7	14
SUBTOTAL	**778**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**778**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	205	3.4	12	1	1	2	6	8	12
35-49	467	3.4	11	1	2	2	4	6	11
50-69	908	3.7	20	1	1	2	4	7	13
70 +	395	3.2	7	1	1	2	4	8	8
	1974	**3.5**	**14**	**1**	**1**	**2**	**4**	**8**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1974	**3.5**	**14**	**1**	**1**	**2**	**4**	**8**	**12**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15163	2.2	2	1	1	2	3	4	5
70-74	12445	2.3	2	1	1	2	3	4	5
75-79	9594	2.6	7	1	1	2	3	5	6
80-84	6508	2.7	4	1	1	2	4	5	6
85 +	3123	3.4	7	1	1	3	4	7	9
SUBTOTAL	**46833**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**46833**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	13564	1.6	1	1	1	1	2	3	4
35-49	19612	1.7	1	1	1	1	2	3	4
50-69	31936	1.8	1	1	1	1	2	3	4
70 +	855	2.1	2	1	1	2	3	4	5
	65967	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	65967	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	819	2.1	5	1	1	1	2	4	5
35-49	582	1.8	1	1	1	2	2	3	4
50-69	731	2.4	2	1	1	2	3	4	6
70 +	189	5.4	89	1	1	3	5	5	43
SUBTOTAL	**2321**	**2.4**	**11**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2321**	**2.4**	**11**	**1**	**1**	**2**	**3**	**4**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3286	1.7	2	1	1	1	2	3	4
35-49	3079	1.7	1	1	1	1	2	3	4
50-69	4961	1.8	2	1	1	1	2	3	4
70 +	1059	1.6	1	1	1	1	2	3	4
	12385	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	12385	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 163: Hernia Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	30	2.5	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**30**	**2.5**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	64	1.8							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**64**	**1.8**							
GRAND TOTAL	**94**	**2.0**		**1**	**2**	**2**	**2**	**2**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	1481	2.8	16	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1481**	**2.8**	**16**	**1**	**1**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	22208	1.3	1	< 1	< 1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**22208**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**23689**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	985	4.8	47	1	1	2	5	14	26
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**985**	**4.8**	**47**	**1**	**1**	**2**	**5**	**14**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9180	1.6	4	< 1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**9180**	**1.6**	**4**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**10165**	**1.9**	**9**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	358	2.3	4	1	1	2	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**358**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7441	1.4	2	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**7441**	**1.4**	**2**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**7800**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**2**	**3**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1817	11.8	66	6	7	10	13	19	23
70-74	1300	11.2	22	7	8	10	13	16	19
75-79	894	12.2	40	7	8	10	15	20	26
80-84	503	12.7	36	7	8	11	15	22	28
85 +	348	13.7	156	6	7	12	17	19	28
SUBTOTAL	**4863**	**11.9**	**53**	**6**	**8**	**10**	**14**	**19**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4863**	**11.9**	**53**	**6**	**8**	**10**	**14**	**19**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2193	9.7	24	5	6	9	11	15	20
18-34	1511	8.6	26	5	6	8	10	13	17
35-49	1624	9.6	20	5	6	8	12	17	21
50-69	2222	10.7	26	5	7	9	13	18	21
70 +	58	10.4	42	4	5	8	18	21	21
	7608	**9.7**	**25**	**5**	**7**	**9**	**12**	**16**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7608	**9.7**	**25**	**5**	**7**	**9**	**12**	**16**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	860	10.6	37	5	6	9	14	19	23
18-34	210	11.0	52	5	7	8	13	17	23
35-49	153	27.5	1053	5	7	11	36	89	89
50-69	82	11.2	12	8	9	11	14	18	99 +
70 +	0								
SUBTOTAL	**1305**	**12.7**	**185**	**5**	**7**	**10**	**14**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1305**	**12.7**	**185**	**5**	**7**	**10**	**14**	**22**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1040	9.6	27	5	6	8	11	17	20
18-34	951	8.9	16	5	6	8	10	13	16
35-49	651	11.3	48	4	7	10	14	21	24
50-69	533	10.5	27	5	7	9	12	18	20
70 +	41	13.2	11						
	3216	**10.0**	**29**	**5**	**6**	**9**	**12**	**18**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3216	**10.0**	**29**	**5**	**6**	**9**	**12**	**18**	**21**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1178	8.2	12	4	6	8	10	13	14
70-74	513	8.6	11	5	6	8	10	13	16
75-79	539	9.0	19	4	6	8	10	13	15
80-84	149	8.3	17	5	5	7	12	14	14
85 +	99	8.8	16	4	5	8	12	15	15
SUBTOTAL	**2479**	**8.5**	**14**	**4**	**6**	**8**	**10**	**13**	**15**
GRAND TOTAL	**2479**	**8.5**	**14**	**4**	**6**	**8**	**10**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10871	6.3	8	3	4	6	8	10	11
18-34	7534	5.7	6	3	4	5	7	9	10
35-49	5084	6.6	8	4	5	6	8	10	12
50-69	3864	7.5	13	4	5	7	9	12	15
70 +	17	6.5							
	27370	**6.4**	**9**	**3**	**4**	**6**	**8**	**10**	**11**
	27370	**6.4**	**9**	**3**	**4**	**6**	**8**	**10**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2145	7.1	10	4	5	7	8	11	14
18-34	681	6.4	7	3	4	6	9	10	11
35-49	214	9.1	13	5	6	9	12	14	14
50-69	92	8.4	6	6	6	8	10	12	14
70 +	64	12.5	12						
SUBTOTAL	**3197**	**7.2**	**11**	**4**	**5**	**7**	**9**	**11**	**14**
GRAND TOTAL	**3197**	**7.2**	**11**	**4**	**5**	**7**	**9**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4744	6.7	10	3	5	6	8	10	12
18-34	4108	6.0	6	3	4	6	7	9	11
35-49	1924	6.4	6	3	5	6	8	9	11
50-69	1214	7.3	10	4	5	7	9	11	12
70 +	40	5.4	3						
	12031	**6.5**	**8**	**3**	**5**	**6**	**8**	**10**	**11**
	12031	**6.5**	**8**	**3**	**5**	**6**	**8**	**10**	**11**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	911	7.6	21	3	4	6	9	16	19
70-74	627	7.5	11	4	5	7	9	12	13
75-79	409	7.7	24	4	4	6	10	14	20
80-84	203	11.2	32	5	6	9	14	19	21
85 +	133	11.9	16	7	10	10	16	16	20
SUBTOTAL	2284	8.2	21	4	5	7	10	15	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2284	8.2	21	4	5	7	10	15	18

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2671	4.8	9	2	3	4	6	9	10
18-34	3877	4.8	8	3	3	4	5	8	10
35-49	2289	6.4	13	3	4	5	8	11	13
50-69	1314	6.9	13	3	5	7	8	11	14
70 +	26	9.9	55						
	10177	5.5	11	3	3	5	7	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10177	5.5	11	3	3	5	7	9	11

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	550	4.7	6	3	3	4	6	8	9
18-34	754	5.0	8	2	3	4	6	8	10
35-49	203	5.2	6	3	4	5	6	10	11
50-69	48	4.9	4	2	4	4	6	8	8
70 +	0								
SUBTOTAL	1555	4.9	7	3	3	4	6	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1555	4.9	7	3	3	4	6	8	10

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1143	6.0	69	2	3	4	6	10	16
18-34	1826	4.9	10	3	3	4	6	8	9
35-49	734	5.5	17	3	3	5	6	9	10
50-69	351	7.2	35	3	3	5	8	12	21
70 +	32	7.5	7						
	4086	5.6	31	3	3	4	6	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4086	5.6	31	3	3	4	6	9	11

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1711	4.5	5	2	3	4	5	7	9	0-17	45519	3.0	2	2	2	3	3	4	5
70-74	528	5.1	7	3	3	5	6	8	10	18-34	46094	3.2	2	2	2	3	4	5	6
75-79	361	5.4	9	3	3	4	6	11	11	35-49	15934	3.6	3	2	3	3	4	6	7
80-84	167	5.8	3	4	5	5	6	8	11	50-69	5391	4.2	4	2	3	4	5	6	8
85 +	66	7.8	12	5	6	6	8	14	14	70 +	74	3.0	2	1	2	3	4	99 +	99 +
SUBTOTAL	**2832**	**4.9**	**7**	**2**	**3**	**4**	**6**	**8**	**10**		**113012**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2832**	**4.9**	**7**	**2**	**3**	**4**	**6**	**8**	**10**		**113012**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7026	3.2	2	2	2	3	4	5	6	0-17	16553	2.9	3	2	2	3	3	4	5
18-34	4133	3.6	2	2	3	3	4	5	6	18-34	23670	3.1	2	2	2	3	4	5	5
35-49	580	4.0	2	2	3	4	5	6	7	35-49	5603	3.4	3	2	2	3	4	5	7
50-69	203	4.6	3	2	3	5	5	6	8	50-69	1773	4.1	4	2	3	4	5	7	8
70 +	0									70 +	120	4.7	3	2	4	4	7	7	7
SUBTOTAL	**11942**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**47719**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**11942**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**47719**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

Total U.S., July 1988 - June 1989

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	585	6.4	46	1	2	5	9	14	18
70-74	430	5.0	36	1	1	3	7	13	29
75-79	413	6.4	64	1	2	4	5	13	26
80-84	344	4.1	25	1	1	2	5	10	10
85 +	196	7.9	29	1	4	8	11	18	19
SUBTOTAL	**1969**	**5.8**	**44**	**1**	**2**	**4**	**8**	**13**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1969**	**5.8**	**44**	**1**	**2**	**4**	**8**	**13**	**22**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	222	4.0	19	1	2	2	4	7	19
18-34	449	4.9	16	2	2	3	7	9	16
35-49	489	6.0	25	1	2	4	8	15	18
50-69	755	5.1	33	1	2	2	6	13	16
70 +	10	21.0							
	1925	**5.2**	**27**	**1**	**2**	**3**	**7**	**14**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1925	**5.2**	**27**	**1**	**2**	**3**	**7**	**14**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	99	5.3	14	1	2	4	9	11	11
18-34	191	4.6	12	2	2	2	6	9	12
35-49	170	6.4	28	1	2	5	8	16	19
50-69	99	9.9	88	2	4	8	12	27	33
70 +	0								
SUBTOTAL	**559**	**6.2**	**34**	**1**	**2**	**5**	**9**	**12**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**559**	**6.2**	**34**	**1**	**2**	**5**	**9**	**12**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	3.6	5	1	2	3	5	7	7
18-34	175	5.4	9	2	4	4	7	10	12
35-49	256	6.2	36	1	1	4	10	16	17
50-69	166	9.5	104	2	3	5	10	26	35
70 +	55	8.1	122	1	1	2	9	34	34
	794	**6.3**	**48**	**1**	**2**	**4**	**7**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	794	**6.3**	**48**	**1**	**2**	**4**	**7**	**16**	**22**

DRG 169: Mouth Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	834	2.6	12	1	1	1	2	4	12	0-17	2453	2.1	3	< 1	1	2	2	4	6
70-74	473	2.7	4	1	1	2	3	5	8	18-34	1388	2.8	6	1	1	2	4	6	8
75-79	426	2.4	4	1	1	2	4	4	9	35-49	1396	2.3	8	1	1	1	3	4	6
80-84	211	2.4	4	1	1	1	3	5	6	50-69	1717	2.3	6	< 1	1	1	3	4	7
85 +	213	1.9	2	1	1	1	2	3	7	70 +	75	2.6	3						
SUBTOTAL	**2158**	**2.5**	**7**	**1**	**1**	**2**	**3**	**5**	**8**		**7029**	**2.3**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2158**	**2.5**	**7**	**1**	**1**	**2**	**3**	**5**	**8**		**7029**	**2.3**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	526	2.2	5	1	1	2	3	4	6	0-17	674	2.1	2	1	1	2	3	4	5
18-34	145	3.5	28	1	1	1	4	14	22	18-34	445	4.6	32	1	2	3	6	7	9
35-49	58	2.3	4	1	1	2	2	7	7	35-49	429	3.1	11	1	1	2	4	7	11
50-69	116	4.0	17	1	1	2	6	11	15	50-69	373	2.7	8	1	1	2	3	5	8
70 +	15	5.5	7							70 +	46	2.2	2						
SUBTOTAL	**861**	**2.7**	**11**	**1**	**1**	**2**	**3**	**6**	**8**		**1968**	**3.0**	**13**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**861**	**2.7**	**11**	**1**	**1**	**2**	**3**	**6**	**8**		**1968**	**3.0**	**13**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 170: Other Digestive System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3026	15.7	166	4	7	12	20	35	45	0-17	611	8.9	85	2	4	6	11	19	40
70-74	1978	16.1	194	5	8	12	20	34	41	18-34	1122	8.9	110	2	4	6	10	13	26
75-79	1563	17.7	236	5	8	13	20	38	51	35-49	1595	12.0	101	3	6	9	15	25	34
80-84	1088	17.3	231	6	8	14	19	40	50	50-69	2534	12.7	109	4	7	10	15	26	37
85 +	666	20.1	314	6	8	15	25	56	77	70 +	163	18.7	62	8	14	21	22	27	33
SUBTOTAL	**8320**	**16.7**	**208**	**5**	**8**	**13**	**20**	**35**	**48**		**6025**	**11.6**	**107**	**3**	**5**	**9**	**14**	**25**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8320**	**16.7**	**208**	**5**	**8**	**13**	**20**	**35**	**48**		**6025**	**11.6**	**107**	**3**	**5**	**9**	**14**	**25**	**36**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	218	19.4	510	5	6	9	23	67	73	0-17	345	9.3	52	2	4	7	16	21	24
18-34	309	10.9	122	4	5	7	13	24	24	18-34	759	8.3	64	3	4	6	10	14	18
35-49	273	13.1	160	2	5	7	20	29	41	35-49	490	9.6	71	1	5	7	12	19	24
50-69	278	15.1	148	4	6	14	18	23	47	50-69	731	13.5	159	4	6	8	17	32	47
70 +	68	20.3	71							70 +	122	12.8	52	2	8	12	18	22	27
SUBTOTAL	**1145**	**14.6**	**218**	**4**	**5**	**9**	**20**	**27**	**47**		**2447**	**10.5**	**96**	**3**	**5**	**7**	**13**	**21**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1145**	**14.6**	**218**	**4**	**5**	**9**	**20**	**27**	**47**		**2447**	**10.5**	**96**	**3**	**5**	**7**	**13**	**21**	**30**

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	646	7.9	24	3	5	6	9	15	20	0-17	1656	4.5	16	2	2	3	5	8	11	
70-74	439	6.1	18	1	3	5	8	13	15	18-34	3874	4.3	14	1	2	4	6	8	10	
75-79	281	8.4	126	1	3	6	9	16	17	35-49	2058	4.7	11	1	2	4	7	10	11	
80-84	199	11.0	47	4	5	9	17	20	22	50-69	1467	6.5	20	2	4	6	8	12	14	
85 +	127	8.9	23	1	6	9	12	15	16	70 +	0									
SUBTOTAL	**1692**	**8.0**	**44**	**2**	**4**	**6**	**10**	**16**	**20**		**9055**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	
GRAND TOTAL	**1692**	**8.0**	**44**	**2**	**4**	**6**	**10**	**16**	**20**		**9055**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	343	5.5	33	2	3	4	6	9	24	0-17	632	3.4	5	1	2	3	4	6	9	
18-34	610	4.0	5	1	3	4	6	7	8	18-34	1499	3.9	15	1	1	3	5	7	8	
35-49	204	4.7	6	2	2	4	6	9	9	35-49	576	5.3	12	1	3	5	6	8	12	
50-69	115	6.4	30	< 1	3	4	8	15	22	50-69	335	5.4	14	2	3	4	7	11	15	
70 +	0									70 +	49	9.7	25							
SUBTOTAL	**1272**	**4.8**	**15**	**1**	**3**	**4**	**6**	**8**	**10**		**3091**	**4.3**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	
GRAND TOTAL	**1272**	**4.8**	**15**	**1**	**3**	**4**	**6**	**8**	**10**		**3091**	**4.3**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	

DRG 172: Digestive Malignancy w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4761	11.0	124	2	4	7	13	23	38
70-74	4903	9.8	62	2	4	8	14	20	25
75-79	3695	8.6	61	2	4	7	10	17	24
80-84	3737	9.9	67	3	4	8	13	19	23
85 +	3664	10.4	77	3	5	8	13	20	25
SUBTOTAL	**20760**	**10.0**	**80**	**2**	**4**	**8**	**13**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20760**	**10.0**	**80**	**2**	**4**	**8**	**13**	**20**	**27**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	5.6	20	1	1	3	10	13	13
18-34	273	6.7	32	2	3	6	8	11	13
35-49	1258	7.5	45	2	3	6	9	16	20
50-69	5256	8.8	78	2	4	7	11	17	27
70 +	229	13.3	88	3	5	10	24	26	29
	7149	**8.6**	**71**	**2**	**3**	**6**	**11**	**17**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7149	**8.6**	**71**	**2**	**3**	**6**	**11**	**17**	**25**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	95	16.1	313	1	1	12	12	42	55
18-34	45	9.5	2						
35-49	406	9.5	37	4	6	8	12	19	23
50-69	729	11.7	154	2	3	7	16	30	42
70 +	28	15.2							
SUBTOTAL	**1304**	**11.3**	**123**	**2**	**4**	**8**	**15**	**24**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1304**	**11.3**	**123**	**2**	**4**	**8**	**15**	**24**	**42**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	3.8	7						
18-34	40	14.1	185						
35-49	428	9.9	67	2	5	8	12	19	34
50-69	1571	9.8	84	2	4	7	13	20	26
70 +	258	10.3	106	3	5	7	11	21	26
	2328	**9.9**	**85**	**2**	**4**	**7**	**13**	**20**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2328	**9.9**	**85**	**2**	**4**	**7**	**13**	**20**	**26**

DRG 173: Digestive Malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1094	4.5	28	< 1	1	3	5	8	12	0-17	85	2.9	10	1	1	1	2	9	9
70-74	896	7.1	102	1	1	4	8	13	23	18-34	62	3.0	18						
75-79	748	6.4	30	1	2	5	10	13	15	35-49	507	4.5	20	1	2	3	6	11	12
80-84	713	5.6	61	1	2	4	6	10	14	50-69	1946	4.7	20	< 1	2	3	6	10	13
85 +	555	4.6	34	< 1	2	3	6	10	11	70 +	120	5.5	18	2	2	3	8	11	14
SUBTOTAL	**4006**	**5.7**	**52**	**1**	**2**	**4**	**7**	**11**	**15**		**2721**	**4.6**	**20**	**< 1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**4006**	**5.7**	**52**	**1**	**2**	**4**	**7**	**11**	**15**		**2721**	**4.6**	**20**	**< 1**	**2**	**3**	**6**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	2.9	2							0-17	23	3.0	2						
18-34	65	4.5	7	1	3	4	8	8	8	18-34	44	3.5	4						
35-49	69	11.6	157	3	4	10	11	45	45	35-49	252	4.4	7	1	2	4	6	9	9
50-69	234	5.4	16	1	2	3	10	10	10	50-69	609	4.7	13	1	2	4	6	9	12
70 +	23	7.0	5							70 +	109	3.5	4	1	2	3	5	5	9
SUBTOTAL	**413**	**6.3**	**42**	**1**	**3**	**4**	**10**	**10**	**11**		**1037**	**4.4**	**10**	**1**	**2**	**4**	**5**	**9**	**9**
GRAND TOTAL	**413**	**6.3**	**42**	**1**	**3**	**4**	**10**	**10**	**11**		**1037**	**4.4**	**10**	**1**	**2**	**4**	**5**	**9**	**9**

DRG 174: G.I. Hemorrhage w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	31703	6.3	24	2	3	5	8	11	15	0-17	1463	4.2	49	1	2	3	5	10	10
70-74	25057	6.4	25	3	4	5	8	11	15	18-34	5173	3.9	8	2	2	3	5	6	9
75-79	27528	6.9	30	3	4	5	8	12	16	35-49	11008	4.5	8	2	3	4	6	8	9
80-84	23902	7.5	49	3	4	6	9	13	17	50-69	21241	5.3	16	2	3	4	6	9	12
85 +	27043	7.9	48	3	4	6	10	15	19	70 +	1991	6.3	21	2	3	5	8	12	15
SUBTOTAL	**135232**	**7.0**	**35**	**3**	**4**	**5**	**8**	**12**	**17**		**40876**	**4.9**	**15**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**135232**	**7.0**	**35**	**3**	**4**	**5**	**8**	**12**	**17**		**40876**	**4.9**	**15**	**2**	**3**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	505	5.2	31	2	3	4	6	9	16	0-17	329	3.5	7	< 1	2	3	5	5	9
18-34	1569	4.9	14	2	3	4	6	9	10	18-34	3589	3.8	9	1	2	3	5	6	9
35-49	2926	6.4	20	2	3	6	8	12	15	35-49	5944	5.0	18	2	3	4	6	9	12
50-69	3669	6.8	34	3	4	6	8	12	15	50-69	7970	4.9	10	2	3	4	6	8	11
70 +	772	7.7	30	3	4	6	10	14	17	70 +	1948	6.1	46	2	3	4	7	11	14
SUBTOTAL	**9442**	**6.4**	**27**	**2**	**3**	**5**	**8**	**11**	**15**		**19779**	**4.8**	**16**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9442**	**6.4**	**27**	**2**	**3**	**5**	**8**	**11**	**15**		**19779**	**4.8**	**16**	**2**	**3**	**4**	**6**	**8**	**11**

DRG 175: G.I. Hemorrhage w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8094	4.2	8	2	3	4	5	7	8	0-17	2325	2.8	8	1	1	2	3	5	7
70-74	6725	4.7	14	2	3	4	6	8	9	18-34	5444	3.1	3	1	2	3	4	5	6
75-79	6659	5.0	10	2	3	4	6	8	10	35-49	8764	3.5	4	1	2	3	4	6	7
80-84	6288	5.1	11	2	3	4	6	8	11	50-69	12941	3.9	5	2	2	3	5	6	7
85 +	5342	5.5	16	2	3	5	7	9	12	70 +	629	4.4	14	2	2	3	5	9	10
SUBTOTAL	**33107**	**4.8**	**12**	**2**	**3**	**4**	**6**	**8**	**10**		**30104**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**33107**	**4.8**	**12**	**2**	**3**	**4**	**6**	**8**	**10**		**30104**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1217	3.1	5	1	2	3	4	5	6	0-17	874	2.6	4	1	1	2	3	4	6
18-34	861	3.1	3	1	2	3	4	5	6	18-34	2958	2.8	2	1	2	3	4	5	5
35-49	782	4.0	9	1	3	3	5	7	12	35-49	2529	3.2	4	1	2	3	4	6	7
50-69	1013	4.9	7	2	4	4	6	7	10	50-69	3788	3.6	5	2	2	3	4	6	7
70 +	250	3.8	3	2	2	4	5	6	6	70 +	762	3.5	3	2	2	3	5	6	6
SUBTOTAL	**4122**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**7**		**10910**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**4122**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**7**		**10910**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 176: Complicated Peptic Ulcer

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2618	7.5	37	3	4	6	9	14	17	0-17	80	5.0	14	1	1	4	7	12	12
70-74	1455	7.6	34	3	4	6	9	15	17	18-34	455	5.5	24	1	2	4	9	10	13
75-79	1620	8.3	48	3	4	6	10	17	22	35-49	873	6.0	26	2	3	4	7	11	19
80-84	1380	8.5	53	3	5	7	9	15	20	50-69	1691	6.1	27	2	3	5	7	12	15
85 +	1324	10.9	85	4	5	7	15	27	30	70 +	100	10.0	33	2	8	10	11	13	26
SUBTOTAL	**8397**	**8.4**	**50**	**3**	**4**	**6**	**10**	**16**	**22**		**3199**	**6.1**	**27**	**2**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	914	5.6	18	2	3	5	7	9	14	0-17	146	3.6	6	2	2	3	4	6	11
70-74	666	5.4	14	2	3	4	7	12	13	18-34	469	4.5	15	1	2	4	6	9	9
75-79	518	5.2	8	2	3	4	8	9	10	35-49	1263	5.1	11	2	3	4	7	10	12
80-84	312	4.3	6	1	3	4	6	8	8	50-69	1101	4.7	7	2	3	4	6	8	10
85 +	276	6.6	13	2	4	6	8	11	15	70 +	39	4.5	2						
SUBTOTAL	**2687**	**5.4**	**13**	**2**	**3**	**4**	**7**	**10**	**13**		**3018**	**4.8**	**10**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**11084**	**7.7**	**43**	**3**	**4**	**6**	**9**	**15**	**19**		**6217**	**5.5**	**19**	**2**	**3**	**4**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	46	5.4	15							0-17	40	2.6	1						
18-34	93	6.7	30	2	3	3	10	18	18	18-34	224	5.2	15	2	3	3	6	10	13
35-49	172	5.4	4	3	4	6	7	8	8	35-49	251	4.5	11	2	2	3	5	10	13
50-69	340	7.2	45	3	3	5	8	13	18	50-69	421	6.6	33	2	4	6	8	9	19
70 +	38	4.9	17							70 +	88	5.3	3	4	4	5	7	8	8
SUBTOTAL	**688**	**6.5**	**30**	**3**	**3**	**5**	**8**	**11**	**18**		**1023**	**5.5**	**21**	**2**	**3**	**5**	**7**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	126	2.8	3	1	1	2	4	5	6	0-17	98	6.4	19	2	3	3	12	12	12
18-34	88	3.2	5	1	2	3	3	9	9	18-34	239	4.7	7	1	3	5	6	7	8
35-49	192	4.8	8	1	3	5	7	8	10	35-49	306	4.6	4	2	3	4	6	8	8
50-69	149	5.2	7	3	4	4	5	11	13	50-69	296	4.9	8	2	2	6	6	9	10
70 +	0									70 +	16	5.0	4						
SUBTOTAL	**554**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**10**		**955**	**4.9**	**8**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**1242**	**5.4**	**21**	**2**	**3**	**4**	**7**	**9**	**13**		**1978**	**5.2**	**15**	**2**	**3**	**5**	**7**	**9**	**12**

Total U.S., July 1988 - June 1989

DRG 177: Uncomplicated Peptic Ulcer w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5624	5.5	16	2	3	4	7	9	12	0-17	323	4.0	9	1	2	3	6	8	9
70-74	3873	5.9	12	3	3	5	7	10	12	18-34	1818	4.1	20	2	3	3	5	7	9
75-79	4124	6.2	17	3	4	5	7	10	13	35-49	3772	4.7	9	2	3	4	6	8	12
80-84	2881	6.6	19	3	4	6	8	12	16	50-69	4704	5.0	10	2	3	4	6	9	10
85 +	2231	8.4	42	3	4	7	10	16	19	70 +	227	5.5	12	2	3	4	8	10	10
SUBTOTAL	**18734**	**6.2**	**20**	**3**	**4**	**5**	**7**	**11**	**14**		**10844**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**18734**	**6.2**	**20**	**3**	**4**	**5**	**7**	**11**	**14**		**10844**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**11**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	84	4.4	7	1	2	3	6	7	10	0-17	105	3.9	4	2	3	3	5	6	8
18-34	454	3.8	5	1	2	3	4	7	10	18-34	645	4.4	8	1	2	4	7	9	9
35-49	657	4.7	9	2	3	4	5	7	12	35-49	987	4.3	11	2	3	4	5	7	8
50-69	708	6.1	14	3	3	6	7	9	12	50-69	912	4.9	25	2	3	4	5	8	12
70 +	162	7.4	19	3	3	5	14	14	14	70 +	298	5.2	10	3	3	4	7	8	12
SUBTOTAL	**2065**	**5.2**	**12**	**2**	**3**	**4**	**6**	**9**	**12**		**2946**	**4.6**	**15**	**2**	**3**	**4**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2065**	**5.2**	**12**	**2**	**3**	**4**	**6**	**9**	**12**		**2946**	**4.6**	**15**	**2**	**3**	**4**	**5**	**8**	**9**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	3502	4.2	9	2	3	4	5	7	8	0-17	675	3.3	3	2	2	3	4	7	7
70-74	1775	4.7	8	2	3	4	6	8	10	18-34	4782	3.4	4	1	2	3	4	6	7
75-79	1483	4.4	6	2	3	4	5	7	10	35-49	7865	3.6	5	1	2	3	4	6	8
80-84	1235	4.6	7	2	3	4	6	8	10	50-69	5667	3.8	5	2	2	3	5	7	8
85 +	764	7.1	52	2	4	5	7	11	14	70 +	134	3.6	2	2	2	3	4	6	7
SUBTOTAL	**8759**	**4.6**	**12**	**2**	**3**	**4**	**6**	**8**	**10**		**19122**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**8759**	**4.6**	**12**	**2**	**3**	**4**	**6**	**8**	**10**		**19122**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	99	5.6	15	< 1	2	5	7	12	12	0-17	240	2.8	2	1	2	2	4	5	5
18-34	933	3.4	8	1	2	3	4	6	7	18-34	1253	3.5	8	1	2	3	4	5	7
35-49	672	3.7	4	2	2	3	5	6	7	35-49	1703	3.5	4	1	2	3	4	6	7
50-69	448	4.2	10	1	2	3	5	10	11	50-69	1117	3.7	5	1	2	3	5	7	9
70 +	40	5.4	1							70 +	94	3.6	3	2	3	3	4	4	9
SUBTOTAL	**2192**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**8**		**4407**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2192**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**8**		**4407**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 179: Inflammatory Bowel Disease

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2173	9.2	65	3	4	7	11	18	30	0-17	983	9.6	96	3	5	6	11	22	25
70-74	1288	10.4	75	3	5	9	13	21	25	18-34	3885	8.7	61	3	4	6	10	18	26
75-79	942	9.1	51	3	5	7	12	18	21	35-49	3392	8.0	51	2	4	6	9	15	22
80-84	727	12.8	82	5	7	9	17	29	31	50-69	2149	7.9	26	3	5	6	10	14	19
85 +	628	12.7	92	5	7	10	16	20	33	70 +	58	11.0	64	3	5	9	22	25	25
SUBTOTAL	**5759**	**10.3**	**72**	**3**	**5**	**7**	**13**	**20**	**30**		**10468**	**8.4**	**54**	**3**	**4**	**6**	**10**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	991	5.8	16	2	3	5	7	11	14	0-17	2097	6.2	38	2	2	4	7	13	19
70-74	340	7.0	16	3	4	6	10	13	14	18-34	5171	6.1	19	2	3	5	8	11	15
75-79	498	8.0	35	2	4	7	10	16	21	35-49	3092	6.3	22	2	3	5	8	12	17
80-84	203	8.7	45	4	4	6	10	18	24	50-69	1580	6.1	20	2	3	5	8	12	15
85 +	87	11.1	42	6	7	7	13	26	26	70 +	16	5.0	1						
SUBTOTAL	**2119**	**7.0**	**26**	**2**	**4**	**6**	**8**	**14**	**18**		**11956**	**6.2**	**23**	**2**	**3**	**5**	**8**	**12**	**16**
GRAND TOTAL	**7878**	**9.4**	**62**	**3**	**4**	**7**	**12**	**19**	**27**		**22423**	**7.2**	**39**	**2**	**4**	**5**	**9**	**14**	**19**

TYPE OF PATIENT	MEDICAID										NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	129	15.3	236	3	6	10	20	39	64	0-17	116	10.0	72	3	4	6	14	30	30
18-34	708	10.2	136	2	4	7	11	25	28	18-34	924	8.1	80	2	4	5	8	18	23
35-49	204	10.4	56	5	6	7	14	15	23	35-49	516	7.6	37	2	3	6	9	16	20
50-69	186	9.2	91	4	4	5	9	17	36	50-69	440	7.0	32	2	3	6	9	13	17
70 +	18	5.3	2							70 +	31	7.3	7						
SUBTOTAL	**1245**	**10.6**	**127**	**3**	**5**	**7**	**13**	**23**	**36**		**2027**	**7.8**	**58**	**2**	**3**	**6**	**9**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	237	4.9	11	2	2	3	7	10	13	0-17	421	6.5	33	1	2	5	8	14	20
18-34	853	5.8	31	2	3	4	7	11	14	18-34	1380	5.4	14	2	3	4	6	10	11
35-49	172	5.1	4	3	3	5	7	7	11	35-49	770	5.7	17	2	3	5	8	10	14
50-69	146	8.5	76	2	2	4	15	24	24	50-69	414	8.1	24	4	5	6	10	16	19
70 +	0									70 +	25	6.8	9						
SUBTOTAL	**1407**	**5.8**	**30**	**2**	**3**	**4**	**7**	**11**	**14**		**3010**	**6.0**	**20**	**2**	**3**	**5**	**8**	**11**	**18**
GRAND TOTAL	**2652**	**8.0**	**81**	**2**	**3**	**5**	**9**	**15**	**25**		**5037**	**6.8**	**36**	**2**	**3**	**5**	**8**	**14**	**19**

Total U.S., July 1988 - June 1989

DRG 180: G.I. Obstruction w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	11616	7.1	51	2	3	5	8	13	18		0-17	1103	3.8	11	1	2	3	5	7	9
70-74	9420	7.3	32	2	4	6	9	14	17		18-34	1217	4.9	15	1	2	4	6	9	11
75-79	10833	7.3	34	2	4	6	9	13	17		35-49	2988	5.5	15	2	3	4	8	11	14
80-84	9789	8.0	38	3	4	7	10	15	19		50-69	6347	6.3	42	2	3	5	7	13	17
85 +	11471	8.8	47	3	4	7	11	17	22		70 +	708	8.3	66	2	4	6	9	17	22
SUBTOTAL	**53129**	**7.7**	**42**	**2**	**4**	**6**	**10**	**14**	**19**			**12364**	**5.9**	**32**	**2**	**3**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**53129**	**7.7**	**42**	**2**	**4**	**6**	**10**	**14**	**19**			**12364**	**5.9**	**32**	**2**	**3**	**4**	**7**	**11**	**16**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	514	4.0	11	2	2	3	5	8	8		0-17	352	3.8	22	1	1	3	4	7	13
18-34	783	7.1	46	2	3	5	8	13	20		18-34	538	5.4	23	2	2	4	6	11	19
35-49	666	6.3	20	2	3	4	8	14	14		35-49	739	5.9	48	2	2	4	6	11	20
50-69	1868	6.8	31	2	4	5	8	13	17		50-69	1679	5.9	23	2	3	4	7	11	17
70 +	263	7.4	9	3	5	8	10	99 +	99 +		70 +	836	6.6	34	2	3	5	8	14	22
SUBTOTAL	**4094**	**6.4**	**29**	**2**	**3**	**5**	**8**	**13**	**17**			**4143**	**5.8**	**30**	**2**	**3**	**4**	**7**	**11**	**18**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**4094**	**6.4**	**29**	**2**	**3**	**5**	**8**	**13**	**17**			**4143**	**5.8**	**30**	**2**	**3**	**4**	**7**	**11**	**18**

DRG 181: G.I. Obstruction w/o CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	7494	4.4	8	2	3	4	6	8	10	0-17	4179	2.4	4	1	1	2	3	5	6	
70-74	5848	4.5	9	2	3	4	6	8	10	18-34	3654	3.4	6	1	2	3	5	6	9	
75-79	5277	4.9	13	2	3	4	6	8	11	35-49	7669	4.3	11	1	2	3	5	8	10	
80-84	4453	5.0	12	2	3	4	7	9	12	50-69	9467	4.2	7	2	2	4	5	7	9	
85 +	4521	5.2	16	2	3	4	7	9	11	70 +	355	4.1	8	1	2	4	5	7	10	
SUBTOTAL	**27593**	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**11**		**25325**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	
GRAND TOTAL	**27593**	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**11**		**25325**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	1633	3.1	5	1	1	2	4	6	7	0-17	1452	2.5	5	1	1	2	3	5	6	
18-34	959	4.8	17	2	3	4	5	7	10	18-34	1739	3.9	6	2	2	3	5	6	8	
35-49	1121	4.4	10	1	3	4	5	8	11	35-49	2299	4.2	9	1	2	4	5	9	10	
50-69	991	5.3	17	2	3	4	7	8	15	50-69	2269	4.4	11	1	2	4	5	8	10	
70 +	96	5.7	6	3	4	6	7	9	10	70 +	528	4.1	10	2	2	3	5	9	10	
SUBTOTAL	**4801**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**10**		**8287**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**10**	
GRAND TOTAL	**4801**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**10**		**8287**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**10**	

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	72288	5.6	24	2	3	4	7	10	13
70-74	49918	5.8	26	2	3	5	7	11	14
75-79	51165	6.3	31	2	3	5	8	12	15
80-84	43546	6.6	33	2	3	5	8	12	16
85 +	39450	7.2	50	2	4	5	9	13	18
SUBTOTAL	**256366**	**6.2**	**32**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**256366**	**6.2**	**32**	**2**	**3**	**5**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	41988	3.3	7	1	2	3	4	6	8
35-49	43729	4.1	11	1	2	3	5	8	10
50-69	56132	4.7	18	2	2	4	6	9	11
70 +	2781	5.7	18	2	3	5	7	10	14
	144629	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	144629	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	9543	3.9	11	1	2	3	5	7	9
35-49	8766	5.3	33	2	3	4	6	10	13
50-69	9966	5.5	26	2	3	4	7	10	14
70 +	1380	6.5	23	2	3	5	8	13	16
SUBTOTAL	**29654**	**5.0**	**24**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**29654**	**5.0**	**24**	**2**	**2**	**4**	**6**	**9**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	13324	3.4	10	1	2	3	4	6	8
35-49	12306	4.1	14	1	2	3	5	8	10
50-69	12580	4.7	25	2	2	4	6	9	11
70 +	3019	5.1	25	2	2	4	6	9	12
	41229	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	41229	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	35071	4.0	8	1	2	3	5	8	9
70-74	23480	4.1	10	1	2	4	5	7	9
75-79	18185	4.4	12	1	2	4	6	8	10
80-84	13698	4.5	14	1	2	4	6	8	11
85 +	10725	5.0	24	1	2	4	6	9	12
SUBTOTAL	**101159**	**4.3**	**12**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**101159**	**4.3**	**12**	**1**	**2**	**4**	**5**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	75419	2.7	4	1	1	2	3	5	6
35-49	72001	3.4	8	1	2	3	4	6	8
50-69	61662	3.6	6	1	2	3	5	7	8
70 +	1694	3.3	5	1	2	3	5	6	7
	210777	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
	210777	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	13274	2.8	4	1	1	2	4	5	7
35-49	7056	3.9	9	1	2	3	5	7	10
50-69	4426	4.3	9	1	2	4	6	8	10
70 +	550	4.5	14	1	1	4	6	8	14
SUBTOTAL	**25306**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**25306**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	27045	2.6	5	1	1	2	3	5	7
35-49	15180	3.2	6	1	2	2	4	6	7
50-69	12453	3.4	6	1	2	3	4	7	8
70 +	1878	3.7	9	1	2	3	5	7	9
	56556	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
	56556	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

Total U.S., July 1988 - June 1989

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	513	2.8	4	1	2	2	3	6	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**513**	**2.8**	**4**	**1**	**2**	**2**	**3**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	386	3.6	4	1	2	3	6	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**386**	**3.6**	**4**	**1**	**2**	**3**	**6**	**7**	**7**
GRAND TOTAL	**899**	**3.2**	**4**	**1**	**2**	**3**	**4**	**7**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	74535	2.9	9	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	74535	**2.9**	**9**	**1**	**2**	**2**	**3**	**5**	**6**
0-17	89421	2.6	6	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	89421	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
	163956	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31695	3.8	17	1	2	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**31695**	**3.8**	**17**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39053	3.0	8	1	2	2	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**39053**	**3.0**	**8**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**70748**	**3.3**	**12**	**1**	**2**	**3**	**4**	**6**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22214	3.2	15	1	2	2	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	22214	**3.2**	**15**	**1**	**2**	**2**	**4**	**5**	**7**
0-17	30474	2.7	7	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	30474	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
	52688	**2.9**	**10**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	795	7.1	39	1	3	5	9	16	21	0-17	0								
70-74	430	7.6	32	2	4	7	10	15	21	18-34	1430	4.0	12	1	2	3	5	9	12
75-79	427	7.2	119	2	3	6	7	11	13	35-49	851	4.9	20	1	2	4	6	11	15
80-84	412	7.0	55	2	3	5	8	17	17	50-69	735	5.6	26	1	2	4	7	12	17
85 +	361	7.1	41	3	3	6	8	11	15	70 +	26	11.4	1						
SUBTOTAL	**2426**	**7.2**	**55**	**2**	**3**	**5**	**8**	**15**	**20**		**3042**	**4.7**	**18**	**1**	**2**	**3**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	451	5.3	52	1	2	3	5	9	30	0-17	0								
70-74	221	4.2	8	1	2	3	5	9	11	18-34	2620	2.5	4	1	1	2	3	5	6
75-79	203	4.5	30	1	2	2	5	10	10	35-49	974	3.2	5	1	1	3	4	7	8
80-84	178	6.2	20	2	2	4	9	14	14	50-69	641	3.5	6	1	2	3	5	7	7
85 +	77	3.4	2	1	3	3	4	6	6	70 +	74	2.2	6						
SUBTOTAL	**1130**	**5.0**	**32**	**1**	**2**	**3**	**5**	**10**	**14**		**4309**	**2.8**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**3555**	**6.5**	**48**	**1**	**3**	**5**	**8**	**13**	**19**		**7351**	**3.6**	**11**	**1**	**1**	**3**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	371	5.2	33	1	2	4	6	8	17	18-34	1136	4.5	49	1	2	3	5	7	12
35-49	255	7.1	27	2	3	5	11	17	17	35-49	628	3.6	17	1	2	3	4	5	7
50-69	108	5.8	3	4	4	6	7	7	10	50-69	351	5.4	20	1	2	4	9	10	13
70 +	0									70 +	42	4.9	19						
SUBTOTAL	**733**	**5.9**	**27**	**1**	**3**	**5**	**7**	**11**	**17**		**2157**	**4.4**	**35**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	654	3.4	7	1	2	3	4	8	9	18-34	2425	2.4	3	1	1	2	3	4	6
35-49	188	3.3	7	1	1	3	5	7	8	35-49	739	2.9	4	1	1	2	4	6	7
50-69	70	8.1	137	1	2	3	6	36	36	50-69	326	3.7	12	1	1	3	4	11	12
70 +	9	3.0								70 +	20	1.0							
SUBTOTAL	**922**	**3.7**	**18**	**1**	**1**	**3**	**4**	**8**	**9**		**3511**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1655**	**4.7**	**23**	**1**	**2**	**3**	**6**	**9**	**12**		**5668**	**3.3**	**17**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	3.5								0-17	3298	3.5	6	1	2	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**17**	**3.5**									**3298**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	2.0								0-17	4365	2.3	2	1	1	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**32**	**2.0**									**4365**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**49**	**2.5**	**1**								**7663**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1615	3.5	4	1	2	3	5	6	7	0-17	1271	3.3	5	1	2	3	4	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1615**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**7**		**1271**	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2315	2.9	4	1	1	2	4	6	7	0-17	2195	2.7	8	1	1	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2315**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**		**2195**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3930**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**3466**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 187: Dental Extractions & Restorations

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	621	3.7	14	1	2	2	5	8	8	0-17	549	2.0	3	<1	1	1	3	4	5
70-74	143	2.8	7	1	1	1	3	7	9	18-34	400	2.5	4	1	1	2	3	6	7
75-79	178	4.9	33	1	2	3	5	7	27	35-49	192	3.9	11	1	2	2	7	10	10
80-84	61	2.7	3	1	1	3	4	5	6	50-69	176	3.2	14	1	1	2	3	7	8
85 +	92	3.1	6	1	2	2	3	9	9	70 +	0								
SUBTOTAL	**1095**	**3.7**	**15**	**1**	**1**	**2**	**5**	**6**	**9**		**1317**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	338	1.9	4	<1	<1	1	2	4	6	0-17	2920	1.3	2	<1	<1	<1	1	2	2
70-74	116	1.9	1	1	1	2	2	3	5	18-34	1579	1.5	2	<1	<1	1	1	2	3
75-79	196	1.6	1	<1	<1	1	2	3	4	35-49	257	2.2	6	<1	<1	1	2	5	9
80-84	100	1.6	1	<1	<1	1	2	3	3	50-69	184	1.8	1	1	1	1	2	3	4
85 +	57	1.9		1	1	2	2	3	3	70 +	6	1.0							
SUBTOTAL	**807**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**		**4946**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**
GRAND TOTAL	**1902**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**		**6263**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	639	2.6	6	<1	1	2	2	7	8	0-17	187	1.9	2	1	1	1	2	5	5
18-34	177	3.2	10	<1	1	2	4	9	12	18-34	166	2.5	2	<1	1	2	4	4	5
35-49	94	1.8	3	<1	1	1	2	2	8	35-49	89	4.7	7	1	2	5	7	8	8
50-69	31	6.3	17							50-69	60	2.0	6						
70 +	0									70 +	0								
SUBTOTAL	**941**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**7**	**9**		**502**	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2664	1.2	1	<1	<1	<1	<1	1	2	0-17	643	1.6	2	<1	<1	<1	1	3	5
18-34	201	2.2	1	<1	1	2	3	4	5	18-34	556	2.7	8	<1	1	2	3	5	6
35-49	20	1.5								35-49	78	3.2	7	<1	1	3	3	9	10
50-69	32	1.0								50-69	8	2.0							
70 +	0									70 +	32	3.0							
SUBTOTAL	**2918**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**		**1317**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**3858**	**1.6**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**5**		**1819**	**2.3**	**5**	**<1**	**<1**	**1**	**3**	**5**	**6**

Total U.S., July 1988 - June 1989

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10922	6.7	37	2	3	5	9	14	18	0-17	0								
70-74	6404	6.6	39	2	3	5	8	13	18	18-34	2560	4.5	36	1	2	3	5	8	10
75-79	6212	7.7	70	2	3	6	9	14	19	35-49	3699	5.6	22	2	2	4	7	12	17
80-84	5210	7.8	58	2	4	6	9	16	24	50-69	6282	6.2	41	1	3	4	8	13	17
85 +	6171	8.2	69	2	3	6	10	15	22	70 +	445	10.1	82	3	4	7	14	23	37
SUBTOTAL	**34919**	**7.3**	**52**	**2**	**3**	**5**	**9**	**15**	**19**		**12987**	**5.9**	**37**	**1**	**2**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**34919**	**7.3**	**52**	**2**	**3**	**5**	**9**	**15**	**19**		**12987**	**5.9**	**37**	**1**	**2**	**4**	**7**	**12**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	912	5.7	38	1	2	4	8	12	18	18-34	875	4.0	10	1	2	3	6	8	11
35-49	681	6.5	27	2	2	5	8	16	18	35-49	1232	5.7	27	1	2	4	8	12	17
50-69	1034	6.5	27	2	3	5	9	12	16	50-69	1704	6.5	45	1	2	4	8	13	18
70 +	133	9.4	61	3	4	6	10	23	29	70 +	370	7.3	50	1	3	5	10	16	17
SUBTOTAL	**2760**	**6.4**	**33**	**2**	**2**	**5**	**8**	**15**	**18**		**4182**	**5.8**	**34**	**1**	**2**	**4**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2760**	**6.4**	**33**	**2**	**2**	**5**	**8**	**15**	**18**		**4182**	**5.8**	**34**	**1**	**2**	**4**	**8**	**12**	**16**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4583	3.6	12	< 1	1	2	5	7	10
70-74	2899	3.4	9	< 1	1	2	5	7	9
75-79	2448	3.6	13	< 1	1	2	5	9	12
80-84	1743	4.4	47	< 1	1	2	5	10	13
85 +	1645	4.2	15	1	2	3	6	8	12
SUBTOTAL	**13319**	**3.7**	**17**	**< 1**	**1**	**2**	**5**	**8**	**11**
GRAND TOTAL	**13319**	**3.7**	**17**	**< 1**	**1**	**2**	**5**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6896	2.8	6	1	1	2	4	6	8
35-49	6309	3.2	9	< 1	1	2	4	7	9
50-69	6678	2.9	9	< 1	1	2	4	7	9
70 +	196	1.8	1	< 1	1	1	3	3	3
	20080	**3.0**	**8**	**< 1**	**1**	**2**	**4**	**6**	**9**
	20080	**3.0**	**8**	**< 1**	**1**	**2**	**4**	**6**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1247	3.5	8	1	2	3	5	7	8
35-49	648	3.2	10	< 1	1	2	4	7	7
50-69	736	4.2	15	1	1	4	5	8	12
70 +	55	3.1	3						
SUBTOTAL	**2687**	**3.6**	**10**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**2687**	**3.6**	**10**	**1**	**1**	**3**	**5**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2943	2.6	6	1	1	2	3	5	7
35-49	1777	3.7	27	< 1	1	2	4	8	10
50-69	1595	3.2	9	1	1	2	4	6	11
70 +	340	3.1	4	1	1	3	4	6	7
	6655	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**9**
	6655	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 190: Other Digestive System Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	432	5.5	16	2	3	4	8	9	12	0-17	2865	3.9	22	1	1	2	5	9	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	432	5.5	16	2	3	4	8	9	12		2865	3.9	22	1	1	2	5	9	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	2.0								0-17	15142	2.0	4	< 1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	8	2.0									15142	2.0	4	< 1	1	1	2	4	6
GRAND TOTAL	440	5.4	15	2	2	4	8	9	12		18007	2.3	7	< 1	1	1	2	5	7

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1528	5.6	39	1	2	4	7	12	14	0-17	714	4.8	70	1	1	3	4	9	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	1528	5.6	39	1	2	4	7	12	14		714	4.8	70	1	1	3	4	9	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5556	2.7	17	< 1	1	1	3	6	8	0-17	5448	1.9	6	< 1	1	1	2	3	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	5556	2.7	17	< 1	1	1	3	6	8		5448	1.9	6	< 1	1	1	2	3	7
GRAND TOTAL	7084	3.3	23	< 1	1	2	3	7	11		6162	2.3	14	< 1	1	1	2	4	8

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2597	21.2	279	8	11	16	27	47	68	0-17	487	16.2	137	7	8	12	21	38	55
70-74	1855	20.6	243	8	10	15	26	42	67	18-34	1488	17.8	238	6	8	11	21	42	56
75-79	1282	22.5	329	7	11	17	28	44	71	35-49	1791	18.2	195	7	9	14	22	45	53
80-84	578	17.0	154	7	9	14	22	28	40	50-69	2993	19.6	198	7	10	15	25	40	56
85 +	459	18.8	145	6	9	17	24	35	38	70 +	118	14.2	77	5	6	13	19	28	34
SUBTOTAL	**6771**	**20.8**	**261**	**7**	**10**	**16**	**26**	**43**	**67**		**6877**	**18.5**	**201**	**6**	**9**	**14**	**23**	**40**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6771**	**20.8**	**261**	**7**	**10**	**16**	**26**	**43**	**67**		**6877**	**18.5**	**201**	**6**	**9**	**14**	**23**	**40**	**55**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	205	29.6	350	8	17	29	51	68	99 +	0-17	229	25.9	506	9	10	15	37	59	90
18-34	409	17.2	160	7	7	12	26	39	44	18-34	1275	17.6	235	5	7	11	21	40	51
35-49	413	23.0	268	7	9	21	28	49	61	35-49	891	15.8	205	5	7	13	18	36	61
50-69	304	22.3	407	6	11	15	26	60	87	50-69	646	14.6	93	5	8	13	18	29	41
70 +	58	20.3	73							70 +	55	12.8	44	4	9	12	14	25	25
SUBTOTAL	**1387**	**22.0**	**285**	**7**	**9**	**19**	**29**	**51**	**68**		**3096**	**17.0**	**221**	**5**	**8**	**12**	**20**	**37**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1387**	**22.0**	**285**	**7**	**9**	**19**	**29**	**51**	**68**		**3096**	**17.0**	**221**	**5**	**8**	**12**	**20**	**37**	**51**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	464	12.0	99	3	5	9	14	28	36
70-74	333	10.8	66	4	6	9	12	21	22
75-79	185	11.7	43	5	8	10	16	19	26
80-84	139	12.5	47	5	9	10	14	24	32
85 +	76	8.2	24	2	6	8	10	12	21
SUBTOTAL	**1197**	**11.4**	**71**	**4**	**6**	**10**	**14**	**23**	**29**
GRAND TOTAL	**1197**	**11.4**	**71**	**4**	**6**	**10**	**14**	**23**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	286	13.5	86	6	8	9	15	23	34
18-34	485	8.5	29	4	5	8	9	15	19
35-49	864	10.0	51	4	5	8	12	19	22
50-69	1241	10.2	51	3	6	9	12	19	25
70 +	8	15.0							
	2883	**10.2**	**52**	**4**	**6**	**8**	**12**	**19**	**24**
	2883	**10.2**	**52**	**4**	**6**	**8**	**12**	**19**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	121	9.6	51	3	6	7	10	21	26
18-34	121	8.5	18	5	6	7	9	15	21
35-49	113	9.5	15	5	6	9	12	13	19
50-69	36	10.1	69						
70 +	40	5.6	1						
SUBTOTAL	**430**	**8.9**	**31**	**4**	**6**	**7**	**10**	**19**	**21**
GRAND TOTAL	**430**	**8.9**	**31**	**4**	**6**	**7**	**10**	**19**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	136	10.1	28	7	7	8	10	19	26
18-34	340	8.0	28	5	5	7	9	12	22
35-49	196	10.4	82	4	4	7	10	31	31
50-69	274	10.6	42	5	6	9	13	21	26
70 +	25	15.2	243						
	971	**9.7**	**50**	**4**	**5**	**7**	**11**	**21**	**26**
	971	**9.7**	**50**	**4**	**5**	**7**	**11**	**21**	**26**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2866	15.8	106	7	9	13	19	30	41
70-74	2748	17.6	170	7	9	13	22	36	45
75-79	2626	16.4	93	7	9	14	20	29	38
80-84	2676	16.5	109	7	10	14	19	33	42
85 +	1982	17.8	131	8	10	16	21	27	44
SUBTOTAL	**12897**	**16.8**	**122**	**7**	**10**	**14**	**20**	**30**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12897**	**16.8**	**122**	**7**	**10**	**14**	**20**	**30**	**42**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	179	28.0	506	7	11	20	36	60	83
18-34	442	8.2	13	4	6	7	10	15	17
35-49	857	10.4	69	5	6	8	12	19	25
50-69	2717	14.3	99	6	8	12	17	25	34
70 +	198	20.7	369	10	11	16	22	29	75
	4394	**13.8**	**129**	**5**	**7**	**11**	**17**	**24**	**36**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4394	**13.8**	**129**	**5**	**7**	**11**	**17**	**24**	**36**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	79	15.5	44						
18-34	167	7.6	19	4	4	6	8	16	17
35-49	95	16.4	142	6	7	11	18	42	42
50-69	235	18.4	156	7	9	14	29	39	40
70 +	91	21.3	277	9	13	16	16	42	73
SUBTOTAL	**667**	**15.4**	**145**	**4**	**7**	**12**	**18**	**37**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**667**	**15.4**	**145**	**4**	**7**	**12**	**18**	**37**	**42**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	10.1	3						
18-34	208	8.7	25	4	5	7	11	18	21
35-49	208	11.6	58	4	6	10	15	26	28
50-69	680	14.5	136	5	8	13	17	22	31
70 +	113	13.0	34	7	8	12	13	24	25
	1247	**12.8**	**96**	**5**	**7**	**11**	**15**	**21**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1247	**12.8**	**96**	**5**	**7**	**11**	**15**	**21**	**26**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	745	10.1	53	4	6	8	13	17	24	0-17	303	14.2	130	6	8	10	15	30	31
70-74	603	10.6	19	5	8	10	13	16	18	18-34	403	5.3	14	3	3	5	6	8	10
75-79	493	11.2	25	7	8	10	13	19	22	35-49	655	7.6	19	3	5	6	9	14	15
80-84	272	13.4	47	7	9	12	17	23	27	50-69	1126	11.0	89	3	6	9	12	23	24
85+	316	15.2	131	7	9	12	24	30	31	70+	35	13.1	12						
SUBTOTAL	**2430**	**11.5**	**51**	**5**	**7**	**10**	**13**	**20**	**25**		**2521**	**9.6**	**70**	**3**	**5**	**7**	**11**	**17**	**24**
GRAND TOTAL	**2430**	**11.5**	**51**	**5**	**7**	**10**	**13**	**20**	**25**		**2521**	**9.6**	**70**	**3**	**5**	**7**	**11**	**17**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	114	12.1	23	7	8	12	14	21	23	0-17	23	7.0	5						
18-34	111	4.4	4	2	2	4	6	8	8	18-34	203	8.4	6	5	7	8	11	11	11
35-49	85	10.5	17	5	5	12	14	14	15	35-49	177	9.5	27	1	7	10	12	14	14
50-69	72	8.6	28	3	6	9	9	9	24	50-69	216	10.1	25	5	7	9	13	16	17
70+	9	7.0								70+	25	9.8	9						
SUBTOTAL	**392**	**8.8**	**26**	**3**	**5**	**8**	**13**	**14**	**21**		**644**	**9.3**	**19**	**4**	**7**	**9**	**11**	**14**	**15**
GRAND TOTAL	**392**	**8.8**	**26**	**3**	**5**	**8**	**13**	**14**	**21**		**644**	**9.3**	**19**	**4**	**7**	**9**	**11**	**14**	**15**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5197	11.0	43	6	7	9	13	18	22	0-17	172	7.0	4	5	6	7	8	11	11
70-74	4163	11.7	35	6	8	10	14	19	22	18-34	3670	7.4	18	4	5	7	9	11	13
75-79	4664	12.3	36	7	8	11	15	19	23	35-49	3910	8.1	15	4	5	7	10	13	16
80-84	3243	13.3	65	7	9	11	15	22	28	50-69	5504	9.5	38	5	6	8	11	15	19
85 +	2817	16.0	74	8	11	14	19	27	33	70 +	254	13.1	42	6	9	12	16	25	28
SUBTOTAL	**20085**	**12.5**	**50**	**6**	**8**	**11**	**15**	**20**	**25**		**13510**	**8.6**	**27**	**5**	**6**	**7**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**20085**	**12.5**	**50**	**6**	**8**	**11**	**15**	**20**	**25**		**13510**	**8.6**	**27**	**5**	**6**	**7**	**10**	**14**	**17**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	40	9.3	15							0-17	110	7.5	4	4	6	9	9	9	9
18-34	1442	7.9	18	4	5	7	10	13	14	18-34	1992	8.1	26	4	5	7	10	12	16
35-49	514	10.5	32	4	6	10	13	21	21	35-49	1302	8.3	21	4	5	7	10	15	20
50-69	388	10.5	34	5	7	9	13	19	20	50-69	1274	9.5	76	5	6	8	10	14	17
70 +	97	12.4	14	10	10	11	14	17	24	70 +	211	11.2	36	4	7	10	17	20	20
SUBTOTAL	**2482**	**9.1**	**25**	**4**	**6**	**8**	**11**	**14**	**19**		**4889**	**8.6**	**38**	**4**	**5**	**7**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2482**	**9.1**	**25**	**4**	**6**	**8**	**11**	**14**	**19**		**4889**	**8.6**	**38**	**4**	**5**	**7**	**10**	**14**	**19**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1176	8.1	11	4	6	7	10	13	14	0-17	85	7.1	12	4	4	6	9	9	15
70-74	947	9.0	27	4	6	7	11	16	19	18-34	2487	6.1	6	3	4	6	8	10	11
75-79	758	9.3	15	5	7	8	12	14	15	35-49	2191	6.4	7	3	4	6	8	10	11
80-84	463	10.3	34	4	7	9	11	17	27	50-69	2481	7.1	9	4	5	7	8	10	12
85 +	274	11.0	15	6	9	11	14	17	19	70 +	73	7.6	3	5	7	7	9	10	10
SUBTOTAL	**3617**	**9.1**	**20**	**5**	**6**	**8**	**11**	**15**	**17**		**7318**	**6.6**	**8**	**4**	**5**	**6**	**8**	**10**	**11**
GRAND TOTAL	**3617**	**9.1**	**20**	**5**	**6**	**8**	**11**	**15**	**17**		**7318**	**6.6**	**8**	**4**	**5**	**6**	**8**	**10**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	56	5.9	7	3	4	4	8	11	11
18-34	845	6.3	9	3	4	6	7	10	11	18-34	1106	6.2	5	4	4	6	8	10	10
35-49	270	6.9	10	3	5	7	9	10	15	35-49	600	6.2	8	3	4	5	8	10	12
50-69	233	8.2	9	4	7	8	10	11	14	50-69	719	6.9	11	3	4	6	8	13	14
70 +	17	13.6	95							70 +	42	11.2	16						
SUBTOTAL	**1365**	**6.8**	**11**	**3**	**4**	**6**	**8**	**10**	**15**		**2523**	**6.5**	**8**	**4**	**4**	**6**	**8**	**10**	**13**
GRAND TOTAL	**1365**	**6.8**	**11**	**3**	**4**	**6**	**8**	**10**	**15**		**2523**	**6.5**	**8**	**4**	**4**	**6**	**8**	**10**	**13**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	23522	8.8	41	4	5	7	10	15	20
70-74	14974	9.3	38	4	6	8	11	15	19
75-79	11677	10.1	33	5	6	9	12	18	21
80-84	6368	11.7	57	5	7	10	14	19	25
85 +	4348	12.8	66	7	8	11	14	21	26
SUBTOTAL	**60890**	**9.8**	**44**	**4**	**6**	**8**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**60890**	**9.8**	**44**	**4**	**6**	**8**	**12**	**17**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	236	7.4	28	3	4	6	9	14	16
18-34	14394	5.6	14	3	4	5	7	9	11
35-49	23409	6.0	15	3	4	5	7	10	12
50-69	27504	7.0	17	3	4	6	8	12	14
70 +	814	9.9	58	4	6	9	12	15	17
SUBTOTAL	**66356**	**6.4**	**17**	**3**	**4**	**5**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**66356**	**6.4**	**17**	**3**	**4**	**5**	**8**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	166	5.5	6	3	3	5	7	8	9
18-34	3876	6.6	20	3	4	5	8	11	15
35-49	2492	7.3	47	3	4	5	8	12	15
50-69	2384	9.0	55	4	5	7	10	14	26
70 +	191	11.9	163	4	6	7	9	27	30
SUBTOTAL	**9109**	**7.5**	**41**	**3**	**4**	**6**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9109**	**7.5**	**41**	**3**	**4**	**6**	**9**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	239	4.9	16	< 1	2	4	6	8	17
18-34	4849	5.7	23	3	3	5	7	9	12
35-49	5218	6.3	16	3	4	5	8	11	14
50-69	5445	7.0	27	3	4	6	9	12	14
70 +	804	8.4	19	4	5	7	11	15	17
SUBTOTAL	**16554**	**6.4**	**23**	**3**	**4**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16554**	**6.4**	**23**	**3**	**4**	**5**	**8**	**11**	**14**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18954	5.7	18	3	4	5	6	9	11	0-17	1292	4.5	6	3	3	4	5	7	10
70-74	11220	6.2	9	3	4	5	7	10	12	18-34	46041	4.4	4	3	3	4	5	7	8
75-79	6447	7.0	15	4	4	6	8	12	14	35-49	54815	4.6	4	3	3	4	5	7	8
80-84	3172	7.0	9	4	5	6	8	11	13	50-69	48659	5.2	6	3	4	5	6	8	10
85 +	1325	9.8	30	5	6	9	11	16	23	70 +	616	6.2	6	3	4	6	8	10	10
SUBTOTAL	**41118**	**6.3**	**16**	**3**	**4**	**5**	**7**	**10**	**12**		**151423**	**4.7**	**5**	**3**	**3**	**4**	**6**	**7**	**9**
GRAND TOTAL	**41118**	**6.3**	**16**	**3**	**4**	**5**	**7**	**10**	**12**		**151423**	**4.7**	**5**	**3**	**3**	**4**	**6**	**7**	**9**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18 34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	525	4.4	4	2	3	4	5	7	9	0-17	347	4.3	2	3	3	4	5	6	7
18-34	11529	4.5	4	3	3	4	5	7	8	18-34	13937	4.4	4	3	3	4	5	7	8
35-49	4109	5.1	5	3	4	5	6	8	9	35-49	12450	4.4	4	3	3	4	5	7	8
50-69	2068	5.3	7	3	4	5	6	9	10	50-69	10066	4.7	6	3	3	4	6	8	9
70 +	169	10.0	17	3	5	10	13	14	16	70 +	548	5.1	6	3	3	4	7	8	9
SUBTOTAL	**18400**	**4.8**	**5**	**3**	**3**	**4**	**6**	**7**	**9**		**37348**	**4.5**	**5**	**3**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**18400**	**4.8**	**5**	**3**	**3**	**4**	**6**	**7**	**9**		**37348**	**4.5**	**5**	**3**	**3**	**4**	**5**	**7**	**8**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	631	15.5	141	4	8	12	18	32	42	0-17	49	19.4	74	11	11	16	26	33	33
70-74	563	14.4	87	5	9	11	19	27	29	18-34	33	22.0	434						
75-79	405	16.6	118	6	13	15	18	22	42	35-49	188	13.9	74	6	7	11	19	26	34
80-84	164	14.4	106	6	7	12	16	28	46	50-69	818	14.0	106	5	8	10	18	29	34
85 +	145	17.3	173	4	8	10	25	41	44	70 +	10	8.0							
SUBTOTAL	**1909**	**15.5**	**120**	**5**	**8**	**13**	**18**	**28**	**42**		**1098**	**14.4**	**111**	**5**	**8**	**10**	**19**	**29**	**34**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	149	8.2	34	3	4	7	9	14	24	0-17	79	9.4	13	4	5	11	11	15	15
70-74	226	9.0	23	2	5	8	13	14	17	18-34	9	4.0							
75-79	136	7.9	28	1	4	7	11	14	20	35-49	74	6.6	5	2	6	6	8	11	11
80-84	14	7.4								50-69	221	8.2	24	4	6	6	9	14	17
85 +	0									70 +	9	15.0							
SUBTOTAL	**525**	**8.4**	**27**	**2**	**5**	**7**	**11**	**14**	**20**		**394**	**8.2**	**20**	**4**	**6**	**7**	**10**	**15**	**15**
GRAND TOTAL	**2434**	**13.9**	**108**	**4**	**7**	**11**	**17**	**27**	**39**		**1491**	**12.8**	**94**	**5**	**6**	**10**	**16**	**26**	**33**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	36	9.4	2							0-17	44	11.2	39						
18-34	10	13.0								18-34	16	10.5	45						
35-49	55	7.9	52							35-49	56	17.4	160	4	8	14	22	45	45
50-69	60	14.1	74	10	10	10	11	33	33	50-69	219	10.4	57	5	5	7	12	20	34
70 +	8	17.0								70 +	18	12.0							
SUBTOTAL	**170**	**11.1**	**52**	**5**	**7**	**10**	**11**	**17**	**33**		**353**	**11.7**	**74**	**5**	**6**	**9**	**14**	**22**	**34**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	8	3.0								0-17	8	5.0							
18-34	0									18-34	8	18.0							
35-49	0									35-49	0								
50-69	17	1.5								50-69	50	6.0	2	4	4	7	7	7	7
70 +	0									70 +	6	3.0							
SUBTOTAL	**25**	**2.0**	**1**								**71**	**6.9**	**17**	**4**	**4**	**7**	**7**	**18**	**18**
GRAND TOTAL	**195**	**10.0**	**55**	**3**	**5**	**10**	**11**	**17**	**32**		**424**	**10.9**	**67**	**5**	**5**	**7**	**14**	**20**	**34**

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	365	27.0	753	6	9	12	36	69	93	0-17	147	25.9	745	3	9	18	22	68	89
70-74	301	19.0	292	6	8	14	24	33	64	18-34	229	14.6	263	3	5	7	15	44	62
75-79	215	14.8	109	5	8	12	18	29	39	35-49	407	11.2	53	3	6	10	15	19	23
80-84	70	17.7	132	5	13	15	19	25	49	50-69	496	14.9	161	2	5	10	20	39	43
85 +	140	16.1	158	8	8	12	18	25	27	70 +	16	27.2	541						
SUBTOTAL	**1091**	**20.4**	**406**	**6**	**8**	**13**	**24**	**49**	**68**		**1295**	**15.1**	**235**	**3**	**6**	**10**	**18**	**35**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	122	6.8	32	1	4	6	8	19	19	0-17	153	7.1	11	3	5	8	8	8	15
70-74	69	5.0	3	4	4	5	7	8	8	18-34	313	6.0	14	3	3	4	10	12	13
75-79	65	7.6	85	< 1	1	4	9	29	29	35-49	299	6.1	21	1	3	5	10	10	16
80-84	30	8.5	53							50-69	214	6.6	16	2	5	6	7	15	16
85 +	0									70 +	0								
SUBTOTAL	**286**	**6.7**	**40**	**1**	**4**	**4**	**8**	**18**	**19**		**979**	**6.3**	**16**	**2**	**3**	**5**	**8**	**12**	**15**
GRAND TOTAL	**1377**	**17.5**	**361**	**4**	**7**	**12**	**18**	**37**	**61**		**2274**	**11.3**	**160**	**3**	**4**	**7**	**12**	**21**	**40**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	77	33.6	1076	< 1	11	29	36	97	97	0-17	44	9.1	3						
18-34	118	13.3	124	5	6	10	17	36	40	18-34	183	10.9	41	6	7	10	11	21	21
35-49	64	10.8	47	5	9	9	11	99 +	99 +	35-49	182	13.0	54	6	6	11	15	24	28
50-69	64	16.4	102	5	7	15	20	39	39	50-69	155	9.8	42	3	6	8	9	19	25
70 +	9	12.0								70 +	9	10.0							
SUBTOTAL	**332**	**18.1**	**394**	**5**	**8**	**11**	**26**	**39**	**97**		**573**	**11.1**	**44**	**6**	**6**	**9**	**13**	**22**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	71	4.9	5	1	4	5	6	9	9	0-17	31	8.0	21						
18-34	45	3.7	6							18-34	132	7.1	9	4	4	6	8	13	13
35-49	0									35-49	65	8.3	20	3	4	9	11	17	17
50-69	10	2.0								50-69	42	5.2	4						
70 +	8	7.0								70 +	8	1.0							
SUBTOTAL	**134**	**4.4**	**6**	**1**	**3**	**4**	**6**	**8**	**9**		**278**	**7.0**	**14**	**3**	**4**	**6**	**9**	**13**	**15**
GRAND TOTAL	**466**	**14.1**	**320**	**3**	**5**	**9**	**16**	**36**	**40**		**851**	**9.8**	**38**	**4**	**6**	**9**	**11**	**19**	**24**

Total U.S., July 1988 - June 1989

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1598	9.7	101	2	5	7	11	19	24	0-17	68	7.0	30	2	3	5	8	17	17
70-74	742	11.7	83	3	7	9	14	24	31	18-34	227	11.2	123	4	5	7	13	27	44
75-79	433	12.0	208	1	4	8	14	28	41	35-49	1053	8.3	70	2	4	6	10	15	21
80-84	275	11.5	33	4	8	10	15	21	23	50-69	1700	9.8	65	3	5	7	13	20	26
85 +	119	11.6	38	6	6	9	14	21	23	70 +	77	14.8	157	1	3	13	26	36	36
SUBTOTAL	**3167**	**10.7**	**104**	**2**	**5**	**8**	**13**	**21**	**28**		**3124**	**9.5**	**74**	**3**	**4**	**7**	**11**	**20**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	112	3.9	39	1	1	1	2	15	20	0-17	36	4.2	10						
70-74	89	4.7	5	1	4	5	6	7	9	18-34	26	9.7	4						
75-79	0									35-49	49	4.7	22						
80-84	22	6.4	14							50-69	174	4.6	18	1	1	5	6	9	17
85 +	0									70 +	0								
SUBTOTAL	**223**	**4.5**	**23**	**1**	**1**	**3**	**6**	**10**	**15**		**285**	**5.0**	**18**	**1**	**1**	**5**	**8**	**10**	**13**
GRAND TOTAL	**3390**	**10.3**	**101**	**2**	**5**	**7**	**13**	**21**	**27**		**3410**	**9.1**	**71**	**2**	**4**	**7**	**11**	**18**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	126	9.8	257	1	2	2	4	46	46	0-17	44	4.1	4						
18-34	132	11.8	70	2	5	13	15	23	31	18-34	192	11.1	189	1	4	5	10	33	52
35-49	364	7.1	31	1	3	6	12	16	19	35-49	581	10.0	71	4	5	8	11	20	32
50-69	282	13.3	231	3	5	9	15	31	51	50-69	553	9.4	77	2	4	6	12	21	28
70 +	0									70 +	16	7.5	13						
SUBTOTAL	**903**	**10.1**	**137**	**2**	**3**	**6**	**13**	**21**	**46**		**1385**	**9.7**	**88**	**3**	**4**	**7**	**10**	**21**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	36	2.2	2							0-17	0								
18-34	15	1.0								18-34	32	24.0							
35-49	44	4.4	7							35-49	16	5.0	4						
50-69	22	1.6								50-69	17	2.5							
70 +	0									70 +	0								
SUBTOTAL	**118**	**2.8**	**5**	**1**	**1**	**1**	**5**	**6**	**8**		**65**	**13.7**	**106**						
GRAND TOTAL	**1021**	**9.3**	**127**	**1**	**2**	**5**	**12**	**19**	**41**		**1450**	**9.9**	**90**	**3**	**4**	**7**	**11**	**24**	**33**

DRG 202: Cirrhosis & Alcoholic Hepatitis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5631	9.9	63	3	5	7	12	21	25	0-17	52	8.8	94						
70-74	2170	10.9	105	3	5	8	12	23	35	18-34	925	8.0	49	2	3	5	11	19	26
75-79	1621	11.4	139	3	5	9	13	19	25	35-49	3331	8.5	44	3	4	7	11	17	22
80-84	845	9.7	30	4	5	9	12	16	20	50-69	5511	9.8	66	3	5	8	12	19	25
85 +	353	11.3	43	7	7	9	13	17	27	70 +	135	7.2	16	2	6	7	9	9	20
SUBTOTAL	**10619**	**10.4**	**80**	**3**	**5**	**8**	**12**	**20**	**26**		**9953**	**9.2**	**57**	**3**	**4**	**7**	**11**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	425	3.4	6	1	1	3	5	6	9	0-17	94	12.0	369	1	2	2	13	56	56
70-74	164	5.0	38	< 1	1	2	7	10	19	18-34	92	2.3	2	1	1	2	4	4	4
75-79	127	8.6	24	3	5	8	9	16	21	35-49	522	3.8	12	1	1	3	5	8	12
80-84	67	7.1	33	1	2	6	9	18	18	50-69	698	4.5	19	1	1	3	7	11	11
85 +	31	4.7	9							70 +	0								
SUBTOTAL	**814**	**4.9**	**21**	**1**	**1**	**4**	**7**	**9**	**16**		**1406**	**4.6**	**43**	**1**	**1**	**3**	**6**	**11**	**12**
GRAND TOTAL	**11433**	**10.0**	**78**	**3**	**5**	**8**	**12**	**19**	**25**		**11359**	**8.6**	**58**	**2**	**4**	**6**	**11**	**17**	**22**

	MEDICAID										NO INSURANCE								
TYFE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	121	3.6	2	1	3	4	4	5	7	0-17	0								
18-34	688	9.4	83	2	4	6	12	19	26	18-34	1184	10.5	109	3	4	7	12	24	31
35-49	1769	9.5	68	3	5	7	11	20	26	35-49	3037	9.6	72	2	4	7	12	19	24
50-69	1448	10.3	118	2	5	8	11	21	26	50-69	2252	9.6	59	2	4	8	12	21	29
70 +	36	22.6	377							70 +	170	21.1	234	4	10	17	26	48	48
SUBTOTAL	**4062**	**9.7**	**92**	**2**	**4**	**7**	**11**	**20**	**26**		**6642**	**10.0**	**82**	**3**	**4**	**7**	**12**	**21**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	44	2.1	2							0-17	0								
18-34	44	6.9	83							18-34	137	6.8	14	1	5	5	9	12	12
35-49	105	3.3	7	1	1	2	5	6	10	35-49	429	4.2	12	1	2	3	6	10	13
50-69	109	3.0	3	< 1	1	3	4	5	7	50-69	213	2.8	8	< 1	1	2	3	7	10
70 +	0									70 +	24	5.0	20						
SUBTOTAL	**302**	**3.5**	**18**	**< 1**	**1**	**3**	**5**	**7**	**9**		**804**	**4.3**	**13**	**1**	**1**	**3**	**7**	**11**	**12**
GRAND TOTAL	**4364**	**9.3**	**89**	**2**	**4**	**7**	**11**	**19**	**25**		**7446**	**9.4**	**77**	**2**	**4**	**7**	**12**	**20**	**27**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4246	9.2	58	2	4	7	11	17	24	0-17	282	5.6	20	1	1	5	8	11	14
70-74	3373	10.2	74	3	4	8	14	21	29	18-34	157	7.5	43	1	3	5	11	15	23
75-79	3077	11.0	93	3	5	9	14	22	29	35-49	1239	8.2	103	2	3	6	10	16	21
80-84	2618	11.0	111	3	5	8	14	21	27	50-69	4406	7.9	41	2	4	6	10	16	22
85 +	1475	10.6	84	3	5	8	14	20	27	70 +	207	10.0	63	3	4	8	14	15	24
SUBTOTAL	**14790**	**10.3**	**81**	**3**	**4**	**8**	**13**	**20**	**27**		**6292**	**7.9**	**54**	**2**	**3**	**6**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	958	5.8	28	1	2	4	8	11	17	0-17	113	4.1	5	< 1	2	5	6	6	8
70-74	1053	6.1	26	1	2	5	9	13	16	18-34	96	6.0	27	1	1	6	8	17	18
75-79	745	7.5	45	1	3	6	10	15	20	35-49	658	5.3	20	1	2	5	7	9	15
80-84	624	6.8	40	1	2	5	9	13	19	50-69	1644	4.8	15	1	2	4	6	9	13
85 +	451	7.0	34	1	2	5	10	15	20	70 +	110	6.0	8	4	4	5	10	10	10
SUBTOTAL	**3831**	**6.5**	**34**	**1**	**2**	**5**	**9**	**13**	**17**		**2621**	**5.0**	**16**	**1**	**2**	**4**	**6**	**9**	**13**
GRAND TOTAL	**18621**	**9.5**	**74**	**2**	**4**	**7**	**12**	**19**	**24**		**8913**	**7.0**	**44**	**1**	**3**	**5**	**9**	**14**	**19**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	88	14.7	310	1	3	6	27	27	61	0-17	14	32.0							
18-34	79	7.7	17	3	4	6	12	14	14	18-34	71	7.8	41	2	2	8	9	24	24
35-49	138	7.5	87	2	3	5	8	14	43	35-49	372	9.5	148	2	3	7	10	18	32
50-69	705	9.5	77	2	4	7	11	18	29	50-69	938	8.8	38	2	4	8	12	17	20
70 +	98	10.7	29	6	6	9	12	20	21	70 +	254	7.8	44	2	4	5	9	17	21
SUBTOTAL	**1109**	**9.7**	**91**	**2**	**4**	**7**	**11**	**19**	**29**		**1649**	**9.0**	**69**	**2**	**4**	**7**	**11**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	117	3.0	4	< 1	2	2	4	7	7	0-17	59	3.5	3						
18-34	14	1.0								18-34	34	4.2	5						
35-49	115	4.5	21	1	2	2	5	10	19	35-49	88	8.2	25	4	4	7	12	15	18
50-69	64	6.3	23	1	2	6	9	15	15	50-69	575	5.8	23	1	2	4	8	11	16
70 +	32	2.0								70 +	84	4.3	8	2	2	3	7	9	10
SUBTOTAL	**343**	**3.9**	**15**	**1**	**2**	**2**	**5**	**8**	**15**		**840**	**5.7**	**21**	**1**	**2**	**4**	**8**	**11**	**15**
GRAND TOTAL	**1452**	**8.3**	**79**	**2**	**3**	**6**	**11**	**18**	**27**		**2490**	**7.9**	**55**	**2**	**3**	**6**	**10**	**16**	**20**

Total U.S., July 1988 - June 1989

DRG 204: Disorders of Pancreas except Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10062	8.2	45	3	4	7	10	15	20	0-17	153	4.4	13	1	1	3	6	10	14
70-74	3778	9.4	64	3	5	7	11	18	24	18-34	4788	6.9	36	2	3	5	8	13	17
75-79	3939	9.2	59	3	5	7	11	16	26	35-49	8770	7.8	43	3	4	6	9	14	21
80-84	2863	8.6	79	3	4	7	9	14	21	50-69	7330	8.5	65	3	4	7	10	16	22
85 +	2799	9.2	53	3	5	8	11	16	20	70 +	134	8.9	79	3	4	7	11	12	39
SUBTOTAL	**23441**	**8.7**	**56**	**3**	**5**	**7**	**10**	**16**	**21**		**21175**	**7.8**	**49**	**3**	**4**	**6**	**9**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4114	6.1	34	2	3	5	7	11	15	0-17	375	5.1	11	3	3	4	6	7	7
70-74	2217	5.3	12	2	3	4	7	10	13	18-34	4504	5.1	11	2	3	4	6	9	11
75-79	1820	5.6	11	2	4	5	7	9	12	35-49	7667	5.8	19	2	3	5	7	10	12
80-84	1608	5.8	11	2	4	5	7	10	13	50-69	6950	5.7	16	2	3	5	7	10	12
85 +	1292	6.1	14	2	3	5	7	9	14	70 +	131	5.2	10	1	3	4	7	10	10
SUBTOTAL	**11050**	**5.8**	**20**	**2**	**3**	**5**	**7**	**10**	**13**		**19627**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**34491**	**7.8**	**46**	**3**	**4**	**6**	**9**	**14**	**19**		**40802**	**6.7**	**35**	**2**	**4**	**5**	**8**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	4.7	6							0-17	113	5.7	3	4	5	5	8	8	8
18-34	2659	7.6	54	3	4	5	8	13	21	18-34	4871	6.9	41	2	3	5	8	12	18
35-49	3525	7.8	44	3	4	6	9	15	22	35-49	6714	6.7	24	3	4	5	8	12	16
50-69	1899	7.9	61	2	4	6	9	13	25	50-69	2911	7.9	45	2	4	6	10	15	22
70 +	136	8.0	24	3	6	7	8	17	22	70 +	227	8.8	54	2	5	8	11	14	16
SUBTOTAL	**8243**	**7.8**	**51**	**3**	**4**	**6**	**9**	**13**	**22**		**14836**	**7.0**	**35**	**2**	**4**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	101	5.2	11	1	3	6	6	11	11	0-17	164	5.5	6	2	4	4	8	9	10
18-34	1110	5.5	17	1	3	4	6	10	15	18-34	2840	5.3	15	2	3	4	7	9	12
35-49	1581	6.8	26	2	4	6	8	11	15	35-49	3211	5.6	20	2	3	5	6	9	14
50-69	525	6.8	36	1	3	5	9	13	15	50-69	1712	5.7	31	2	3	4	7	10	13
70 +	71	5.5	20							70 +	164	4.4	4	2	3	4	7	7	8
SUBTOTAL	**3388**	**6.3**	**24**	**2**	**3**	**5**	**8**	**11**	**15**		**8090**	**5.5**	**20**	**2**	**3**	**4**	**7**	**9**	**13**
GRAND TOTAL	**11632**	**7.3**	**44**	**2**	**4**	**6**	**9**	**13**	**21**		**22926**	**6.5**	**30**	**2**	**3**	**5**	**8**	**12**	**16**

Total U.S., July 1988 - June 1989

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6957	8.5	55	3	4	6	11	17	22
70-74	3081	9.0	65	3	4	7	11	16	23
75-79	2323	8.7	50	3	5	6	10	16	23
80-84	1188	11.4	92	4	5	8	15	21	31
85 +	933	9.7	46	3	5	7	12	19	22
SUBTOTAL	**14482**	**8.9**	**59**	**3**	**4**	**7**	**11**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14482**	**8.9**	**59**	**3**	**4**	**7**	**11**	**18**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1549	6.1	58	1	2	4	7	15	20
18-34	2072	6.0	22	2	3	5	7	10	13
35-49	3020	8.1	146	1	3	5	9	15	24
50-69	4534	8.3	54	2	4	6	11	17	23
70 +	145	9.7	54	2	5	8	13	18	21
	11320	**7.5**	**74**	**2**	**3**	**5**	**9**	**15**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11320	**7.5**	**74**	**2**	**3**	**5**	**9**	**15**	**21**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	495	6.5	45	1	2	4	10	13	22
18-34	874	6.7	27	2	3	5	8	13	16
35-49	1132	8.9	70	3	4	6	9	17	24
50-69	1295	9.3	76	2	4	7	11	17	25
70 +	23	12.6	64						
SUBTOTAL	**3819**	**8.2**	**61**	**2**	**4**	**6**	**10**	**16**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3819**	**8.2**	**61**	**2**	**4**	**6**	**10**	**16**	**24**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	548	6.6	55	2	2	4	8	12	19
18-34	1636	6.4	19	2	3	5	8	12	16
35-49	1798	8.4	51	2	3	6	11	17	25
50-69	1486	7.0	32	2	3	5	8	14	21
70 +	102	10.6	113	4	4	9	11	22	41
	5570	**7.3**	**39**	**2**	**3**	**6**	**9**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5570	**7.3**	**39**	**2**	**3**	**6**	**9**	**15**	**20**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1533	5.2	24	1	2	4	7	10	13
70-74	829	4.5	22	1	1	3	5	11	15
75-79	569	5.9	21	1	3	5	8	11	14
80-84	231	7.1	22	2	4	5	9	16	16
85 +	225	4.8	4	2	4	5	6	6	9
SUBTOTAL	**3386**	**5.2**	**22**	**1**	**2**	**4**	**7**	**11**	**13**
GRAND TOTAL	**3386**	**5.2**	**22**	**1**	**2**	**4**	**7**	**11**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2511	3.6	20	1	1	2	4	7	11
18-34	3287	4.3	11	1	2	4	6	9	10
35-49	3857	3.7	13	1	1	3	5	8	11
50-69	3118	4.5	21	1	1	3	5	10	12
70 +	42	11.1	27						
	12816	**4.1**	**16**	**1**	**1**	**3**	**5**	**9**	**11**
	12816	**4.1**	**16**	**1**	**1**	**3**	**5**	**9**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1149	4.5	16	1	2	3	6	9	12
18-34	846	4.3	11	1	2	4	6	9	11
35-49	247	6.0	106	1	2	3	6	12	14
50-69	221	6.6	77	1	1	4	10	14	24
70 +	0								
SUBTOTAL	**2463**	**4.8**	**29**	**1**	**2**	**3**	**6**	**10**	**12**
GRAND TOTAL	**2463**	**4.8**	**29**	**1**	**2**	**3**	**6**	**10**	**12**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1077	3.8	19	1	1	3	4	8	8
18-34	2047	5.0	16	1	2	4	7	10	13
35-49	840	5.0	24	1	1	4	7	10	14
50-69	545	4.2	12	1	2	3	5	7	11
70 +	65	5.0	19	1	1	5	6	15	15
	4574	**4.6**	**18**	**1**	**2**	**3**	**6**	**9**	**11**
	4574	**4.6**	**18**	**1**	**2**	**3**	**6**	**9**	**11**

DRG 207: Disorders of the Biliary Tract w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8247	6.0	30	2	3	5	8	11	15
70-74	6969	6.4	22	2	3	5	8	12	16
75-79	6718	6.8	23	2	4	6	9	12	16
80-84	6437	7.9	33	3	4	7	10	14	18
85 +	6842	8.1	37	3	4	7	10	15	19
SUBTOTAL	**35213**	**7.0**	**30**	**2**	**3**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**35213**	**7.0**	**30**	**2**	**3**	**6**	**9**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	497	6.8	42	1	2	5	8	14	25
18-34	1825	4.4	10	1	2	3	6	8	10
35-49	3788	5.0	21	1	2	4	6	9	12
50-69	6571	5.4	24	2	3	4	7	10	13
70 +	457	7.7	24	3	5	5	10	17	17
SUBTOTAL	**13138**	**5.3**	**22**	**2**	**3**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	13138	5.3	22	2	3	4	7	10	14

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	153	6.1	18	2	2	6	7	13	16
18-34	901	4.4	11	1	2	4	5	9	12
35-49	581	5.4	10	2	3	4	7	10	13
50-69	1280	6.3	27	2	4	5	7	11	13
70 +	259	9.2	61	2	3	7	12	26	26
SUBTOTAL	**3175**	**5.8**	**23**	**2**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3175**	**5.8**	**23**	**2**	**3**	**4**	**7**	**11**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	144	7.8	121	1	1	3	8	21	38
18-34	684	5.1	13	2	2	4	6	10	12
35-49	1105	4.6	32	1	2	3	6	8	11
50-69	1435	5.5	16	1	3	4	7	11	13
70 +	428	5.1	10	2	3	4	6	10	11
SUBTOTAL	**3797**	**5.2**	**24**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	3797	5.2	24	1	2	4	6	10	13

DRG 208: Disorders of the Billary Tract w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5142	3.9	9	1	2	3	5	7	10	0-17	1121	5.6	25	1	2	4	8	15	16
70-74	3733	4.1	8	1	2	3	5	8	10	18-34	6298	2.8	4	1	1	2	4	5	6
75-79	3546	4.7	10	1	2	4	6	8	10	35-49	9810	3.0	5	1	1	2	4	5	7
80-84	2207	4.8	10	2	3	4	6	8	10	50-69	9672	3.2	5	1	2	3	4	6	8
85 +	2568	5.5	32	2	3	5	7	9	11	70 +	250	3.4	5	1	2	2	5	6	9
SUBTOTAL	**17195**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**10**		**27151**	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**17195**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**10**		**27151**	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	376	5.7	19	1	2	4	8	12	12	0-17	295	5.6	17	2	2	5	7	10	14
18-34	2070	2.9	3	1	1	2	4	5	6	18-34	2915	2.8	4	1	1	2	4	5	6
35-49	821	4.3	11	1	2	3	6	10	12	35-49	2546	3.2	8	1	1	2	4	6	7
50-69	571	3.4	6	1	2	3	4	7	7	50-69	2029	3.2	6	1	1	3	4	6	8
70 +	90	11.6	40	3	6	15	15	19	23	70 +	261	3.8	11	1	1	3	5	8	12
SUBTOTAL	**3929**	**3.7**	**10**	**1**	**2**	**3**	**5**	**7**	**11**		**8045**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3929**	**3.7**	**10**	**1**	**2**	**3**	**5**	**7**	**11**		**8045**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 209: Major Joint & Limb Reattachment Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	23128	12.3	50	7	8	11	14	18	24
70-74	23377	12.7	52	7	9	11	14	19	25
75-79	24760	13.7	61	7	9	12	15	22	27
80-84	19577	14.7	90	7	9	12	16	25	32
85 +	18968	15.3	105	8	10	13	17	26	34
SUBTOTAL	**109809**	**13.6**	**71**	**7**	**9**	**12**	**15**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	29816	9.8	14	6	8	9	11	14	16
70-74	26404	10.0	15	6	8	9	11	14	16
75-79	22847	10.6	17	7	8	10	12	15	17
80-84	15008	11.5	35	7	8	10	13	17	21
85 +	10015	12.0	34	7	8	11	14	18	23
SUBTOTAL	**104090**	**10.5**	**20**	**6**	**8**	**10**	**12**	**15**	**17**
GRAND TOTAL	**213899**	**12.1**	**49**	**7**	**8**	**11**	**14**	**18**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	264	7.2	27	4	4	5	8	12	25
18-34	475	9.7	9	6	7	10	12	14	15
35-49	2093	11.1	69	6	8	9	12	17	22
50-69	12839	11.6	50	7	8	10	13	17	22
70 +	1675	12.5	44	7	8	11	15	20	27
	17346	**11.5**	**50**	**6**	**8**	**10**	**13**	**17**	**22**
0-17	547	4.7	7	2	3	4	6	8	10
18-34	1677	6.9	11	2	5	7	9	11	12
35-49	5230	8.3	18	5	6	8	10	12	14
50-69	29092	9.1	10	6	7	9	10	13	15
70 +	2028	9.6	13	5	7	9	11	15	16
	38574	**8.9**	**12**	**5**	**7**	**9**	**10**	**13**	**15**
	55921	**9.7**	**26**	**6**	**7**	**9**	**11**	**14**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	145	5.3	6	2	4	5	6	9	11
18-34	179	9.1	49	3	6	8	10	15	15
35-49	411	19.2	541	7	9	12	16	24	97
50-69	1131	13.1	87	7	8	11	15	21	32
70 +	520	15.2	57	9	10	14	20	24	28
SUBTOTAL	**2385**	**13.8**	**163**	**6**	**8**	**11**	**15**	**21**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	272	5.4	14	2	3	4	6	12	15
18-34	364	7.1	12	4	5	6	10	13	13
35-49	558	9.0	9	5	7	9	11	13	15
50-69	1439	10.0	23	5	7	9	11	16	17
70 +	280	9.5	25	4	7	10	12	12	16
SUBTOTAL	**2914**	**8.9**	**21**	**4**	**6**	**8**	**11**	**15**	**16**
GRAND TOTAL	**5300**	**11.1**	**90**	**5**	**7**	**10**	**13**	**17**	**23**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	6.9	11	3	3	8	9	12	12
18-34	181	16.6	290	5	7	8	18	52	52
35-49	512	9.5	17	6	7	8	11	14	17
50-69	2704	10.5	41	6	7	9	12	16	23
70 +	1853	12.1	105	6	8	10	13	18	23
	5307	**11.1**	**71**	**6**	**7**	**9**	**12**	**17**	**23**
0-17	131	3.0	2	2	2	2	4	5	5
18-34	413	7.3	43	2	5	7	8	11	16
35-49	952	7.5	10	3	6	8	9	12	13
50-69	4502	8.1	7	5	7	8	9	11	13
70 +	2322	8.7	18	6	7	8	9	12	15
	8320	**8.1**	**13**	**5**	**6**	**8**	**9**	**11**	**14**
	13627	**9.3**	**38**	**5**	**7**	**8**	**10**	**14**	**17**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9055	14.3	123	6	8	11	17	26	36	0-17	0								
70-74	10475	15.5	144	6	9	12	18	28	38	18-34	2627	15.0	149	6	8	12	17	27	34
75-79	15739	15.3	115	7	9	13	17	27	37	35-49	1760	15.9	157	6	8	11	20	33	46
80-84	19323	15.4	124	7	9	12	17	28	40	50-69	4549	15.1	139	6	8	11	17	28	41
85+	30366	15.4	112	7	9	12	18	28	36	70+	1170	18.4	215	8	10	13	20	35	41
SUBTOTAL	84957	15.3	120	7	9	12	18	28	37		10106	15.6	155	6	9	12	18	30	41
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	84957	15.3	120	7	9	12	18	28	37		10106	15.6	155	6	9	12	18	30	41

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	677	13.9	172	4	7	10	14	41	55	18-34	1860	15.4	122	6	9	13	17	25	36
35-49	427	13.5	178	5	8	9	16	20	42	35-49	777	16.5	202	5	8	12	22	35	39
50-69	1081	17.0	160	7	9	13	22	29	43	50-69	1737	14.5	135	6	8	10	17	28	39
70+	528	17.5	162	9	11	15	19	28	41	70+	1807	17.3	233	7	9	12	19	42	71
SUBTOTAL	2714	15.8	169	6	8	12	19	29	43		6181	15.8	169	6	8	12	18	31	47
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	2714	15.8	169	6	8	12	19	29	43		6181	15.8	169	6	8	12	18	31	47

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4702	10.5	52	5	7	9	12	19	23	0-17	0								
70-74	5054	11.2	45	5	8	10	13	17	21	18-34	4173	7.8	36	3	4	6	10	14	17
75-79	7546	11.4	52	5	7	10	13	17	22	35-49	2882	8.3	50	3	4	6	10	15	20
80-84	8668	11.8	49	6	8	10	13	19	24	50-69	4945	8.9	22	4	6	8	11	15	17
85 +	12638	11.8	51	6	8	10	14	19	25	70 +	964	11.0	55	5	7	9	12	17	22
SUBTOTAL	**38607**	**11.5**	**51**	**6**	**8**	**10**	**13**	**18**	**24**		**12964**	**8.6**	**36**	**3**	**5**	**7**	**10**	**15**	**18**
GRAND TOTAL	**38607**	**11.5**	**51**	**6**	**8**	**10**	**13**	**18**	**24**		**12964**	**8.6**	**36**	**3**	**5**	**7**	**10**	**15**	**18**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	633	8.1	30	3	4	7	11	16	16	18-34	2601	9.3	64	3	5	7	11	16	19
35-49	292	9.7	62	3	4	7	12	18	20	35-49	1007	9.9	70	3	5	7	11	20	28
50-69	473	9.8	32	5	5	9	13	19	19	50-69	1726	8.3	20	4	5	7	11	14	17
70 +	180	10.9	52	4	6	9	12	19	26	70 +	1121	10.1	43	5	7	8	12	14	21
SUBTOTAL	**1578**	**9.2**	**40**	**3**	**5**	**8**	**12**	**17**	**19**		**6454**	**9.3**	**50**	**4**	**5**	**8**	**11**	**16**	**20**
GRAND TOTAL	**1578**	**9.2**	**40**	**3**	**5**	**8**	**12**	**17**	**19**		**6454**	**9.3**	**50**	**4**	**5**	**8**	**11**	**16**	**20**

Total U.S., July 1988 - June 1989

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	160	14.8	302	4	6	11	18	35	60	0-17	3038	10.1	130	2	3	6	12	25	35
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**160**	**14.8**	**302**	**4**	**6**	**11**	**18**	**35**	**60**		**3038**	**10.1**	**130**	**2**	**3**	**6**	**12**	**25**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	69	11.2	107	3	4	7	14	37	37	0-17	13030	6.6	60	1	2	4	7	15	23
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**69**	**11.2**	**107**	**3**	**4**	**7**	**14**	**37**	**37**		**13030**	**6.6**	**60**	**1**	**2**	**4**	**7**	**15**	**23**
GRAND TOTAL	**229**	**13.7**	**246**	**3**	**5**	**7**	**14**	**35**	**37**		**16068**	**7.3**	**75**	**1**	**2**	**4**	**8**	**18**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1627	9.6	147	2	3	5	11	26	30	0-17	959	9.8	60	3	4	7	14	21	23
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1627**	**9.6**	**147**	**2**	**3**	**5**	**11**	**26**	**30**		**959**	**9.8**	**60**	**3**	**4**	**7**	**14**	**21**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3898	7.2	67	1	2	4	8	17	23	0-17	3786	7.1	58	2	2	4	9	17	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3898**	**7.2**	**67**	**1**	**2**	**4**	**8**	**17**	**23**		**3786**	**7.1**	**58**	**2**	**2**	**4**	**9**	**17**	**22**
GRAND TOTAL	**5525**	**7.9**	**92**	**2**	**3**	**5**	**9**	**19**	**27**		**4745**	**7.7**	**60**	**2**	**3**	**5**	**10**	**17**	**22**

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1673	15.7	164	4	7	12	20	36	46	0-17	108	8.0	37	4	5	5	10	21	21
70-74	634	13.2	216	4	6	9	14	20	35	18-34	95	21.8	244	9	10	23	24	62	62
75-79	444	18.4	246	7	9	13	18	49	52	35-49	135	12.6	55	5	7	10	16	27	28
80-84	269	16.6	309	6	8	13	18	99 +	99 +	50-69	505	10.1	92	3	6	7	10	14	35
85 +	624	14.9	119	5	7	11	19	35	37	70 +	34	13.3	28						
SUBTOTAL	**3643**	**15.5**	**188**	**4**	**7**	**12**	**18**	**36**	**48**		**878**	**11.6**	**108**	**4**	**6**	**9**	**12**	**23**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	761	7.6	60	2	3	6	8	14	19	0-17	336	3.8	6	1	2	3	5	7	9
70-74	152	9.2	89	2	3	6	8	24	38	18-34	275	5.5	21	1	2	4	8	17	17
75-79	180	7.9	67	1	2	6	8	20	20	35-49	207	5.2	9	1	3	5	8	9	11
80-84	109	9.4	141	2	3	5	12	16	54	50-69	181	8.3	15	2	6	9	10	13	13
85 +	135	9.3	33	2	5	7	13	19	21	70 +	0								
SUBTOTAL	**1337**	**8.1**	**68**	**2**	**3**	**6**	**9**	**16**	**24**		**999**	**5.4**	**15**	**1**	**3**	**4**	**8**	**10**	**13**
GRAND TOTAL	**4980**	**13.5**	**166**	**3**	**6**	**9**	**16**	**32**	**46**		**1877**	**8.3**	**68**	**2**	**4**	**6**	**10**	**16**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	14.5	7							0-17	0								
18-34	87	10.0	37	4	4	8	16	18	18	18-34	49	27.0	938						
35-49	111	18.9	175	8	10	15	26	37	50	35-49	69	14.0	20	4	15	16	17	17	17
50-69	168	13.6	142	3	4	8	20	27	40	50-69	141	18.6	148	5	11	17	22	43	44
70 +	10	15.0								70 +	33	2.9	3						
SUBTOTAL	**392**	**14.4**	**129**	**4**	**5**	**13**	**18**	**27**	**39**		**293**	**17.2**	**274**	**4**	**6**	**15**	**17**	**34**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	162	4.0	11	1	1	3	6	10	11	0-17	100	7.1	172	1	1	2	3	39	39
18-34	53	8.3	10							18-34	93	10.8	22	2	10	12	14	15	15
35-49	49	3.2	3							35-49	61	6.7	13	3	3	6	11	13	13
50-69	87	8.4	8	6	6	9	10	10	15	50-69	73	5.5	17	2	3	4	5	14	14
70 +	0									70 +	26	4.9	3						
SUBTOTAL	**350**	**5.6**	**14**	**1**	**2**	**5**	**9**	**10**	**12**		**353**	**7.5**	**65**	**1**	**2**	**4**	**11**	**14**	**15**
GRAND TOTAL	**742**	**10.3**	**94**	**2**	**4**	**7**	**14**	**19**	**27**		**646**	**11.9**	**182**	**2**	**3**	**9**	**15**	**20**	**39**

Total U.S., July 1988 - June 1989

DRG 214: Back & Neck Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9517	11.6	95	4	6	9	14	22	30
70-74	6479	11.8	81	5	7	9	13	22	30
75-79	4308	14.1	143	5	7	10	16	27	39
80-84	2066	14.1	101	6	8	11	16	25	35
85 +	531	16.8	129	7	9	15	21	26	43
SUBTOTAL	**22901**	**12.5**	**103**	**5**	**7**	**9**	**14**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**22901**	**12.5**	**103**	**5**	**7**	**9**	**14**	**23**	**31**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1738	11.5	55	6	7	9	13	20	26
18-34	2709	10.0	55	4	5	8	12	20	27
35-49	7936	8.2	46	3	4	6	10	16	21
50-69	9706	9.5	62	3	5	7	11	18	24
70 +	346	11.1	27	6	8	10	13	19	23
	22435	**9.3**	**55**	**3**	**5**	**7**	**11**	**18**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	22435	**9.3**	**55**	**3**	**5**	**7**	**11**	**18**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	620	13.7	93	6	8	10	18	28	41
18-34	541	12.9	129	4	5	11	17	24	29
35-49	658	10.1	68	4	5	7	13	17	26
50-69	502	13.7	206	4	5	10	15	32	41
70 +	14	25.0							
SUBTOTAL	**2335**	**12.6**	**121**	**4**	**6**	**9**	**15**	**24**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2335**	**12.6**	**121**	**4**	**6**	**9**	**15**	**24**	**37**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	483	14.2	90	6	8	10	17	26	38
18-34	690	11.7	179	3	4	9	14	22	37
35-49	1392	9.3	156	3	3	6	10	20	29
50-69	1366	10.1	64	4	5	8	13	19	30
70 +	311	12.0	80	6	7	9	15	21	25
	4242	**10.7**	**119**	**3**	**5**	**8**	**13**	**22**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4242	**10.7**	**119**	**3**	**5**	**8**	**13**	**22**	**30**

DRG 215: Back & Neck Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14104	7.3	21	3	5	6	9	12	16
70-74	8154	7.5	18	3	5	7	9	12	15
75-79	5122	8.5	27	4	5	7	10	15	19
80-84	1769	9.1	27	4	6	8	11	15	20
85 +	542	10.0	39	5	6	8	11	17	24
SUBTOTAL	**29690**	**7.7**	**22**	**3**	**5**	**7**	**9**	**13**	**16**
GRAND TOTAL	**29690**	**7.7**	**22**	**3**	**5**	**7**	**9**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4800	7.8	22	4	6	7	9	11	14
18-34	27731	5.0	12	2	3	4	6	9	11
35-49	61241	5.0	11	2	3	4	6	9	11
50-69	39579	5.7	13	2	3	5	7	10	12
70 +	574	6.5	17	3	4	5	7	11	14
	133926	**5.3**	**13**	**2**	**3**	**5**	**7**	**9**	**11**
	133926	**5.3**	**13**	**2**	**3**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	854	8.5	17	5	6	8	10	13	16
18-34	2130	5.3	15	2	3	4	7	9	13
35-49	2519	6.1	22	3	4	5	7	10	14
50-69	1118	7.7	25	3	5	7	9	13	15
70 +	18	10.3	2						
SUBTOTAL	**6639**	**6.4**	**21**	**3**	**4**	**5**	**8**	**12**	**14**
GRAND TOTAL	**6639**	**6.4**	**21**	**3**	**4**	**5**	**8**	**12**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	881	7.3	8	4	6	7	9	10	12
18-34	5658	5.6	21	2	3	4	7	11	14
35-49	8049	5.1	14	2	3	4	6	8	12
50-69	5284	5.8	12	3	4	5	7	10	13
70 +	459	7.4	13	4	5	7	9	13	16
	20331	**5.6**	**16**	**2**	**3**	**4**	**7**	**10**	**13**
	20331	**5.6**	**16**	**2**	**3**	**4**	**7**	**10**	**13**

Total U.S., July 1988 - June 1989

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1050	18.3	373	2	7	12	21	45	61	0-17	223	13.0	113	3	5	10	14	28	42
70-74	540	16.1	153	3	6	12	25	33	45	18-34	193	12.9	105	3	4	8	23	29	33
75-79	643	14.9	217	2	6	11	21	26	58	35-49	401	14.3	320	2	3	8	19	43	57
80-84	376	20.2	196	6	12	16	26	36	45	50-69	664	12.5	180	1	2	9	17	27	41
85 +	249	22.8	352	5	6	14	38	50	58	70 +	22	18.5	12						
SUBTOTAL	**2857**	**17.7**	**276**	**3**	**7**	**12**	**23**	**42**	**58**		**1503**	**13.2**	**196**	**2**	**4**	**8**	**17**	**29**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	544	6.6	56	1	2	3	9	19	23	0-17	1464	5.6	63	1	1	3	8	14	18
70-74	471	6.9	116	1	1	3	8	14	27	18-34	565	3.8	36	1	1	2	4	7	11
75-79	333	8.3	91	1	2	3	15	20	27	35-49	655	4.2	33	1	1	2	4	10	13
80-84	91	6.7	31	1	2	5	12	15	15	50-69	740	6.0	47	1	2	3	8	14	19
85 +	79	17.6	134	1	8	18	28	39	99 +	70 +	56	3.5	8	1	2	2	4	9	9
SUBTOTAL	**1518**	**7.7**	**90**	**1**	**2**	**3**	**11**	**20**	**28**		**3480**	**5.1**	**49**	**1**	**1**	**2**	**6**	**12**	**17**
GRAND TOTAL	**4375**	**14.3**	**235**	**2**	**3**	**10**	**19**	**32**	**50**		**4983**	**7.5**	**107**	**1**	**2**	**3**	**10**	**18**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	75	17.2	332	3	5	10	21	53	53•	0-17	14	8.0							
18-34	62	30.1	415	2	8	25	45	63	63	18-34	44	26.5	264						
35-49	42	26.7	1162							35-49	108	25.0	244	13	14	19	35	50	54
50-69	36	36.6	14							50-69	180	10.7	53	3	4	10	15	16	28
70 +	0									70 +	56	12.7	105	1	4	8	21	30	30
SUBTOTAL	**216**	**26.0**	**510**	**2**	**5**	**25**	**45**	**63**	**83**		**402**	**16.4**	**181**	**3**	**6**	**14**	**21**	**36**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	405	9.0	97	1	2	5	17	26	27	0-17	352	8.3	69	1	2	5	15	23	26
18-34	67	5.7	63	1	1	2	10	10	28	18-34	262	5.8	74	1	2	4	4	10	24
35-49	64	13.3	173							35-49	148	2.9	9	1	1	2	3	10	12
50-69	39	10.5	102							50-69	276	8.6	77	1	2	6	10	21	31
70 +	9	8.0								70 +	50	11.7	55	1	5	12	20	21	21
SUBTOTAL	**585**	**9.2**	**103**	**1**	**2**	**5**	**11**	**26**	**28**		**1087**	**7.2**	**68**	**1**	**2**	**4**	**10**	**21**	**25**
GRAND TOTAL	**801**	**13.7**	**267**	**1**	**2**	**7**	**21**	**42**	**53**		**1490**	**9.7**	**116**	**1**	**2**	**5**	**14**	**24**	**32**

Total U.S., July 1988 - June 1989

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3214	22.6	287	5	9	17	35	51	60
70-74	1764	20.7	278	4	8	15	29	52	56
75-79	1520	25.4	419	5	9	20	38	67	90
80-84	1259	24.1	350	6	11	19	32	58	68
85 +	1027	29.4	573	6	12	25	47	94	99 +
SUBTOTAL	**8784**	**23.7**	**357**	**5**	**9**	**18**	**36**	**55**	**75**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1207	11.5	161	1	3	7	15	28	39
70-74	655	7.6	58	1	2	5	10	19	23
75-79	414	13.5	379	1	2	5	14	45	73
80-84	310	10.3	112	2	3	7	12	29	42
85 +	221	10.1	69	1	4	10	18	99 +	99 +
SUBTOTAL	**2807**	**10.6**	**160**	**1**	**2**	**6**	**14**	**27**	**41**
GRAND TOTAL	**11591**	**20.6**	**340**	**3**	**7**	**15**	**31**	**52**	**69**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1376	18.7	336	2	6	12	27	45	62
18-34	2491	17.8	242	3	7	13	26	45	57
35-49	1733	21.8	361	4	9	18	30	48	82
50-69	2173	21.6	349	5	8	16	29	51	66
70 +	199	27.2	461	5	10	26	43	85	99 +
	7972	**20.1**	**323**	**4**	**8**	**15**	**27**	**49**	**65**
0-17	3515	7.0	79	1	2	3	9	18	24
18-34	4804	6.8	64	1	2	4	8	17	24
35-49	2630	7.3	77	1	2	4	9	17	27
50-69	2373	6.6	48	1	2	4	9	14	21
70 +	75	13.7	148	< 1	7	11	18	41	41
	13397	**6.9**	**69**	**1**	**2**	**4**	**9**	**16**	**24**
	21369	**11.8**	**204**	**1**	**3**	**7**	**15**	**30**	**44**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	250	19.2	236	2	5	19	30	44	54
18-34	631	25.5	667	3	9	16	35	75	95
35-49	458	23.0	356	4	10	17	36	58	99 +
50-69	377	23.5	251	7	12	19	32	47	75
70 +	27	33.8	769						
SUBTOTAL	**1744**	**23.6**	**440**	**4**	**10**	**18**	**33**	**60**	**94**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1154	6.4	55	1	2	4	8	14	18
18-34	513	8.6	89	1	2	5	11	23	28
35-49	274	9.2	182	2	3	5	8	17	40
50-69	57	10.4	106	2	3	8	13	31	31
70 +	18	9.7	2						
SUBTOTAL	**2016**	**7.5**	**83**	**1**	**2**	**4**	**9**	**17**	**28**
GRAND TOTAL	**3759**	**15.0**	**313**	**2**	**3**	**9**	**19**	**39**	**60**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	351	18.4	270	3	6	12	23	51	53
18-34	1547	19.6	350	2	7	13	28	46	66
35-49	527	21.7	409	4	5	14	34	51	63
50-69	646	20.7	329	3	6	15	35	55	62
70 +	137	28.0	572	4	13	21	41	80	83
	3208	**20.4**	**359**	**3**	**6**	**15**	**29**	**51**	**63**
0-17	1138	7.0	112	1	2	3	8	14	26
18-34	3121	7.1	57	1	2	5	10	14	21
35-49	1064	9.7	116	1	2	5	13	28	37
50-69	498	8.1	53	1	2	5	12	19	23
70 +	53	6.9	64	< 1	< 1	3	10	23	23
	5875	**7.6**	**79**	**1**	**2**	**4**	**10**	**18**	**25**
	9082	**12.1**	**215**	**1**	**3**	**7**	**15**	**31**	**46**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4788	8.8	60	3	4	7	11	15	22	0-17	0								
70-74	2644	9.3	78	3	5	7	10	16	25	18-34	2702	8.8	128	2	4	6	10	15	21
75-79	2240	9.5	51	4	5	7	12	17	23	35-49	3161	8.9	85	3	4	7	10	15	25
80-84	1591	10.7	80	4	5	8	13	22	29	50-69	3954	8.8	74	3	4	6	11	17	23
85 +	1010	11.0	91	4	6	9	13	20	24	70 +	429	16.0	288	4	5	8	21	39	43
SUBTOTAL	**12273**	**9.5**	**68**	**3**	**5**	**7**	**11**	**18**	**25**		**10246**	**9.1**	**102**	**3**	**4**	**7**	**10**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12273**	**9.5**	**68**	**3**	**5**	**7**	**11**	**18**	**25**		**10246**	**9.1**	**102**	**3**	**4**	**7**	**10**	**17**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	616	9.7	102	4	4	8	10	17	22	18-34	1765	9.6	80	2	4	7	13	20	24
35-49	537	9.0	106	4	4	5	9	17	45	35-49	1159	8.6	46	3	4	7	11	17	21
50-69	415	12.6	146	4	6	9	14	21	56	50-69	1638	9.0	98	3	4	6	11	17	22
70 +	25	13.7	21							70 +	182	9.1	36	3	6	7	10	18	20
SUBTOTAL	**1593**	**10.3**	**116**	**4**	**4**	**8**	**11**	**17**	**37**		**4744**	**9.1**	**76**	**3**	**4**	**7**	**11**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1593**	**10.3**	**116**	**4**	**4**	**8**	**11**	**17**	**37**		**4744**	**9.1**	**76**	**3**	**4**	**7**	**11**	**18**	**23**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8557	5.6	22	2	3	4	7	10	13	0-17	0								
70-74	4512	6.1	23	2	3	5	7	10	14	18-34	21988	4.0	17	1	2	3	5	7	9
75-79	3007	6.4	26	3	4	5	8	11	13	35-49	19841	4.1	8	2	2	4	5	7	9
80-84	1847	7.0	38	2	4	5	8	12	18	50-69	19284	4.7	10	2	3	4	6	8	11
85 +	1051	7.2	19	3	4	6	9	15	17	70 +	507	7.6	72	2	3	4	10	15	25
SUBTOTAL	**18975**	**6.1**	**24**	**2**	**3**	**5**	**7**	**11**	**14**		**61621**	**4.3**	**13**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**18975**	**6.1**	**24**	**2**	**3**	**5**	**7**	**11**	**14**		**61621**	**4.3**	**13**	**1**	**2**	**4**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	3083	4.5	18	2	2	4	5	8	10	18-34	12088	4.1	13	1	2	3	5	7	10
35-49	1413	4.6	12	2	2	4	6	8	9	35-49	6878	4.4	12	2	2	3	5	8	10
50-69	725	5.2	17	2	3	4	6	8	10	50-69	4371	4.6	13	2	3	4	5	8	11
70 +	49	11.3	32							70 +	505	7.6	29	3	4	6	9	16	21
SUBTOTAL	**5270**	**4.7**	**17**	**2**	**2**	**4**	**6**	**8**	**10**		**23842**	**4.4**	**13**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**5270**	**4.7**	**17**	**2**	**2**	**4**	**6**	**8**	**10**		**23842**	**4.4**	**13**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14	5.8	7							0-17	1350	5.8	32	2	2	4	8	12	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**5.8**	**7**								**1350**	**5.8**	**32**	**2**	**2**	**4**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	5.2	2							0-17	20312	3.1	19	1	1	2	3	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**32**	**5.2**	**2**								**20312**	**3.1**	**19**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**45**	**5.4**	**3**								**21662**	**3.3**	**20**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	449	7.0	54	1	3	5	10	12	18	0-17	519	10.0	110	1	3	7	12	26	30
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**449**	**7.0**	**54**	**1**	**3**	**5**	**10**	**12**	**18**		**519**	**10.0**	**110**	**1**	**3**	**7**	**12**	**26**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4440	3.7	19	1	2	3	4	6	8	0-17	7081	3.0	8	1	1	2	3	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4440**	**3.7**	**19**	**1**	**2**	**3**	**4**	**6**	**8**		**7081**	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**4889**	**4.0**	**23**	**1**	**2**	**3**	**4**	**7**	**11**		**7601**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 221: Knee Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1581	7.6	58	1	3	5	9	17	22
70-74	786	7.9	47	1	3	5	12	15	22
75-79	778	9.3	51	3	4	8	12	21	24
80-84	435	10.7	67	3	4	9	14	28	99 +
85 +	144	13.9	210	1	4	9	16	48	48
SUBTOTAL	**3724**	**8.6**	**63**	**2**	**3**	**6**	**11**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3724**	**8.6**	**63**	**2**	**3**	**6**	**11**	**19**	**25**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	563	6.6	79	1	3	4	7	13	23
18-34	1319	5.0	30	1	2	4	7	9	13
35-49	768	5.7	57	1	1	4	8	14	14
50-69	1111	7.9	95	1	3	6	9	14	23
70 +	33	7.5	15						
	3794	**6.3**	**63**	**1**	**2**	**4**	**8**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3794	**6.3**	**63**	**1**	**2**	**4**	**8**	**13**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	106	9.7	128	1	2	7	11	17	41
18-34	89	12.2	277	2	3	4	7	47	47
35-49	81	5.3	12	1	3	5	6	11	13
50-69	90	3.0	2	1	2	3	4	4	7
70 +	0								
SUBTOTAL	**366**	**7.7**	**120**	**1**	**2**	**4**	**7**	**13**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**366**	**7.7**	**120**	**1**	**2**	**4**	**7**	**13**	**41**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	5.8	11	2	3	5	10	10	10
18-34	432	6.1	20	2	3	5	7	13	14
35-49	199	8.2	78	1	1	4	16	25	25
50-69	208	8.5	185	1	2	5	8	11	48
70 +	45	12.1	63	1	7	8	16	26	26
	977	**7.3**	**70**	**1**	**3**	**5**	**9**	**15**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	977	**7.3**	**70**	**1**	**3**	**5**	**9**	**15**	**25**

DRG 222: Knee Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	3804	4.3	17	< 1	1	3	6	9	11	0-17	11955	2.8	4	1	2	2	3	4	6	
70-74	2198	4.6	17	1	2	3	7	10	11	18-34	31596	2.8	4	1	2	3	4	5	6	
75-79	1271	5.3	49	1	1	3	7	11	13	35-49	12119	2.7	6	< 1	1	2	3	5	6	
80-84	666	5.7	21	1	3	5	7	9	12	50-69	7018	2.9	8	< 1	1	2	4	7	9	
85+	287	9.0	87	1	2	7	10	33	33	70+	109	4.4	5	< 1	4	4	6	8	8	
SUBTOTAL	**8226**	**4.8**	**25**	**1**	**1**	**3**	**7**	**10**	**12**		**62796**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**	
GRAND TOTAL	**8226**	**4.8**	**25**	**1**	**1**	**3**	**7**	**10**	**12**		**62796**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	799	5.1	46	< 1	1	3	5	12	18	0-17	1803	2.8	5	1	1	2	3	5	6	
18-34	1354	3.2	4	1	2	3	4	5	6	18-34	7074	2.9	9	1	2	3	4	5	6	
35-49	491	3.6	7	< 1	1	3	5	8	8	35-49	2251	2.7	4	< 1	1	2	4	5	7	
50-69	342	5.5	30	< 1	2	4	6	13	20	50-69	1397	3.4	15	< 1	1	2	5	8	10	
70+	0									70+	145	4.8	12	< 1	1	4	8	10	11	
SUBTOTAL	**2987**	**4.0**	**20**	**< 1**	**2**	**3**	**5**	**8**	**12**		**12670**	**2.9**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	
GRAND TOTAL	**2987**	**4.0**	**20**	**< 1**	**2**	**3**	**5**	**8**	**12**		**12670**	**2.9**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1767	5.4	44	2	2	3	6	10	14
70-74	1223	6.3	34	2	3	4	7	15	21
75-79	1081	6.4	25	2	3	5	8	12	17
80-84	545	6.9	36	2	2	5	10	14	20
85+	268	11.2	146	2	3	7	14	21	29
SUBTOTAL	**4883**	**6.4**	**44**	**2**	**3**	**4**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2640	3.1	4	1	2	3	4	5	7
70-74	1278	3.5	4	2	2	3	4	6	8
75-79	821	3.8	9	2	2	3	4	5	8
80-84	304	5.5	32	2	2	4	6	9	20
85+	152	4.9	5	2	3	4	7	7	10
SUBTOTAL	**5195**	**3.5**	**7**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**10078**	**4.9**	**27**	**2**	**2**	**3**	**5**	**9**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	295	4.7	31	1	2	3	5	11	22
18-34	883	5.2	33	1	2	3	7	9	13
35-49	1026	4.4	18	1	2	3	5	9	10
50-69	1779	5.6	53	1	2	3	6	11	19
70+	95	6.7	11	4	4	6	8	13	14
	4079	**5.2**	**38**	**1**	**2**	**3**	**6**	**10**	**15**
0-17	574	2.8	14	1	1	2	2	6	8
18-34	2956	2.1	1	1	1	2	3	4	4
35-49	4924	2.1	2	1	1	2	3	4	4
50-69	6472	2.5	2	1	2	2	3	4	5
70+	115	3.5	5	2	2	3	4	6	10
	15040	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	19119	**2.9**	**11**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	66	14.4	215	1	3	10	16	40	40
18-34	184	6.1	83	1	1	3	6	12	26
35-49	87	7.3	17	3	4	6	9	16	16
50-69	218	4.8	57	1	2	3	5	5	8
70+	0								
SUBTOTAL	**554**	**6.7**	**86**	**1**	**2**	**4**	**6**	**16**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	6.8	46	1	2	3	11	20	20
18-34	155	2.0	1	1	1	2	3	3	3
35-49	222	2.5	2	1	2	3	3	3	4
50-69	242	4.1	13	1	3	3	4	7	13
70+	14	3.0							
SUBTOTAL	**714**	**3.4**	**12**	**1**	**2**	**3**	**3**	**6**	**11**
GRAND TOTAL	**1269**	**4.9**	**47**	**1**	**2**	**3**	**4**	**10**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	88	7.9	66	2	3	5	11	14	31
18-34	456	8.0	66	2	3	6	11	18	45
35-49	291	5.5	59	1	2	3	7	9	17
50-69	504	4.6	11	1	2	4	6	9	12
70+	131	9.1	123	1	3	6	10	25	42
	1470	**6.4**	**54**	**2**	**2**	**4**	**7**	**14**	**18**
0-17	144	2.6	9	1	1	2	2	5	14
18-34	704	1.7	1	1	1	2	2	3	3
35-49	739	2.0	1	1	1	2	2	3	3
50-69	880	3.0	20	1	2	2	3	4	5
70+	71	7.1	83	1	2	3	4	25	25
	2538	**2.4**	**11**	**1**	**1**	**2**	**3**	**4**	**4**
	4008	**3.9**	**30**	**1**	**2**	**2**	**4**	**7**	**12**

DRG 224: Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3476	2.9	3	1	2	2	4	4	5
70-74	2222	3.1	5	1	2	2	4	6	7
75-79	1321	3.4	5	1	2	3	4	6	8
80-84	848	3.8	9	1	2	3	4	8	11
85 +	435	4.0	19	1	2	3	5	6	9
SUBTOTAL	**8302**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**8302**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	7833	2.2	5	1	1	2	3	4	5
18-34	11305	2.4	4	1	1	2	3	4	5
35-49	7101	2.4	2	1	1	2	3	4	5
50-69	8553	2.7	3	1	2	2	3	4	5
70 +	344	3.0	5	2	2	2	3	5	10
	35137	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
	35137	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	873	2.7	5	1	1	2	3	5	6
18-34	811	2.8	7	1	2	2	3	4	5
35-49	426	3.4	8	1	1	3	4	6	7
50-69	181	3.8	7	1	2	4	5	5	10
70 +	57	7.6	26						
SUBTOTAL	**2347**	**3.1**	**8**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**2347**	**3.1**	**8**	**1**	**1**	**2**	**4**	**5**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1959	2.0	3	1	1	1	2	4	5
18-34	4581	2.4	4	1	1	2	3	4	6
35-49	2145	2.1	2	1	1	2	3	3	4
50-69	1366	2.3	3	1	1	2	3	4	5
70 +	226	4.3	13	1	2	2	7	12	12
	10277	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
	10277	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 225: Foot Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1735	7.5	45	2	3	5	9	16	20	0-17	621	7.1	104	1	2	3	5	19	34
70-74	803	7.0	40	2	3	5	9	14	21	18-34	373	7.1	41	2	3	5	7	21	21
75-79	657	8.9	107	2	3	5	12	20	32	35-49	785	5.8	47	1	2	4	7	11	12
80-84	246	7.8	42	2	4	6	10	12	25	50-69	1406	7.0	41	1	2	5	9	16	19
85 +	196	9.4	44	4	7	8	9	13	29	70 +	37	4.2	22						
SUBTOTAL	**3638**	**7.7**	**56**	**2**	**3**	**5**	**10**	**16**	**21**		**3223**	**6.7**	**55**	**1**	**2**	**4**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4559	3.2	9	1	2	3	4	6	8	0-17	7269	2.2	4	1	1	2	2	4	5
70-74	2835	2.9	4	1	2	2	4	5	7	18-34	7089	2.3	3	1	1	2	3	4	5
75-79	1463	3.4	9	1	1	3	4	6	9	35-49	8471	2.3	3	1	1	2	3	4	5
80-84	650	3.6	16	1	1	3	4	7	10	50-69	10806	2.4	3	1	1	2	3	4	5
85 +	353	5.8	51	1	1	3	8	13	16	70 +	155	4.2	38	< 1	1	3	4	6	23
SUBTOTAL	**9860**	**3.3**	**10**	**1**	**1**	**3**	**4**	**6**	**8**		**33791**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**13498**	**4.5**	**26**	**1**	**2**	**3**	**5**	**9**	**14**		**37014**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	160	5.0	47	1	2	3	4	8	26	0-17	95	9.9	436	1	2	3	6	8	79
18-34	109	9.6	84	3	4	6	10	32	32	18-34	211	7.4	29	1	3	7	13	15	17
35-49	123	12.9	199	2	3	8	12	33	54	35-49	219	9.2	45	2	4	7	13	15	16
50-69	207	17.9	279	6	11	11	17	40	56	50-69	424	9.6	171	2	2	6	12	17	29
70 +	16	11.0	144							70 +	32	5.0	50						
SUBTOTAL	**616**	**11.9**	**189**	**2**	**3**	**8**	**12**	**29**	**40**		**980**	**8.9**	**134**	**2**	**3**	**6**	**12**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2213	2.9	10	1	1	2	3	5	7	0-17	2035	3.2	35	1	1	2	3	5	10
18-34	650	3.3	7	1	1	2	5	6	10	18-34	1993	2.6	4	1	1	2	3	5	6
35-49	274	4.6	29	1	2	3	6	14	21	35-49	2063	3.1	9	1	1	2	3	7	10
50-69	166	3.2	4	1	2	3	4	6	7	50-69	2311	2.5	4	1	1	2	3	4	5
70 +	26	5.8	12							70 +	193	3.3	17	1	1	2	3	6	8
SUBTOTAL	**3329**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**8**		**8595**	**2.9**	**13**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**3945**	**4.5**	**49**	**1**	**2**	**3**	**4**	**10**	**13**		**9575**	**3.5**	**29**	**1**	**1**	**2**	**3**	**7**	**11**

DRG 226: Soft Tissue Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1959	7.2	59	2	3	5	8	16	23	0-17	2091	3.8	19	1	2	2	4	8	13
70-74	1153	7.9	79	2	3	5	9	19	25	18-34	978	6.1	35	1	2	4	7	15	17
75-79	880	9.5	109	2	3	6	12	21	35	35-49	1288	8.1	90	1	2	5	11	19	28
80-84	373	7.9	41	2	4	6	9	16	17	50-69	1650	8.0	99	1	2	4	9	17	29
85 +	415	8.9	24	3	5	8	11	17	19	70 +	90	6.5	35	1	2	4	11	18	18
SUBTOTAL	**4780**	**8.0**	**69**	**2**	**3**	**5**	**9**	**17**	**23**		**6097**	**6.2**	**62**	**1**	**2**	**3**	**7**	**14**	**21**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**4780**	**8.0**	**69**	**2**	**3**	**5**	**9**	**17**	**23**		**6097**	**6.2**	**62**	**1**	**2**	**3**	**7**	**14**	**21**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	1194	4.7	94	1	2	2	4	9	16	0-17	617	6.1	76	1	2	3	6	16	23
18-34	181	4.9	16	1	2	4	8	11	15	18-34	470	4.8	14	1	2	4	6	11	12
35-49	166	9.1	29	3	4	9	14	16	18	35-49	262	5.6	32	1	2	3	9	11	28
50-69	131	3.7	12	1	1	2	6	10	10	50-69	374	11.1	176	2	3	6	15	24	49
70 +	8	26.0								70 +	66	5.8	10	1	3	7	8	12	12
SUBTOTAL	**1680**	**5.2**	**76**	**1**	**2**	**3**	**6**	**11**	**16**		**1790**	**6.7**	**77**	**1**	**2**	**4**	**8**	**15**	**23**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**1660**	**5.2**	**76**	**1**	**2**	**3**	**6**	**11**	**16**		**1790**	**6.7**	**77**	**1**	**2**	**4**	**8**	**15**	**23**

Total U.S., July 1988 - June 1989

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4301	3.4	9	1	2	2	4	7	8	0-17	10422	2.5	8	1	1	2	3	5	7
70-74	2308	3.9	13	1	2	3	5	8	11	18-34	8866	2.7	8	1	1	2	3	5	6
75-79	1502	4.1	14	1	2	3	5	8	13	35-49	10787	2.5	4	1	1	2	3	4	6
80-84	585	4.8	14	1	2	4	7	10	13	50-69	9730	2.8	6	1	1	2	3	5	7
85 +	330	6.3	22	1	3	4	10	14	15	70 +	210	3.3	4	1	2	3	4	7	7
SUBTOTAL	**9026**	**3.8**	**12**	**1**	**2**	**3**	**5**	**8**	**11**		**40015**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**9026**	**3.8**	**12**	**1**	**2**	**3**	**5**	**8**	**11**		**40015**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3830	2.9	22	1	1	2	3	5	7	0-17	2809	2.5	7	1	1	2	3	5	6
18-34	924	3.2	4	1	2	3	4	6	8	18-34	3549	2.5	3	1	1	2	3	5	7
35-49	450	2.8	3	1	2	2	3	5	7	35-49	2615	2.6	6	1	1	2	3	5	7
50-69	145	3.8	8	1	2	3	5	7	12	50-69	1625	2.7	6	1	1	2	3	6	8
70 +	18	3.4								70 +	150	3.0	6	< 1	1	2	4	7	10
SUBTOTAL	**5367**	**3.0**	**17**	**1**	**1**	**2**	**3**	**5**	**7**		**10749**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**5367**	**3.0**	**17**	**1**	**1**	**2**	**3**	**5**	**7**		**10749**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	995	4.5	16	1	2	3	6	12	15
70-74	492	4.3	13	1	2	3	5	8	13
75-79	270	3.5	12	1	2	2	3	9	10
80-84	272	3.9	13	1	2	3	6	6	11
85 +	139	6.5	19	2	4	4	12	13	13
SUBTOTAL	**2169**	**4.4**	**15**	**1**	**2**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1695	3.1	14	1	2	2	3	5	6
70-74	793	3.0	4	1	2	3	4	5	7
75-79	269	3.5	4	1	2	3	5	7	7
80-84	128	2.7	3	1	2	2	3	4	8
85 +	29	29.5	479						
SUBTOTAL	**2915**	**3.4**	**21**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**5084**	**3.8**	**19**	**1**	**2**	**3**	**4**	**7**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	3.1	4	1	2	2	5	6	8
18-34	460	3.0	4	1	2	2	4	6	8
35-49	495	5.4	31	1	2	4	7	10	15
50-69	710	4.4	26	1	2	3	5	9	18
70 +	8	1.0							
	1812	**4.2**	**21**	**1**	**2**	**3**	**5**	**8**	**12**
0-17	531	1.9	2	< 1	1	1	2	3	6
18-34	876	2.2	4	1	1	1	3	4	7
35-49	1455	2.5	3	1	1	2	3	5	6
50-69	2604	2.2	2	1	1	2	3	4	5
70 +	55	2.3	2	1	1	2	4	4	4
	5522	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	7333	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	72	2.2	2	< 1	2	2	2	6	6
18-34	202	4.7	53	1	1	2	5	10	12
35-49	163	3.8	10	1	2	3	4	11	12
50-69	32	3.6	5						
70 +	0								
SUBTOTAL	**469**	**3.9**	**28**	**1**	**1**	**2**	**4**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	155	2.3	6	1	1	1	3	6	11
18-34	35	2.9	3						
35-49	148	5.5	17	1	5	5	7	9	20
50-69	78	2.5	1	1	2	3	3	3	4
70 +	0								
SUBTOTAL	**416**	**3.5**	**11**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**885**	**3.7**	**20**	**1**	**1**	**2**	**5**	**7**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	4.7	25	1	1	1	6	16	16
18-34	420	5.1	12	2	2	4	9	11	11
35-49	253	6.3	87	1	1	3	7	11	41
50-69	250	4.6	33	1	1	4	5	8	10
70 +	24	15.5	417						
	1033	**5.5**	**48**	**1**	**1**	**4**	**7**	**10**	**16**
0-17	161	2.6	11	< 1	1	1	3	7	10
18-34	443	2.6	7	< 1	1	1	3	7	7
35-49	336	2.5	5	1	1	2	3	5	8
50-69	541	2.3	5	1	1	2	3	4	7
70 +	8	1.0							
	1490	**2.5**	**6**	**1**	**1**	**1**	**3**	**6**	**8**
	2522	**3.7**	**25**	**1**	**1**	**2**	**4**	**8**	**11**

Total U.S., July 1988 - June 1989

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2113	2.6	14	< 1	1	1	3	5	7	0-17	4733	1.6	2	< 1	1	1	2	2	3
70-74	1222	2.1	3	< 1	1	1	3	4	4	18-34	7025	1.8	3	< 1	1	1	2	3	5
75-79	722	2.1	4	< 1	1	1	2	4	5	35-49	4662	2.0	4	< 1	1	1	2	4	6
80-84	289	2.3	7	< 1	1	1	2	5	9	50-69	4412	1.9	3	< 1	1	1	2	4	5
85 +	162	3.1	19	1	1	1	3	6	19	70 +	87	2.4	6	1	1	2	2	4	11
SUBTOTAL	**4508**	**2.4**	**9**	**< 1**	**1**	**1**	**3**	**4**	**6**		**20919**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**4508**	**2.4**	**9**	**< 1**	**1**	**1**	**3**	**4**	**6**		**20919**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1352	2.1	8	< 1	1	1	2	3	4	0-17	2069	1.6	3	< 1	1	1	1	3	4
18-34	1068	2.0	2	< 1	1	2	3	3	5	18-34	4245	2.3	6	< 1	1	2	3	5	7
35-49	320	2.1	2	1	1	2	3	4	5	35-49	1714	2.1	4	1	1	1	2	4	6
50-69	132	2.9	25	< 1	< 1	1	2	6	22	50-69	1029	2.1	3	< 1	1	1	2	5	7
70 +	14	1.0								70 +	84	1.4	1	< 1	< 1	1	1	2	5
SUBTOTAL	**2886**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**3**	**5**		**9142**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**2886**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**3**	**5**		**9142**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	225	8.1	64	1	3	7	9	19	29
70-74	158	20.7	443	2	3	7	49	49	51
75-79	226	6.3	24	1	2	5	8	14	15
80-84	158	19.1	456	2	4	10	24	57	71
85 +	205	8.0	44	3	3	4	12	16	18
SUBTOTAL	**972**	**11.5**	**210**	**1**	**3**	**6**	**13**	**29**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	400	3.0	7	1	1	2	3	8	8
70-74	282	3.2	6	1	1	2	4	6	7
75-79	442	4.4	5	2	3	4	7	8	8
80-84	304	4.3	25	1	2	3	4	7	17
85 +	234	4.5	11	1	2	4	7	9	11
SUBTOTAL	**1662**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**2634**	**6.7**	**98**	**1**	**2**	**4**	**7**	**14**	**24**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	420	7.1	143	1	1	2	6	23	40
18-34	161	6.0	66	2	2	3	6	13	26
35-49	125	8.3	213	1	2	3	5	46	47
50-69	128	4.7	21	1	2	3	4	10	20
70 +	8	34.0							
	841	**7.0**	**126**	**1**	**2**	**3**	**5**	**18**	**40**
0-17	4235	2.8	17	1	1	1	3	5	10
18-34	2935	2.0	5	1	1	2	2	3	4
35-49	932	2.1	4	1	1	2	2	3	4
50-69	832	2.2	3	1	1	2	3	4	5
70 +	43	5.3	13						
	8976	**2.4**	**11**	**1**	**1**	**2**	**2**	**4**	**6**
	9817	**2.8**	**22**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	212	4.7	53	< 1	1	2	6	22	28
18-34	22	2.8	4						
35-49	10	4.0							
50-69	16	7.4	12						
70 +	0								
SUBTOTAL	**260**	**4.7**	**45**	**< 1**	**1**	**2**	**6**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	756	3.0	21	1	1	2	3	5	10
18-34	251	3.3	25	1	1	2	3	7	10
35-49	202	3.7	5	1	2	3	4	8	8
50-69	18	1.4							
70 +	0								
SUBTOTAL	**1228**	**3.1**	**19**	**1**	**1**	**2**	**3**	**7**	**10**
GRAND TOTAL	**1488**	**3.4**	**24**	**1**	**1**	**2**	**3**	**8**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	7.0	113	1	1	1	7	32	32
18-34	91	6.4	38	2	2	3	7	13	22
35-49	31	3.5	3						
50-69	39	5.0	8						
70 +	9	3.0							
	298	**6.0**	**62**	**1**	**2**	**3**	**7**	**22**	**23**
0-17	1246	2.2	7	1	1	1	3	4	4
18-34	972	2.4	16	1	1	2	2	4	9
35-49	233	3.6	91	1	1	1	2	4	5
50-69	229	2.7	3	1	1	2	4	5	5
70 +	24	6.4	49						
	2705	**2.5**	**18**	**1**	**1**	**1**	**3**	**4**	**6**
	3003	**2.8**	**24**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	939	8.5	128	1	2	5	10	18	31	0-17	432	6.7	51	1	1	4	8	15	23
70-74	609	7.1	70	2	3	4	6	21	29	18-34	666	4.9	20	1	2	4	6	11	16
75-79	291	10.8	174	2	4	7	12	19	35	35-49	663	7.9	171	1	2	3	9	21	32
80-84	220	10.3	101	2	3	6	14	25	26	50-69	1004	8.7	115	2	2	5	11	18	25
85 +	81	22.2	368	2	6	14	39	60	60	70 +	16	8.0	17						
SUBTOTAL	**2140**	**9.1**	**132**	**2**	**3**	**5**	**11**	**23**	**31**		**2780**	**7.3**	**97**	**1**	**2**	**4**	**9**	**16**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2532	3.5	32	1	1	2	4	6	9	0-17	6088	2.8	18	< 1	1	1	3	6	9
70-74	1153	3.0	8	1	1	2	4	6	8	18-34	8201	2.2	6	< 1	1	1	3	4	6
75-79	781	4.0	18	1	2	3	5	8	11	35-49	6565	2.5	7	< 1	1	2	3	5	7
80-84	299	5.0	17	1	2	4	9	11	14	50-69	5372	2.9	14	1	1	2	3	5	8
85 +	137	6.6	45	2	3	4	6	17	17	70 +	154	4.4	55	1	1	2	3	14	30
SUBTOTAL	**4902**	**3.6**	**24**	**1**	**1**	**2**	**4**	**7**	**10**		**26380**	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**7042**	**5.3**	**63**	**1**	**2**	**3**	**5**	**11**	**19**		**29160**	**3.0**	**21**	**< 1**	**1**	**2**	**3**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	147	9.9	152	< 1	2	4	13	31	46	0-17	217	14.1	432	1	2	5	20	25	86
18-34	205	5.9	22	2	2	4	9	15	15	18-34	296	8.1	72	1	1	5	12	17	17
35-49	150	7.7	126	1	2	2	7	25	43	35-49	230	11.5	108	3	4	8	21	28	30
50-69	115	4.2	3	2	3	5	6	7	7	50-69	282	5.9	79	1	1	3	7	9	25
70 +	8	10.0								70 +	8	18.0							
SUBTOTAL	**625**	**7.0**	**78**	**1**	**2**	**4**	**7**	**15**	**26**		**1033**	**9.6**	**167**	**1**	**2**	**5**	**13**	**22**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	991	4.6	64	1	1	2	4	10	19	0-17	1549	4.3	58	< 1	1	2	4	8	12
18-34	748	3.1	25	< 1	1	2	4	5	8	18-34	3045	2.6	10	< 1	1	2	3	5	8
35-49	328	4.7	75	< 1	1	2	4	9	16	35-49	1565	3.2	16	1	1	2	3	6	11
50-69	249	3.4	12	1	1	3	4	9	10	50-69	986	2.5	6	1	1	2	3	5	6
70 +	0									70 +	112	4.5	8	1	2	4	7	9	10
SUBTOTAL	**2315**	**4.0**	**48**	**1**	**1**	**2**	**4**	**9**	**14**		**7257**	**3.1**	**21**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**2940**	**4.7**	**56**	**1**	**1**	**2**	**5**	**10**	**17**		**8290**	**3.9**	**44**	**1**	**1**	**2**	**4**	**8**	**14**

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	192	7.2	13	2	4	7	10	10	13	0-17	14	1.6							
70-74	18	2.7	1							18-34	16	5.1	2						
75-79	32	6.0								35-49	46	5.0	17	< 1	1	2	9	12	12
80-84	10	25.0								50-69	52	11.7	65	2	2	11	23	23	23
85 +	19	2.4	2							70 +	0								
SUBTOTAL	**273**	**7.1**	**24**	**2**	**4**	**6**	**8**	**11**	**17**		**129**	**7.4**	**46**	**1**	**2**	**7**	**11**	**23**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	246	3.0	7	< 1	1	2	3	8	10	0-17	1089	2.7	22	< 1	1	1	2	6	10
70-74	77	2.3	2	1	1	2	3	4	4	18-34	1716	2.0	13	< 1	< 1	1	2	3	4
75-79	48	5.0	15	< 1	1	4	7	13	13	35-49	1014	2.4	8	< 1	< 1	2	2	4	7
80-84	73	2.7	2							50-69	761	2.5	5	< 1	1	2	3	5	5
85 +	18	11.9	163							70 +	35	9.2	59						
SUBTOTAL	**463**	**3.4**	**16**	**< 1**	**1**	**2**	**4**	**8**	**10**		**4615**	**2.4**	**13**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**735**	**4.8**	**22**	**1**	**1**	**4**	**7**	**10**	**13**		**4744**	**2.5**	**15**	**< 1**	**1**	**1**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	2.0							
35-49	30	21.2	60							35-49	20	16.0	178						
50-69	10	3.0								50-69	32	10.5	113						
70 +	0									70 +	0								
SUBTOTAL	**40**	**16.6**	**109**								**60**	**11.3**	**137**	**1**	**1**	**3**	**22**	**29**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	136	3.5	11	< 1	1	3	5	6	15	0-17	198	2.4	3	< 1	1	2	3	5	5
18-34	125	1.7		< 1	1	2	2	3	3	18-34	571	2.1	5	< 1	1	1	2	4	8
35-49	36	3.4	4							35-49	134	1.5	3	< 1	< 1	1	1	2	8
50-69	17	2.5								50-69	197	2.4	4	1	1	1	4	4	7
70 +	0									70 +	10	2.0							
SUBTOTAL	**315**	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**6**	**6**		**1111**	**2.1**	**4**	**< 1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**355**	**4.3**	**37**	**< 1**	**1**	**2**	**4**	**10**	**22**		**1170**	**2.6**	**15**	**< 1**	**1**	**1**	**3**	**4**	**8**

Total U.S., July 1988 - June 1989

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1131	11.4	96	3	5	9	13	21	37	0-17	787	7.2	35	2	3	6	8	15	19
70-74	1185	11.4	91	3	6	8	15	27	39	18-34	1061	9.8	90	2	3	7	12	20	27
75-79	951	12.1	91	3	6	10	14	24	35	35-49	1038	9.3	68	1	4	7	12	19	28
80-84	845	16.1	340	3	7	9	16	35	56	50-69	1511	9.9	71	2	5	7	14	23	26
85 +	486	14.1	128	6	7	10	16	32	42	70 +	150	13.2	155	3	5	9	14	39	43
SUBTOTAL	**4598**	**12.7**	**145**	**3**	**6**	**9**	**14**	**27**	**39**		**4548**	**9.4**	**73**	**2**	**4**	**7**	**12**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4598**	**12.7**	**145**	**3**	**6**	**9**	**14**	**27**	**39**		**4548**	**9.4**	**73**	**2**	**4**	**7**	**12**	**19**	**27**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	383	8.7	36	4	4	7	12	15	19	0-17	222	12.8	258	1	4	9	12	25	40
18-34	147	8.3	22	4	5	7	11	16	17	18-34	654	9.4	62	1	4	7	12	21	28
35-49	156	10.5	96	2	2	6	16	29	35	35-49	262	11.7	95	2	4	11	16	29	36
50-69	108	9.3	91	3	3	7	10	14	41	50-69	312	11.2	40	4	7	10	15	23	25
70 +	6	13.0								70 +	38	14.5	115						
SUBTOTAL	**800**	**9.1**	**53**	**3**	**4**	**7**	**12**	**16**	**21**		**1487**	**10.8**	**95**	**2**	**4**	**9**	**14**	**22**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0.									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**800**	**9.1**	**53**	**3**	**4**	**7**	**12**	**16**	**21**		**1487**	**10.8**	**95**	**2**	**4**	**9**	**14**	**22**	**30**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1722	4.8	22	1	2	4	6	8	13	0-17	6112	3.9	10	1	2	3	5	7	8
70-74	973	5.3	17	1	2	4	7	10	15	18-34	4906	3.3	13	1	1	2	4	6	9
75-79	841	6.2	51	1	2	5	8	13	14	35-49	4464	3.7	25	1	1	2	4	7	9
80-84	670	8.0	107	1	3	6	10	17	19	50-69	3489	4.1	26	1	2	3	5	8	10
85 +	488	6.9	19	2	4	5	10	14	15	70 +	124	5.3	8	2	3	5	6	8	13
SUBTOTAL	**4694**	**5.8**	**39**	**1**	**2**	**4**	**7**	**12**	**15**		**19094**	**3.7**	**18**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**4694**	**5.8**	**39**	**1**	**2**	**4**	**7**	**12**	**15**		**19094**	**3.7**	**18**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1568	4.2	6	2	2	4	5	8	9	0-17	1836	4.0	12	1	2	3	5	8	11
18-34	424	3.4	7	1	1	3	4	8	9	18-34	1951	2.9	7	1	1	2	3	6	9
35-49	293	3.4	6	1	1	3	5	5	7	35-49	1303	4.0	23	1	1	2	5	8	11
50-69	199	5.2	15	2	2	5	7	11	14	50-69	648	4.3	24	1	2	3	5	9	15
70 +	39	6.8	18							70 +	88	5.2	21	< 1	1	4	6	14	14
SUBTOTAL	**2523**	**4.1**	**8**	**1**	**2**	**4**	**5**	**8**	**10**		**5827**	**3.7**	**15**	**1**	**1**	**3**	**4**	**8**	**10**
GRAND TOTAL	**2523**	**4.1**	**8**	**1**	**2**	**4**	**5**	**8**	**10**		**5827**	**3.7**	**15**	**1**	**1**	**3**	**4**	**8**	**10**

Total U.S., July 1988 - June 1989

DRG 235: Fractures of Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	544	12.9	173	3	5	9	15	35	53	0-17	1000	16.5	143	1	4	16	27	32	36
70-74	310	23.8	495	5	8	13	35	50	79	18-34	143	30.3	649	2	6	36	70	70	99 +
75-79	562	20.0	311	3	6	14	29	43	69	35-49	108	17.6	350	4	5	14	23	36	69
80-84	654	20.2	274	5	8	13	31	49	62	50-69	133	17.5	222	4	5	16	20	40	40
85 +	1139	17.7	326	4	7	9	27	41	57	70 +	114	22.4	309	8	10	14	34	36	69
SUBTOTAL	**3207**	**18.4**	**312**	**4**	**7**	**11**	**27**	**44**	**62**		**1498**	**18.4**	**243**	**2**	**5**	**16**	**27**	**36**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	355	17.6	319	3	4	11	22	45	56	0-17	7235	12.4	133	1	2	8	21	28	33
70-74	250	10.1	230	2	4	7	10	27	99 +	18-34	224	14.3	286	2	3	5	25	44	44
75-79	545	10.9	147	2	4	8	11	32	40	35-49	217	14.5	210	2	4	8	23	40	50
80-84	333	12.6	269	2	5	9	13	21	30	50-69	299	13.6	204	2	3	7	21	36	47
85 +	971	9.3	185	2	3	4	10	28	37	70 +	62	7.3	4						
SUBTOTAL	**2454**	**11.4**	**219**	**2**	**4**	**6**	**12**	**31**	**50**		**8037**	**12.5**	**141**	**1**	**2**	**8**	**21**	**28**	**35**
GRAND TOTAL	**5661**	**15.4**	**284**	**3**	**5**	**9**	**19**	**40**	**57**		**9535**	**13.4**	**162**	**1**	**3**	**9**	**21**	**30**	**38**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	559	16.8	170	2	5	17	25	37	40	0-17	470	15.1	157	2	4	15	24	32	43
18-34	75	8.9	105	2	2	3	18	29	29	18-34	147	30.3	426	1	11	30	51	52	52
35-49	112	22.0	998	1	3	5	11	90	90	35-49	16	12.5	32						
50-69	55	15.8	28							50-69	73	21.2	316	4	4	18	34	52	52
70 +	102	49.4	1071	5	13	38	83	86	93	70 +	71	13.3	117	3	4	7	26	32	32
SUBTOTAL	**903**	**20.4**	**474**	**2**	**5**	**17**	**25**	**40**	**83**		**778**	**18.3**	**253**	**2**	**4**	**15**	**26**	**47**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3066	11.2	109	1	3	7	19	25	29	0-17	3560	12.7	128	1	2	11	21	27	34
18-34	26	42.4	1122							18-34	100	7.7	97	2	3	5	8	14	44
35-49	48	11.3	260							35-49	16	4.0	10						
50-69	44	10.2	111	3	4	6	8	32	32	50-69	79	24.1	453	1	2	40	46	46	46
70 +	0									70 +	76	20.3	256	4	5	20	20	55	57
SUBTOTAL	**3184**	**11.4**	**127**	**1**	**3**	**7**	**19**	**25**	**29**		**3830**	**12.9**	**140**	**1**	**2**	**11**	**21**	**28**	**37**
GRAND TOTAL	**4087**	**13.4**	**217**	**1**	**3**	**8**	**20**	**29**	**40**		**4608**	**13.8**	**163**	**1**	**3**	**11**	**21**	**30**	**41**

DRG 236: Fractures of Hip & Pelvis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2355	12.1	129	4	5	8	16	22	35
70-74	2531	11.3	90	4	6	9	13	25	34
75-79	3571	12.4	128	4	6	9	16	23	34
80-84	5305	11.9	88	4	6	10	15	24	37
85 +	7352	13.0	151	4	6	9	15	26	39
SUBTOTAL	**21113**	**12.3**	**122**	**4**	**6**	**9**	**15**	**24**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1769	7.3	39	2	4	6	9	13	18
70-74	2051	8.0	36	2	4	7	10	16	19
75-79	3222	8.0	39	3	4	7	10	15	22
80-84	3266	8.1	47	2	4	6	10	17	19
85 +	5151	9.5	90	3	4	7	12	18	27
SUBTOTAL	**15458**	**8.4**	**58**	**3**	**4**	**6**	**10**	**17**	**22**
GRAND TOTAL	**36571**	**10.7**	**98**	**3**	**5**	**8**	**13**	**21**	**30**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	915	10.0	116	2	4	7	11	24	43
18-34	1189	11.6	157	2	5	8	13	25	43
35-49	907	12.2	131	3	5	8	14	30	42
50-69	1281	11.9	173	3	5	9	13	19	39
70 +	591	14.2	100	4	7	12	18	26	37
	4884	**11.8**	**143**	**3**	**5**	**8**	**14**	**22**	**40**
0-17	1668	6.3	62	1	2	3	6	19	25
18-34	1687	5.8	43	1	3	4	7	10	13
35-49	1119	7.3	36	2	3	6	8	17	20
50-69	1538	7.6	45	2	3	5	8	17	19
70 +	404	11.6	102	2	5	9	16	25	27
	6415	**7.0**	**53**	**2**	**3**	**5**	**8**	**17**	**22**
	11299	**9.1**	**97**	**2**	**3**	**6**	**11**	**20**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	181	8.8	29	3	3	8	12	16	18
18-34	244	8.7	111	3	3	6	9	14	20
35-49	149	12.3	211	3	7	7	13	17	71
50-69	266	10.5	49	3	5	9	13	17	31
70 +	79	22.5	910	3	8	17	17	99	99
SUBTOTAL	**919**	**11.0**	**174**	**3**	**5**	**8**	**13**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	638	8.3	79	2	2	4	12	21	25
18-34	178	7.6	70	1	3	5	7	24	33
35-49	91	11.2	312	3	3	6	8	31	63
50-69	38	8.1	34						
70 +	133	11.2	65	4	8	9	13	13	37
SUBTOTAL	**1078**	**8.8**	**95**	**2**	**3**	**5**	**10**	**21**	**28**
GRAND TOTAL	**1996**	**9.8**	**133**	**2**	**4**	**7**	**13**	**18**	**27**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	404	9.2	137	2	3	4	8	25	39
18-34	940	10.4	169	2	3	6	11	21	44
35-49	421	9.7	104	2	4	6	12	22	25
50-69	452	11.5	117	2	4	7	15	32	33
70 +	577	14.9	464	2	5	8	15	21	91
	2795	**11.3**	**211**	**2**	**4**	**6**	**13**	**25**	**37**
0-17	775	6.3	44	1	2	4	7	17	20
18-34	982	7.5	73	2	3	5	8	17	27
35-49	574	7.2	101	2	3	4	6	12	41
50-69	535	6.8	20	3	3	6	8	13	16
70 +	403	11.4	159	1	4	7	15	42	43
	3270	**7.5**	**75**	**2**	**3**	**5**	**8**	**17**	**27**
	6064	**9.2**	**141**	**2**	**3**	**5**	**10**	**21**	**32**

Total U.S., July 1988 - June 1989

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	109	9.4	36	4	4	7	12	14	26
70-74	99	6.7	24	2	4	5	7	17	19
75-79	150	6.4	23	2	3	4	7	12	21
80-84	183	12.5	69	3	5	14	20	25	25
85 +	254	6.6	16	2	3	7	7	12	14
SUBTOTAL	**795**	**8.3**	**39**	**2**	**4**	**7**	**12**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	189	4.7	16	1	1	4	6	8	13
70-74	94	6.5	28	2	2	5	8	17	17
75-79	285	5.7	19	1	2	5	7	16	16
80-84	300	5.5	34	1	2	3	7	21	21
85 +	175	4.4	6	1	3	4	6	8	9
SUBTOTAL	**1044**	**5.3**	**22**	**1**	**2**	**4**	**6**	**9**	**16**
GRAND TOTAL	**1839**	**6.6**	**32**	**1**	**3**	**5**	**8**	**16**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	7.0	20	2	3	6	11	12	15
18-34	112	6.5	30	1	1	5	13	13	15
35-49	43	6.4	19	1	1	10	10	11	11
50-69	67	5.8	12						
70 +	9	6.0							
	336	**6.5**	**21**	**1**	**2**	**6**	**11**	**13**	**15**
0-17	685	4.9	25	1	1	4	7	13	14
18-34	597	4.9	18	1	2	4	6	13	13
35-49	170	4.6	7	1	3	4	6	8	8
50-69	222	5.6	27	1	2	4	8	11	11
70 +	26	1.7							
	1699	**4.9**	**21**	**1**	**2**	**4**	**7**	**11**	**13**
	2035	**5.2**	**21**	**1**	**2**	**4**	**7**	**12**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	6.0							
18-34	23	10.3	7						
35-49	0								
50-69	0								
70 +	6	6.0							
SUBTOTAL	**37**	**8.7**	**8**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	133	3.6	13	1	1	2	4	13	13
18-34	62	1.8	1	< 1	1	2	2	3	3
35-49	14	5.6							
50-69	0								
70 +	10	3.0							
SUBTOTAL	**219**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**13**
GRAND TOTAL	**256**	**4.0**	**13**	**1**	**2**	**2**	**6**	**11**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	8.2	12						
18-34	59	5.6	3						
35-49	28	7.1	10						
50-69	46	4.2	3						
70 +	24	3.7							
	196	**5.8**	**8**	**3**	**3**	**5**	**7**	**11**	**12**
0-17	145	5.0	17	2	2	4	7	7	9
18-34	218	3.1	7	1	1	2	3	7	11
35-49	39	3.9	6						
50-69	80	2.8	[illegible]	1	1	1	4	10	10
70 +	49	6.2	8	3	4	4	9	10	10
	530	**3.9**	**11**	**1**	**2**	**3**	**6**	**8**	**10**
	726	**4.4**	**11**	**1**	**2**	**3**	**7**	**9**	**11**

Total U.S., July 1988 - June 1989

DRG 238: Osteomyelitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1205	16.3	153	4	7	13	25	36	43	0-17	435	15.1	198	4	5	9	18	42	52
70-74	781	14.1	146	4	5	11	19	29	37	18-34	264	14.1	151	5	6	9	20	30	44
75-79	640	17.4	169	6	7	14	27	41	41	35-49	531	12.2	91	5	6	9	14	22	28
80-84	537	15.1	173	3	6	10	20	39	43	50-69	1079	14.0	81	5	8	12	18	23	31
85 +	361	17.2	208	6	9	10	21	39	53	70 +	35	16.5	109						
SUBTOTAL	**3523**	**15.9**	**164**	**4**	**7**	**11**	**23**	**36**	**43**		**2343**	**13.8**	**114**	**5**	**7**	**11**	**18**	**25**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	449	7.7	29	2	3	6	11	15	19	0-17	1453	9.5	45	3	6	8	11	20	22
70-74	287	11.4	89	4	5	8	13	30	30	18-34	480	7.6	31	2	4	7	10	14	15
75-79	198	14.9	187	5	6	9	17	41	43	35-49	640	12.6	135	3	5	8	16	37	40
80-84	202	8.9	41	2	5	7	12	18	18	50-69	494	11.2	80	3	6	7	14	26	30
85 +	138	12.7	119	5	5	8	16	37	42	70 +	9	16.0							
SUBTOTAL	**1274**	**10.4**	**85**	**2**	**5**	**8**	**12**	**20**	**30**		**3076**	**10.1**	**70**	**3**	**5**	**8**	**12**	**21**	**28**
GRAND TOTAL	**4797**	**14.5**	**149**	**3**	**6**	**10**	**19**	**32**	**41**		**5419**	**11.7**	**92**	**3**	**6**	**9**	**14**	**23**	**31**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	360	16.2	73	6	9	15	22	29	32	0-17	215	14.9	70	6	10	11	21	27	30
18-34	113	11.8	60	4	5	9	19	26	27	18-34	222	11.4	71	2	6	12	14	19	21
35-49	187	18.1	230	2	5	14	29	47	53	35-49	363	9.7	42	2	5	9	14	15	20
50-69	234	19.9	155	10	11	17	27	45	50	50-69	330	12.9	109	3	5	10	18	26	37
70 +	19	21.0								70 +	9	2.0							
SUBTOTAL	**914**	**17.1**	**129**	**4**	**9**	**15**	**24**	**32**	**47**		**1138**	**11.9**	**76**	**3**	**5**	**10**	**15**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	617	14.7	94	5	7	12	23	29	29	0-17	758	10.0	83	3	4	7	11	21	28
18-34	37	5.8	27							18-34	211	6.9	33	2	3	4	11	17	19
35-49	58	14.5	199	2	7	11	12	44	44	35-49	144	6.8	22	1	5	7	9	10	21
50-69	69	14.6	207	2	6	7	18	43	43	50-69	199	11.1	33	5	6	12	14	19	20
70 +	26	8.6	2							70 +	24	14.4							
SUBTOTAL	**807**	**14.1**	**110**	**5**	**6**	**11**	**19**	**29**	**37**		**1337**	**9.4**	**62**	**2**	**4**	**7**	**12**	**19**	**21**
GRAND TOTAL	**1722**	**15.7**	**122**	**4**	**7**	**13**	**22**	**29**	**41**		**2475**	**10.5**	**70**	**2**	**5**	**9**	**14**	**21**	**25**

Total U.S., July 1988 - June 1989

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7517	10.7	71	3	5	8	14	21	28	0-17	1117	5.7	22	1	3	4	7	12	16
70-74	6878	10.9	88	3	5	8	14	22	28	18-34	432	7.3	56	2	2	5	9	17	22
75-79	7352	10.9	97	3	5	8	13	22	28	35-49	1372	11.3	95	3	4	8	16	26	31
80-84	6081	10.6	76	4	5	8	13	20	26	50-69	5108	11.3	95	3	5	8	15	23	29
85 +	5869	10.9	106	3	5	8	13	21	26	70 +	423	9.7	67	3	4	8	13	18	21
SUBTOTAL	**33698**	**10.8**	**87**	**3**	**5**	**8**	**14**	**21**	**28**		**8452**	**10.3**	**86**	**2**	**4**	**8**	**14**	**22**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2700	8.0	45	2	4	6	10	17	21	0-17	1231	5.2	47	1	2	3	5	11	17
70-74	3216	7.4	31	2	4	6	9	15	20	18-34	360	5.2	22	1	2	3	7	12	16
75-79	3823	8.4	49	3	4	7	11	16	21	35-49	840	6.1	24	1	3	4	9	14	16
80-84	3697	7.8	57	3	4	6	10	14	20	50-69	2195	7.0	42	1	3	5	9	15	21
85 +	3429	8.3	56	3	4	6	10	16	20	70 +	147	7.5	19	3	4	7	9	11	20
SUBTOTAL	**16864**	**8.0**	**48**	**2**	**4**	**6**	**10**	**16**	**20**		**4773**	**6.3**	**38**	**1**	**2**	**4**	**8**	**13**	**20**
GRAND TOTAL	**50562**	**9.9**	**76**	**3**	**5**	**7**	**12**	**19**	**26**		**13225**	**8.8**	**72**	**2**	**3**	**6**	**11**	**19**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	455	8.2	67	1	3	5	9	22	26	0-17	312	11.1	143	1	2	6	15	31	40
18-34	201	8.3	62	3	4	5	8	27	28	18-34	89	8.5	48	1	3	8	14	19	19
35-49	303	8.9	21	4	5	8	12	15	16	35-49	430	8.2	52	1	3	6	13	17	27
50-69	679	12.9	221	3	5	9	15	23	29	50-69	1110	11.3	121	2	5	8	14	22	29
70 +	121	13.6	225	1	1	7	27	50	60	70 +	544	10.2	70	3	4	7	13	21	30
SUBTOTAL	**1760**	**10.5**	**134**	**3**	**4**	**7**	**13**	**22**	**28**		**2485**	**10.4**	**99**	**2**	**4**	**8**	**14**	**22**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	463	5.3	46	1	2	3	6	9	27	0-17	490	9.9	296	1	2	4	6	30	63
18-34	77	2.6	2	1	1	2	4	5	5	18-34	116	4.0	23	< 1	1	3	4	9	20
35-49	118	6.1	31	1	2	5	8	11	24	35-49	299	6.6	32	1	1	4	10	16	19
50-69	208	8.9	44	3	4	7	12	19	22	50-69	480	7.6	28	3	4	6	10	16	20
70 +	79	6.8	7	5	5	5	10	10	12	70 +	319	7.3	49	2	3	5	8	14	20
SUBTOTAL	**946**	**6.1**	**40**	**1**	**2**	**4**	**7**	**12**	**24**		**1705**	**7.8**	**112**	**1**	**3**	**4**	**9**	**16**	**22**
GRAND TOTAL	**2706**	**9.0**	**106**	**2**	**3**	**6**	**10**	**21**	**27**		**4190**	**9.3**	**106**	**1**	**3**	**6**	**12**	**20**	**28**

DRG 240: Connective Tissue Disorders w/ CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3836	8.4	61	2	4	6	10	16	26	0-17	1274	6.3	35	1	3	5	9	13	20
70-74	2168	10.6	91	3	5	7	14	21	27	18-34	2036	7.3	44	2	2	5	9	15	19
75-79	1745	9.5	61	3	5	7	12	18	25	35-49	2199	7.3	45	2	3	5	10	16	21
80-84	1191	9.9	91	3	4	7	10	21	33	50-69	2235	8.9	88	2	4	6	11	19	28
85+	776	9.4	87	4	5	7	12	15	22	70+	84	8.0	14	4	4	7	12	13	13
SUBTOTAL	9716	9.3	74	3	4	7	11	19	27		7827	7.6	56	2	3	5	10	16	22
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	9716	9.3	74	3	4	7	11	19	27		7827	7.6	56	2	3	5	10	16	22

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	381	7.4	36	2	3	5	9	14	22	0-17	328	8.3	91	2	4	5	10	16	44
18-34	901	8.9	130	1	3	5	9	24	33	18-34	1004	6.7	44	2	2	5	9	15	21
35-49	497	7.7	64	2	3	5	8	16	28	35-49	611	10.1	68	3	5	7	12	21	27
50-69	410	10.3	218	3	4	6	11	21	24	50-69	501	8.5	46	3	4	6	11	17	23
70+	24	5.4	4							70+	93	6.0	11	3	3	5	8	9	14
SUBTOTAL	2214	8.6	115	2	3	5	9	21	28		2536	8.1	57	2	3	6	10	18	24
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	2214	8.6	115	2	3	5	9	21	28		2536	8.1	57	2	3	6	10	18	24

Total U.S., July 1988 - June 1989

DRG 241: Connective Tissue Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2248	7.0	70	2	3	5	7	13	16
70-74	919	6.5	26	2	3	5	8	13	16
75-79	1113	6.8	18	2	4	6	9	13	15
80-84	531	6.4	22	2	4	5	8	10	17
85 +	401	7.7	72	2	3	4	7	21	33
SUBTOTAL	**5213**	**6.9**	**46**	**2**	**3**	**5**	**8**	**13**	**16**
GRAND TOTAL	**5213**	**6.9**	**46**	**2**	**3**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	5535	4.5	18	1	2	4	6	8	12
18-34	2511	4.9	23	1	2	4	6	9	14
35-49	2376	4.5	14	1	2	3	6	8	12
50-69	2522	5.5	25	2	3	4	6	11	15
70 +	58	7.1	3						
	13003	**4.8**	**20**	**1**	**2**	**4**	**6**	**9**	**13**
	13003	**4.8**	**20**	**1**	**2**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1613	6.2	84	1	2	4	7	12	18
18-34	631	4.0	13	1	2	3	5	7	12
35-49	172	11.0	350	2	2	4	11	16	71
50-69	182	8.2	24	3	4	6	11	14	21
70 +	0								
SUBTOTAL	**2598**	**6.1**	**83**	**1**	**2**	**4**	**6**	**12**	**16**
GRAND TOTAL	**2598**	**6.1**	**83**	**1**	**2**	**4**	**6**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1669	4.3	8	1	2	4	6	8	10
18-34	865	4.5	11	1	2	4	6	10	12
35-49	596	6.8	77	1	3	5	6	10	41
50-69	389	4.7	15	2	3	3	6	9	10
70 +	96	10.8	312	2	4	4	13	13	68
	3615	**5.0**	**31**	**1**	**2**	**4**	**6**	**9**	**12**
	3615	**5.0**	**31**	**1**	**2**	**4**	**6**	**9**	**12**

Total U.S., July 1988 - June 1989

DRG 242: Septic Arthritis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	359	13.6	140	3	6	9	17	28	34	0-17	323	9.4	28	4	4	8	14	15	17
70-74	208	14.1	147	4	7	10	14	37	42	18-34	161	7.1	47	2	2	5	10	15	24
75-79	265	9.2	85	3	4	6	11	16	37	35-49	221	12.3	168	2	4	7	16	35	45
80-84	281	16.7	145	5	7	16	23	30	46	50-69	164	15.9	122	4	8	13	22	32	43
85 +	197	13.5	208	3	4	9	13	41	42	70 +	26	17.3	143						
SUBTOTAL	**1310**	**13.4**	**147**	**3**	**6**	**9**	**17**	**30**	**42**		**895**	**11.1**	**96**	**3**	**4**	**8**	**14**	**22**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	540	7.8	21	3	4	6	10	16	18	0-17	1530	7.4	29	2	3	6	10	15	17
70-74	213	8.0	47	2	5	5	10	16	27	18-34	463	5.6	12	3	4	5	7	11	13
75-79	170	8.1	70	4	4	7	7	12	40	35-49	521	6.2	24	2	3	4	10	12	15
80-84	124	7.6	32	3	3	7	10	15	25	50-69	404	6.0	11	3	3	6	8	9	12
85 +	158	8.2	31	4	5	6	8	16	24	70 +	0								
SUBTOTAL	**1205**	**7.9**	**35**	**3**	**4**	**6**	**9**	**16**	**18**		**2918**	**6.7**	**23**	**2**	**3**	**5**	**9**	**13**	**16**
GRAND TOTAL	**2514**	**10.8**	**101**	**3**	**5**	**7**	**13**	**24**	**31**		**3813**	**7.7**	**44**	**2**	**3**	**6**	**10**	**15**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	178	13.9	154	6	7	8	13	34	49	0-17	200	12.1	40	3	8	10	19	22	22
18-34	188	7.7	18	3	4	9	11	13	15	18-34	98	10.2	14	5	6	10	14	15	15
35-49	81	11.8	38	5	7	10	17	20	24	35-49	151	9.6	21	5	6	8	13	15	23
50-69	32	9.0								50-69	84	8.6	19	5	5	9	9	11	22
70 +	31	15.0	26							70 +	0								
SUBTOTAL	**510**	**11.0**	**76**	**4**	**6**	**9**	**11**	**19**	**32**		**532**	**10.5**	**28**	**4**	**6**	**9**	**14**	**20**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	530	8.6	51	3	4	7	10	15	21	0-17	659	7.6	41	2	3	5	10	15	22
18-34	194	8.0	31	2	4	7	12	14	22	18-34	466	5.4	13	2	3	4	7	10	12
35-49	47	8.4	9							35-49	139	6.7	23	3	4	4	8	16	18
50-69	41	3.2								50-69	137	5.3	18	2	2	4	6	15	15
70 +	10	25.0								70 +	42	17.9	388						
SUBTOTAL	**823**	**8.4**	**45**	**3**	**4**	**7**	**10**	**15**	**21**		**1443**	**6.9**	**42**	**2**	**3**	**5**	**8**	**15**	**19**
GRAND TOTAL	**1332**	**9.4**	**59**	**3**	**4**	**8**	**11**	**18**	**24**		**1975**	**7.9**	**41**	**2**	**4**	**6**	**10**	**15**	**21**

Total U.S., July 1988 - June 1989

DRG 243: Medical Back Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
				PERCENTILES										PERCENTILES					
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14335	7.5	40	2	4	6	10	14	19	0-17	1248	4.2	17	1	2	3	5	9	11
70-74	10315	8.[illegible]	54	2	4	6	9	15	20	18-34	5455	5.2	23	1	2	4	7	10	14
75-79	11059	8.3	45	3	4	7	10	16	20	35-49	8811	5.6	23	1	3	5	7	10	14
80-84	10006	8.5	55	3	4	7	10	15	22	50-69	11403	6.7	32	2	3	5	8	13	17
85 +	9661	9.8	90	3	5	7	12	19	28	70 +	1080	7.6	58	2	3	5	9	14	23
SUBTOTAL	**55377**	**8.3**	**56**	**2**	**4**	**7**	**10**	**16**	**21**		**27998**	**6.0**	**29**	**1**	**3**	**5**	**8**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	21675	4.9	16	1	2	4	6	10	12	0-17	5944	3.1	16	< 1	1	2	4	6	9
70-74	12924	5.1	21	1	2	4	7	10	13	18-34	34435	4.0	12	1	1	3	5	8	10
75-79	11155	5.8	30	1	2	5	8	11	14	35-49	59506	4.2	14	1	1	3	6	8	11
80-84	8405	6.3	27	2	3	5	8	12	16	50-69	44046	4.3	14	1	1	3	6	9	11
85 +	7023	7.0	36	2	3	5	8	13	17	70 +	1521	4.5	18	1	2	4	6	10	12
SUBTOTAL	**61183**	**5.5**	**24**	**1**	**2**	**4**	**7**	**11**	**14**		**145453**	**4.1**	**14**	**1**	**1**	**3**	**6**	**8**	**10**
GRAND TOTAL	**116559**	**6.9**	**41**	**1**	**3**	**5**	**9**	**13**	**17**		**173450**	**4.4**	**17**	**1**	**2**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
				PERCENTILES										PERCENTILES					
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	368	4.5	28	1	2	2	4	14	18	0-17	387	4.3	12	1	2	3	7	8	9
18-34	866	6.2	27	2	2	4	8	13	16	18-34	2513	5.9	42	1	2	4	7	11	16
35-49	1145	6.7	30	2	3	5	9	13	21	35-49	1890	5.5	31	1	2	4	6	10	15
50-69	1538	6.7	27	2	3	5	9	14	18	50-69	1862	6.4	43	1	3	5	7	12	17
70 +	195	7.4	31	3	3	4	11	18	20	70 +	902	7.3	85	1	3	5	8	12	23
SUBTOTAL	**4111**	**6.4**	**28**	**2**	**3**	**5**	**9**	**13**	**18**		**7554**	**6.0**	**44**	**1**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1003	2.8	12	< 1	1	2	3	7	8	0-17	1617	2.9	18	< 1	1	2	3	6	7
18-34	4528	4.2	12	1	2	4	6	8	10	18-34	10899	3.8	10	1	2	3	5	8	9
35-49	3995	4.9	27	1	1	4	6	9	14	35-49	10190	4.2	14	1	1	3	6	9	10
50-69	2445	4.7	15	1	2	4	7	9	13	50-69	6101	4.6	31	1	2	3	6	9	11
70 +	213	9.1	48	3	5	6	14	17	22	70 +	1139	5.0	17	1	2	4	7	10	15
SUBTOTAL	**12184**	**4.5**	**19**	**1**	**1**	**4**	**6**	**9**	**12**		**29945**	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**16294**	**5.0**	**22**	**1**	**2**	**4**	**7**	**10**	**14**		**37499**	**4.5**	**22**	**1**	**2**	**3**	**6**	**9**	**11**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2166	5.7	24	1	2	4	8	11	15	0-17	181	4.2	16	1	1	3	5	8	16
70-74	2118	6.6	34	1	3	4	9	14	18	18-34	87	3.9	5	1	2	4	5	7	8
75-79	2332	7.6	66	2	3	5	9	14	24	35-49	468	6.4	59	1	2	4	8	13	31
80-84	2286	8.3	74	2	4	6	10	16	19	50-69	1163	5.4	19	1	2	4	7	11	15
85 +	2428	10.0	143	2	4	6	10	22	37	70 +	188	5.9	12	3	4	6	7	10	14
SUBTOTAL	**11330**	**7.7**	**72**	**2**	**3**	**5**	**9**	**15**	**21**		**2088**	**5.5**	**27**	**1**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11330**	**7.7**	**72**	**2**	**3**	**5**	**9**	**15**	**21**		**2088**	**5.5**	**27**	**1**	**2**	**4**	**7**	**11**	**16**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	105	5.8	15	2	4	4	6	10	16	0-17	30	4.0	1						
18-34	100	9.6	85	2	4	7	9	24	35	18-34	24	2.6							
35-49	149	6.3	30	2	3	5	7	14	23	35-49	100	9.2	115	2	2	3	8	33	33
50-69	285	7.5	42	3	4	5	8	13	24	50-69	295	3.9	26	1	2	3	4	7	8
70 +	84	14.8	372	5	5	9	15	20	81	70 +	210	9.2	56	2	4	7	20	99 +	99 +
SUBTOTAL	**723**	**8.1**	**87**	**3**	**4**	**5**	**9**	**15**	**24**		**658**	**6.4**	**54**	**1**	**2**	**3**	**8**	**20**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**723**	**8.1**	**87**	**3**	**4**	**5**	**9**	**15**	**24**		**658**	**6.4**	**54**	**1**	**2**	**3**	**8**	**20**	**33**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1742	4.3	13	1	2	3	6	8	10
70-74	1591	5.3	32	1	2	4	7	10	14
75-79	1574	5.1	18	1	2	4	7	9	15
80-84	1391	5.9	42	1	3	4	7	13	15
85 +	1264	5.5	24	2	3	4	6	11	14
SUBTOTAL	**7563**	**5.2**	**26**	**1**	**2**	**4**	**6**	**10**	**14**
GRAND TOTAL	**7563**	**5.2**	**26**	**1**	**2**	**4**	**6**	**10**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1539	4.5	16	1	2	3	6	11	14
18-34	447	2.6	3	1	1	2	3	4	6
35-49	909	3.4	4	1	2	3	5	6	7
50-69	1540	3.8	12	1	1	3	4	9	11
70 +	102	6.1	12	1	3	7	8	10	13
	4537	**3.9**	**11**	**1**	**1**	**3**	**5**	**8**	**12**
	4537	**3.9**	**11**	**1**	**1**	**3**	**5**	**8**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	559	5.0	25	1	2	3	6	10	19
18-34	60	3.4	12	< 1	< 1	2	3	12	12
35-49	182	3.6	3	1	2	4	5	6	7
50-69	199	4.3	9	2	2	3	4	9	11
70 +	48	4.2							
SUBTOTAL	**1049**	**4.5**	**17**	**1**	**2**	**3**	**5**	**9**	**14**
GRAND TOTAL	**1049**	**4.5**	**17**	**1**	**2**	**3**	**5**	**9**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	626	4.3	9	1	2	4	6	9	11
18-34	252	3.2	2	1	2	4	4	5	6
35-49	359	2.9	5	1	1	3	3	5	9
50-69	389	3.5	6	1	2	3	5	6	7
70 +	209	9.6	165	1	2	4	15	18	62
	1835	**4.3**	**28**	**1**	**2**	**3**	**5**	**9**	**13**
	1835	**4.3**	**28**	**1**	**2**	**3**	**5**	**9**	**13**

DRG 246: Non-specific Arthropathies

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	200	5.3	9	2	3	5	7	10	12	0-17	61	11.3	118	2	2	9	19	34	34
70-74	174	7.4	25	2	3	5	11	16	16	18-34	80	5.5	9	2	5	5	5	11	11
75-79	207	15.5	505	3	3	5	14	31	91	35-49	153	6.2	11	2	5	5	7	12	15
80-84	134	7.9	74	3	3	5	7	19	19	50-69	169	3.8	10	2	2	3	4	10	11
85 +	236	9.0	43	3	4	7	12	15	24	70 +	17	5.7	9						
SUBTOTAL	**952**	**9.2**	**149**	**2**	**4**	**5**	**11**	**16**	**30**		**480**	**5.9**	**29**	**2**	**2**	**5**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	261	4.6	9	1	3	4	5	7	10	0-17	388	4.1	31	1	2	3	4	6	15
70-74	134	3.9	10	1	1	4	4	8	14	18-34	243	3.9	4	2	3	3	5	7	8
75-79	177	5.1	15	2	2	3	8	12	12	35-49	297	3.3	4	1	1	3	4	7	8
80-84	173	5.9	14	2	3	5	8	11	11	50-69	318	3.2	4	1	2	3	3	5	8
85 +	242	6.9	30	2	3	5	9	18	18	70 +	8	1.0							
SUBTOTAL	**986**	**5.4**	**17**	**2**	**3**	**4**	**7**	**11**	**16**		**1254**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1938**	**7.3**	**86**	**2**	**3**	**5**	**9**	**15**	**18**		**1734**	**4.2**	**18**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	44	3.8	1						
18-34	26	6.7	58							18-34	29	5.0	1						
35-49	64	4.6	1							35-49	56	3.5	3	1	2	4	5	6	6
50-69	27	7.1	3							50-69	37	4.1	1						
70 +	0									70 +	9	2.0							
SUBTOTAL	**117**	**5.7**	**15**	**3**	**3**	**5**	**6**	**9**	**18**		**175**	**3.9**	**2**	**2**	**3**	**4**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	88	6.2	130	1	1	2	4	8	42	0-17	92	4.7	11	1	2	4	8	11	11
18-34	78	5.3	14	1	2	5	7	12	13	18-34	99	3.0	3	1	2	2	4	6	6
35-49	60	4.7	5	1	3	4	7	8	8	35-49	84	3.2	3	1	2	3	3	7	7
50-69	27	3.4	4							50-69	68	3.1	2	1	2	3	5	5	5
70 +	0									70 +	17	6.6	2						
SUBTOTAL	**253**	**5.2**	**51**	**1**	**2**	**3**	**6**	**8**	**13**		**360**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**369**	**5.4**	**40**	**1**	**2**	**4**	**6**	**9**	**13**		**535**	**3.8**	**5**	**1**	**2**	**3**	**5**	**6**	**8**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1612	8.0	116	1	3	4	8	19	35	0-17	254	3.4	8	1	2	2	4	5	8
70-74	883	7.2	93	1	3	4	8	15	24	18-34	873	4.7	23	1	2	3	6	10	16
75-79	1203	7.1	74	1	3	4	8	16	20	35-49	1315	4.9	39	1	2	3	5	8	15
80-84	785	8.0	104	1	2	4	9	20	24	50-69	1219	5.1	39	1	2	3	5	10	16
85 +	619	7.7	41	2	3	6	11	14	20	70 +	61	3.8	4	1	1	4	5	7	7
SUBTOTAL	**5103**	**7.6**	**91**	**1**	**3**	**4**	**9**	**16**	**23**		**3722**	**4.8**	**33**	**1**	**2**	**3**	**5**	**9**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2335	4.0	35	1	1	3	5	8	10	0-17	1646	2.7	5	1	1	2	3	5	7
70-74	1380	4.6	18	1	2	3	5	9	15	18-34	3204	3.6	25	1	1	2	4	6	8
75-79	1093	4.6	26	1	2	3	5	9	15	35-49	4575	3.5	13	1	1	3	4	7	9
80-84	710	6.2	84	1	2	3	7	13	24	50-69	4098	3.5	20	1	2	3	4	7	8
85 +	694	5.2	27	1	2	3	7	14	19	70 +	93	2.0	2	1	1	1	3	4	6
SUBTOTAL	**6212**	**4.6**	**35**	**1**	**2**	**3**	**5**	**9**	**15**		**13616**	**3.4**	**17**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**11315**	**6.0**	**62**	**1**	**2**	**4**	**7**	**13**	**19**		**17338**	**3.7**	**21**	**1**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	132	5.8	40	1	3	3	4	20	24	0-17	49	2.8	1	1	2	3	3	5	5
18-34	144	7.1	72	1	2	4	7	15	34	18-34	245	3.5	9	1	1	2	7	9	9
35-49	206	6.4	32	1	2	5	8	15	19	35-49	299	4.9	30	1	2	3	6	10	11
50-69	390	9.4	209	1	1	4	6	35	57	50-69	438	4.2	7	2	2	4	5	8	9
70 +	58	8.6	49							70 +	22	2.4	4						
SUBTOTAL	**930**	**7.8**	**117**	**1**	**2**	**4**	**8**	**23**	**34**		**1052**	**4.1**	**14**	**1**	**2**	**3**	**5**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	397	2.9	5	1	1	3	4	6	7	0-17	620	3.0	6	1	2	3	3	6	6
18-34	412	3.2	14	1	1	2	4	7	9	18-34	884	3.5	8	1	2	2	5	8	9
35-49	436	3.9	10	1	2	3	5	8	10	35-49	923	3.3	11	1	1	2	4	7	8
50-69	265	6.1	48	2	2	4	8	11	11	50-69	776	2.9	9	1	1	2	4	5	9
70 +	32	4.0								70 +	135	2.5	4	1	1	2	4	5	8
SUBTOTAL	**1542**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**10**		**3339**	**3.2**	**8**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**2472**	**5.3**	**58**	**1**	**2**	**3**	**5**	**11**	**21**		**4391**	**3.4**	**10**	**1**	**2**	**2**	**4**	**7**	**9**

DRG 248: Tendonitis, Myositis & Bursitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1131	6.4	51	2	3	4	7	14	18	0-17	198	4.3	21	1	1	3	5	10	12
70-74	851	5.9	15	2	3	5	8	12	13	18-34	648	4.5	9	2	2	4	5	8	12
75-79	674	10.0	48	3	4	8	15	21	24	35-49	891	4.8	16	1	2	4	6	9	16
80-84	319	9.8	140	3	4	5	11	22	40	50-69	1008	5.1	13	1	3	4	7	10	13
85 +	354	10.3	125	3	3	8	11	30	30	70 +	16	24.0	309						
SUBTOTAL	**3330**	**7.8**	**61**	**2**	**3**	**5**	**9**	**17**	**21**		**2761**	**4.9**	**17**	**1**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1047	4.3	15	1	2	3	5	8	10	0-17	2646	2.8	7	1	1	2	3	5	7
70-74	699	4.3	11	1	3	4	6	6	10	18-34	1087	3.5	7	1	2	3	5	7	9
75-79	617	5.5	18	2	3	5	6	11	15	35-49	2514	3.5	13	1	2	3	4	6	8
80-84	480	5.4	8	2	3	5	7	10	10	50-69	2777	3.1	6	1	1	2	4	6	8
85 +	328	5.8	17	2	3	5	7	11	17	70 +	74	4.9	18	1	3	4	4	15	15
SUBTOTAL	**3171**	**4.8**	**14**	**1**	**2**	**4**	**6**	**9**	**12**		**9098**	**3.2**	**8**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**6501**	**6.3**	**40**	**2**	**3**	**4**	**7**	**13**	**19**		**11859**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	75	7.9	33	2	3	4	14	16	16	0-17	180	4.5	38	1	1	3	5	9	16
18-34	160	5.6	18	2	3	3	9	10	15	18-34	269	5.2	24	1	2	4	7	9	15
35-49	139	7.2	7	3	5	8	9	11	11	35-49	252	4.5	7	1	2	4	5	9	10
50-69	96	8.1	10	5	6	8	12	12	12	50-69	269	6.5	35	2	3	4	8	16	17
70 +	0									70 +	38	12.7	85						
SUBTOTAL	**471**	**7.0**	**16**	**3**	**3**	**6**	**9**	**12**	**14**		**1008**	**5.5**	**30**	**1**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	663	2.9	4	1	2	2	3	5	6	0-17	898	3.4	8	1	2	2	5	7	9
18-34	127	5.3	20	2	3	5	5	9	21	18-34	531	4.3	7	1	2	3	6	8	10
35-49	171	3.4	6	2	2	3	4	5	12	35-49	492	3.5	6	1	1	3	5	6	7
50-69	187	3.7	2	2	3	3	4	6	6	50-69	463	3.5	5	1	2	3	4	8	9
70 +	0									70 +	65	3.3	5	< 1	1	3	6	7	7
SUBTOTAL	**1147**	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**7**		**2449**	**3.6**	**7**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**1618**	**4.4**	**12**	**2**	**2**	**3**	**5**	**9**	**12**		**3457**	**4.2**	**14**	**1**	**2**	**3**	**5**	**9**	**10**

Total U.S., July 1988 - June 1989

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	535	8.4	40	1	4	7	13	19	19	0-17	491	4.0	21	< 1	< 1	2	5	7	12
70-74	340	11.9	117	2	4	8	18	25	36	18-34	82	3.7	11	< 1	1	1	8	9	9
75-79	406	11.9	93	2	4	8	22	28	29	35-49	76	4.5	5	2	3	4	6	9	9
80-84	375	8.4	66	2	3	6	12	14	41	50-69	155	9.3	84	4	4	7	9	19	36
85 +	436	10.1	211	2	2	5	12	32	32	70 +	42	2.8	5						
SUBTOTAL	**2092**	**10.0**	**105**	**2**	**3**	**7**	**13**	**25**	**30**		**846**	**4.9**	**33**	**< 1**	**1**	**3**	**7**	**9**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	862	4.1	14	1	1	3	6	9	13	0-17	1523	2.6	19	< 1	< 1	1	2	5	10
70-74	830	3.5	7	1	1	3	5	7	8	18-34	526	2.2	8	< 1	< 1	1	3	5	6
75-79	597	4.4	8	1	2	4	5	8	9	35-49	406	4.8	26	< 1	1	3	5	13	14
80-84	748	4.8	24	1	2	3	6	11	18	50-69	961	3.8	17	< 1	1	2	6	7	10
85 +	383	4.8	16	1	2	3	6	14	14	70 +	50	5.4	15	< 1	1	5	9	11	11
SUBTOTAL	**3420**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**13**		**3466**	**3.2**	**18**	**< 1**	**< 1**	**1**	**4**	**7**	**12**
GRAND TOTAL	**5512**	**6.4**	**56**	**1**	**2**	**4**	**8**	**14**	**22**		**4311**	**3.5**	**21**	**< 1**	**< 1**	**2**	**4**	**8**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	137	5.0	75	< 1	< 1	3	4	9	39	0-17	139	5.4	16	< 1	2	4	8	12	12
18-34	18	4.7	4							18-34	35	6.4	6						
35-49	40	12.4	84							35-49	16	3.0	4						
50-69	91	10.7	247	2	2	6	9	54	54	50-69	39	3.9	8						
70 +	73	6.7	1							70 +	116	7.5	23	3	3	5	14	14	14
SUBTOTAL	**360**	**7.6**	**108**	**1**	**2**	**5**	**8**	**12**	**33**		**344**	**5.9**	**18**	**1**	**3**	**5**	**9**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	568	3.3	25	< 1	< 1	2	4	7	9	0-17	547	1.9	14	< 1	< 1	< 1	1	3	4
18-34	89	4.5	16	< 1	< 1	4	8	9	13	18-34	162	7.4	89	1	1	4	5	26	26
35-49	45	9.2	30	3	4	10	13	18	18	35-49	57	6.0	97	1	1	2	2	27	27
50-69	60	8.9	43							50-69	174	2.1	2	< 1	1	2	3	4	5
70 +	32	4.0								70 +	108	4.2	7	2	2	3	6	8	10
SUBTOTAL	**794**	**4.2**	**28**	**< 1**	**< 1**	**2**	**5**	**11**	**15**		**1049**	**3.2**	**32**	**< 1**	**< 1**	**1**	**3**	**5**	**10**
GRAND TOTAL	**1154**	**5.3**	**56**	**< 1**	**1**	**3**	**6**	**11**	**15**		**1393**	**3.9**	**29**	**< 1**	**< 1**	**2**	**4**	**10**	**14**

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	957	5.5	35	1	3	5	7	10	11
70-74	573	5.0	15	1	2	4	6	10	15
75-79	759	7.2	68	1	2	4	10	16	25
80-84	506	6.7	33	1	3	5	8	14	19
85 +	781	8.3	132	3	4	6	9	16	19
SUBTOTAL	**3576**	**6.5**	**61**	**1**	**3**	**5**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3576**	**6.5**	**61**	**1**	**3**	**5**	**7**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	591	4.0	12	1	2	3	5	8	10
35-49	573	4.0	8	1	2	3	6	7	9
50-69	901	4.7	16	1	2	4	6	10	11
70 +	124	5.9	20	3	4	4	5	10	21
	2189	**4.4**	**13**	**1**	**2**	**3**	**6**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2189	**4.4**	**13**	**1**	**2**	**3**	**6**	**9**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	155	3.3	3	2	2	3	4	4	8
35-49	67	3.9	7	1	2	4	5	9	9
50-69	61	4.5	6	2	2	3	7	8	8
70 +	25	4.0	1						
SUBTOTAL	**307**	**3.7**	**4**	**2**	**2**	**3**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**307**	**3.7**	**4**	**2**	**2**	**3**	**4**	**8**	**8**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	653	4.0	9	1	2	3	6	8	10
35-49	328	6.8	102	1	2	4	8	11	29
50-69	260	4.1	14	1	1	3	5	8	15
70 +	94	13.9	92	2	4	16	16	30	31
	1335	**5.4**	**45**	**1**	**2**	**3**	**6**	**11**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1335	**5.4**	**45**	**1**	**2**	**3**	**6**	**11**	**16**

Total U.S., July 1988 - June 1989

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1278	2.7	7	1	1	2	3	5	7	0-17	0								
70-74	1033	3.1	9	1	1	2	4	6	11	18-34	2929	2.3	5	1	1	2	3	4	5
75-79	1058	3.8	20	1	1	3	4	8	9	35-49	2521	2.4	4	1	1	2	3	5	7
80-84	888	4.1	21	1	1	2	5	9	12	50-69	2354	2.5	6	1	1	2	3	4	6
85 +	629	3.5	8	1	2	2	5	8	8	70 +	131	2.9	6	1	1	2	4	6	10
SUBTOTAL	**4886**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**9**		**7935**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**4886**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**9**		**7935**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	374	2.6	5	1	1	2	3	6	6	18-34	2339	2.4	3	< 1	1	2	3	5	5
35-49	148	3.1	6	1	1	2	4	6	10	35-49	836	2.2	2	1	1	2	3	4	5
50-69	160	3.9	9	1	1	3	5	10	11	50-69	559	2.1	3	1	1	2	3	4	5
70 +	0									70 +	205	4.3	18	1	1	2	6	11	13
SUBTOTAL	**682**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**10**		**3939**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**682**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**10**		**3939**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**5**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	485	2.3	4	1	1	2	2	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	485	**2.3**	**4**	**1**	**1**	**2**	**2**	**5**	**8**
0-17	13244	1.4	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13244	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
	13729	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	112	2.9	7	1	1	1	3	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**112**	**2.9**	**7**	**1**	**1**	**1**	**3**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2324	1.6	1	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2324**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**2436**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**3**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	204	4.2	26	1	1	2	4	11	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	204	**4.2**	**26**	**1**	**1**	**2**	**4**	**11**	**20**
0-17	3700	1.5	3	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3700	**1.5**	**3**	**< 1**	**1**	**1**	**1**	**2**	**3**
	3904	**1.7**	**4**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3027	7.6	58	2	3	6	9	14	21	0-17	0								
70-74	2885	7.9	52	2	3	6	9	17	22	18-34	1877	5.0	35	1	2	4	6	9	11
75-79	2809	8.9	92	2	4	7	11	17	24	35-49	1405	5.8	35	1	2	4	7	12	15
80-84	2918	10.4	171	2	4	6	12	20	29	50-69	1942	6.4	33	1	3	5	8	12	17
85 +	3965	9.7	135	2	4	6	11	20	33	70 +	438	9.2	74	2	4	6	11	22	32
SUBTOTAL	**15605**	**8.9**	**105**	**2**	**4**	**6**	**10**	**17**	**26**		**5662**	**6.0**	**38**	**1**	**2**	**4**	**7**	**11**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15605**	**8.9**	**105**	**2**	**4**	**6**	**10**	**17**	**26**		**5662**	**6.0**	**38**	**1**	**2**	**4**	**7**	**11**	**18**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	356	5.7	23	2	3	5	6	12	15	18-34	1442	3.9	11	1	1	3	5	9	11
35-49	238	4.7	18	1	2	2	6	10	15	35-49	949	8.3	101	1	4	5	9	15	40
50-69	458	8.9	97	1	3	5	10	33	33	50-69	832	5.9	44	1	2	4	6	14	21
70 +	76	10.5	86	1	3	12	12	31	31	70 +	473	7.5	44	2	3	5	11	16	20
SUBTOTAL	**1128**	**7.1**	**60**	**1**	**2**	**5**	**8**	**15**	**31**		**3695**	**5.9**	**49**	**1**	**2**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1128**	**7.1**	**60**	**1**	**2**	**5**	**8**	**15**	**31**		**3695**	**5.9**	**49**	**1**	**2**	**4**	**7**	**12**	**17**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4128	4.1	12	1	2	3	6	8	10
70-74	3278	4.3	19	1	2	3	5	7	11
75-79	3046	5.8	43	1	2	4	7	11	15
80-84	3421	5.3	32	1	2	4	6	10	13
85+	3521	5.9	49	1	2	4	6	11	18
SUBTOTAL	**17393**	**5.1**	**31**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**17393**	**5.1**	**31**	**1**	**2**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	7607	2.7	7	1	1	2	4	5	6
35-49	6445	3.0	5	1	1	2	4	6	8
50-69	5662	3.8	16	1	2	3	5	7	9
70+	581	4.6	13	1	2	4	7	9	12
	20295	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
	20295	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1033	3.1	9	1	1	2	4	6	8
35-49	449	3.7	8	1	2	3	5	7	8
50-69	459	5.9	104	1	2	3	7	11	12
70+	54	6.6	11	2	3	9	10	10	10
SUBTOTAL	**1995**	**4.0**	**32**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**1995**	**4.0**	**32**	**1**	**1**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	5582	2.9	5	1	1	2	4	6	7
35-49	2644	3.3	7	1	1	3	4	7	8
50-69	1440	4.1	30	1	1	3	5	7	10
70+	570	8.3	175	1	2	4	7	19	53
	10236	**3.5**	**20**	**1**	**1**	**3**	**4**	**6**	**9**
	10236	**3.5**	**20**	**1**	**1**	**3**	**4**	**6**	**9**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	7.8	4							0-17	1141	5.3	60	1	1	3	5	11	27
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**25**	**7.8**	**4**								**1141**	**5.3**	**60**	**1**	**1**	**3**	**5**	**11**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	14	1.4								0-17	15823	2.3	7	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**1.4**									**15823**	**2.3**	**7**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**39**	**5.5**	**12**								**16964**	**2.5**	**11**	**1**	**1**	**2**	**3**	**4**	**7**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	293	3.5	29	1	1	2	3	7	9	0-17	600	4.6	50	1	1	2	4	10	17
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**293**	**3.5**	**29**	**1**	**1**	**2**	**3**	**7**	**9**		**600**	**4.6**	**50**	**1**	**1**	**2**	**4**	**10**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3817	2.7	10	1	1	2	3	6	7	0-17	6119	2.2	5	1	1	1	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3817**	**2.7**	**10**	**1**	**1**	**2**	**3**	**6**	**7**		**6119**	**2.2**	**5**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**4110**	**2.8**	**12**	**1**	**1**	**2**	**3**	**6**	**8**		**6719**	**2.4**	**9**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2028	6.4	97	1	2	4	7	12	18	0-17	634	4.8	41	1	1	2	5	15	16
70-74	1032	7.5	71	2	3	4	8	17	33	18-34	569	3.7	8	1	2	3	5	7	8
75-79	953	7.3	126	1	2	4	7	16	42	35-49	1186	3.5	6	1	2	3	4	6	9
80-84	613	6.7	69	2	3	5	7	15	20	50-69	1361	4.5	11	2	2	3	6	9	11
85 +	700	7.1	49	2	3	6	9	19	54	70 +	25	6.8	9						
SUBTOTAL	**5326**	**6.9**	**88**	**2**	**3**	**4**	**8**	**15**	**22**		**3775**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1965	4.1	14	1	2	3	5	8	11	0-17	4401	2.7	14	< 1	1	1	3	6	10
70-74	692	3.6	10	1	2	2	4	8	10	18-34	1790	2.4	4	1	1	2	3	5	7
75-79	738	7.8	337	1	2	3	5	10	92	35-49	3605	3.2	13	1	1	2	4	7	9
80-84	661	4.9	17	1	2	3	7	9	17	50-69	2542	2.9	6	1	1	2	3	5	8
85 +	351	5.9	27	2	3	4	6	12	14	70 +	124	4.9	26	1	1	3	7	10	21
SUBTOTAL	**4407**	**4.9**	**71**	**1**	**2**	**3**	**5**	**9**	**12**		**12462**	**2.9**	**11**	**< 1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**9733**	**6.0**	**81**	**1**	**2**	**4**	**7**	**11**	**18**		**16237**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	307	3.8	37	1	1	2	5	9	35	0-17	388	4.8	47	< 1	1	2	4	12	22
18-34	212	5.6	21	1	2	4	7	12	18	18-34	387	3.6	5	1	1	4	5	6	8
35-49	310	4.3	14	1	2	2	7	11	12	35-49	347	3.0	5	1	1	2	4	6	7
50-69	338	5.5	55	1	2	3	6	9	27	50-69	376	4.4	13	1	2	3	5	9	14
70 +	52	8.4	114							70 +	104	4.9	10	2	3	3	6	9	13
SUBTOTAL	**1220**	**4.9**	**38**	**1**	**1**	**3**	**6**	**11**	**19**		**1602**	**4.0**	**18**	**1**	**1**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1853	3.9	29	< 1	1	2	4	9	16	0-17	1276	3.2	20	< 1	< 1	1	3	8	15
18-34	568	2.3	2	< 1	2	2	3	4	5	18-34	1072	2.5	6	< 1	1	2	3	4	5
35-49	480	4.5	46	1	2	3	4	7	11	35-49	842	2.4	4	1	1	2	3	5	5
50-69	528	4.4	17	1	2	3	6	9	14	50-69	580	2.4	2	1	1	2	3	5	5
70 +	6	5.0								70 +	37	2.5	9						
SUBTOTAL	**3435**	**3.8**	**25**	**< 1**	**1**	**2**	**4**	**8**	**14**		**3807**	**2.7**	**10**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**4656**	**4.1**	**29**	**1**	**1**	**2**	**4**	**8**	**14**		**5409**	**3.1**	**13**	**< 1**	**1**	**2**	**3**	**6**	**10**

DRG 257: Total Mastectomy for Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7773	5.6	16	2	3	5	7	9	12	0-17	0								
70-74	6513	5.9	12	3	4	5	7	9	12	18-34	553	4.4	4	2	3	4	5	7	9
75-79	5977	6.4	25	3	4	5	7	10	14	35-49	5563	4.7	8	2	3	4	5	7	9
80-84	3650	7.3	48	3	4	6	8	12	16	50-69	9950	4.9	10	3	3	4	6	8	10
85 +	1987	6.1	13	3	4	6	7	10	12	70 +	220	5.4	12	2	4	5	6	7	8
SUBTOTAL	**25900**	**6.2**	**21**	**3**	**4**	**5**	**7**	**10**	**13**		**16286**	**4.8**	**9**	**2**	**3**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**25900**	**6.2**	**21**	**3**	**4**	**5**	**7**	**10**	**13**		**16286**	**4.8**	**9**	**2**	**3**	**4**	**6**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	67	4.7	7	3	3	4	4	11	11	18-34	242	3.3	2	2	3	3	4	5	6
35-49	433	7.0	40	3	4	5	8	9	23	35-49	1303	3.8	3	2	2	3	5	6	7
50-69	681	6.3	18	3	4	5	8	11	12	50-69	2763	4.5	12	2	3	3	5	8	10
70 +	131	9.6	29	4	5	10	12	12	25	70 +	472	5.0	26	2	3	3	5	7	23
SUBTOTAL	**1313**	**6.8**	**27**	**3**	**4**	**5**	**8**	**12**	**14**		**4780**	**4.3**	**11**	**2**	**3**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1313**	**6.8**	**27**	**3**	**4**	**5**	**8**	**12**	**14**		**4780**	**4.3**	**11**	**2**	**3**	**3**	**5**	**7**	**9**

DRG 258: Total Mastectomy for Malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10448	4.4	5	2	3	4	5	7	8	0-17	14	1.0							
70-74	8390	4.4	4	2	3	4	5	7	8	18-34	1476	4.1	3	2	3	4	5	6	7
75-79	5797	4.8	6	2	3	4	6	7	9	35-49	10079	3.7	3	2	3	3	4	6	6
80-84	3413	5.0	7	2	3	4	6	8	10	50-69	17554	4.1	3	2	3	4	5	6	7
85 +	1816	4.5	5	2	3	4	6	8	8	70 +	553	4.3	4	2	3	4	5	7	8
SUBTOTAL	**29864**	**4.5**	**5**	**2**	**3**	**4**	**6**	**7**	**8**		**29677**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**29864**	**4.5**	**5**	**2**	**3**	**4**	**6**	**7**	**8**		**29677**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	40	3.2							
18-34	144	2.9	1	2	2	3	4	4	4	18-34	447	3.6	3	2	2	3	4	7	8
35-49	563	4.3	4	2	3	4	5	7	8	35-49	2587	3.6	20	2	2	3	4	6	6
50-69	632	5.0	8	2	3	5	6	8	8	50-69	4463	3.3	3	2	2	3	4	5	6
70 +	85	5.4	7	1	3	6	8	9	9	70 +	805	4.2	18	2	2	3	4	8	9
SUBTOTAL	**1424**	**4.5**	**6**	**2**	**3**	**4**	**5**	**8**	**8**		**8342**	**3.5**	**10**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1424**	**4.5**	**6**	**2**	**3**	**4**	**5**	**8**	**8**		**8342**	**3.5**	**10**	**2**	**2**	**3**	**4**	**6**	**7**

Total U.S., July 1988 - June 1989

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	951	4.9	18	2	2	3	6	11	13	0-17	0								
70-74	886	5.9	45	1	2	4	6	11	18	18-34	157	3.8	11	1	1	2	5	11	11
75-79	809	7.6	58	2	3	5	10	14	17	35-49	947	4.8	23	1	2	3	6	9	16
80-84	357	8.3	99	2	3	5	10	22	48	50-69	1368	5.4	35	1	2	4	5	15	19
85 +	414	4.6	10	1	2	4	6	8	10	70 +	103	3.7	11	1	2	3	3	8	13
SUBTOTAL	**3417**	**6.1**	**44**	**2**	**3**	**4**	**8**	**13**	**16**		**2574**	**5.0**	**29**	**1**	**2**	**3**	**5**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3417**	**6.1**	**44**	**2**	**3**	**4**	**8**	**13**	**16**		**2574**	**5.0**	**29**	**1**	**2**	**3**	**5**	**11**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	71.0								18-34	34	7.6	42						
35-49	70	5.2	4	4	4	6	7	7	99 +	35-49	276	2.3	3	1	1	2	3	4	4
50-69	73	9.5	81	2	4	7	10	32	32	50-69	343	3.5	16	1	1	2	4	7	9
70 +	6	2.0								70 +	89	3.9	5	< 1	2	3	6	6	7
SUBTOTAL	**160**	**11.3**	**288**	**2**	**4**	**7**	**8**	**32**	**71**		**742**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**160**	**11.3**	**288**	**2**	**4**	**7**	**8**	**32**	**71**		**742**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1825	2.8	4	< 1	1	2	4	6	7	0-17	14	1.0							
70-74	1005	2.8	5	< 1	1	2	4	5	7	18-34	286	2.3	2	< 1	1	2	3	4	5
75-79	851	3.1	4	< 1	2	3	4	6	6	35-49	2775	2.5	2	< 1	1	2	3	4	5
80-84	599	2.7	3	< 1	1	2	4	5	6	50-69	3827	2.7	5	< 1	1	2	3	5	6
85 +	335	3.3	7	1	2	2	4	6	8	70 +	67	2.4	1	1	1	3	3	4	4
SUBTOTAL	**4614**	**2.9**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**		**6970**	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**4614**	**2.9**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**		**6970**	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**5**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	8	3.0								18-34	64	1.8		1	1	2	2	3	3
35-49	91	4.1	5	2	2	4	5	9	9	35-49	796	2.0	3	< 1	1	2	2	3	4
50-69	123	3.8	6	1	1	4	6	6	8	50-69	1116	2.0	2	< 1	1	2	3	3	4
70 +	10	2.0								70 +	156	1.9	1	< 1	< 1	2	3	3	4
SUBTOTAL	**232**	**3.8**	**5**	**1**	**2**	**4**	**5**	**6**	**8**		**2132**	**2.0**	**2**	**< 1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**232**	**3.8**	**5**	**1**	**2**	**4**	**5**	**6**	**8**		**2132**	**2.0**	**2**	**< 1**	**1**	**2**	**2**	**3**	**4**

Total U.S., July 1988 - June 1989

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	356	3.1	4	1	1	3	5	6	6
70-74	197	4.1	32	1	2	3	4	5	7
75-79	164	8.4	229	3	3	4	10	12	12
80-84	24	4.7	3						
85 +	26	5.8	1						
SUBTOTAL	**767**	**4.6**	**63**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1410	2.7	4	1	1	2	3	5	6
70-74	517	2.5	4	1	1	2	3	5	7
75-79	285	2.4	2	1	1	2	3	4	5
80-84	150	3.5	11	1	1	3	4	5	13
85 +	86	2.4	3	1	1	2	3	6	7
SUBTOTAL	**2448**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3215**	**3.1**	**19**	**1**	**1**	**2**	**4**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	2.0		1	2	2	2	3	3
18-34	498	2.9	6	1	2	2	3	4	5
35-49	818	4.8	45	1	2	3	5	9	10
50-69	662	3.7	4	1	2	3	5	7	8
70 +	0								
	2033	**3.9**	**22**	**1**	**2**	**3**	**4**	**7**	**9**
0-17	1725	1.7	1	1	1	2	2	3	3
18-34	8249	2.1	2	1	1	2	3	3	4
35-49	9074	2.3	2	1	1	2	3	4	5
50-69	5745	2.3	2	1	1	2	3	4	5
70 +	43	2.9	1						
	24836	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	26868	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	3.0							
18-34	107	4.9	21	1	2	4	5	16	16
35-49	89	8.3	60	3	3	7	8	8	32
50-69	101	3.1	1	2	2	3	4	5	5
70 +	0								
SUBTOTAL	**319**	**5.1**	**29**	**2**	**2**	**3**	**5**	**8**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	231	1.6		1	1	2	2	2	3
18-34	995	2.6	2	1	2	2	3	4	5
35-49	383	3.1	6	1	2	3	4	5	7
50-69	128	2.7	4	1	1	2	3	6	7
70 +	20	3.0	1						
SUBTOTAL	**1758**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2077**	**3.0**	**8**	**1**	**2**	**2**	**3**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	1.9	1						
18-34	135	4.1	21	1	2	3	4	5	22
35-49	57	5.7	16	1	1	4	9	12	12
50-69	143	3.0	6	1	1	2	4	8	8
70 +	0								
	361	**3.8**	**14**	**1**	**1**	**3**	**4**	**8**	**10**
0-17	430	1.6	1	1	1	1	2	3	3
18-34	2125	1.7	1	1	1	2	2	3	3
35-49	2279	1.9	1	1	1	2	2	3	4
50-69	1352	2.2	2	1	1	2	3	4	5
70 +	16	2.0							
	6201	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	6563	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

Total U.S., July 1988 - June 1989

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	330	3.1	34	1	1	2	3	5	7	0-17	0								
70-74	213	3.4	10	1	1	2	5	7	13	18-34	83	2.5	2	1	1	3	3	3	6
75-79	245	4.8	56	2	2	2	4	5	25	35-49	385	2.3	5	1	1	1	3	6	6
80-84	118	1.5	1	1	1	1	1	3	5	50-69	446	2.5	14	< 1	1	2	2	3	6
85 +	37	4.3	4							70 +	10	2.0							
SUBTOTAL	**942**	**3.5**	**30**	**1**	**1**	**2**	**4**	**5**	**13**		**924**	**2.5**	**9**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1193	1.6	5	< 1	< 1	1	2	2	3	0-17	163	1.1		< 1	< 1	1	1	1	3
70-74	905	1.3	1	< 1	< 1	< 1	1	2	2	18-34	1094	1.4	3	< 1	< 1	< 1	1	2	3
75-79	710	1.6	1	< 1	< 1	1	2	2	3*	35-49	4523	1.3	1	< 1	< 1	< 1	1	2	3
80-84	235	1.8	2	< 1	1	1	2	2	3	50-69	3357	1.3	1	< 1	< 1	< 1	1	2	2
85 +	107	1.4		< 1	< 1	1	2	2	3	70 +	64	1.6	2						
SUBTOTAL	**3149**	**1.5**	**2**	**< 1**	**< 1**	**1**	**2**	**2**	**3**		**9201**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**4091**	**2.0**	**9**	**< 1**	**< 1**	**1**	**2**	**3**	**5**		**10125**	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	1.0							
35-49	56	2.4	1	< 1	1	3	3	4	4	35-49	91	3.0	4	1	2	2	5	7	7
50-69	50	5.6	4							50-69	123	3.6	13	< 1	1	2	5	5	14
70 +	0									70 +	10	1.0							
SUBTOTAL	**106**	**3.9**	**5**	**1**	**2**	**3**	**7**	**7**	**7**		**231**	**3.2**	**9**	**< 1**	**1**	**2**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	49	2.0	1							0-17	86	1.4	1	1	1	1	1	2	5
18-34	182	1.5	1	< 1	< 1	1	2	3	3	18-34	379	1.5	1	< 1	< 1	1	1	2	4
35-49	169	2.7	5	< 1	1	1	3	8	8	35-49	900	1.4	2	< 1	< 1	1	1	2	5
50-69	161	2.2	4	< 1	1	2	2	3	9	50-69	703	1.5	1	< 1	< 1	1	2	2	5
70 +	10	1.0								70 +	70	1.0		< 1	< 1	< 1	1	1	1
SUBTOTAL	**572**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**		**2137**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**5**
GRAND TOTAL	**678**	**2.4**	**4**	**< 1**	**1**	**1**	**3**	**6**	**7**		**2369**	**1.6**	**3**	**< 1**	**< 1**	**1**	**1**	**2**	**5**

Total U.S., July 1988 - June 1989

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7325	21.7	355	5	9	15	31	56	79	0-17	278	22.5	356	4	8	16	34	51	64
70-74	2966	21.9	359	5	10	16	30	57	79	18-34	943	20.5	285	4	7	15	31	47	54
75-79	3338	19.7	309	5	8	15	29	56	98	35-49	1358	19.4	285	4	7	14	24	48	59
80-84	3014	18.0	205	5	8	14	24	39	54	50-69	3160	17.7	224	4	8	14	23	34	50
85+	3817	18.4	226	5	8	14	24	41	57	70+	203	23.6	433	9	14	14	27	42	91
SUBTOTAL	20460	20.3	305	5	8	15	28	51	74		5942	18.9	264	4	8	14	25	44	54
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	20460	20.3	305	5	8	15	28	51	74		5942	18.9	264	4	8	14	25	44	54

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	189	24.0	457	5	11	19	26	45	89	0-17	46	8.0	8	5	5	10	10	12	12
18-34	1037	23.8	359	5	9	21	35	57	78	18-34	369	17.9	183	5	9	15	21	39	45
35-49	751	18.7	186	6	9	15	27	44	69	35-49	637	14.7	114	4	7	11	22	30	42
50-69	1005	20.2	353	5	7	14	30	51	83	50-69	773	19.4	395	3	7	11	27	54	69
70+	184	18.1	172	8	9	14	22	55	97	70+	185	17.1	245	4	7	11	16	49	49
SUBTOTAL	3168	21.1	316	5	9	16	30	51	86		2010	17.2	250	4	7	11	24	42	52
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	3168	21.1	316	5	9	16	30	51	86		2010	17.2	250	4	7	11	24	42	52

Total U.S., July 1988 - June 1989

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1916	13.8	147	2	5	10	20	28	41	0-17	485	8.3	63	2	4	5	10	20	25
70-74	1005	13.9	203	2	4	9	19	34	50	18-34	903	9.6	82	2	4	7	10	20	28
75-79	935	10.6	61	3	7	9	13	24	37	35-49	1055	9.0	66	2	3	7	13	21	29
80-84	603	17.4	215	5	8	12	21	33	43	50-69	1367	10.3	79	3	5	8	12	21	29
85 +	999	12.0	154	2	4	9	15	24	29	70 +	155	8.6	31	3	6	7	11	14	24
SUBTOTAL	**5458**	**13.3**	**155**	**2**	**5**	**10**	**19**	**28**	**41**		**3965**	**9.5**	**73**	**2**	**4**	**7**	**11**	**21**	**29**
GRAND TOTAL	**5458**	**13.3**	**155**	**2**	**5**	**10**	**19**	**28**	**41**		**3965**	**9.5**	**73**	**2**	**4**	**7**	**11**	**21**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	283	5.9	30	1	3	4	8	13	14	0-17	206	7.1	34	2	3	4	9	18	18
18-34	395	13.6	119	2	4	12	21	28	31	18-34	676	9.0	67	2	3	6	11	24	25
35-49	368	12.2	112	3	6	7	18	26	35	35-49	302	10.2	50	4	6	7	13	21	26
50-69	254	12.0	119	4	5	8	12	39	40	50-69	306	7.8	34	1	4	7	9	15	17
70 +	50	13.3	90							70 +	84	10.4	97	2	3	4	23	26	28
SUBTOTAL	**1350**	**11.3**	**105**	**2**	**4**	**8**	**16**	**26**	**35**		**1573**	**8.8**	**55**	**2**	**4**	**6**	**11**	**21**	**25**
GRAND TOTAL	**1350**	**11.3**	**105**	**2**	**4**	**8**	**16**	**26**	**35**		**1573**	**8.8**	**55**	**2**	**4**	**6**	**11**	**21**	**25**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1401	8.6	68	2	3	6	10	18	30
70-74	844	8.0	57	2	3	5	11	18	28
75-79	1010	10.3	131	2	3	7	13	23	28
80-84	646	7.4	37	2	4	6	9	14	22
85 +	773	9.4	115	1	3	8	10	17	22
SUBTOTAL	**4673**	**8.8**	**84**	**2**	**3**	**6**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4673**	**8.8**	**84**	**2**	**3**	**6**	**11**	**18**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	660	4.4	16	1	1	3	6	11	15
18-34	1043	5.9	37	1	3	4	6	12	21
35-49	1080	8.9	99	1	3	6	9	21	29
50-69	1542	10.3	212	2	3	6	11	20	38
70 +	145	11.8	144	2	5	7	14	39	43
	4470	**8.1**	**118**	**1**	**3**	**5**	**9**	**17**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4470	**8.1**	**118**	**1**	**3**	**5**	**9**	**17**	**29**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	303	11.9	244	2	3	8	14	23	32
18-34	195	7.8	44	2	3	5	10	21	21
35-49	195	7.7	24	2	2	8	12	15	15
50-69	136	13.6	216	4	6	10	12	50	55
70 +	32	9.0							
SUBTOTAL	**860**	**10.2**	**140**	**2**	**3**	**8**	**12**	**20**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**860**	**10.2**	**140**	**2**	**3**	**8**	**12**	**20**	**26**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	318	8.4	205	1	2	6	7	13	14
18-34	745	6.1	43	1	2	3	9	14	19
35-49	421	7.0	51	1	3	4	9	14	25
50-69	338	10.1	101	1	4	7	13	26	29
70 +	63	10.0	84	1	2	6	20	25	25
	1885	**7.5**	**86**	**1**	**2**	**4**	**9**	**17**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1885	**7.5**	**86**	**1**	**2**	**4**	**9**	**17**	**25**

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1965	4.1	13	1	1	3	6	9	12
70-74	1291	4.1	29	1	1	2	6	8	13
75-79	971	4.7	15	1	2	3	7	11	12
80-84	773	4.7	44	1	1	3	6	9	14
85 +	739	4.5	23	1	1	2	6	11	16
SUBTOTAL	**5740**	**4.3**	**23**	**1**	**1**	**3**	**6**	**10**	**12**
GRAND TOTAL	**5740**	**4.3**	**23**	**1**	**1**	**3**	**6**	**10**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4855	2.8	6	1	1	2	4	6	7
18-34	4110	3.7	11	1	2	3	5	8	10
35-49	4020	4.1	17	1	1	3	6	8	11
50-69	3556	3.9	22	1	1	2	5	8	11
70 +	79	3.7	27	1	1	2	2	17	17
	16620	**3.6**	**14**	**1**	**1**	**2**	**5**	**7**	**9**
	16620	**3.6**	**14**	**1**	**1**	**2**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1742	3.9	18	1	1	2	5	8	13
18-34	748	5.5	36	1	2	3	8	11	16
35-49	450	7.6	80	1	2	3	7	19	29
50-69	319	5.7	39	1	2	4	8	12	12
70 +	46	4.7	2						
SUBTOTAL	**3304**	**4.9**	**34**	**1**	**2**	**3**	**6**	**12**	**17**
GRAND TOTAL	**3304**	**4.9**	**34**	**1**	**2**	**3**	**6**	**12**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1647	3.8	22	1	1	2	4	10	13
18-34	2804	4.1	19	1	1	3	5	8	13
35-49	1310	4.3	20	1	1	3	6	9	12
50-69	857	4.6	49	< 1	1	2	5	8	10
70 +	87	2.0	3	< 1	1	1	2	6	6
	6705	**4.1**	**24**	**1**	**1**	**2**	**5**	**8**	**13**
	6705	**4.1**	**24**	**1**	**1**	**2**	**5**	**8**	**13**

Total U.S., July 1988 - June 1989

DRG 267: Perianal & Pilonidal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	53	4.8	41	< 1	2	2	3	20	20	0-17	223	2.7	4	1	1	2	5	6	6
70-74	46	5.4	10	2	3	4	9	10	10	18-34	400	3.0	4	1	1	3	4	6	7
75-79	14	7.0								35-49	136	4.9	15	1	2	4	7	11	11
80-84	10	14.0								50-69	74	6.3	26	1	1	3	12	12	12
85 +	10	21.0								70 +	0								
SUBTOTAL	**133**	**7.2**	**41**	**2**	**2**	**4**	**10**	**20**	**21**		**834**	**3.5**	**9**	**1**	**1**	**2**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	195	1.8	1	< 1	1	2	2	3	4	0-17	1949	2.2	3	1	1	2	3	4	6
70-74	30	2.3	2							18-34	7573	1.9	2	1	1	2	2	3	4
75-79	22	2.1	3							35-49	1631	2.0	1	1	1	2	3	4	4
80-84	18	2.0								50-69	391	1.8	1	1	1	2	2	2	4
85 +	9	8.0								70 +	0								
SUBTOTAL	**274**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**		**11544**	**1.9**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**407**	**3.8**	**21**	**1**	**1**	**2**	**4**	**9**	**14**		**12377**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	5.7	24							0-17	22	1.4							
18-34	34	4.0	3							18-34	67	3.1	4	1	1	2	5	6	6
35-49	48	3.1	1							35-49	31	18.9	234						
50-69	0									50-69	10	1.0							
70 +	0									70 +	0								
SUBTOTAL	**115**	**4.2**	**9**	**2**	**2**	**4**	**4**	**6**	**13**		**131**	**6.5**	**107**	**1**	**1**	**2**	**6**	**35**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	164	1.6		1	1	2	2	2	2	0-17	293	1.9	3	< 1	1	1	2	5	6
18-34	555	2.3	2	1	1	2	3	5	5	18-34	1534	1.7	2	1	1	1	2	3	4
35-49	56	2.9	2	1	2	2	5	5	5	35-49	192	2.0	5	1	1	1	2	3	4
50-69	0									50-69	80	2.1	7	< 1	1	1	1	6	10
70 +	0									70 +	10	1.0							
SUBTOTAL	**776**	**2.2**	**2**	**1**	**1**	**2**	**3**	**5**	**5**		**2110**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**891**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**5**		**2241**	**2.0**	**10**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	238	3.6	9	1	2	3	5	6	9	0-17	216	4.0	40	1	1	2	6	8	8
70-74	52	4.6	17	1	2	2	7	13	13	18-34	321	3.0	7	1	1	2	4	7	9
75-79	115	6.0	73	1	2	3	6	28	28	35-49	221	4.4	37	1	2	3	4	7	8
80-84	87	5.6	31	< 1	1	2	14	15	15	50-69	274	3.1	4	1	2	3	4	6	8
85 +	200	9.3	229	< 1	1	4	9	26	26	70 +	15	1.4							
SUBTOTAL	**692**	**6.0**	**91**	**1**	**2**	**3**	**7**	**13**	**26**		**1047**	**3.5**	**20**	**1**	**1**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	489	2.7	6	< 1	1	1	4	5	8	0-17	945	1.7	1	< 1	1	1	2	3	4
70-74	292	2.1	2	< 1	1	1	3	4	5	18-34	997	2.1	2	1	1	2	3	4	5
75-79	175	1.8	1	< 1	< 1	1	2	4	4	35-49	1237	2.2	2	1	1	2	3	4	6
80-84	223	2.7	8	< 1	1	2	4	9	10	50-69	1827	1.6	1	< 1	1	1	2	3	4
85 +	104	1.7	3	< 1	1	1	1	5	6	70 +	65	2.3	5	1	1	1	3	7	7
SUBTOTAL	**1284**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**5**	**8**		**5071**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1976**	**3.6**	**38**	**< 1**	**1**	**2**	**4**	**8**	**11**		**6118**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	111	3.7	4	2	2	2	6	6	6	0-17	83	3.7	15	1	2	2	3	14	14
18-34	25	4.6	9							18-34	350	3.4	10	1	1	3	4	7	12
35-49	71	9.3	114							35-49	111	3.0	4	1	1	3	5	5	8
50-69	0									50-69	83	4.1	31	1	2	2	4	9	21
70 +	14	19.0								70 +	25	3.4							
SUBTOTAL	**221**	**6.6**	**56**	**2**	**2**	**5**	**6**	**19**	**19**		**652**	**3.5**	**12**	**1**	**1**	**3**	**4**	**7**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	327	3.2	21	1	1	1	3	7	9	0-17	418	1.8	4	< 1	1	1	2	3	3
18-34	122	2.7	3	1	1	2	4	5	6	18-34	561	2.2	3	1	1	2	3	4	5
35-49	67	2.2	1	1	2	2	2	4	4	35-49	832	1.8	1	1	1	2	2	3	4
50-69	28	4.2	2							50-69	1654	1.3		1	1	1	1	2	3
70 +	0									70 +	241	1.3	1	< 1	1	1	1	2	3
SUBTOTAL	**544**	**3.0**	**14**	**1**	**1**	**2**	**3**	**6**	**9**		**3706**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**765**	**4.1**	**28**	**1**	**1**	**2**	**5**	**7**	**13**		**4358**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**4**

Total U.S., July 1988 - June 1989

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3005	11.6	138	2	4	8	14	26	38
70-74	2008	12.1	87	3	5	10	16	25	34
75-79	1580	11.2	116	2	4	8	15	23	31
80-84	1216	14.3	188	2	7	10	17	25	42
85+	1337	13.9	160	3	5	11	17	29	37
SUBTOTAL	**9146**	**12.3**	**134**	**2**	**5**	**9**	**16**	**26**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9146**	**12.3**	**134**	**2**	**5**	**9**	**16**	**26**	**36**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	494	5.2	46	1	1	4	6	9	15
18-34	1104	6.1	46	1	2	4	7	14	20
35-49	1506	7.7	121	1	3	5	8	14	24
50-69	2607	10.1	122	2	3	7	13	22	32
70+	87	21.5	612	3	5	11	21	82	82
	5798	**8.5**	**114**	**1**	**3**	**5**	**10**	**18**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	5798	**8.5**	**114**	**1**	**3**	**5**	**10**	**18**	**28**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	236	6.3	14	2	3	6	10	11	12
18-34	557	8.0	77	2	4	5	8	19	29
35-49	514	10.0	69	2	5	7	13	21	31
50-69	524	13.6	153	2	4	10	16	29	40
70+	48	7.7	46	1	4	5	8	20	20
SUBTOTAL	**1879**	**9.9**	**94**	**2**	**4**	**6**	**13**	**21**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1879**	**9.9**	**94**	**2**	**4**	**6**	**13**	**21**	**31**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	269	6.8	22	1	4	7	9	11	22
18-34	943	5.7	42	2	3	4	7	10	11
35-49	663	7.0	23	1	3	7	10	13	16
50-69	540	7.5	44	1	3	4	12	18	20
70+	114	8.4	29	2	3	7	14	14	17
	2529	**6.7**	**35**	**1**	**3**	**5**	**9**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2529	**6.7**	**35**	**1**	**3**	**5**	**9**	**13**	**17**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2616	4.1	20	< 1	1	3	5	9	14
70-74	1647	3.9	19	< 1	1	3	5	8	10
75-79	1175	3.8	21	< 1	1	2	5	9	14
80-84	544	5.5	31	1	2	3	7	14	15
85 +	549	5.1	33	< 1	< 1	3	7	14	18
SUBTOTAL	**6531**	**4.2**	**22**	**< 1**	**1**	**3**	**5**	**9**	**14**
GRAND TOTAL	**6531**	**4.2**	**22**	**< 1**	**1**	**3**	**5**	**9**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	5335	2.3	8	< 1	< 1	1	2	5	7
18-34	5446	2.7	6	< 1	1	2	4	6	7
35-49	6074	2.7	7	< 1	1	2	3	5	8
50-69	5760	3.3	19	< 1	1	2	4	7	10
70 +	131	3.2	9	< 1	1	1	4	8	11
	22746	**2.8**	**10**	**< 1**	**1**	**2**	**3**	**6**	**8**
	22746	**2.8**	**10**	**< 1**	**1**	**2**	**3**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1708	3.8	17	< 1	1	2	5	9	10
18-34	1048	3.9	17	1	2	2	4	8	14
35-49	499	3.9	11	1	2	3	5	8	9
50-69	274	4.7	15	1	2	4	6	11	15
70 +	44	5.3	7						
SUBTOTAL	**3573**	**3.9**	**16**	**1**	**1**	**2**	**5**	**9**	**11**
GRAND TOTAL	**3573**	**3.9**	**16**	**1**	**1**	**2**	**5**	**9**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1803	2.8	10	< 1	1	1	4	6	8
18-34	3228	3.6	17	< 1	1	3	4	8	9
35-49	1521	3.3	13	1	1	2	4	6	8
50-69	1255	4.3	79	1	1	2	4	7	11
70 +	112	2.6	3	1	1	2	3	6	6
	7918	**3.5**	**24**	**< 1**	**1**	**2**	**4**	**7**	**9**
	7918	**3.5**	**24**	**< 1**	**1**	**2**	**4**	**7**	**9**

DRG 271: Skin Ulcers

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3435	11.1	100	3	5	8	13	22	32	0-17	169	8.9	134	3	4	5	8	13	46
70-74	2194	12.6	119	4	6	9	15	28	36	18-34	368	6.8	30	2	3	5	9	17	19
75-79	2597	12.9	114	4	6	10	17	31	44	35-49	642	9.8	108	3	5	7	11	14	42
80-84	2443	12.1	79	4	6	10	16	24	31	50-69	1251	10.7	85	3	5	8	12	20	33
85 +	3028	14.1	205	4	6	9	18	36	63	70 +	126	13.1	100	4	6	8	19	28	31
SUBTOTAL	**13697**	**12.5**	**126**	**4**	**6**	**9**	**15**	**27**	**40**		**2557**	**9.9**	**89**	**3**	**4**	**7**	**12**	**19**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1001	8.5	41	3	5	7	10	17	21	0-17	44	5.4	4						
70-74	412	13.2	82	5	7	11	17	27	29	18-34	150	9.7	98	2	3	5	17	26	32
75-79	746	7.6	25	2	4	6	11	15	18	35-49	118	5.8	16	3	3	4	7	11	16
80-84	842	11.5	113	3	5	7	16	27	38	50-69	288	9.9	79	2	5	10	13	15	20
85 +	875	11.7	128	3	5	9	13	28	34	70 +	87	13.3	149	< 1	3	6	29	29	99 +
SUBTOTAL	**3875**	**10.2**	**81**	**3**	**5**	**7**	**13**	**22**	**28**		**687**	**9.3**	**81**	**2**	**3**	**7**	**12**	**21**	**29**
GRAND TOTAL	**17572**	**12.0**	**117**	**3**	**6**	**9**	**15**	**26**	**36**		**3244**	**9.8**	**88**	**3**	**4**	**7**	**12**	**19**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	122	15.7	221	< 1	5	10	30	40	43	0-17	9	4.0							
18-34	476	13.3	146	3	5	8	18	30	40	18-34	291	11.0	188	3	4	5	10	42	42
35-49	491	12.7	168	3	5	8	15	31	34	35-49	303	6.7	26	2	3	5	11	12	13
50-69	605	12.0	98	4	5	8	16	25	25	50-69	367	8.2	35	2	4	8	10	15	22
70 +	90	7.7	20	3	4	6	9	16	16	70 +	139	12.9	233	2	5	9	13	27	62
SUBTOTAL	**1784**	**12.6**	**137**	**3**	**5**	**8**	**16**	**30**	**40**		**1108**	**9.1**	**102**	**2**	**4**	**6**	**11**	**16**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	74	9.5	30	< 1	6	7	17	17	17	0-17	96	5.4	40	1	2	3	3	20	20
18-34	72	6.5	28	1	3	5	9	16	16	18-34	44	16.6	592						
35-49	97	6.2	4	4	4	6	8	8	9	35-49	145	5.2	20	1	3	4	7	8	21
50-69	100	10.8	70	5	5	7	12	23	34	50-69	217	8.8	37	2	5	8	14	15	16
70 +	0									70 +	61	6.7	68	< 1	1	3	20	21	21
SUBTOTAL	**343**	**8.3**	**38**	**3**	**5**	**7**	**10**	**16**	**17**		**563**	**7.7**	**88**	**1**	**3**	**4**	**8**	**16**	**21**
GRAND TOTAL	**2127**	**11.9**	**123**	**3**	**5**	[illegible]	**16**	**30**	**34**		**1672**	**8.6**	**98**	**2**	**3**	**5**	**10**	**16**	**27**

Total U.S., July 1988 - June 1989

DRG 272: Major Skin Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1951	9.6	45	3	5	7	13	20	23
70-74	1343	9.4	47	3	4	8	13	20	25
75-79	1346	9.1	44	3	4	7	13	19	24
80-84	1019	9.4	52	3	4	8	12	18	26
85 +	955	11.1	69	4	6	8	14	23	32
SUBTOTAL	6613	9.6	50	3	5	8	13	20	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6613	9.6	50	3	5	8	13	20	25

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	813	4.9	10	1	3	4	6	9	12
18-34	452	8.6	65	2	4	6	10	21	25
35-49	838	8.9	50	2	3	6	12	21	22
50-69	1481	9.4	60	3	4	7	14	21	24
70 +	33	5.7	10						
	3616	8.2	50	2	3	6	10	20	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3616	8.2	50	2	3	6	10	20	22

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	286	8.8	55	2	3	6	13	22	24
18-34	159	8.5	37	2	5	6	11	20	21
35-49	254	14.5	105	4	7	13	18	28	36
50-69	176	10.7	20	6	7	11	13	14	17
70 +	49	6.0	8						
SUBTOTAL	924	10.5	64	3	4	8	14	22	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	924	10.5	64	3	4	8	14	22	26

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	164	4.5	6	2	3	4	6	8	10
18-34	191	9.9	106	2	4	6	12	24	24
35-49	112	8.6	16	5	6	7	11	14	17
50-69	160	7.3	17	3	4	6	9	14	15
70 +	46	5.8	10	3	3	5	7	12	12
	673	7.5	43	2	3	6	8	14	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	673	7.5	43	2	3	6	8	14	22

Total U.S., July 1988 - June 1989

DRG 273: Major Skin Disorders w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1233	9.2	58	2	4	6	14	20	23	0-17	2188	5.1	27	1	2	3	6	13	17
70-74	668	10.1	141	2	3	7	14	21	26	18-34	1092	8.1	44	1	2	6	14	19	21
75-79	763	7.0	24	2	3	6	9	16	19	35-49	1211	10.0	63	2	3	8	16	20	22
80-84	439	8.1	46	3	4	6	9	16	23	50-69	1659	9.4	58	2	4	6	16	21	23
85 +	338	5.7	8	3	4	5	7	10	12	70 +	35	4.7	32						
SUBTOTAL	**3442**	**8.4**	**62**	**2**	**3**	**6**	**11**	**19**	**23**		**6186**	**7.7**	**50**	**1**	**2**	**5**	**12**	**19**	**22**
GRAND TOTAL	**3442**	**8.4**	**62**	**2**	**3**	**6**	**11**	**19**	**23**		**6186**	**7.7**	**50**	**1**	**2**	**5**	**12**	**19**	**22**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	563	5.6	18	1	2	4	7	12	16	0-17	601	3.9	22	1	2	3	4	7	8
18-34	248	10.3	33	5	7	9	12	15	22	18-34	211	5.2	10	2	3	4	8	10	11
35-49	232	11.9	67	4	7	11	14	21	22	35-49	215	4.4	19	< 1	2	4	5	9	9
50-69	45	9.7	62	1	2	5	18	21	21	50-69	164	5.3	22	2	3	4	5	17	18
70 +	0									70 +	24	6.0	11						
SUBTOTAL	**1087**	**8.2**	**42**	**2**	**4**	**6**	**11**	**16**	**20**		**1214**	**4.5**	**19**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**1087**	**8.2**	**42**	**2**	**4**	**6**	**11**	**16**	**20**		**1214**	**4.5**	**19**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 274: Malignant Breast Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	829	9.3	67	2	4	7	13	19	26	0-17	0										
70-74	620	10.6	176	1	3	6	12	27	38	18-34	49	7.6	39	1	3	3	11	19	19		
75-79	511	10.0	120	2	4	7	11	19	44	35-49	883	9.3	93	2	3	6	13	17	28		
80-84	367	12.2	115	3	5	10	18	21	25	50-69	1561	8.0	72	2	3	5	9	17	25		
85 +	355	7.6	96	1	1	5	9	15	42	70 +	54	8.5	64								
SUBTOTAL	**2682**	**9.9**	**114**	**1**	**4**	**7**	**12**	**20**	**30**		**2547**	**8.4**	**78**	**2**	**3**	**6**	**11**	**17**	**28**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	0									0-17	0										
70-74	0									18-34	0										
75-79	0									35-49	0										
80-84	0									50-69	0										
85 +	0									70 +	0										
SUBTOTAL	**0**										**0**										
GRAND TOTAL	**2682**	**9.9**	**114**	**1**	**4**	**7**	**12**	**20**	**30**		**2547**	**8.4**	**78**	**2**	**3**	**6**	**11**	**17**	**28**		

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0									0-17	0										
18-34	82	13.0	124	1	6	11	17	37	37	18-34	9	8.0									
35-49	172	7.6	172	1	1	3	5	21	26	35-49	90	9.0	106	1	2	5	8	33	33		
50-69	301	9.8	56	3	4	9	14	23	25	50-69	174	6.9	42	2	4	4	8	15	18		
70 +	0									70 +	118	5.9	51	1	4	4	5	6	32		
SUBTOTAL	**554**	**9.6**	**104**	**1**	**3**	**6**	**14**	**23**	**29**		**391**	**7.1**	**59**	**1**	**4**	**5**	**7**	**18**	**29**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0									0-17	0										
18-34	0									18-34	0										
35-49	0									35-49	0										
50-69	0									50-69	0										
70 +	0									70 +	0										
SUBTOTAL	**0**										**0**										
GRAND TOTAL	**554**	**9.6**	**104**	**1**	**3**	**6**	**14**	**23**	**29**		**391**	**7.1**	**59**	**1**	**4**	**5**	**7**	**18**	**29**		

DRG 275: Malignant Breast Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	242	3.1	7	1	1	2	3	6	12	0-17	0								
70-74	133	3.4	7	1	1	3	5	7	9	18-34	20	6.6	1						
75-79	132	4.1	12	< 1	2	3	8	10	12	35-49	259	3.0	20	1	1	2	4	4	5
80-84	71	4.8	37	1	1	2	4	8	23	50-69	381	4.0	10	1	1	3	6	8	10
85 +	68	7.5	39							70 +	14	6.7	4						
SUBTOTAL	**646**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**12**		**675**	**3.8**	**14**	**1**	**1**	**3**	**5**	**8**	**9**
GRAND TOTAL	**646**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**12**		**675**	**3.8**	**14**	**1**	**1**	**3**	**5**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	12	12.0	27							18-34	0								
35-49	62	18.4	141							35-49	47	2.8	8						
50-69	38	4.7	21							50-69	159	4.3	13	1	1	2	9	10	10
70 +	0									70 +	31	2.9	2						
SUBTOTAL	**111**	**13.1**	**127**	**1**	**3**	**7**	**29**	**29**	**29**		**237**	**3.8**	**11**	**< 1**	**1**	**2**	**6**	**10**	**10**
GRAND TOTAL	**111**	**13.1**	**127**	**1**	**3**	**7**	**29**	**29**	**29**		**237**	**3.8**	**11**	**< 1**	**1**	**2**	**6**	**10**	**10**

DRG 276: Non-malignant Breast Disorders

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	216	5.6	29	1	2	3	10	12	15
70-74	91	4.4	17	1	2	3	8	58	99 +
75-79	79	5.5	20	2	2	3	8	10	17
80-84	18	4.9	1						
85 +	39	9.2	61						
SUBTOTAL	**443**	**5.6**	**28**	**1**	**2**	**3**	**10**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	186	4.5	9	2	3	3	5	9	13
70-74	98	2.7	4	1	1	1	4	4	8
75-79	57	2.5	8	< 1	< 1	1	4	9	9
80-84	34	1.9	2						
85 +	8	4.0							
SUBTOTAL	**383**	**3.5**	**8**	**< 1**	**1**	**3**	**4**	**8**	**9**
GRAND TOTAL	**826**	**4.7**	**20**	**1**	**2**	**3**	**6**	**10**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	4.7	2						
18-34	124	4.9	12	1	2	4	7	10	13
35-49	204	6.5	9	2	4	7	9	9	10
50-69	208	6.2	10	2	3	7	8	9	12
70 +	0								
	553	**6.0**	**10**	**2**	**3**	**7**	**8**	**9**	**12**
0-17	275	3.3	3	1	2	3	4	6	6
18-34	666	3.7	11	1	2	3	5	6	7
35-49	692	3.5	9	< 1	1	2	5	8	9
50-69	327	3.4	7	1	1	3	4	6	10
70 +	0								
	1959	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**9**
	2513	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	107	7.0	21	2	3	4	12	12	16
35-49	44	5.8	9						
50-69	97	11.5	33						
70 +	0								
SUBTOTAL	**247**	**8.5**	**29**	**2**	**3**	**9**	**12**	**19**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	104	3.7	4	1	2	3	5	6	7
18-34	272	3.6	4	< 1	2	4	4	6	9
35-49	61	2.3	4						
50-69	85	3.4	5	< 1	1	3	5	7	7
70 +	0								
SUBTOTAL	**523**	**3.4**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**770**	**5.1**	**18**	**1**	**2**	**4**	**6**	**10**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	3.6							
18-34	24	3.2	8						
35-49	35	6.2	8						
50-69	64	3.9	9	< 1	2	3	5	11	11
70 +	0								
	146	**4.3**	**8**	**1**	**2**	**3**	**6**	**9**	**11**
0-17	200	2.8	2	1	2	3	3	4	7
18-34	355	2.9	2	1	2	3	3	4	6
35-49	264	3.8	8	< 1	1	3	5	8	10
50-69	114	3.1	8	< 1	< 1	1	5	7	10
70 +	8	3.0							
	940	**3.1**	**5**	**< 1**	**2**	**3**	**4**	**6**	**8**
	1086	**3.3**	**5**	**< 1**	**2**	**3**	**4**	**7**	**8**

Total U.S., July 1988 - June 1989

DRG 277: Cellulitis Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17617	7.9	37	3	4	6	10	14	18	0-17	0								
70-74	9980	8.4	44	3	5	7	10	14	19	18-34	4189	5.4	30	2	3	4	6	9	12
75-79	9471	8.8	44	4	5	7	10	15	20	35-49	7706	6.9	29	3	4	5	8	13	17
80-84	9017	9.2	57	4	5	7	11	16	22	50-69	12097	7.4	28	3	4	6	9	13	16
85 +	8956	9.7	72	4	5	8	11	17	24	70 +	650	7.1	22	2	4	6	8	14	19
SUBTOTAL	**55042**	**8.6**	**49**	**3**	**5**	**7**	**10**	**15**	**20**		**24642**	**6.9**	**29**	**2**	**4**	**6**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**55042**	**8.6**	**49**	**3**	**5**	**7**	**10**	**15**	**20**		**24642**	**6.9**	**29**	**2**	**4**	**6**	**9**	**12**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	2655	6.8	28	2	4	5	8	12	16	18-34	3355	6.0	17	2	3	5	7	12	15
35-49	3379	7.9	49	3	4	6	9	14	16	35-49	3616	6.7	18	2	4	6	9	13	15
50-69	3223	8.8	44	3	5	7	10	16	24	50-69	3927	7.1	25	3	4	6	9	13	18
70 +	434	11.8	223	4	6	7	12	19	30	70 +	550	10.0	72	3	5	7	10	24	29
SUBTOTAL	**9690**	**8.1**	**51**	**3**	**4**	**6**	**10**	**14**	**20**		**11448**	**6.8**	**23**	**2**	**4**	**6**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9690**	**8.1**	**51**	**3**	**4**	**6**	**10**	**14**	**20**		**11448**	**6.8**	**23**	**2**	**4**	**6**	**9**	**13**	**16**

DRG 278: Cellulitis Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	9065	6.1	19	2	3	5	7	11	13
70-74	5337	6.4	17	3	4	5	8	12	14
75-79	4972	6.9	22	3	4	6	8	13	16
80-84	3996	6.9	25	3	4	6	8	12	15
85 +	4469	6.8	16	3	4	6	8	12	14
SUBTOTAL	**27839**	**6.5**	**20**	**3**	**4**	**6**	**8**	**12**	**14**
GRAND TOTAL	**27839**	**6.5**	**20**	**3**	**4**	**6**	**8**	**12**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	12751	4.0	7	2	2	3	5	7	9
35-49	13410	4.7	12	2	3	4	6	8	11
50-69	13911	5.4	14	2	3	5	6	9	12
70 +	489	5.9	14	3	3	5	7	10	14
	40562	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**11**
	40562	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2962	4.5	9	2	3	4	6	8	10
35-49	2050	5.5	10	2	4	5	7	9	10
50-69	1517	6.5	13	3	4	6	8	12	15
70 +	251	9.1	72	5	6	6	7	15	41
SUBTOTAL	**6780**	**5.4**	**14**	**2**	**3**	**5**	**7**	**9**	**12**
GRAND TOTAL	**6780**	**5.4**	**14**	**2**	**3**	**5**	**7**	**9**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	8227	4.1	8	2	2	3	5	7	9
35-49	4733	4.6	8	2	3	4	6	9	10
50-69	4041	5.5	15	2	3	5	7	10	13
70 +	410	5.6	9	3	3	5	7	11	12
	17411	**4.6**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
	17411	**4.6**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 279: Cellulitis Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	82	5.3	16	3	3	3	6	8	18	0-17	3529	4.5	11	2	2	4	5	8	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**82**	**5.3**	**16**	**3**	**3**	**3**	**6**	**8**	**18**		**3529**	**4.5**	**11**	**2**	**2**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	6.0	4							0-17	15345	3.6	6	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**6.0**	**4**								**15345**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**98**	**5.4**	**14**	**3**	**3**	**4**	**6**	**8**	**18**		**18875**	**3.7**	**7**	**2**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2421	5.2	11	2	3	4	6	10	11	0-17	1503	4.2	6	2	3	4	5	8	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2421**	**5.2**	**11**	**2**	**3**	**4**	**6**	**10**	**11**		**1503**	**4.2**	**6**	**2**	**3**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8635	4.0	14	2	2	3	5	7	9	0-17	7472	3.8	6	1	2	3	5	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**8635**	**4.0**	**14**	**2**	**2**	**3**	**5**	**7**	**9**		**7472**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**11056**	**4.2**	**13**	**2**	**2**	**3**	**5**	**8**	**10**		**8974**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**9**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2368	5.1	41	1	2	3	6	10	17	0-17	0								
70-74	2142	5.5	17	2	2	5	8	10	12	18-34	4761	2.6	5	< 1	1	2	3	5	6
75-79	2314	6.9	79	1	2	5	9	13	16	35-49	3031	3.0	7	1	1	2	4	6	8
80-84	2677	7.9	78	2	3	5	10	17	23	50-69	2694	4.6	20	1	2	3	6	9	13
85 +	3619	7.0	61	2	3	5	8	13	17	70 +	730	4.8	13	1	2	4	6	9	13
SUBTOTAL	**13121**	**6.6**	**58**	**1**	**3**	**5**	**8**	**13**	**18**		**11217**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**13121**	**6.6**	**58**	**1**	**3**	**5**	**8**	**13**	**18**		**11217**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	949	3.8	29	1	1	2	4	7	13	18-34	5982	2.9	21	< 1	1	2	3	5	8
35-49	579	4.6	16	1	2	4	6	9	11	35-49	2071	3.0	9	1	1	2	3	6	8
50-69	381	5.7	74	1	2	3	7	10	16	50-69	1122	4.4	19	1	2	3	5	10	13
70 +	64	7.5	53	1	2	5	8	23	23	70 +	423	4.3	10	1	2	3	5	10	12
SUBTOTAL	**1973**	**4.5**	**35**	**1**	**2**	**3**	**5**	**9**	**13**		**9598**	**3.1**	**18**	**1**	**1**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1973**	**4.5**	**35**	**1**	**2**	**3**	**5**	**9**	**13**		**9598**	**3.1**	**18**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	2665	3.6	9	1	2	3	4	7	11		0-17	0								
70-74	1349	3.6	8	1	2	3	4	6	8		18-34	13121	2.1	3	1	1	2	2	4	5
75-79	1780	4.5	25	1	2	3	6	9	11		35-49	7597	2.6	4	1	1	2	3	5	7
80-84	2022	5.2	27	1	2	4	6	11	14		50-69	4567	2.8	4	1	1	2	4	5	7
85 +	3037	5.7	59	1	2	4	7	11	14		70 +	605	3.7	28	1	1	2	3	6	11
SUBTOTAL	**10853**	**4.6**	**30**	**1**	**2**	**3**	**6**	**9**	**13**			**25889**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**10853**	**4.6**	**30**	**1**	**2**	**3**	**6**	**9**	**13**			**25889**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	2151	2.1	3	1	1	2	3	4	5		18-34	13995	2.0	3	< 1	1	1	2	4	5
35-49	813	2.7	3	1	1	2	4	5	6		35-49	3836	2.1	4	< 1	1	1	2	4	6
50-69	232	6.2	120	1	2	3	6	8	48		50-69	1638	2.7	5	1	1	2	3	5	8
70 +	51	12.3	276								70 +	370	3.6	10	1	2	3	4	7	10
SUBTOTAL	**3246**	**2.7**	**18**	**1**	**1**	**2**	**3**	**5**	**6**			**19840**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**3246**	**2.7**	**18**	**1**	**1**	**2**	**3**	**5**	**6**			**19840**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**4**	**5**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	57	11.0	21						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**57**	**11.0**	**21**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	1.9	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**42**	**1.9**	**1**						
GRAND TOTAL	**98**	**7.2**	**33**	**1**	**2**	**4**	**14**	**14**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2456	2.4	7	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2456	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**6**
0-17	10427	1.8	3	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10427	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
	12883	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	742	3.0	7	1	1	2	4	5	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**742**	**3.0**	**7**	**1**	**1**	**2**	**4**	**5**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4175	2.1	3	1	1	1	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4175**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**4917**	**2.3**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1103	2.5	6	< 1	1	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1103	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**6**	**8**
0-17	7481	1.8	3	< 1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7481	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**
	8585	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**

DRG 283: Minor Skin Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1676	6.7	30	2	3	5	10	14	17	0-17	1206	4.6	29	1	2	3	5	9	14
70-74	1214	6.6	25	2	3	5	8	13	15	18-34	1108	5.1	31	1	1	4	6	9	20
75-79	1245	9.0	144	2	3	6	10	14	24	35-49	1116	5.7	31	1	2	4	7	12	17
80-84	936	7.3	17	3	5	7	9	13	15	50-69	1519	5.8	21	1	3	5	7	11	15
85 +	782	8.3	75	2	3	6	9	14	22	70 +	44	3.8	4						
SUBTOTAL	**5853**	**7.5**	**58**	**2**	**3**	**6**	**9**	**14**	**17**		**4993**	**5.3**	**28**	**1**	**2**	**4**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5853**	**7.5**	**58**	**2**	**3**	**6**	**9**	**14**	**17**		**4993**	**5.3**	**28**	**1**	**2**	**4**	**6**	**11**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	597	4.5	10	1	2	3	6	10	11	0-17	333	4.5	15	2	2	3	5	10	15
18-34	391	7.7	28	2	4	7	9	14	18	18-34	532	5.6	28	1	2	4	6	14	18
35-49	300	7.1	27	2	3	6	8	14	19	35-49	274	8.1	42	2	3	7	11	13	26
50-69	245	4.3	14	2	3	3	4	10	10	50-69	338	5.9	21	1	3	4	9	11	18
70 +	10	21.0								70 +	47	3.7	2	2	2	3	5	6	6
SUBTOTAL	**1543**	**5.9**	**22**	**2**	**3**	**4**	**8**	**11**	**16**		**1525**	**5.8**	**27**	**1**	**2**	**4**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1543**	**5.9**	**22**	**2**	**3**	**4**	**8**	**11**	**16**		**1525**	**5.8**	**27**	**1**	**2**	**4**	**8**	**12**	**18**

DRG 284: Minor Skin Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1129	4.3	10	1	2	4	6	9	12
70-74	784	4.8	15	1	2	4	7	9	13
75-79	619	3.6	7	1	2	3	4	6	9
80-84	457	5.2	19	1	2	3	6	14	14
85 +	314	4.8	14	1	2	4	7	10	11
SUBTOTAL	**3303**	**4.5**	**13**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**3303**	**4.5**	**13**	**1**	**2**	**3**	**6**	**9**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3749	2.9	10	< 1	1	2	3	5	8
18-34	2388	2.8	6	1	1	2	4	5	7
35-49	2505	3.7	11	1	2	3	5	7	10
50-69	2272	4.0	15	1	1	3	5	9	12
70 +	17	5.2	4						
	10932	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
	10932	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1841	3.9	23	1	1	2	4	8	14
18-34	390	4.3	27	1	2	2	5	7	11
35-49	165	5.1	37	2	2	3	4	12	26
50-69	152	5.4	16	1	3	4	8	12	15
70 +	19	3.5							
SUBTOTAL	**2569**	**4.1**	**24**	**1**	**2**	**3**	**5**	**8**	**14**
GRAND TOTAL	**2569**	**4.1**	**24**	**1**	**2**	**3**	**5**	**8**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1517	3.0	6	1	1	2	3	6	8
18-34	856	3.2	21	1	1	2	3	5	10
35-49	515	3.7	14	< 1	1	3	4	7	11
50-69	600	3.2	8	< 1	1	2	4	8	9
70 +	40	1.0							
	3528	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**
	3528	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1539	17.8	228	4	8	14	23	36	47	0-17	0								
70-74	662	20.2	376	5	9	15	25	54	92	18-34	46	13.4	65						
75-79	480	20.9	295	7	10	15	28	48	82	35-49	283	15.5	165	5	8	11	21	32	55
80-84	456	28.7	386	9	15	20	46	60	68	50-69	857	19.3	265	6	9	13	24	46	54
85 +	220	26.0	397	8	12	18	42	67	81	70 +	6	12.0							
SUBTOTAL	**3357**	**20.7**	**313**	**6**	**9**	**15**	**27**	**49**	**68**		**1192**	**18.1**	**235**	**6**	**8**	**13**	**23**	**39**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	78	9.4	83	3	3	4	13	27	32	0-17	0								
70-74	27	10.4	27							18-34	10	5.0							
75-79	28	19.7	127							35-49	63	8.2	36						
80-84	10	8.0								50-69	70	15.0	160	1	8	12	21	42	42
85 +	0									70 +	0								
SUBTOTAL	**144**	**11.5**	**91**	**3**	**3**	**8**	**17**	**30**	**32**		**144**	**11.3**	**108**	**1**	**3**	**11**	**14**	**21**	**42**
GRAND TOTAL	**3501**	**20.3**	**308**	**5**	**9**	**15**	**27**	**47**	**67**		**1336**	**17.4**	**226**	**5**	**8**	**13**	**22**	**39**	**52**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	33	16.4	49							18-34	24	13.4	4						
35-49	124	22.1	201	7	14	14	30	46	50	35-49	275	14.2	43	8	10	14	16	23	26
50-69	239	24.3	299	8	14	20	26	55	58	50-69	373	24.7	208	12	15	20	41	46	46
70 +	14	21.0								70 +	48	12.2	9						
SUBTOTAL	**409**	**22.9**	**243**	**8**	**14**	**16**	**28**	**46**	**56**		**719**	**19.5**	**154**	**8**	**12**	**15**	**23**	**42**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	3.0								0-17	0								
18-34	0									18-34	6	8.0							
35-49	0									35-49	22	5.4							
50-69	32	29.0								50-69	70	8.5	11						
70 +	0									70 +	0								
SUBTOTAL	**40**	**23.9**	**109**								**98**	**7.7**	**9**	**4**	**5**	**6**	**11**	**11**	**12**
GRAND TOTAL	**449**	**23.0**	**231**	**8**	**14**	**20**	**29**	**46**	**58**		**817**	**18.1**	**152**	**6**	**11**	**14**	**21**	**42**	**46**

Total U.S., July 1988 - June 1989

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	280	12.2	130	5	6	8	11	20	43
70-74	151	16.9	102	6	7	17	26	29	37
75-79	150	13.2	101	6	8	11	12	22	47
80-84	72	18.6	100						
85 +	6	13.0							
SUBTOTAL	**659**	**14.2**	**117**	**5**	**7**	**10**	**18**	**29**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	129	7.7	5	6	6	7	9	12	13
70-74	132	7.8	14	5	6	7	8	11	21
75-79	86	10.0	26	5	7	8	10	16	23
80-84	26	9.8	2						
85 +	14	7.0							
SUBTOTAL	**388**	**8.4**	**13**	**5**	**6**	**7**	**9**	**12**	**16**
GRAND TOTAL	**1046**	**12.1**	**87**	**5**	**7**	**8**	**13**	**26**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	334	11.6	71	6	7	9	13	21	23
18-34	311	9.8	64	5	6	7	11	18	22
35-49	446	10.4	43	5	7	9	11	21	26
50-69	550	10.4	39	5	7	9	12	15	22
70 +	14	9.0							
	1655	**10.5**	**51**	**5**	**7**	**9**	**11**	**17**	**23**
0-17	278	7.0	4	5	6	6	8	9	11
18-34	543	6.9	9	4	5	6	8	9	12
35-49	781	8.5	21	5	6	7	10	14	15
50-69	534	7.9	13	5	5	6	9	14	15
70 +	0								
	2136	**7.8**	**14**	**5**	**5**	**7**	**9**	**13**	**15**
	3791	**9.0**	**32**	**5**	**6**	**8**	**10**	**15**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	96	13.8	66	7	8	11	16	31	31
18-34	16	6.0	10						
35-49	64	11.8	20	6	8	14	17	17	17
50-69	57	12.5	25						
70 +	6	77.0							
SUBTOTAL	**239**	**14.1**	**146**	**6**	**8**	**11**	**16**	**22**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	22	12.8	34						
18-34	85	8.1	14	5	5	7	8	17	17
35-49	19	12.0	86						
50-69	10	15.0							
70 +	0								
SUBTOTAL	**136**	**9.9**	**31**	**4**	**5**	**8**	**16**	**17**	**21**
GRAND TOTAL	**375**	**12.6**	**108**	**5**	**7**	**9**	**16**	**21**	**31**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	105	12.8	116	5	6	7	11	28	41
18-34	85	7.2	7	5	5	6	8	12	12
35-49	76	11.2	50	5	6	9	11	28	28
50-69	96	10.3	32	6	7	8	10	23	23
70 +	22	12.3	20						
	384	**10.6**	**56**	**5**	**6**	**8**	**11**	**23**	**28**
0-17	39	7.0	1						
18-34	81	5.3	3	3	3	6	7	7	7
35-49	143	6.2	12	3	5	6	7	8	19
50-69	122	6.2	4	4	5	6	7	9	11
70 +	0								
	385	**6.1**	**7**	**3**	**5**	**6**	**7**	**9**	**9**
	768	**8.3**	**36**	**4**	**5**	**7**	**9**	**12**	**23**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2495	15.3	208	4	7	9	20	35	54
70-74	762	16.4	169	5	8	11	24	37	43
75-79	883	18.9	223	4	7	15	27	40	58
80-84	743	19.5	216	6	9	14	28	39	51
85 +	604	21.3	451	7	8	14	27	36	90
SUBTOTAL	**5488**	**17.3**	**237**	**5**	**7**	**11**	**23**	**38**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	150	14.8	118	7	7	7	25	32	35
70-74	46	12.2	76						
75-79	8	1.0							
80-84	6	28.0							
85 +	10	10.0							
SUBTOTAL	**220**	**13.9**	**109**	**1**	**7**	**10**	**25**	**32**	**32**
GRAND TOTAL	**5707**	**17.2**	**233**	**5**	**7**	**11**	**23**	**38**	**52**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	22	18.8	187						
18-34	92	13.8	45	4	6	17	19	22	22
35-49	528	14.5	166	3	6	11	20	27	35
50-69	1866	15.0	194	4	7	11	18	28	44
70 +	107	25.2	606	7	10	20	23	46	93
SUBTOTAL	**2615**	**15.3**	**204**	**4**	**7**	**11**	**19**	**28**	**44**
2.PATIENTS W/OUT CCs									
0-17	24	2.2	1						
18-34	18	15.0	67						
35-49	130	8.5	29	3	5	6	11	20	20
50-69	131	6.0	15	2	3	4	9	11	11
70 +	0								
SUBTOTAL	**303**	**7.3**	**30**	**2**	**3**	**6**	**11**	**13**	**22**
GRAND TOTAL	**2918**	**14.5**	**192**	**4**	**6**	**11**	**18**	**27**	**43**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	23.9	6						
18-34	92	14.2	155	3	4	12	17	18	51
35-49	236	15.6	391	4	7	9	17	23	52
50-69	316	20.2	192	5	7	18	27	40	46
70 +	56	51.4	16						
SUBTOTAL	**725**	**20.5**	**319**	**4**	**8**	**16**	**26**	**51**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	43.0							
18-34	8	17.0							
35-49	18	5.3	2						
50-69	8	7.0							
70 +	0								
SUBTOTAL	**48**	**18.8**	**274**						
GRAND TOTAL	**773**	**20.4**	**316**	**4**	**7**	**16**	**26**	**49**	**53**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	76	11.4	19	5	10	11	12	21	21
35-49	319	13.4	78	4	8	11	16	22	28
50-69	602	12.5	73	3	7	10	16	24	30
70 +	16	8.5	2						
SUBTOTAL	**1012**	**12.6**	**69**	**4**	**7**	**11**	**16**	**22**	**29**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	17	11.9	1						
35-49	16	7.0							
50-69	17	13.5							
70 +	0								
SUBTOTAL	**50**	**10.9**	**8**	**7**	**7**	**12**	**13**	**14**	**14**
GRAND TOTAL	**1062**	**12.6**	**67**	**4**	**7**	**11**	**16**	**22**	**29**

DRG 288: O.R. Procedures for Obesity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	306	16.1	269	5	7	9	21	38	84	0-17	15	7.5							
70-74	22	10.8	17							18-34	574	6.1	6	4	5	6	7	8	10
75-79	10	12.0								35-49	1550	8.4	58	4	5	6	9	13	20
80-84	8	16.0								50-69	411	12.1	155	4	6	8	11	29	52
85 +	18	23.9	163							70 +	0								
SUBTOTAL	**364**	**16.1**	**240**	**5**	**7**	**9**	**19**	**38**	**56**		**2550**	**8.5**	**65**	**4**	**5**	**6**	**9**	**13**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	239	5.3	5	2	4	5	6	8	10	0-17	69	6.0	1	4	5	6	6	8	8
70-74	9	4.0								18-34	2216	4.7	4	2	4	5	6	7	8
75-79	0									35-49	3066	4.6	4	2	3	5	6	7	8
80-84	0									50-69	759	4.0	6	1	2	4	6	7	9
85 +	0									70 +	9	3.0							
SUBTOTAL	**249**	**5.2**	**5**	**2**	**4**	**5**	**6**	**8**	**10**		**6119**	**4.6**	**4**	**2**	**3**	**5**	**6**	**7**	**8**
GRAND TOTAL	**613**	**11.7**	**173**	**4**	**5**	**7**	**13**	**34**	**38**		**8669**	**5.7**	**25**	**2**	**4**	**5**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	51.5	1668							0-17	0								
18-34	168	9.9	111	6	6	7	8	28	32	18-34	30	6.9	5						
35-49	215	10.0	169	5	5	6	9	17	69	35-49	74	5.5	21	1	3	4	6	16	16
50-69	32	13.3	108							50-69	27	4.5	3						
70 +	0									70 +	0								
SUBTOTAL	**430**	**11.7**	**251**	**5**	**6**	**7**	**16**	**28**	**69**		**131**	**5.6**	**14**	**2**	**3**	**4**	**6**	**9**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	49	20.6	500							0-17	14	13.0							
18-34	343	5.5	3	4	5	5	6	9	9	18-34	321	3.4	6	1	1	3	5	7	8
35-49	173	7.1	4	5	6	7	9	10	10	35-49	551	2.3	3	1	1	2	3	5	5
50-69	101	5.7	11	1	4	5	7	12	12	50-69	199	2.5	4	1	1	2	3	5	5
70 +	0									70 +	27	2.3	2						
SUBTOTAL	**666**	**7.1**	**55**	**4**	**5**	**6**	**7**	**9**	**10**		**1113**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**1096**	**8.9**	**137**	**4**	**5**	**6**	**8**	**12**	**31**		**1244**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

Total U.S., July 1988 - June 1989

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	721	7.8	81	2	3	4	8	16	22
70-74	300	6.8	44	2	3	5	8	13	18
75-79	338	8.9	34	3	4	7	13	15	17
80-84	116	15.4	262	3	3	12	19	34	63
85+	57	11.6	58	3	3	13	18	24	24
SUBTOTAL	**1532**	**8.5**	**81**	**2**	**4**	**5**	**12**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	905	4.0	14	2	2	3	4	8	13
70-74	707	3.4	8	2	2	3	4	5	6
75-79	254	5.3	35	2	3	4	5	9	21
80-84	173	6.3	43	2	3	4	8	13	30
85+	110	8.2	50	2	2	4	14	17	25
SUBTOTAL	**2149**	**4.4**	**20**	**2**	**2**	**3**	**4**	**8**	**13**
GRAND TOTAL	**3680**	**6.1**	**50**	**2**	**3**	**4**	**6**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	7.5	3						
18-34	35	14.8	221						
35-49	147	4.4	6	2	3	4	6	7	10
50-69	394	6.9	112	2	2	4	6	12	18
70+	12	4.5							
	631	**6.7**	**89**	**2**	**2**	**4**	**7**	**12**	**17**
0-17	16	7.4	22						
18-34	353	2.9	2	2	2	3	4	4	6
35-49	783	3.2	3	2	2	3	4	5	6
50-69	1663	3.2	5	2	2	3	4	4	6
70+	25	5.3	14						
	2838	**3.2**	**5**	**2**	**2**	**3**	**4**	**5**	**6**
	3469	**3.8**	**22**	**2**	**2**	**3**	**4**	**6**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	22.0							
35-49	16	10.6	45						
50-69	48	3.8	4						
70+	0								
SUBTOTAL	**74**	**7.8**	**52**	**2**	**3**	**4**	**8**	**22**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	11.0							
18-34	26	4.2	2						
35-49	41	7.6	27						
50-69	35	5.0	12						
70+	0								
SUBTOTAL	**117**	**6.5**	**18**	**2**	**3**	**5**	**10**	**11**	**17**
GRAND TOTAL	**190**	**7.0**	**31**	**2**	**3**	**4**	**10**	**17**	**22**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	34	5.6	15						
50-69	87	4.2	10	2	2	3	6	10	11
70+	16	3.0							
	137	**4.4**	**10**	**2**	**2**	**3**	**6**	**11**	**12**
0-17	17	1.5							
18-34	120	2.4	1	2	2	2	3	4	4
35-49	280	3.4	8	2	2	3	3	4	11
50-69	414	3.5	10	1	2	2	3	9	11
70+	25	2.4							
	856	**3.2**	**8**	**2**	**2**	**2**	**3**	**6**	**11**
	993	**3.4**	**8**	**2**	**2**	**2**	**3**	**7**	**11**

DRG 290: Thyroid Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	1000	5.5	47	2	3	4	5	9	17	0-17	128	3.9	6	2	3	3	4	10	10		
70-74	701	7.2	53	2	3	4	9	18	23	18-34	860	4.0	7	2	2	3	5	7	11		
75-79	583	5.8	41	2	3	5	6	7	13	35-49	1298	3.9	8	2	2	3	5	7	8		
80-84	321	10.9	329	3	4	5	8	25	38	50-69	1318	4.4	14	2	3	4	6	7	9		
85 +	156	12.8	168	3	3	7	20	22	35	70 +	36	6.2	7								
SUBTOTAL	**2761**	**7.0**	**92**	**2**	**3**	**4**	**6**	**15**	**23**		**3640**	**4.1**	**10**	**2**	**2**	**3**	**5**	**7**	**9**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	2792	2.9	3	1	2	3	3	4	6	0-17	819	2.7	4	1	2	2	3	5	6		
70-74	1787	3.5	6	2	2	3	4	5	8	18-34	6107	2.4	1	1	2	2	3	4	5		
75-79	950	3.2	4	1	2	3	4	5	6	35-49	10704	2.4	2	1	2	2	3	4	4		
80-84	468	3.8	16	1	2	3	4	5	6	50-69	7586	2.7	2	1	2	2	3	4	5		
85 +	201	4.4	9	2	3	4	4	9	13	70 +	67	2.7	3								
SUBTOTAL	**6197**	**3.2**	**5**	**2**	**2**	**3**	**4**	**5**	**7**		**25282**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		
GRAND TOTAL	**8958**	**4.4**	**35**	**2**	**2**	**3**	**4**	**7**	**11**		**28922**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**6**		

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	8	11.0								0-17	42	3.7	2							
18-34	147	4.3	11	1	2	3	6	10	13	18-34	194	3.9	8	2	2	2	5	8	8	
35-49	84	3.8	1	2	3	4	5	5	5	35-49	274	3.4	5	1	2	3	4	7	8	
50-69	163	6.5	5	3	5	7	8	9	9	50-69	349	3.6	6	1	2	3	4	7	9	
70 +	26	3.4	7							70 +	32	6.2	28							
SUBTOTAL	**429**	**5.1**	**8**	**2**	**3**	**4**	**8**	**9**	**11**		**891**	**3.7**	**7**	**1**	**2**	**3**	**5**	**8**	**9**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	39	1.6								0-17	204	2.6	2	1	1	2	3	6	6	
18-34	904	2.7	3	1	2	2	3	4	5	18-34	1650	2.3	3	1	1	2	3	4	5	
35-49	445	2.6	1	1	2	3	3	4	4	35-49	1964	2.1	1	1	1	2	3	3	4	
50-69	465	2.9	2	1	2	3	4	5	5	50-69	1361	2.3	1	1	2	2	3	4	5	
70 +	0									70 +	55	1.7	1	1	1	1	2	4	4	
SUBTOTAL	**1853**	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**5234**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	
GRAND TOTAL	**2282**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**8**		**6125**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	

DRG 291: Thyroglossal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	18	2.4								0-17	30	3.6	15						
70-74	8	2.0								18-34	23	2.0	1						
75-79	6	2.0								35-49	14	4.0							
80-84	8	8.0								50-69	28	2.1	1						
85 +	0									70 +	0								
SUBTOTAL	**40**	**3.4**	**6**								**96**	**2.8**	**6**	**1**	**1**	**2**	**3**	**4**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	54	1.9		1	2	2	2	3	3	0-17	1511	1.2		1	1	1	1	2	3
70-74	40	2.8								18-34	498	1.8	1	1	1	2	2	3	3
75-79	9	3.0								35-49	336	1.6	1	1	1	1	2	3	3
80-84	0									50-69	263	1.9	1	1	1	2	3	3	3
85 +	32	3.0								70 +	0								
SUBTOTAL	**135**	**2.5**		**2**	**2**	**3**	**3**	**3**	**3**		**2608**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**175**	**2.7**	**2**	**2**	**2**	**3**	**3**	**3**	**3**		**2704**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	12.0								0-17	8	1.0							
18-34	0									18-34	0								
35-49	0									35-49	9	2.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**14**	**12.0**									**17**	**1.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	354	1.6	3	< 1	1	1	2	2	2	0-17	540	1.3		1	1	1	1	2	2
18-34	84	1.2		1	1	1	1	2	3	18-34	125	1.6	1	1	1	1	2	3	3
35-49	0									35-49	110	1.7	1	1	1	1	2	3	5
50-69	10	3.0								50-69	31	1.7	1						
70 +	0									70 +	0								
SUBTOTAL	**448**	**1.6**	**3**	**< 1**	**1**	**1**	**2**	**2**	**3**		**806**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**463**	**1.9**	**6**	**< 1**	**1**	**1**	**2**	**3**	**7**		**823**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1664	14.7	175	4	6	11	19	30	45	0-17	319	14.5	199	3	7	10	21	25	29
70-74	762	13.7	142	4	6	9	18	31	35	18-34	145	9.8	52	3	4	7	13	22	26
75-79	645	15.6	111	4	9	13	20	31	36	35-49	374	11.0	113	3	4	8	13	28	34
80-84	365	20.5	311	5	7	18	31	51	90	50-69	821	12.7	90	3	5	11	18	25	34
85 +	279	15.4	146	1	7	13	24	39	48	70 +	37	21.4	250						
SUBTOTAL	**3714**	**15.3**	**172**	**4**	**6**	**12**	**20**	**32**	**43**		**1696**	**12.6**	**119**	**3**	**5**	**10**	**17**	**26**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3714**	**15.3**	**172**	**4**	**6**	**12**	**20**	**32**	**43**		**1696**	**12.6**	**119**	**3**	**5**	**10**	**17**	**26**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	21.9	334	2	6	14	39	53	53	0-17	75	13.0	49	5	8	12	15	28	29
18-34	87	10.6	47	5	5	6	19	84	99 +	18-34	78	11.3	36	4	7	9	14	22	22
35-49	72	13.0	62	8	8	10	19	99 +	99 +	35-49	174	11.4	169	1	3	6	15	34	34
50-69	198	19.7	356	2	4	11	33	52	60	50-69	197	14.9	138	3	9	12	19	30	31
70 +	72	13.8	45							70 +	23	23.2	396						
SUBTOTAL	**491**	**16.5**	**225**	**3**	**6**	**10**	**23**	**52**	**68**		**547**	**13.4**	**138**	**2**	**6**	**12**	**16**	**30**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**491**	**16.5**	**225**	**3**	**6**	**10**	**23**	**52**	**68**		**547**	**13.4**	**138**	**2**	**6**	**12**	**16**	**30**	**34**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	250	10.2	96	2	5	9	10	27	32	0-17	236	4.8	12	1	2	4	7	10	12
70-74	60	9.1	32	3	3	8	14	19	19	18-34	125	5.9	26	1	2	5	8	14	16
75-79	98	9.6	26	3	7	12	13	13	20	35-49	268	4.7	15	< 1	2	4	6	11	14
80-84	73	11.5	54	5	6	9	17	18	30	50-69	416	6.8	32	1	2	6	10	15	16
85 +	30	3.0	2							70 +	6	1.0							
SUBTOTAL	**511**	**9.7**	**67**	**3**	**5**	**8**	**12**	**19**	**27**		**1051**	**5.7**	**23**	**1**	**2**	**4**	**8**	**14**	**15**
GRAND TOTAL	**511**	**9.7**	**67**	**3**	**5**	**8**	**12**	**19**	**27**		**1051**	**5.7**	**23**	**1**	**2**	**4**	**8**	**14**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	153	9.5	149	1	4	5	9	14	46	0-17	45	8.6	50						
18-34	22	3.4								18-34	81	3.4	4	< 1	1	3	5	6	6
35-49	32	8.8	41							35-49	43	4.6	11						
50-69	64	7.9	27							50-69	56	7.9	33	< 1	2	7	12	19	19
70 +	6	2.0								70 +	0								
SUBTOTAL	**278**	**8.4**	**97**	**1**	**2**	**5**	**12**	**14**	**36**		**225**	**5.8**	**26**	**1**	**2**	**5**	**7**	**12**	**18**
GRAND TOTAL	**278**	**8.4**	**97**	**1**	**2**	**5**	**12**	**14**	**36**		**225**	**5.8**	**26**	**1**	**2**	**5**	**7**	**12**	**18**

DRG 294: Diabetes Age >35

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	23509	7.5	42	3	4	6	9	13	17	0-17	0									
70-74	12920	7.8	38	3	4	6	9	15	19	18-34	0									
75-79	12119	8.4	56	3	4	7	10	15	20	35-49	9781	5.9	15	2	3	5	7	10	13	
80-84	8570	9.4	83	3	5	7	11	17	26	50-69	14969	6.9	24	3	4	6	8	12	16	
85 +	5602	9.7	68	3	5	7	12	20	27	70 +	601	9.3	154	3	4	6	9	17	28	
SUBTOTAL	**62719**	**8.2**	**52**	**3**	**4**	**6**	**10**	**15**	**20**		**25351**	**6.6**	**24**	**3**	**4**	**6**	**8**	**11**	**15**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	13909	5.7	14	2	3	5	7	10	12	0-17	0									
70-74	7919	6.0	23	3	3	5	7	10	13	18-34	0									
75-79	6292	6.5	35	3	4	5	8	11	13	35-49	13415	4.6	8	2	3	4	6	8	9	
80-84	3485	6.6	46	2	3	5	8	12	14	50-69	15904	5.1	9	2	3	4	6	9	11	
85 +	1701	7.3	47	2	4	5	9	14	17	70 +	338	4.7	8	1	2	5	7	7	8	
SUBTOTAL	**33306**	**6.1**	**26**	**2**	**3**	**5**	**7**	**10**	**13**		**29657**	**4.9**	**9**	**2**	**3**	**4**	**6**	**8**	**10**	
GRAND TOTAL	**96025**	**7.5**	**44**	**3**	**4**	**6**	**9**	**13**	**18**		**55008**	**5.6**	**17**	**2**	**3**	**5**	**7**	**10**	**12**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	4098	7.1	46	3	4	5	8	14	19	35-49	4645	6.2	23	2	3	5	8	12	16	
50-69	5968	7.5	45	2	4	6	9	13	17	50-69	5254	7.1	30	2	4	6	9	14	18	
70 +	429	8.1	30	4	5	7	18	99 +	99 +	70 +	486	9.9	166	2	4	6	10	35	35	
SUBTOTAL	**10495**	**7.4**	**45**	**3**	**4**	**6**	**9**	**15**	**20**		**10385**	**6.9**	**34**	**2**	**4**	**5**	**8**	**13**	**18**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	3114	5.4	16	2	3	5	7	9	10	35-49	4467	4.3	8	1	3	4	5	8	10	
50-69	3832	5.9	15	2	3	5	7	10	13	50-69	4042	4.9	11	2	3	4	6	9	12	
70 +	211	8.0	66	3	3	6	9	12	14	70 +	396	9.2	43	3	4	7	15	20	21	
SUBTOTAL	**7157**	**5.8**	**17**	**2**	**3**	**5**	**7**	**10**	**12**		**8905**	**4.8**	**12**	**2**	**3**	**4**	**6**	**9**	**11**	
GRAND TOTAL	**17651**	**6.7**	**34**	**2**	**4**	**5**	**8**	**12**	**16**		**19290**	**5.9**	**25**	**2**	**3**	**5**	**7**	**11**	**15**	

Total U.S., July 1988 - June 1989

DRG 295: Diabetes Age 0-35

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2035	6.8	60	2	3	5	8	14	15	0-17	5094	4.2	9	2	2	4	5	7	9
70-74	0									18-34	7258	4.4	14	2	2	4	5	8	10
75-79	0									35-49	349	5.5	25	2	3	4	6	10	15
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**2035**	**6.8**	**60**	**2**	**3**	**5**	**8**	**14**	**15**		**12701**	**4.4**	**12**	**2**	**2**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1190	5.0	15	1	2	3	7	11	12	0-17	18561	4.2	10	2	2	4	5	7	8
70-74	0									18-34	13598	3.9	6	2	2	3	5	7	8
75-79	0									35-49	655	4.9	11	2	3	4	7	8	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**1190**	**5.0**	**15**	**1**	**2**	**3**	**7**	**11**	**12**		**32813**	**4.1**	**8**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**3225**	**6.1**	**44**	**1**	**3**	**4**	**8**	**12**	**15**		**45514**	**4.2**	**9**	**2**	**2**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1953	4.3	12	1	2	4	5	7	10	0-17	1663	3.8	7	1	2	3	5	8	9
18-34	4691	5.7	20	2	3	5	7	10	14	18-34	5348	5.0	30	2	3	4	6	9	11
35-49	406	5.8	22	2	2	4	8	10	19	35-49	322	6.6	20	3	3	5	10	15	15
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7050**	**5.3**	**18**	**2**	**3**	**4**	**7**	**9**	**13**		**7334**	**4.8**	**25**	**2**	**2**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4356	4.2	10	1	2	3	5	8	10	0-17	6109	4.2	19	1	2	4	5	7	8
18-34	5423	4.3	7	2	2	4	5	7	9	18-34	8489	3.7	6	2	2	3	5	6	7
35-49	212	6.8	15	2	3	6	11	12	13	35-49	345	3.6	9	1	2	3	4	6	7
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9991**	**4.3**	**9**	**2**	**2**	**4**	**5**	**8**	**10**		**14943**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**17040**	**4.7**	**13**	**2**	**2**	**4**	**6**	**8**	**11**		**22277**	**4.2**	**16**	**1**	**2**	**3**	**5**	**7**	**9**

Total U.S., July 1988 - June 1989

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	41038	7.2	55	2	3	5	9	14	20	0-17	0								
70-74	29521	7.6	54	2	4	6	9	15	20	18-34	7699	7.8	65	2	2	4	11	18	23
75-79	34506	8.7	94	2	4	6	10	16	26	35-49	7780	5.7	33	1	2	4	7	12	15
80-84	32599	9.0	96	3	4	6	10	18	25	50-69	17750	7.0	48	2	3	5	8	14	19
85+	41042	9.7	100	3	4	7	11	19	27	70+	1657	7.3	39	2	3	6	9	14	17
SUBTOTAL	**178706**	**8.5**	**81**	**2**	**4**	**6**	**10**	**16**	**24**		**34885**	**6.9**	**49**	**2**	**3**	**5**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**178706**	**8.5**	**81**	**2**	**4**	**6**	**10**	**16**	**24**		**34885**	**6.9**	**49**	**2**	**3**	**5**	**9**	**14**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	3506	8.2	125	2	3	5	10	15	25	18-34	2342	5.8	40	1	2	3	7	13	20
35-49	3455	6.9	43	2	3	5	9	14	18	35-49	2621	7.0	78	2	3	4	8	14	23
50-69	6210	6.9	68	1	2	5	8	15	19	50-69	5760	6.5	39	2	3	4	8	13	17
70+	964	8.3	42	2	5	7	11	15	30	70+	1741	7.4	81	2	3	5	8	15	20
SUBTOTAL	**14134**	**7.3**	**75**	**2**	**3**	**5**	**9**	**15**	**21**		**12464**	**6.6**	**54**	**2**	**3**	**4**	**8**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**14134**	**7.3**	**75**	**2**	**3**	**5**	**9**	**15**	**21**		**12464**	**6.6**	**54**	**2**	**3**	**4**	**8**	**13**	**20**

Total U.S., July 1988 - June 1989

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11943	4.9	17	2	2	4	6	9	13	0-17	0								
70-74	9993	4.9	24	2	2	4	6	9	13	18-34	11082	4.1	27	1	2	2	4	10	14
75-79	11624	5.3	27	2	3	4	6	10	13	35-49	7282	3.4	9	1	2	3	4	6	8
80-84	10490	5.8	27	2	3	5	7	10	13	50-69	8765	3.9	8	1	2	3	5	7	9
85 +	13366	6.1	38	2	3	5	7	11	15	70 +	689	4.8	34	1	2	3	5	10	12
SUBTOTAL	**57416**	**5.4**	**27**	**2**	**3**	**4**	**7**	**10**	**13**		**27818**	**3.9**	**16**	**1**	**2**	**3**	**4**	**7**	**11**
GRAND TOTAL	**57416**	**5.4**	**27**	**2**	**3**	**4**	**7**	**10**	**13**		**27818**	**3.9**	**16**	**1**	**2**	**3**	**4**	**7**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2763	5.0	32	1	2	3	7	10	13	18-34	2953	3.2	10	1	1	2	4	7	10
35-49	1577	3.8	27	1	2	3	4	7	9	35-49	1557	3.8	12	1	2	3	5	8	10
50-69	2042	5.5	40	1	2	4	8	12	15	50-69	2004	3.9	23	1	2	3	5	7	9
70 +	510	6.5	20	2	4	6	11	16	99 +	70 +	1199	4.4	14	1	2	3	5	9	12
SUBTOTAL	**6893**	**5.0**	**33**	**1**	**2**	**3**	**7**	**11**	**14**		**7714**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**6893**	**5.0**	**33**	**1**	**2**	**3**	**7**	**11**	**14**		**7714**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**10**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	373	4.9	32	1	2	3	7	12	28	0-17	13188	7.4	97	1	2	4	9	15	24
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**373**	**4.9**	**32**	**1**	**2**	**3**	**7**	**12**	**28**		**13188**	**7.4**	**97**	**1**	**2**	**4**	**9**	**15**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	91	4.4	6	1	3	4	6	7	10	0-17	40853	3.5	17	1	2	2	4	7	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**91**	**4.4**	**6**	**1**	**3**	**4**	**6**	**7**	**10**		**40853**	**3.5**	**17**	**1**	**2**	**2**	**4**	**7**	**11**
GRAND TOTAL	**464**	**4.8**	**27**	**1**	**2**	**3**	**7**	**12**	**28**		**54040**	**4.5**	**39**	**1**	**2**	**3**	**4**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8246	7.4	75	2	3	5	9	16	22	0-17	3876	7.0	81	1	2	4	9	14	23
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**8246**	**7.4**	**75**	**2**	**3**	**5**	**9**	**16**	**22**		**3876**	**7.0**	**81**	**1**	**2**	**4**	**9**	**14**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22052	4.7	23	1	2	3	6	10	13	0-17	11910	3.6	14	1	2	2	4	8	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**22052**	**4.7**	**23**	**1**	**2**	**3**	**6**	**10**	**13**		**11910**	**3.6**	**14**	**1**	**2**	**2**	**4**	**8**	**10**
GRAND TOTAL	**30298**	**5.4**	**38**	**1**	**2**	**4**	**6**	**11**	**15**		**15786**	**4.4**	**33**	**1**	**2**	**3**	**5**	**10**	**13**

DRG 299: Inborn Errors of Metabolism

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	333	8.6	57	2	4	6	12	19	21	0-17	892	7.8	144	2	3	4	8	14	23
70-74	122	9.5	84	1	2	2	23	23	23	18-34	123	6.8	103	2	2	4	4	8	40
75-79	297	4.2	40	2	2	2	4	9	9	35-49	215	8.4	29	3	4	7	12	14	18
80-84	32	15.2	55							50-69	241	6.8	54	1	1	5	10	14	14
85 +	10	11.0								70 +	8	21.0							
SUBTOTAL	**794**	**7.4**	**62**	**2**	**2**	**4**	**9**	**19**	**23**		**1478**	**7.7**	**109**	**2**	**3**	**5**	**8**	**14**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	183	6.1	51	1	1	4	8	12	24	0-17	1447	4.7	30	1	2	3	6	9	15
70-74	66	2.2	4	1	1	1	3	3	8	18-34	417	5.2	18	1	2	4	7	9	16
75-79	26	1.8	1							35-49	494	3.5	13	< 1	1	2	4	11	14
80-84	8	17.0								50-69	382	2.8	5	1	1	2	4	6	7
85 +	6	3.0								70 +	8	9.0							
SUBTOTAL	**289**	**5.0**	**41**	**1**	**1**	**2**	**7**	**12**	**24**		**2748**	**4.3**	**22**	**1**	**1**	**3**	**6**	**9**	**14**
GRAND TOTAL	**1083**	**6.8**	**57**	**1**	**2**	**4**	**8**	**17**	**23**		**4226**	**5.5**	**55**	**1**	**2**	**3**	**7**	**11**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	398	4.4	9	2	2	3	7	9	12	0-17	326	12.6	292	2	2	6	14	28	41
18-34	78	6.9	52	2	4	4	6	25	25	18-34	86	11.0	98	1	5	7	18	28	32
35-49	27	3.8	4							35-49	101	6.0	12	3	3	5	8	12	13
50-69	51	3.5	4							50-69	51	6.2	6	4	4	6	7	11	11
70 +	10	63.0								70 +	0								
SUBTOTAL	**564**	**5.7**	**76**	**2**	**2**	**3**	**6**	**9**	**13**		**564**	**10.6**	**194**	**2**	**3**	**6**	**12**	**28**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	398	5.1	26	1	2	3	7	8	16	0-17	348	4.8	28	1	2	3	5	10	15
18-34	74	3.6	4	< 1	2	3	6	7	7	18-34	221	4.2	12	1	2	3	5	12	13
35-49	146	4.8	12	2	3	3	4	11	11	35-49	163	3.5	11	< 1	1	2	4	8	12
50-69	58	11.0	12	3	10	13	13	14	14	50-69	34	5.9	18						
70 +	0									70 +	26	2.5	2						
SUBTOTAL	**675**	**5.4**	**22**	**1**	**2**	**3**	**7**	**12**	**14**		**791**	**4.3**	**19**	**1**	**2**	**3**	**5**	**11**	**13**
GRAND TOTAL	**1240**	**5.5**	**47**	**1**	**2**	**3**	**7**	**11**	**14**		**1355**	**6.9**	**101**	**1**	**2**	**4**	**7**	**14**	**20**

DRG 300: Endocrine Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2345	7.7	30	3	4	6	9	15	18	0-17	1275	6.1	42	1	2	4	7	14	18
70-74	1737	8.7	84	3	4	6	10	16	21	18-34	598	4.9	30	1	2	3	6	9	14
75-79	2207	11.1	124	3	5	8	12	23	38	35-49	1191	5.7	22	2	3	4	7	11	13
80-84	1418	11.9	132	3	5	9	15	27	33	50-69	2352	6.7	33	2	3	5	9	14	16
85 +	1321	11.2	74	3	5	9	14	22	27	70 +	95	11.3	155	4	6	8	11	16	56
SUBTOTAL	**9029**	**9.9**	**88**	**3**	**4**	**7**	**12**	**20**	**26**		**5510**	**6.2**	**35**	**1**	**3**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9029**	**9.9**	**88**	**3**	**4**	**7**	**12**	**20**	**26**		**5510**	**6.2**	**35**	**1**	**3**	**5**	**8**	**13**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	644	7.9	48	1	3	6	11	21	22	0-17	245	5.2	24	1	1	4	8	12	13
18-34	261	6.5	62	1	2	4	8	11	27	18-34	244	4.9	11	2	3	4	5	9	10
35-49	260	9.5	135	2	4	5	12	16	54	35-49	298	8.7	129	2	3	5	9	22	22
50-69	313	6.1	15	2	3	5	8	11	18	50-69	501	6.2	32	2	3	4	9	14	16
70 +	41	9.9	124							70 +	170	10.5	131	3	4	6	7	34	34
SUBTOTAL	**1519**	**7.6**	**62**	**1**	**3**	**5**	**10**	**16**	**22**		**1458**	**6.8**	**62**	**1**	**3**	**4**	**8**	**14**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1519**	**7.6**	**62**	**1**	**3**	**5**	**10**	**16**	**22**		**1458**	**6.8**	**62**	**1**	**3**	**4**	**8**	**14**	**22**

DRG 301: Endocrine Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	862	5.4	30	1	2	4	6	11	19
70-74	701	4.3	13	1	2	3	6	9	12
75-79	470	6.5	28	1	3	5	9	13	22
80-84	282	6.2	29	2	2	5	8	11	15
85 +	165	5.8	18	2	3	5	7	10	16
SUBTOTAL	**2480**	**5.4**	**25**	**1**	**2**	**4**	**7**	**11**	**15**
GRAND TOTAL	**2480**	**5.4**	**25**	**1**	**2**	**4**	**7**	**11**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2950	2.2	12	< 1	1	1	2	4	6
18-34	1499	3.1	5	1	1	3	4	7	7
35-49	1862	4.0	12	1	2	3	5	10	12
50-69	1552	4.2	9	1	2	3	6	9	10
70 +	16	4.0	1						
	7879	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**10**
	7879	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	947	3.0	7	1	1	2	4	6	7
18-34	207	3.5	9	1	2	2	4	9	10
35-49	138	3.3	7	1	2	2	5	9	9
50-69	137	4.3	6	1	3	4	6	6	10
70 +	0								
SUBTOTAL	**1429**	**3.3**	**7**	**1**	**1**	**2**	**5**	**6**	**9**
GRAND TOTAL	**1429**	**3.3**	**7**	**1**	**1**	**2**	**5**	**6**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	774	2.6	9	< 1	1	1	3	8	11
18-34	499	3.1	5	1	1	2	4	7	7
35-49	378	3.4	9	1	2	2	5	6	7
50-69	359	3.0	4	1	2	3	4	6	6
70 +	18	7.1	51						
	2029	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**10**
	2029	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**10**

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3221	16.7	119	7	10	14	20	30	37	0-17	207	25.1	354	10	14	19	27	58	79
70-74	8	10.0								18-34	144	20.0	229	7	7	15	28	48	53
75-79	0									35-49	276	15.3	44	7	11	14	17	23	32
80-84	0									50-69	140	24.5	238	9	11	18	41	49	51
85 +	0									70 +	0								
SUBTOTAL	**3229**	**16.7**	**119**	**7**	**10**	**14**	**20**	**30**	**37**		**767**	**20.5**	**215**	**7**	**11**	**16**	**23**	**45**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	657	10.9	14	7	8	10	13	15	19	0-17	128	10.9	12	7	8	11	14	16	17
70-74	8	6.0								18-34	153	11.2	13	7	8	11	14	14	19
75-79	0									35-49	121	11.4	31	7	7	10	12	25	25
80-84	0									50-69	59	10.0	11	6	6	11	13	14	14
85 +	0									70 +	0								
SUBTOTAL	**664**	**10.8**	**14**	**7**	**8**	**10**	**13**	**15**	**19**		**461**	**11.0**	**17**	**7**	**8**	**11**	**14**	**15**	**19**
GRAND TOTAL	**3893**	**15.7**	**106**	**7**	**9**	**13**	**18**	**28**	**35**		**1228**	**16.9**	**162**	**7**	**9**	**14**	**19**	**32**	**47**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	22.1	123							0-17	36	14.2	2						
18-34	85	16.1	81	9	9	11	19	29	37	18-34	71	9.2	12	6	7	7	10	17	17
35-49	18	17.7	2							35-49	64	12.6	31	5	9	11	16	23	23
50-69	18	22.2	162							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**172**	**18.7**	**100**	**9**	**11**	**16**	**21**	**37**	**39**		**171**	**11.5**	**21**	**6**	**7**	**11**	**14**	**17**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	95	16.9	35	11	13	15	21	27	27	0-17	15	11.0	1						
18-34	14	10.0								18-34	23	11.3	50						
35-49	8	7.0								35-49	23	8.0	1						
50-69	0									50-69	23	5.7							
70 +	0									70 +	0								
SUBTOTAL	**117**	**15.4**	**39**	**8**	**10**	**14**	**21**	**27**	**27**		**85**	**8.8**	**19**	**5**	**6**	**8**	**10**	**12**	**21**
GRAND TOTAL	**289**	**17.4**	**78**	**8**	**11**	**16**	**21**	**33**	**38**		**257**	**10.6**	**22**	**6**	**7**	**9**	**14**	**17**	**21**

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3482	13.6	74	7	9	11	16	23	30	0-17	198	13.7	61	7	8	13	19	42	99 +
70-74	2729	16.2	127	7	9	13	19	30	39	18-34	144	12.4	102	5	7	9	11	37	39
75-79	2309	14.8	85	7	9	13	17	24	31	35-49	801	10.5	42	5	7	9	12	19	24
80-84	1050	15.4	85	7	9	13	19	27	36	50-69	3245	13.0	83	7	8	10	15	23	27
85 +	778	14.1	59	6	8	12	19	26	32	70 +	214	13.0	41	7	8	12	15	23	24
SUBTOTAL	**10348**	**14.8**	**91**	**7**	**9**	**12**	**17**	**26**	**32**		**4602**	**12.5**	**75**	**6**	**8**	**10**	**15**	**23**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1460	10.8	42	6	7	8	12	20	27	0-17	484	8.7	5	6	7	8	11	12	13
70-74	1170	9.6	32	5	7	9	11	15	17	18-34	100	5.1	9	1	2	5	8	9	9
75-79	734	10.6	15	5	8	10	13	16	17	35-49	1023	8.5	12	5	6	8	10	13	14
80-84	394	10.4	30	6	8	9	12	15	20	50-69	2521	8.7	13	5	7	8	10	12	14
85 +	173	11.4	35	4	8	11	15	17	27	70 +	45	13.2	30	6	9	13	17	22	22
SUBTOTAL	**3931**	**10.4**	**33**	**6**	**7**	**9**	**12**	**16**	**21**		**4172**	**8.6**	**12**	**5**	**7**	**8**	**10**	**13**	**14**
GRAND TOTAL	**14278**	**13.6**	**79**	**7**	**8**	**11**	**16**	**24**	**30**		**8774**	**10.7**	**49**	**6**	**7**	**9**	**12**	**18**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	81	19.9	446	8	9	10	15	65	65	0-17	108	15.3	118	4	10	11	16	40	40
18-34	32	13.6	21							18-34	42	10.1	45						
35-49	101	11.6	105	6	7	9	11	15	46	35-49	193	10.3	16	6	7	10	12	18	19
50-69	252	15.2	86	6	9	12	25	28	43	50-69	788	12.0	80	6	7	9	13	24	27
70 +	94	10.3	4	9	10	11	11	31	99 +	70 +	159	14.9	71	7	8	13	18	29	34
SUBTOTAL	**560**	**14.3**	**132**	**7**	**9**	**10**	**15**	**28**	**65**		**1289**	**12.3**	**73**	**6**	**8**	**10**	**13**	**24**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	138	14.7	387	6	6	8	11	53	72	0-17	164	10.0	11	5	8	11	12	14	16
18-34	0									18-34	23	6.5	2						
35-49	40	9.3	8							35-49	171	8.2	9	6	7	8	9	12	18
50-69	69	11.7	21	7	8	9	15	19	19	50-69	439	8.5	14	5	6	8	10	12	19
70 +	8	27.0								70 +	64	6.6	11	2	4	7	8	12	12
SUBTOTAL	**255**	**13.4**	**226**	**6**	**7**	**8**	**11**	**19**	**72**		**860**	**8.5**	**13**	**5**	**6**	**8**	**10**	**12**	**17**
GRAND TOTAL	**815**	**14.0**	**161**	**6**	**8**	**10**	**15**	**27**	**65**		**2150**	**10.8**	**52**	**5**	**7**	**9**	**12**	**18**	**26**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5654	12.8	143	4	6	9	15	24	35	0-17	3476	8.9	61	4	5	7	10	15	26
70-74	2857	12.8	128	4	6	9	16	25	32	18-34	2239	8.1	43	3	4	6	9	15	21
75-79	2285	14.5	120	4	7	11	18	28	39	35-49	3055	8.0	38	3	5	7	10	14	22
80-84	1095	15.0	121	4	8	13	21	28	34	50-69	4160	10.3	72	3	5	9	13	19	24
85 +	569	13.8	122	2	8	12	17	27	32	70 +	174	11.5	68	3	6	9	15	22	34
SUBTOTAL	**12460**	**13.4**	**133**	**4**	**6**	**10**	**17**	**26**	**36**		**13104**	**9.1**	**57**	**3**	**5**	**7**	**11**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12460**	**13.4**	**133**	**4**	**6**	**10**	**17**	**26**	**36**		**13104**	**9.1**	**57**	**3**	**5**	**7**	**11**	**17**	**23**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1008	10.7	60	4	5	9	14	21	30	0-17	954	9.1	57	4	5	7	11	17	21
18-34	525	10.5	40	4	6	9	15	17	24	18-34	778	7.9	24	3	5	7	9	14	19
35-49	373	9.8	24	5	6	9	14	16	19	35-49	620	9.6	62	3	4	8	12	17	28
50-69	461	15.3	177	5	6	10	19	40	57	50-69	915	12.1	113	4	6	9	13	28	33
70 +	8	8.0								70 +	154	10.7	42	3	7	10	15	20	27
SUBTOTAL	**2376**	**11.4**	**76**	**4**	**6**	**9**	**15**	**21**	**30**		**3422**	**9.8**	**67**	**3**	**5**	**8**	**12**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2376**	**11.4**	**76**	**4**	**6**	**9**	**15**	**21**	**30**		**3422**	**9.8**	**67**	**3**	**5**	**8**	**12**	**19**	**27**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	2375	6.7	23	1	3	6	9	12	16	0-17	9756	5.4	9	2	3	5	7	9	11	
70-74	1290	7.6	27	2	4	7	10	14	17	18-34	3867	5.5	12	2	3	5	7	9	12	
75-79	781	7.4	51	1	3	5	9	17	23	35-49	5469	5.1	11	1	2	5	7	9	12	
80-84	478	8.3	53	2	3	8	9	17	24	50-69	5381	5.8	20	1	3	5	8	11	14	
85 +	219	6.5	53	1	2	5	8	13	17	70 +	87	8.4	51	4	5	6	10	27	27	
SUBTOTAL	**5143**	**7.2**	**33**	**2**	**3**	**6**	**9**	**13**	**17**		**24561**	**5.4**	**13**	**2**	**3**	**5**	**7**	**9**	**12**	
GRAND TOTAL	**5143**	**7.2**	**33**	**2**	**3**	**6**	**9**	**13**	**17**		**24561**	**5.4**	**13**	**2**	**3**	**5**	**7**	**9**	**12**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	2001	6.3	21	3	4	5	8	11	15	0-17	2624	5.3	8	3	3	5	6	8	11	
18-34	682	7.0	20	2	4	7	8	12	12	18-34	1413	5.7	9	2	4	5	7	10	11	
35-49	279	7.0	39	1	3	5	8	16	23	35-49	1330	5.7	12	2	3	6	8	9	11	
50-69	242	6.5	23	2	3	5	8	13	13	50-69	1058	6.2	28	1	2	5	8	14	16	
70 +	0									70 +	138	6.5	29	1	2	6	9	16	21	
SUBTOTAL	**3203**	**6.5**	**23**	**2**	**4**	**5**	**8**	**12**	**16**		**6563**	**5.6**	**13**	**2**	**3**	**5**	**7**	**10**	**13**	
GRAND TOTAL	**3203**	**6.5**	**23**	**2**	**4**	**5**	**8**	**12**	**16**		**6563**	**5.6**	**13**	**2**	**3**	**5**	**7**	**10**	**13**	

DRG 306: Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	2293	7.6	32	3	4	6	10	13	16	0-17	0								
70-74	2736	8.8	49	3	4	7	11	17	20	18-34	0								
75-79	2490	8.3	50	3	4	6	10	17	24	35-49	58	3.8	3	2	3	3	6	7	7
80-84	2752	10.7	125	3	5	8	13	18	26	50-69	1591	7.1	25	3	4	6	9	12	16
85 +	1591	11.5	99	4	5	9	14	21	28	70 +	240	8.8	45	3	4	7	14	16	18
SUBTOTAL	**11862**	**9.3**	**72**	**3**	**4**	**7**	**11**	**18**	**23**		**1889**	**7.3**	**28**	**3**	**4**	**6**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**11862**	**9.3**	**72**	**3**	**4**	**7**	**11**	**18**	**23**		**1889**	**7.3**	**28**	**3**	**4**	**6**	**9**	**13**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	8	1.0								
50-69	117	6.8	13	3	5	6	8	14	15	50-69	147	8.6	145	3	4	4	10	49	99 +
70 +	23	7.3	17							70 +	83	6.1	22	2	3	5	9	99 +	99 +
SUBTOTAL	**140**	**6.9**	**14**	**3**	**4**	**6**	**8**	**14**	**15**		**238**	**7.5**	**100**	**2**	**3**	**4**	**10**	**49**	**99 +**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**140**	**6.9**	**14**	**3**	**4**	**6**	**8**	**14**	**15**		**238**	**7.5**	**100**	**2**	**3**	**4**	**10**	**49**	**99 +**

DRG 307: Prostatectomy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1992	4.4	5	2	3	4	5	8	9	0-17	0								
70-74	1966	4.9	16	2	3	4	5	10	12	18-34	22	2.7	1						
75-79	1845	4.7	8	2	3	4	6	9	10	35-49	120	3.0	1	1	3	3	4	4	4
80-84	1109	6.9	91	3	3	4	8	11	20	50-69	2069	4.2	6	2	3	4	5	7	9
85 +	530	6.2	16	3	4	5	7	10	11	70 +	183	4.1	26	1	2	3	4	7	24
SUBTOTAL	**7441**	**5.1**	**23**	**2**	**3**	**4**	**6**	**9**	**11**		**2394**	**4.1**	**8**	**2**	**3**	**3**	**5**	**7**	**9**
GRAND TOTAL	**7441**	**5.1**	**23**	**2**	**3**	**4**	**6**	**9**	**11**		**2394**	**4.1**	**8**	**2**	**3**	**3**	**5**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	32	8.0								35-49	23	4.4	12						
50-69	40	3.2	1							50-69	386	3.8	2	2	3	3	5	6	6
70 +	30	6.0	1							70 +	143	3.6	2	2	2	4	5	6	6
SUBTOTAL	**102**	**5.5**	**5**	**3**	**4**	**6**	**8**	**8**	**8**		**552**	**3.7**	**3**	**2**	**3**	**3**	**5**	**6**	**6**
GRAND TOTAL	**102**	**5.5**	**5**	**3**	**4**	**6**	**8**	**8**	**8**		**552**	**3.7**	**3**	**2**	**3**	**3**	**5**	**6**	**6**

DRG 308: Minor Bladder Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3098	8.1	95	2	3	5	9	16	21	0-17	811	10.2	93	2	5	7	13	20	32
70-74	2160	8.4	60	2	3	6	11	17	24	18-34	328	6.9	23	2	3	8	9	12	15
75-79	2041	8.7	86	2	3	6	11	18	24	35-49	516	11.1	82	2	6	9	17	19	31
80-84	2088	9.6	118	2	3	7	11	19	25	50-69	1355	9.3	131	2	3	6	10	18	29
85 +	1316	10.6	124	2	4	7	15	22	31	70 +	126	13.9	186	2	3	9	22	38	47
SUBTOTAL	**10703**	**8.9**	**95**	**2**	**3**	**6**	**11**	**18**	**25**		**3136**	**9.8**	**106**	**2**	**4**	**7**	**11**	**19**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10703**	**8.9**	**95**	**2**	**3**	**6**	**11**	**18**	**25**		**3136**	**9.8**	**106**	**2**	**4**	**7**	**11**	**19**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	272	9.7	89	1	4	8	11	30	48	0-17	278	9.7	68	1	4	7	12	21	30
18-34	194	10.7	117	2	4	7	13	21	45	18-34	152	6.6	20	2	3	5	11	12	16
35-49	96	10.2	113	3	4	7	10	15	44	35-49	87	14.9	337	1	3	6	22	31	65
50-69	58	13.3	62	3	7	10	24	24	24	50-69	329	9.7	127	1	4	7	12	23	24
70 +	62	9.4	109							70 +	111	11.8	214	2	4	6	16	20	54
SUBTOTAL	**682**	**10.3**	**100**	**2**	**4**	**8**	**12**	**25**	**39**		**957**	**9.9**	**126**	**2**	**3**	**7**	**12**	**21**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**682**	**10.3**	**100**	**2**	**4**	**8**	**12**	**25**	**39**		**957**	**9.9**	**126**	**2**	**3**	**7**	**12**	**21**	**30**

DRG 309: Minor Bladder Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1871	4.3	16	1	2	3	6	9	11	0-17	973	4.6	17	1	1	3	6	9	16
70-74	1324	5.0	15	1	2	4	7	10	12	18-34	408	4.7	8	1	2	4	7	9	9
75-79	1096	4.8	36	1	2	3	5	9	10	35-49	867	4.7	12	1	2	4	7	10	12
80-84	689	4.6	16	1	2	3	6	9	15	50-69	1760	4.6	14	1	2	3	7	10	12
85 +	337	5.9	80	1	2	3	6	11	14	70 +	96	3.4	10	1	1	3	4	6	14
SUBTOTAL	**5317**	**4.7**	**24**	**1**	**2**	**3**	**6**	**9**	**12**		**4105**	**4.6**	**14**	**1**	**2**	**3**	**7**	**10**	**12**
GRAND TOTAL	**5317**	**4.7**	**24**	**1**	**2**	**3**	**6**	**9**	**12**		**4105**	**4.6**	**14**	**1**	**2**	**3**	**7**	**10**	**12**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	316	8.9	84	1	2	5	13	27	27	0-17	397	5.1	15	1	2	4	8	8	14
18-34	102	5.8	21	1	2	4	10	14	14	18-34	110	5.4	12	2	2	5	8	9	14
35-49	79	7.7	23	1	3	7	13	13	13	35-49	249	5.4	23	1	2	4	7	13	16
50-69	31	3.8	5							50-69	381	4.7	18	1	2	3	6	11	14
70 +	8	6.0								70 +	201	4.3	7	2	3	4	5	7	8
SUBTOTAL	**536**	**7.8**	**59**	**1**	**2**	**5**	**11**	**19**	**27**		**1338**	**4.9**	**16**	**1**	**2**	**4**	**7**	**10**	**14**
GRAND TOTAL	**536**	**7.8**	**59**	**1**	**2**	**5**	**11**	**19**	**27**		**1338**	**4.9**	**16**	**1**	**2**	**4**	**7**	**10**	**14**

Total U.S., July 1988 - June 1989

DRG 310: Transurethral Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7914	4.8	20	1	2	4	6	9	13	0-17	150	5.7	9	3	4	5	7	11	12
70-74	7375	5.3	41	1	2	4	6	10	13	18-34	2555	4.2	8	1	2	4	5	8	10
75-79	6413	5.2	24	1	2	4	6	11	15	35-49	4884	4.1	32	1	2	3	5	7	10
80-84	5552	6.7	71	2	2	4	8	13	20	50-69	7471	4.3	13	1	2	3	5	8	11
85 +	4392	7.2	45	2	3	6	9	14	18	70 +	445	5.6	28	1	2	3	7	15	18
SUBTOTAL	**31646**	**5.7**	**39**	**1**	**2**	**4**	**7**	**11**	**15**		**15506**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**31646**	**5.7**	**39**	**1**	**2**	**4**	**7**	**11**	**15**		**15506**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	3.1	1							0-17	16	3.5	7						
18-34	337	3.3	11	< 1	1	2	4	7	8	18-34	587	4.6	16	1	2	4	6	7	8
35-49	245	7.3	14	3	4	8	11	11	13	35-49	802	4.0	8	1	2	3	5	9	10
50-69	449	6.1	32	2	2	4	9	13	16	50-69	1497	4.2	17	1	2	3	5	10	13
70 +	183	9.9	107	4	4	6	10	23	47	70 +	332	4.6	31	< 1	1	3	5	14	19
SUBTOTAL	1233	6.1	38	1	2	4	9	11	16		3233	4.3	16	1	2	3	5	9	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1233**	**6.1**	**38**	**1**	**2**	**4**	**9**	**11**	**16**		**3233**	**4.3**	**16**	**1**	**2**	**3**	**5**	**9**	**13**

DRG 311: Transurethral Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8444	2.8	4	1	1	2	4	5	7	0-17	385	3.0	6	1	1	2	5	6	7
70-74	6715	2.7	4	1	1	2	3	5	6	18-34	7552	2.7	3	1	2	2	4	5	6
75-79	5767	2.9	5	1	1	2	4	6	7	35-49	14740	2.9	4	1	1	2	4	5	7
80-84	3998	3.1	5	1	1	2	4	6	8	50-69	16276	2.7	4	1	1	2	3	5	6
85 +	2250	3.7	10	1	1	3	5	7	8	70 +	610	2.6	3	1	1	2	4	4	6
SUBTOTAL	**27174**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**39563**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**27174**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**39563**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	76	4.5	5	1	2	6	6	8	8	0-17	137	2.9	4	< 1	1	3	5	6	6
18-34	560	3.1	4	1	1	3	4	6	7	18-34	2323	2.8	3	1	2	2	4	5	7
35-49	415	3.2	7	1	2	2	3	9	10	35-49	2600	2.7	5	1	1	2	3	5	6
50-69	289	3.5	5	1	2	3	5	7	7	50-69	2818	2.2	2	1	1	2	3	4	5
70 +	96	4.9	7	1	3	5	7	10	10	70 +	446	2.5	4	1	1	2	3	5	6
SUBTOTAL	**1435**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**		**8324**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1435**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**		**8324**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 312: Urethral Procedures, Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1186	5.7	57	1	2	4	6	10	13	0-17	0								
70-74	764	5.5	28	1	2	4	7	14	15	18-34	434	3.4	9	1	1	3	4	6	8
75-79	725	5.5	55	1	2	4	6	8	17	35-49	319	3.6	14	1	1	2	5	8	10
80-84	679	5.2	16	2	2	4	6	10	11	50-69	596	4.0	11	1	1	3	5	9	9
85 +	386	5.8	18	1	3	5	7	8	14	70 +	16	4.6							
SUBTOTAL	**3740**	**5.5**	**39**	**1**	**2**	**4**	**7**	**10**	**15**		**1365**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3740**	**5.5**	**39**	**1**	**2**	**4**	**7**	**10**	**15**		**1365**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	67	4.1	4							18-34	101	3.9	4	2	2	4	5	5	10
35-49	28	4.6	9							35-49	79	3.4	3	1	1	4	5	5	5
50-69	70	9.0	117							50-69	94	3.0	5	1	2	3	3	4	11
70 +	38	14.5	315							70 +	53	5.7	29	1	1	4	9	15	15
SUBTOTAL	**203**	**7.8**	**115**	**2**	**2**	**5**	**7**	**30**	**35**		**327**	**3.8**	**9**	**1**	**2**	**3**	**5**	**5**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**203**	**7.8**	**115**	**2**	**2**	**5**	**7**	**30**	**35**		**327**	**3.8**	**9**	**1**	**2**	**3**	**5**	**5**	**10**

DRG 313: Urethral Procedures, Age >17 w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	946	3.2	11	1	1	2	4	6	14
70-74	756	2.6	8	1	1	2	3	6	7
75-79	712	2.4	2	1	1	2	3	4	5
80-84	398	2.4	3	1	1	2	3	4	6
85 +	243	3.0	5	1	1	2	5	6	9
SUBTOTAL	**3055**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**3055**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1027	2.2	4	1	1	1	3	5	7
35-49	838	2.5	5	1	1	2	3	6	8
50-69	1445	2.6	4	1	1	2	3	5	5
70 +	81	1.7	1	< 1	1	2	2	3	3
	3392	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	3392	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	108	3.8	7	1	2	3	5	7	11
35-49	89	1.7	5	1	1	1	1	1	9
50-69	114	2.5	1	1	1	3	3	3	4
70 +	6	1.0							
SUBTOTAL	**317**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**317**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	225	2.1	5	1	1	1	2	4	5
35-49	252	2.2	3	1	1	2	2	3	6
50-69	256	1.8	1	1	1	2	2	4	4
70 +	34	2.5	1						
	767	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**4**
	767	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**4**

DRG 314: Urethral Procedures, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	277	3.3	16	< 1	1	2	4	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	8	2.0									277	3.3	16	< 1	1	2	4	7	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	3.0								0-17	1314	2.6	12	< 1	1	1	2	6	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	8	3.0									1314	2.6	12	< 1	1	1	2	6	9
GRAND TOTAL	15	2.5									1591	2.7	13	< 1	1	1	3	6	10

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	66	5.5	26	1	1	3	8	14	14	0-17	135	5.6	24	1	2	4	8	11	21
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	66	5.5	26	1	1	3	8	14	14		135	5.6	24	1	2	4	8	11	21
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	214	1.9	3	< 1	1	1	2	3	7	0-17	442	1.9	2	< 1	1	1	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	214	1.9	3	< 1	1	1	2	3	7		442	1.9	2	< 1	1	1	3	4	5
GRAND TOTAL	279	2.7	11	< 1	1	1	2	8	11		577	2.8	10	< 1	1	1	4	6	9

Total U.S., July 1988 - June 1989

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8574	10.1	123	2	3	7	13	24	34	0-17	546	20.0	437	4	5	12	28	61	74
70-74	2793	13.9	172	2	5	10	18	31	42	18-34	1028	9.1	65	2	4	7	11	21	29
75-79	2281	15.0	188	3	6	11	21	37	54	35-49	1825	9.9	128	2	3	7	11	21	36
80-84	1419	17.2	224	3	7	13	21	42	48	50-69	3565	10.7	135	1	3	7	14	27	35
85 +	885	19.2	230	5	8	14	26	39	55	70 +	223	16.7	155	3	6	13	27	35	35
SUBTOTAL	**15951**	**12.6**	**164**	**2**	**4**	**9**	**17**	**29**	**43**		**7188**	**11.2**	**155**	**2**	**3**	**7**	**14**	**27**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3453	4.1	17	1	2	3	5	8	10	0-17	536	7.1	48	1	2	4	10	13	26
70-74	975	4.1	23	1	1	3	5	8	12	18-34	939	5.0	17	1	2	4	6	11	13
75-79	624	6.9	66	1	2	3	9	16	26	35-49	1523	4.5	20	1	2	3	6	10	12
80-84	251	4.8	16	1	1	4	6	12	14	50-69	2402	4.8	21	1	2	3	7	10	14
85 +	61	16.3	808	2	2	5	6	79	79	70 +	75	2.2	3	1	1	1	2	6	6
SUBTOTAL	**5364**	**4.6**	**35**	**1**	**2**	**3**	**5**	**10**	**14**		**5475**	**4.9**	**23**	**1**	**2**	**3**	**7**	**10**	**14**
GRAND TOTAL	**21316**	**10.6**	**144**	**2**	**3**	**7**	**14**	**26**	**37**		**12663**	**8.5**	**107**	**1**	**2**	**5**	**10**	**20**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	182	20.5	298	3	4	20	33	99 +	99 +	0-17	61	23.4	27	15	18	24	26	30	30
18-34	652	9.5	88	2	3	7	11	18	38	18-34	661	10.2	50	2	5	9	13	25	25
35-49	726	15.0	163	2	6	11	22	36	43	35-49	721	10.3	56	2	4	9	14	21	26
50-69	1221	12.4	137	2	4	10	17	26	41	50-69	1054	12.0	159	1	4	8	15	27	34
70 +	62	16.6	160	8	8	12	15	46	46	70 +	114	21.7	494	2	9	14	22	39	85
SUBTOTAL	**2844**	**13.0**	**151**	**2**	**4**	**10**	**18**	**30**	**43**		**2612**	**11.8**	**123**	**2**	**5**	**9**	**15**	**25**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	231	8.7	46	2	3	8	12	14	27	0-17	159	4.5	16	1	1	3	6	11	13
18-34	248	5.5	33	1	2	3	6	11	20	18-34	411	3.9	8	1	2	3	5	8	10
35-49	394	7.1	27	2	4	5	10	17	18	35-49	542	4.9	16	1	1	4	8	11	14
50-69	215	4.3	19	1	1	3	4	10	15	50-69	760	4.6	13	1	1	3	8	9	11
70 +	30	4.1	13							70 +	78	5.2	9	1	2	4	8	9	10
SUBTOTAL	**1119**	**6.5**	**33**	**1**	**2**	**4**	**9**	**15**	**19**		**1949**	**4.6**	**13**	**1**	**1**	**3**	**8**	**9**	**11**
GRAND TOTAL	**3963**	**11.2**	**126**	**2**	**3**	**8**	**15**	**27**	**39**		**4561**	**8.7**	**89**	**1**	**2**	**7**	**11**	**19**	**26**

Total U.S., July 1988 - June 1989

DRG 316: Renal Failure

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7285	8.4	62	2	4	6	10	17	21	0-17	552	8.1	140	1	2	4	9	20	25
70-74	3677	10.3	94	3	5	8	12	19	29	18-34	453	7.0	47	1	2	5	9	16	17
75-79	4686	11.0	100	3	5	9	14	20	27	35-49	1124	7.7	47	1	3	6	10	16	20
80-84	4115	10.5	68	3	6	8	13	21	28	50-69	2367	8.8	61	3	4	7	11	17	26
85 +	4096	11.0	89	4	6	8	12	21	29	70 +	257	8.8	37	3	5	7	11	19	19
SUBTOTAL	**23859**	**10.0**	**81**	**3**	**5**	**8**	**12**	**19**	**26**		**4753**	**8.3**	**65**	**2**	**3**	**6**	**10**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1146	4.5	22	1	2	4	5	9	11	0-17	418	4.8	36	1	1	2	5	14	20
70-74	621	6.9	20	2	4	6	9	12	15	18-34	296	5.0	13	1	3	4	7	9	11
75-79	584	7.2	18	2	4	7	10	13	15	35-49	530	3.9	24	1	2	2	5	7	7
80-84	425	7.3	25	3	4	6	10	12	16	50-69	553	5.8	18	1	2	4	8	12	14
85 +	368	6.1	16	2	4	5	7	14	15	70 +	59	4.7	6	2	2	5	7	9	9
SUBTOTAL	**3144**	**6.1**	**22**	**1**	**3**	**5**	**8**	**12**	**15**		**1856**	**4.8**	**23**	**1**	**2**	**3**	**6**	**11**	**14**
GRAND TOTAL	**27002**	**9.5**	**76**	**2**	**5**	**7**	**12**	**18**	**25**		**6609**	**7.3**	**55**	**1**	**3**	**5**	**9**	**15**	**21**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	209	9.8	185	2	3	5	10	21	56	0-17	148	8.8	41	2	3	7	12	20	20
18-34	441	6.6	54	1	3	4	7	17	28	18-34	460	4.4	19	1	2	4	5	9	15
35-49	418	7.8	38	2	3	6	11	17	18	35-49	547	9.0	41	2	4	8	12	21	22
50-69	935	8.7	51	3	4	8	11	30	99 +	50-69	1060	8.5	47	2	5	7	10	15	24
70 +	88	10.6	212	3	3	7	8	11	56	70 +	287	7.4	22	3	4	6	9	15	18
SUBTOTAL	**2091**	**8.3**	**70**	**2**	**3**	**6**	**10**	**20**	**33**		**2503**	**7.7**	**40**	**2**	**3**	**6**	**10**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	233	5.4	13	1	4	5	6	12	13	0-17	146	6.5	25	2	3	5	8	15	15
18-34	116	4.3	4	1	3	4	6	8	8	18-34	201	4.5	6	1	3	4	6	9	10
35-49	190	6.4	42	1	2	3	9	21	24	35-49	184	3.9	15	1	1	3	4	8	18
50-69	116	5.3	22	2	3	3	6	8	20	50-69	198	3.1	5	< 1	1	2	5	6	6
70 +	30	12.4	54							70 +	43	15.6	398						
SUBTOTAL	**686**	**5.8**	**25**	**2**	**3**	**5**	**6**	**12**	**20**		**771**	**5.0**	**41**	**1**	**2**	**3**	**6**	**10**	**15**
GRAND TOTAL	**2777**	**7.6**	**60**	**2**	**3**	**5**	**9**	**18**	**30**		**3274**	**7.1**	**41**	**1**	**3**	**5**	**9**	**15**	**21**

Total U.S., July 1988 - June 1989

DRG 317: Admit for Renal Dialysis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	243	3.1	9	1	1	2	3	7	10	0-17	51	2.7	4						
70-74	86	4.7	13	2	3	3	5	13	13	18-34	86	5.0	38	< 1	< 1	1	10	17	17
75-79	42	2.0								35-49	94	2.5	2	< 1	1	2	3	5	5
80-84	80	1.5								50-69	74	4.0	3						
85 +	0									70 +	0								
SUBTOTAL	**451**	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**10**		**305**	**3.6**	**14**	**< 1**	**1**	**3**	**5**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	50	4.4	5							0-17	0								
70-74	50	3.4	1							18-34	10	4.0							
75-79	0									35-49	80	1.5							
80-84	8	1.0								50-69	14	1.0							
85 +	0									70 +	8	1.0							
SUBTOTAL	**108**	**3.7**	**3**	**1**	**2**	**4**	**6**	**6**	**6**		**113**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**2**	**4**
GRAND TOTAL	**559**	**3.1**	**7**	**1**	**2**	**2**	**3**	**6**	**10**		**418**	**3.1**	**11**	**< 1**	**1**	**2**	**3**	**6**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	2.0		2	2	2	2	2	2	0-17	0								
18-34	80	2.0								18-34	29	2.0							
35-49	36	1.6	1							35-49	17	2.0							
50-69	15	4.0								50-69	28	1.0							
70 +	0									70 +	0								
SUBTOTAL	**178**	**2.1**		**1**	**2**	**2**	**2**	**3**	**4**		**74**	**1.6**		**< 1**	**< 1**	**2**	**2**	**2**	**2**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	32	3.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32**	**3.0**									**0**								
GRAND TOTAL	**210**	**2.2**	**1**	**2**	**2**	**2**	**3**	**3**	**4**		**74**	**1.6**		**< 1**	**< 1**	**2**	**2**	**2**	**2**

Total U.S., July 1988 - June 1989

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1210	7.8	79	2	3	5	9	15	23	0-17	161	8.5	140	1	2	3	9	25	40
70-74	1221	9.4	67	2	4	7	11	22	28	18-34	45	5.4	15						
75-79	1031	8.8	118	2	3	5	11	19	27	35-49	258	6.9	60	1	2	4	9	17	25
80-84	910	10.5	85	2	5	9	13	21	27	50-69	1303	7.8	63	2	3	5	9	15	25
85 +	882	9.8	88	2	4	7	13	26	33	70 +	88	8.0	36	4	4	7	10	10	25
SUBTOTAL	**5254**	**9.2**	**87**	**2**	**4**	**6**	**11**	**20**	**29**		**1855**	**7.7**	**67**	**1**	**3**	**5**	**9**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5254**	**9.2**	**87**	**2**	**4**	**6**	**11**	**20**	**29**		**1855**	**7.7**	**67**	**1**	**3**	**5**	**9**	**16**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	74	7.7	121	1	2	3	3	30	30	0-17	171	7.8	51	1	3	5	13	17	25
18-34	16	17.5	60							18-34	23	5.7	3						
35-49	52	14.7	158	1	5	12	27	36	36	35-49	132	7.7	20	3	4	6	10	15	16
50-69	155	8.2	67	2	4	5	9	25	32	50-69	310	6.7	57	1	2	5	8	18	25
70 +	55	8.6	6							70 +	109	8.2	44	2	3	7	10	15	27
SUBTOTAL	**353**	**9.5**	**89**	**2**	**3**	**6**	**10**	**27**	**30**		**745**	**7.3**	**46**	**1**	**3**	**5**	**10**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**353**	**9.5**	**89**	**2**	**3**	**6**	**10**	**27**	**30**		**745**	**7.3**	**46**	**1**	**3**	**5**	**10**	**16**	**25**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	415	2.3	3	1	1	2	3	4	6
70-74	328	3.5	15	1	1	2	4	9	10
75-79	300	4.8	84	1	1	3	4	9	11
80-84	156	3.0	11	1	1	2	4	9	13
85 +	94	5.3	25	1	1	2	11	15	15
SUBTOTAL	**1294**	**3.5**	**28**	**1**	**1**	**2**	**4**	**9**	**10**
GRAND TOTAL	**1294**	**3.5**	**28**	**1**	**1**	**2**	**4**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	231	2.8	4	< 1	1	2	4	5	8
18-34	44	1.5		< 1	1	1	2	2	2
35-49	305	4.1	18	1	1	3	5	6	15
50-69	748	3.2	20	1	1	2	4	5	7
70 +	8	2.0							
	1336	**3.3**	**16**	**1**	**1**	**2**	**4**	**6**	**8**
	1336	**3.3**	**16**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	102	3.6	22	1	1	2	3	15	15
18-34	24	2.8	2						
35-49	30	2.7	5						
50-69	22	2.0							
70 +	32	4.0							
SUBTOTAL	**209**	**3.3**	**12**	**1**	**1**	**2**	**4**	**6**	**15**
GRAND TOTAL	**209**	**3.3**	**12**	**1**	**1**	**2**	**4**	**6**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	99	4.3	15	< 1	1	3	7	12	12
18-34	30	3.3	8						
35-49	25	4.2	16						
50-69	139	2.8	8	< 1	1	1	4	8	9
70 +	41	2.0	1						
	334	**3.3**	**10**	**< 1**	**1**	**2**	**4**	**9**	**10**
	334	**3.3**	**10**	**< 1**	**1**	**2**	**4**	**9**	**10**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	28003	7.4	32	3	4	6	9	12	16
70-74	20225	8.3	61	3	4	7	9	15	20
75-79	26451	8.4	56	3	4	7	10	15	21
80-84	26522	8.7	56	3	5	7	10	15	21
85 +	34616	9.1	55	3	5	7	11	16	22
SUBTOTAL	**135815**	**8.4**	**52**	**3**	**5**	**7**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**135815**	**8.4**	**52**	**3**	**5**	**7**	**10**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8893	4.6	12	2	3	4	5	8	11
35-49	7603	5.6	15	2	3	5	7	10	13
50-69	11817	6.5	27	2	4	5	8	11	14
70 +	1333	7.2	59	2	4	6	9	11	16
	29647	**5.7**	**22**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	29647	**5.7**	**22**	**2**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	4661	5.5	15	2	3	5	7	10	12
35-49	2906	6.9	50	3	4	5	8	13	15
50-69	3683	7.8	43	3	4	6	10	15	19
70 +	1094	11.2	124	4	4	7	16	45	99 +
SUBTOTAL	**12345**	**7.0**	**44**	**3**	**4**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12345**	**7.0**	**44**	**3**	**4**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4325	4.5	10	2	3	4	5	8	9
35-49	2689	5.4	20	2	3	5	7	9	11
50-69	3287	6.8	26	2	4	5	8	13	15
70 +	1416	8.4	122	2	4	5	9	14	22
	11717	**5.8**	**32**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11717	**5.8**	**32**	**2**	**3**	**5**	**7**	**10**	**13**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8570	5.4	11	2	3	5	7	9	11
70-74	6672	5.8	13	3	4	5	7	9	11
75-79	6817	6.0	24	2	3	5	7	9	12
80-84	6874	6.4	32	3	4	5	7	10	13
85 +	7509	7.0	51	3	4	6	8	13	16
SUBTOTAL	**36442**	**6.1**	**27**	**2**	**4**	**5**	**7**	**10**	**13**
GRAND TOTAL	**36442**	**6.1**	**27**	**2**	**4**	**5**	**7**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	24013	3.8	4	2	3	3	5	6	7
35-49	12546	4.2	6	2	3	4	5	7	8
50-69	10898	4.5	6	2	3	4	6	7	9
70 +	512	4.7	11	2	2	4	6	8	11
SUBTOTAL	**47969**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**47969**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8300	3.9	4	2	3	4	5	6	8
35-49	2140	5.0	11	2	3	4	6	8	12
50-69	1166	5.8	12	2	3	5	7	10	15
70 +	266	5.3	12	2	3	6	7	99 +	99 +
SUBTOTAL	**11873**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**11873**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	11871	3.8	4	2	2	3	5	6	7
35-49	3625	4.3	6	2	3	4	5	7	9
50-69	2456	4.5	6	2	3	4	6	8	9
70 +	496	5.1	8	2	3	4	7	10	11
SUBTOTAL	**18448**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**18448**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	453	6.7	18	3	3	6	8	13	16	0-17	6297	4.4	15	2	3	4	5	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**453**	**6.7**	**18**	**3**	**3**	**6**	**8**	**13**	**16**		**6297**	**4.4**	**15**	**2**	**3**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	120	4.2	7	< 1	2	4	7	7	9	0-17	23517	3.9	6	2	2	3	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**120**	**4.2**	**7**	**< 1**	**2**	**4**	**7**	**7**	**9**		**23517**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**574**	**6.2**	**16**	**2**	**3**	**5**	**8**	**10**	**16**		**29814**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2913	5.2	15	2	3	4	7	10	12	0-17	2068	5.2	15	2	3	4	6	10	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2913**	**5.2**	**15**	**2**	**3**	**4**	**7**	**10**	**12**		**2068**	**5.2**	**15**	**2**	**3**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9002	4.2	5	2	3	4	5	7	9	0-17	8386	4.2	6	2	3	4	5	7	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9002**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**9**		**8386**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**11915**	**4.5**	**8**	**2**	**3**	**4**	**5**	**8**	**10**		**10454**	**4.4**	**8**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8377	3.9	14	1	2	3	5	8	10
70-74	5262	3.8	8	1	2	3	5	8	9
75-79	3523	5.0	20	1	2	4	6	10	12
80-84	1830	5.1	19	1	2	4	7	11	13
85 +	1329	6.8	49	2	3	5	9	13	19
SUBTOTAL	**20321**	**4.4**	**17**	**1**	**2**	**3**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1731	1.7	3	< 1	1	1	2	3	6
70-74	703	1.8	3	< 1	1	1	2	4	6
75-79	441	1.5	1	1	1	1	2	3	4
80-84	205	1.6	2	1	1	1	2	3	5
85 +	74	2.0	1	< 1	1	2	2	4	4
SUBTOTAL	**3154**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**23475**	**4.0**	**16**	**1**	**2**	**3**	**5**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	837	2.9	7	1	1	2	4	6	8
18-34	9470	2.5	4	1	1	2	3	5	7
35-49	14518	2.6	5	1	1	2	3	5	7
50-69	13547	3.2	7	1	1	2	4	7	8
70 +	206	3.8	11	1	1	2	5	8	11
	38577	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	121	2.1	3	< 1	1	1	3	5	5
18-34	1642	1.4	1	< 1	1	1	1	2	4
35-49	3539	1.6	2	< 1	1	1	2	3	4
50-69	3931	1.5	2	< 1	1	1	1	3	4
70 +	40	1.5	1						
	9273	**1.6**	**2**	**< 1**	**1**	**1**	**1**	**3**	**4**
	47850	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	247	3.3	8	1	1	2	4	8	10
18-34	1431	3.4	6	1	2	3	4	6	9
35-49	1050	4.2	14	1	2	3	5	8	13
50-69	888	4.4	14	1	2	3	5	9	10
70 +	70	8.0	13	2	4	9	10	14	14
SUBTOTAL	**3686**	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	2.0	1						
18-34	206	2.0	2	1	1	1	3	4	4
35-49	189	1.9	1	1	1	2	2	3	5
50-69	126	2.7	3	1	1	2	4	5	6
70 +	0								
SUBTOTAL	**545**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**4231**	**3.7**	**10**	**1**	**2**	**3**	**5**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	4.1	8	1	2	4	6	8	10
18-34	2715	2.4	3	1	1	2	3	5	5
35-49	2796	2.8	7	1	1	2	4	6	7
50-69	2161	3.4	13	1	1	2	4	7	8
70 +	126	8.0	200	1	2	3	5	47	47
	7995	**2.9**	**11**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	0								
18-34	405	2.0	2	< 1	1	2	2	4	4
35-49	566	1.9	3	1	1	1	2	3	5
50-69	505	1.7	1	1	1	1	2	3	4
70 +	39	1.2							
	1515	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	9510	**2.8**	**10**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 324: Urinary Stones w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8275	2.5	4	1	1	2	3	4	6
70-74	3919	2.7	5	1	1	2	3	5	7
75-79	2103	2.8	6	1	1	2	4	5	7
80-84	870	4.4	19	1	2	2	5	12	17
85 +	631	3.4	6	1	2	3	4	7	7
SUBTOTAL	**15798**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**15798**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3006	2.1	4	1	1	2	2	3	5
18-34	28969	2.0	4	1	1	2	2	4	5
35-49	45682	2.0	2	1	1	2	2	4	5
50-69	28673	2.2	2	1	1	2	3	4	5
70 +	250	2.0	2	1	1	2	3	4	5
	106579	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**5**
	106579	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	316	2.9	5	1	1	2	4	7	8
18-34	2282	2.4	2	1	1	2	3	4	5
35-49	1102	2.7	4	1	1	2	4	5	8
50-69	590	3.5	6	1	2	3	4	6	10
70 +	40	2.0							
SUBTOTAL	**4331**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4331**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	753	2.3	4	1	1	2	3	5	7
18-34	8943	1.8	2	1	1	1	2	3	4
35-49	8615	1.9	2	1	1	1	2	4	5
50-69	4688	2.2	3	1	1	2	3	4	5
70 +	204	3.7	23	< 1	1	3	4	6	11
	23203	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
	23203	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2336	4.8	18	1	2	4	6	9	12	0-17	0								
70-74	1554	5.5	50	1	2	4	6	10	12	18-34	598	3.3	10	1	1	2	4	7	8
75-79	1745	5.8	27	2	3	4	7	12	17	35-49	897	3.6	14	1	1	3	4	7	12
80-84	1913	6.5	30	2	3	5	8	12	16	50-69	1638	4.1	12	1	2	3	5	7	11
85 +	2021	7.4	57	2	3	6	8	12	23	70 +	91	4.1	17	2	2	2	4	12	14
SUBTOTAL	**9569**	**6.0**	**36**	**2**	**3**	**4**	**7**	**12**	**16**		**3224**	**3.8**	**12**	**1**	**2**	**3**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9569**	**6.0**	**36**	**2**	**3**	**4**	**7**	**12**	**16**		**3224**	**3.8**	**12**	**1**	**2**	**3**	**4**	**7**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	157	6.0	26	1	2	4	10	11	11	18-34	223	4.0	7	1	1	3	7	7	8
35-49	225	4.7	8	2	2	5	6	8	11	35-49	187	4.5	36	1	1	3	5	5	23
50-69	176	4.9	7	2	4	5	5	8	9	50-69	221	3.5	8	1	2	3	4	7	12
70 +	56	5.1	4	2	4	5	7	8	8	70 +	187	5.3	7	2	3	5	9	9	9
SUBTOTAL	**615**	**5.1**	**12**	**2**	**3**	**5**	**7**	**11**	**11**		**818**	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**615**	**5.1**	**12**	**2**	**3**	**5**	**7**	**11**	**11**		**818**	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1225	2.9	6	1	1	2	4	5	8
70-74	1238	3.0	9	1	1	2	4	6	7
75-79	1045	3.4	7	1	1	2	5	8	8
80-84	862	6.5	90	1	2	4	6	12	23
85 +	855	5.1	13	2	2	4	6	10	15
SUBTOTAL	**5225**	**4.0**	**24**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**5225**	**4.0**	**24**	**1**	**2**	**3**	**5**	**7**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1774	2.4	6	1	1	1	3	5	7
35-49	1691	2.4	4	1	1	2	3	5	6
50-69	2152	2.8	5	1	1	2	4	6	8
70 +	107	3.1	5	1	2	2	4	4	10
	5723	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	5723	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	249	3.1	6	1	1	2	4	8	8
35-49	108	2.5	2	1	1	2	3	4	7
50-69	61	4.3	3						
70 +	43	4.0	12						
SUBTOTAL	**460**	**3.2**	**5**	**1**	**1**	**2**	**5**	**7**	**8**
GRAND TOTAL	**460**	**3.2**	**5**	**1**	**1**	**2**	**5**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	378	2.3	3	1	1	2	3	5	5
35-49	301	3.6	13	1	1	2	4	13	13
50-69	269	2.4	6	1	1	2	3	4	5
70 +	164	3.3	2	2	2	3	4	4	7
	1112	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	1112	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

Total U.S., July 1988 - June 1989

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	36	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**36**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**2.0**							
GRAND TOTAL	**44**	**1.2**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	370	2.8	6	< 1	1	2	4	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	370	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**8**	**8**
0-17	1823	2.2	3	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1823	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	2193	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	6.1	29	1	1	5	11	13	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**91**	**6.1**	**29**	**1**	**1**	**5**	**11**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	459	2.5	3	1	1	2	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**459**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**550**	**3.1**	**9**	**1**	**1**	**2**	**3**	**7**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	2.9	8	1	2	2	2	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	108	**2.9**	**8**	**1**	**2**	**2**	**2**	**7**	**11**
0-17	461	1.9	2	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	461	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	569	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**

Total U.S., July 1988 - June 1989

DRG 328: Urethral Stricture Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	338	3.4	5	1	2	3	4	7	7	0-17	0								
70-74	328	4.8	8	1	2	4	7	9	9	18-34	78	2.0	2	1	1	1	2	5	5
75-79	460	4.7	11	2	3	4	5	8	11	35-49	205	5.2	9	1	2	6	8	9	9
80-84	331	5.1	27	1	2	3	6	8	17	50-69	216	4.2	7	1	2	4	6	8	9
85 +	493	5.9	16	1	2	5	9	13	13	70 +	64	2.8	2						
SUBTOTAL	**1950**	**4.9**	**14**	**1**	**2**	**4**	**7**	**9**	**12**		**562**	**4.1**	**8**	**1**	**2**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1950**	**4.9**	**14**	**1**	**2**	**4**	**7**	**9**	**12**		**562**	**4.1**	**8**	**1**	**2**	**4**	**6**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	46	3.2	1							18-34	66	2.2							
35-49	31	2.5	3							35-49	41	3.4	5						
50-69	31	2.8	4							50-69	22	3.6							
70 +	0									70 +	56	5.3	4						
SUBTOTAL	**108**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**6**		**184**	**3.6**	**4**	**2**	**2**	**4**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**108**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**6**		**184**	**3.6**	**4**	**2**	**2**	**4**	**4**	**6**	**7**

DRG 329: Urethral Stricture Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	221	2.9	2	< 1	2	3	4	5	5	0-17	0								
70-74	75	2.3	3	1	1	2	3	4	7	18-34	210	2.2	2	< 1	1	2	3	4	4
75-79	57	1.8		1	2	2	2	2	2	35-49	137	3.0	9	< 1	1	1	3	9	11
80-84	49	3.9	8	< 1	1	3	8	8	8	50-69	226	3.4	12	1	1	2	5	7	9
85 +	65	2.5	4	< 1	1	3	3	7	7	70 +	30	4.4	17						
SUBTOTAL	**467**	**2.7**	**3**	**< 1**	**1**	**2**	**4**	**5**	**7**		**603**	**2.9**	**9**	**< 1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**467**	**2.7**	**3**	**< 1**	**1**	**2**	**4**	**5**	**7**		**603**	**2.9**	**9**	**< 1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	18	6.3	4							18-34	23	4.0	9						
35-49	8	10.0								35-49	72	1.4	2	1	1	1	1	5	5
50-69	17	1.5								50-69	23	1.0							
70 +	0									70 +	18	1.9	1						
SUBTOTAL	**43**	**5.0**	**12**								**136**	**1.9**	**3**	**1**	**1**	**1**	**1**	**5**	**8**
GRAND TOTAL	**43**	**5.0**	**12**								**136**	**1.9**	**3**	**1**	**1**	**1**	**1**	**5**	**8**

DRG 330: Urethral Stricture Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	175	1.7	2	< 1	< 1	1	3	4	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**175**	**1.7**	**2**	**< 1**	**< 1**	**1**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	221	2.0	4	< 1	< 1	1	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**221**	**2.0**	**4**	**< 1**	**< 1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**0**										**396**	**1.9**	**3**	**< 1**	**< 1**	**1**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	25	3.2	11						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**25**	**3.2**	**11**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	54	1.4								0-17	47	1.3							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**54**	**1.4**									**47**	**1.3**							
GRAND TOTAL	**54**	**1.4**									**71**	**2.0**	**5**	**< 1**	**< 1**	**1**	**2**	**8**	**8**

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10182	6.8	47	2	3	5	9	14	18	0-17	0								
70-74	4459	7.3	70	2	3	5	9	13	19	18-34	2983	4.6	20	1	2	3	6	9	12
75-79	3914	7.6	43	2	3	6	9	15	21	35-49	2928	5.2	28	1	2	4	6	9	14
80-84	3079	8.4	62	2	4	6	11	16	21	50-69	4101	6.1	40	1	2	4	8	13	16
85 +	2924	11.0	166	2	4	7	13	23	36	70 +	329	5.1	20	2	2	3	6	11	14
SUBTOTAL	**24559**	**7.7**	**68**	**2**	**3**	**6**	**9**	**15**	**20**		**10341**	**5.4**	**30**	**1**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**24559**	**7.7**	**68**	**2**	**3**	**6**	**9**	**15**	**20**		**10341**	**5.4**	**30**	**1**	**2**	**4**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	835	4.9	19	1	2	4	6	11	15	18-34	1552	4.1	11	1	2	3	6	8	9
35-49	921	6.6	34	1	3	5	8	14	22	35-49	1213	5.4	49	1	2	4	7	11	15
50-69	986	9.1	73	2	3	7	11	20	25	50-69	1482	5.4	24	1	2	4	7	11	14
70 +	112	10.0	38	2	3	10	18	18	18	70 +	240	5.4	30	1	3	3	6	11	19
SUBTOTAL	**2854**	**7.1**	**46**	**1**	**3**	**5**	**9**	**16**	**21**		**4487**	**5.0**	**27**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2854**	**7.1**	**46**	**1**	**3**	**5**	**9**	**16**	**21**		**4487**	**5.0**	**27**	**1**	**2**	**4**	**6**	**10**	**13**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2999	4.5	14	1	2	3	6	9	12	0-17	0								
70-74	1501	4.1	29	1	2	3	6	8	9	18-34	4238	3.0	9	1	1	2	4	6	8
75-79	1580	4.4	21	1	2	4	5	8	10	35-49	3387	3.3	13	1	1	2	4	6	9
80-84	918	4.9	37	1	2	4	6	8	12	50-69	3762	3.7	21	1	1	2	5	8	10
85 +	491	4.0	9	1	2	3	6	7	11	70 +	114	3.9	12	1	2	3	5	6	14
SUBTOTAL	**7488**	**4.4**	**21**	**1**	**2**	**3**	**6**	**8**	**11**		**11501**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**7488**	**4.4**	**21**	**1**	**2**	**3**	**6**	**8**	**11**		**11501**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	625	3.5	4	1	2	3	5	7	7	18-34	1656	3.5	22	1	1	2	4	7	9
35-49	326	4.4	9	1	2	4	6	10	11	35-49	1111	3.8	11	1	1	3	5	8	11
50-69	339	5.7	23	1	3	6	6	8	12	50-69	963	2.9	6	1	1	2	3	7	8
70 +	22	8.5	40							70 +	116	5.1	23	1	1	2	11	12	14
SUBTOTAL	**1312**	**4.4**	**12**	**1**	**2**	**4**	**6**	**7**	**10**		**3846**	**3.5**	**15**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**1312**	**4.4**	**12**	**1**	**2**	**4**	**6**	**7**	**10**		**3846**	**3.5**	**15**	**1**	**1**	**2**	**4**	**8**	**10**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	613	7.0	32	1	3	5	11	16	17	0-17	3342	4.9	28	1	2	3	6	11	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**613**	**7.0**	**32**	**1**	**3**	**5**	**11**	**16**	**17**		**3342**	**4.9**	**28**	**1**	**2**	**3**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	374	7.1	26	1	3	6	12	16	16	0-17	7058	3.2	9	1	1	2	4	6	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**374**	**7.1**	**26**	**1**	**3**	**6**	**12**	**16**	**16**		**7058**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**987**	**7.0**	**30**	**1**	**3**	**5**	**11**	**16**	**17**		**10400**	**3.8**	**16**	**1**	**1**	**2**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1299	7.4	45	2	3	5	11	15	21	0-17	1451	4.1	21	<1	1	3	5	10	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1299**	**7.4**	**45**	**2**	**3**	**5**	**11**	**15**	**21**		**1451**	**4.1**	**21**	**<1**	**1**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2478	4.3	16	1	2	3	5	9	11	0-17	2482	3.7	14	1	1	2	5	8	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2478**	**4.3**	**16**	**1**	**2**	**3**	**5**	**9**	**11**		**2482**	**3.7**	**14**	**1**	**1**	**2**	**5**	**8**	**9**
GRAND TOTAL	**3776**	**5.4**	**28**	**1**	**2**	**4**	**6**	**12**	**14**		**3934**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**8**	**10**

DRG 334: Major Male Pelvic Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3557	11.1	34	6	7	9	14	17	20	0-17	30	3.6	11						
70-74	3426	11.9	58	6	8	10	14	19	23	18-34	76	6.6	2	3	6	7	7	9	9
75-79	1761	11.8	37	7	8	10	14	17	23	35-49	129	8.3	20	3	5	7	10	14	20
80-84	866	13.1	41	7	8	11	17	21	26	50-69	2569	11.0	44	6	3	9	12	16	20
85 +	409	14.3	61	7	8	13	17	26	31	70 +	180	12.6	40	7	8	10	18	24	24
SUBTOTAL	**10019**	**11.8**	**45**	**6**	**8**	**10**	**14**	**18**	**23**		**2984**	**10.8**	**43**	**6**	**7**	**9**	**12**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10019**	**11.8**	**45**	**6**	**8**	**10**	**14**	**18**	**23**		**2984**	**10.8**	**43**	**6**	**7**	**9**	**12**	**16**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	9	8.0								35-49	29	7.5							
50-69	69	14.5	105							50-69	599	8.5	10	5	7	8	9	13	15
70 +	18	14.5	17							70 +	111	10.1	20	5	7	9	14	18	18
SUBTOTAL	**96**	**13.9**	**81**	**6**	**6**	**11**	**19**	**31**	**31**		**740**	**8.7**	**11**	**5**	**7**	**8**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**96**	**13.9**	**81**	**6**	**6**	**11**	**19**	**31**	**31**		**740**	**8.7**	**11**	**5**	**7**	**8**	**9**	**14**	**16**

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3137	8.5	10	5	7	8	10	12	14
70-74	2650	8.5	8	5	7	8	10	12	14
75-79	1118	8.9	13	5	7	8	11	13	15
80-84	350	9.7	15	6	7	9	11	13	18
85 +	161	9.9	51	5	7	9	10	15	17
SUBTOTAL	**7416**	**8.6**	**11**	**5**	**7**	**8**	**10**	**12**	**15**
GRAND TOTAL	**7416**	**8.6**	**11**	**5**	**7**	**8**	**10**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	144	1.8	2	1	1	1	2	4	7
18-34	157	10.1	60	5	6	7	8	25	25
35-49	122	9.8	39	4	6	7	12	23	25
50-69	3800	8.3	8	5	6	8	10	12	13
70 +	164	7.7	9	5	6	7	9	11	17
	4388	**8.2**	**12**	**5**	**6**	**8**	**10**	**12**	**14**
	4388	**8.2**	**12**	**5**	**6**	**8**	**10**	**12**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	68	1.1							
18-34	6	10.0							
35-49	0								
50-69	62	9.7	27						
70 +	8	7.0							
SUBTOTAL	**144**	**5.5**	**29**	**1**	**1**	**6**	**7**	**12**	**19**
GRAND TOTAL	**144**	**5.5**	**29**	**1**	**1**	**6**	**7**	**12**	**19**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	38	2.8	2						
18-34	57	4.8	3						
35-49	30	7.6	8						
50-69	811	7.1	5	5	6	7	8	9	12
70 +	129	8.3	5	6	7	8	9	12	13
	1065	**7.0**	**6**	**4**	**6**	**7**	**8**	**11**	**12**
	1065	**7.0**	**6**	**4**	**6**	**7**	**8**	**11**	**12**

DRG 336: Transurethral Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	21379	5.8	21	3	4	5	7	10	13	0-17	0								
70-74	23882	6.1	20	3	4	5	7	10	14	18-34	27	10.1	39						
75-79	24336	6.7	26	3	4	5	8	12	15	35-49	198	6.4	13	3	4	5	9	11	15
80-84	14724	7.5	40	3	4	6	9	13	18	50-69	11864	5.6	16	3	3	4	6	9	12
85 +	10093	8.3	43	3	4	7	9	15	20	70 +	1533	7.2	69	3	4	5	7	11	24
SUBTOTAL	**94413**	**6.6**	**28**	**3**	**4**	**5**	**8**	**11**	**15**		**13622**	**5.8**	**22**	**3**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**94413**	**6.6**	**28**	**3**	**4**	**5**	**8**	**11**	**15**		**13622**	**5.8**	**22**	**3**	**3**	**5**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	46.0								0-17	0								
18-34	0									18-34	0								
35-49	23	9.3	11							35-49	70	2.6	2	1	2	2	3	6	6
50-69	630	11.0	345	3	4	5	10	16	89	50-69	2382	4.4	7	2	3	4	5	7	10
70 +	294	8.2	25	3	5	7	9	15	20	70 +	1679	5.9	28	2	3	4	7	11	17
SUBTOTAL	**958**	**10.5**	**250**	**3**	**4**	**6**	**10**	**15**	**23**		**4131**	**5.0**	**17**	**2**	**3**	**4**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**958**	**10.5**	**250**	**3**	**4**	**6**	**10**	**15**	**23**		**4131**	**5.0**	**17**	**2**	**3**	**4**	**6**	**8**	**12**

Total U.S., July 1988 - June 1989

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31782	4.0	4	2	3	4	5	6	7
70-74	28299	4.2	5	2	3	4	5	6	8
75-79	22223	4.5	8	2	3	4	5	7	8
80-84	11736	4.9	10	3	3	4	6	8	9
85 +	5261	5.5	12	3	4	5	6	9	11
SUBTOTAL	**99301**	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**99301**	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	9	1.0							
18-34	27	3.5	2						
35-49	1020	3.8	5	2	3	3	4	5	7
50-69	33045	4.2	12	2	3	4	5	6	7
70 +	2335	4.0	5	2	3	4	5	7	7
	36436	**4.1**	**11**	**2**	**3**	**4**	**5**	**6**	**7**
	36436	**4.1**	**11**	**2**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	32	2.9	1						
50-69	879	4.9	5	2	4	5	6	8	8
70 +	341	5.6	11	2	3	5	6	11	11
SUBTOTAL	**1252**	**5.0**	**7**	**2**	**3**	**5**	**6**	**8**	**10**
GRAND TOTAL	**1252**	**5.0**	**7**	**2**	**3**	**5**	**6**	**8**	**10**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	1.0							
18-34	8	4.0							
35-49	275	2.9	1	2	2	3	4	4	5
50-69	6598	3.3	3	2	2	3	4	5	6
70 +	2138	3.5	3	2	2	3	4	5	6
	9027	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
	9027	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 338: Testes Procedures, for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1133	6.9	53	1	2	4	10	17	25	0-17	44	3.0	10						
70-74	1444	6.3	63	1	1	3	8	17	24	18-34	132	6.5	51	1	1	5	9	31	99 +
75-79	1552	7.6	91	1	2	4	9	22	27	35-49	76	8.8	113	1	3	6	7	35	35
80-84	1354	7.2	65	1	2	4	9	18	26	50-69	879	7.4	165	1	1	4	8	13	21
85 +	939	7.4	68	1	2	4	9	18	24	70 +	120	8.6	44	2	2	6	12	19	22
SUBTOTAL	**6422**	**7.1**	**69**	**1**	**2**	**4**	**9**	**18**	**25**		**1251**	**7.4**	**134**	**1**	**1**	**5**	**9**	**14**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	616	2.9	11	1	1	2	4	5	8	0-17	30	1.5	1						
70-74	792	2.2	5	1	1	1	2	3	10	18-34	1346	1.9	2	1	1	2	2	4	5
75-79	1013	1.6	2	1	1	1	2	3	4	35-49	687	2.0	3	1	1	2	2	3	6
80-84	744	4.0	34	1	1	2	4	11	23	50-69	444	2.2	3	1	1	2	3	5	5
85 +	585	1.7	2	1	1	1	2	3	5	70 +	101	1.7		1	1	2	2	3	3
SUBTOTAL	**3751**	**2.4**	**11**	**1**	**1**	**1**	**2**	**5**	**8**		**2608**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**10173**	**5.4**	**53**	**1**	**1**	**2**	**6**	**13**	**22**		**3859**	**3.7**	**51**	**1**	**1**	**2**	**4**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	5.0								0-17	0								
18-34	28	4.5	9							18-34	57	9.7	46	2	2	6	17	18	18
35-49	14	1.0								35-49	31	2.7	3						
50-69	57	15.2	70							50-69	182	6.3	35	1	1	6	8	14	25
70 +	8	12.0								70 +	130	5.1	31	< 1	1	2	7	15	18
SUBTOTAL	**115**	**9.9**	**70**	**1**	**5**	**7**	**12**	**19**	**30**		**401**	**6.1**	**36**	**1**	**1**	**4**	**8**	**16**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	48	4.3	2							0-17	19	3.9	9						
18-34	66	3.3	5	2	2	2	3	9	9	18-34	402	2.0	4	1	1	1	2	5	6
35-49	17	1.5								35-49	173	1.9	4	< 1	1	1	2	3	7
50-69	46	1.3								50-69	119	2.0	4	1	1	1	2	4	9
70 +	0									70 +	43	1.0							
SUBTOTAL	**177**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**		**756**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**292**	**5.6**	**41**	**1**	**2**	**3**	**7**	**12**	**19**		**1156**	**3.4**	**19**	**< 1**	**1**	**1**	**4**	**9**	**14**

Total U.S., July 1988 - June 1989

DRG 339: Testes Procedures, Non-malignancy Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	629	3.9	19	1	1	2	5	9	12	0-17	0								
70-74	553	6.3	107	1	1	3	5	14	26	18-34	327	2.9	5	1	1	2	5	5	7
75-79	390	7.2	83	1	2	3	9	26	26	35-49	172	3.4	5	1	2	2	5	7	7
80-84	134	6.0	23	1	2	5	7	15	18	50-69	593	5.2	38	1	1	3	6	10	15
85 +	110	7.5	21	3	3	8	10	11	18	70 +	46	6.7	16						
SUBTOTAL	**1816**	**5.7**	**62**	**1**	**2**	**3**	**6**	**12**	**26**		**1139**	**4.3**	**24**	**1**	**1**	**3**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1462	2.4	4	1	1	2	3	5	6	0-17	0								
70-74	800	2.4	5	1	1	1	3	5	6	18-34	4447	1.6	2	1	1	1	2	3	4
75-79	649	2.7	4	1	1	2	3	6	7	35-49	3590	1.8	3	1	1	1	2	3	5
80-84	409	2.8	6	1	1	2	3	6	9	50-69	2905	2.0	3	1	1	1	2	4	5
85 +	109	2.3	1	1	1	2	3	4	4	70 +	55	1.2		< 1	1	1	1	2	2
SUBTOTAL	**3429**	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**6**		**10997**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**5245**	**3.6**	**27**	**1**	**1**	**2**	**4**	**7**	**11**		**12136**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	60	2.3	3	< 1	1	2	3	6	6	18-34	56	2.5	12	< 1	< 1	1	2	11	11
35-49	8	2.0								35-49	59	2.4	11	< 1	1	1	2	11	11
50-69	26	5.3	4							50-69	97	5.2	11	1	1	7	7	7	13
70 +	19	4.5	13							70 +	16	3.5	2						
SUBTOTAL	**112**	**3.3**	**6**	**1**	**1**	**2**	**5**	**8**	**8**		**228**	**3.7**	**12**	**1**	**1**	**2**	**7**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	348	2.2	6	1	1	2	2	3	5	18-34	2156	1.8	2	1	1	1	2	3	4
35-49	199	4.4	15	1	2	3	4	12	12	35-49	961	1.9	5	< 1	1	1	2	3	6
50-69	140	5.0	22	1	1	3	9	10	16	50-69	632	2.0	7	1	1	1	1	3	11
70 +	9	4.0								70 +	54	1.2		< 1	1	1	1	2	2
SUBTOTAL	**696**	**3.4**	**13**	**1**	**1**	**2**	**3**	**9**	**12**		**3803**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**808**	**3.4**	**12**	**1**	**1**	**2**	**4**	**9**	**12**		**4031**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**6**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	420	2.3	3	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**8**	**2.0**									**420**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	1.0								0-17	10329	1.4	1	<1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**10**	**1.0**									**10329**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**18**	**1.4**									**10748**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	289	2.3	3	1	1	2	3	6	7	0-17	225	2.3	3	1	1	2	3	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**289**	**2.3**	**3**	**1**	**1**	**2**	**3**	**6**	**7**		**225**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2307	1.4	1	<1	1	1	2	2	3	0-17	3393	1.2		<1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2307**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**		**3393**	**1.2**		**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**2596**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**		**3617**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**

Total U.S., July 1988 - June 1989

DRG 341: Penis Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2210	7.4	188	2	3	4	6	11	29	0-17	383	4.9	17	1	1	4	8	11	14
70-74	1538	5.2	12	2	3	4	7	9	11	18-34	175	4.5	7	1	2	5	6	8	9
75-79	1139	7.2	52	3	3	5	7	13	19	35-49	668	3.5	4	1	2	3	5	6	7
80-84	783	7.6	26	3	4	6	10	13	15	50-69	1614	3.6	6	1	2	3	4	6	8
85 +	660	7.7	29	3	4	6	9	14	18	70 +	74	5.4	15	1	3	5	6	7	17
SUBTOTAL	**6330**	**6.9**	**85**	**2**	**3**	**5**	**7**	**12**	**15**		**2913**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3055	3.4	4	1	2	3	5	6	7	0-17	6305	2.4	6	< 1	1	1	3	5	8
70-74	2175	3.7	4	1	2	3	5	6	7	18-34	760	2.9	3	1	1	3	4	5	5
75-79	1421	4.6	7	2	3	4	6	8	11	35-49	1382	2.9	3	1	2	3	4	5	7
80-84	770	5.6	17	2	3	5	6	9	14	50-69	5045	3.3	5	1	2	3	4	6	7
85 +	400	7.1	78	3	4	5	9	13	15	70 +	159	3.0	2	1	2	3	4	5	6
SUBTOTAL	**7821**	**4.1**	**11**	**1**	**2**	**4**	**5**	**7**	**9**		**13650**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**14151**	**5.3**	**46**	**2**	**3**	**4**	**6**	**9**	**12**		**16563**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	55	22.8	888	1	1	8	71	72	72	0-17	83	4.6	13	1	1	3	9	10	10
18-34	55	3.6	13	1	1	3	4	12	12	18-34	90	6.5	5	4	4	8	8	8	10
35-49	54	16.9	585	3	3	4	13	66	66	35-49	136	2.5	3	1	1	2	3	5	7
50-69	24	6.9	3							50-69	403	4.5	49	1	2	2	4	8	16
70 +	8	2.0								70 +	72	2.9	1	1	2	3	4	4	4
SUBTOTAL	**195**	**13.0**	**474**	**1**	**2**	**4**	**3**	**66**	**72**		**784**	**4.3**	**29**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1277	2.9	9	1	1	2	3	8	9	0-17	2016	2.8	6	1	1	2	3	7	8
18-34	107	4.7	9	2	2	5	6	9	12	18-34	237	3.2	4	1	1	3	5	6	7
35-49	33	3.3	3							35-49	252	2.4	3	1	1	2	3	5	6
50-69	88	2.9	2							50-69	1254	2.0	2	1	1	2	3	4	4
70 +	8	8.0								70 +	91	4.0	8	2	3	3	5	6	12
SUBTOTAL	**1513**	**3.1**	**9**	**1**	**1**	**2**	**4**	**8**	**9**		**3850**	**2.6**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**1708**	**4.2**	**72**	**1**	**1**	**2**	**5**	**8**	**11**		**4634**	**2.9**	**9**	**1**	**1**	**2**	**3**	**6**	**8**

Total U.S., July 1988 - June 1989

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	88	3.6	12	1	2	2	4	11	11
70-74	40	3.0	7						
75-79	103	3.9	10	1	1	2	9	9	9
80-84	54	4.6	26	1	1	2	8	14	14
85 +	65	1.7							
SUBTOTAL	**350**	**3.4**	**12**	**1**	**1**	**2**	**4**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	188	2.2	2	< 1	1	2	3	3	7
70-74	88	2.2	1	< 1	1	2	3	3	3
75-79	140	1.3		< 1	1	1	1	2	3
80-84	30	1.5							
85 +	44	4.2	5						
SUBTOTAL	**490**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**3**	**5**
GRAND TOTAL	**840**	**2.6**	**7**	**< 1**	**1**	**2**	**3**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	85	1.2		< 1	1	1	1	2	2
35-49	144	2.1	7	< 1	1	1	1	4	8
50-69	144	3.1	14	1	1	2	3	9	15
70 +	0								
	373	**2.3**	**9**	**< 1**	**1**	**1**	**2**	**3**	**9**
0-17	0								
18-34	231	1.0		< 1	< 1	1	1	1	1
35-49	299	1.4		< 1	< 1	1	2	3	3
50-69	406	1.7	2	< 1	< 1	1	2	3	3
70 +	42	1.0							
	978	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
	1350	**1.6**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	6.0							
50-69	41	3.2							
70 +	0								
SUBTOTAL	**47**	**3.6**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	9	1.0							
35-49	0								
50-69	20	3.5	7						
70 +	6	1.0							
SUBTOTAL	**36**	**2.4**	**5**						
GRAND TOTAL	**83**	**3.1**	**3**	**1**	**1**	**3**	**4**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	1.0							
50-69	10	12.0							
70 +	8	1.0							
	34	**4.3**	**26**						
0-17	0								
18-34	57	1.1		< 1	< 1	< 1	1	2	2
35-49	104	1.4		< 1	< 1	1	2	2	2
50-69	40	1.3							
70 +	8	10.0							
	208	**1.6**	**3**	**< 1**	**< 1**	**1**	**2**	**2**	**2**
	242	**2.0**	**7**	**< 1**	**< 1**	**1**	**2**	**2**	**10**

DRG 343: Circumcision Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	98	1.2		<1	<1	1	1	1	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**98**	**1.2**		**<1**	**<1**	**1**	**1**	**1**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	888	1.0		<1	<1	<1	1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**888**	**1.0**		**<1**	**<1**	**<1**	**1**	**1**	**1**
GRAND TOTAL	**0**										**986**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	147	1.3		<1	1	1	2	2	2	0-17	52	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**147**	**1.3**		**<1**	**1**	**1**	**2**	**2**	**2**		**52**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	429	1.9	22	<1	<1	1	1	2	3	0-17	315	1.1		<1	<1	<1	1	1	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**429**	**1.9**	**22**	**<1**	**<1**	**1**	**1**	**2**	**3**		**315**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**
GRAND TOTAL	**576**	**1.7**	**17**	**<1**	**<1**	**1**	**1**	**2**	**2**		**367**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	499	9.1	144	2	3	6	9	18	31	0-17	0								
70-74	584	6.9	42	2	4	5	7	10	25	18-34	26	7.3	4						
75-79	372	10.9	119	2	4	6	14	29	31	35-49	36	7.5	12						
80-84	251	9.2	40	2	4	7	19	19	19	50-69	334	7.0	110	3	4	5	6	11	14
85 +	204	7.9	13	3	5	8	10	13	14	70 +	86	4.6	34						
SUBTOTAL	**1909**	**8.7**	**82**	**2**	**4**	**6**	**9**	**19**	**28**		**482**	**6.7**	**84**	**2**	**3**	**5**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	462	5.1	9	3	3	5	6	7	8	0-17	0								
70-74	352	4.4	7	2	2	4	6	8	9	18-34	102	6.6	2	5	5	6	8	9	9
75-79	322	4.1	5	2	2	4	6	7	9	35-49	14	4.9	1						
80-84	78	4.9	3	2	3	5	6	7	7	50-69	428	4.7	4	2	3	5	7	7	7
85 +	17	3.3	7							70 +	25	2.4	2						
SUBTOTAL	**1231**	**4.6**	**7**	**2**	**3**	**5**	**6**	**7**	**9**		**568**	**4.9**	**5**	**2**	**3**	**5**	**7**	**7**	**8**
GRAND TOTAL	**3140**	**7.1**	**57**	**2**	**3**	**5**	**7**	**14**	**19**		**1050**	**5.7**	**42**	**2**	**3**	**5**	**7**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	14.0								0-17	0								
18-34	10	9.0								18-34	16	7.0	1						
35-49	8	10.0								35-49	17	4.6	17						
50-69	56	9.0	31							50-69	62	8.2	18	2	5	7	11	14	16
70 +	0									70 +	24	5.7	11						
SUBTOTAL	**82**	**9.6**	**23**	**7**	**7**	**9**	**11**	**16**	**21**		**118**	**7.0**	**16**	**1**	**5**	**8**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	8	9.0								18-34	23	7.7	1						
35-49	9	4.0								35-49	16	6.5							
50-69	0									50-69	103	4.2	5	1	2	4	6	6	8
70 +	0									70 +	73	1.9	2	< 1	1	1	2	5	5
SUBTOTAL	**17**	**6.3**	**7**								**214**	**3.9**	**6**	**1**	**1**	**4**	**6**	**7**	**8**
GRAND TOTAL	**99**	**9.0**	**22**	**4**	**7**	**9**	**11**	**14**	**21**		**333**	**5.0**	**12**	**1**	**2**	**5**	**7**	**9**	**11**

Total U.S., July 1988 - June 1989

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	407	4.4	12	1	2	3	5	11	11	0-17	0								
70-74	170	6.4	22	2	2	5	9	12	15	18-34	34	2.2	3						
75-79	324	6.3	26	2	3	5	9	15	17	35-49	42	5.5	17						
80-84	210	6.8	16	2	3	6	10	12	13	50-69	204	5.9	20	1	2	6	9	11	14
85 +	118	9.7	55	4	4	7	12	20	27	70 +	0								
SUBTOTAL	**1229**	**6.1**	**24**	**1**	**2**	**5**	**9**	**12**	**16**		**279**	**5.4**	**19**	**1**	**2**	**5**	**9**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	284	3.9	10	1	3	3	4	6	9	0-17	60	4.3	12	1	1	3	8	10	10
70-74	261	3.3	3	1	2	3	4	5	7	18-34	23	6.0	16						
75-79	77	4.3	10	1	2	4	5	12	13	35-49	155	2.6	3	1	1	2	3	4	8
80-84	62	2.9	1	1	3	3	3	4	4	50-69	467	2.9	8	1	2	2	3	6	6
85 +	96	3.9	8	1	2	3	5	10	11	70 +	0								
SUBTOTAL	**780**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**705**	**3.1**	**8**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**2009**	**5.2**	**19**	**1**	**2**	**4**	**6**	**11**	**15**		**984**	**3.7**	**12**	**1**	**1**	**2**	**5**	**9**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	17	3.2	4						
18-34	0									18-34	17	11.5	38						
35-49	0									35-49	0								
50-69	8	2.0								50-69	31	2.8	2						
70 +	0									70 +	8	5.0							
SUBTOTAL	**8**	**2.0**									**73**	**5.1**	**23**	**1**	**2**	**5**	**5**	**18**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	15	4.5	13							0-17	62	1.5	1						
18-34	0									18-34	0								
35-49	9	1.0								35-49	39	2.4	1						
50-69	0									50-69	181	3.0	9	1	1	2	3	7	8
70 +	0									70 +	42	4.7	15						
SUBTOTAL	**25**	**3.2**	**11**								**324**	**2.8**	**8**	**1**	**1**	**2**	**3**	**7**	**10**
GRAND TOTAL	**33**	**2.9**	**9**								**397**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 346: Malignancy, Male Reproductive System, w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1772	9.3	83	2	4	7	11	17	25
70-74	1350	7.3	44	2	3	6	9	14	17
75-79	1644	8.2	52	2	3	5	12	18	25
80-84	1635	7.6	69	2	3	6	9	16	24
85 +	1224	8.8	156	2	3	5	9	16	30
SUBTOTAL	**7626**	**8.3**	**78**	**2**	**3**	**6**	**9**	**16**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7626**	**8.3**	**78**	**2**	**3**	**6**	**9**	**16**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	58	4.7	7	< 1	1	6	6	8	8
18-34	81	4.9	5	2	3	4	7	8	8
35-49	92	6.2	7	3	4	7	9	9	9
50-69	888	6.9	36	1	3	5	10	14	23
70 +	188	10.7	212	3	5	5	13	22	24
	1307	**7.2**	**58**	**1**	**3**	**5**	**9**	**13**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1307	**7.2**	**58**	**1**	**3**	**5**	**9**	**13**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	6.7	2						
35-49	25	8.6							
50-69	50	10.0	115	1	3	4	20	30	30
70 +	10	2.0							
SUBTOTAL	**99**	**8.4**	**64**	**2**	**4**	**5**	**9**	**20**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**99**	**8.4**	**64**	**2**	**4**	**5**	**9**	**20**	**30**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	6.3	18						
18-34	29	9.0	9						
35-49	22	4.5	12						
50-69	173	9.8	42	4	6	9	12	23	28
70 +	171	7.4	28	1	4	6	10	16	16
	418	**8.3**	**33**	**2**	**5**	**7**	**11**	**16**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	418	**8.3**	**33**	**2**	**5**	**7**	**11**	**16**	**21**

DRG 347: Malignancy, Male Reproductive System, w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	360	2.7	4	1	1	2	4	5	7	0-17	113	3.5	3	1	2	4	5	5	7
70-74	422	2.7	7	1	1	2	3	6	11	18-34	113	3.1	2	1	2	3	4	5	5
75-79	357	4.6	18	1	1	3	6	13	13	35-49	30	6.4	32						
80-84	214	3.4	8	< 1	1	3	5	7	7	50-69	338	3.7	23	1	1	2	4	9	12
85 +	86	6.0	47	1	1	3	4	20	21	70 +	23	3.7	10						
SUBTOTAL	**1440**	**3.5**	**12**	**1**	**1**	**2**	**5**	**7**	**11**		**618**	**3.7**	**16**	**1**	**1**	**3**	**4**	**5**	**12**
GRAND TOTAL	**1440**	**3.5**	**12**	**1**	**1**	**2**	**5**	**7**	**11**		**618**	**3.7**	**16**	**1**	**1**	**3**	**4**	**5**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	25	1.0								0-17	9	2.0							
18-34	0									18-34	10	1.0							
35-49	0									35-49	59	5.6	10						
50-69	16	2.0	1							50-69	65	2.5	10	< 1	1	1	2	11	11
70 +	32	9.0								70 +	36	5.2	19						
SUBTOTAL	**72**	**4.8**	**15**								**179**	**4.0**	**13**	**1**	**1**	**2**	**6**	**9**	**11**
GRAND TOTAL	**72**	**4.8**	**15**								**179**	**4.0**	**13**	**1**	**1**	**2**	**6**	**9**	**11**

DRG 348: Benign Prostatic Hypertrophy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	871	4.8	25	< 1	2	3	5	11	14	0-17	0								
70-74	919	6.4	108	1	2	4	6	16	18	18-34	0								
75-79	1123	5.3	17	1	2	4	8	10	12	35-49	45	3.9	2						
80-84	949	5.4	17	1	3	4	7	10	14	50-69	768	2.7	3	< 1	1	2	3	6	6
85 +	835	6.7	46	2	3	4	7	13	18	70 +	57	3.0	4	< 1	1	2	4	7	7
SUBTOTAL	4697	5.7	42	1	2	4	7	11	16		870	2.8	3	< 1	1	2	4	6	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	4697	5.7	42	1	2	4	7	11	16		870	2.8	3	< 1	1	2	4	6	6

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	1.0							
35-49	0									35-49	16	5.0	10						
50-69	26	2.8	2							50-69	214	3.6	4	< 1	2	3	6	6	6
70 +	10	12.0								70 +	99	2.4	4	1	1	2	2	6	7
SUBTOTAL	36	5.4	19								336	3.2	5	< 1	1	2	6	6	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	36	5.4	19								336	3.2	5	< 1	1	2	6	6	7

Total U.S., July 1988 - June 1989

DRG 349: Benign Prostatic Hypertrophy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	884	2.9	7	1	1	2	4	6	10
70-74	749	2.7	6	< 1	1	2	3	8	8
75-79	738	2.8	5	1	1	2	3	5	10
80-84	365	3.2	5	1	1	3	5	6	6
85 +	268	3.3	7	1	1	2	6	6	8
SUBTOTAL	**3005**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3005**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	32	1.0							
35-49	133	1.9	1	1	1	2	2	3	4
50-69	1298	2.1	3	1	1	1	3	4	6
70 +	79	4.2	11	< 1	1	4	8	8	8
	1542	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**6**
	1542	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	81	1.8	1	< 1	1	1	3	3	3
70 +	0								
SUBTOTAL	**81**	**1.8**	**1**	**< 1**	**1**	**1**	**3**	**3**	**3**
GRAND TOTAL	**81**	**1.8**	**1**	**< 1**	**1**	**1**	**3**	**3**	**3**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	14	1.9	1						
50-69	217	1.5	1	< 1	< 1	1	2	3	3
70 +	63	4.2	25	< 1	1	1	9	14	14
	294	**2.1**	**7**	**< 1**	**< 1**	**1**	**2**	**3**	**9**
	294	**2.1**	**7**	**< 1**	**< 1**	**1**	**2**	**3**	**9**

DRG 350: Inflammation of the Male Reproductive System

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2264	5.8	12	2	3	5	7	9	12	0-17	339	4.2	12	1	3	3	5	6	9
70-74	1384	5.5	11	2	3	5	7	11	12	18-34	788	5.0	7	2	3	5	6	8	12
75-79	990	6.6	30	3	4	5	7	11	16	35-49	1705	4.5	5	2	3	4	6	7	9
80-84	591	7.0	22	3	4	6	8	13	13	50-69	2876	5.3	8	2	3	5	6	9	10
85 +	427	6.8	16	3	4	6	8	14	14	70 +	44	5.8	17	3	3	4	6	14	14
SUBTOTAL	**5656**	**6.1**	**17**	**2**	**4**	**5**	**7**	**10**	**14**		**5752**	**5.0**	**7**	**2**	**3**	**5**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1506	4.3	7	1	2	4	6	7	8	0-17	1109	3.5	5	1	2	3	5	7	8
70-74	624	4.5	6	2	3	4	6	8	9	18-34	2871	3.8	5	1	2	3	5	7	8
75-79	421	5.2	8	2	3	4	7	9	10	35-49	3095	4.5	6	2	3	4	6	8	10
80-84	307	5.4	14	2	3	4	6	10	14	50-69	3197	4.6	6	2	3	4	6	7	9
85 +	181	6.3	6	4	4	7	7	8	9	70 +	58	7.0	8						
SUBTOTAL	**3039**	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**9**		**10331**	**4.2**	**6**	**1**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**8695**	**5.6**	**14**	**2**	**3**	**5**	**7**	**9**	**12**		**16082**	**4.5**	**6**	**2**	**3**	**4**	**6**	**8**	**9**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	55	3.6	3	1	2	3	5	6	6	0-17	85	2.4	4	< 1	< 1	2	3	5	7
18-34	157	4.5	5	2	3	4	6	7	9	18-34	524	4.1	4	2	2	4	5	7	8
35-49	121	6.6	12	3	4	5	10	12	14	35-49	327	4.9	6	2	4	5	7	9	9
50-69	195	7.0	65	2	3	5	8	9	32	50-69	577	5.1	14	2	3	4	5	10	10
70 +	0									70 +	53	6.0	3	4	4	5	8	8	8
SUBTOTAL	**528**	**5.8**	**30**	**2**	**3**	**5**	**7**	**10**	**12**		**1566**	**4.6**	**9**	**2**	**3**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	410	2.2	1	1	1	2	3	4	5	0-17	421	2.8	5	1	1	2	4	6	7
18-34	314	4.7	4	1	3	5	6	7	8	18-34	1695	3.5	5	1	2	3	5	7	7
35-49	137	4.7	8	1	3	4	7	9	11	35-49	1015	3.9	5	1	2	4	5	7	8
50-69	54	4.4	1	3	4	5	5	5	5	50-69	513	4.2	7	2	3	3	5	7	9
70 +	6	11.0								70 +	34	5.6	9						
SUBTOTAL	**921**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**8**		**3677**	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**1448**	**4.4**	**15**	**1**	**2**	**4**	**6**	**8**	**10**		**5243**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

Total U.S., July 1988 - June 1989

DRG 351: Sterilization, Male

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**8**	**1.0**							
2.PATIENTS W/OUT CCs									
0-17	8	1.0							
18-34	42	1.0							
35-49	55	1.0		< 1	< 1	< 1	< 1	1	1
50-69	0								
70 +	0								
SUBTOTAL	**105**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
GRAND TOTAL	**113**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	12	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**1.0**							
GRAND TOTAL	**12**	**1.0**							

DRG 352: Other Male Reproductive System Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	153	3.1	8	< 1	2	2	3	6	11	0-17	112	2.5	4	1	1	2	4	6	8
70-74	149	4.9	10	1	3	4	9	10	10	18-34	105	2.5	5	1	1	1	3	7	8
75-79	59	3.9	2	2	3	3	5	6	6	35-49	45	2.1	2						
80-84	31	3.4	3							50-69	114	3.4	5	1	1	3	4	5	9
85 +	76	6.0	60	1	1	1	11	21	21	70 +	8	3.0							
SUBTOTAL	**468**	**4.3**	**17**	**1**	**2**	**3**	**5**	**10**	**11**		**385**	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	125	3.4	6	1	1	3	3	9	9	0-17	939	1.5	1	< 1	1	1	2	3	4
70-74	104	3.0	3	< 1	1	3	5	5	5	18-34	466	1.8	1	< 1	1	1	2	3	5
75-79	75	3.6	5	1	2	3	6	8	8	35-49	443	3.0	6	1	1	2	4	7	8
80-84	22	2.3	1							50-69	235	2.0	2	< 1	1	2	3	5	5
85 +	0									70 +	8	1.0							
SUBTOTAL	**325**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**8**		**2093**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**794**	**3.9**	**12**	**1**	**2**	**3**	**5**	**9**	**10**		**2477**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	6.1	3							0-17	67	5.3	5	3	3	5	8	9	9
18-34	20	7.5	32							18-34	64	1.9	1	1	1	2	3	4	4
35-49	16	5.6	22							35-49	81	6.9	55	1	2	4	10	22	22
50-69	10	5.0								50-69	16	4.5	13						
70 +	9	9.0								70 +	14	4.0							
SUBTOTAL	**95**	**6.5**	**12**	**2**	**4**	**6**	**9**	**13**	**13**		**242**	**4.8**	**25**	**1**	**2**	**4**	**5**	**9**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	343	1.3	1	< 1	1	1	1	2	3	0-17	528	1.5	4	< 1	1	1	1	2	3
18-34	34	2.3	2							18-34	349	2.1	3	< 1	1	1	3	6	6
35-49	34	3.1	4							35-49	106	3.7	26	1	1	2	3	6	21
50-69	0									50-69	99	4.4	39	< 1	1	2	4	16	22
70 +	0									70 +	0								
SUBTOTAL	**411**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**		**1082**	**2.2**	**10**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**506**	**2.5**	**7**	**< 1**	**1**	**1**	**3**	**6**	**9**		**1324**	**2.7**	**13**	**< 1**	**1**	**1**	**3**	**6**	**8**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	289	14.9	242	5	7	10	16	26	43
70-74	234	11.6	42	5	8	11	13	25	27
75-79	101	20.7	342	8	9	14	24	29	80
80-84	110	11.7	28	5	[illegible]	11	12	23	23
85 +	67	12.6	32	5	9	12	21	21	21
SUBTOTAL	**800**	**14.0**	**157**	**5**	**8**	**11**	**16**	**25**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	154	6.6	14	4	4	6	7	11	12
70-74	77	8.0	7	4	6	8	10	12	12
75-79	53	7.3	1	6	7	7	8	9	9
80-84	64	11.2	5	8	10	11	13	14	14
85 +	15	12.0	17						
SUBTOTAL	**364**	**8.1**	**13**	**4**	**6**	**7**	**10**	**13**	**14**
GRAND TOTAL	**1164**	**12.2**	**119**	**5**	**7**	**9**	**13**	**21**	**27**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	13.0							
18-34	181	8.0	3	6	7	8	10	11	11
35-49	481	9.2	26	6	7	8	9	15	18
50-69	463	13.8	95	6	8	12	16	26	35
70 +	0								
	1136	**10.9**	**56**	**6**	**7**	**8**	**12**	**17**	**26**
0-17	32	6.0							
18-34	220	6.5	4	5	5	7	7	9	9
35-49	723	7.3	7	4	6	7	8	12	12
50-69	450	7.4	8	5	6	7	8	11	16
70 +	0								
	1426	**7.2**	**7**	**4**	**6**	**7**	**8**	**11**	**12**
	2561	**8.8**	**32**	**5**	**6**	**7**	**10**	**14**	**17**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	92	8.5	7	5	6	10	10	11	13
35-49	58	13.8	46	6	7	15	17	25	25
50-69	41	13.4	36						
70 +	15	13.0							
SUBTOTAL	**207**	**11.3**	**29**	**6**	**7**	**10**	**15**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	33	7.1	8						
35-49	69	7.3	17	4	6	6	7	17	17
50-69	8	8.0							
70 +	0								
SUBTOTAL	**110**	**7.3**	**13**	**4**	**6**	**6**	**7**	**12**	**17**
GRAND TOTAL	**317**	**9.9**	**27**	**5**	**6**	**8**	**13**	**17**	**23**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	15.6	35						
35-49	140	13.6	48	7	9	10	20	25	30
50-69	162	11.2	30	6	7	10	14	18	24
70 +	8	4.0							
	340	**12.4**	**41**	**6**	**7**	**10**	**16**	**22**	**26**
0-17	0								
18-34	39	7.8	1						
35-49	71	7.4	4	4	6	7	9	11	11
50-69	92	6.3	3	4	5	6	8	9	9
70 +	16	6.5	2						
	218	**6.9**	**3**	**4**	**5**	**7**	**8**	**9**	**9**
	558	**10.3**	**33**	**5**	**7**	**9**	**12**	**20**	**23**

Total U.S., July 1988 - June 1989

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2338	8.5	37	4	5	7	10	13	18	0-17	10	5.0							
70-74	1906	8.5	47	5	5	7	9	13	18	18-34	636	6.1	17	4	4	5	7	9	13
75-79	1596	10.3	124	5	6	7	10	17	22	35-49	1431	6.5	13	4	4	5	7	11	16
80-84	780	9.4	27	5	6	8	11	16	18	50-69	2541	7.9	27	4	5	6	9	12	19
85 +	229	11.7	43	4	8	9	16	20	20	70 +	76	10.4	52	4	7	9	9	28	28
SUBTOTAL	**6850**	**9.1**	**60**	**5**	**5**	**7**	**10**	**15**	**20**		**4694**	**7.2**	**22**	**4**	**5**	**6**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6850**	**9.1**	**60**	**5**	**5**	**7**	**10**	**15**	**20**		**4694**	**7.2**	**22**	**4**	**5**	**6**	**8**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	279	6.4	5	3	4	7	8	8	10	18-34	125	6.2	34	3	3	5	8	9	27
35-49	184	6.8	6	4	5	7	7	9	10	35-49	489	6.5	13	4	4	5	7	9	16
50-69	366	9.9	43	5	6	7	12	18	25	50-69	722	7.5	33	4	5	6	8	12	14
70 +	18	8.4								70 +	71	6.9	7	5	5	6	8	13	13
SUBTOTAL	**846**	**8.0**	**24**	**4**	**6**	**7**	**8**	**13**	**16**		**1406**	**7.0**	**25**	**4**	**4**	**6**	**8**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**846**	**8.0**	**24**	**4**	**6**	**7**	**8**	**13**	**16**		**1406**	**7.0**	**25**	**4**	**4**	**6**	**8**	**10**	**14**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2639	5.3	3	4	4	5	6	7	8	0-17	0								
70-74	2063	5.5	2	4	4	5	6	8	8	18-34	4240	4.0	1	3	3	4	4	5	6
75-79	1055	6.0	7	4	5	5	7	8	9	35-49	5572	4.5	2	3	4	4	5	6	7
80-84	624	6.1	4	4	5	6	7	8	10	50-69	5349	5.2	5	3	4	5	6	7	8
85 +	278	6.4	3	5	5	6	7	9	10	70 +	85	4.7	4	3	3	4	6	8	8
SUBTOTAL	**6659**	**5.6**	**4**	**4**	**4**	**5**	**6**	**8**	**9**		**15246**	**4.6**	**3**	**3**	**4**	**4**	**5**	**6**	**7**
GRAND TOTAL	**6659**	**5.6**	**4**	**4**	**4**	**5**	**6**	**8**	**9**		**15246**	**4.6**	**3**	**3**	**4**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	8.0								0-17	64	6.7	19						
18-34	1474	3.9	2	2	3	4	5	5	6	18-34	954	3.9	3	2	3	4	4	5	6
35-49	506	4.7	2	3	4	4	6	7	8	35-49	1190	4.2	2	3	3	4	5	6	7
50-69	232	5.1	1	4	4	5	6	7	7	50-69	1559	4.8	3	3	4	4	5	7	7
70 +	0									70 +	135	5.1	2	4	5	5	6	7	8
SUBTOTAL	**2220**	**4.2**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**3901**	**4.4**	**3**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**2220**	**4.2**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**3901**	**4.4**	**3**	**3**	**3**	**4**	**5**	**6**	**7**

DRG 356: Female Reproductive System Reconstructive Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3598	6.2	20	3	4	6	7	9	11	0-17	25	4.3	2						
70-74	2566	6.2	13	3	4	5	7	10	13	18-34	402	4.6	4	1	4	5	5	8	8
75-79	1594	6.2	20	3	4	5	7	10	13	35-49	2209	5.5	6	3	4	5	7	9	10
80-84	878	7.4	14	4	5	6	9	12	16	50-69	3677	5.9	9	3	4	5	7	9	12
85 +	349	6.8	13	3	4	6	8	14	14	70 +	115	6.4	15	4	4	5	7	15	15
SUBTOTAL	**8984**	**6.3**	**17**	**3**	**4**	**6**	**7**	**10**	**13**		**6428**	**5.7**	**8**	**3**	**4**	**5**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8754	4.5	3	3	3	4	6	7	7	0-17	60	5.3	3	4	4	5	6	9	9
70-74	6921	4.6	4	2	3	4	6	7	8	18-34	2751	4.2	4	2	3	4	5	7	8
75-79	3907	4.8	5	3	3	5	6	8	9	35-49	12903	4.3	3	2	3	4	5	7	7
80-84	1493	5.1	10	2	3	5	6	8	10	50-69	19281	4.4	3	2	3	4	5	7	8
85 +	542	4.8	15	2	3	4	6	7	8	70 +	332	4.2	2	3	3	4	5	5	7
SUBTOTAL	**21616**	**4.6**	**4**	**2**	**3**	**4**	**6**	**7**	**8**		**35326**	**4.3**	**3**	**2**	**3**	**4**	**5**	**7**	**7**
GRAND TOTAL	**30601**	**5.1**	**9**	**3**	**3**	**5**	**6**	**8**	**9**		**41754**	**4.5**	**4**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	130	3.9	1	2	3	4	5	5	6	18-34	81	4.5	4	2	3	5	5	7	9
35-49	308	6.4	8	3	5	6	8	8	10	35-49	370	4.7	3	3	4	5	5	7	9
50-69	194	5.1	4	3	4	5	7	8	8	50-69	749	4.7	6	3	3	4	5	8	9
70 +	45	12.6	182							70 +	73	3.1	1	1	2	4	4	4	4
SUBTOTAL	**677**	**6.0**	**21**	**3**	**4**	**5**	**8**	**8**	**8**		**1273**	**4.6**	**5**	**2**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	48	3.7	2							0-17	0								
18-34	770	3.9	3	2	3	4	5	6	7	18-34	359	2.9	2	1	2	3	4	5	5
35-49	1062	4.4	3	2	3	4	5	7	9	35-49	2193	3.7	2	2	3	4	5	5	6
50-69	648	4.4	4	2	3	4	6	7	8	50-69	3396	3.7	2	2	3	4	4	5	6
70 +	58	4.8	3	1	4	6	6	6	6	70 +	294	3.9	2	2	3	4	4	6	7
SUBTOTAL	**2585**	**4.2**	**3**	**2**	**3**	**4**	**5**	**7**	**8**		**6243**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**3261**	**4.6**	**8**	**2**	**3**	**4**	**6**	**7**	**8**		**7516**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

Total U.S., July 1988 - June 1989

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1434	12.0	60	6	7	10	14	22	34
70-74	1216	13.5	42	7	9	12	17	23	28
75-79	887	13.1	107	6	7	10	15	23	36
80-84	550	15.6	92	6	9	12	19	2[illegible]	39
85 +	220	16.3	81	9	9	13	21	34	35
SUBTOTAL	**4307**	**13.3**	**72**	**6**	**8**	**11**	**16**	**23**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	682	6.8	8	4	5	6	8	10	12
70-74	482	6.9	6	4	5	6	8	11	12
75-79	281	7.2	2	5	6	7	8	9	10
80-84	135	7.0	5	4	5	7	9	10	11
85 +	62	16.9	34						
SUBTOTAL	**1643**	**7.3**	**11**	**4**	**5**	**7**	**9**	**11**	**12**
GRAND TOTAL	**5950**	**11.6**	**62**	**5**	**7**	**9**	**13**	**22**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	38	8.5	16						
18-34	314	7.5	11	4	5	7	10	14	14
35-49	1359	9.6	44	4	5	8	12	18	22
50-69	2376	11.0	40	5	7	9	12	19	23
70 +	88	11.9	19	8	10	12	13	17	22
SUBTOTAL	**4176**	**10.3**	**40**	**5**	**6**	**9**	**12**	**17**	**22**
2.PATIENTS W/OUT CCs									
0-17	66	5.0	1	3	5	5	5	6	6
18-34	817	4.7	4	3	3	4	6	7	8
35-49	1561	5.3	3	3	4	5	6	8	8
50-69	1437	6.4	6	4	5	6	8	9	11
70 +	27	6.4	4						
SUBTOTAL	**3908**	**5.6**	**4**	**3**	**4**	**5**	**7**	**8**	**10**
GRAND TOTAL	**8084**	**8.0**	**28**	**4**	**5**	**7**	**10**	**14**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	9.0							
18-34	38	6.6	2						
35-49	67	10.3	17	6	6	10	12	17	17
50-69	189	12.5	47	6	7	12	14	17	23
70 +	16	22.1	107						
SUBTOTAL	**324**	**11.6**	**45**	**6**	**7**	**10**	**14**	**17**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	8.0							
18-34	126	4.6	2	3	3	4	6	7	7
35-49	20	5.3							
50-69	62	6.4	1						
70 +	0								
SUBTOTAL	**216**	**5.3**	**3**	**3**	**4**	**5**	**7**	**7**	**7**
GRAND TOTAL	**540**	**9.1**	**38**	**4**	**6**	**7**	**12**	**17**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	9	5.0							
18-34	206	6.1	2	5	5	6	7	8	8
35-49	370	10.3	73	4	5	7	11	24	32
50-69	648	9.4	44	4	6	8	10	16	22
70 +	66	16.0	66	6	10	12	27	29	29
SUBTOTAL	**1301**	**9.5**	**51**	**4**	**5**	**7**	**10**	**17**	**25**
2.PATIENTS W/OUT CCs									
0-17	90	4.9	2	3	4	5	5	7	7
18-34	315	5.0	4	3	4	5	6	8	8
35-49	295	5.7	7	3	4	5	6	10	13
50-69	343	5.6	4	4	4	5	7	8	10
70 +	22	5.8	2						
SUBTOTAL	**1065**	**5.4**	**5**	**3**	**4**	**5**	**6**	**8**	**10**
GRAND TOTAL	**2365**	**7.6**	**34**	**4**	**4**	**6**	**8**	**13**	**17**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7293	7.2	25	4	5	6	8	11	15	0-17	841	5.7	32	2	3	4	6	9	14
70-74	4085	7.4	15	4	5	6	8	12	15	18-34	19403	5.2	9	3	4	5	6	8	10
75-79	2938	8.3	26	5	5	7	9	15	20	35-49	48389	5.6	7	3	4	5	6	8	10
80-84	1245	9.0	27	5	6	8	10	13	15	50-69	12283	6.4	15	4	4	6	7	10	12
85 +	719	11.2	81	6	6	9	12	20	27	70 +	216	10.0	38	6	7	7	10	20	27
SUBTOTAL	**16279**	**7.7**	**26**	**4**	**5**	**6**	**9**	**12**	**16**		**81132**	**5.7**	**10**	**3**	**4**	**5**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16279**	**7.7**	**26**	**4**	**5**	**6**	**9**	**12**	**16**		**81132**	**5.7**	**10**	**3**	**4**	**5**	**6**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	96	7.7	27	1	3	6	12	16	16	0-17	255	3.9	4	2	3	3	5	7	8
18-34	4602	5.7	9	3	4	5	7	9	11	18-34	4934	5.0	8	3	4	4	6	8	10
35-49	3870	6.4	10	4	4	6	7	10	13	35-49	10838	5.6	9	3	4	5	6	9	11
50-69	685	7.1	16	4	5	6	8	12	16	50-69	2430	6.0	12	3	4	5	7	10	13
70 +	57	8.7	26							70 +	163	7.1	17	5	5	6	8	9	15
SUBTOTAL	**9309**	**6.1**	**10**	**3**	**4**	**5**	**7**	**10**	**13**		**18621**	**5.5**	**9**	**3**	**4**	**5**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9309**	**6.1**	**10**	**3**	**4**	**5**	**7**	**10**	**13**		**18621**	**5.5**	**9**	**3**	**4**	**5**	**6**	**9**	**11**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13437	5.1	3	3	4	5	6	7	8	0-17	5035	3.8	4	2	3	4	4	6	7
70-74	8023	5.6	3	4	4	5	6	8	8	18-34	128478	4.0	2	2	3	4	5	6	6
75-79	3739	5.7	7	4	4	5	7	8	9	35-49	214730	4.4	2	3	4	4	5	6	7
80-84	1448	6.9	22	4	5	6	8	9	12	50-69	49053	4.8	3	3	4	5	5	7	7
85 +	474	6.3	5	4	5	6	7	8	10	70 +	542	4.7	2	3	4	5	6	6	7
SUBTOTAL	**27120**	**5.4**	**5**	**4**	**4**	**5**	**6**	**8**	**8**		**397839**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**27120**	**5.4**	**5**	**4**	**4**	**5**	**6**	**8**	**8**		**397839**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	791	3.9	3	1	3	3	5	6	7	0-17	1317	4.2	7	2	3	3	5	7	11
18-34	21092	4.3	3	2	3	4	5	6	7	18-34	24838	3.8	3	2	3	4	4	5	6
35-49	11243	4.9	6	3	4	5	6	7	8	35-49	34068	4.1	2	3	3	4	5	6	6
50-69	1320	5.1	3	3	4	5	6	8	8	50-69	8330	4.4	2	3	4	4	5	6	7
70 +	118	5.8	2	4	5	6	7	7	9	70 +	382	4.4	2	2	4	4	5	7	8
SUBTOTAL	**34564**	**4.5**	**4**	**3**	**4**	**4**	**5**	**6**	**7**		**68935**	**4.0**	**3**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**34564**	**4.5**	**4**	**3**	**4**	**4**	**5**	**6**	**7**		**68935**	**4.0**	**3**	**3**	**3**	**4**	**5**	**6**	**7**

DRG 360: Vagina, Cervix & Vulva Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	554	9.2	183	1	2	5	11	21	31
70-74	312	8.1	59	2	3	7	9	22	34
75-79	399	9.0	121	1	2	5	9	26	30
80-84	280	8.5	45	2	3	6	12	18	21
85 +	284	8.2	40	2	3	7	11	14	25
SUBTOTAL	**1829**	**8.7**	**105**	**2**	**3**	**6**	**11**	**20**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	774	3.0	4	1	1	3	4	5	7
70-74	452	2.9	5	< 1	1	2	4	5	9
75-79	348	3.0	6	1	1	2	4	6	9
80-84	290	3.2	4	1	1	3	5	6	6
85 +	312	4.1	14	< 1	2	3	5	13	13
SUBTOTAL	**2176**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**4005**	**5.7**	**59**	**1**	**2**	**3**	**7**	**13**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	201	3.0	11	1	1	1	4	7	13
18-34	612	2.4	7	1	1	1	3	6	8
35-49	510	4.8	19	1	1	3	8	11	14
50-69	645	5.9	33	1	2	4	7	15	18
70 +	14	8.0							
	1982	**4.3**	**21**	**1**	**1**	**2**	**6**	**11**	**15**
0-17	995	2.3	5	< 1	1	1	3	5	7
18-34	4337	1.7	2	< 1	< 1	1	2	3	4
35-49	3193	1.8	3	< 1	< 1	1	2	4	5
50-69	1782	3.3	32	< 1	1	2	3	6	8
70 +	16	1.0							
	10323	**2.1**	**8**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
	12305	**2.4**	**11**	**< 1**	**< 1**	**1**	**3**	**5**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	5.4	20	1	1	4	11	12	12
18-34	254	4.5	81	1	1	2	3	7	35
35-49	121	2.5	2	1	1	2	4	5	5
50-69	69	8.6	62	1	2	7	8	23	23
70 +	16	3.9	2						
SUBTOTAL	**537**	**4.7**	**53**	**1**	**1**	**2**	**5**	**9**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	386	2.3	3	< 1	1	2	3	5	6
18-34	805	2.6	9	< 1	1	2	3	6	8
35-49	210	2.2	2	< 1	1	1	4	4	4
50-69	109	3.3	2	< 1	3	3	4	6	6
70 +	52	2.0							
SUBTOTAL	**1562**	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**2099**	**3.1**	**19**	**< 1**	**1**	**2**	**3**	**6**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	165	5.6	16	1	3	5	7	12	15
18-34	285	3.4	28	1	1	1	4	7	9
35-49	128	6.7	78	1	1	4	8	30	30
50-69	131	6.0	23	1	3	6	8	14	19
70 +	17	9.6	52						
	726	**5.1**	**36**	**1**	**1**	**4**	**6**	**11**	**16**
0-17	602	2.7	8	< 1	1	2	3	5	13
18-34	1164	1.8	3	< 1	1	1	2	4	6
35-49	506	1.7	2	< 1	1	1	2	4	4
50-69	366	2.3	4	1	1	2	3	5	6
70 +	37	2.4	1						
	2675	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**
	3401	**2.7**	**12**	**< 1**	**1**	**1**	**3**	**6**	**8**

Total U.S., July 1988 - June 1989

DRG 361: Laparoscopy & Incisional Tubal Interruption

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	108	6.7	38	1	2	5	12	12	24	0-17	147	3.4	4	1	2	3	5	5	8
70-74	8	10.0								18-34	1804	3.8	11	1	1	3	6	8	9
75-79	28	1.6								35-49	665	5.5	62	1	1	3	6	8	24
80-84	0									50-69	62	7.7	50	1	1	5	13	23	23
85 +	0									70 +	0								
SUBTOTAL	**145**	**5.9**	**33**	**1**	**1**	**4**	**12**	**12**	**12**		**2677**	**4.3**	**25**	**1**	**1**	**3**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	143	2.5	4	< 1	< 1	1	4	5	9	0-17	1536	3.3	5	1	2	3	4	5	8
70-74	73	1.9	1	< 1	1	2	2	4	4	18-34	14896	2.6	5	< 1	1	2	4	6	7
75-79	31	6.2	12							35-49	5623	2.0	3	< 1	< 1	1	3	4	6
80-84	0									50-69	340	2.3	3	< 1	< 1	1	4	5	5
85 +	0									70 +	0								
SUBTOTAL	**247**	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**8**	**9**		**22394**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**392**	**3.9**	**18**	**< 1**	**1**	**2**	**5**	**10**	**12**		**25071**	**2.7**	**7**	**< 1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	49	4.7	4	1	4	5	7	7	7
18-34	705	4.0	9	1	1	3	6	8	8	18-34	628	4.3	11	1	2	4	6	9	10
35-49	122	4.1	5	1	3	5	5	8	8	35-49	104	3.4	14	1	1	1	4	11	11
50-69	0									50-69	17	1.5							
70 +	0									70 +	8	1.0							
SUBTOTAL	**827**	**4.0**	**9**	**1**	**1**	**4**	**6**	**8**	**8**		**805**	**4.1**	**11**	**1**	**1**	**3**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	228	3.5	6	< 1	2	3	5	8	8	0-17	330	3.3	7	1	1	2	5	8	9
18-34	3655	2.9	5	1	1	2	4	6	7	18-34	4964	2.7	5	< 1	1	2	4	5	7
35-49	381	2.6	4	< 1	1	2	3	7	7	35-49	1265	1.8	3	< 1	1	1	2	4	5
50-69	6	2.0								50-69	23	3.6	4						
70 +	0									70 +	0								
SUBTOTAL	**4270**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**6582**	**2.5**	**5**	**< 1**	**1**	**1**	**4**	**5**	**7**
GRAND TOTAL	**5097**	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**8**		**7388**	**2.7**	**6**	**< 1**	**1**	**2**	**4**	**6**	**8**

DRG 362: Endoscopic Tubal Interruption

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	1.7	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**22**	**1.7**	**1**						
GRAND TOTAL	**22**	**1.7**	**1**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	176	1.2		< 1	1	1	1	2	2
35-49	76	1.8	2	1	1	1	2	5	5
50-69	0								
70 +	0								
	252	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**5**
0-17	0								
18-34	2225	1.0		< 1	< 1	< 1	< 1	< 1	1
35-49	1837	1.1		< 1	< 1	< 1	< 1	< 1	1
50-69	6	1.0							
70 +	0								
	4068	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**
	4319	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	38	1.2							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**38**	**1.2**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	625	1.1		< 1	< 1	< 1	< 1	1	1
35-49	35	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**660**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
GRAND TOTAL	**698**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	2.0							
18-34	37	1.5	1						
35-49	40	1.0							
50-69	0								
70 +	0								
	92	**1.4**		**1**	**1**	**1**	**2**	**3**	**3**
0-17	0								
18-34	486	1.2		< 1	< 1	< 1	1	2	3
35-49	321	1.2		< 1	< 1	< 1	1	1	3
50-69	0								
70 +	0								
	806	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
	898	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

DRG 363: D&C, Conization & Radio-implant, for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	701	4.7	22	2	2	3	5	10	15	0-17	0								
70-74	611	6.4	157	1	2	3	5	14	26	18-34	126	2.1	3	1	1	1	3	3	7
75-79	374	6.8	35	2	3	4	11	13	13	35-49	237	2.7	4	1	2	2	3	5	7
80-84	208	8.6	44	3	4	7	10	21	22	50-69	385	3.9	11	1	2	2	4	9	12
85 +	201	9.9	179	3	4	5	10	22	29	70 +	10	4.0							
SUBTOTAL	**2094**	**6.5**	**83**	**2**	**3**	**3**	**7**	**13**	**22**		**758**	**3.2**	**8**	**1**	**2**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	703	2.1	2	1	1	2	3	4	4	0-17	0								
70-74	610	3.0	3	1	2	3	4	5	6	18-34	1094	1.4	1	< 1	< 1	1	2	2	3
75-79	442	3.0	4	1	2	2	3	5	8	35-49	1160	2.0	2	< 1	1	2	3	3	4
80-84	193	3.2	3	1	2	3	5	5	6	50-69	1233	2.5	3	1	1	2	3	4	5
85 +	151	3.1	12	1	2	3	3	4	4	70 +	20	3.0							
SUBTOTAL	**2099**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**3506**	**2.0**	**2**	**< 1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**4194**	**4.6**	**47**	**1**	**2**	**3**	**4**	**10**	**13**		**4264**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	8	31.0								18-34	59	10.3	56						
35-49	109	5.4	11	2	3	4	7	8	15	35-49	62	6.9	90	< 1	2	3	4	28	28
50-69	58	7.7	28	2	2	10	12	15	15	50-69	189	6.7	64	1	2	3	9	27	27
70 +	83	7.0	62	2	3	3	7	27	27	70 +	15	2.5							
SUBTOTAL	**258**	**7.2**	**49**	**2**	**3**	**4**	**9**	**15**	**27**		**326**	**7.2**	**67**	**1**	**2**	**3**	**9**	**17**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	2.0								0-17	10	1.0							
18-34	193	1.7	2	< 1	< 1	1	2	3	3	18-34	331	2.4	7	< 1	< 1	1	3	3	10
35-49	193	2.7	4	1	1	2	3	4	6	35-49	311	1.7	1	< 1	1	1	2	4	4
50-69	122	3.2	2	2	2	3	4	5	7	50-69	312	2.2	1	1	1	2	3	3	4
70 +	74	3.3								70 +	107	1.8		1	1	2	2	3	3
SUBTOTAL	**585**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**		**1071**	**2.1**	**3**	**< 1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**847**	**4.0**	**22**	**1**	**2**	**3**	**4**	**8**	**12**		**1397**	**3.3**	**23**	**< 1**	**1**	**2**	**3**	**6**	**15**

Total U.S., July 1988 - June 1989

DRG 364: D&C, Conization except for Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	722	3.5	11	< 1	1	2	4	6	10	0-17	108	3.1	4	1	2	3	4	4	8
70-74	362	4.1	26	1	1	2	5	8	10	18-34	1160	1.8	2	1	1	1	2	3	4
75-79	278	3.6	8	1	2	2	4	7	11	35-49	2891	2.3	5	1	1	2	3	4	6
80-84	257	5.9	16	1	3	6	7	8	14	50-69	1016	2.4	8	1	1	1	3	6	7
85 +	177	6.4	26	2	3	4	8	13	20	70 +	0								
SUBTOTAL	**1797**	**4.2**	**17**	**1**	**2**	**3**	**6**	**8**	**12**		**5176**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	828	1.9	3	< 1	< 1	1	2	4	6	0-17	204	3.0	4	1	2	2	3	7	7
70-74	591	1.8	1	< 1	1	1	2	3	5	18-34	5353	1.6	2	< 1	< 1	1	2	3	4
75-79	331	2.1	3	< 1	< 1	1	2	5	6	35-49	9348	1.3	1	< 1	< 1	< 1	1	2	3
80-84	320	1.6	1	< 1	1	1	2	3	3	50-69	3622	1.4	1	< 1	< 1	1	1	2	3
85 +	206	3.4	15	1	2	2	4	6	17	70 +	56	2.6	5	< 1	< 1	1	4	7	7
SUBTOTAL	**2276**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**		**18582**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**4073**	**3.0**	**11**	**< 1**	**1**	**2**	**4**	**6**	**8**		**23758**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	25	1.6	1						
18-34	530	2.5	2	1	1	2	4	5	6	18-34	563	2.0	2	1	1	1	3	4	4
35-49	567	3.1	9	1	1	2	3	6	10	35-49	986	2.2	4	1	1	1	2	5	6
50-69	213	4.1	50	1	1	2	4	7	15	50-69	368	2.0	3	< 1	1	1	3	4	6
70 +	52	4.0	10							70 +	17	2.5							
SUBTOTAL	**1362**	**3.0**	**13**	**1**	**1**	**2**	**4**	**6**	**9**		**1959**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	65	2.3	5	< 1	1	1	2	6	7	0-17	40	5.0	4						
18-34	1444	2.2	3	< 1	1	1	3	5	7	18-34	1670	1.7	2	< 1	1	1	2	3	5
35-49	527	1.8	3	< 1	1	1	2	3	5	35-49	2102	1.3	1	< 1	< 1	1	1	2	2
50-69	225	1.7	2	< 1	1	1	2	5	5	50-69	760	1.3		< 1	< 1	1	1	2	2
70 +	14	4.0								70 +	31	1.0							
SUBTOTAL	**2275**	**2.1**	**3**	**< 1**	**1**	**1**	**2**	**5**	**6**		**4603**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**3637**	**2.4**	**7**	**< 1**	**1**	**2**	**3**	**5**	**7**		**6562**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**

Total U.S., July 1988 - June 1989

DRG 365: Other Female Reproductive System O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	666	10.6	81	2	5	8	13	26	29	0-17	115	7.3	24	3	4	7	7	17	17
70-74	521	14.9	74	7	9	12	19	29	34	18-34	764	7.8	85	3	4	5	8	13	24
75-79	254	16.9	102	6	9	14	27	30	34	35-49	728	8.2	87	3	4	6	9	13	17
80-84	199	15.5	154	3	5	12	26	35	37	50-69	851	9.6	60	3	5	7	12	18	26
85 +	127	12.9	48	5	9	13	14	22	25	70 +	69	25.7	206	6	9	35	35	44	44
SUBTOTAL	**1766**	**13.5**	**94**	**4**	**7**	**10**	**17**	**28**	**34**		**2528**	**9.0**	**86**	**3**	**4**	**6**	**10**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	596	5.7	30	2	3	4	6	10	26	0-17	454	4.4	8	1	3	4	6	7	9
70-74	407	4.7	9	1	3	4	7	8	9	18-34	2611	4.1	5	2	3	4	5	7	8
75-79	61	5.5	6	1	3	6	8	9	9	35-49	2139	4.6	5	2	3	4	6	7	8
80-84	65	6.2	16	1	4	5	9	13	13	50-69	1656	4.7	10	2	3	4	6	9	11
85 +	41	5.3	35							70 +	24	4.7	2						
SUBTOTAL	**1169**	**5.3**	**21**	**2**	**3**	**4**	**6**	**8**	**13**		**6884**	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**2935**	**10.2**	**81**	**2**	**4**	**7**	**13**	**25**	**29**		**9411**	**5.6**	**32**	**2**	**3**	**4**	**6**	**9**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	25	4.5	5							0-17	34	19.8	199						
18-34	187	11.3	149	4	5	6	10	34	35	18-34	276	6.1	13	3	3	5	8	10	13
35-49	155	13.3	95	5	7	8	22	26	38	35-49	116	6.8	10	3	5	6	11	14	99 +
50-69	144	8.4	43	3	4	6	11	21	21	50-69	111	11.2	135	3	3	8	13	26	47
70 +	0									70 +	8	4.0							
SUBTOTAL	**511**	**10.8**	**101**	**4**	**5**	**7**	**13**	**26**	**42**		**544**	**8.1**	**61**	**3**	**4**	**6**	**10**	**14**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	106	5.9	20	3	4	4	4	12	18	0-17	131	4.3	15	2	2	3	4	15	15
18-34	756	5.0	9	2	3	4	6	9	9	18-34	907	5.4	102	1	3	4	5	7	12
35-49	238	4.2	16	1	2	3	5	7	10	35-49	414	5.6	14	2	3	4	8	13	13
50-69	125	5.7	9	4	4	5	5	10	16	50-69	228	3.8	4	2	2	3	4	7	9
70 +	0									70 +	32	13.8	339						
SUBTOTAL	**1226**	**5.0**	**11**	**2**	**3**	**4**	**6**	**9**	**10**		**1711**	**5.3**	**67**	**2**	**3**	**4**	**5**	**9**	**13**
GRAND TOTAL	**1737**	**6.7**	**45**	**2**	**3**	**5**	**7**	**13**	**23**		**2255**	**6.0**	**67**	**2**	**3**	**4**	**6**	**11**	**14**

DRG 366: Malignancy, Female Reproductive System w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1074	8.8	111	1	3	5	9	18	32	0-17	0								
70-74	636	12.4	130	2	3	9	16	33	34	18-34	142	9.8	178	1	4	5	8	20	61
75-79	508	10.4	83	3	4	8	12	20	29	35-49	746	8.0	93	2	3	5	9	17	23
80-84	435	12.1	137	1	2	8	21	36	39	50-69	1499	7.1	53	2	3	6	8	11	17
85 +	492	8.1	72	2	3	6	10	20	22	70 +	38	4.9	21						
SUBTOTAL	**3145**	**10.1**	**110**	**2**	**3**	**7**	**13**	**23**	**34**		**2425**	**7.5**	**72**	**2**	**3**	**5**	**8**	**15**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3145**	**10.1**	**110**	**2**	**3**	**7**	**13**	**23**	**34**		**2425**	**7.5**	**72**	**2**	**3**	**5**	**8**	**15**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	82	6.5	13	3	5	6	6	15	15	0-17	36	15.6	44						
18-34	44	3.7								18-34	33	5.2	17						
35-49	119	8.6	63	1	2	6	13	15	32	35-49	183	5.8	12	1	3	5	8	12	13
50-69	295	9.5	32	3	5	7	14	18	20	50-69	277	6.3	49	1	2	5	7	9	27
70 +	70	23.5	223							70 +	40	10.7	129						
SUBTOTAL	**611**	**10.1**	**80**	**2**	**4**	**6**	**14**	**20**	**31**		**569**	**7.0**	**47**	**1**	**3**	**5**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**611**	**10.1**	**80**	**2**	**4**	**6**	**14**	**20**	**31**		**569**	**7.0**	**47**	**1**	**3**	**5**	**8**	**13**	**19**

Total U.S., July 1988 - June 1989

DRG 367: Malignancy, Female Reproductive System w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	322	5.1	34	< 1	1	3	5	16	18
70-74	262	2.9	24	< 1	1	2	4	4	6
75-79	244	3.5	7	1	2	3	5	7	7
80-84	158	4.8	6	2	4	4	4	10	10
85 +	47	6.3	36	1	3	4	7	19	19
SUBTOTAL	**1033**	**4.2**	**22**	**< 1**	**1**	**3**	**4**	**7**	**15**
GRAND TOTAL	**1033**	**4.2**	**22**	**< 1**	**1**	**3**	**4**	**7**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	88	6.4	32	2	2	5	10	18	18
18-34	215	3.3	4	< 1	2	3	4	6	8
35-49	452	2.3	2	1	1	2	3	4	6
50-69	695	2.5	12	1	1	1	3	4	9
70 +	0								
SUBTOTAL	**1450**	**2.8**	**10**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1450**	**2.8**	**10**	**1**	**1**	**2**	**3**	**5**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	38	4.2	1						
18-34	58	2.6	1	1	2	2	4	4	4
35-49	75	3.3	3	< 1	1	4	5	5	5
50-69	77	3.7	10	1	2	2	4	10	10
70 +	0								
SUBTOTAL	**248**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**10**
GRAND TOTAL	**248**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	82	3.8	5	1	2	3	7	7	7
18-34	102	5.1	18	1	2	4	8	8	16
35-49	48	2.1	4	< 1	< 1	1	3	6	6
50-69	278	1.5	2	1	1	1	2	2	5
70 +	17	1.0							
SUBTOTAL	**526**	**2.6**	**7**	**1**	**1**	**1**	**3**	**7**	**8**
GRAND TOTAL	**526**	**2.6**	**7**	**1**	**1**	**1**	**3**	**7**	**8**

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	395	6.0	35	3	3	5	6	11	21
70-74	175	7.8	14	4	5	7	8	15	15
75-79	162	16.5	117	6	10	11	17	31	37
80-84	160	28.8	1203	3	6	11	29	93	93
85+	117	9.9	30	5	5	9	11	18	21
SUBTOTAL	**1008**	**12.1**	**293**	**3**	**4**	**6**	**11**	**22**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	376	5.4	15	2	3	5	6	9	17
70-74	41	4.9	9						
75-79	32	9.0							
80-84	15	11.0	26						
85+	38	8.3	16						
SUBTOTAL	**502**	**6.0**	**16**	**2**	**3**	**5**	**7**	**10**	**17**
GRAND TOTAL	**1510**	**10.0**	**209**	**3**	**4**	**6**	**11**	**17**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1284	4.5	7	2	3	4	6	8	10
18-34	4237	4.4	5	2	3	4	5	8	9
35-49	1250	6.1	13	2	3	5	8	11	14
50-69	205	6.6	22	2	4	6	7	16	17
70+	0								
	6976	**4.8**	**8**	**2**	**3**	**4**	**6**	**9**	**10**
0-17	5242	3.8	5	2	2	3	4	6	7
18-34	22362	3.9	4	2	3	4	5	6	8
35-49	4943	4.7	6	2	3	4	6	8	9
50-69	336	6.2	7	3	4	6	8	10	10
70+	52	2.5	2						
	32936	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
	39912	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	612	4.9	8	2	3	5	6	8	10
18-34	4060	4.3	4	2	3	4	5	7	8
35-49	435	5.6	5	3	4	6	7	9	9
50-69	90	5.1	4						
70+	0								
SUBTOTAL	**5197**	**4.5**	**5**	**2**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2948	4.6	8	2	3	4	6	7	9
18-34	11382	3.9	5	2	3	4	5	6	7
35-49	955	4.2	4	2	3	4	6	7	8
50-69	48	4.8	7						
70+	0								
SUBTOTAL	**15334**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**20532**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	632	4.4	6	2	2	4	6	7	10
18-34	3213	4.2	6	2	3	4	5	7	8
35-49	398	5.3	11	2	3	4	7	9	12
50-69	133	6.8	21	4	4	6	7	11	23
70+	0								
	4377	**4.4**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
0-17	2983	4.7	8	2	3	4	6	8	10
18-34	13605	3.9	5	2	3	3	5	6	8
35-49	1933	4.2	6	2	2	4	5	7	9
50-69	114	3.7	2	2	2	3	4	6	7
70+	0								
	18635	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
	23012	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**9**

Total U.S., July 1988 - June 1989

DRG 369: Menstrual & Other Female Reproductive System Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	632	3.7	12	1	1	3	5	9	9
70-74	285	5.9	32	1	2	5	7	14	15
75-79	266	5.7	13	1	3	5	7	12	13
80-84	245	5.4	21	2	3	4	7	10	16
85 +	194	6.5	42	1	2	4	8	22	23
SUBTOTAL	**1622**	**5.0**	**22**	**1**	**2**	**4**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	621	3.8	13	1	1	3	4	8	16
70-74	242	1.8	1	< 1	1	2	2	3	3
75-79	192	3.3	5	< 1	1	3	6	6	7
80-84	232	4.7	11	1	2	5	6	7	11
85 +	127	4.3	36	1	2	2	4	5	18
SUBTOTAL	**1414**	**3.6**	**12**	**1**	**1**	**2**	**5**	**6**	**10**
GRAND TOTAL	**3037**	**4.3**	**18**	**1**	**1**	**3**	**5**	**9**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1047	2.6	7	1	2	2	3	5	5
18-34	2502	2.9	8	1	1	2	4	5	6
35-49	1903	3.0	14	1	1	2	4	6	7
50-69	602	3.6	11	1	1	2	5	8	14
70 +	16	5.5	13						
	6069	**3.0**	**10**	**1**	**1**	**2**	**4**	**5**	**7**
0-17	4970	1.9	1	1	1	2	2	3	4
18-34	15166	2.2	3	1	1	2	3	4	5
35-49	5885	2.6	8	1	1	2	3	5	6
50-69	788	2.6	5	< 1	1	2	3	5	6
70 +	40	1.8							
	26848	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
	32917	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	234	2.6	2	1	1	2	4	5	5
18-34	812	2.5	4	1	1	2	3	5	6
35-49	348	3.4	7	1	1	2	5	8	8
50-69	108	4.0	3	1	3	4	5	6	6
70 +	8	5.0							
SUBTOTAL	**1510**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	929	2.0	2	1	1	2	2	4	5
18-34	3534	2.3	2	1	1	2	3	4	5
35-49	534	2.5	2	< 1	1	2	3	5	6
50-69	149	3.5	4	1	3	3	4	7	8
70 +	0								
SUBTOTAL	**5146**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**6656**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	188	2.0	1	1	1	2	2	3	3
18-34	1075	2.5	3	1	1	2	3	5	6
35-49	672	2.7	4	1	1	2	5	6	7
50-69	140	3.9	13	< 1	1	2	7	7	7
70 +	22	2.1	3						
	2097	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	1248	1.6	1	< 1	1	1	2	3	4
18-34	5338	2.2	4	1	1	2	3	4	5
35-49	1474	2.3	4	< 1	1	2	3	5	6
50-69	325	2.4	3	1	1	2	4	5	6
70 +	17	1.0							
	8403	**2.1**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**
	10500	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

Total U.S., July 1988 - June 1989

DRG 370: Cesarean Section w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	522	6.8	26	4	5	5	7	11	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**522**	**6.8**	**26**	**4**	**5**	**5**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**522**	**6.8**	**26**	**4**	**5**	**5**	**7**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1715	6.3	17	4	4	5	7	10	12
18-34	72070	5.6	18	3	4	5	6	8	10
35-49	11090	6.3	39	4	4	5	6	9	13
50-69	0								
70 +	0								
	84875	**5.7**	**21**	**4**	**4**	**5**	**6**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	84875	**5.7**	**21**	**4**	**4**	**5**	**6**	**8**	**11**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4411	6.1	11	4	4	5	7	10	12
18-34	38225	5.9	23	3	4	5	6	9	12
35-49	2105	6.5	22	4	4	5	7	10	13
50-69	0								
70 +	0								
SUBTOTAL	**44740**	**6.0**	**22**	**3**	**4**	**5**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**44740**	**6.0**	**22**	**3**	**4**	**5**	**6**	**9**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1670	6.4	20	3	4	5	7	11	14
18-34	27704	5.6	20	3	4	5	6	8	11
35-49	4036	5.9	42	3	4	5	6	8	12
50-69	0								
70 +	0								
	33411	**5.7**	**22**	**3**	**4**	**5**	**6**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	33411	**5.7**	**22**	**3**	**4**	**5**	**6**	**8**	**11**

DRG 371: Cesarean Section w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1179	4.7	6	3	4	4	5	6	8	0-17	5197	4.6	5	3	4	4	5	6	8
70-74	0									18-34	370640	4.3	4	3	4	4	5	5	6
75-79	0									35-49	51553	4.6	6	3	4	4	5	6	7
80-84	0									50-69	48	4.7	1						
85+	0									70+	0								
SUBTOTAL	**1179**	**4.7**	**6**	**3**	**4**	**4**	**5**	**6**	**8**		**427438**	**4.4**	**4**	**3**	**4**	**4**	**5**	**5**	**6**
GRAND TOTAL	**1179**	**4.7**	**6**	**3**	**4**	**4**	**5**	**6**	**8**		**427438**	**4.4**	**4**	**3**	**4**	**4**	**5**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11981	4.5	2	3	4	4	5	6	7	0-17	4683	4.4	2	3	3	4	5	6	7
18-34	117554	4.3	4	3	3	4	5	5	6	18-34	108352	4.2	5	3	3	4	5	5	6
35-49	4944	4.7	13	3	4	4	5	6	7	35-49	14613	4.3	8	3	3	4	5	5	6
50-69	15	4.0								50-69	25	4.4							
70+	0									70+	0								
SUBTOTAL	**134494**	**4.3**	**4**	**3**	**3**	**4**	**5**	**6**	**6**		**127673**	**4.2**	**5**	**3**	**3**	**4**	**5**	**5**	**6**
GRAND TOTAL	**134494**	**4.3**	**4**	**3**	**3**	**4**	**5**	**6**	**6**		**127673**	**4.2**	**5**	**3**	**3**	**4**	**5**	**5**	**6**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	198	5.2	48	2	2	3	6	9	9	0-17	1065	3.9	4	2	3	3	5	7	8
70-74	0									18-34	26761	3.4	8	2	2	3	4	5	7
75-79	0									35-49	3033	3.3	8	2	2	3	3	5	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**198**	**5.2**	**48**	**2**	**2**	**3**	**6**	**9**	**9**		**30859**	**3.4**	**8**	**2**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	305	2.7	7	1	1	2	3	4	5	0-17	2047	3.1	3	2	2	3	4	5	6
70-74	0									18-34	62589	3.0	7	2	2	3	3	4	6
75-79	0									35-49	7311	3.0	4	2	2	3	3	5	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**305**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**5**		**71947**	**3.0**	**7**	**2**	**2**	**3**	**3**	**4**	**6**
GRAND TOTAL	**502**	**3.6**	**24**	**1**	**2**	**3**	**3**	**6**	**9**		**102807**	**3.1**	**7**	**2**	**2**	**3**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2782	4.2	16	2	2	3	4	7	10	0-17	1149	3.6	13	1	2	3	4	6	7
18-34	14788	3.6	10	2	2	3	4	6	8	18-34	12090	3.5	11	1	2	3	4	6	7
35-49	685	4.2	26	2	2	3	4	6	10	35-49	1290	3.4	11	1	2	3	4	5	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**18255**	**3.7**	**11**	**2**	**2**	**3**	**4**	**6**	**9**		**14528**	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4566	3.2	6	2	2	3	3	5	7	0-17	2611	2.9	3	1	2	3	3	4	5
18-34	26979	2.9	4	1	2	2	3	4	6	18-34	28192	2.7	7	1	2	2	3	4	5
35-49	959	2.7	3	1	2	2	3	5	7	35-49	3270	2.7	4	1	2	2	3	4	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32504**	**2.9**	**4**	**1**	**2**	**2**	**3**	**4**	**6**		**34073**	**2.7**	**6**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**50759**	**3.2**	**7**	**2**	**2**	**3**	**3**	**5**	**7**		**48601**	**2.9**	**8**	**1**	**2**	**2**	**3**	**5**	**6**

Total U.S., July 1988 - June 1989

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE											
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	495	4.9	155	1	2	3	3	5	6	0-17	1330	3.0	10	2	2	2	3	4	6		
70-74	0									18-34	36630	2.9	8	2	2	3	3	4	5		
75-79	0									35-49	3609	3.0	3	2	2	3	4	4	6		
80-84	0									50-69	0										
85 +	0									70 +	0										
SUBTOTAL	**495**	**4.9**	**155**	**1**	**2**	**3**	**3**	**5**	**6**		**41568**	**3.0**	**8**	**2**	**2**	**3**	**3**	**4**	**5**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	3671	2.1	1	1	1	2	3	3	3	0-17	28538	2.3	1	1	2	2	3	3	3		
70-74	0									18-34	1072933	2.3	1	1	2	2	3	3	3		
75-79	0									35-49	101949	2.4	2	1	2	2	3	3	4		
80-84	0									50-69	116	2.2		2	2	2	2	3	4		
85 +	0									70 +	0										
SUBTOTAL	**3671**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**		**1203536**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**3**		
GRAND TOTAL	**4166**	**2.4**	**20**	**1**	**1**	**2**	**3**	**3**	**4**		**1245105**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**		

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	4148	2.9	17	2	2	2	3	4	5	0-17	2041	2.4	2	1	2	2	3	4	5
18-34	27512	2.7	5	1	2	2	3	4	5	18-34	20811	2.6	12	1	2	2	3	4	5
35-49	952	2.7	1	2	2	3	3	4	5	35-49	1513	2.5	4	1	1	2	3	4	5
50-69	8	18.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32619**	**2.7**	**7**	**1**	**2**	**2**	**3**	**4**	**5**		**24366**	**2.6**	**11**	**1**	**2**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	59841	2.3	3	1	2	2	3	3	3	0-17	32276	2.0	1	1	1	2	2	3	3
18-34	397021	2.1	1	1	2	2	2	3	3	18-34	470001	1.9	1	1	1	2	2	3	3
35-49	10306	2.1	2	1	1	2	2	3	3	35-49	38781	1.9	1	1	1	2	2	3	3
50-69	8	3.0								50-69	56	2.1	1	1	2	2	2	4	4
70 +	0									70 +	0								
SUBTOTAL	**467175**	**2.1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**		**541113**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**499794**	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**3**		**565479**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**

Total U.S., July 1988 - June 1989

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	142	3.7	2	2	3	3	5	6	6	0-17	92	2.3		1	2	2	3	3	3
70-74	0									18-34	6400	3.4	4	2	2	3	4	5	7
75-79	0									35-49	1327	3.3	4	2	2	3	4	5	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**142**	**3.7**	**2**	**2**	**3**	**3**	**5**	**6**	**6**		**7819**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	470	2.5	1	1	2	2	3	4	4	0-17	135	2.2		1	2	2	2	3	4
70-74	0									18-34	89609	2.6	1	2	2	2	3	4	4
75-79	0									35-49	16117	2.8	2	2	2	3	3	4	4
80-84	0									50-69	18	2.0							
85 +	0									70 +	0								
SUBTOTAL	**470**	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**105880**	**2.6**	**1**	**2**	**2**	**3**	**3**	**4**	**4**
GRAND TOTAL	**612**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**6**		**113699**	**2.7**	**2**	**2**	**2**	**3**	**3**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	147	3.1	3	2	2	3	3	5	9	0-17	130	4.3	5	2	3	3	6	8	8
18-34	4815	3.3	7	2	2	3	4	5	6	18-34	2110	3.4	18	2	2	3	4	5	8
35-49	506	3.1	2	2	2	3	4	5	5	35-49	547	3.4	13	2	2	3	3	6	6
50-69	0									50-69	8	3.0							
70 +	0									70 +	0								
SUBTOTAL	**5468**	**3.2**	**7**	**2**	**2**	**3**	**4**	**5**	**6**		**2795**	**3.5**	**16**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	325	2.9	1	2	2	3	4	5	5	0-17	118	1.9	1	1	1	2	2	3	4
18-34	51095	2.6	3	2	2	2	3	4	4	18-34	27272	2.3	2	1	2	2	3	3	4
35-49	3714	2.7	1	2	2	3	3	4	4	35-49	6683	2.4	3	1	2	2	3	3	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**55135**	**2.6**	**2**	**2**	**2**	**2**	**3**	**4**	**4**		**34073**	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**60603**	**2.6**	**3**	**2**	**2**	**2**	**3**	**4**	**4**		**36869**	**2.4**	**3**	**1**	**2**	**2**	**3**	**3**	**4**

Total U.S., July 1988 - June 1989

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14	2.0								0-17	6	7.0							
70-74	0									18-34	282	7.3	214	2	3	4	5	7	38
75-79	0									35-49	17	7.9	1						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**2.0**									**305**	**7.3**	**198**	**2**	**3**	**4**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	831	2.7	3	1	2	2	3	4	6
75-79	0									35-49	145	3.6	4	1	2	3	5	7	7
80-84	0									50-69	8	2.0							
85 +	0									70 +	0								
SUBTOTAL	**0**										**984**	**2.9**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**14**	**2.0**									**1289**	**3.9**	**53**	**2**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	3.5								0-17	8	3.0							
18-34	60	5.5	8							18-34	107	4.3	10	1	2	4	6	8	12
35-49	0									35-49	24	7.7	3						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**77**	**5.0**	**7**	**1**	**3**	**4**	**7**	**9**	**9**		**139**	**4.8**	**10**	**1**	**3**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	3.0								0-17	8	2.0							
18-34	193	2.7	2	1	2	2	3	5	5	18-34	357	2.5	2	1	2	2	3	5	6
35-49	40	1.2								35-49	50	4.2	9	2	2	4	4	10	10
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**246**	**2.5**	**2**	**1**	**2**	**2**	**3**	**5**	**5**		**416**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**324**	**3.1**	**4**	**1**	**2**	**2**	**4**	**7**	**7**		**555**	**3.2**	**5**	**1**	**2**	**2**	**4**	**6**	**8**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	39	1.9	1							0-17	107	2.8	2	2	2	2	4	5	6
70-74	0									18-34	2298	4.5	37	1	2	3	5	7	10
75-79	0									35-49	267	5.7	37	1	2	4	6	12	28
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**39**	**1.9**	**1**								**2672**	**4.5**	**36**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	68	2.1								0-17	666	2.8	2	1	2	2	4	5	5
70-74	0									18-34	8378	2.9	6	1	2	2	3	5	7
75-79	0									35-49	1024	3.4	7	1	2	2	4	7	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**68**	**2.1**									**10068**	**3.0**	**5**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**107**	**2.0**		**1**	**2**	**2**	**2**	**3**	**3**		**12740**	**3.3**	**12**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	250	2.8	1	2	2	2	4	5	5	0-17	231	2.8	3	1	2	2	3	5	7
18-34	2270	3.4	5	1	2	3	4	6	8	18-34	1825	3.6	8	1	2	3	5	7	9
35-49	42	4.1	4							35-49	249	4.1	8	2	2	3	4	7	13
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2562**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**8**		**2304**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	923	2.7	3	1	2	2	3	4	5	0-17	548	2.2	1	1	1	2	3	3	4
18-34	6140	2.6	3	1	1	2	3	5	6	18-34	5082	2.4	3	1	1	2	3	4	5
35-49	227	2.7	5	1	1	2	3	6	8	35-49	576	2.9	9	1	1	2	3	6	9
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7290**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**6205**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**9853**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**7**		**8510**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	49	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**49**	**3.0**							
GRAND TOTAL	**49**	**3.0**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	67	2.3	2	1	2	2	3	3	6
18-34	1635	3.4	11	1	1	2	4	6	9
35-49	181	5.8	22	1	2	5	8	11	20
50-69	0								
70 +	0								
	1883	**3.6**	**12**	**1**	**1**	**2**	**5**	**7**	**10**
0-17	105	1.9	2	1	1	1	3	4	4
18-34	3253	2.4	5	< 1	1	2	3	5	7
35-49	465	2.9	6	1	1	2	4	6	7
50-69	0								
70 +	0								
	3823	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**
	5706	**2.8**	**8**	**< 1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	145	5.5	16	1	2	6	8	8	16
18-34	1017	3.6	20	1	2	2	4	7	10
35-49	94	4.1	6	2	2	3	5	9	9
50-69	0								
70 +	0								
SUBTOTAL	**1257**	**3.8**	**19**	**1**	**2**	**2**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	230	2.5	4	1	1	2	3	6	6
18-34	1656	2.5	4	1	1	2	3	5	7
35-49	60	2.4	1	1	2	3	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	**1946**	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**3202**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	5.4	5	2	3	6	7	8	10
18-34	800	3.0	10	1	1	2	3	6	7
35-49	139	5.7	17	1	1	5	11	11	13
50-69	0								
70 +	0								
	1020	**3.5**	**11**	**1**	**1**	**2**	**5**	**7**	**11**
0-17	42	1.8							
18-34	1708	2.3	5	1	1	1	3	5	6
35-49	178	2.1	2	< 1	1	1	3	4	6
50-69	0								
70 +	0								
	1928	**2.2**	**5**	**< 1**	**1**	**1**	**3**	**4**	**6**
	2948	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 378: Ectopic Pregnancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	70	3.7								0-17	245	4.3	2	3	3	4	4	7	7
70-74	0									18-34	7664	4.0	2	3	3	4	5	6	6
75-79	0									35-49	2005	4.4	4	3	3	4	5	6	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**70**	**3.7**									**9914**	**4.1**	**2**	**3**	**3**	**4**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	94	3.8	1	2	3	4	5	5	5	0-17	286	3.5	1	2	3	4	4	5	5
70-74	0									18-34	23524	3.5	2	2	3	4	4	5	5
75-79	0									35-49	4844	3.6	2	2	3	4	4	5	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**94**	**3.8**	**1**	**2**	**3**	**4**	**5**	**5**	**5**		**28654**	**3.5**	**2**	**2**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**163**	**3.7**	**1**	**3**	**3**	**4**	**4**	**5**	**5**		**38567**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	96	4.0	3	3	3	4	4	8	9	0-17	144	3.5	2	1	3	4	5	5	5
18-34	2778	4.1	2	3	3	4	5	6	7	18-34	5371	4.0	2	3	3	4	5	6	7
35-49	227	4.8	2	3	4	5	6	7	7	35-49	761	4.2	5	2	3	4	5	6	7
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3101**	**4.2**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**6276**	**4.0**	**3**	**3**	**3**	**4**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	199	3.6	1	3	3	4	4	5	5	0-17	269	3.5	1	2	3	3	4	6	6
18-34	6134	3.8	3	2	3	4	4	5	6	18-34	13544	3.3	2	2	3	3	4	5	5
35-49	480	3.7	2	2	3	4	4	5	5	35-49	1969	3.2	2	1	2	3	4	5	6
50-69	8	2.0								50-69	8	4.0							
70 +	0									70 +	0								
SUBTOTAL	**6820**	**3.8**	**3**	**2**	**3**	**4**	**4**	**5**	**6**		**15790**	**3.3**	**2**	**2**	**3**	**3**	**4**	**5**	**5**
GRAND TOTAL	**9921**	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**7**		**22066**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	119	3.8	13	1	1	2	4	13	13	0-17	315	3.0	5	1	2	2	4	5	7
70-74	0									18-34	9381	3.7	30	1	1	2	4	7	10
75-79	0									35-49	985	4.4	16	1	1	3	6	12	15
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**119**	**3.8**	**13**	**1**	**1**	**2**	**4**	**13**	**13**		**10681**	**3.8**	**28**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	309	2.5	5	< 1	1	2	3	4	6	0-17	2274	2.1	3	< 1	1	2	3	4	6
70-74	0									18-34	49565	2.5	10	< 1	1	2	3	4	6
75-79	0									35-49	4109	2.9	12	< 1	1	2	3	5	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**309**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**4**	**6**		**55948**	**2.5**	**10**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**428**	**2.9**	**8**	**1**	**1**	**2**	**4**	**5**	**13**		**66629**	**2.7**	**13**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1380	2.8	7	1	2	2	3	4	6	0-17	542	3.1	21	1	1	2	4	4	6
18-34	8015	3.0	11	1	1	2	3	6	8	18-34	5050	3.4	26	< 1	1	2	4	6	10
35-49	177	3.6	9	1	2	2	4	8	10	35-49	371	5.5	119	< 1	1	2	5	6	27
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9572**	**3.0**	**10**	**1**	**1**	**2**	**3**	**5**	**8**		**5963**	**3.5**	**32**	**< 1**	**1**	**2**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4198	2.2	4	< 1	1	2	3	4	6	0-17	2138	2.4	10	< 1	1	2	3	4	6
18-34	27367	2.2	6	< 1	1	1	2	4	5	18-34	23205	2.3	8	< 1	1	1	3	4	6
35-49	647	1.9	2	< 1	1	1	2	3	4	35-49	1857	2.7	16	< 1	1	2	3	5	7
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32212**	**2.2**	**5**	**< 1**	**1**	**2**	**2**	**4**	**5**		**27200**	**2.3**	**9**	**< 1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**41784**	**2.3**	**7**	**< 1**	**1**	**2**	**3**	**4**	**6**		**33163**	**2.6**	**13**	**< 1**	**1**	**1**	**3**	**5**	**7**

DRG 380: Abortion w/o D&C

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	30	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**30**	**2.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**47**	**1.0**							
GRAND TOTAL	**77**	**1.4**		**<1**	**1**	**1**	**2**	**3**	**3**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	87	1.9	1	1	1	2	2	4	4
18-34	805	2.6	5	1	1	2	3	5	7
35-49	164	1.7	2	1	1	1	2	3	7
50-69	0								
70 +	0								
	1056	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**7**
0-17	803	1.3		<1	1	1	2	2	2
18-34	8443	1.5	1	<1	1	1	2	3	3
35-49	1784	1.5	1	1	1	1	2	3	3
50-69	14	1.0							
70 +	0								
	11045	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**
	12101	**1.6**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	5.0	11						
18-34	682	2.6	4	1	1	2	3	6	7
35-49	39	4.4	29						
50-69	0								
70 +	0								
SUBTOTAL	**744**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	577	1.4		<1	1	1	2	2	3
18-34	3413	1.6	1	<1	1	1	2	3	3
35-49	171	1.5	1	<1	1	1	2	2	3
50-69	0								
70 +	0								
SUBTOTAL	**4161**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**4905**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	2.8	2	1	1	4	4	4	4
18-34	538	2.8	7	1	1	2	3	5	8
35-49	39	1.0							
50-69	0								
70 +	0								
	655	**2.7**	**6**	**1**	**1**	**2**	**4**	**5**	**8**
0-17	503	1.3		<1	1	1	1	2	2
18-34	4875	1.6	2	<1	1	1	2	3	4
35-49	701	1.4	1	<1	1	1	1	3	3
50-69	0								
70 +	0								
	6079	**1.6**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
	6734	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

Total U.S., July 1988 - June 1989

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	92	2.0	2	< 1	1	2	2	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	92	2.0	2	< 1	1	2	2	5	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	243	1.2	1	< 1	< 1	1	1	2	2
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	243	1.2	1	< 1	< 1	1	1	2	2
GRAND TOTAL	335	1.5	1	< 1	< 1	1	2	2	5

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	2.0	1	< 1	1	2	3	3	4
18-34	3974	2.4	5	< 1	1	1	3	5	7
35-49	988	2.3	6	1	1	1	3	5	7
50-69	0								
70 +	0								
	5149	2.3	5	< 1	1	1	3	5	7
0-17	2361	1.3	1	< 1	< 1	1	1	2	4
18-34	47092	1.3	1	< 1	< 1	1	1	2	3
35-49	10737	1.3	1	< 1	< 1	1	1	2	2
50-69	25	1.0							
70 +	0								
	60214	1.3	1	< 1	< 1	1	1	2	3
	65363	1.4	2	< 1	< 1	1	1	2	3

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	180	2.2	3	1	1	2	2	3	4
18-34	2152	2.7	7	1	1	2	3	6	7
35-49	119	2.9	4	1	2	2	4	4	9
50-69	0								
70 +	0								
SUBTOTAL	2450	2.7	7	1	1	2	3	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1313	1.5	1	< 1	1	1	2	2	4
18-34	11665	1.5	1	< 1	1	1	2	3	3
35-49	932	1.4	1	< 1	1	1	1	2	4
50-69	0								
70 +	0								
SUBTOTAL	13909	1.5	1	< 1	1	1	2	2	3
GRAND TOTAL	16359	1.7	2	< 1	1	1	2	3	4

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	159	1.6	1	< 1	1	1	2	3	3
18-34	2561	2.8	13	1	1	2	3	5	9
35-49	399	1.8	1	1	1	1	2	4	4
50-69	0								
70 +	0								
	3119	2.6	11	1	1	2	3	5	8
0-17	1998	1.2		< 1	< 1	1	1	2	2
18-34	23820	1.3	1	< 1	< 1	1	1	2	3
35-49	4263	1.2	1	< 1	< 1	1	1	2	2
50-69	18	1.0							
70 +	0								
	30098	1.3	1	< 1	< 1	1	1	2	3
	33217	1.4	2	< 1	< 1	1	1	2	3

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	158	1.3	1	< 1	< 1	< 1	1	3	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**158**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**
GRAND TOTAL	**165**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	4.5	12	1	1	3	9	9	9
18-34	1361	1.8	5	< 1	< 1	1	2	4	5
35-49	170	4.1	63	< 1	1	1	1	10	13
50-69	0								
70 +	0								
	1631	**2.2**	**12**	**< 1**	**< 1**	**1**	**2**	**5**	**7**
0-17	1301	1.1		< 1	< 1	1	1	1	2
18-34	29140	1.1	1	< 1	< 1	< 1	1	1	2
35-49	2253	1.1		< 1	< 1	< 1	1	1	2
50-69	0								
70 +	0								
	32693	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
	34324	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	180	1.7	1	< 1	1	1	2	4	4
18-34	1244	1.8	4	< 1	< 1	1	2	4	4
35-49	19	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**1443**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2222	1.1		< 1	< 1	< 1	1	2	2
18-34	14789	1.1		< 1	< 1	< 1	1	1	2
35-49	388	1.3	1	< 1	< 1	< 1	1	1	5
50-69	0								
70 +	0								
SUBTOTAL	**17399**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**18842**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	1.0							
18-34	587	1.7	3	< 1	< 1	1	2	2	5
35-49	22	1.8	2						
50-69	0								
70 +	0								
	653	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**2**	**4**
0-17	970	1.2	1	< 1	< 1	1	1	1	2
18-34	9479	1.1	1	< 1	< 1	< 1	1	1	2
35-49	766	1.1		< 1	< 1	< 1	1	1	2
50-69	0								
70 +	0								
	11214	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
	11867	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

Total U.S., July 1988 - June 1989

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	454	5.2	25	1	2	4	7	12	13	0-17	2044	3.3	14	< 1	2	3	4	6	6
70-74	0									18-34	32055	3.5	11	1	2	3	4	6	9
75-79	0									35-49	2730	4.2	18	1	2	3	5	7	10
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**454**	**5.2**	**25**	**1**	**2**	**4**	**7**	**12**	**13**		**36829**	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	236	2.8	4	< 1	1	3	3	6	8	0-17	2833	2.3	2	1	1	2	3	4	5
70-74	0									18-34	61247	3.0	6	1	2	2	4	5	7
75-79	0									35-49	5967	3.4	14	1	2	3	4	6	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**236**	**2.8**	**4**	**< 1**	**1**	**3**	**3**	**6**	**8**		**70047**	**3.0**	**6**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**690**	**4.4**	**19**	**1**	**2**	**3**	**5**	**9**	**13**		**106875**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2864	3.4	14	1	2	3	4	6	7	0-17	1582	3.3	9	1	2	3	4	5	7
18-34	20390	3.6	13	1	2	3	4	6	9	18-34	15122	4.0	16	1	2	3	5	7	10
35-49	985	3.9	8	1	2	3	5	7	8	35-49	1001	3.6	7	1	2	3	4	7	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**24239**	**3.6**	**13**	**1**	**2**	**3**	**4**	**6**	**9**		**17706**	**3.9**	**15**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3899	2.7	4	< 1	1	2	3	6	6	0-17	1961	2.5	3	< 1	1	2	3	5	6
18-34	25258	2.6	5	< 1	1	2	3	5	6	18-34	19319	2.7	5	1	1	2	3	5	7
35-49	1279	3.2	7	1	2	3	4	6	7	35-49	1747	3.2	6	1	1	3	4	6	9
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**30437**	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**		**23027**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**54675**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**7**		**40733**	**3.2**	**10**	**1**	**1**	**3**	**4**	**6**	**8**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	1.0								0-17	97	9.3	300	1	2	3	4	54	59
70-74	0									18-34	3207	3.5	26	1	1	2	4	7	11
75-79	0									35-49	601	5.5	84	1	2	3	5	12	15
80-84	0									50-69	6	6.0							
85 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**3912**	**4.0**	**43**	**1**	**1**	**2**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	209	2.4	2	< 1	< 1	2	4	4	4	0-17	1074	2.1	7	< 1	< 1	1	2	4	6
70-74	0									18-34	34562	2.1	7	< 1	< 1	1	2	4	5
75-79	0									35-49	4616	2.3	7	< 1	1	1	3	5	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**209**	**2.4**	**2**	**< 1**	**< 1**	**2**	**4**	**4**	**4**		**40252**	**2.1**	**7**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**217**	**2.3**	**2**	**< 1**	**< 1**	**2**	**4**	**4**	**4**		**44164**	**2.3**	**10**	**< 1**	**1**	**1**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	275	4.9	92	1	1	2	3	9	29	0-17	134	8.1	268	< 1	2	2	6	55	55
18-34	1471	3.3	18	< 1	1	2	4	6	10	18-34	1565	4.0	37	< 1	1	2	4	8	20
35-49	56	3.5	1							35-49	169	2.2	2	1	1	2	3	4	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1802**	**3.5**	**29**	**< 1**	**1**	**2**	**4**	**6**	**10**		**1868**	**4.1**	**51**	**< 1**	**1**	**2**	**4**	**7**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1316	1.7	3	< 1	1	1	2	3	4	0-17	784	2.6	5	< 1	1	1	4	6	7
18-34	13425	2.2	8	< 1	< 1	1	2	4	6	18-34	13153	2.1	7	< 1	1	1	2	4	6
35-49	384	2.4	8	< 1	< 1	1	3	5	11	35-49	1779	2.1	6	< 1	< 1	1	2	4	7
50-69	10	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**15136**	**2.1**	**8**	**< 1**	**< 1**	**1**	**2**	**4**	**6**		**15716**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**16938**	**2.3**	**10**	**< 1**	**1**	**1**	**2**	**4**	**7**		**17584**	**2.3**	**12**	**< 1**	**1**	**1**	**2**	**4**	**7**

Total U.S., July 1988 - June 1989

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	8	4.0							
SUBTOTAL	**8**	**4.0**							
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8**	**4.0**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	951	73.0	208	59	71	92	99 +	99 +	99 +
1000-1499	2536	50.9	325	31	38	52	66	89	99 +
1500-1749	1544	36.2	175	22	28	35	42	52	65
1750-2499	4736	18.5	192	4	9	16	24	35	45
2500 +	6996	6.8	31	2	3	5	9	13	16
	16763	**23.2**	**535**	**3**	**6**	**15**	**40**	**77**	**99 +**
1-999	0								
1000-1499	8	63.0							
1500-1749	14	8.0							
1750-2499	18	13.9	1						
2500 +	131	10.7	113	1	7	8	10	40	40
	171	**13.2**	**207**	**6**	**7**	**8**	**10**	**40**	**40**
	16934	**23.1**	**533**	**3**	**6**	**15**	**40**	**76**	**99 +**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	619	75.4	244	58	80	99 +	99 +	99 +	99 +
1000-1499	1513	47.9	298	28	37	49	62	99	99 +
1500-1749	694	31.3	75	22	25	31	39	60	99 +
1750-2499	2288	15.7	141	4	7	15	21	32	56
2500 +	2316	7.1	36	2	3	5	9	15	21
SUBTOTAL	**7430**	**26.0**	**591**	**3**	**7**	**23**	**53**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	14	92.0							
1000-1499	0								
1500-1749	0								
1750-2499	20	8.8	8						
2500 +	31	7.0	5						
SUBTOTAL	**66**	**26.1**	**1236**	**5**	**7**	**7**	**13**	**92**	**92**
GRAND TOTAL	**7496**	**26.0**	**596**	**3**	**7**	**23**	**53**	**99 +**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	575	72.1	329	57	69	94	99 +	99 +	99 +
1000-1499	1181	48.4	331	27	37	48	62	86	99 +
1500-1749	773	32.1	174	20	25	30	42	55	61
1750-2499	2108	16.7	156	3	7	15	21	36	39
2500 +	2277	6.7	54	2	3	5	9	14	18
	6915	**25.2**	**584**	**3**	**7**	**20**	**45**	**86**	**99 +**
1-999	0								
1000-1499	0								
1500-1749	10	44.0							
1750-2499	14	1.0							
2500 +	22	7.4							
	47	**13.4**	**275**						
	6961	**25.1**	**582**	**3**	**7**	**20**	**45**	**86**	**99 +**

DRG 387: Prematurity w/ Major Problems

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	280	67.1	308	47	56	72	99 +	99 +	99 +
1000-1499	15	42.5								1000-1499	1282	42.3	206	26	34	42	55	90	99 +
1500-1749	38	23.3	35							1500-1749	1575	25.6	88	15	19	24	31	39	45
1750-2499	81	13.9	99	5	8	9	21	33	33	1750-2499	9794	11.2	85	3	5	9	15	21	28
2500 +	31	5.0	7							2500 +	8466	6.0	38	2	3	5	7	10	13
SUBTOTAL	**165**	**17.1**	**160**	**4**	**8**	**12**	**30**	**33**	**42**		**21397**	**12.8**	**199**	**3**	**4**	**8**	**16**	**34**	**48**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	8	56.0							
1000-1499	0									1000-1499	214	38.5	169	25	27	36	49	57	60
1500-1749	0									1500-1749	284	24.1	89	13	18	22	29	34	39
1750-2499	8	8.0								1750-2499	2139	10.5	55	4	5	8	15	21	24
2500 +	0									2500 +	1410	5.4	22	2	3	4	6	9	13
SUBTOTAL	**8**	**8.0**									**4055**	**11.3**	**119**	**3**	**4**	**7**	**16**	**25**	**34**
GRAND TOTAL	**173**	**16.7**	**156**	**4**	**8**	**9**	**30**	**33**	**42**		**25452**	**12.6**	**186**	**3**	**4**	**7**	**16**	**31**	**46**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	81	58.6	201	46	58	79	99 +	99 +	99 +	1-999	115	65.1	256	50	62	83	99 +	99 +	99 +
1000-1499	932	43.9	314	25	32	41	58	74	92	1000-1499	848	39.7	225	22	30	39	53	69	99 +
1500-1749	1054	26.1	172	14	19	25	30	46	79	1500-1749	961	26.0	127	16	19	23	31	37	43
1750-2499	5754	10.5	68	3	5	8	14	20	26	1750-2499	6560	10.2	93	3	5	8	12	19	23
2500 +	3166	6.2	39	2	3	4	8	11	14	2500 +	3698	5.9	28	2	3	5	7	10	14
SUBTOTAL	**10986**	**13.9**	**219**	**3**	**4**	**8**	**18**	**36**	**55**		**12182**	**12.7**	**194**	**3**	**5**	**8**	**16**	**32**	**48**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	64	35.8	83	27	28	32	44	55	55	1000-1499	120	30.8	120	16	23	33	39	44	47
1500-1749	279	22.2	45	15	17	19	27	33	35	1500-1749	179	21.3	56	13	16	18	27	34	35
1750-2499	1241	10.2	54	3	4	8	16	21	23	1750-2499	1011	9.4	46	3	4	8	13	20	23
2500 +	723	6.9	35	3	4	5	7	13	15	2500 +	829	5.4	17	2	3	4	6	11	16
SUBTOTAL	**2307**	**11.3**	**85**	**3**	**4**	**8**	**17**	**25**	**32***		**2140**	**10.1**	**83**	**3**	**4**	**6**	**14**	**22**	**33**
GRAND TOTAL	**13293**	**13.5**	**197**	**3**	**4**	**8**	**18**	**33**	**48**		**14322**	**12.3**	**178**	**3**	**4**	**7**	**15**	**30**	**43**

Total U.S., July 1988 - June 1989

DRG 388: Prematurity w/o Major Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	8	19.0							
1750-2499	71	2.7	4	1	2	2	2	8	8
2500 +	43	3.5	4						
SUBTOTAL	**122**	**4.0**	**19**	**2**	**2**	**2**	**5**	**8**	**19**
GRAND TOTAL	**122**	**4.0**	**19**	**2**	**2**	**2**	**5**	**8**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	8	34.0							
1500-1749	137	19.0	12	17	17	17	22	23	24
1750-2499	669	9.5	40	3	5	9	13	17	26
2500 +	196	7.2	93	2	4	5	6	10	11
	1009	**10.5**	**63**	**3**	**5**	**9**	**13**	**19**	**28**
1-999	8	37.0							
1000-1499	166	25.9	132	9	21	27	34	40	49
1500-1749	634	19.5	41	9	16	21	24	27	29
1750-2499	13905	5.9	23	2	3	4	7	12	16
2500 +	14147	3.3	3	2	2	3	4	5	6
	28859	**5.0**	**24**	**2**	**2**	**4**	**5**	**10**	**15**
	29868	**5.2**	**26**	**2**	**2**	**4**	**6**	**11**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	8	19.0							
1500-1749	78	20.0	1						
1750-2499	525	10.6	40	3	4	10	17	18	19
2500 +	63	6.2	17						
SUBTOTAL	**674**	**11.4**	**45**	**4**	**4**	**11**	**18**	**20**	**21**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	22	58.0	381						
1000-1499	201	32.9	68	19	28	34	37	43	43
1500-1749	434	18.5	52	10	14	17	21	30	32
1750-2499	9560	5.8	27	2	2	4	7	14	17
2500 +	7440	3.0	3	1	2	3	4	5	6
SUBTOTAL	**17658**	**5.3**	**37**	**2**	**2**	**3**	**5**	**13**	**17**
GRAND TOTAL	**18332**	**5.5**	**39**	**2**	**2**	**3**	**6**	**14**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	8	23.0							
1500-1749	35	21.6	108						
1750-2499	730	8.5	35	2	4	6	14	15	20
2500 +	169	5.9	10	2	4	5	8	10	12
	942	**8.7**	**42**	**2**	**4**	**6**	**13**	**15**	**22**
1-999	9	55.0							
1000-1499	94	24.2	178	8	14	21	31	44	52
1500-1749	337	16.9	27	12	14	16	20	22	27
1750-2499	9064	5.5	23	2	2	4	7	12	15
2500 +	8632	2.9	4	1	2	2	4	5	7
	18137	**4.6**	**23**	**1**	**2**	**3**	**5**	**10**	**14**
	19079	**4.8**	**24**	**1**	**2**	**3**	**5**	**11**	**15**

Total U.S., July 1988 - June 1989

DRG 389: Full Term Neonate w/ Major Problems

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	8	52.0							
1000-1499	0									1000-1499	247	32.6	139	17	23	33	40	50	52
1500-1749	0									1500-1749	249	20.4	69	9	15	18	29	35	99 +
1750-2499	0									1750-2499	3579	6.5	35	2	3	5	7	13	18
2500 +	434	3.3	6	1	2	3	4	5	7	2500 +	85677	4.1	11	2	2	3	5	7	9
SUBTOTAL	**434**	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**7**		**89759**	**4.3**	**16**	**2**	**2**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	46	35.9	412						
1000-1499	0									1000-1499	30	30.4	26						
1500-1749	0									1500-1749	75	16.3	98	4	10	13	23	39	39
1750-2499	0									1750-2499	1429	5.3	19	2	3	4	6	9	14
2500 +	101	3.4	1	2	2	4	4	4	6	2500 +	43450	3.8	3	2	3	4	4	5	6
SUBTOTAL	**101**	**3.4**	**1**	**2**	**2**	**4**	**4**	**4**	**6**		**45031**	**3.9**	**6**	**2**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**535**	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**6**		**134790**	**4.2**	**12**	**2**	**3**	**4**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	16	28.3	590							1-999	46	42.4	1100						
1000-1499	125	41.2	295	18	29	45	65	99 +	99 +	1000-1499	136	36.3	305	23	27	30	40	68	82
1500-1749	72	24.9	105	13	14	26	29	47	47	1500-1749	140	21.2	68	10	16	20	27	33	40
1750-2499	2188	6.3	45	2	3	4	7	13	17	1750-2499	3273	7.0	63	2	3	5	9	14	17
2500 +	33234	4.5	16	2	2	4	5	8	10	2500 +	45287	4.3	18	1	2	3	5	8	10
SUBTOTAL	**35634**	**4.8**	**25**	**2**	**2**	**4**	**5**	**9**	**11**		**48882**	**4.6**	**28**	**2**	**2**	**4**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	29	29.0	501							1-999	8	71.0							
1000-1499	22	14.4	84							1000-1499	26	20.4	15						
1500-1749	15	29.5	291							1500-1749	71	15.5	35	4	16	16	18	24	24
1750-2499	1608	4.8	11	2	3	4	5	8	13	1750-2499	902	5.3	18	2	3	4	6	12	17
2500 +	19643	4.2	13	2	3	4	4	6	8	2500 +	21591	3.8	7	2	3	3	4	6	7
SUBTOTAL	**21317**	**4.3**	**15**	**2**	**3**	**4**	**4**	**6**	**8**		**22598**	**3.9**	**10**	**2**	**3**	**3**	**4**	**6**	**8**
GRAND TOTAL	**56951**	**4.6**	**21**	**2**	**3**	**4**	**5**	**8**	**11**		**71480**	**4.4**	**22**	**2**	**2**	**3**	**5**	**8**	**10**

DRG 390: Neonate w/ Other Significant Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	16	3.0							
SUBTOTAL	**16**	**3.0**							
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	63	3.1	1						
2500 +	598	3.2	9	1	2	3	4	6	7
SUBTOTAL	**661**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**676**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	312	5.4	14	2	3	4	7	11	15
2500 +	4726	3.4	3	2	2	3	4	5	7
	5039	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
1-999	0								
1000-1499	24	19.2	12						
1500-1749	219	14.7	25	8	10	16	19	20	22
1750-2499	10235	3.7	6	2	2	3	4	6	9
2500 +	187690	2.9	2	2	2	2	4	5	5
	198167	**2.9**	**3**	**2**	**2**	**3**	**4**	**5**	**5**
	203206	**3.0**	**3**	**2**	**2**	**3**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	360	6.3	15	2	4	6	8	14	15
2500 +	2687	3.6	4	2	2	3	4	5	6
SUBTOTAL	**3047**	**3.9**	**6**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	8	4.0							
1000-1499	70	16.3	35						
1500-1749	77	15.8	16	8	14	18	19	20	20
1750-2499	6826	3.8	9	2	2	3	4	7	10
2500 +	80042	2.9	4	1	2	2	4	5	6
SUBTOTAL	**87023**	**3.0**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**90070**	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	22	14.3	1						
1750-2499	338	7.7	28	2	4	5	10	17	17
2500 +	2567	3.5	9	1	2	3	4	6	8
	2927	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**14**
1-999	9	73.0							
1000-1499	59	20.1	46	11	16	17	25	32	32
1500-1749	158	17.6	24	12	15	18	19	25	27
1750-2499	6835	3.8	11	1	2	3	4	8	11
2500 +	102101	2.7	4	1	2	2	3	5	6
	109163	**2.8**	**5**	**1**	**2**	**2**	**4**	**5**	**6**
	112090	**2.9**	**5**	**1**	**2**	**2**	**4**	**5**	**6**

DRG 391: Normal Newborn

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	8	3.0							
1000-1499	0									1000-1499	14	27.0							
1500-1749	0									1500-1749	44	16.5	8						
1750-2499	93	3.3	1	2	2	4	4	5	5	1750-2499	16621	3.0	3	1	2	3	4	5	6
2500 +	3342	2.1	1	1	1	2	2	4	4	2500 +	1194167	2.6	1	1	2	2	3	4	5
SUBTOTAL	**3435**	**2.1**	**1**	**1**	**1**	**2**	**2**	**4**	**4**		**1210854**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3435**	**2.1**	**1**	**1**	**1**	**2**	**2**	**4**	**4**		**1210854**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	14	44.0							
1500-1749	49	21.5	128							1500-1749	14	21.1	13						
1750-2499	13791	2.9	4	1	2	2	4	5	6	1750-2499	12396	2.7	4	1	2	2	3	4	5
2500 +	451319	2.4	1	1	2	2	3	4	4	2500 +	674683	2.2	1	1	1	2	3	4	4
SUBTOTAL	**465158**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**687107**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**465158**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**687107**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 392: Splenectomy Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	635	14.0	108	5	7	12	17	32	37
70-74	315	15.9	110	7	10	12	20	39	45
75-79	295	16.1	213	6	7	12	15	36	50
80-84	161	18.2	255	7	7	12	21	38	69
85 +	73	13.7	34	9	9	11	15	26	26
SUBTOTAL	**1479**	**15.3**	**143**	**6**	**7**	**12**	**18**	**36**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	183	8.6	29	3	6	7	10	13	26
70-74	172	9.4	39	5	7	8	9	17	28
75-79	47	7.3	3	5	6	7	9	10	10
80-84	59	20.6	125	7	10	20	29	40	40
85 +	0								
SUBTOTAL	**460**	**10.3**	**58**	**4**	**6**	**8**	**10**	**23**	**28**
GRAND TOTAL	**1939**	**14.1**	**128**	**5**	**7**	**11**	**17**	**29**	**39**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1494	12.6	141	5	6	8	13	25	36
35-49	786	13.9	134	5	6	8	17	29	38
50-69	722	13.8	91	5	7	12	18	24	36
70 +	41	10.2	18						
	3044	**13.2**	**126**	**5**	**6**	**9**	**16**	**25**	**37**
0-17	0								
18-34	1052	6.4	10	4	5	6	7	10	13
35-49	597	6.1	5	4	4	5	7	9	11
50-69	336	8.1	25	4	5	7	9	15	15
70 +	0								
	1985	**6.6**	**12**	**4**	**5**	**6**	**8**	**10**	**13**
	5029	**10.6**	**91**	**4**	**5**	**7**	**12**	**21**	**28**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	340	15.8	178	7	8	11	16	33	50
35-49	135	11.5	116	6	6	7	9	19	47
50-69	73	24.0	163	10	15	19	24	47	47
70 +	0								
SUBTOTAL	**548**	**15.8**	**174**	**6**	**8**	**10**	**19**	**33**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	97	5.5	4	3	4	5	6	9	10
35-49	58	9.7	12						
50-69	8	5.0							
70 +	0								
SUBTOTAL	**163**	**7.0**	**11**	**4**	**5**	**5**	**10**	**10**	**13**
GRAND TOTAL	**711**	**13.8**	**150**	**5**	**7**	**9**	**16**	**27**	**47**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1130	10.3	75	4	6	7	11	20	32
35-49	475	10.2	54	5	6	9	12	14	17
50-69	299	14.6	134	5	7	11	20	25	51
70 +	17	8.5							
	1921	**10.9**	**81**	**5**	**6**	**8**	**12**	**21**	**29**
0-17	0								
18-34	330	6.2	7	4	5	5	7	9	12
35-49	87	6.6	3	4	6	6	7	9	10
50-69	106	7.3	18	4	5	7	7	12	20
70 +	8	6.0							
	531	**6.5**	**9**	**4**	**5**	**6**	**7**	**9**	**12**
	2453	**10.0**	**69**	**4**	**6**	**7**	**11**	**17**	**25**

DRG 393: Splenectomy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	785	9.8	52	5	6	8	9	20	32
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**785**	**9.8**	**52**	**5**	**6**	**8**	**9**	**20**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1293	5.6	6	3	4	5	7	8	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1293**	**5.6**	**6**	**3**	**4**	**5**	**7**	**8**	**9**
GRAND TOTAL	**0**										**2078**	**7.2**	**28**	**4**	**5**	**6**	**8**	**11**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	134	9.7	29	3	6	8	13	19	23	0-17	207	8.6	18	3	5	8	10	16	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**134**	**9.7**	**29**	**3**	**6**	**8**	**13**	**19**	**23**		**207**	**8.6**	**18**	**3**	**5**	**8**	**10**	**16**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	260	5.4	5	4	4	5	6	8	13	0-17	219	5.2	4	3	4	5	6	8	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**260**	**5.4**	**5**	**4**	**4**	**5**	**6**	**8**	**13**		**219**	**5.2**	**4**	**3**	**4**	**5**	**6**	**8**	**8**
GRAND TOTAL	**395**	**6.9**	**17**	**4**	**4**	**5**	**8**	**13**	**15**		**426**	**6.9**	**13**	**3**	**4**	**6**	**8**	**13**	**16**

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	389	14.3	235	2	4	7	17	37	51	0-17	468	10.9	207	2	4	7	11	41	84
70-74	240	9.6	117	1	3	8	13	21	27	18-34	354	10.4	124	1	3	7	15	25	40
75-79	247	16.5	182	2	9	13	22	30	36	35-49	356	15.0	386	2	3	7	16	42	64
80-84	121	11.1	126	1	1	7	21	26	31	50-69	387	9.1	79	1	2	8	12	23	40
85 +	67	18.8	368	2	5	10	33	45	64	70 +	0								
SUBTOTAL	**1065**	**13.7**	**200**	**1**	**4**	**9**	**20**	**33**	**45**		**1565**	**11.3**	**201**	**1**	**3**	**7**	**13**	**32**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	239	2.8	7	1	1	2	4	6	10	0-17	2438	3.6	18	< 1	1	2	5	7	10
70-74	231	3.5	5	< 1	2	3	5	6	8	18-34	1467	3.4	14	< 1	1	2	4	9	15
75-79	88	2.8	7	< 1	1	1	4	6	9	35-49	921	3.0	10	1	1	2	4	6	9
80-84	39	4.3	11							50-69	552	3.5	12	1	1	2	5	9	9
85 +	105	6.5	30	1	1	6	8	10	20	70 +	8	4.0							
SUBTOTAL	**753**	**3.6**	**11**	**< 1**	**1**	**2**	**5**	**8**	**10**		**5385**	**3.4**	**15**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**1817**	**9.5**	**146**	**1**	**2**	**5**	**11**	**25**	**36**		**6950**	**5.2**	**68**	**1**	**1**	**3**	**6**	**11**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	213	10.2	91	2	5	7	23	99 +	99 +	0-17	136	17.6	284	3	5	8	29	48	50
18-34	147	18.9	412	1	8	13	22	32	85	18-34	142	10.2	86	2	5	7	11	26	37
35-49	66	18.2	467	< 1	3	7	20	66	66	35-49	108	11.4	72	5	6	8	14	18	34
50-69	26	19.1	136							50-69	102	15.5	329	1	4	7	22	54	56
70 +	0									70 +	16	31.6	1026						
SUBTOTAL	**452**	**14.7**	**270**	**1**	**5**	**8**	**23**	**33**	**99 +**		**504**	**14.2**	**231**	**3**	**5**	**7**	**18**	**40**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	789	4.2	9	1	2	3	6	9	10	0-17	724	3.8	28	1	1	3	4	7	9
18-34	177	3.9	22	1	2	3	4	5	22	18-34	361	2.9	10	1	1	2	4	7	7
35-49	58	3.4	4	1	1	4	5	7	7	35-49	192	3.3	9	< 1	1	3	3	9	12
50-69	33	5.3	18							50-69	119	2.2	4	< 1	1	1	2	6	8
70 +	0									70 +	18	4.9	1						
SUBTOTAL	**1058**	**4.2**	**11**	**1**	**2**	**3**	**5**	**9**	**11**		**1414**	**3.4**	**19**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1510**	**7.3**	**112**	**1**	**2**	**4**	**8**	**21**	**29**		**1918**	**6.2**	**97**	**1**	**1**	**3**	**6**	**13**	**26**

DRG 395: Red Blood Cell Disorders Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13410	6.9	55	2	3	5	8	14	19
70-74	9865	5.9	30	1	2	5	7	11	16
75-79	11110	6.2	34	2	3	5	8	12	17
80-84	9515	6.8	54	2	3	5	8	13	17
85 +	9517	7.3	62	2	3	5	9	14	19
SUBTOTAL	**53418**	**6.6**	**47**	**2**	**3**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8110	5.9	26	2	3	5	7	11	15
70-74	2801	5.1	26	1	2	4	6	9	12
75-79	3010	5.1	18	1	2	4	7	10	14
80-84	3294	4.8	32	1	2	4	6	9	14
85 +	3385	5.1	16	1	2	4	7	11	14
SUBTOTAL	**20599**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**14**
GRAND TOTAL	**74017**	**6.3**	**41**	**2**	**3**	**5**	**8**	**12**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3258	7.2	45	1	3	5	10	16	21
35-49	3419	5.3	28	1	2	4	7	11	14
50-69	7193	6.0	36	1	2	5	8	12	16
70 +	587	6.8	40	1	3	5	9	16	21
	14458	**6.1**	**37**	**1**	**2**	**5**	**8**	**13**	**17**
0-17	0								
18-34	5171	5.3	20	1	3	4	7	10	13
35-49	3264	4.8	14	1	2	4	6	10	11
50-69	2938	4.4	20	1	2	3	5	8	11
70 +	146	7.1	10	4	5	7	8	12	15
	11519	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**12**
	25977	**5.6**	**29**	**1**	**2**	**4**	**7**	**11**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	4526	7.2	41	2	3	6	9	14	17
35-49	2052	6.5	34	1	3	5	8	13	17
50-69	2065	6.6	29	1	3	5	9	13	19
70 +	330	5.7	14	2	3	5	7	11	11
SUBTOTAL	**8974**	**6.9**	**36**	**2**	**3**	**5**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10747	5.9	23	2	3	5	8	11	14
35-49	1823	5.7	29	2	3	5	7	9	11
50-69	710	5.7	8	2	4	6	8	9	12
70 +	67	3.4	7	1	1	2	6	7	8
SUBTOTAL	**13347**	**5.9**	**23**	**2**	**3**	**5**	**7**	**10**	**14**
GRAND TOTAL	**22321**	**6.3**	**28**	**2**	**3**	**5**	**8**	**12**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1820	6.5	40	2	3	5	8	11	14
35-49	1777	5.4	18	1	2	4	7	11	14
50-69	2642	6.0	34	1	3	5	7	11	14
70 +	560	6.0	62	1	1	3	7	14	19
	6798	**6.0**	**34**	**1**	**2**	**5**	**7**	**11**	**14**
0-17	0								
18-34	3168	4.5	10	1	2	4	6	9	11
35-49	1472	4.3	10	1	2	3	6	8	12
50-69	1164	4.4	15	1	2	3	6	10	12
70 +	398	3.5	11	< 1	1	2	4	8	11
	6201	**4.4**	**11**	**1**	**2**	**4**	**6**	**8**	**11**
	13000	**5.2**	**24**	**1**	**2**	**4**	**7**	**10**	**13**

DRG 396: Red Blood Cell Disorders Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	354	3.2	10	1	1	1	5	9	10	0-17	3898	4.7	24	1	1	3	6	10	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**354**	**3.2**	**10**	**1**	**1**	**1**	**5**	**9**	**10**		**3898**	**4.7**	**24**	**1**	**1**	**3**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	42	4.2	2							0-17	11104	3.4	9	1	1	3	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**42**	**4.2**	**2**								**11104**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**
GRAND TOTAL	**396**	**3.3**	**10**	**1**	**1**	**2**	**5**	**7**	**10**		**15002**	**3.8**	**13**	**1**	**1**	**3**	**5**	**7**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3420	5.5	21	1	2	5	7	10	15	0-17	1394	6.6	55	1	3	5	8	11	18
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3420**	**5.5**	**21**	**1**	**2**	**5**	**7**	**10**	**15**		**1394**	**6.6**	**55**	**1**	**3**	**5**	**8**	**11**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12446	3.5	9	1	2	3	4	7	8	0-17	5245	3.7	14	1	2	3	5	7	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**12446**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**8**		**5245**	**3.7**	**14**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**15867**	**4.0**	**13**	**1**	**2**	**3**	**5**	**8**	**10**		**6638**	**4.3**	**24**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 397: Coagulation Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2303	7.9	53	2	3	6	9	16	23	0-17	1708	4.1	35	< 1	1	3	5	8	12
70-74	1630	8.3	72	2	3	6	10	15	24	18-34	733	5.2	17	1	2	5	6	11	14
75-79	1149	7.5	55	2	3	5	10	16	23	35-49	830	5.9	18	1	3	5	7	13	15
80-84	792	9.7	85	3	4	7	12	24	31	50-69	1271	5.6	19	1	3	4	8	12	13
85 +	727	9.0	69	2	4	7	10	19	21	70 +	14	8.0	22						
SUBTOTAL	**6601**	**8.3**	**64**	**2**	**3**	**6**	**10**	**17**	**24**		**4557**	**5.0**	**25**	**1**	**2**	**4**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	702	6.1	38	2	2	4	7	13	14	0-17	5440	3.1	9	1	1	2	4	6	8
70-74	518	5.2	14	2	3	4	6	7	14	18-34	800	4.3	7	1	2	3	6	8	10
75-79	448	5.9	33	1	2	4	8	18	23	35-49	790	4.5	7	2	3	4	6	7	10
80-84	225	5.5	24	2	3	4	6	10	13	50-69	959	4.7	12	2	2	4	5	8	11
85 +	268	5.3	10	2	4	5	6	7	16	70 +	33	4.0							
SUBTOTAL	**2161**	**5.7**	**26**	**2**	**3**	**4**	**7**	**11**	**16**		**8021**	**3.6**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**8761**	**7.6**	**56**	**2**	**3**	**5**	**9**	**15**	**23**		**12578**	**4.1**	**16**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	810	4.4	16	1	2	3	5	9	13	0-17	520	4.2	15	1	2	3	5	9	14
18-34	334	7.0	32	2	3	5	8	14	20	18-34	275	5.6	17	1	3	5	6	12	15
35-49	343	6.9	34	2	3	5	8	13	21	35-49	384	6.3	44	2	2	4	6	14	28
50-69	141	10.5	139	2	3	8	15	15	55	50-69	407	7.4	21	2	4	7	9	13	18
70 +	10	9.0								70 +	103	5.1	8	2	2	7	7	8	9
SUBTOTAL	**1639**	**6.0**	**37**	**1**	**2**	**5**	**8**	**13**	**15**		**1689**	**5.7**	**24**	**1**	**2**	**4**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1690	2.8	6	1	1	2	3	5	6	0-17	2386	2.9	6	1	1	2	4	6	7
18-34	245	6.0	141	1	2	3	4	8	10	18-34	476	4.3	8	1	2	4	6	7	8
35-49	56	5.2	5	2	3	5	7	8	8	35-49	281	4.9	16	1	3	4	6	8	10
50-69	120	3.5	3	2	2	3	4	7	7	50-69	356	4.7	21	1	3	4	5	7	17
70 +	0									70 +	82	21.0	411	4	4	5	46	46	46
SUBTOTAL	**2110**	**3.3**	**23**	**1**	**1**	**2**	**4**	**6**	**7**		**3581**	**3.9**	**25**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**3749**	**4.5**	**31**	**1**	**2**	**3**	**5**	**8**	**13**		**5271**	**4.5**	**25**	**1**	**2**	**3**	**5**	**8**	**13**

Total U.S., July 1988 - June 1989

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3802	8.9	74	3	4	7	10	17	24
70-74	2537	7.4	39	2	4	6	9	13	19
75-79	2132	7.7	31	3	5	7	9	14	20
80-84	1023	9.8	65	3	5	7	12	20	29
85 +	703	8.2	37	3	5	6	9	14	20
SUBTOTAL	**10197**	**8.3**	**53**	**3**	**4**	**7**	**10**	**15**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10197**	**8.3**	**53**	**3**	**4**	**7**	**10**	**15**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6377	6.0	23	2	3	5	7	12	15
18-34	2944	7.7	68	1	3	6	9	15	21
35-49	3159	9.3	85	3	4	6	11	19	27
50-69	3874	7.9	40	3	4	6	9	15	20
70 +	215	12.1	255	4	5	9	16	17	17
	16569	**7.5**	**52**	**2**	**4**	**6**	**9**	**15**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	16569	**7.5**	**52**	**2**	**4**	**6**	**9**	**15**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2399	6.5	29	2	3	5	7	14	17
18-34	1431	12.5	194	2	4	9	16	23	49
35-49	1330	13.3	211	2	5	7	19	39	54
50-69	656	7.4	29	2	4	6	8	14	17
70 +	40	8.8							
SUBTOTAL	**5855**	**9.6**	**120**	**2**	**4**	**6**	**13**	**21**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5855**	**9.6**	**120**	**2**	**4**	**6**	**13**	**21**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1408	7.3	47	2	3	5	8	16	20
18-34	1144	10.6	128	2	5	8	14	18	24
35-49	1074	10.9	119	3	4	7	14	24	39
50-69	952	9.2	109	2	5	6	10	17	25
70 +	170	7.4	17	3	5	6	9	13	20
	4748	**9.3**	**97**	**2**	**4**	**6**	**11**	**19**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4748	**9.3**	**97**	**2**	**4**	**6**	**11**	**19**	**25**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	655	5.5	35	2	2	4	7	10	13
70-74	403	5.6	15	1	3	4	9	11	14
75-79	461	5.4	9	1	3	5	7	9	12
80-84	356	5.7	17	2	3	5	8	12	13
85 +	175	4.8	17	< 1	1	4	7	10	11
SUBTOTAL	**2050**	**5.5**	**21**	**1**	**3**	**4**	**7**	**11**	**13**
GRAND TOTAL	**2050**	**5.5**	**21**	**1**	**3**	**4**	**7**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	7968	4.2	20	1	2	3	5	7	9
18-34	1641	4.7	20	< 1	2	4	6	8	15
35-49	1314	5.1	13	1	2	4	7	10	13
50-69	937	6.8	149	1	2	4	7	11	16
70 +	55	12.6	78						
	11915	**4.6**	**31**	**1**	**2**	**4**	**6**	**8**	**11**
	11915	**4.6**	**31**	**1**	**2**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3292	4.4	12	< 1	2	4	6	9	11
18-34	374	6.0	29	2	3	5	7	10	10
35-49	430	8.1	84	1	3	5	11	15	28
50-69	164	4.9	6	1	3	5	7	8	8
70 +	64	7.0	16						
SUBTOTAL	**4324**	**4.9**	**21**	**1**	**2**	**4**	**6**	**10**	**12**
GRAND TOTAL	**4324**	**4.9**	**21**	**1**	**2**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2540	4.9	34	1	2	4	6	8	10
18-34	815	4.6	12	1	2	4	6	11	13
35-49	465	6.2	28	1	3	4	11	13	19
50-69	268	4.3	7	1	2	4	6	7	8
70 +	18	4.3	2						
	4106	**4.9**	**27**	**1**	**2**	**4**	**6**	**9**	**12**
	4106	**4.9**	**27**	**1**	**2**	**4**	**6**	**9**	**12**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1422	14.3	152	4	6	10	19	30	37	0-17	381	34.0	302	6	18	36	49	55	64
70-74	1165	14.0	123	5	6	10	19	30	38	18-34	420	21.1	506	4	6	11	32	43	91
75-79	731	18.8	215	5	9	14	24	42	50	35-49	1074	23.4	423	5	8	16	36	49	62
80-84	457	19.7	222	4	8	18	28	38	56	50-69	1527	16.4	221	4	7	11	19	35	49
85 +	180	15.5	243	3	5	8	18	41	44	70 +	74	15.3	41	8	12	14	20	25	25
SUBTOTAL	**3955**	**15.7**	**172**	**4**	**7**	**12**	**22**	**33**	**42**		**3476**	**21.0**	**353**	**5**	**8**	**14**	**32**	**48**	**58**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	764	6.9	20	2	4	6	9	14	15	0-17	490	10.1	89	4	5	6	11	21	32
70-74	631	7.6	44	2	4	5	10	15	23	18-34	1062	6.8	59	1	4	6	7	11	15
75-79	400	8.9	46	2	4	7	11	21	26	35-49	1033	7.4	61	2	3	5	8	12	24
80-84	229	7.3	40	1	3	6	9	16	22	50-69	1621	6.9	28	2	4	6	8	12	16
85 +	105	7.4	18	1	5	8	11	12	13	70 +	17	3.8	4						
SUBTOTAL	**2129**	**7.6**	**34**	**1**	**4**	**6**	**10**	**15**	**19**		**4223**	**7.4**	**52**	**2**	**4**	**6**	**8**	**12**	**21**
GRAND TOTAL	**6084**	**12.9**	**139**	**3**	**5**	**9**	**16**	**28**	**38**		**7699**	**13.5**	**234**	**3**	**5**	**8**	**15**	**36**	**45**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	83	26.7	509	6	11	19	33	69	71	0-17	127	29.7	401	5	12	34	46	54	69
18-34	89	28.4	215	10	11	30	39	50	50	18-34	180	16.1	244	4	5	9	30	45	45
35-49	76	20.7	234	2	11	16	30	57	57	35-49	132	14.9	481	3	4	8	11	37	95
50-69	166	22.5	279	9	10	16	28	55	56	50-69	315	16.8	340	3	5	9	24	35	60
70 +	0									70 +	72	10.6	34	2	7	12	13	20	20
SUBTOTAL	**414**	**24.3**	**309**	**8**	**11**	**17**	**33**	**55**	**59**		**827**	**17.8**	**351**	**3**	**5**	**9**	**24**	**45**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	111	4.8	10	1	3	4	5	10	12	0-17	122	13.4	208	3	4	6	10	36	45
18-34	135	8.2	44	2	5	6	11	15	30	18-34	340	9.1	102	3	5	6	9	11	42
35-49	73	5.8	6	4	4	5	6	12	12	35-49	368	9.6	66	2	5	7	13	16	28
50-69	54	5.4	6	1	3	6	8	8	8	50-69	335	5.8	15	1	3	5	7	13	14
70 +	18	17.1	67							70 +	32	9.0	11						
SUBTOTAL	**391**	**6.8**	**30**	**2**	**4**	**5**	**8**	**13**	**15**		**1197**	**8.8**	**79**	**2**	**4**	**6**	**9**	**15**	**35**
GRAND TOTAL	**805**	**15.8**	**250**	**4**	**5**	**10**	**21**	**40**	**55**		**2024**	**12.5**	**210**	**2**	**5**	**7**	**13**	**35**	**45**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1512	14.5	248	2	5	8	17	39	51
70-74	1225	13.4	129	2	4	11	19	31	35
75-79	1169	15.9	211	3	6	11	22	42	45
80-84	634	14.0	159	3	3	9	19	32	37
85 +	516	12.7	166	3	5	9	16	26	38
SUBTOTAL	**5055**	**14.3**	**192**	**2**	**5**	**10**	**19**	**34**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5055**	**14.3**	**192**	**2**	**5**	**10**	**19**	**34**	**45**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	12.9	162	2	2	11	14	39	39
18-34	227	15.7	148	3	8	12	17	37	39
35-49	549	10.0	68	2	3	8	14	22	28
50-69	1321	13.3	203	2	4	8	16	32	46
70 +	75	14.1	105	2	8	10	19	24	40
	2261	**12.8**	**162**	**2**	**4**	**9**	**16**	**28**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2261	**12.8**	**162**	**2**	**4**	**9**	**16**	**28**	**39**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	69	7.7	10	4	6	6	9	13	13
18-34	67	13.8	167	2	4	9	21	41	41
35-49	71	14.8	185	2	4	14	18	21	54
50-69	130	10.5	58	4	4	9	12	22	32
70 +	8	9.0							
SUBTOTAL	**344**	**11.4**	**100**	**4**	**4**	**9**	**14**	**21**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**344**	**11.4**	**100**	**4**	**4**	**9**	**14**	**21**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	58.4	1170						
18-34	256	14.9	164	3	5	10	20	37	40
35-49	98	12.6	91	1	3	11	17	29	29
50-69	323	16.2	302	1	5	10	18	50	60
70 +	24	6.7	29						
	723	**16.2**	**300**	**1**	**5**	**10**	**19**	**42**	**51**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	723	**16.2**	**300**	**1**	**5**	**10**	**19**	**42**	**51**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	844	4.6	19	1	2	3	7	11	16
70-74	761	4.1	12	1	1	3	6	9	10
75-79	535	5.8	36	1	1	4	8	15	16
80-84	382	6.5	42	1	2	4	8	19	22
85 +	299	6.2	50	1	1	3	7	24	24
SUBTOTAL	**2820**	**5.1**	**28**	**1**	**1**	**3**	**7**	**12**	**17**
GRAND TOTAL	**2820**	**5.1**	**28**	**1**	**1**	**3**	**7**	**12**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	417	5.4	19	1	2	4	8	12	14
18-34	601	4.9	17	1	2	3	7	10	11
35-49	946	4.4	11	1	2	3	7	9	10
50-69	1579	4.7	23	1	2	3	7	9	14
70 +	36	3.0	3						
	3579	**4.7**	**18**	**1**	**2**	**3**	**7**	**10**	**13**
	3579	**4.7**	**18**	**1**	**2**	**3**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	84	4.4	10	1	1	4	7	10	10
18-34	47	11.3	89	1	2	10	18	28	28
35-49	80	6.3	35	1	2	3	14	16	16
50-69	93	4.4	14	1	2	3	7	8	14
70 +	8	16.0							
SUBTOTAL	**311**	**6.2**	**37**	**1**	**2**	**3**	**9**	**16**	**17**
GRAND TOTAL	**311**	**6.2**	**37**	**1**	**2**	**3**	**9**	**16**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	166	6.5	94	1	1	3	8	14	43
18-34	168	3.3	6	1	1	2	4	7	8
35-49	190	7.2	54	1	1	3	11	14	25
50-69	390	4.6	16	1	1	3	7	10	12
70 +	95	3.8	16	< 1	< 1	1	8	11	11
	1011	**5.1**	**36**	**1**	**1**	**3**	**7**	**11**	**14**
	1011	**5.1**	**36**	**1**	**1**	**3**	**7**	**11**	**14**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4615	10.2	85	2	4	7	14	23	30	0-17	751	10.4	122	1	3	6	13	25	35
70-74	3205	12.8	148	3	5	8	17	27	38	18-34	826	10.3	97	2	3	8	14	26	28
75-79	3869	11.5	130	2	4	8	15	25	35	35-49	1623	11.2	140	2	3	7	15	25	35
80-84	2892	11.6	110	3	6	9	15	23	32	50-69	4506	10.6	86	2	4	8	14	22	27
85 +	1930	10.5	67	3	5	8	13	21	28	70 +	204	10.2	45	4	5	9	13	20	24
SUBTOTAL	**16511**	**11.3**	**111**	**3**	**4**	**8**	**15**	**24**	**33**		**7911**	**10.7**	**101**	**2**	**4**	**8**	**14**	**23**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16511**	**11.3**	**111**	**3**	**4**	**8**	**15**	**24**	**33**		**7911**	**10.7**	**101**	**2**	**4**	**8**	**14**	**23**	**29**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	335	10.0	302	2	3	5	10	14	30	0-17	209	9.0	98	1	2	7	10	30	30
18-34	352	9.3	88	2	4	6	12	16	24	18-34	242	11.4	107	1	4	8	17	23	24
35-49	347	13.0	113	3	7	11	15	34	38	35-49	502	10.7	101	2	4	8	13	27	33
50-69	557	13.2	248	3	4	8	15	29	47	50-69	1184	12.2	189	2	5	8	15	26	35
70 +	64	9.0	35	5	6	6	11	99 +	99 +	70 +	282	11.2	69	2	4	10	14	25	27
SUBTOTAL	**1654**	**11.5**	**191**	**2**	**4**	**7**	**13**	**26**	**38**		**2418**	**11.4**	**142**	**2**	**4**	**8**	**14**	**25**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1654**	**11.5**	**191**	**2**	**4**	**7**	**13**	**26**	**38**		**2418**	**11.4**	**142**	**2**	**4**	**8**	**14**	**25**	**31**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1737	6.6	38	1	3	5	8	12	18	0-17	1311	4.0	11	1	1	3	5	7	11
70-74	1147	6.0	19	1	3	5	8	11	14	18-34	646	3.5	19	1	1	2	4	8	12
75-79	1013	7.1	36	2	3	5	11	14	19	35-49	1681	5.3	36	1	2	3	6	11	16
80-84	725	8.1	52	2	3	7	11	16	26	50-69	2468	5.3	21	1	2	4	7	11	14
85 +	484	7.7	52	1	3	6	9	15	27	70 +	65	9.5	36	1	4	12	16	17	17
SUBTOTAL	**5106**	**6.9**	**37**	**1**	**3**	**5**	**9**	**14**	**18**		**6170**	**4.9**	**24**	**1**	**2**	**3**	**6**	**11**	**13**
GRAND TOTAL	**5106**	**6.9**	**37**	**1**	**3**	**5**	**9**	**14**	**18**		**6170**	**4.9**	**24**	**1**	**2**	**3**	**6**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	387	4.9	20	1	2	3	7	10	16	0-17	342	3.9	7	1	2	3	6	7	8
18-34	234	5.9	26	1	2	4	8	17	17	18-34	174	5.6	23	1	2	5	8	12	13
35-49	59	5.4	25	< 1	2	4	7	17	17	35-49	308	4.7	23	1	1	3	7	11	15
50-69	212	7.7	19	3	5	7	9	13	14	50-69	752	4.9	28	1	1	3	7	10	15
70 +	10	1.0								70 +	127	5.1	11	2	3	4	7	9	14
SUBTOTAL	**903**	**5.8**	**23**	**1**	**2**	**4**	**8**	**14**	**17**		**1703**	**4.7**	**21**	**1**	**1**	**3**	**7**	**10**	**14**
GRAND TOTAL	**903**	**5.8**	**23**	**1**	**2**	**4**	**8**	**14**	**17**		**1703**	**4.7**	**21**	**1**	**1**	**3**	**7**	**10**	**14**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	3667	10.9	123	1	3	7	14	28	32
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										3667	10.9	123	1	3	7	14	28	32
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	4070	6.1	40	1	2	4	8	14	19
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										4070	6.1	40	1	2	4	8	14	19
GRAND TOTAL	0										7738	8.4	85	1	3	5	10	20	29

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1189	13.3	234	1	3	9	19	30	43	0-17	1128	14.0	272	1	4	8	19	32	43
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	1189	13.3	234	1	3	9	19	30	43		1128	14.0	272	1	4	8	19	32	43
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1342	5.8	70	1	2	3	6	12	19	0-17	1168	6.7	44	1	2	5	9	14	25
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	1342	5.8	70	1	2	3	6	12	19		1168	6.7	44	1	2	5	9	14	25
GRAND TOTAL	2531	9.4	161	1	2	5	11	22	31		2296	10.3	169	1	3	6	11	26	37

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1102	15.0	180	4	7	11	18	32	50	0-17	322	20.3	352	5	8	13	25	52	68
70-74	644	17.0	171	4	7	13	22	38	45	18-34	147	17.4	156	6	8	12	23	39	46
75-79	676	11.2	63	3	5	10	15	23	28	35-49	491	14.4	161	4	6	9	17	30	46
80-84	279	15.3	114	4	7	9	24	32	35	50-69	1201	14.2	155	5	7	10	19	25	39
85 +	198	13.9	105	5	5	11	21	29	33	70 +	30	12.6	49						
SUBTOTAL	**2899**	**14.5**	**143**	**4**	**6**	**11**	**19**	**31**	**42**		**2191**	**15.4**	**189**	**4**	**7**	**11**	**19**	**31**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2899**	**14.5**	**143**	**4**	**6**	**11**	**19**	**31**	**42**		**2191**	**15.4**	**189**	**4**	**7**	**11**	**19**	**31**	**46**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	5.8	5							0-17	83	21.9	649	3	5	11	52	55	80
18-34	28	18.6	245							18-34	51	9.8	13	4	8	9	12	16	16
35-49	35	10.3	94							35-49	48	15.6	299	6	6	7	14	54	54
50-69	222	15.1	124	6	9	11	16	41	41	50-69	291	15.4	177	6	8	10	15	40	44
70 +	0									70 +	24	11.3	119						
SUBTOTAL	**323**	**13.8**	**128**	**5**	**7**	**10**	**13**	**40**	**41**		**496**	**15.8**	**257**	**5**	**7**	**10**	**16**	**44**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**323**	**13.8**	**128**	**5**	**7**	**10**	**13**	**40**	**41**		**496**	**15.8**	**257**	**5**	**7**	**10**	**16**	**44**	**52**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	514	6.7	13	2	4	7	8	11	13
70-74	358	7.8	31	2	4	6	10	13	22
75-79	247	7.8	27	3	5	6	10	13	21
80-84	38	7.9	32						
85 +	59	11.6	161	2	2	4	14	39	39
SUBTOTAL	**1217**	**7.6**	**30**	**2**	**4**	**6**	**9**	**13**	**20**
GRAND TOTAL	**1217**	**7.6**	**30**	**2**	**4**	**6**	**9**	**13**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	217	5.7	9	3	4	5	6	10	14
18-34	150	5.3	9	2	3	6	7	9	9
35-49	585	5.6	30	1	2	4	6	11	16
50-69	1238	7.8	44	2	4	7	9	13	18
70 +	16	3.9	6						
SUBTOTAL	**2206**	**6.8**	**35**	**1**	**4**	**6**	**8**	**13**	**16**
GRAND TOTAL	**2206**	**6.8**	**35**	**1**	**4**	**6**	**8**	**13**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	41	6.7	3						
18-34	8	11.0							
35-49	119	4.7	5	3	3	3	7	7	9
50-69	66	7.0	22	2	5	5	9	9	20
70 +	0								
SUBTOTAL	**234**	**5.9**	**11**	**3**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**234**	**5.9**	**11**	**3**	**3**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	38	14.3	200						
18-34	58	4.8	5	1	4	5	8	8	8
35-49	156	5.6	12	2	3	5	6	11	15
50-69	197	6.6	40	1	2	6	8	20	24
70 +	20	7.5							
SUBTOTAL	**469**	**6.7**	**42**	**1**	**3**	**5**	**8**	**11**	**24**
GRAND TOTAL	**469**	**6.7**	**42**	**1**	**3**	**5**	**8**	**11**	**24**

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1538	8.5	116	2	3	5	9	18	30
70-74	1207	8.8	136	2	3	4	11	23	25
75-79	776	8.9	59	2	3	6	14	22	25
80-84	425	9.6	95	2	3	6	13	17	25
85 +	253	9.2	90	2	3	6	12	20	37
SUBTOTAL	**4199**	**8.8**	**108**	**2**	**3**	**5**	**11**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1316	3.4	8	1	2	3	3	9	10
70-74	988	3.6	14	1	2	2	4	7	14
75-79	589	3.6	6	2	2	3	4	7	9
80-84	334	4.0	20	1	2	3	3	10	14
85 +	275	3.7	12	2	2	3	4	6	8
SUBTOTAL	**3501**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**7700**	**6.4**	**70**	**2**	**2**	**3**	**7**	**15**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	181	6.9	45	2	2	5	9	15	16
18-34	256	6.8	46	1	3	5	8	9	28
35-49	776	5.5	47	1	2	3	5	12	21
50-69	1908	6.6	55	2	2	5	7	12	20
70 +	72	3.5	3	1	1	4	5	6	6
	3193	**6.3**	**51**	**1**	**2**	**4**	**7**	**12**	**20**
0-17	277	4.3	23	< 1	< 1	3	6	10	18
18-34	339	4.0	8	1	2	3	5	9	10
35-49	1307	3.2	9	1	2	2	3	6	8
50-69	2112	3.4	15	1	2	2	3	7	9
70 +	26	2.2	1						
	4061	**3.4**	**13**	**1**	**2**	**2**	**4**	**7**	**10**
	7253	**4.7**	**32**	**1**	**2**	**3**	**5**	**9**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	59	10.5	122						
18-34	69	5.9	15	3	4	5	6	16	16
35-49	229	7.0	63	1	2	4	8	23	24
50-69	341	8.7	106	2	3	6	9	16	24
70 +	56	14.1	86						
SUBTOTAL	**753**	**8.5**	**88**	**2**	**3**	**5**	**9**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	104	3.2	9	1	1	1	8	8	8
18-34	130	2.7	1	1	2	3	4	4	4
35-49	311	4.2	9	2	2	3	6	10	12
50-69	419	3.3	4	1	2	3	4	6	8
70 +	38	6.0	30						
SUBTOTAL	**1003**	**3.6**	**7**	**1**	**2**	**3**	**4**	**8**	**9**
GRAND TOTAL	**1756**	**5.7**	**48**	**1**	**2**	**3**	**6**	**12**	**22**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	5.5	12						
18-34	85	8.4	53	3	3	5	18	20	22
35-49	107	7.7	119	1	2	4	6	11	40
50-69	413	10.6	103	2	4	8	14	24	28
70 +	56	2.8	1	2	2	2	4	5	5
	684	**9.0**	**93**	**2**	**3**	**5**	**11**	**21**	**28**
0-17	70	2.7	3	< 1	1	2	5	5	5
18-34	180	3.0	3	1	1	3	5	6	6
35-49	190	3.4	16	1	2	2	3	5	11
50-69	562	3.3	11	1	2	2	3	7	9
70 +	71	2.1	1	< 1	1	2	3	4	4
	1073	**3.1**	**9**	**1**	**2**	**2**	**3**	**5**	**8**
	1757	**5.4**	**50**	**1**	**2**	**3**	**5**	**13**	**21**

DRG 409: Radiotherapy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1590	8.5	68	3	5	5	11	17	21	0-17	118	3.4	2	1	2	3	5	5	5
70-74	1786	10.3	113	3	4	5	15	21	28	18-34	223	2.9	4	1	2	3	3	4	5
75-79	939	10.9	81	3	5	7	15	21	30	35-49	588	6.0	31	2	2	4	6	13	15
80-84	532	11.8	141	4	5	8	13	24	42	50-69	2368	6.5	37	2	4	5	6	14	21
85+	387	14.4	267	3	5	9	15	31	40	70+	73	9.3	29	4	6	7	14	15	23
SUBTOTAL	**5234**	**10.3**	**110**	**3**	**5**	**6**	**14**	**21**	**30**		**3369**	**6.1**	**34**	**2**	**3**	**5**	**6**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	471	3.4	3	1	2	3	5	5	6	0-17	39	2.2	1						
70-74	314	5.4	35	1	2	5	5	7	19	18-34	370	1.6	1	1	1	1	2	2	3
75-79	107	2.9	1	2	2	2	4	5	5	35-49	597	2.2	1	1	1	2	3	4	5
80-84	61	3.6	3							50-69	716	3.2	2	1	2	3	5	5	5
85+	46	6.3	55							70+	10	2.0							
SUBTOTAL	**998**	**4.1**	**16**	**1**	**2**	**3**	**5**	**6**	**9**		**1733**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**6232**	**9.3**	**100**	**2**	**4**	**5**	**13**	**20**	**28**		**5101**	**4.9**	**26**	**1**	**2**	**4**	**5**	**10**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	4.7	9							0-17	22	2.9	2						
18-34	75	5.0	3	2	4	5	5	8	8	18-34	113	3.0	2	2	2	3	4	5	5
35-49	120	6.0	19	2	3	5	7	15	16	35-49	148	8.5	222	2	3	4	5	12	62
50-69	304	6.7	24	2	4	5	10	14	16	50-69	334	5.1	27	1	2	3	6	11	14
70+	0									70+	24	13.0	43						
SUBTOTAL	**523**	**6.2**	**20**	**2**	**4**	**5**	**8**	**12**	**16**		**642**	**5.8**	**72**	**1**	**2**	**3**	**5**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	2.0							
18-34	60	2.9	1	1	2	3	4	4	4	18-34	271	2.1	1	1	1	2	3	4	5
35-49	10	3.0								35-49	174	2.1	1	1	1	2	3	3	4
50-69	108	6.3	70	2	3	4	5	5	32	50-69	206	3.1	1	1	2	3	4	5	5
70+	0									70+	0								
SUBTOTAL	**178**	**5.0**	**46**	**2**	**3**	**4**	**4**	**5**	**32**		**659**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**701**	**5.9**	**27**	**2**	**3**	**4**	**6**	**12**	**16**		**1301**	**4.1**	**39**	**1**	**2**	**3**	**4**	**7**	**10**

Total U.S., July 1988 - June 1989

DRG 410: Chemotherapy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	45606	3.4	10	1	2	3	4	6	7
70-74	29146	3.3	10	1	2	3	4	6	7
75-79	14964	3.5	8	1	2	3	4	6	7
80-84	4742	4.0	14	1	2	4	5	6	8
85 +	1222	4.0	9	1	2	4	5	6	8
SUBTOTAL	**95680**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10278	2.5	4	1	1	2	4	5	6
70-74	8490	2.4	3	1	1	2	3	5	6
75-79	4254	2.5	3	1	1	2	4	5	6
80-84	1483	2.6	4	1	1	2	4	5	6
85 +	266	4.8	3	2	4	5	6	7	7
SUBTOTAL	**24770**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**120449**	**3.2**	**9**	**1**	**2**	**3**	**4**	**6**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	25046	3.1	8	1	2	3	4	5	6
18-34	8745	3.6	10	1	2	3	5	6	7
35-49	24219	3.5	14	1	2	3	4	6	7
50-69	68681	3.1	9	1	2	2	4	6	6
70 +	1485	3.2	4	1	2	3	5	5	6
	128176	**3.2**	**10**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	13544	2.9	3	1	2	3	4	5	6
18-34	4373	3.1	5	1	2	3	4	5	6
35-49	9964	2.3	4	1	1	2	3	5	5
50-69	18224	2.2	3	1	1	2	3	5	5
70 +	312	1.6	2	1	1	1	1	5	5
	46417	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**5**
	174593	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8499	3.3	8	1	2	3	4	5	7
18-34	2682	3.7	11	1	2	3	5	6	8
35-49	3759	3.8	13	1	2	3	5	6	8
50-69	6027	3.9	10	1	2	3	5	6	8
70 +	60	4.4	1	4	4	4	5	6	6
SUBTOTAL	**21027**	**3.6**	**10**	**1**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4519	3.1	2	1	2	3	4	5	6
18-34	1160	3.6	5	1	2	4	5	5	6
35-49	1218	3.2	5	1	1	3	5	6	8
50-69	1473	2.9	3	1	1	2	4	6	6
70 +	23	1.7	1						
SUBTOTAL	**8393**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**29420**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6749	2.9	6	1	2	2	4	5	6
18-34	1942	4.1	32	1	2	4	5	6	7
35-49	3584	3.5	17	1	2	2	5	6	7
50-69	7524	3.1	12	1	1	2	4	5	7
70 +	971	2.6	18	1	1	2	3	5	5
	20769	**3.2**	**13**	**1**	**1**	**2**	**4**	**5**	**6**
0-17	2646	3.3	3	1	2	3	4	5	6
18-34	1152	3.4	6	1	1	4	4	5	6
35-49	1608	2.8	5	1	1	2	4	5	6
50-69	2450	2.5	4	1	1	2	4	6	6
70 +	206	1.9	2	1	1	1	3	4	6
	8061	**3.0**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
	28831	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 411: History of Malignancy w/o Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	529	4.6	4	3	3	4	4	7	9	0-17	61	2.3	4	<1	1	1	4	6	6
70-74	210	5.8	8	1	4	5	9	9	9	18-34	8	2.0							
75-79	238	3.7	5	1	2	4	4	5	6	35-49	128	4.8	3						
80-84	120	10.7	348							50-69	414	5.3	20	2	2	4	5	13	16
85 +	8	2.0								70 +	0								
SUBTOTAL	**1105**	**5.2**	**46**	**2**	**3**	**4**	**5**	**9**	**9**		**611**	**4.8**	**16**	**1**	**2**	**4**	**5**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	101	2.3	2	<1	1	1	3	5	5	0-17	107	1.9	1	1	1	2	2	3	4
70-74	20	5.8	20							18-34	69	2.0		1	2	2	2	3	3
75-79	52	4.3	5							35-49	101	1.7	1	<1	1	1	3	3	3
80-84	10	5.0								50-69	107	2.1	1	<1	2	2	3	3	3
85 +	18	4.9	21							70 +	0								
SUBTOTAL	**201**	**3.5**	**8**	**1**	**1**	**3**	**5**	**6**	**10**		**383**	**1.9**	**1**	**<1**	**1**	**2**	**3**	**3**	**3**
GRAND TOTAL	**1305**	**5.0**	**41**	**1**	**3**	**4**	**5**	**9**	**9**		**994**	**3.7**	**12**	**1**	**2**	**2**	**4**	**7**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	13.0								0-17	8	29.0							
18-34	0									18-34	0								
35-49	18	2.9	1							35-49	15	6.5							
50-69	16	5.4	20							50-69	38	1.8	3						
70 +	0									70 +	0								
SUBTOTAL	**42**	**5.7**	**22**								**61**	**6.4**	**81**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	32	1.9	1							0-17	0								
18-34	9	2.0								18-34	8	1.0							
35-49	9	1.0								35-49	0								
50-69	0									50-69	50	2.4	8						
70 +	0									70 +	17	5.6	26						
SUBTOTAL	**51**	**1.7**	**1**								**75**	**3.0**	**13**	**<1**	**<1**	**1**	**2**	**10**	**11**
GRAND TOTAL	**93**	**3.5**	**14**	**1**	**1**	**2**	**3**	**11**	**13**		**137**	**4.5**	**46**	**<1**	**1**	**1**	**6**	**11**	**29**

Total U.S., July 1988 - June 1989

DRG 412: History of Malignancy w/ Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	118	2.7	2	1	1	4	4	4	4	0-17	0								
70-74	72	17.1	320	< 1	1	2	37	37	37	18-34	0								
75-79	60	4.9	6							35-49	0								
80-84	120	4.5	29	< 1	1	2	3	14	14	50-69	107	3.4	1	2	3	4	4	4	4
85 +	0									70 +	8	7.0							
SUBTOTAL	**371**	**6.5**	**101**	**1**	**1**	**3**	**7**	**14**	**37**		**114**	**3.6**	**1**	**2**	**3**	**4**	**4**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	86	2.9	11	< 1	< 1	1	3	7	13	0-17	0								
70-74	20	1.7								18-34	0								
75-79	67	1.5	2	< 1	< 1	1	1	5	5	35-49	72	1.0							
80-84	65	1.7								50-69	39	1.7							
85 +	0									70 +	32	1.0							
SUBTOTAL	**238**	**2.1**	**5**	**< 1**	**< 1**	**1**	**2**	**3**	**7**		**143**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
GRAND TOTAL	**609**	**4.8**	**68**	**< 1**	**1**	**2**	**4**	**13**	**37**		**257**	**2.3**	**2**	**< 1**	**< 1**	**2**	**4**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	9	5.0							
50-69	0									50-69	0								
70 +	0									70 +	14	2.0							
SUBTOTAL	**0**										**24**	**3.2**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	19	1.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**19**	**1.0**							
GRAND TOTAL	**0**										**43**	**2.2**	**2**						

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1934	11.2	165	3	4	7	12	23	32
70-74	1184	11.0	104	3	5	8	14	20	28
75-79	1506	10.3	79	2	4	8	15	20	25
80-84	702	11.7	202	2	4	7	13	26	39
85 +	459	12.0	150	4	5	9	16	21	24
SUBTOTAL	**5785**	**11.0**	**134**	**3**	**4**	**8**	**14**	**22**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5785**	**11.0**	**134**	**3**	**4**	**8**	**14**	**22**	**30**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	7.3	176	< 1	2	3	7	7	53
18-34	202	4.8	22	1	3	4	6	7	8
35-49	619	7.6	31	2	4	6	11	16	20
50-69	1668	10.3	89	2	4	7	13	23	29
70 +	51	10.7	55	5	5	8	13	27	27
	2644	**9.1**	**76**	**2**	**3**	**6**	**11**	**20**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2644	**9.1**	**76**	**2**	**3**	**6**	**11**	**20**	**27**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	6.4	12						
18-34	127	7.7	23	1	6	6	12	12	18
35-49	92	9.7	34	4	5	8	12	21	21
50-69	330	12.6	128	3	6	8	18	31	32
70 +	32	4.0							
SUBTOTAL	**626**	**10.3**	**85**	**3**	**4**	**7**	**12**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**626**	**10.3**	**85**	**3**	**4**	**7**	**12**	**23**	**31**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	25.6	290						
18-34	32	11.1	9						
35-49	145	10.7	176	2	5	6	11	22	57
50-69	410	10.7	75	3	5	7	16	27	31
70 +	39	10.3	36						
	672	**11.7**	**118**	**3**	**5**	**7**	**15**	**30**	**36**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	672	**11.7**	**118**	**3**	**5**	**7**	**15**	**30**	**36**

Total U.S., July 1988 - June 1989

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	758	6.3	41	1	3	4	7	16	19
70-74	717	5.8	15	1	3	5	8	12	14
75-79	441	8.3	46	1	3	5	13	15	19
80-84	275	9.3	89	2	2	7	12	16	37
85 +	292	9.5	66	1	4	8	14	21	29
SUBTOTAL	**2483**	**7.2**	**45**	**1**	**3**	**5**	**9**	**16**	**19**
GRAND TOTAL	**2483**	**7.2**	**45**	**1**	**3**	**5**	**9**	**16**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	324	3.0	19	< 1	1	2	3	6	8
18-34	58	2.7	5	1	1	2	5	7	7
35-49	454	5.4	17	1	2	5	8	11	13
50-69	1171	5.6	50	1	2	3	7	11	17
70 +	28	2.1	1						
SUBTOTAL	**2036**	**5.0**	**37**	**1**	**1**	**3**	**6**	**10**	**14**
GRAND TOTAL	**2036**	**5.0**	**37**	**1**	**1**	**3**	**6**	**10**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	2.3	2	1	1	2	3	4	6
18-34	65	5.9	2	4	5	6	6	9	9
35-49	41	4.8	4						
50-69	121	8.5	19	3	6	8	13	13	19
70 +	0								
SUBTOTAL	**310**	**5.8**	**15**	**1**	**3**	**6**	**8**	**13**	**13**
GRAND TOTAL	**310**	**5.8**	**15**	**1**	**3**	**6**	**8**	**13**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	64	2.5	6	< 1	1	2	2	9	9
18-34	44	3.0	2						
35-49	143	3.7	8	< 1	1	3	5	7	10
50-69	295	6.7	32	1	3	5	9	16	17
70 +	54	2.6	3	1	1	3	4	5	5
SUBTOTAL	**600**	**4.9**	**22**	**1**	**2**	**4**	**6**	**11**	**13**
GRAND TOTAL	**600**	**4.9**	**22**	**1**	**2**	**4**	**6**	**11**	**13**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5436	20.5	248	6	9	16	28	46	58
70-74	2872	22.0	263	7	11	16	30	45	57
75-79	2681	23.2	289	8	11	18	31	45	61
80-84	2234	21.8	245	8	12	17	27	45	61
85 +	2109	20.6	237	7	10	16	27	40	55
SUBTOTAL	**15333**	**21.4**	**257**	**7**	**11**	**17**	**28**	**45**	**59**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1186	10.2	53	3	5	9	13	20	24
70-74	771	10.7	93	3	4	8	13	21	32
75-79	539	11.7	113	3	5	9	14	31	38
80-84	243	13.5	111	3	4	13	16	27	33
85 +	252	11.2	59	3	6	10	14	21	31
SUBTOTAL	**2991**	**11.0**	**80**	**3**	**5**	**9**	**14**	**21**	**31**
GRAND TOTAL	**18324**	**19.7**	**243**	**6**	**9**	**15**	**26**	**42**	**56**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	848	13.8	119	3	7	11	19	33	51
18-34	1441	13.7	139	4	6	10	19	29	34
35-49	2033	16.8	200	4	8	12	22	37	46
50-69	3103	18.8	214	5	9	14	25	40	50
70 +	148	18.8	357	2	8	16	23	28	89
	7574	**16.7**	**193**	**4**	**8**	**12**	**22**	**36**	**46**
0-17	1277	6.4	25	2	3	4	10	13	16
18-34	1801	6.9	27	2	4	6	9	13	16
35-49	1704	8.1	53	2	4	7	10	14	21
50-69	1609	9.7	68	2	4	8	14	19	24
70 +	49	9.8	13						
	6441	**7.8**	**46**	**2**	**3**	**6**	**10**	**15**	**19**
	14014	**12.6**	**145**	**2**	**5**	**9**	**16**	**28**	**38**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	430	19.9	205	4	10	15	33	44	50
18-34	512	16.8	210	5	7	11	22	44	53
35-49	473	26.1	362	7	13	22	32	51	64
50-69	550	23.3	448	7	9	15	35	69	95
70 +	38	16.2	4						
SUBTOTAL	**2003**	**21.4**	**318**	**6**	**9**	**16**	**32**	**52**	**69**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	458	7.0	29	2	3	5	10	15	19
18-34	348	7.6	51	2	3	5	9	17	27
35-49	315	7.5	26	2	3	7	12	16	16
50-69	134	9.0	30	2	4	7	13	17	20
70 +	17	11.4	52						
SUBTOTAL	**1273**	**7.6**	**35**	**2**	**3**	**6**	**10**	**16**	**19**
GRAND TOTAL	**3276**	**16.0**	**254**	**3**	**6**	**11**	**20**	**40**	**53**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	353	18.7	223	6	9	15	17	52	53
18-34	418	12.8	104	4	6	9	18	31	36
35-49	445	17.1	161	6	9	13	24	43	44
50-69	647	20.8	226	4	10	18	31	45	48
70 +	119	13.6	63	4	4	13	20	24	29
	1982	**17.5**	**185**	**4**	**8**	**14**	**24**	**39**	**48**
0-17	462	6.0	20	2	3	5	8	12	16
18-34	970	8.7	113	2	4	6	10	16	25
35-49	379	10.1	112	1	3	7	13	22	27
50-69	444	11.3	203	2	4	7	12	22	27
70 +	45	23.5	763	3	6	7	31	88	88
	2300	**9.2**	**131**	**2**	**3**	**6**	**10**	**19**	**26**
	4282	**13.0**	**173**	**3**	**4**	**9**	**16**	**29**	**44**

Total U.S., July 1988 - June 1989

DRG 416: Septicemia Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16597	10.8	67	4	6	9	13	19	26
70-74	13449	11.7	94	5	6	9	14	20	29
75-79	14787	11.1	58	5	7	9	13	19	25
80-84	14493	11.7	73	5	7	10	14	21	28
85 +	16789	11.7	76	5	7	10	14	21	29
SUBTOTAL	**76115**	**11.4**	**73**	**5**	**6**	**9**	**13**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1157	9.0	56	4	5	7	10	15	23
70-74	1056	9.8	65	3	5	8	11	21	28
75-79	1062	7.8	28	3	4	6	10	14	18
80-84	972	10.4	64	4	5	9	14	18	21
85 +	1300	9.1	42	2	5	7	12	16	22
SUBTOTAL	**5547**	**9.2**	**51**	**3**	**5**	**7**	**11**	**16**	**21**
GRAND TOTAL	**81662**	**11.2**	**72**	**4**	**6**	**9**	**13**	**20**	**27**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2408	8.2	53	3	4	7	10	14	20
35-49	4095	10.2	73	4	5	8	12	19	26
50-69	9505	10.6	77	4	6	8	12	20	27
70 +	892	11.4	67	5	6	10	12	20	35
	16899	**10.2**	**73**	**4**	**5**	**8**	**12**	**19**	**26**
0-17	0								
18-34	776	6.9	27	2	3	6	9	12	21
35-49	881	5.8	15	2	3	5	8	11	14
50-69	1504	7.6	21	3	4	7	10	13	16
70 +	57	7.2	6	4	5	7	9	11	11
	3217	**6.9**	**21**	**2**	**4**	**6**	**9**	**12**	**16**
	20116	**9.7**	**66**	**3**	**5**	**8**	**11**	**18**	**24**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1455	10.0	102	4	5	8	11	16	26
35-49	1416	12.4	115	4	6	9	16	28	39
50-69	2155	12.7	81	5	7	10	15	24	30
70 +	699	12.3	64	5	6	10	16	28	34
SUBTOTAL	**5726**	**11.9**	**94**	**4**	**6**	**9**	**15**	**23**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	182	11.3	170	3	4	6	10	28	49
35-49	95	9.1	32	3	4	9	12	16	21
50-69	100	8.0	13	4	6	6	12	13	14
70 +	34	10.9	85						
SUBTOTAL	**411**	**10.0**	**94**	**3**	**5**	**6**	**13**	**49**	**99 +**
GRAND TOTAL	**6137**	**11.8**	**94**	**4**	**6**	[illegible]	**15**	**24**	**34**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1190	10.4	80	4	5	7	13	19	28
35-49	1191	10.2	93	2	4	8	13	23	27
50-69	1970	9.3	38	4	5	8	11	16	21
70 +	953	11.4	105	4	5	8	14	19	36
	5304	**10.1**	**72**	**3**	**5**	**8**	**13**	**18**	**25**
0-17	0								
18-34	265	4.9	7	3	3	4	6	7	12
35-49	192	6.3	14	3	3	6	8	10	13
50-69	366	7.0	17	2	3	6	9	15	15
70 +	87	8.1	38	2	3	5	12	18	20
	911	**6.4**	**17**	**2**	**3**	**6**	**8**	**13**	**15**
	6216	**9.6**	**66**	**3**	**5**	**7**	**12**	**18**	**23**

Total U.S., July 1988 - June 1989

DRG 417: Septicemia Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	139	7.1	14	2	5	7	9	14	15	0-17	6526	6.9	33	2	3	5	9	14	16
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	139	7.1	14	2	5	7	9	14	15		6526	6.9	33	2	3	5	9	14	16
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	4.1	4							0-17	10690	4.4	12	2	3	3	5	8	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	32	4.1	4								10690	4.4	12	2	3	3	5	8	11
GRAND TOTAL	171	6.6	13	2	3	7	9	10	14		17216	5.3	21	2	3	4	7	11	14

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3846	7.6	49	3	3	5	10	15	21	0-17	2487	7.3	32	2	3	5	10	14	18
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	3846	7.6	49	3	3	5	10	15	21		2487	7.3	32	2	3	5	10	14	18
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6532	5.3	16	2	3	4	7	10	11	0-17	5609	4.4	10	2	3	3	5	8	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	6532	5.3	16	2	3	4	7	10	11		5609	4.4	10	2	3	3	5	8	10
GRAND TOTAL	10378	6.1	29	2	3	4	8	11	15		8096	5.3	19	2	3	4	7	10	14

DRG 418: Postoperative & Post-traumatic Infections

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2803	9.2	65	3	4	7	12	18	21
70-74	1243	8.4	27	3	4	7	11	15	16
75-79	1250	8.1	28	3	5	6	11	17	24
80-84	740	9.8	68	3	4	8	12	18	24
85 +	499	9.2	35	4	6	7	11	16	18
SUBTOTAL	**6535**	**8.9**	**49**	**3**	**5**	**7**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1784	6.2	15	2	4	6	7	11	13
70-74	1155	6.8	18	2	4	6	8	12	17
75-79	935	7.5	25	3	4	6	9	14	16
80-84	524	7.5	15	3	5	7	10	13	16
85 +	339	12.1	203	3	5	8	14	26	26
SUBTOTAL	**4737**	**7.1**	**34**	**2**	**4**	**6**	**9**	**13**	**16**
GRAND TOTAL	**11273**	**8.1**	**43**	**3**	**4**	**6**	**10**	**15**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	615	7.6	40	2	3	5	10	18	23
18-34	960	5.7	12	3	3	4	7	10	14
35-49	1280	7.2	35	2	4	6	8	14	19
50-69	1755	8.2	41	3	4	7	10	16	20
70 +	84	5.5	7	1	5	5	7	9	10
	4694	**7.3**	**34**	**2**	**4**	**6**	**9**	**15**	**19**
0-17	1913	4.5	12	2	[illegible]	3	6	9	11
18-34	2816	4.7	14	2	[illegible]	4	6	8	10
35-49	2924	5.6	14	2	3	5	7	10	12
50-69	2640	6.3	22	2	3	5	8	11	14
70 +	55	8.9	53	1	4	5	15	23	23
	10350	**5.4**	**16**	**2**	**3**	**4**	**7**	**10**	**12**
	15044	**6.0**	**23**	**2**	**3**	**5**	**7**	**11**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	216	7.3	44	2	3	5	9	15	24
18-34	288	5.2	14	2	3	4	7	8	9
35-49	271	8.6	77	2	3	5	11	23	34
50-69	409	7.4	63	2	3	5	7	13	23
70 +	8	4.0							
SUBTOTAL	**1192**	**7.1**	**52**	**2**	**3**	**5**	**7**	**13**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	796	4.7	16	2	2	3	6	9	14
18-34	804	4.7	11	2	3	4	6	10	12
35-49	430	6.1	11	3	3	5	8	12	12
50-69	269	5.7	14	2	2	5	9	10	11
70 +	32	3.0							
SUBTOTAL	**2331**	**5.0**	**13**	**2**	**2**	**4**	**6**	**10**	**12**
GRAND TOTAL	**3523**	**5.7**	**27**	**2**	**3**	**4**	**7**	**11**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	301	5.0	8	2	3	4	6	8	12
18-34	410	5.8	17	2	2	4	8	11	16
35-49	440	6.0	36	2	4	4	7	10	11
50-69	641	9.6	66	3	4	7	11	22	28
70 +	57	12.9	205	1	2	5	27	38	38
	1850	**7.2**	**47**	**2**	**3**	**5**	**8**	**13**	**22**
0-17	687	5.5	22	2	3	4	7	10	11
18-34	1268	4.9	11	2	2	4	6	8	12
35-49	911	5.0	13	2	3	4	7	8	12
50-69	766	5.5	10	2	3	5	7	11	12
70 +	133	6.5	12	3	4	6	10	10	14
	3766	**5.2**	**13**	**2**	**3**	**4**	**7**	**9**	**12**
	5616	**5.9**	**25**	**2**	**3**	**4**	**7**	**10**	**14**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5062	7.4	73	2	3	5	8	14	19	0-17	0								
70-74	3137	7.6	47	2	4	6	9	14	20	18-34	1759	5.1	21	2	3	4	6	10	12
75-79	2927	7.6	52	3	4	6	9	13	19	35-49	1830	6.0	23	2	3	5	8	12	15
80-84	2207	8.2	36	3	4	7	10	16	17	50-69	3647	6.4	19	2	4	5	8	12	15
85 +	1803	8.5	72	3	4	6	9	14	24	70 +	156	7.9	9	4	6	8	9	12	14
SUBTOTAL	**15137**	**7.7**	**58**	**3**	**4**	**6**	**9**	**14**	**19**		**7392**	**6.0**	**20**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15137**	**7.7**	**58**	**3**	**4**	**6**	**9**	**14**	**19**		**7392**	**6.0**	**20**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	567	6.5	63	2	3	4	7	14	14	18-34	534	6.0	29	1	3	4	8	12	18
35-49	363	6.5	39	2	4	5	7	13	16	35-49	481	4.9	11	1	2	4	8	9	12
50-69	315	7.6	69	1	4	5	9	15	19	50-69	796	5.6	14	2	3	5	7	9	13
70 +	57	5.0	6							70 +	249	5.5	13	2	3	4	8	11	14
SUBTOTAL	**1302**	**6.7**	**55**	**2**	**3**	**5**	**7**	**13**	**16**		**2059**	**5.5**	**17**	**2**	**3**	**4**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1302**	**6.7**	**55**	**2**	**3**	**5**	**7**	**13**	**16**		**2059**	**5.5**	**17**	**2**	**3**	**4**	**8**	**10**	**13**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1181	5.6	23	2	2	4	8	12	17
70-74	1105	5.2	12	2	3	4	7	8	10
75-79	820	5.1	11	2	3	5	6	9	11
80-84	738	6.0	22	2	3	4	6	11	18
85 +	714	6.2	13	3	4	5	8	11	13
SUBTOTAL	**4557**	**5.5**	**17**	**2**	**3**	**4**	**7**	**10**	**16**
GRAND TOTAL	**4557**	**5.5**	**17**	**2**	**3**	**4**	**7**	**10**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1755	3.6	4	1	2	3	4	6	8
35-49	1668	4.5	11	2	2	4	6	7	9
50-69	1691	5.3	8	3	3	5	6	9	11
70 +	90	32.7	1165	3	8	10	78	78	78
	5204	**5.0**	**41**	**2**	**3**	**4**	**6**	**8**	**10**
	5204	**5.0**	**41**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	296	3.8	4	1	2	4	5	7	8
35-49	108	4.5	12	2	3	3	5	7	14
50-69	56	4.5	7	2	2	3	7	8	8
70 +	27	5.1	1						
SUBTOTAL	**487**	**4.1**	**6**	**1**	**2**	**4**	**6**	**7**	**8**
GRAND TOTAL	**487**	**4.1**	**6**	**1**	**2**	**4**	**6**	**7**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	869	4.1	14	2	2	3	4	7	9
35-49	513	4.3	13	1	2	3	6	8	11
50-69	350	5.2	8	2	3	5	7	9	10
70 +	39	6.0	4						
	1772	**4.4**	**12**	**1**	**2**	**3**	**5**	**8**	**10**
	1772	**4.4**	**12**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 421: Viral Illness Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3445	5.6	32	2	3	4	7	9	13
70-74	1959	4.7	9	2	3	4	6	9	11
75-79	2108	6.1	23	2	3	5	8	11	15
80-84	1567	6.6	35	2	3	5	7	12	19
85+	1136	7.0	32	3	4	5	8	13	17
SUBTOTAL	**10216**	**5.8**	**27**	**2**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1315	4.0	6	2	2	3	5	8	9
70-74	1062	4.3	7	2	3	3	5	8	10
75-79	690	4.7	14	2	3	4	6	7	9
80-84	583	4.3	7	2	2	3	5	9	10
85+	678	4.7	19	2	3	4	6	7	9
SUBTOTAL	**4327**	**4.3**	**10**	**2**	**3**	**3**	**5**	**8**	**9**
GRAND TOTAL	**14543**	**5.4**	**22**	**2**	**3**	**4**	**6**	**10**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6542	4.0	11	2	2	3	5	7	10
35-49	3237	5.4	47	2	2	4	6	10	14
50-69	2774	4.6	10	2	3	4	5	8	11
70+	139	9.0	159	3	5	8	8	9	9
	12693	**4.6**	**22**	**2**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	7978	3.3	8	1	2	3	4	6	7
35-49	4009	3.6	5	1	2	3	5	6	8
50-69	2416	3.7	6	2	2	3	5	7	8
70+	80	2.7	1	1	2	3	3	3	5
	14483	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
	27176	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1069	6.9	105	2	3	4	6	13	23
35-49	480	6.8	40	2	3	4	10	17	18
50-69	283	7.6	20	3	5	7	10	14	14
70+	105	2.7	1						
SUBTOTAL	**1937**	**6.7**	**72**	**2**	**3**	**4**	**7**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	799	3.1	5	1	2	3	4	5	7
35-49	146	3.0	5	1	1	3	4	5	10
50-69	126	4.0	5	2	3	3	4	9	9
70+	50	9.0	4						
SUBTOTAL	**1121**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**3058**	**5.5**	**50**	**2**	**2**	**3**	**6**	**12**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2392	4.0	15	1	2	3	5	7	9
35-49	931	5.4	17	1	2	4	7	11	14
50-69	759	4.2	13	2	2	3	5	8	11
70+	135	5.1	6	2	4	5	9	99+	99+
	4217	**4.4**	**15**	**2**	**2**	**3**	**5**	**9**	**11**
0-17	0								
18-34	2999	3.2	5	1	2	3	4	7	8
35-49	905	2.8	5	1	1	2	3	5	6
50-69	583	3.2	4	1	2	3	4	6	6
70+	72	1.9	2	<1	1	1	3	4	4
	4558	**3.1**	**5**	**1**	**2**	**2**	**4**	**6**	**7**
	8775	**3.7**	**10**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	201	4.2	11	1	2	3	7	10	13	0-17	24021	3.5	6	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**201**	**4.2**	**11**	**1**	**2**	**3**	**7**	**10**	**13**		**24021**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	162	3.8	11	2	2	2	3	8	13	0-17	43900	2.9	3	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**162**	**3.8**	**11**	**2**	**2**	**2**	**3**	**8**	**13**		**43900**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**363**	**4.0**	**11**	**2**	**2**	**3**	**4**	**10**	**13**		**67921**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10031	4.0	23	2	2	3	4	7	9	0-17	6933	3.6	14	1	2	3	4	6	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10031**	**4.0**	**23**	**2**	**2**	**3**	**4**	**7**	**9**		**6933**	**3.6**	**14**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20055	3.0	3	1	2	3	4	5	6	0-17	17293	2.8	7	1	2	3	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**20055**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**17293**	**2.8**	**7**	**1**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**30086**	**3.3**	**10**	**1**	**2**	**3**	**4**	**5**	**7**		**24226**	**3.1**	**9**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2001	9.6	123	2	3	6	12	19	37	0-17	975	8.4	85	2	3	5	10	17	26
70-74	742	12.3	137	4	6	8	16	21	32	18-34	1217	8.2	66	2	3	5	11	17	22
75-79	713	11.3	106	3	5	6	15	31	34	35-49	1361	13.6	223	3	4	8	18	32	40
80-84	492	14.8	186	4	6	9	14	40	46	50-69	1372	10.3	126	3	4	6	11	24	32
85 +	420	10.1	72	4	5	8	11	20	33	70 +	22	39.7	292						
SUBTOTAL	**4368**	**11.0**	**128**	**3**	**4**	**7**	**12**	**26**	**40**		**4946**	**10.4**	**139**	**2**	**4**	**6**	**13**	**24**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	520	8.3	72	2	3	5	9	18	25	0-17	2250	4.4	19	1	2	3	5	10	13
70-74	206	7.4	208	1	2	3	7	13	16	18-34	1527	4.8	20	2	2	4	5	9	14
75-79	225	9.3	32	3	6	7	15	19	19	35-49	1069	5.3	20	1	3	4	6	10	14
80-84	58	8.5	26	1	3	7	14	15	15	50-69	756	5.3	20	1	3	4	7	9	14
85 +	148	5.8	5	4	4	5	7	10	10	70 +	10	7.0							
SUBTOTAL	**1156**	**8.0**	**78**	**2**	**3**	**5**	**9**	**15**	**19**		**5612**	**4.8**	**20**	**1**	**2**	**4**	**5**	**10**	**14**
GRAND TOTAL	**5524**	**10.4**	**119**	**3**	**4**	**7**	**12**	**23**	**34**		**10558**	**7.4**	**83**	**2**	**3**	**5**	**8**	**16**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	610	11.7	284	2	3	5	14	39	75	0-17	532	10.1	84	3	4	7	14	18	31
18-34	552	16.5	359	< 1	3	8	24	57	64	18-34	744	13.9	252	3	5	8	14	33	54
35-49	530	15.0	300	1	5	10	18	33	71	35-49	618	16.0	334	3	5	9	18	37	61
50-69	214	9.8	156	4	5	7	11	12	18	50-69	261	16.0	395	2	4	7	22	41	48
70 +	9	14.0								70 +	26	12.2	41						
SUBTOTAL	**1916**	**13.8**	**300**	**2**	**3**	**7**	**15**	**48**	**64**		**2181**	**13.8**	**253**	**3**	**5**	**8**	**14**	**33**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	824	5.8	28	1	2	4	9	12	14	0-17	1102	5.1	16	2	2	4	6	10	13
18-34	226	4.1	4	2	3	4	5	8	8	18-34	703	5.0	18	2	3	4	5	10	13
35-49	161	8.0	29	1	3	8	11	16	19	35-49	270	5.0	10	2	3	4	6	10	13
50-69	22	2.6								50-69	124	4.7	10	2	3	4	4	10	14
70 +	8	10.0								70 +	10	3.0							
SUBTOTAL	**1241**	**5.7**	**24**	**1**	**2**	**4**	**8**	**12**	**14**		**2210**	**5.0**	**16**	**2**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**3157**	**10.6**	**207**	**1**	**3**	**6**	**12**	**29**	**55**		**4390**	**9.4**	**153**	**2**	**3**	**5**	**10**	**18**	**33**

Total U.S., July 1988 - June 1989

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	895	24.2	270	7	14	21	33	49	84	0-17	98	11.9	169	3	4	5	22	31	42
70-74	362	20.8	260	7	10	13	29	58	99 +	18-34	304	27.0	358	7	14	25	40	54	65
75-79	426	23.5	173	10	13	22	34	42	57	35-49	365	22.9	262	8	12	18	33	46	78
80-84	357	28.1	501	7	15	29	43	97	99 +	50-69	529	18.5	238	3	8	13	24	37	57
85 +	243	15.8	126	3	9	14	29	99 +	99 +	70 +	49	46.2	1555	7	7	51	92	95	95
SUBTOTAL	**2283**	**23.2**	**282**	**6**	**12**	**20**	**34**	**58**	**99 +**		**1345**	**22.1**	**353**	**4**	**9**	**15**	**32**	**51**	**65**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	521	22.4	276	6	12	18	28	48	62	0-17	265	23.1	417	1	3	12	42	55	61
70-74	247	17.3	228	1	3	14	32	44	45	18-34	426	18.7	265	5	6	15	24	45	58
75-79	134	17.1	158	1	5	17	29	34	42	35-49	542	21.5	372	2	10	19	26	34	58
80-84	112	16.3	126	1	2	19	27	32	76	50-69	510	15.4	223	1	4	12	21	37	47
85 +	68	19.6	358	1	2	13	50	50	99 +	70 +	23	13.3	9						
SUBTOTAL	**1083**	**19.8**	**246**	**2**	**6**	**17**	**30**	**43**	**50**		**1766**	**19.2**	**313**	**2**	**5**	**15**	**25**	**44**	**58**
GRAND TOTAL	**3366**	**22.1**	**273**	**4**	**11**	**19**	**33**	**50**	**97**		**3112**	**20.5**	**332**	**3**	**7**	**15**	**29**	**44**	**60**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	76	38.7	1247	4	8	10	63	97	97	0-17	55	14.2	92	6	7	8	20	33	33
18-34	170	20.3	282	7	12	14	23	33	42	18-34	169	14.1	102	2	4	11	26	26	31
35-49	146	23.4	492	6	10	20	24	37	98	35-49	61	31.8	1159	1	1	16	49	96	96
50-69	72	22.8	40	12	17	25	29	30	30	50-69	70	16.2	220	1	4	7	36	39	39
70 +	24	22.4	288							70 +	8	29.0							
SUBTOTAL	**488**	**24.6**	**494**	**7**	**11**	**20**	**27**	**43**	**86**		**363**	**17.8**	**340**	**1**	**4**	**11**	**26**	**37**	**49**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	454	13.6	556	1	1	2	29	95	99 +	0-17	25	20.5	262						
18-34	268	23.9	192	9	13	19	39	57	99 +	18-34	120	20.8	101	9	11	20	25	36	41
35-49	216	16.7	55	9	11	16	20	28	29	35-49	135	15.4	94	8	9	12	16	33	41
50-69	108	24.4	186	6	16	29	29	43	48	50-69	116	13.6	93	2	2	15	25	25	25
70 +	10	24.0								70 +	8	7.0							
SUBTOTAL	**1055**	**18.1**	**339**	**1**	**3**	**15**	**29**	**57**	**99 +**		**403**	**16.7**	**115**	**3**	**9**	**14**	**23**	**33**	**41**
GRAND TOTAL	**1543**	**20.1**	**397**	**1**	**7**	**16**	**29**	**57**	**97**		**766**	**17.2**	**221**	**2**	**7**	**14**	**25**	**36**	**41**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3679	7.5	58	2	3	5	10	17	25
70-74	1796	7.3	51	2	3	5	8	15	22
75-79	2490	6.8	59	2	3	5	8	15	21
80-84	1752	8.1	95	2	3	5	10	19	22
85 +	2254	7.4	70	2	3	5	8	14	25
SUBTOTAL	**11970**	**7.4**	**65**	**2**	**3**	**5**	**9**	**15**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2843	6.8	78	1	2	4	7	15	29
70-74	1739	7.9	87	2	3	5	9	17	23
75-79	1155	6.6	107	1	2	4	6	12	28
80-84	921	5.3	25	1	2	4	6	12	18
85 +	956	5.0	25	2	3	3	6	8	13
SUBTOTAL	**7614**	**6.6**	**73**	**1**	**2**	**4**	**7**	**14**	**22**
GRAND TOTAL	**19584**	**7.1**	**68**	**2**	**3**	**5**	**8**	**15**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	384	7.7	144	< 1	1	3	9	26	38
18-34	1322	7.7	83	1	2	3	12	18	28
35-49	1592	6.0	44	1	2	3	8	16	20
50-69	2115	6.5	42	1	2	4	8	16	22
70 +	137	5.5	13	2	3	4	7	13	13
	5549	**6.7**	**59**	**1**	**2**	**3**	**9**	**17**	**26**
0-17	2724	9.0	227	1	1	3	8	25	42
18-34	5468	5.7	57	1	1	3	6	14	23
35-49	5982	5.6	39	1	2	3	7	14	19
50-69	3046	5.9	54	1	2	3	7	14	18
70 +	90	3.8	8	1	2	3	4	9	10
	17309	**6.2**	**78**	**1**	**2**	**3**	**7**	**15**	**22**
	22858	**6.3**	**74**	**1**	**2**	**3**	**8**	**15**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	142	10.4	358	1	1	4	9	18	76
18-34	639	6.8	47	2	2	4	8	20	25
35-49	521	6.4	30	1	2	4	11	13	17
50-69	748	5.2	28	1	2	4	7	15	29
70 +	23	5.7	23						
SUBTOTAL	**2074**	**6.4**	**58**	**1**	**2**	**4**	**8**	**17**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1096	15.5	355	1	2	6	24	49	52
18-34	1624	7.5	91	1	2	4	9	16	31
35-49	828	5.7	35	1	2	4	6	10	19
50-69	448	10.5	147	1	2	7	12	30	42
70 +	57	2.8	7						
SUBTOTAL	**4054**	**9.5**	**171**	**1**	**2**	**5**	**10**	**27**	**42**
GRAND TOTAL	**6128**	**8.5**	**135**	**1**	**2**	**4**	**10**	**23**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	102	2.6	4	1	1	2	5	7	99 +
18-34	999	5.2	35	1	1	3	6	13	20
35-49	880	5.0	27	1	2	3	6	10	16
50-69	587	6.2	29	1	3	4	8	13	14
70 +	162	4.0	4	2	3	3	5	7	8
	2731	**5.2**	**29**	**1**	**2**	**3**	**6**	**12**	**15**
0-17	1215	5.4	58	< 1	1	2	7	14	30
18-34	2775	4.6	41	1	1	2	5	12	19
35-49	1780	4.7	61	1	1	2	5	12	16
50-69	739	3.9	20	1	1	3	4	9	10
70 +	161	5.0	68	1	1	2	5	8	24
	6670	**4.7**	**48**	**1**	**1**	**2**	**5**	**12**	**17**
	9401	**4.9**	**42**	**1**	**1**	**3**	**6**	**12**	**17**

DRG 426: Depressive Neuroses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3568	10.2	105	2	4	8	13	21	25	0-17	1565	20.9	353	3	6	16	29	48	72
70-74	1576	11.2	85	3	4	7	15	30	31	18-34	5528	10.9	85	2	4	8	17	23	29
75-79	1194	11.5	137	3	4	7	13	27	44	35-49	4697	9.5	75	2	3	6	13	21	24
80-84	655	11.3	118	3	4	6	15	31	34	50-69	2372	10.1	89	2	4	7	15	21	24
85 +	436	12.0	185	2	3	7	14	39	51	70 +	147	13.4	103	5	6	9	22	25	43
SUBTOTAL	**7429**	**10.8**	**112**	**2**	**4**	**7**	**14**	**23**	**31**		**14309**	**11.4**	**123**	**2**	**4**	**8**	**17**	**24**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4566	11.8	110	2	5	9	16	23	29	0-17	12246	18.2	277	2	6	14	27	42	51
70-74	2170	10.7	92	3	5	8	13	21	30	18-34	16911	7.9	69	1	2	5	10	18	24
75-79	1374	11.3	74	3	5	8	16	24	25	35-49	12378	8.5	74	1	3	6	11	18	25
80-84	844	11.8	108	2	4	8	20	27	35	50-69	4838	9.4	71	2	3	7	14	19	26
85 +	461	10.2	37	3	5	10	13	21	25	70 +	211	10.6	80	2	4	7	13	26	26
SUBTOTAL	**9415**	**11.4**	**97**	**3**	**5**	**8**	**15**	**24**	**29**		**46584**	**10.9**	**144**	**1**	**3**	**7**	**14**	**26**	**35**
GRAND TOTAL	**16844**	**11.1**	**104**	**2**	**4**	**8**	**15**	**23**	**31**		**60893**	**11.0**	**139**	**2**	**3**	**7**	**15**	**26**	**34**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	901	24.6	533	3	7	15	40	65	83	0-17	486	12.6	195	1	4	7	17	35	47
18-34	3944	10.9	110	2	4	8	15	24	30	18-34	5077	6.9	46	1	2	5	9	14	19
35-49	1923	10.5	69	2	4	8	15	22	28	35-49	2132	7.3	59	1	3	5	8	15	21
50-69	650	10.0	83	3	4	6	12	21	28	50-69	547	12.6	381	2	4	6	10	29	76
70 +	6	12.0								70 +	124	7.2	20	2	5	6	8	12	21
SUBTOTAL	**7424**	**12.4**	**169**	**2**	**4**	**8**	**16**	**28**	**37**		**8365**	**7.7**	**83**	**1**	**3**	**5**	**9**	**16**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5863	23.1	303	4	9	22	33	46	67	0-17	2628	12.4	208	1	3	7	18	33	42
18-34	7082	9.9	104	2	3	7	13	22	29	18-34	11309	6.5	59	1	2	4	8	14	20
35-49	3287	10.0	111	2	3	7	14	21	26	35-49	3774	6.1	29	1	2	4	8	13	17
50-69	1110	11.0	57	3	6	9	14	24	26	50-69	1110	7.6	101	1	2	5	9	14	23
70 +	15	3.8	13							70 +	186	6.5	13	3	3	6	9	12	14
SUBTOTAL	**17358**	**14.4**	**208**	**2**	**4**	**10**	**21**	**34**	**45**		**19008**	**7.3**	**80**	**1**	**2**	**4**	**9**	**16**	**24**
GRAND TOTAL	**24782**	**13.8**	**197**	**2**	**4**	**9**	**19**	**33**	**43**		**27373**	**7.4**	**81**	**1**	**2**	**5**	**9**	**16**	**24**

DRG 427: Neuroses except Depressive

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1210	10.1	100	2	4	6	14	21	30	0-17	927	17.4	324	3	4	12	25	39	59
70-74	301	9.1	43	2	4	9	11	18	23	18-34	1842	9.3	104	1	2	5	13	22	30
75-79	121	14.6	162	3	5	12	20	29	52	35-49	1313	8.5	49	2	3	6	13	20	21
80-84	157	9.2	49	3	4	8	12	22	26	50-69	520	9.3	61	2	4	7	13	23	23
85 +	65	5.7	5							70 +	37	12.9	35						
SUBTOTAL	**1854**	**10.0**	**89**	**2**	**4**	**7**	**14**	**21**	**29**		**4639**	**10.7**	**139**	**1**	**3**	**7**	**14**	**25**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2272	11.3	180	2	3	7	14	27	48	0-17	7781	16.1	256	2	4	11	24	39	49
70-74	333	16.6	123	4	6	18	25	30	35	18-34	6529	8.0	85	1	2	5	10	17	26
75-79	320	13.1	141	1	3	10	19	36	39	35-49	4308	8.9	75	1	3	6	12	20	27
80-84	167	11.8	82	1	4	11	16	19	38	50-69	1299	8.3	57	2	2	7	11	17	26
35 +	191	9.2	44	3	3	7	14	15	21	70 +	22	11.2	28						
SUBTOTAL	**3283**	**11.9**	**161**	**2**	**4**	**8**	**16**	**29**	**39**		**19939**	**11.4**	**162**	**1**	**3**	**7**	**15**	**28**	**37**
GRAND TOTAL	**5137**	**11.2**	**136**	**2**	**4**	**8**	**15**	**25**	**38**		**24578**	**11.3**	**158**	**1**	**3**	**7**	**15**	**27**	**37**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	480	18.3	224	4	8	14	25	46	51	0-17	285	6.5	47	1	2	4	9	18	32
18-34	1255	8.6	78	2	3	5	12	19	24	18-34	1965	6.0	43	1	2	3	8	15	19
35-49	411	9.2	53	2	3	7	13	20	25	35-49	690	8.6	172	1	1	3	11	22	53
50-69	176	9.0	87	3	4	5	13	15	42	50-69	205	3.6	13	< 1	1	2	5	7	7
70 +	0									70 +	8	10.0							
SUBTOTAL	**2322**	**10.7**	**119**	**2**	**3**	**7**	**14**	**24**	**33**		**3151**	**6.5**	**71**	**1**	**1**	**3**	**8**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4162	18.3	282	3	6	12	30	42	62	0-17	1556	8.2	118	1	2	4	11	17	36
18-34	3474	10.1	158	2	3	6	11	22	37	18-34	4224	5.9	44	1	1	4	7	11	20
35-49	1004	9.6	72	3	4	7	12	20	24	35-49	1543	6.4	77	1	1	4	8	12	24
50-69	262	10.2	56	2	4	8	15	16	28	50-69	328	4.5	23	1	1	3	6	12	16
70 +	14	10.1	1							70 +	45	9.1	49						
SUBTOTAL	**8916**	**13.9**	**220**	**2**	**4**	**8**	**18**	**36**	**47**		**7696**	**6.4**	**65**	**1**	**2**	**4**	**8**	**15**	**21**
GRAND TOTAL	**11239**	**13.2**	**201**	**2**	**4**	**8**	**17**	**35**	**43**		**10847**	**6.4**	**67**	**1**	**1**	**4**	**8**	**15**	**21**

Total U.S., July 1988 - June 1989

DRG 428: Disorders of Personality & Impulse Control

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	725	8.4	92	2	3	5	11	17	24
70-74	63	9.2	44	1	4	7	13	20	20
75-79	57	3.3	2						
80-84	14	13.4	152						
85+	15	12.0	1						
SUBTOTAL	**875**	**8.3**	**85**	**2**	**3**	**5**	**11**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1251	12.6	189	2	3	8	15	31	44
70-74	83	7.6	77	1	2	4	8	26	26
75-79	52	11.6	146						
80-84	45	7.9	40	3	3	6	8	21	21
85+	0								
SUBTOTAL	**1431**	**12.2**	**178**	**2**	**3**	**8**	**14**	**30**	**43**
GRAND TOTAL	**2306**	**10.7**	**146**	**2**	**3**	**7**	**14**	**26**	**35**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	606	26.1	561	2	5	21	46	67	82
18-34	1363	15.7	251	2	3	12	22	31	44
35-49	600	15.8	311	3	4	11	18	39	48
50-69	120	13.2	334	2	5	8	9	24	55
70+	32	12.0							
	2720	**17.9**	**353**	**2**	**4**	**12**	**24**	**43**	**66**
0-17	2008	25.3	438	3	9	21	39	53	71
18-34	2724	17.2	253	1	5	12	29	42	53
35-49	1203	12.0	110	2	4	9	17	25	33
50-69	239	10.2	121	2	4	6	14	21	32
70+	14	32.0							
	6188	**18.6**	**307**	**2**	**5**	**13**	**29**	**44**	**58**
	8908	**18.4**	**321**	**2**	**5**	**13**	**27**	**44**	**59**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	122	19.6	105	9	12	16	33	35	99+
18-34	854	17.2	184	3	7	14	22	45	48
35-49	209	8.1	45	2	3	6	12	15	17
50-69	40	6.4	47						
70+	0								
SUBTOTAL	**1225**	**15.5**	**164**	**2**	**6**	**12**	**21**	**35**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	938	27.9	630	5	9	20	43	79	92
18-34	2276	13.2	222	2	4	8	19	31	41
35-49	631	8.2	63	1	2	6	10	18	24
50-69	36	20.4	49						
70+	8	7.0							
SUBTOTAL	**3889**	**16.0**	**341**	**2**	**5**	**9**	**21**	**41**	**58**
GRAND TOTAL	**5114**	**15.9**	**299**	**2**	**5**	**10**	**21**	**41**	**52**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	131	24.3	785	1	3	10	49	74	85
18-34	890	11.0	167	2	3	7	12	24	45
35-49	222	13.7	344	1	1	8	21	35	36
50-69	89	9.5	180	2	4	7	7	10	52
70+	0								
	1332	**12.7**	**273**	**1**	**3**	**7**	**13**	**32**	**56**
0-17	479	12.3	342	2	2	6	13	46	93
18-34	2226	7.6	71	1	2	5	11	17	22
35-49	843	9.1	99	2	3	6	9	24	30
50-69	76	15.4	228	<1	3	16	18	42	42
70+	0								
	3623	**8.7**	**120**	**1**	**2**	**5**	**11**	**20**	**30**
	4955	**9.8**	**165**	**1**	**2**	**6**	**12**	**23**	**36**

DRG 429: Organic Disturbances & Mental Retardation

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3484	14.1	128	4	7	10	19	31	43	0-17	477	17.3	469	1	4	7	26	54	71
70-74	3458	12.5	150	3	5	8	15	27	39	18-34	468	16.7	186	3	7	13	26	42	49
75-79	5417	14.1	188	3	5	9	18	33	45	35-49	582	15.4	146	4	7	13	21	31	42
80-84	5184	13.4	147	3	5	10	18	30	41	50-69	971	12.3	143	2	4	10	15	23	35
85 +	5856	13.0	218	3	5	9	15	29	55	70 +	421	16.6	220	6	7	11	18	44	51
SUBTOTAL	**23398**	**13.5**	**172**	**3**	**5**	**9**	**17**	**30**	**44**		**2919**	**15.1**	**219**	**3**	**5**	**10**	**20**	**35**	**49**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2925	13.8	168	3	5	10	19	24	43	0-17	699	13.0	313	1	2	6	18	40	67
70-74	3100	13.3	141	3	6	10	17	29	37	18-34	620	13.0	125	3	4	10	18	28	32
75-79	4402	11.6	109	3	5	9	15	24	32	35-49	509	12.6	106	3	4	10	17	28	37
80-84	4212	11.1	126	2	4	7	14	24	36	50-69	857	9.6	52	2	4	8	14	19	24
85 +	4009	10.8	155	2	4	7	13	25	34	70 +	336	8.6	25	2	6	9	11	17	20
SUBTOTAL	**18648**	**11.9**	**138**	**2**	**4**	**8**	**15**	**25**	**37**		**3020**	**11.5**	**137**	**2**	**3**	**9**	**15**	**26**	**35**
GRAND TOTAL	**42045**	**12.8**	**158**	**3**	**5**	**9**	**16**	**28**	**41**		**5939**	**13.2**	**180**	**2**	**4**	**9**	**17**	**31**	**42**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	326	10.2	91	1	3	9	12	25	46	0-17	188	16.8	354	1	2	12	20	38	70
18-34	609	13.3	181	3	5	12	16	28	31	18-34	268	11.4	132	3	3	6	15	36	37
35-49	421	14.1	172	3	7	9	16	35	50	35-49	225	10.7	80	2	3	7	16	19	29
50-69	373	15.5	184	2	4	12	21	37	46	50-69	352	13.8	287	3	5	9	16	26	38
70 +	328	16.5	231	3	11	17	99 +	99 +	99 +	70 +	537	10.8	84	3	5	9	16	48	99 +
SUBTOTAL	**2058**	**13.9**	**177**	**3**	**5**	**12**	**20**	**46**	**99 +**		**1570**	**12.3**	**173**	**2**	**4**	**8**	**17**	**34**	**70**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	458	14.1	172	2	5	11	24	45	99 +	0-17	120	7.8	58	1	3	4	8	21	28
18-34	656	11.6	154	1	4	7	16	24	31	18-34	236	10.3	202	1	3	6	10	22	41
35-49	202	11.8	92	2	4	10	16	21	37	35-49	165	9.4	97	1	4	4	15	17	24
50-69	347	16.0	147	4	5	15	22	32	35	50-69	526	10.7	199	2	3	5	12	25	54
70 +	166	11.6	69	3	8	15	99 +	99 +	99 +	70 +	694	11.8	269	1	3	8	15	46	99 +
SUBTOTAL	**1828**	**13.1**	**145**	**2**	**5**	**11**	**20**	**37**	**99 +**		**1740**	**10.8**	**209**	**1**	**3**	**6**	**13**	**30**	**58**
GRAND TOTAL	**3885**	**13.5**	**162**	**2**	**5**	**11**	**20**	**42**	**99 +**		**3311**	**11.5**	**192**	**2**	**3**	**7**	**15**	**30**	**58**

Total U.S., July 1988 - June 1989

DRG 430: Psychoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23948	16.6	176	4	7	14	23	34	43	0-17	2489	26.7	318	4	12	28	41	50	62
70-74	7861	18.0	221	4	7	14	25	37	47	18-34	10042	17.3	201	3	7	14	24	34	45
75-79	6059	16.6	193	4	7	12	22	35	43	35-49	12126	15.0	141	4	7	12	20	30	40
80-84	4054	15.9	195	3	6	12	22	36	43	50-69	9753	16.6	146	4	8	14	22	32	39
85 +	2635	14.1	192	3	5	9	20	32	41	70 +	535	15.4	128	5	6	13	20	32	39
SUBTOTAL	**44557**	**16.6**	**190**	**4**	**7**	**13**	**23**	**35**	**45**		**34944**	**17.0**	**180**	**4**	**7**	**14**	**23**	**34**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	58760	17.0	171	4	8	14	23	34	44	0-17	11688	23.8	326	4	10	21	34	53	69
70-74	10365	18.4	191	4	8	15	25	37	47	18-34	39075	15.3	153	3	7	12	21	31	41
75-79	8444	19.0	187	4	9	16	26	37	45	35-49	43598	15.3	142	4	7	13	21	30	39
80-84	4507	17.7	190	4	8	14	24	36	47	50-69	23918	16.0	139	4	8	14	22	30	39
85 +	2289	14.9	131	3	6	13	20	31	38	70 +	1061	15.0	107	4	7	13	21	35	36
SUBTOTAL	**84364**	**17.3**	**176**	**4**	**8**	**14**	**23**	**35**	**44**		**119340**	**16.3**	**169**	**3**	**7**	**13**	**22**	**33**	**42**
GRAND TOTAL	**128921**	**17.1**	**181**	**4**	**7**	**14**	**23**	**35**	**44**		**154283**	**16.4**	**172**	**3**	**7**	**13**	**22**	**33**	**43**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1592	32.6	393	7	17	35	42	65	89	0-17	350	23.2	460	1	9	14	34	73	77
18-34	9887	16.9	188	4	7	14	22	34	45	18-34	6996	13.0	138	2	5	10	18	27	35
35-49	6665	16.2	143	5	8	14	22	32	40	35-49	5151	11.8	95	2	4	9	17	26	30
50-69	4472	16.1	163	4	7	12	21	35	40	50-69	2769	14.2	141	3	6	12	21	31	39
70 +	242	19.8	282	4	8	19	27	50	73	70 +	574	13.3	147	2	5	9	19	27	31
SUBTOTAL	**22857**	**17.6**	**202**	**4**	**7**	**14**	**24**	**38**	**47**		**15841**	**13.1**	**135**	**2**	**5**	**10**	**18**	**28**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6237	29.0	416	5	13	27	43	64	80	0-17	2632	18.1	300	3	6	13	27	43	58
18-34	27432	15.9	191	3	6	12	21	35	45	18-34	22635	11.7	120	2	4	8	16	25	34
35-49	17781	14.4	133	3	6	11	20	29	37	35-49	14413	11.6	116	2	4	9	16	24	32
50-69	8481	16.5	168	4	8	14	21	32	39	50-69	6888	13.6	136	2	5	11	19	28	35
70 +	237	17.9	142	7	9	15	27	40	49	70 +	756	14.4	108	2	6	13	22	26	34
SUBTOTAL	**60168**	**16.9**	**211**	**4**	**7**	**13**	**22**	**37**	**48**		**47324**	**12.3**	**133**	**2**	**4**	**9**	**17**	**27**	**35**
GRAND TOTAL	**83026**	**17.1**	**209**	**4**	**7**	**13**	**23**	**37**	**47**		**63165**	**12.5**	**134**	**2**	**4**	**9**	**17**	**27**	**35**

DRG 431: Childhood Mental Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	99	18.3	141	2	9	22	28	35	99 +	0-17	1156	18.1	268	4	7	15	25	37	64
70-74	0									18-34	99	10.5	84	< 1	4	9	11	21	34
75-79	24	7.1	9							35-49	64	6.0	25						
80-84	72	7.7	2							50-69	8	3.0							
85 +	25	6.5	9							70 +	0								
SUBTOTAL	**220**	**12.2**	**96**	**3**	**6**	**9**	**19**	**28**	**35**		**1327**	**16.9**	**252**	**3**	**6**	**11**	**24**	**34**	**49**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	186	6.6	23	1	3	5	10	12	15	0-17	9632	21.0	289	3	8	18	31	45	53
70-74	23	4.0								18-34	147	14.1	117	5	7	12	13	35	46
75-79	14	14.0								35-49	41	7.8	24						
80-84	30	10.7	47							50-69	29	10.5	58						
85 +	14	7.0								70 +	8	4.0							
SUBTOTAL	**268**	**7.2**	**26**	**2**	**4**	**5**	**10**	**15**	**20**		**9856**	**20.8**	**286**	**3**	**8**	**17**	**31**	**45**	**53**
GRAND TOTAL	**488**	**9.5**	**64**	**2**	**4**	**7**	**12**	**25**	**28**		**11183**	**20.4**	**284**	**3**	**7**	**17**	**30**	**44**	**53**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1199	20.0	442	2	6	12	35	57	98	0-17	551	20.3	392	3	5	15	25	46	46
18-34	51	5.5	20	< 1	1	5	8	12	12	18-34	57	7.4	211						
35-49	59	12.6	140							35-49	16	4.5	2						
50-69	47	4.9	1							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1356**	**18.6**	**414**	**2**	**5**	**10**	**33**	**51**	**89**		**624**	**18.7**	**385**	**1**	**4**	**14**	**25**	**44**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8606	24.1	356	4	9	19	38	55	72	0-17	2145	17.2	286	2	3	11	28	42	50
18-34	347	12.2	119	2	5	8	18	30	30	18-34	232	6.6	84	< 1	1	1	7	24	30
35-49	80	9.0	4							35-49	0								
50-69	0									50-69	40	1.4	1						
70 +	0									70 +	0								
SUBTOTAL	**9033**	**23.5**	**351**	**4**	**9**	**19**	**37**	**53**	**71**		**2417**	**15.9**	**275**	**1**	**3**	**9**	**24**	**42**	**50**
GRAND TOTAL	**10389**	**22.9**	**362**	**4**	**8**	**18**	**36**	**53**	**71**		**3040**	**16.5**	**299**	**1**	**3**	**9**	**25**	**42**	**50**

Total U.S., July 1988 - June 1989

DRG 432: Other Mental Disorder Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	110	27.4	458	4	13	24	40	45	87	0-17	461	32.6	507	1	14	32	55	69	78
70-74	30	4.0	6							18-34	637	26.3	223	3	18	28	35	45	69
75-79	36	3.8								35-49	157	23.6	258	7	11	18	29	48	61
80-84	84	5.0	22	1	2	2	11	12	13	50-69	86	10.3	80	1	2	10	16	30	30
85 +	39	9.7	51							70 +	6	4.0							
SUBTOTAL	**299**	**13.6**	**295**	**1**	**3**	**5**	**19**	**36**	**45**		**1347**	**27.0**	**346**	**3**	**13**	**28**	**41**	**60**	**69**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	131	13.2	301	1	2	5	12	58	58	0-17	1484	19.2	344	1	2	15	31	47	54
70-74	10	44.0								18-34	2110	26.6	259	5	14	28	36	47	58
75-79	57	2.7	2							35-49	651	23.4	241	2	7	26	35	41	51
80-84	17	1.0								50-69	225	13.5	187	1	1	6	26	33	38
85 +	31	3.7	4							70 +	8	1.0							
SUBTOTAL	**246**	**10.0**	**237**	**1**	**2**	**4**	**11**	**30**	**58**		**4477**	**23.0**	**296**	**1**	**6**	**25**	**33**	**45**	**54**
GRAND TOTAL	**545**	**12.0**	**272**	**1**	**2**	**4**	**13**	**33**	**45**		**5825**	**23.9**	**311**	**1**	**7**	**25**	**35**	**48**	**59**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	40	12.8	60							0-17	48	9.3	59	1	1	8	13	23	23
18-34	235	25.5	230	2	21	28	34	52	63	18-34	114	32.9	290	11	18	31	52	57	57
35-49	52	22.7	451							35-49	6	14.0							
50-69	36	15.1	145							50-69	15	2.8	2						
70 +	0									70 +	0								
SUBTOTAL	**364**	**22.7**	**255**	**2**	**9**	**21**	**32**	**55**	**63**		**184**	**23.5**	**343**	**1**	**8**	**18**	**34**	**54**	**57**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	583	12.6	244	1	1	2	28	37	40	0-17	157	30.7	264	1	20	30	45	51	52
18-34	328	29.4	502	5	14	27	38	57	99	18-34	290	15.0	165	2	4	11	23	40	42
35-49	30	26.4	17							35-49	67	19.4	170	2	14	19	27	44	44
50-69	0									50-69	34	11.8	212						
70 +	8	24.0								70 +	6	2.0							
SUBTOTAL	**948**	**18.9**	**388**	**1**	**1**	**17**	**30**	**40**	**57**		**554**	**19.7**	**247**	**2**	**4**	**18**	**30**	**42**	**46**
GRAND TOTAL	**1313**	**20.0**	**354**	**1**	**2**	**20**	**31**	**43**	**57**		**737**	**20.6**	**273**	**1**	**5**	**18**	**32**	**45**	**51**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	16364	11.3	108	2	4	7	16	28	31		0-17	950	15.5	285	1	1	5	31	44	49
70-74	5258	10.6	107	2	4	7	14	26	29		18-34	9612	13.1	125	2	4	7	22	29	32
75-79	2760	10.8	87	3	4	8	14	24	29		35-49	12663	11.3	106	2	3	6	20	28	30
80-84	1455	9.2	87	2	4	7	12	22	26		50-69	11815	10.9	99	3	4	6	16	28	29
85 +	878	8.9	170	2	3	6	11	14	26		70 +	324	8.9	75	< 1	2	5	14	28	28
SUBTOTAL	**26714**	**10.9**	**107**	**2**	**4**	**7**	**15**	**27**	**30**			**35363**	**11.7**	**114**	**2**	**3**	**7**	**21**	**28**	**31**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**26714**	**10.9**	**107**	**2**	**4**	**7**	**15**	**27**	**30**			**35363**	**11.7**	**114**	**2**	**3**	**7**	**21**	**28**	**31**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	359	21.2	565	1	1	9	38	49	78		0-17	255	4.4	57	< 1	1	2	4	9	28
18-34	6118	11.4	121	2	4	7	17	28	30		18-34	7643	7.6	70	1	2	4	9	21	28
35-49	6964	10.0	89	2	4	7	12	25	28		35-49	11203	7.7	61	2	3	5	9	20	28
50-69	3741	10.5	114	2	4	7	12	28	31		50-69	5871	7.2	54	2	3	5	9	15	22
70 +	59	5.6	25								70 +	291	6.6	23	2	3	5	10	11	14
SUBTOTAL	**17240**	**10.8**	**118**	**2**	**4**	**7**	**14**	**27**	**30**			**25262**	**7.5**	**62**	**2**	**3**	**5**	**9**	**20**	**27**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**17240**	**10.8**	**118**	**2**	**4**	**7**	**14**	**27**	**30**			**25262**	**7.5**	**62**	**2**	**3**	**5**	**9**	**20**	**27**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17537	12.7	119	2	4	8	21	29	33	0-17	17769	24.3	265	1	9	28	35	43	48
70-74	3150	10.6	98	2	3	6	15	27	29	18-34	81968	16.8	138	2	4	19	28	30	34
75-79	1901	10.5	106	2	3	7	14	25	30	35-49	53041	14.4	136	2	3	10	26	29	34
80-84	940	6.5	47	2	3	4	7	14	27	50-69	19679	12.5	128	2	3	6	24	29	31
85 +	399	6.4	50	1	3	5	7	14	23	70 +	329	11.0	94	2	4	5	18	23	35
SUBTOTAL	**23927**	**11.9**	**114**	**2**	**3**	**7**	**20**	**28**	**33**		**172787**	**16.3**	**158**	**2**	**4**	**15**	**28**	**31**	**36**
GRAND TOTAL	**23927**	**11.9**	**114**	**2**	**3**	**7**	**20**	**28**	**33**		**172787**	**16.3**	**158**	**2**	**4**	**15**	**28**	**31**	**36**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4683	22.0	316	2	7	18	32	44	56	0-17	3745	15.1	245	1	1	9	28	41	47
18-34	27575	12.5	116	2	4	7	21	28	29	18-34	45811	9.0	87	1	3	5	12	26	29
35-49	12866	10.6	99	2	3	6	18	28	28	35-49	27104	7.0	53	1	2	5	8	18	26
50-69	3766	9.0	80	2	3	5	11	26	28	50-69	8396	6.5	43	1	3	5	7	13	25
70 +	105	5.9	23	2	3	4	6	13	22	70 +	399	6.0	37	1	2	4	8	11	25
SUBTOTAL	**48994**	**12.6**	**138**	**2**	**4**	**7**	**21**	**28**	**32**		**85454**	**8.4**	**82**	**1**	**2**	**5**	**10**	**24**	**28**
GRAND TOTAL	**48994**	**12.6**	**138**	**2**	**4**	**7**	**21**	**28**	**32**		**85454**	**8.4**	**82**	**1**	**2**	**5**	**10**	**24**	**28**

The patient records used in these tables represent discharges prior to the addition of new procedure codes (10/1/89) necessary to group to this DRG.

The patient records used in these tables represent discharges prior to the addition of new procedure codes (10/1/89) necessary to group to this DRG.

DRG 439: Skin Grafts for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	231	15.6	277	2	7	8	22	52	57	0-17	57	26.2	276						
70-74	150	13.8	197	4	7	11	13	55	99 +	18-34	106	17.2	488	1	2	14	24	86	99 +
75-79	43	13.6	50	5	6	15	21	22	22	35-49	151	16.3	334	1	6	9	19	56	65
80-84	32	21.7	129							50-69	244	19.9	243	4	8	15	32	46	48
85 +	42	10.7	41							70 +	10	7.0							
SUBTOTAL	**498**	**14.9**	**208**	**3**	**7**	**9**	**19**	**51**	**58**		**568**	**18.8**	**321**	**2**	**7**	**13**	**29**	**48**	**59**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	213	6.2	45	1	1	2	12	16	16	0-17	424	7.6	46	1	2	4	14	19	20
70-74	99	6.1	17	2	2	7	10	11	12	18-34	385	6.3	37	1	2	4	10	15	18
75-79	96	9.7	102	1	2	9	15	22	36	35-49	304	7.5	73	1	1	5	9	21	32
80-84	34	7.4	28							50-69	419	5.8	40	1	1	4	8	15	18
85 +	0									70 +	14	1.0							
SUBTOTAL	**443**	**7.0**	**52**	**1**	**1**	**4**	**11**	**16**	**22**		**1546**	**6.7**	**48**	**1**	**1**	**4**	**10**	**16**	**20**
GRAND TOTAL	**940**	**11.2**	**150**	**1**	**3**	**8**	**14**	**26**	**52**		**2114**	**10.0**	**150**	**1**	**2**	**6**	**14**	**26**	**34**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	36	7.0	1							0-17	0								
18-34	40	22.6	38							18-34	108	22.5	164	8	15	18	35	43	52
35-49	38	4.3	7							35-49	31	4.8	5						
50-69	26	14.9	99							50-69	49	15.1	209						
70 +	0									70 +	8	2.0							
SUBTOTAL	**140**	**12.2**	**87**	**3**	**6**	**8**	**24**	**27**	**30**		**197**	**17.0**	**192**	**4**	**5**	**15**	**22**	**43**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	150	6.0	44	1	1	3	7	16	23	0-17	159	4.7	26	1	1	2	7	13	17
18-34	54	7.2	8	2	5	9	10	99 +	99 +	18-34	254	6.1	27	1	2	5	8	14	19
35-49	28	6.0	42							35-49	89	4.1	16	1	1	4	5	12	14
50-69	56	5.0	8	3	3	3	7	10	10	50-69	82	2.8	2	1	2	3	3	5	6
70 +	0									70 +	0								
SUBTOTAL	**288**	**6.0**	**30**	**1**	**2**	**4**	**9**	**18**	**23**		**584**	**4.9**	**23**	**1**	**1**	**3**	**7**	**14**	**16**
GRAND TOTAL	**428**	**8.0**	**57**	**1**	**3**	**6**	**10**	**24**	**30**		**780**	**8.0**	**93**	**1**	**2**	**5**	**11**	**18**	**27**

DRG 440: Wound Debridements for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1579	19.2	305	4	8	14	25	45	65	0-17	380	9.3	146	2	3	5	11	16	25
70-74	819	21.9	455	3	6	15	30	64	74	18-34	780	14.9	197	2	5	8	26	37	43
75-79	576	23.6	357	6	10	19	34	53	88	35-49	640	12.2	163	2	6	10	17	29	76
80-84	378	20.1	298	3	6	13	35	51	53	50-69	1000	14.4	132	2	6	11	22	35	42
85+	342	20.9	347	4	9	20	31	67	99+	70+	59	14.8	122	5	5	10	20	36	36
SUBTOTAL	**3694**	**20.8**	**352**	**3**	**8**	**15**	**30**	**52**	**80**		**2858**	**13.4**	**162**	**2**	**5**	**10**	**18**	**33**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	812	8.9	80	1	2	7	11	21	31	0-17	1851	5.1	42	1	1	3	6	11	19
70-74	540	9.0	192	1	2	4	10	21	26	18-34	2036	5.2	24	1	2	4	7	11	14
75-79	482	13.1	125	3	6	9	15	29	34	35-49	1507	5.8	51	1	2	3	7	15	18
80-84	229	10.0	73	4	5	8	13	19	24	50-69	1214	6.7	67	1	2	4	7	15	27
85+	167	10.4	81	3	4	7	15	31	33	70+	77	8.4	43	1	3	6	11	22	22
SUBTOTAL	**2230**	**10.1**	**119**	**1**	**3**	**7**	**13**	**22**	**31**		**6685**	**5.6**	**43**	**1**	**2**	**3**	**7**	**13**	**18**
GRAND TOTAL	**5925**	**16.7**	**291**	**2**	**6**	**11**	**23**	**41**	**62**		**9543**	**7.9**	**91**	**1**	**2**	**4**	**10**	**20**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	189	12.9	71	4	7	11	14	32	32	0-17	250	15.1	322	4	5	10	17	33	64
18-34	228	14.4	274	1	4	7	25	58	99+	18-34	490	17.6	399	4	6	9	23	79	79
35-49	179	12.7	121	4	5	8	16	28	41	35-49	192	24.8	437	6	7	14	42	56	56
50-69	208	22.6	634	4	6	8	36	73	78	50-69	278	18.4	184	6	9	12	24	41	51
70+	10	21.0								70+	24	55.3	609						
SUBTOTAL	**813**	**15.8**	**298**	**3**	**5**	**10**	**20**	**37**	**66**		**1234**	**19.2**	**379**	**4**	**7**	**12**	**24**	**56**	**79**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	631	5.5	39	1	1	3	8	12	15	0-17	767	5.7	43	1	2	4	6	8	20
18-34	326	8.2	51	2	3	5	11	17	25	18-34	1900	5.8	62	1	2	3	6	11	18
35-49	201	7.5	59	2	3	5	8	21	29	35-49	447	7.4	94	1	2	4	7	22	40
50-69	139	19.3	168	3	7	19	31	37	38	50-69	363	8.2	64	1	3	5	12	19	28
70+	0									70+	24	8.0	30						
SUBTOTAL	**1296**	**8.0**	**75**	**1**	**2**	**4**	**9**	**23**	**29**		**3500**	**6.2**	**63**	**1**	**2**	**4**	**7**	**12**	**22**
GRAND TOTAL	**2110**	**11.0**	**176**	**1**	**3**	**6**	**13**	**29**	**36**		**4735**	**9.6**	**177**	**1**	**3**	**5**	**10**	**24**	**41**

DRG 441: Hand Procedures for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	257	6.6	50	1	2	4	12	13	25	0-17	20	5.5	2						
70-74	24	3.0	3							18-34	111	6.3	54	1	3	3	8	12	27
75-79	14	2.0								35-49	103	8.7	232	1	2	4	7	16	60
80-84	27	3.5	4							50-69	108	4.6	7	1	3	4	5	8	11
85 +	33	3.1	1							70 +	0								
SUBTOTAL	**355**	**5.6**	**40**	**1**	**2**	**3**	**6**	**12**	**13**		**343**	**6.4**	**91**	**1**	**3**	**4**	**6**	**11**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	525	2.5	4	1	1	2	3	5	8	0-17	843	2.8	7	1	1	2	3	6	8
70-74	135	3.5	9	1	1	2	5	9	10	18-34	1261	3.3	7	1	1	2	5	7	9
75-79	79	3.7	14	1	1	3	4	10	13	35-49	900	2.7	5	< 1	1	2	3	6	8
80-84	36	7.7	73							50-69	782	3.5	21	1	1	2	4	7	12
85 +	22	3.6	4							70 +	0								
SUBTOTAL	**798**	**3.1**	**10**	**1**	**1**	**2**	**4**	**8**	**9**		**3786**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1153**	**3.8**	**21**	**1**	**1**	**2**	**4**	**9**	**12**		**4128**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	21.0								0-17	31	1.2							
18-34	46	4.2	11	1	1	3	7	10	10	18-34	70	7.5	36	1	3	3	14	17	17
35-49	15	3.0								35-49	16	7.0	10						
50-69	0									50-69	68	18.4	150						
70 +	0									70 +	8	8.0							
SUBTOTAL	**76**	**7.1**	**52**	**1**	**3**	**3**	**10**	**21**	**21**		**193**	**10.3**	**106**	**1**	**2**	**6**	**14**	**31**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	361	2.4	20	1	1	1	2	5	7	0-17	415	2.5	6	1	1	1	3	5	8
18-34	91	3.2	4	1	2	3	3	7	7	18-34	862	2.8	5	1	1	2	3	6	9
35-49	30	3.2	3							35-49	330	2.2	6	1	1	1	2	4	4
50-69	60	2.2								50-69	211	2.3	5	< 1	1	1	2	8	8
70 +	0									70 +	8	2.0							
SUBTOTAL	**542**	**2.6**	**14**	**1**	**1**	**1**	**2**	**5**	**7**		**1826**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**618**	**3.1**	**21**	**1**	**1**	**2**	**3**	**7**	**9**		**2019**	**3.3**	**20**	**1**	**1**	**2**	**3**	**7**	**10**

DRG 442: Other O.R. Procedures for Injuries w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	19050	8.3	98	1	2	5	11	19	26
70-74	6085	10.4	110	1	3	7	14	23	31
75-79	5427	9.7	128	1	3	6	12	21	30
80-84	3076	10.6	155	1	3	7	14	21	35
85 +	1804	12.7	143	2	5	10	16	26	35
SUBTOTAL	**35442**	**9.3**	**114**	**1**	**2**	**6**	**12**	**21**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**35442**	**9.3**	**114**	**1**	**2**	**6**	**12**	**21**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	2060	11.0	168	1	2	7	15	35	47
18-34	2568	8.5	111	1	2	5	10	19	32
35-49	3646	9.0	117	1	2	5	12	20	33
50-69	5638	11.0	143	2	3	7	14	26	38
70 +	355	13.0	233	2	3	10	16	30	42
SUBTOTAL	**14267**	**10.1**	**138**	**1**	**3**	**7**	**13**	**24**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14267**	**10.1**	**138**	**1**	**3**	**7**	**13**	**24**	**38**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1138	16.5	286	2	4	10	23	47	63
18-34	1142	10.6	167	1	2	5	14	26	41
35-49	819	11.5	151	2	3	7	12	30	39
50-69	1272	10.3	140	2	3	7	11	30	41
70 +	233	8.6	228	1	1	2	9	15	21
SUBTOTAL	**4603**	**12.0**	**196**	**2**	**3**	**7**	**16**	**33**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4603**	**12.0**	**196**	**2**	**3**	**7**	**16**	**33**	**45**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	657	13.4	258	1	2	7	19	55	62
18-34	1703	8.0	102	1	2	6	10	15	24
35-49	734	7.5	123	2	3	5	8	14	19
50-69	1451	10.2	138	1	2	6	14	25	32
70 +	366	8.6	104	1	2	7	10	17	26
SUBTOTAL	**4911**	**9.3**	**140**	**1**	**2**	**6**	**11**	**24**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4911**	**9.3**	**140**	**1**	**2**	**6**	**11**	**24**	**32**

DRG 443: Other O.R. Procedures for Injuries w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5165	5.9	47	1	2	4	8	12	19
70-74	3214	6.0	33	1	2	5	8	12	16
75-79	2481	6.0	52	1	2	4	8	13	15
80-84	1361	5.5	20	1	2	4	8	11	15
85 +	696	5.7	26	1	2	4	8	11	18
SUBTOTAL	**12917**	**5.9**	**41**	**1**	**2**	**4**	**8**	**12**	**16**
GRAND TOTAL	**12917**	**5.9**	**41**	**1**	**2**	**4**	**8**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	5516	3.6	22	1	1	2	4	8	13
18-34	7566	2.7	8	1	1	2	3	6	8
35-49	6180	3.2	12	1	1	2	4	7	10
50-69	6620	5.1	30	1	1	3	7	11	16
70 +	220	7.1	43	1	2	4	12	16	18
	26102	**3.7**	**19**	**1**	**1**	**2**	**4**	**8**	**12**
	26102	**3.7**	**19**	**1**	**1**	**2**	**4**	**8**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1677	6.5	99	1	1	3	8	14	26
18-34	1163	4.3	33	1	1	3	5	9	11
35-49	711	5.3	32	1	1	4	7	9	15
50-69	465	4.7	27	1	2	3	6	10	13
70 +	18	11.3	26						
SUBTOTAL	**4034**	**5.5**	**60**	**1**	**1**	**3**	**6**	**11**	**16**
GRAND TOTAL	**4034**	**5.5**	**60**	**1**	**1**	**3**	**6**	**11**	**16**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1496	3.5	25	1	1	1	4	8	10
18-34	3650	3.5	12	1	1	2	5	8	11
35-49	1851	4.0	40	1	1	2	5	8	10
50-69	1450	5.1	20	1	2	4	8	11	12
70 +	198	4.1	7	1	2	4	7	8	10
	8645	**3.9**	**22**	**1**	**1**	**2**	**5**	**8**	**11**
	8645	**3.9**	**22**	**1**	**1**	**2**	**5**	**8**	**11**

DRG 444: Multiple Trauma Age >17 w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1271	7.0	25	2	3	5	9	15	18
70-74	662	6.7	48	2	3	5	8	13	18
75-79	671	6.6	17	2	4	5	9	13	14
80-84	687	7.5	109	2	3	5	8	14	15
85 +	729	7.1	33	2	4	6	8	14	18
SUBTOTAL	**4020**	**7.0**	**43**	**2**	**3**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4020**	**7.0**	**43**	**2**	**3**	**5**	**8**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1478	3.7	25	1	2	3	5	7	8
35-49	1029	4.2	11	1	2	3	5	9	12
50-69	956	5.0	12	2	3	4	6	10	11
70 +	139	5.8	27	2	3	4	6	14	24
	3602	**4.3**	**18**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3602	**4.3**	**18**	**1**	**2**	**3**	**5**	**8**	**11**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	415	4.7	16	1	2	4	6	10	15
35-49	237	4.4	9	2	3	3	5	8	12
50-69	127	8.3	28	3	4	9	9	12	15
70 +	32	8.0							
SUBTOTAL	**811**	**5.3**	**17**	**2**	**3**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**811**	**5.3**	**17**	**2**	**3**	**4**	**7**	**10**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1462	3.6	6	1	2	3	4	8	9
35-49	748	5.6	41	2	3	4	6	9	14
50-69	400	6.8	58	2	2	4	8	20	20
70 +	44	5.2	12	1	2	5	7	12	12
	2653	**4.7**	**26**	**1**	**2**	**3**	**6**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2653	**4.7**	**26**	**1**	**2**	**3**	**6**	**9**	**10**

DRG 445: Multiple Trauma Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	867	4.6	29	1	2	3	5	9	12	0-17	0								
70-74	558	5.0	13	2	3	4	6	10	11	18-34	5267	2.7	4	1	1	2	3	5	7
75-79	487	4.3	17	1	2	3	5	7	9	35-49	3006	3.2	8	1	1	2	4	7	9
80-84	371	5.3	10	2	3	5	7	10	12	50-69	1896	3.7	13	1	1	3	5	7	9
85 +	489	5.9	17	2	3	5	7	12	13	70 +	130	5.0	21	2	2	4	5	9	19
SUBTOTAL	**2772**	**5.0**	**19**	**1**	**2**	**4**	**6**	**10**	**12**		**10299**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**2772**	**5.0**	**19**	**1**	**2**	**4**	**6**	**10**	**12**		**10299**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	947	2.7	2	1	1	3	4	4	6	18-34	4976	2.9	8	1	1	2	4	6	7
35-49	287	3.0	2	1	2	3	4	5	5	35-49	1537	3.1	4	1	2	3	4	5	6
50-69	102	3.3	3	1	1	3	5	6	6	50-69	720	3.6	7	1	1	3	5	8	8
70 +	32	2.0								70 +	68	8.3	114	1	1	8	9	10	40
SUBTOTAL	**1369**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**6**		**7300**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1369**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**6**		**7300**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 446: Multiple Trauma Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	2.1	1							0-17	1026	4.2	26	1	2	3	5	7	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**17**	**2.1**	**1**								**1026**	**4.2**	**26**	**1**	**2**	**3**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	4775	2.4	5	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**4775**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**17**	**2.1**	**1**								**5802**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	430	5.7	157	1	2	3	5	6	12	0-17	427	4.5	46	1	2	2	4	6	20
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**430**	**5.7**	**157**	**1**	**2**	**3**	**5**	**6**	**12**		**427**	**4.5**	**46**	**1**	**2**	**2**	**4**	**6**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1857	2.6	4	1	1	2	3	5	6	0-17	2483	2.5	9	1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1857**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**2483**	**2.5**	**9**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**2286**	**3.2**	**34**	**1**	**1**	**2**	**4**	**5**	**7**		**2910**	**2.8**	**15**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 447: Allergic Reactions Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	698	4.1	9	1	2	3	6	7	8
70-74	484	3.7	13	1	2	3	4	7	10
75-79	256	2.8	2	1	2	2	4	5	6
80-84	271	4.1	7	1	2	3	5	8	9
85 +	151	4.8	18	2	2	3	6	10	10
SUBTOTAL	**1861**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	691	3.1	3	1	1	3	5	5	6
70-74	272	1.6	1	1	1	1	1	4	4
75-79	131	1.9	1	1	1	1	3	3	4
80-84	261	3.0	5	1	1	2	4	7	7
85 +	74	2.2	2	< 1	1	1	3	5	5
SUBTOTAL	**1428**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**3290**	**3.4**	**7**	**1**	**1**	**3**	**5**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	422	4.0	60	< 1	1	2	4	9	9
35-49	677	3.0	8	1	1	2	3	6	12
50-69	804	3.8	8	1	2	3	5	7	9
70 +	8	2.0							
	1910	**3.6**	**20**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	0								
18-34	1411	2.0	2	< 1	1	1	2	4	4
35-49	1905	2.4	4	1	1	2	3	4	6
50-69	1104	2.2	2	1	1	2	3	5	5
70 +	18	1.9	1						
	4438	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
	6348	**2.6**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	46	3.2	3						
35-49	69	6.3	13	2	3	4	10	10	10
50-69	125	7.0	20	3	3	4	14	14	14
70 +	0								
SUBTOTAL	**241**	**6.1**	**16**	**2**	**3**	**4**	**10**	**14**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	284	2.0	1	1	1	2	3	3	4
35-49	146	2.7	2	1	2	2	3	6	6
50-69	48	1.9	2	< 1	1	1	3	5	5
70 +	32	2.0							
SUBTOTAL	**510**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**751**	**3.4**	**10**	**1**	**2**	**2**	**4**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	62	2.7	11						
35-49	48	4.0	8						
50-69	107	2.7	4	1	1	2	3	6	8
70 +	31	1.5							
	248	**2.8**	**6**	**1**	**1**	**2**	**3**	**8**	**9**
0-17	0								
18-34	575	1.6	2	1	1	1	2	3	4
35-49	377	1.8	1	< 1	1	1	2	3	5
50-69	375	2.6	6	1	1	1	3	7	7
70 +	34	1.9	2						
	1361	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
	1609	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**7**

Total U.S., July 1988 - June 1989

DRG 448: Allergic Reactions Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	256	3.2	4	1	2	3	4	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**256**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	3.0								0-17	1501	2.0	1	1	1	2	3	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**1501**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**8**	**3.0**									**1758**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	71	2.4	1	1	2	2	4	4	4	0-17	101	1.5	1	1	1	1	1	3	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**71**	**2.4**	**1**	**1**	**2**	**2**	**4**	**4**	**4**		**101**	**1.5**	**1**	**1**	**1**	**1**	**1**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	246	1.8	1	1	1	2	2	3	3	0-17	539	2.2	3	1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**246**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**		**539**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**317**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**		**640**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**5**

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10498	5.4	40	1	2	4	6	11	16	0-17	0								
70-74	5167	6.1	26	2	3	5	8	12	14	18-34	7680	3.6	30	1	1	2	4	7	13
75-79	5773	6.8	51	2	3	5	8	12	22	35-49	7056	4.3	38	1	1	3	4	9	15
80-84	4346	6.6	30	2	3	5	9	12	15	50-69	5109	5.0	33	1	2	3	6	11	16
85+	4214	6.8	42	2	3	5	9	13	16	70+	237	7.1	35	2	3	5	10	16	20
SUBTOTAL	**29999**	**6.1**	**39**	**2**	**3**	**4**	**8**	**12**	**16**		**20082**	**4.3**	**34**	**1**	**1**	**3**	**4**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**29999**	**6.1**	**39**	**2**	**3**	**4**	**8**	**12**	**16**		**20082**	**4.3**	**34**	**1**	**1**	**3**	**4**	**9**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	5944	3.4	19	1	1	2	4	7	10	18-34	10246	2.9	11	1	1	2	3	6	9
35-49	3394	4.6	55	1	2	3	5	8	15	35-49	5733	3.4	15	1	1	2	4	7	10
50-69	1865	5.4	20	1	2	4	7	12	17	50-69	2074	4.8	29	1	2	3	6	10	14
70+	165	6.4	19	3	4	5	6	12	16	70+	391	4.8	12	1	2	4	6	9	11
SUBTOTAL	**11368**	**4.1**	**30**	**1**	**1**	**3**	**5**	**8**	**13**		**18445**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11368**	**4.1**	**30**	**1**	**1**	**3**	**5**	**8**	**13**		**18445**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4476	3.6	29	1	1	2	4	7	10	0-17	0								
70-74	1795	4.2	17	1	2	3	5	8	11	18-34	19796	2.4	13	< 1	1	1	2	4	6
75-79	1266	4.3	26	1	2	3	5	8	9	35-49	11042	2.5	8	1	1	2	3	5	6
80-84	921	3.7	5	1	2	3	5	6	7	50-69	4875	3.0	18	1	1	2	3	5	9
85 +	934	4.1	4	2	3	4	5	7	8	70 +	131	3.4	16	1	1	2	4	6	18
SUBTOTAL	**9391**	**3.9**	**22**	**1**	**1**	**3**	**5**	**7**	**9**		**35845**	**2.5**	**12**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**9391**	**3.9**	**22**	**1**	**1**	**3**	**5**	**7**	**9**		**35845**	**2.5**	**12**	**1**	**1**	**2**	**3**	**4**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	7435	2.5	14	1	1	1	3	4	8	18-34	18649	2.1	5	< 1	1	1	2	4	5
35-49	2805	2.9	13	1	1	2	3	5	9	35-49	6063	2.7	13	1	1	2	3	5	7
50-69	724	3.6	15	1	1	2	4	7	13	50-69	1670	3.3	10	< 1	1	2	4	7	11
70 +	20	2.5								70 +	153	3.0	11	1	1	2	3	9	13
SUBTOTAL	**10985**	**2.7**	**14**	**1**	**1**	**2**	**3**	**5**	**8**		**26534**	**2.3**	**8**	**< 1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**10985**	**2.7**	**14**	**1**	**1**	**2**	**3**	**5**	**8**		**26534**	**2.3**	**8**	**< 1**	**1**	**1**	**3**	**4**	**6**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	22	3.7	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**22**	**3.7**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	101	1.6		1	1	2	2	2	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**101**	**1.6**		**1**	**1**	**2**	**2**	**2**	**3**
GRAND TOTAL	**123**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4632	3.2	23	1	1	2	3	6	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4632	**3.2**	**23**	**1**	**1**	**2**	**3**	**6**	**11**
0-17	27690	2.1	14	1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	27690	**2.1**	**14**	**1**	**1**	**1**	**2**	**3**	**5**
	32322	**2.3**	**15**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2624	3.9	38	1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2624**	**3.9**	**38**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14162	2.5	15	1	1	1	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**14162**	**2.5**	**15**	**1**	**1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**16786**	**2.7**	**19**	**1**	**1**	**1**	**3**	**5**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2438	3.2	27	1	1	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2438	**3.2**	**27**	**1**	**1**	**2**	**3**	**6**	**8**
0-17	16275	2.0	6	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16275	**2.0**	**6**	**1**	**1**	**1**	**2**	**4**	**5**
	18713	**2.2**	**9**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 452: Complications of Treatment w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9605	6.1	43	1	2	4	7	12	16	0-17	2983	5.4	25	1	2	4	8	12	15
70-74	4533	6.5	57	2	3	4	7	13	21	18-34	2172	4.5	22	1	2	3	5	9	15
75-79	3658	6.3	41	1	2	4	8	12	18	35-49	3352	6.7	46	1	2	4	8	14	20
80-84	2608	6.7	30	2	3	5	8	14	19	50-69	5368	5.8	38	1	2	4	7	12	16
85 +	2144	8.8	139	2	3	5	10	15	29	70 +	165	4.9	17	1	2	3	8	10	14
SUBTOTAL	**22548**	**6.5**	**54**	**2**	**3**	**4**	**8**	**13**	**19**		**14040**	**5.7**	**35**	**1**	**2**	**4**	**7**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**22548**	**6.5**	**54**	**2**	**3**	**4**	**8**	**13**	**19**		**14040**	**5.7**	**35**	**1**	**2**	**4**	**7**	**13**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1805	9.2	100	1	3	7	12	17	25	0-17	834	6.5	56	1	2	3	7	18	22
18-34	888	6.8	68	2	2	5	8	13	17	18-34	794	5.4	30	1	2	3	6	12	15
35-49	675	7.6	39	2	3	6	9	14	24	35-49	944	5.3	26	1	2	4	7	11	15
50-69	777	6.6	48	2	2	4	8	17	18	50-69	1263	5.9	33	1	2	4	7	14	18
70 +	50	8.2	29							70 +	247	6.3	54	1	2	5	7	13	19
SUBTOTAL	**4197**	**7.9**	**74**	**1**	**3**	**6**	**10**	**16**	**22**		**4082**	**5.8**	**37**	**1**	**2**	**4**	**7**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4197**	**7.9**	**74**	**1**	**3**	**6**	**10**	**16**	**22**		**4082**	**5.8**	**37**	**1**	**2**	**4**	**7**	**14**	**18**

DRG 453: Complications of Treatment w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3844	4.4	24	1	2	3	5	9	11	0-17	3541	3.0	20	< 1	1	1	3	6	9
70-74	2272	4.5	31	1	2	3	5	10	12	18-34	4199	2.5	4	1	1	2	3	5	7
75-79	2251	4.1	19	1	2	3	5	9	13	35-49	4220	3.1	9	1	1	2	4	6	9
80-84	1116	4.3	25	1	2	3	5	8	12	50-69	5112	3.3	11	1	1	2	4	7	10
85 +	616	4.5	17	1	1	3	6	13	15	70 +	197	3.7	23	1	1	2	4	5	8
SUBTOTAL	**10099**	**4.4**	**24**	**1**	**2**	**3**	**5**	**9**	**12**		**17269**	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**10099**	**4.4**	**24**	**1**	**2**	**3**	**5**	**9**	**12**		**17269**	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1438	4.5	33	1	1	2	5	10	14	0-17	998	3.6	17	1	1	2	5	8	11
18-34	614	3.3	21	1	1	2	3	5	10	18-34	1194	2.8	16	1	1	2	3	5	7
35-49	602	4.3	14	1	2	3	6	10	10	35-49	786	2.9	5	1	1	2	4	7	7
50-69	364	4.5	12	2	2	3	7	11	12	50-69	1050	3.4	10	1	1	2	4	7	12
70 +	0									70 +	132	2.6	2	1	1	3	3	5	6
SUBTOTAL	**3018**	**4.2**	**24**	**1**	**1**	**2**	**5**	**10**	**12**		**4161**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**3018**	**4.2**	**24**	**1**	**1**	**2**	**5**	**10**	**12**		**4161**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**9**

Total U.S., July 1988 - June 1989

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1230	6.5	86	1	2	4	8	13	21	0-17	1158	3.6	75	1	1	1	3	7	9
70-74	666	7.7	104	2	2	4	7	21	25	18-34	663	2.9	14	1	1	2	3	6	11
75-79	895	7.9	111	2	3	5	9	15	32	35-49	569	4.8	49	1	2	2	4	12	15
80-84	1023	7.5	76	1	3	4	7	14	31	50-69	585	8.7	293	1	2	4	7	12	78
85 +	1153	8.1	82	2	3	5	10	16	23	70 +	74	3.6	4	1	3	3	3	9	9
SUBTOTAL	**4968**	**7.5**	**90**	**1**	**3**	**5**	**9**	**15**	**25**		**3050**	**4.6**	**101**	**1**	**1**	**2**	**4**	**9**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4968**	**7.5**	**90**	**1**	**3**	**5**	**9**	**15**	**25**		**3050**	**4.6**	**101**	**1**	**1**	**2**	**4**	**9**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	816	7.9	186	1	2	3	7	15	44	0-17	766	5.3	190	1	1	2	3	7	23
18-34	230	2.4	4	1	1	2	3	6	8	18-34	875	1.8	1	< 1	1	1	2	3	4
35-49	142	3.0	12	1	1	2	3	7	16	35-49	638	5.4	40	1	1	2	7	17	17
50-69	156	7.2	26	1	3	5	11	16	19	50-69	350	5.3	19	1	2	4	7	12	12
70 +	14	16.3	45							70 +	90	4.4	36	1	2	3	5	70	99 +
SUBTOTAL	**1358**	**6.5**	**123**	**1**	**1**	**3**	**7**	**14**	**38**		**2719**	**4.2**	**70**	**1**	**1**	**2**	**4**	**10**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1358**	**6.5**	**123**	**1**	**1**	**3**	**7**	**14**	**38**		**2719**	**4.2**	**70**	**1**	**1**	**2**	**4**	**10**	**17**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	296	3.3	8	1	1	2	4	8	9	0-17	2980	1.5	1	1	1	1	2	2	3
70-74	430	2.7	2	1	2	2	4	5	6	18-34	2342	2.0	7	< 1	1	1	2	3	4
75-79	390	2.6	3	1	1	2	4	5	6	35-49	772	2.2	5	1	1	2	2	4	5
80-84	256	3.0	5	1	1	2	4	5	9	50-69	497	1.6	1	1	1	2	2	2	3
85 +	386	3.1	6	1	1	2	4	6	9	70 +	84	2.3	6	< 1	1	1	2	6	9
SUBTOTAL	**1758**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**		**6675**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1758**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**		**6675**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2585	2.4	4	1	1	2	3	5	7	0-17	2475	2.0	8	1	1	1	2	4	6
18-34	496	1.4	1	< 1	< 1	1	1	3	3	18-34	1452	2.0	9	1	1	1	2	3	5
35-49	71	2.4	3	< 1	1	2	4	5	5	35-49	464	1.7	2	< 1	1	1	2	3	4
50-69	70	4.5	56	1	1	2	3	5	28	50-69	271	3.9	35	1	1	2	3	16	22
70 +	6	2.0								70 +	85	1.6	1	1	1	1	2	3	3
SUBTOTAL	**3228**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**4**	**7**		**4747**	**2.0**	**9**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**3228**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**4**	**7**		**4747**	**2.0**	**9**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 457: Extensive Burns w/o O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	29	18.5	31						
70-74	9	14.0								18-34	0								
75-79	0									35-49	8	5.0							
80-84	6	27.0								50-69	72	4.9	21						
85+	0									70+	0								
SUBTOTAL	**15**	**19.2**	**43**								**109**	**8.5**	**58**	**1**	**1**	**6**	**13**	**24**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	36	10.1	27						
70-74	0									18-34	20	6.3	30						
75-79	0									35-49	62	4.5	14						
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**119**	**6.5**	**27**	**<1**	**<1**	**7**	**10**	**16**	**16**
GRAND TOTAL	**15**	**19.2**	**43**								**227**	**7.5**	**42**	**<1**	**1**	**6**	**13**	**16**	**24**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	22	9.6								18-34	22	4.0							
35-49	0									35-49	0								
50-69	14	14.0								50-69	0								
70+	0									70+	0								
SUBTOTAL	**36**	**11.4**	**5**								**22**	**4.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9	1.0								0-17	10	1.0							
18-34	8	14.0								18-34	30	6.5	12						
35-49	0									35-49	14	4.0							
50-69	0									50-69	6	10.0							
70+	0									70+	0								
SUBTOTAL	**17**	**6.9**	**45**								**60**	**5.3**	**13**	**<1**	**2**	**4**	**10**	**10**	**10**
GRAND TOTAL	**53**	**9.9**	**21**								**83**	**5.0**	**10**	**<1**	**4**	**4**	**4**	**10**	**10**

DRG 458: Non-extensive Burns w/ Skin Graft

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	517	28.3	371	7	15	22	36	56	71
70-74	154	26.1	308	9	11	24	51	72	99 +
75-79	207	30.1	328	5	18	34	38	48	73
80-84	190	18.2	97	7	12	18	27	37	99 +
85 +	200	23.0	150	11	12	15	33	42	47
SUBTOTAL	1267	26.0	295	7	14	21	36	53	73
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	228	11.8	154	2	4	7	15	32	49
70-74	173	17.3	122	6	9	16	22	35	35
75-79	89	19.6	113	8	10	18	30	35	35
80-84	64	21.4	90	7	11	18	31	33	33
85 +	30	8.5	50						
SUBTOTAL	583	15.5	141	3	6	11	22	33	35
GRAND TOTAL	1850	22.7	270	6	9	19	34	49	58

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	274	18.7	166	7	9	13	27	43	50
18-34	179	14.6	91	5	8	11	19	34	34
35-49	190	19.7	278	6	8	14	20	54	56
50-69	248	21.7	222	7	11	18	29	53	53
70 +	42	26.5	755						
	932	19.3	222	6	9	14	26	38	53
0-17	1126	12.7	117	1	4	11	18	25	30
18-34	738	10.1	104	2	3	7	15	18	37
35-49	443	11.9	126	2	3	7	15	27	36
50-69	187	8.4	54	2	2	5	17	19	21
70 +	24	10.0	18						
	2517	11.4	111	1	3	9	16	24	31
	3449	13.6	153	2	4	11	18	29	37

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	333	25.4	334	5	12	20	36	47	48
18-34	154	25.2	480	6	11	17	33	40	86
35-49	131	26.8	295	9	9	18	42	53	53
50-69	117	29.2	466	9	9	21	53	72	99 +
70 +	0								
SUBTOTAL	735	26.2	379	6	11	21	38	53	82
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1142	13.6	156	2	5	11	19	28	36
18-34	275	10.8	41	2	6	9	17	20	20
35-49	58	11.2	69	2	4	7	14	27	27
50-69	0								
70 +	25	38.0	213						
SUBTOTAL	1500	13.4	144	2	5	10	19	26	36
GRAND TOTAL	2235	17.6	257	2	6	14	24	41	51

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	91	17.3	21	12	13	17	21	25	25
18-34	176	15.1	98	5	7	13	21	24	44
35-49	130	22.6	231	11	13	14	22	49	57
50-69	86	23.6	253	8	12	18	34	55	55
70 +	0								
	483	19.1	159	7	12	16	22	41	49
0-17	1024	14.9	109	1	7	15	20	26	33
18-34	294	14.4	119	3	6	11	23	33	33
35-49	286	14.8	85	5	7	12	24	26	35
50-69	66	16.7	434						
70 +	6	38.0							
	1675	15.0	121	2	6	14	21	27	34
	2158	15.9	132	3	7	14	21	28	37

Total U.S., July 1988 - June 1989

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	313	12.7	109	5	7	9	14	33	37	0-17	71	14.1	34	4	12	18	18	20	20
70-74	124	12.8	24	8	9	9	15	19	23	18-34	55	8.2	2						
75-79	86	14.5	177							35-49	38	10.1	7						
80-84	8	12.0								50-69	85	10.0	56	3	3	10	13	26	26
85 +	118	24.0	208	8	8	23	30	53	53	70 +	6	4.0							
SUBTOTAL	**649**	**15.0**	**136**	**6**	**7**	**12**	**19**	**34**	**48**		**256**	**10.6**	**35**	**3**	**7**	**9**	**15**	**18**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	186	5.4	8	2	3	7	8	9	9	0-17	722	6.2	27	1	2	5	8	13	18
70-74	6	8.0								18-34	396	6.0	23	1	2	5	9	14	14
75-79	24	7.9	44							35-49	383	6.9	24	1	4	5	9	14	18
80-84	63	9.1	118							50-69	188	9.8	43	1	5	9	14	18	20
85 +	24	9.8	8							70 +	0								
SUBTOTAL	**304**	**6.8**	**36**	**2**	**3**	**5**	**8**	**13**	**17**		**1689**	**6.7**	**29**	**1**	**3**	**5**	**9**	**14**	**18**
GRAND TOTAL	**952**	**12.4**	**119**	**3**	**6**	**9**	**15**	**30**	**42**		**1944**	**7.2**	**31**	**1**	**3**	**5**	**9**	**14**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	114	6.2	7	4	4	4	8	9	12	0-17	70	18.9	719	2	4	6	13	71	71
18-34	26	3.9	1							18-34	107	15.2	226	2	2	8	35	41	41
35-49	52	5.5	11							35-49	61	15.7	106	3	6	14	29	29	29
50-69	0									50-69	77	8.9	24	4	4	9	12	17	17
70 +	0									70 +	0								
SUBTOTAL	**192**	**5.7**	**8**	**3**	**4**	**4**	**8**	**9**	**11**		**315**	**14.6**	**273**	**2**	**4**	**8**	**18**	**35**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	577	8.6	138	1	2	4	9	20	25	0-17	358	6.7	25	1	2	6	10	13	17
18-34	28	4.5	23							18-34	237	6.4	15	1	2	7	9	10	13
35-49	25	9.6	64							35-49	64	3.9	11	1	2	3	5	12	12
50-69	32	3.0								50-69	31	11.1	78						
70 +	0									70 +	0								
SUBTOTAL	**662**	**8.2**	**125**	**1**	**2**	**4**	**9**	**19**	**25**		**690**	**6.5**	**24**	**1**	**2**	**6**	**9**	**13**	**15**
GRAND TOTAL	**855**	**7.6**	**100**	**1**	**3**	**4**	**9**	**16**	**23**		**1005**	**9.0**	**116**	**2**	**2**	**6**	**11**	**18**	**29**

Total U.S., July 1988 - June 1989

DRG 460: Non-extensive Burns w/o O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	571	7.8	24	2	5	7	11	18	99 +	0-17	306	7.7	65	2	2	3	9	22	28
70-74	210	10.2	56	3	6	7	14	21	26	18-34	386	6.4	81	1	2	4	7	15	15
75-79	182	8.8	58	3	6	6	11	15	15	35-49	399	10.6	93	2	4	7	13	26	29
80-84	174	10.0	79	3	4	6	11	32	32	50-69	453	8.6	34	3	4	6	13	19	21
85 +	132	9.5	25	4	4	11	14	16	16	70 +	54	5.3	28						
SUBTOTAL	**1268**	**8.8**	**43**	**3**	**5**	**7**	**12**	**18**	**28**		**1598**	**8.3**	**68**	**2**	**3**	**5**	**10**	**19**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	467	7.1	50	1	2	5	9	11	30	0-17	6233	4.5	18	1	1	3	6	10	12
70-74	192	7.5	39	1	4	4	9	19	19	18-34	2544	4.9	21	1	2	4	7	10	12
75-79	83	9.6	19	2	7	10	14	16	16	35-49	1652	5.1	25	1	2	3	6	11	17
80-84	137	9.8	23	3	7	8	12	19	20	50-69	794	7.6	53	2	3	5	9	16	24
85 +	157	10.6	26	2	7	10	17	17	19	70 +	0								
SUBTOTAL	**1036**	**8.3**	**40**	**2**	**4**	**7**	**10**	**17**	**19**		**11222**	**4.9**	**23**	**1**	**2**	**3**	**6**	**10**	**15**
GRAND TOTAL	**2304**	**8.6**	**42**	**2**	**4**	**7**	**11**	**17**	**21**		**12820**	**5.3**	**30**	**1**	**2**	**4**	**7**	**12**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	446	6.8	82	1	2	4	7	11	24	0-17	237	9.9	120	2	4	7	11	17	47
18-34	259	8.0	224	2	2	4	7	12	18	18-34	276	7.3	93	2	2	4	8	15	38
35-49	115	8.9	43	1	4	9	10	18	25	35-49	277	6.4	17	3	4	5	8	14	17
50-69	144	7.6	46	2	3	4	10	17	26	50-69	237	10.0	108	1	2	5	16	29	34
70 +	0									70 +	8	4.0							
SUBTOTAL	**963**	**7.5**	**111**	**2**	**2**	**5**	**9**	**13**	**25**		**1034**	**8.3**	**84**	**2**	**3**	**5**	**9**	**17**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5748	4.8	17	1	2	4	6	10	13	0-17	5313	6.0	30	1	2	4	9	13	16
18-34	492	5.2	29	1	2	4	7	9	15	18-34	1770	5.5	31	1	1	4	7	12	17
35-49	260	6.3	36	1	2	4	11	12	23	35-49	469	4.4	20	1	1	2	6	11	13
50-69	145	6.9	24	2	3	6	12	12	20	50-69	283	4.0	14	1	1	2	8	8	11
70 +	0									70 +	0								
SUBTOTAL	**6645**	**5.0**	**19**	**1**	**2**	**4**	**7**	**10**	**13**		**7836**	**5.7**	**29**	**1**	**2**	**4**	**8**	**13**	**16**
GRAND TOTAL	**7607**	**5.3**	**31**	**1**	**2**	**4**	**7**	**11**	**13**		**8871**	**6.0**	**36**	**1**	**2**	**4**	**8**	**13**	**16**

Total U.S., July 1988 - June 1989

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1671	11.9	312	1	1	3	20	42	54
70-74	877	8.3	199	1	1	2	9	37	43
75-79	829	10.7	219	1	1	3	19	35	49
80-84	592	9.1	175	1	1	3	11	24	43
85 +	377	9.8	175	1	1	3	15	27	34
SUBTOTAL	4345	10.4	242	1	1	3	15	35	48
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1241	3.2	49	1	1	1	3	6	11
70-74	957	3.0	31	1	1	1	2	5	11
75-79	695	2.7	22	1	1	1	2	4	9
80-84	415	4.8	149	1	1	1	3	6	28
85 +	287	3.2	29	1	1	1	3	9	14
SUBTOTAL	3593	3.3	49	1	1	1	3	6	11
GRAND TOTAL	7938	7.2	168	1	1	2	6	25	40

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	478	10.4	356	1	1	2	10	60	99 +
18-34	552	8.6	260	1	1	2	10	52	99 +
35-49	667	8.1	178	1	1	3	10	23	50
50-69	1226	10.0	245	1	1	5	14	63	99 +
70 +	115	17.3	145	8	10	25	72	99 +	99 +
	3038	9.7	249	1	1	4	13	57	99 +
0-17	2303	2.6	61	1	1	1	2	4	7
18-34	3223	2.1	8	1	1	1	2	4	5
35-49	2643	2.5	17	1	1	1	3	5	6
50-69	2418	3.7	62	1	1	1	3	7	10
70 +	84	5.1	96	1	1	1	4	10	35
	10671	2.7	35	1	1	1	2	4	7
	13708	4.2	91	1	1	1	3	9	24

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	247	7.4	150	1	1	3	21	99 +	99 +
18-34	165	9.0	365	1	1	3	15	99 +	99 +
35-49	130	8.6	205	1	1	1	3	41	41
50-69	128	27.6	816	1	2	11	59	68	88
70 +	14	30.0	166						
SUBTOTAL	684	12.3	399	1	1	3	21	91	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1064	2.7	17	1	1	1	2	6	16
18-34	559	2.1	2	1	1	1	3	4	4
35-49	209	3.2	5	1	1	3	5	5	5
50-69	109	3.4	8	1	1	2	5	8	9
70 +	10	35.0							
SUBTOTAL	1950	2.7	16	1	1	1	3	5	9
GRAND TOTAL	2635	5.2	133	1	1	1	4	18	43

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	111	6.6	41	1	1	4	15	15	15
18-34	133	5.7	245	1	1	99 +	99 +	99 +	99 +
35-49	173	2.6	6	1	1	2	7	99 +	99 +
50-69	379	7.3	121	1	1	2	11	45	99 +
70 +	71	1.9	3	1	1	1	2	6	6
	867	5.6	101	1	1	3	28	99 +	99 +
0-17	501	2.4	8	1	1	1	2	6	9
18-34	728	2.8	27	< 1	1	1	3	5	9
35-49	632	3.3	54	1	1	1	2	7	9
50-69	468	2.2	10	1	1	1	2	3	7
70 +	39	5.0	37						
	2368	2.8	27	1	1	1	2	6	9
	3235	3.5	49	1	1	1	4	15	99 +

DRG 462: Rehabilitation

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6561	22.0	246	6	10	18	28	44	53	0-17	729	20.8	350	4	8	18	37	99 +	99 +
70-74	4265	22.8	250	9	12	19	30	46	64	18-34	1015	28.0	473	6	11	25	42	83	99 +
75-79	4304	22.8	209	8	13	20	29	44	53	35-49	1726	20.7	335	5	6	16	34	68	99 +
80-84	3739	21.0	178	8	12	18	27	40	53	50-69	3595	25.1	289	7	13	22	36	56	84
85 +	2653	21.7	188	8	13	19	27	43	59	70 +	418	22.9	135	8	15	23	29	41	50
SUBTOTAL	**21523**	**22.1**	**221**	**7**	**12**	**19**	**29**	**43**	**56**		**7483**	**23.9**	**328**	**6**	**10**	**21**	**36**	**66**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2110	19.7	216	6	9	16	25	38	48	0-17	909	13.5	262	2	3	5	18	44	59
70-74	2095	19.8	178	7	11	16	26	37	46	18-34	702	21.3	301	5	9	16	28	54	79
75-79	2255	19.4	180	7	10	15	25	36	46	35-49	485	22.0	311	4	8	19	30	46	56
80-84	1733	18.6	129	6	10	16	23	31	43	50-69	1801	24.3	289	8	11	20	34	50	57
85 +	1085	18.2	103	8	11	16	24	34	40	70 +	134	14.1	29	7	8	15	17	23	25
SUBTOTAL	**9278**	**19.3**	**169**	**7**	**10**	**16**	**25**	**36**	**45**		**4031**	**20.7**	**298**	**4**	**8**	**16**	**30**	**48**	**59**
GRAND TOTAL	**30801**	**21.2**	**207**	**7**	**11**	**18**	**28**	**42**	**52**		**11514**	**22.8**	**320**	**5**	**10**	**19**	**34**	**56**	**88**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	250	29.1	596	6	11	25	71	99 +	99 +	0-17	147	31.0	173	11	31	41	99 +	99 +	99 +
18-34	564	25.1	381	7	11	25	52	99 +	99 +	18-34	713	21.1	334	1	8	28	70	99 +	99 +
35-49	527	23.4	274	6	13	24	33	94	99 +	35-49	707	21.6	442	5	7	19	50	99 +	99 +
50-69	410	23.2	333	5	8	22	33	60	87	50-69	882	22.4	208	6	11	21	33	52	61
70 +	60	21.3	113	4	18	28	35	99 +	99 +	70 +	947	19.1	161	7	12	19	26	41	99 +
SUBTOTAL	**1810**	**24.6**	**363**	**6**	**11**	**25**	**41**	**99 +**	**99 +**		**3395**	**21.4**	**274**	**6**	**10**	**22**	**38**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	378	24.8	779	3	4	9	46	85	92	0-17	192	11.6	139	3	3	6	15	31	39
18-34	171	17.4	228	4	7	11	31	55	55	18-34	254	24.3	529	2	7	22	43	99 +	99 +
35-49	194	26.8	310	10	14	22	31	54	78	35-49	109	15.9	126	7	9	12	16	35	46
50-69	100	24.6	249	12	16	19	35	47	63	50-69	409	23.3	366	3	10	18	33	49	63
70 +	58	23.9	53							70 +	127	20.8	99	10	14	17	27	40	42
SUBTOTAL	**901**	**23.7**	**477**	**3**	**7**	**18**	**34**	**58**	**85**		**1092**	**20.5**	**330**	**3**	**7**	**16**	**31**	**49**	**69**
GRAND TOTAL	**2711**	**24.3**	**401**	**6**	**10**	**22**	**38**	**90**	**99 +**		**4487**	**21.2**	**288**	**5**	**9**	**20**	**36**	**99 +**	**99 +**

DRG 463: Signs & Symptoms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2524	7.0	46	2	3	5	8	15	21	0-17	510	4.1	14	1	2	3	5	9	13
70-74	1743	7.3	57	2	3	5	9	15	19	18-34	313	3.3	15	1	1	2	3	7	14
75-79	1807	6.9	26	2	3	6	8	13	17	35-49	753	5.6	35	1	2	4	6	12	14
80-84	1525	7.7	54	2	3	5	10	16	22	50-69	1680	5.2	24	1	2	3	7	11	15
85 +	1305	7.8	62	2	4	6	10	14	19	70 +	113	5.3	6	3	4	5	7	10	11
SUBTOTAL	**8904**	**7.3**	**48**	**2**	**3**	**5**	**9**	**14**	**19**		**3368**	**4.9**	**24**	**1**	**2**	**3**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8904**	**7.3**	**48**	**2**	**3**	**5**	**9**	**14**	**19**		**3368**	**4.9**	**24**	**1**	**2**	**3**	**6**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	478	4.3	58	1	2	3	5	7	8	0-17	179	4.5	10	1	2	4	8	9	10
18-34	144	3.3	4	1	2	3	4	8	8	18-34	316	3.3	12	1	1	2	3	8	8
35-49	371	10.9	308	1	2	4	9	42	63	35-49	571	8.5	43	2	3	7	14	20	22
50-69	751	7.4	50	2	3	5	9	13	18	50-69	539	6.6	21	2	3	5	8	16	16
70 +	58	6.4	31							70 +	172	9.2	275	1	2	5	8	16	24
SUBTOTAL	**1801**	**6.9**	**107**	**1**	**2**	**4**	**7**	**13**	**18**		**1777**	**6.7**	**54**	**1**	**2**	**5**	**8**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1801**	**6.9**	**107**	**1**	**2**	**4**	**7**	**13**	**18**		**1777**	**6.7**	**54**	**1**	**2**	**5**	**8**	**15**	**20**

DRG 464: Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	929	3.9	10	1	2	3	5	6	8	0-17	1153	2.6	6	1	1	2	3	5	6
70-74	812	4.0	9	1	2	3	5	8	10	18-34	529	2.8	4	< 1	1	2	4	5	7
75-79	486	4.3	11	1	2	4	6	8	8	35-49	954	3.4	6	1	1	2	5	7	9
80-84	760	5.3	25	2	3	4	6	12	15	50-69	1396	3.1	5	1	2	3	4	6	8
85 +	542	4.8	20	1	2	3	6	9	16	70 +	73	3.2	6	< 1	1	2	4	8	8
SUBTOTAL	**3529**	**4.4**	**15**	**1**	**2**	**3**	**5**	**8**	**11**		**4105**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3529**	**4.4**	**15**	**1**	**2**	**3**	**5**	**8**	**11**		**4105**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	452	3.1	5	1	2	2	3	7	9	0-17	453	2.7	41	1	1	1	2	5	6
18-34	133	4.3	14	1	1	2	7	12	12	18-34	265	3.7	10	1	1	3	5	6	10
35-49	209	2.7	2	1	1	3	3	4	5	35-49	157	2.5	4	< 1	1	2	2	5	8
50-69	139	3.6	5	1	2	3	6	7	8	50-69	305	2.8	9	1	1	2	3	5	14
70 +	64	3.5								70 +	104	3.2	3	1	2	3	4	6	6
SUBTOTAL	**997**	**3.3**	**6**	**1**	**2**	**3**	**4**	**7**	**8**		**1283**	**2.9**	**19**	**1**	**1**	**2**	**3**	**6**	**6**
GRAND TOTAL	**997**	**3.3**	**6**	**1**	**2**	**3**	**4**	**7**	**8**		**1283**	**2.9**	**19**	**1**	**1**	**2**	**3**	**6**	**6**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	69	3.8	10	1	2	2	7	8	10	0-17	31	1.0							
70-74	129	8.2	59	1	1	10	10	25	25	18-34	0								
75-79	168	8.0	131	1	1	2	12	18	41	35-49	45	5.2	9	<1	2	6	7	10	10
80-84	115	10.2	109	1	1	9	11	35	35	50-69	168	3.9	22	1	1	2	5	7	15
85+	100	12.8	78	1	7	10	17	25	29	70+	56	10.5	66						
SUBTOTAL	**581**	**8.8**	**93**	**1**	**1**	**5**	**12**	**25**	**29**		**300**	**5.0**	**34**	**1**	**1**	**3**	**5**	**12**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	181	2.6	37	<1	<1	1	2	2	2	0-17	93	1.0		<1	1	1	1	1	1
70-74	179	1.4	1	<1	1	1	2	2	3	18-34	10	1.0							
75-79	178	1.6	2	<1	<1	1	1	2	6	35-49	77	1.1		<1	<1	1	1	2	2
80-84	118	7.6	46	<1	1	3	16	16	16	50-69	388	1.5	2	<1	<1	<1	2	2	2
85+	59	7.9	25	1	1	8	12	13	13	70+	18	1.9	1						
SUBTOTAL	**715**	**3.3**	**26**	**<1**	**<1**	**1**	**2**	**12**	**16**		**585**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**1296**	**5.8**	**64**	**<1**	**1**	**2**	**10**	**16**	**25**		**885**	**2.6**	**15**	**<1**	**<1**	**1**	**2**	**5**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	3.0							
18-34	0									18-34	8	1.0							
35-49	8	6.0								35-49	8	2.0							
50-69	10	2.0								50-69	31	7.4	50						
70+	0									70+	14	4.0	13						
SUBTOTAL	**18**	**3.7**	**4**								**69**	**4.9**	**31**	**<1**	**1**	**2**	**8**	**15**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	56	1.3		<1	1	1	2	2	2	0-17	0								
18-34	0									18-34	8	2.0							
35-49	0									35-49	29	1.4							
50-69	0									50-69	40	1.4	1						
70+	0									70+	20	1.0							
SUBTOTAL	**56**	**1.3**		**<1**	**1**	**1**	**2**	**2**	**2**		**97**	**1.3**		**<1**	**<1**	**<1**	**2**	**2**	**3**
GRAND TOTAL	**73**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**6**	**6**		**166**	**2.8**	**16**	**<1**	**<1**	**1**	**2**	**8**	**15**

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1692	9.3	141	1	1	3	14	26	36	0-17	650	4.3	55	<1	<1	3	4	7	11
70-74	1005	12.3	121	2	4	10	15	27	30	18-34	474	3.3	10	1	1	2	4	9	13
75-79	1005	13.5	224	1	6	10	16	41	99+	35-49	695	2.0	3	1	1	2	2	3	6
80-84	1225	15.9	267	2	6	13	22	28	31	50-69	1268	6.3	252	1	1	2	3	14	21
85+	948	11.5	72	1	4	11	15	25	28	70+	304	33.2	948	1	5	24	67	88	99+
SUBTOTAL	**5876**	**12.3**	**172**	**1**	**3**	**9**	**17**	**27**	**36**		**3392**	**7.0**	**262**	**1**	**1**	**2**	**4**	**14**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	800	6.1	96	<1	1	1	8	14	22	0-17	1663	4.1	41	<1	1	1	3	14	22
70-74	444	4.5	40	<1	1	1	7	24	99+	18-34	1014	1.8	2	1	1	1	2	4	5
75-79	606	9.6	292	<1	1	5	9	14	77	35-49	1075	1.6	1	1	1	1	2	3	4
80-84	392	6.9	43	<1	1	5	10	17	23	50-69	982	2.9	46	<1	1	1	1	4	10
85+	380	9.5	135	1	1	3	12	27	41	70+	205	3.2	8	1	1	3	4	5	8
SUBTOTAL	**2621**	**7.3**	**133**	**<1**	**1**	**3**	**10**	**17**	**27**		**4938**	**2.8**	**25**	**<1**	**1**	**1**	**2**	**5**	**10**
GRAND TOTAL	**8497**	**10.7**	**165**	**1**	**2**	**7**	**15**	**26**	**36**		**8330**	**4.5**	**126**	**1**	**1**	**1**	**3**	**8**	**20**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	533	4.7	51	<1	<1	1	3	17	22	0-17	195	3.9	24	<1	1	2	6	7	19
18-34	145	7.0	93	1	1	2	7	17	32	18-34	116	4.5	12	1	1	2	9	9	9
35-49	60	3.2	11	<1	1	1	2	9	9	35-49	91	4.6	16	1	1	3	6	11	11
50-69	270	15.0	730	<1	1	3	11	87	87	50-69	252	12.3	328	1	2	5	13	58	58
70+	22	4.6	14							70+	151	14.9	72	4	8	20	23	99+	99+
SUBTOTAL	**1029**	**7.6**	**252**	**<1**	**1**	**2**	**6**	**21**	**32**		**805**	**8.8**	**147**	**1**	**1**	**5**	**12**	**23**	**58**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	622	4.2	26	1	1	1	7	9	12	0-17	361	6.4	48	1	1	3	9	20	20
18-34	125	1.7	1	<1	1	1	2	4	4	18-34	329	1.6	2	<1	1	1	2	4	5
35-49	34	1.9	1							35-49	199	2.0	4	1	1	1	2	6	7
50-69	58	1.4	1	<1	1	1	1	3	3	50-69	234	2.1	7	1	1	1	2	3	12
70+	14	4.0								70+	98	15.2	206	1	2	8	35	35	35
SUBTOTAL	**852**	**3.5**	**20**	**1**	**1**	**1**	**5**	**8**	**9**		**1221**	**4.3**	**48**	**1**	**1**	**1**	**4**	**13**	**20**
GRAND TOTAL	**1881**	**5.8**	**151**	**<1**	**1**	**2**	**6**	**13**	**22**		**2026**	**6.1**	**92**	**1**	**1**	**2**	**7**	**20**	**25**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1275	16.7	164	7	9	12	21	30	42	0-17	8	8.0							
70-74	1043	17.2	78	9	11	15	21	30	38	18-34	18	16.7	26						
75-79	718	15.6	93	7	9	13	18	28	32	35-49	120	15.0	48	8	10	13	17	29	31
80-84	587	22.1	264	9	11	15	28	52	64	50-69	955	15.4	78	7	9	12	20	26	36
85 +	395	19.5	230	9	13	16	21	28	53	70 +	111	10.9	11	8	9	10	12	17	18
SUBTOTAL	**4018**	**17.7**	**154**	**8**	**10**	**14**	**21**	**30**	**42**		**1212**	**14.9**	**69**	**7**	**9**	**12**	**18**	**25**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	818	12.4	26	8	9	11	13	21	23	0-17	23	10.0	88						
70-74	731	12.5	27	8	9	11	15	18	23	18-34	0								
75-79	578	13.2	30	7	10	12	16	21	22	35-49	140	11.4	15	7	8	11	14	18	18
80-84	346	15.2	78	7	9	12	18	26	33	50-69	1035	12.0	27	7	8	11	15	18	21
85 +	167	14.3	52	7	10	11	19	27	29	70 +	31	13.8	22						
SUBTOTAL	**2641**	**13.1**	**36**	**7**	**9**	**11**	**16**	**22**	**23**		**1230**	**12.0**	**27**	**7**	**8**	**11**	**15**	**18**	**20**
GRAND TOTAL	**6659**	**15.9**	**112**	**8**	**10**	**13**	**19**	**27**	**35**		**2442**	**13.4**	**50**	**7**	**9**	**11**	**16**	**22**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	23	9.4	7							18-34	0								
35-49	0									35-49	31	18.7	118						
50-69	6	9.0								50-69	71	19.2	159	7	11	15	25	51	51
70 +	14	33.0								70 +	69	12.5	26	6	9	11	16	19	23
SUBTOTAL	**44**	**17.0**	**130**								**171**	**16.4**	**107**	**7**	**10**	**12**	**23**	**25**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	19	7.0	1							18-34	0								
35-49	0									35-49	23	9.3	1						
50-69	91	15.1	52	6	8	15	20	26	26	50-69	144	16.4	416	7	9	10	12	23	89
70 +	0									70 +	80	8.7	6	5	7	9	11	12	12
SUBTOTAL	**111**	**13.7**	**53**	**6**	**7**	**14**	**20**	**26**	**26**		**248**	**13.2**	**257**	**7**	**8**	**10**	**12**	**15**	**23**
GRAND TOTAL	**155**	**14.6**	**76**	**6**	**8**	**12**	**20**	**26**	**33**		**419**	**14.5**	**198**	**7**	**9**	**11**	**13**	**25**	**33**

DRG 472: Extensive Burns w/ O.R. Procedure

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	29	32.0	125						
70-74	14	38.0							
75-79	0								
80-84	0								
85 +	8	15.0							
SUBTOTAL	**51**	**31.1**	**124**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	37.0							
70-74	8	24.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**15**	**30.5**	**45**						
GRAND TOTAL	**66**	**31.0**	**105**	**21**	**24**	**38**	**99 +**	**99 +**	**99 +**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	31.3	97	16	26	33	99 +	99 +	99 +
18-34	54	38.7	266	8	25	37	58	58	58
35-49	22	33.5	12						
50-69	22	49.6	61						
70 +	0								
	181	**36.0**	**166**	**25**	**33**	**37**	**58**	**99 +**	**99 +**
0-17	95	43.4	885	2	23	47	78	91	99 +
18-34	14	1.0							
35-49	29	20.0	17						
50-69	15	51.5	590						
70 +	0								
	154	**35.9**	**826**	**2**	**16**	**28**	**56**	**91**	**96**
	335	**36.0**	**468**	**11**	**24**	**37**	**58**	**99 +**	**99 +**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	79.0							
18-34	51	50.1	690						
35-49	14	51.0							
50-69	0								
70 +	0								
SUBTOTAL	**79**	**55.5**	**561**	**22**	**34**	**74**	**88**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	51	55.5	1245						
18-34	14	88.0							
35-49	8	36.0							
50-69	0								
70 +	0								
SUBTOTAL	**73**	**59.8**	**1095**	**13**	**23**	**77**	**94**	**99 +**	**99 +**
GRAND TOTAL	**152**	**57.6**	**816**	**22**	**34**	**77**	**94**	**99 +**	**99 +**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	62.0	275						
18-34	8	18.0							
35-49	14	26.0							
50-69	14	57.0							
70 +	8	70.0							
	97	**53.1**	**427**	**26**	**34**	**60**	**63**	**83**	**83**
0-17	29	38.5	44						
18-34	14	88.0							
35-49	0								
50-69	0								
70 +	0								
	43	**55.0**	**586**						
	140	**53.7**	**472**	**26**	**32**	**57**	**70**	**86**	**88**

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	940	21.2	382	3	6	15	37	59	98
70-74	684	15.3	286	2	3	7	28	42	46
75-79	625	17.1	243	3	6	10	27	43	52
80-84	377	13.9	191	3	5	11	15	28	33
85 +	434	14.8	302	2	3	9	17	42	49
SUBTOTAL	**3060**	**17.2**	**305**	**2**	**5**	**10**	**28**	**44**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	247	6.8	79	1	1	3	7	14	30
70-74	107	12.0	174	2	3	5	22	32	41
75-79	86	14.9	180	4	5	8	21	43	45
80-84	125	7.4	62	1	3	5	8	22	28
85 +	153	8.5	108	2	3	4	10	19	39
SUBTOTAL	**719**	**9.0**	**116**	**1**	**2**	**5**	**10**	**29**	**36**
GRAND TOTAL	**3779**	**15.7**	**279**	**2**	**4**	**9**	**25**	**42**	**50**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	693	21.3	280	2	5	23	34	39	46
35-49	530	24.7	350	2	7	27	37	51	65
50-69	1063	26.7	330	4	12	26	36	48	61
70 +	58	5.5	11						
	2344	**24.1**	**326**	**2**	**7**	**25**	**34**	**45**	**61**
0-17	0								
18-34	378	6.1	44	1	1	3	8	15	20
35-49	347	10.3	126	1	2	6	11	32	34
50-69	282	8.3	112	1	2	3	7	28	34
70 +	8	4.0							
	1016	**8.1**	**94**	**1**	**2**	**4**	**10**	**28**	**34**
	3360	**19.3**	**309**	**2**	**4**	**14**	**32**	**42**	**51**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	308	21.2	369	1	4	15	35	54	56
35-49	78	26.5	161	4	29	31	33	39	40
50-69	79	14.6	334	1	1	1	32	46	51
70 +	20	26.5	44						
SUBTOTAL	**485**	**21.2**	**328**	**1**	**3**	**22**	**33**	**48**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	67	14.5	143	1	2	12	28	30	30
35-49	33	2.6	1						
50-69	31	2.2	5						
70 +	0								
SUBTOTAL	**132**	**8.6**	**111**	**1**	**1**	**3**	**12**	**28**	**30**
GRAND TOTAL	**617**	**18.5**	**308**	**1**	**2**	**12**	**32**	**40**	**54**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	215	30.0	376	3	14	30	34	59	62
35-49	249	29.0	498	1	8	31	47	65	67
50-69	223	22.3	267	4	7	24	31	48	48
70 +	108	18.7	493	1	2	8	15	60	65
	795	**26.0**	**416**	**3**	**7**	**26**	**42**	**55**	**65**
0-17	0								
18-34	102	10.9	175	< 1	1	3	28	28	37
35-49	152	6.7	90	1	2	2	8	24	37
50-69	69	12.4	116	1	6	9	21	36	36
70 +	0								
	324	**9.3**	**128**	**1**	**1**	**3**	**11**	**28**	**37**
	1118	**21.2**	**390**	**1**	**4**	**14**	**33**	**50**	**60**

DRG 474: Respiratory System Diagnosis with Tracheostomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1627	38.4	498	10	24	39	64	99 +	99 +
70-74	886	41.8	499	17	29	45	77	99 +	99 +
75-79	641	42.1	521	11	28	48	74	99 +	99 +
80-84	363	40.2	277	18	31	48	64	99 +	99 +
85 +	188	54.8	476	32	49	56	99	99 +	99 +
SUBTOTAL	**3705**	**40.9**	**492**	**15**	**27**	**43**	**71**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	67	3.8	6	1	3	3	5	10	10
70-74	59	16.2	148	6	7	13	20	42	42
75-79	26	6.8	22						
80-84	35	13.7	84						
85 +	40	9.4	1						
SUBTOTAL	**227**	**9.9**	**80**	**2**	**3**	**9**	**11**	**20**	**29**
GRAND TOTAL	**3932**	**39.1**	**521**	**10**	**25**	**41**	**68**	**99 +**	**99 +**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	382	35.1	659	9	18	40	99	99 +	99 +
18-34	185	41.4	549	16	30	42	68	99 +	99 +
35-49	285	38.0	463	9	28	38	57	99 +	99 +
50-69	1228	40.7	542	13	25	41	63	96	99 +
70 +	119	48.2	525	16	26	58	77	99 +	99 +
	2199	**39.9**	**559**	**11**	**25**	**41**	**66**	**99 +**	**99 +**
0-17	91	18.8	302	2	9	14	14	42	58
18-34	57	14.2	291						
35-49	22	2.4	1						
50-69	161	15.4	501	3	4	8	13	33	83
70 +	16	5.0	10						
	346	**14.8**	**377**	**2**	**4**	**8**	**14**	**42**	**58**
	2545	**36.4**	**608**	**8**	**19**	**38**	**63**	**99 +**	**99 +**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	258	33.7	610	13	18	46	99 +	99 +	99 +
18-34	172	42.8	672	7	25	45	77	99 +	99 +
35-49	156	43.3	770	9	14	46	72	90	93
50-69	284	47.0	675	14	36	58	93	99 +	99 +
70 +	16	88.0	16						
SUBTOTAL	**885**	**42.4**	**725**	**11**	**25**	**53**	**93**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	146	20.0	324	6	10	11	24	40	80
18-34	8	14.0							
35-49	30	8.3	8						
50-69	0								
70 +	8	8.0							
SUBTOTAL	**191**	**17.5**	**270**	**6**	**9**	**10**	**20**	**40**	**40**
GRAND TOTAL	**1076**	**38.0**	**735**	**9**	**15**	**44**	**87**	**99 +**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	88	31.3	758	5	9	39	99 +	99 +	99 +
18-34	137	34.6	360	14	17	34	55	68	99 +
35-49	148	36.7	412	11	29	36	55	99 +	99 +
50-69	290	45.1	734	17	27	38	76	98	99 +
70 +	41	46.9	289						
	704	**39.7**	**599**	**11**	**25**	**38**	**68**	**99 +**	**99 +**
0-17	17	18.3	9						
18-34	45	14.2	94						
35-49	14	7.4							
50-69	8	9.0							
70 +	6	23.0							
	90	**14.0**	**66**	**6**	**8**	**9**	**21**	**31**	**31**
	794	**36.8**	**604**	**7**	**20**	**35**	**61**	**99 +**	**99 +**

Total U.S., July 1988 - June 1989

DRG 475: Respiratory System Diagnosis with Ventilator Support

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12467	15.4	128	5	8	12	21	29	36
70-74	6829	15.5	116	6	8	13	20	29	40
75-79	5925	16.8	151	5	9	14	21	31	40
80-84	4493	16.8	146	7	10	13	20	30	42
85 +	2975	17.8	150	8	11	15	21	30	40
SUBTOTAL	**32690**	**16.1**	**135**	**5**	**9**	**13**	**20**	**30**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	565	11.1	78	1	5	9	15	22	26
70-74	206	10.8	74	3	5	8	12	28	31
75-79	218	11.4	26	4	6	12	15	16	20
80-84	85	9.7	33	5	5	8	10	20	21
85 +	120	9.0	12	5	5	10	13	13	13
SUBTOTAL	**1194**	**10.8**	**58**	**3**	**5**	**9**	**15**	**20**	**25**
GRAND TOTAL	**33884**	**15.9**	**133**	**5**	**8**	**13**	**20**	**29**	**39**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1468	13.3	145	3	6	10	18	27	36
18-34	729	14.8	199	4	6	10	17	35	51
35-49	1323	12.0	150	3	5	8	16	22	26
50-69	4720	16.5	178	5	8	13	20	32	42
70 +	378	15.0	83	5	7	15	19	30	40
	8617	**15.1**	**169**	**4**	**7**	**12**	**19**	**30**	**40**
0-17	742	8.2	41	2	3	7	10	19	21
18-34	180	7.3	32	3	3	5	12	12	13
35-49	318	5.9	10	3	4	5	7	10	14
50-69	425	8.2	28	1	3	7	12	15	18
70 +	14	8.9	21						
	1679	**7.7**	**32**	**2**	**3**	**6**	**10**	**14**	**19**
	10296	**13.8**	**154**	**4**	**6**	**11**	**17**	**28**	**36**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1242	16.0	185	4	7	12	20	29	48
18-34	579	13.4	174	4	5	9	19	27	39
35-49	694	18.7	234	5	8	14	23	33	54
50-69	1602	14.5	137	5	7	11	17	31	37
70 +	127	14.1	136	6	8	9	22	49	49
SUBTOTAL	**4244**	**15.5**	**175**	**4**	**7**	**12**	**19**	**31**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	363	10.0	172	2	4	7	12	23	23
18-34	56	4.1	11	1	2	2	7	11	11
35-49	91	11.8	33	5	7	14	14	24	24
50-69	34	11.6	33						
70 +	0								
SUBTOTAL	**543**	**9.8**	**127**	**2**	**4**	**7**	**13**	**20**	**23**
GRAND TOTAL	**4788**	**14.8**	**173**	**4**	**7**	**11**	**18**	**30**	**40**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	581	10.2	87	2	4	8	14	19	29
18-34	491	11.1	135	2	4	8	13	24	28
35-49	879	12.4	94	4	6	8	17	23	29
50-69	2046	13.5	91	5	7	11	19	25	29
70 +	427	12.8	110	5	7	10	16	23	32
	4423	**12.5**	**99**	**3**	**6**	**10**	**16**	**24**	**29**
0-17	237	6.9	16	2	4	7	9	12	16
18-34	99	5.8	12	2	3	4	7	12	13
35-49	124	4.9	2	2	4	5	6	6	8
50-69	132	8.3	28	3	5	6	12	16	22
70 +	22	5.8	11						
	614	**6.6**	**16**	**3**	**4**	**6**	**9**	**12**	**15**
	5037	**11.8**	**93**	**3**	**5**	**9**	**15**	**23**	**29**

Appendix 1

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix 2

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc. except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc. except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
105	Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic or Vascular Procedures, w/ Pump
109	Other Cardiothoracic Procedures w/o Pump
110	Major Reconstructive Vascular Proc w/o Pump w/ CC
111	Major Reconstructive Vascular Proc w/o Pump w/o CC
112	Vascular Procedures except Major Reconstruction w/o Pump
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures, Age >17 w/ CC
313	Urethral Procedures, Age >17 w/o CC
314	Urethral Procedures, Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive

B4HCJ-5.2F

LOS

LENGTH OF STAY BY DRG

HKS PUBLICATIONS

United States, Northeastern Region, 1988-89

Healthcare Knowledge Systems
Ann Arbor, Michigan
December, 1989

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1988-89
Length of Stay by DRG and Payment Source, Northeastern Region, 1988-89
Length of Stay by DRG and Payment Source, North Central Region, 1988-89
Length of Stay by DRG and Payment Source, Southern Region, 1988-89
Length of Stay by DRG and Payment Source, Western Region, 1988-89

Length of Stay data have been published annually since 1963. In addition to Length of Stay by DRG and Payment Source, other volumes in the Cost Containment Series are:

Length of Stay by Diagnosis and Operation
Length of Stay by Psychiatric Diagnosis
(Available for the United States, Northeastern, North Central, Southern, and Western regions)

Pediatric Length of Stay by Diagnosis and Operation
Geriatric Length of Stay by Diagnosis and Operation
(Available for the United States only)

Copyright © 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Preface iv

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Database Characteristics
Projecting to the Universe

Organization of the Tables x

Explanation of the Statistics xii

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: State Inclusions by Region 469

Appendix 2: Diagnosis Related Groups 470

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The Length of Stay by DRG and Payment Source series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

These statistics provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, employers, and healthcare researchers interested in cost containment and quality of care.

1988-89 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Healthcare Knowledge Systems
Tracey Stewart, Publications Specialist, Normative Publications

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Stacey Cavanaugh, Customer Service Representative, HKS,
Robert Travis, Librarian,
Linda Vanek, Assistant Manager, Normative Publications, HKS,
Roger Wroblewski, Director, Database Research, CPHA.

INTRODUCTION

The Length of Stay by DRG and Payment Source series has been designed as a companion to the standard reference, LOS by Diagnosis and Operation, to provide length of stay data by another patient classification system. Similar to the Diagnosis and Operation series, this five volume set is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the Length of Stay by DRG and Payment Source series and the Length of Stay by Diagnosis and Operation series are primarily with the data source. Data used for the Length of Stay by DRG and Payment Source series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 570 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in the Length of Stay by DRG and Payment source represent projections rather than actual numbers.

Additionally, the Length of Stay by DRG and Payment Source series adds power by providing length of stay by the following four principal payment sources: Medicare, Medicaid, Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay by DRG and Payment Source tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay by DRG and Payment Source series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay by DRG and Payment Source series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1988. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The characteristics of all hospitals with discharge data included in the books are displayed in the table below. The hospital universe is based on facility and discharge records collected for the 1987 Annual Survey of Hospitals of the American Hospital Association (AHA).

1988-89 Length of Stay by DRG and Payment Source
Sample Hospital Characteristics

	Universe	LOS by DRG Sample
Total Number of Hospitals	5512	570
Northeastern	786	150
North Central	1609	181
Southern	2089	104
Western	1028	135
Number of Urban[1] Hospitals	2893	284
Number of High/Medium Teaching Intensity[2] Hospitals	925	122

---

1. Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.
2. The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Projecting to the Universe

To make the LOS by DRG and Payment Source sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the 570 hospitals are stratified by factors known to affect inpatient utilization. The two factors used are:

1. **Program Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

   - Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
   - Cancer Program approved by the American College of Surgeons (CP)
   - Residency approved by the American Medical Association (RES)
   - Medical School Affiliation reported by the American Medical Association (MS)
   - Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
   - Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Nonteaching Institution
- Minor Teaching Institution
- Major Teaching Institution

The statistical formula is:

$$1p = 9.9\,(JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the Length of Stay by DRG and Payment Source series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0+	Teaching Institution

---

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

2. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	**Division**
Northeast	New England
	Mid Atlantic
North Central	East North Central
	West North Central
South	South Atlantic
	East South Central
	West South Central
West	Mountain
	Pacific

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, West, South). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1988 to June 1989 discharges from the U.S. nonfederal, short-term general hospital universe.

ORGANIZATION OF THE TABLES

The Length of Stay by DRG and Payment Source series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 1 lists the states comprising each region.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Length of Stay by DRG and Payment Source Patient Variables

The length of stay data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 477 DRGs in the 1988-89 LOS by DRG and Payment Source series. These DRGs are based on the sixth revision, effective October 1, 1989. Appendix 2 provides a listing of all DRGs for the sixth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence , Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468, 476, 477	Unrelated Operating Room Procedures
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable

In the 1988-89 LOS by DRG and Payment Source series a table is not created for the excluded DRGs listed above. Additionally, new procedure codes were added 10/1/89 for grouping to DRGs 436 and 437 (Alcohol and Drug Dependence with Rehab and with Rehab and Detox). The patient records used in this book represent

discharges prior to the addition of these new codes, and therefore do not contain the procedure codes anticipated to group to these DRGs. As a result, no patient records have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources.

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1989.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates without a birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the LOS by DRG and Payment Source series is drawn from patient discharges from 570 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.*

Since the LOS by DRG and Payment Source series is drawn from discharges that have been projected to the universe of U.S. hospitals, one actual patient discharge represents multiple projected patients. The average projection factor is 10.5.

If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay.

Variance

The variance is a measure of the spread of the data around the average. For the LOS by DRG and Payment Source tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+. Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups. The Grand Total represents the total number of projected patients in the DRG and Payment Source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay by DRG and Payment Source series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population.

For this reason, the LOS by DRG and Payment Source series share most applications of the present LOS by Diagnosis and Operation and the Psychiatric LOS series. Among them:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay by DRG and Payment Source regional or national volumes:

Step 1: Consult Appendix 2 of the appropriate Length of Stay by DRG and Payment Source book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the Length of Stay by DRG and Payment Source book.

Step 3: Depending on the purpose of the review, find the appropriate table category:

Payment Source
Complication/Comorbidity Status
Age Group

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

The differences between the Length of Stay by DRG and Payment Source and the other LOS series make it an important new contribution to the array of quantitative measures that assist healthcare professionals in evaluating cost containment and quality assurance programs for institutions or special populations.

While the LOS by Diagnosis and Operation series offers a diagnosis and procedure-specific profile of inpatient utilization, and the Psychiatric LOS series provides the same for a special population, the LOS by DRG and Payment Source series describes the impact of financing mechanisms through highlighting the four payment source categories. Simultaneously, it takes into account other patient attributes, such as complication and comorbidity status, that may affect length of stay, thereby reporting DRG length of stay patterns in U.S. nonfederal, short-term general hospitals.

Finally, increasing concern about costs and quality care, paired with the need for more sophisticated and accountable performance measures to conduct these cost and quality reviews, make the Length of Stay by DRG and Payment Source tables an accessible, convenient, and essential tool for the healthcare industry.

DRG Length of Stay Tables

Length of Stay by DRG and Payment Source

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4114	20.9	306	6	9	15	26	54	66
70-74	2483	21.5	323	6	10	16	29	47	78
75-79	1971	21.3	242	7	9	18	29	46	56
80-84	1292	23.3	315	7	12	19	30	55	80
85 +	571	23.8	324	8	13	20	26	54	68
SUBTOTAL	**10431**	**21.6**	**300**	**6**	**9**	**17**	**29**	**52**	**69**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2490	10.6	39	4	7	9	14	19	25
70-74	1578	11.0	86	5	7	9	12	17	22
75-79	1301	12.4	99	5	6	9	14	28	38
80-84	570	11.5	39	5	7	10	14	21	26
85 +	319	11.1	35	6	7	9	14	16	27
SUBTOTAL	**6258**	**11.2**	**64**	**5**	**7**	**9**	**13**	**20**	**27**
GRAND TOTAL	16689	17.7	237	5	8	13	22	39	59

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group

(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

All DRGS

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	359346	10.3	119	2	4	7	13	22	32	0-17	92502	6.9	120	1	2	4	6	14	27
70-74	286423	10.8	122	2	4	8	13	22	33	18-34	165227	6.4	60	1	3	4	7	13	21
75-79	283607	11.6	138	3	5	8	14	24	36	35-49	133053	7.8	75	2	3	5	9	16	23
80-84	227333	12.7	158	3	5	9	16	27	41	50-69	352556	9.0	90	2	3	6	11	18	26
85 +	224275	13.7	178	3	6	10	17	30	45	70 +	21069	11.6	137	3	5	8	14	24	34
SUBTOTAL	**1380984**	**11.6**	**141**	**3**	**5**	**8**	**14**	**25**	**37**		**814408**	**8.0**	**87**	**2**	**3**	**5**	**9**	**17**	**25**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	219203	6.4	54	1	2	4	8	13	18	0-17	665101	3.1	11	1	2	3	4	5	6
70-74	155797	6.2	43	1	2	5	8	12	17	18-34	861388	3.4	13	1	2	3	4	6	7
75-79	129409	6.9	53	1	3	5	9	14	19	35-49	441455	4.2	21	1	2	3	5	8	11
80-84	95020	7.7	69	2	3	5	9	15	21	50-69	403701	4.8	24	1	2	4	6	10	13
85 +	77633	8.4	77	2	3	6	10	17	23	70 +	12796	6.0	35	1	2	4	8	13	17
SUBTOTAL	**677062**	**6.9**	**57**	**1**	**3**	**5**	**8**	**14**	**19**		**2384440**	**3.7**	**16**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**2058045**	**10.1**	**118**	**2**	**4**	**7**	**12**	**21**	**31**		**3198848**	**4.8**	**38**	**1**	**2**	**3**	**5**	**9**	**14**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	29099	7.7	124	2	3	4	8	18	36	0-17	21783	6.9	93	2	2	4	7	14	26
18-34	57622	7.9	104	1	3	5	9	19	28	18-34	53183	6.9	76	1	2	4	8	14	23
35-49	40325	10.7	142	2	4	7	13	24	36	35-49	35073	8.7	94	2	3	6	10	18	28
50-69	48741	11.2	162	2	4	7	13	25	39	50-69	44553	10.0	116	2	4	7	12	21	32
70 +	8271	16.2	278	4	7	11	20	42	77	70 +	9984	13.4	213	3	5	9	16	30	51
SUBTOTAL	**184059**	**9.7**	**143**	**2**	**3**	**6**	**11**	**23**	**36**		**164577**	**8.5**	**105**	**2**	**3**	**5**	**10**	**19**	**28**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	146122	3.7	29	1	2	3	4	6	9	0-17	206329	3.2	10	1	2	3	4	5	6
18-34	158389	4.6	44	1	2	3	5	8	17	18-34	215548	3.6	18	1	2	3	4	6	9
35-49	40059	7.4	79	1	2	5	8	19	27	35-49	69046	4.6	29	1	2	3	6	9	13
50-69	26398	7.3	80	1	3	5	8	15	24	50-69	47779	5.1	33	1	2	4	7	11	15
70 +	3486	8.8	65	2	4	6	11	17	26	70 +	7414	6.8	58	1	2	5	8	14	19
SUBTOTAL	**374454**	**4.8**	**46**	**1**	**2**	**3**	**5**	**9**	**16**		**546116**	**3.7**	**19**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**558513**	**6.4**	**84**	**1**	**2**	**4**	**7**	**14**	**24**		**710693**	**4.8**	**43**	**1**	**2**	**3**	**5**	**10**	**15**

DRG 1: Craniotomy Age >17 except for Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	923	22.4	334	7	9	17	29	57	66	0-17	0								
70-74	556	28.7	516	7	13	21	45	91	99 +	18-34	467	16.7	193	5	7	12	21	35	49
75-79	546	25.4	393	7	9	21	34	57	76	35-49	1162	18.1	241	6	8	15	24	44	99 +
80-84	369	28.9	495	7	12	26	36	88	99 +	50-69	1390	25.1	443	6	10	18	38	64	93
85 +	137	26.2	709	6	10	15	34	82	94	70 +	37	24.4	129						
SUBTOTAL	**2531**	**25.6**	**437**	**7**	**10**	**19**	**35**	**72**	**91**		**3055**	**21.1**	**338**	**6**	**9**	**16**	**31**	**59**	**93**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	611	10.9	34	4	7	9	15	19	23	0-17	0								
70-74	391	11.8	116	6	7	9	13	18	29	18-34	862	10.1	37	4	6	9	12	17	24
75-79	259	17.8	217	5	6	9	32	41	43	35-49	1341	10.2	32	5	6	9	12	18	23
80-84	159	13.0	72	5	6	10	21	27	30	50-69	1155	10.6	45	4	6	9	14	18	24
85 +	53	10.0	9	7	7	9	13	14	14	70 +	10	9.0							
SUBTOTAL	**1473**	**12.6**	**97**	**5**	**7**	**9**	**15**	**24**	**33**		**3369**	**10.3**	**38**	**4**	**6**	**9**	**12**	**18**	**24**
GRAND TOTAL	**4004**	**20.8**	**351**	**6**	**8**	**15**	**28**	**55**	**82**		**6423**	**15.5**	**209**	**5**	**7**	**11**	**19**	**36**	**57**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	92	14.3	48	7	9	16	20	63	99 +	18-34	96	18.7	287	4	10	14	21	27	78
35-49	77	21.9	885	3	6	14	99 +	99 +	99 +	35-49	141	31.7	398	15	16	26	40	60	77
50-69	82	43.9	695	19	21	47	99 +	99 +	99 +	50-69	141	20.2	230	7	8	20	35	52	99 +
70 +	16	18.8	9							70 +	26	36.0	133						
SUBTOTAL	**267**	**25.8**	**635**	**6**	**10**	**21**	**89**	**99 +**	**99 +**		**403**	**24.9**	**335**	**7**	**11**	**21**	**35**	**58**	**77**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	173	11.5	76	4	7	10	11	22	42	18-34	112	12.3	68	3	6	13	15	26	27
35-49	51	12.0	39							35-49	57	11.8	43	6	6	10	17	23	23
50-69	41	8.8	11							50-69	104	10.2	34	5	6	7	15	17	27
70 +	0									70 +	0								
SUBTOTAL	**265**	**11.2**	**59**	**4**	**6**	**9**	**14**	**18**	**22**		**273**	**11.4**	**50**	**5**	**6**	**9**	**15**	**25**	**27**
GRAND TOTAL	**532**	**18.5**	**401**	**5**	**8**	**14**	**27**	**99 +**	**99 +**		**677**	**19.5**	**264**	**5**	**8**	**15**	**26**	**47**	**60**

Northeastern Region, July 1988 - June 1989

DRG 2: Craniotomy for Trauma Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	108	30.8	164	14	24	32	48	99 +	99 +
70-74	59	41.6	292	14	24	44	54	65	65
75-79	47	10.8	50	4	6	13	99 +	99 +	99 +
80-84	35	18.1	59	9	17	18	99 +	99 +	99 +
85 +	122	33.5	467	9	12	26	52	58	70
SUBTOTAL	**371**	**29.7**	**343**	**9**	**14**	**32**	**53**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	77	11.8	63	3	5	10	20	28	28
70-74	26	16.3	76						
75-79	90	26.7	833	5	6	11	56	97	99 +
80-84	53	13.3	21	8	8	13	17	20	20
85 +	31	15.0	26						
SUBTOTAL	**277**	**17.7**	**343**	**5**	**8**	**11**	**22**	**56**	**90**
GRAND TOTAL	**648**	**24.6**	**376**	**6**	**10**	**20**	**47**	**90**	**99 +**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	283	38.2	761	9	13	29	63	83	87
35-49	59	35.7	555	5	21	46	99 +	99 +	99 +
50-69	132	36.5	354	12	21	43	66	99 +	99 +
70 +	33	50.0	858						
	507	**38.2**	**644**	**12**	**17**	**41**	**68**	**97**	**99 +**
0-17	0								
18-34	196	9.4	34	3	4	9	15	18	18
35-49	69	14.7	89	4	6	14	19	34	34
50-69	165	12.4	94	4	7	8	15	25	42
70 +	10	13.0							
	440	**11.4**	**68**	**3**	**6**	**9**	**15**	**19**	**25**
	948	**25.8**	**555**	**5**	**9**	**15**	**45**	**76**	**99 +**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	71	36.4	209	19	38	54	99 +	99 +	99 +
35-49	0								
50-69	26	27.5	404						
70 +	0								
SUBTOTAL	**98**	**34.0**	**274**	**15**	**31**	**52**	**99 +**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	2.0							
35-49	0								
50-69	6	3.0							
70 +	10	31.0							
SUBTOTAL	**26**	**13.4**	**202**						
GRAND TOTAL	**124**	**29.6**	**329**	**6**	**19**	**46**	**99 +**	**99 +**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	277	30.2	527	11	14	24	60	99 +	99 +
35-49	67	17.7	84	6	7	26	28	99 +	99 +
50-69	37	55.8	862						
70 +	16	8.4	12						
	397	**29.5**	**566**	**7**	**11**	**24**	**57**	**99 +**	**99 +**
0-17	0								
18-34	126	11.0	102	5	6	8	12	42	42
35-49	73	18.6	634	4	6	8	18	80	80
50-69	16	20.7	81						
70 +	26	9.9	28						
	242	**13.8**	**267**	**4**	**6**	**8**	**16**	**42**	**80**
	640	**23.6**	**510**	**6**	**8**	**17**	**42**	**92**	**99 +**

DRG 3: Craniotomy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	554	18.2	322	4	6	10	24	44	63
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**554**	**18.2**	**322**	**4**	**6**	**10**	**24**	**44**	**63**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	583	7.9	97	2	4	7	8	11	17
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**583**	**7.9**	**97**	**2**	**4**	**7**	**8**	**11**	**17**
GRAND TOTAL	**0**										**1137**	**12.9**	**232**	**2**	**4**	**7**	**12**	**31**	**44**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	165	15.1	337	2	5	9	25	99 +	99 +	0-17	84	7.0	32	1	3	6	9	11	23
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**165**	**15.1**	**337**	**2**	**5**	**9**	**25**	**99 +**	**99 +**		**84**	**7.0**	**32**	**1**	**3**	**6**	**9**	**11**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	151	7.9	77	3	4	6	8	12	39	0-17	128	6.5	19	3	4	5	8	16	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**151**	**7.9**	**77**	**3**	**4**	**6**	**8**	**12**	**39**		**128**	**6.5**	**19**	**3**	**4**	**5**	**8**	**16**	**16**
GRAND TOTAL	**316**	**11.7**	**225**	**3**	**4**	**6**	**14**	**39**	**99 +**		**212**	**6.7**	**24**	**2**	**4**	**5**	**9**	**16**	**17**

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	218	22.9	318	5	9	21	32	52	90
70-74	118	32.4	530	7	15	26	47	70	74
75-79	77	20.8	117	6	16	23	30	99 +	99 +
80-84	96	27.6	220	11	15	20	39	49	60
85 +	26	15.2	34						
SUBTOTAL	**536**	**25.2**	**325**	**7**	**11**	**21**	**39**	**53**	**74**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	145	9.9	91	2	4	5	10	29	30
70-74	124	13.5	45	5	8	13	20	22	24
75-79	41	16.0	78						
80-84	20	4.5	7						
85 +	0								
SUBTOTAL	**330**	**11.7**	**75**	**2**	**5**	**8**	**20**	**24**	**29**
GRAND TOTAL	**866**	**20.0**	**272**	**4**	**7**	**18**	**24**	**45**	**70**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	173	12.9	50	6	8	11	15	23	34
18-34	253	17.0	129	4	8	15	25	32	36
35-49	212	20.3	363	3	8	16	44	67	99 +
50-69	283	18.0	336	5	7	11	22	38	50
70 +	10	21.0							
	931	**17.3**	**234**	**5**	**8**	**13**	**23**	**44**	**61**
0-17	190	14.8	68	4	8	14	20	29	31
18-34	257	5.9	37	2	3	4	6	9	12
35-49	428	5.7	9	2	3	5	8	10	11
50-69	179	11.3	49	4	6	9	15	27	28
70 +	0								
	1054	**8.4**	**46**	**3**	**4**	**6**	**11**	**16**	**27**
	1985	**12.6**	**154**	**3**	**5**	**8**	**15**	**29**	**38**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	41	13.0	10						
18-34	26	44.9	275						
35-49	10	74.0							
50-69	33	20.1	106						
70 +	0								
SUBTOTAL	**110**	**28.4**	**468**	**8**	**15**	**18**	**49**	**58**	**74**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	19.0							
18-34	10	9.0							
35-49	31	7.0	13						
50-69	10	4.0							
70 +	0								
SUBTOTAL	**71**	**10.3**	**38**	**2**	**4**	**9**	**19**	**19**	**19**
GRAND TOTAL	**181**	**21.3**	**377**	**4**	**9**	**16**	**23**	**58**	**74**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	17.3	17						
18-34	57	23.3	27	18	18	24	32	53	99 +
35-49	29	13.7	158						
50-69	10	61.0							
70 +	0								
	126	**22.7**	**196**	**6**	**15**	**21**	**32**	**99 +**	**99 +**
0-17	31	11.7	29						
18-34	73	9.1	81	3	4	5	7	30	30
35-49	31	11.3	11						
50-69	0								
70 +	0								
	135	**10.2**	**54**	**4**	**4**	**7**	**15**	**18**	**30**
	261	**16.3**	**162**	**4**	**6**	**15**	**23**	**36**	**99 +**

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	972	9.9	70	4	5	7	11	17	23
70-74	886	12.5	96	4	5	9	18	32	44
75-79	630	11.8	76	4	5	8	18	26	33
80-84	232	13.4	97	4	7	10	17	30	47
85 +	71	20.4	104	8	13	17	25	38	41
SUBTOTAL	**2791**	**11.7**	**86**	**4**	**5**	**8**	**15**	**26**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1170	6.3	22	3	4	5	8	9	15
70-74	923	6.5	21	3	4	5	7	11	14
75-79	414	7.9	28	4	4	6	10	15	19
80-84	167	6.9	20	3	5	6	7	12	22
85 +	29	10.9	58						
SUBTOTAL	**2702**	**6.7**	**23**	**3**	**4**	**5**	**8**	**12**	**16**
GRAND TOTAL	**5493**	**9.2**	**61**	**4**	**4**	**7**	**11**	**21**	**27**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	33	6.6	5						
50-69	921	9.2	89	3	4	6	10	21	27
70 +	37	7.6	44						
	990	**9.0**	**84**	**3**	**4**	**6**	**10**	**21**	**27**
0-17	16	1.7	1						
18-34	94	2.8	21	< 1	1	2	2	3	20
35-49	165	4.7	6	2	4	4	5	8	11
50-69	1493	6.1	12	3	4	5	7	10	13
70 +	18	3.7	3						
	1787	**5.7**	**13**	**2**	**4**	**5**	**6**	**10**	**13**
	2777	**6.9**	**41**	**3**	**4**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	4.0							
50-69	59	13.8	88	3	6	9	23	27	28
70 +	0								
SUBTOTAL	**69**	**12.4**	**87**	**3**	**4**	**9**	**23**	**26**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	16	2.9	2						
35-49	6	4.0							
50-69	16	6.9	2						
70 +	0								
SUBTOTAL	**49**	**4.2**	**6**	**1**	**2**	**4**	**5**	**8**	**8**
GRAND TOTAL	**118**	**9.0**	**69**	**2**	**4**	**5**	**9**	**25**	**27**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	5.0							
35-49	26	10.6	7						
50-69	43	8.8	15						
70 +	10	6.0							
	90	**8.6**	**13**	**5**	**5**	**10**	**11**	**13**	**16**
0-17	0								
18-34	37	2.4	3						
35-49	26	4.2	5						
50-69	120	4.7	4	2	3	5	6	7	9
70 +	0								
	183	**4.1**	**5**	**2**	**2**	**5**	**5**	**7**	**9**
	273	**5.6**	**12**	**2**	**3**	**5**	**7**	**10**	**13**

DRG 6: Carpal Tunnel Release

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	104	5.2	61	< 1	1	2	5	15	28	0-17	6	13.0							
70-74	59	1.9	1	< 1	1	1	3	4	4	18-34	0								
75-79	35	2.1	2							35-49	67	2.5	6	1	1	2	2	8	8
80-84	12	16.0	245							50-69	29	1.2							
85 +	20	4.5	13							70 +	10	13.0							
SUBTOTAL	**230**	**4.4**	**51**	**< 1**	**1**	**2**	**4**	**8**	**28**		**112**	**3.7**	**19**	**1**	**1**	**2**	**2**	**13**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	238	3.1	32	< 1	< 1	< 1	1	5	19	0-17	16	1.6							
70-74	130	1.6	1	< 1	< 1	1	2	2	5	18-34	267	1.7	6	< 1	< 1	< 1	1	2	4
75-79	88	1.5		< 1	< 1	1	2	3	3	35-49	493	1.3	1	< 1	< 1	< 1	1	2	4
80-84	33	1.3								50-69	407	1.4	1	< 1	< 1	1	1	3	3
85 +	29	2.7	1							70 +	22	1.0							
SUBTOTAL	**517**	**2.3**	**16**	**< 1**	**< 1**	**1**	**2**	**4**	**5**		**1206**	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**
GRAND TOTAL	**748**	**2.9**	**27**	**< 1**	**< 1**	**1**	**2**	**5**	**9**		**1318**	**1.6**	**4**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	16	6.9	42							50-69	37	2.6	1						
70 +	0									70 +	0								
SUBTOTAL	**16**	**6.9**	**42**								**37**	**2.6**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	18	1.0								18-34	6	1.0							
35-49	16	9.1	42							35-49	57	1.4	1	< 1	< 1	< 1	< 1	3	3
50-69	33	2.3	4							50-69	12	1.0							
70 +	0									70 +	0								
SUBTOTAL	**67**	**3.6**	**22**	**< 1**	**< 1**	**1**	**5**	**14**	**14**		**75**	**1.3**		**< 1**	**< 1**	**< 1**	**< 1**	**3**	**3**
GRAND TOTAL	**84**	**4.2**	**27**	**< 1**	**< 1**	**1**	**5**	**14**	**15**		**112**	**1.7**	**1**	**< 1**	**< 1**	**< 1**	**3**	**3**	**4**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	310	18.5	404	2	4	11	32	62	87	0-17	92	4.7	18	<1	1	3	8	12	12	
70-74	316	20.7	623	3	6	13	22	72	95	18-34	200	6.5	53	<1	2	4	8	15	22	
75-79	232	26.6	504	3	12	22	64	99+	99+	35-49	161	9.2	100	3	3	7	11	15	16	
80-84	214	37.8	706	4	27	35	91	99+	99+	50-69	469	16.5	407	1	5	9	20	53	77	
85+	163	44.0	955	10	20	47	87	99	99+	70+	0									
SUBTOTAL	**1235**	**27.3**	**688**	**3**	**8**	**21**	**56**	**99+**	**99+**		**921**	**11.8**	**261**	**1**	**3**	**7**	**13**	**26**	**55**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**1235**	**27.3**	**688**	**3**	**8**	**21**	**56**	**99+**	**99+**		**921**	**11.8**	**261**	**1**	**3**	**7**	**13**	**26**	**55**	

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	16	3.4								0-17	0									
18-34	53	14.1	273	3	6	12	99+	99+	99+	18-34	120	10.4	95	2	3	6	23	30	48	
35-49	37	37.4	1362							35-49	57	11.1	42	1	7	13	17	99+	99+	
50-69	33	23.3	676							50-69	26	22.1	90							
70+	12	9.0	17							70+	12	40.0	393							
SUBTOTAL	**151**	**20.2**	**692**	**2**	**5**	**10**	**61**	**99+**	**99+**		**216**	**13.7**	**150**	**2**	**5**	**13**	**23**	**99+**	**99+**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**151**	**20.2**	**692**	**2**	**5**	**10**	**61**	**99+**	**99+**		**216**	**13.7**	**150**	**2**	**5**	**13**	**23**	**99+**	**99+**	

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	432	4.7	30	1	2	3	6	8	18	0-17	509	2.1	4	< 1	1	1	2	4	8
70-74	212	3.0	9	< 1	1	2	3	7	11	18-34	1218	3.0	14	< 1	1	2	3	6	10
75-79	167	8.5	246	1	2	3	8	11	68	35-49	986	2.6	6	1	1	2	3	5	8
80-84	118	6.1	40	1	2	3	11	13	21	50-69	772	2.5	5	1	1	2	3	5	6
85 +	22	20.0	37							70 +	6	4.0							
SUBTOTAL	**951**	**5.5**	**72**	**1**	**2**	**3**	**6**	**12**	**19**		**3492**	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**951**	**5.5**	**72**	**1**	**2**	**3**	**6**	**12**	**19**		**3492**	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	132	3.4	20	< 1	1	3	3	4	9	0-17	88	2.2	4	1	1	1	3	5	8
18-34	183	3.1	5	1	1	2	6	7	7	18-34	224	7.0	73	1	1	3	10	20	23
35-49	57	2.8	5	1	1	2	4	7	7	35-49	124	3.2	11	1	1	2	4	9	11
50-69	39	2.6	1							50-69	79	2.4	5	1	1	2	3	8	8
70 +	0									70 +	6	4.0							
SUBTOTAL	**412**	**3.1**	**9**	**1**	**1**	**2**	**3**	**7**	**7**		**522**	**4.6**	**40**	**1**	**1**	**2**	**5**	**10**	**20**
GRAND TOTAL	**412**	**3.1**	**9**	**1**	**1**	**2**	**3**	**7**	**7**		**522**	**4.6**	**40**	**1**	**1**	**2**	**5**	**10**	**20**

DRG 9: Spinal Disorders & Injuries

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	77	11.1	118	1	3	6	21	28	34	0-17	22	1.5	1						
70-74	47	32.3	907							18-34	53	8.3	21	1	5	7	13	15	15
75-79	67	14.8	49	11	11	14	19	24	28	35-49	41	12.8	156						
80-84	65	15.6	54	7	8	15	21	26	28	50-69	63	23.3	155	13	16	16	27	49	49
85 +	49	19.9	182	4	8	10	35	37	37	70 +	16	10.1	30						
SUBTOTAL	**306**	**17.5**	**265**	**3**	**7**	**11**	**24**	**35**	**48**		**196**	**13.5**	**145**	**1**	**4**	**13**	**16**	**32**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	7.0	15							0-17	94	1.4	1	< 1	< 1	< 1	1	4	4
70-74	6	4.0								18-34	79	11.1	89	1	3	5	22	25	25
75-79	16	7.1	30							35-49	63	6.7	42	1	1	4	13	18	18
80-84	16	12.1	42							50-69	61	6.2	5	3	5	7	7	9	9
85 +	20	11.0	52							70 +	0								
SUBTOTAL	**77**	**8.9**	**38**	**3**	**4**	**5**	**17**	**18**	**18**		**297**	**6.1**	**47**	**< 1**	**1**	**4**	**7**	**18**	**22**
GRAND TOTAL	**383**	**15.8**	**231**	**3**	**5**	**11**	**21**	**34**	**48**		**493**	**9.0**	**99**	**< 1**	**1**	**5**	**15**	**22**	**27**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	51	21.8	251						
35-49	10	21.0								35-49	10	2.0							
50-69	0									50-69	16	11.7	81						
70 +	0									70 +	6	27.0							
SUBTOTAL	**10**	**21.0**									**84**	**17.8**	**221**	**2**	**13**	**13**	**23**	**53**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	16	2.6							
18-34	10	1.0								18-34	37	4.1	19						
35-49	20	7.5	2							35-49	22	13.3	69						
50-69	0									50-69	0								
70 +	0									70 +	6	6.0							
SUBTOTAL	**37**	**4.6**	**12**								**81**	**6.5**	**45**	**1**	**2**	**3**	**9**	**22**	**22**
GRAND TOTAL	**47**	**8.2**	**56**								**165**	**12.2**	**166**	**1**	**3**	**11**	**17**	**24**	**53**

DRG 10: Nervous System Neoplasms w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1015	13.2	137	3	5	11	18	26	31	0-17	77	6.7	31	1	3	7	9	19	19	
70-74	864	17.9	285	3	6	12	23	41	58	18-34	96	9.0	46	2	3	7	16	18	24	
75-79	701	17.2	326	4	7	10	20	49	63	35-49	801	10.2	172	2	3	6	10	24	43	
80-84	405	21.2	344	4	8	18	30	49	57	50-69	1826	12.0	117	3	4	9	16	27	32	
85 +	206	21.2	230	6	10	16	33	47	62	70 +	122	13.4	77	4	5	15	17	22	34	
SUBTOTAL	**3190**	**16.9**	**259**	**3**	**6**	**12**	**21**	**38**	**57**		**2922**	**11.4**	**127**	**2**	**4**	**8**	**15**	**25**	**32**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**3190**	**16.9**	**259**	**3**	**6**	**12**	**21**	**38**	**57**		**2922**	**11.4**	**127**	**2**	**4**	**8**	**15**	**25**	**32**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	10	10.0								
18-34	61	8.7	48	2	2	7	12	22	22	18-34	69	4.3	4	2	3	4	5	7	8	
35-49	41	11.7	149	< 1	1	7	16	37	37	35-49	147	12.9	116	4	5	10	19	43	99 +	
50-69	143	12.2	36	6	8	9	15	21	27	50-69	218	11.0	87	2	5	9	13	18	37	
70 +	6	9.0								70 +	12	19.5	144							
SUBTOTAL	**251**	**11.2**	**58**	**2**	**7**	**9**	**16**	**25**	**37**		**456**	**10.8**	**93**	**3**	**5**	**8**	**13**	**31**	**37**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**251**	**11.2**	**58**	**2**	**7**	**9**	**16**	**25**	**37**		**456**	**10.8**	**93**	**3**	**5**	**8**	**13**	**31**	**37**	

DRG 11: Nervous System Neoplasms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	357	9.2	249	1	2	5	10	14	30	0-17	61	2.2	1	< 1	1	2	3	4	4
70-74	277	8.0	44	1	3	7	10	17	24	18-34	245	2.8	5	1	1	2	3	7	8
75-79	202	8.4	45	2	3	6	10	21	23	35-49	385	5.2	27	1	2	3	8	11	15
80-84	141	8.3	68	1	2	3	14	22	22	50-69	664	6.6	64	1	2	4	8	13	16
85 +	65	10.5	35	4	7	9	18	99 +	99 +	70 +	6	12.0							
SUBTOTAL	**1041**	**8.7**	**117**	**1**	**3**	**6**	**11**	**21**	**24**		**1361**	**5.4**	**43**	**1**	**2**	**3**	**7**	**12**	**15**
GRAND TOTAL	**1041**	**8.7**	**117**	**1**	**3**	**6**	**11**	**21**	**24**		**1361**	**5.4**	**43**	**1**	**2**	**3**	**7**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	41	4.5	21							0-17	16	1.4							
18-34	6	3.0								18-34	26	2.9	3						
35-49	10	9.0								35-49	45	4.8	7	2	2	5	7	8	8
50-69	35	3.6	9							50-69	112	8.3	77	1	2	4	11	21	30
70 +	0									70 +	16	17.5	4						
SUBTOTAL	**92**	**4.6**	**15**	**< 1**	**1**	**3**	**9**	**12**	**12**		**216**	**7.1**	**57**	**1**	**2**	**3**	**8**	**20**	**21**
GRAND TOTAL	**92**	**4.6**	**15**	**< 1**	**1**	**3**	**9**	**12**	**12**		**216**	**7.1**	**57**	**1**	**2**	**3**	**8**	**20**	**21**

DRG 12: Degenerative Nervous System Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	687	14.9	326	3	5	9	18	31	72
70-74	491	17.8	426	3	8	12	18	70	99
75-79	770	16.4	276	3	5	12	29	80	99 +
80-84	760	21.2	453	5	8	13	27	74	96
85 +	485	17.2	254	4	7	15	25	65	99 +
SUBTOTAL	**3192**	**17.6**	**353**	**3**	**6**	**12**	**25**	**65**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	593	10.4	142	2	3	6	11	22	34
70-74	387	9.4	108	2	3	6	9	27	37
75-79	515	10.8	91	2	5	8	16	26	42
80-84	446	14.3	182	4	6	9	17	36	44
85 +	265	12.8	92	4	6	9	19	27	47
SUBTOTAL	**2207**	**11.4**	**129**	**2**	**5**	**8**	**15**	**28**	**42**
GRAND TOTAL	**5399**	**15.1**	**271**	**3**	**5**	**10**	**19**	**45**	**79**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.2	49						
18-34	118	10.5	139	2	2	7	14	23	43
35-49	190	8.6	27	2	4	9	12	15	21
50-69	308	12.6	121	2	6	9	15	26	43
70 +	26	26.5	165						
	658	**11.5**	**109**	**2**	**4**	**9**	**15**	**28**	**43**
0-17	112	1.7	1	< 1	< 1	1	2	4	4
18-34	122	5.3	18	1	2	4	6	14	15
35-49	253	4.4	28	1	2	3	5	9	12
50-69	330	5.7	29	2	3	4	7	11	13
70 +	33	7.5	82						
	850	**4.8**	**28**	**1**	**2**	**3**	**6**	**11**	**14**
	1508	**7.7**	**74**	**1**	**2**	**5**	**11**	**16**	**27**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	6.0	17						
18-34	20	3.5							
35-49	41	20.3	245						
50-69	45	22.9	811	5	12	13	18	93	93
70 +	0								
SUBTOTAL	**126**	**16.2**	**429**	**2**	**4**	**10**	**18**	**42**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.0							
18-34	31	4.3	4						
35-49	29	4.4	5						
50-69	47	7.0	23						
70 +	10	6.0							
SUBTOTAL	**132**	**5.1**	**13**	**2**	**2**	**4**	**6**	**8**	**16**
GRAND TOTAL	**259**	**10.5**	**246**	**2**	**3**	**5**	**11**	**25**	**42**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	3.1	2						
35-49	0								
50-69	90	16.1	72	10	10	13	19	21	43
70 +	43	35.8	220						
	149	**20.3**	**218**	**5**	**10**	**17**	**21**	**43**	**59**
0-17	37	3.1	4						
18-34	33	6.4	26						
35-49	37	5.2	2						
50-69	75	4.6	51	1	2	2	6	28	99 +
70 +	53	8.7	39	2	2	7	14	18	18
	234	**5.6**	**33**	**1**	**2**	**4**	**7**	**14**	**24**
	383	**11.3**	**156**	**2**	**2**	**7**	**17**	**34**	**43**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	391	14.4	174	3	5	12	18	48	58	0-17	26	12.0	188						
70-74	45	17.2	46	5	9	22	22	23	23	18-34	179	9.4	24	3	4	10	11	19	20
75-79	22	6.5	7							35-49	371	10.0	102	3	5	7	12	19	25
80-84	41	8.5	19							50-69	255	8.4	20	3	6	8	10	15	16
85 +	26	2.7	2							70 +	6	19.0							
SUBTOTAL	**526**	**13.2**	**147**	**3**	**5**	**10**	**17**	**31**	**50**		**837**	**9.5**	**63**	**3**	**5**	**8**	**11**	**19**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	524	9.5	94	3	4	6	11	17	25	0-17	33	3.6	3						
70-74	45	8.2	27	4	5	6	10	20	20	18-34	687	7.1	29	1	3	6	10	17	20
75-79	33	10.3	11							35-49	1221	7.6	27	3	4	7	10	13	17
80-84	12	11.5	61							50-69	359	6.7	48	1	2	5	8	15	24
85 +	10	2.0								70 +	6	5.0							
SUBTOTAL	**623**	**9.4**	**83**	**3**	**4**	**6**	**11**	**18**	**24**		**2305**	**7.2**	**31**	**2**	**3**	**6**	**10**	**14**	**20**
GRAND TOTAL	**1149**	**11.1**	**116**	**3**	**4**	**7**	**15**	**22**	**46**		**3142**	**7.8**	**41**	**2**	**4**	**6**	**10**	**15**	**20**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	53	7.9	15	3	7	7	8	15	15	18-34	16	12.1	2						
35-49	112	22.5	462	4	8	12	35	52	73	35-49	39	6.3	12						
50-69	47	6.7	4							50-69	6	9.0							
70 +	0									70 +	0								
SUBTOTAL	**212**	**15.4**	**306**	**4**	**6**	**8**	**15**	**35**	**53**		**61**	**8.1**	**14**	**3**	**4**	**8**	**11**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12	4.0	4							0-17	0								
18-34	118	10.0	83	3	3	5	17	27	28	18-34	86	5.0	8	< 1	2	6	7	9	9
35-49	114	11.6	181	3	4	5	12	30	47	35-49	126	7.8	40	3	5	6	7	17	25
50-69	45	9.5	11	6	7	9	10	17	17	50-69	16	9.8	9						
70 +	0									70 +	0								
SUBTOTAL	**289**	**10.3**	**109**	**3**	**4**	**6**	**12**	**28**	**30**		**228**	**6.9**	**28**	**2**	**4**	**6**	**7**	**13**	**17**
GRAND TOTAL	**501**	**12.4**	**198**	**3**	**4**	**7**	**12**	**30**	**47**		**289**	**7.1**	**25**	**2**	**4**	**6**	**9**	**13**	**17**

DRG 14: Specific Cerebrovascular Disorders except TIA

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6368	15.0	201	4	7	11	18	33	50
70-74	7022	16.7	224	5	7	12	22	39	59
75-79	8609	17.8	266	5	7	12	24	44	66
80-84	8696	19.3	284	5	8	14	25	47	71
85 +	8368	20.3	307	6	9	15	27	50	84
SUBTOTAL	**39064**	**18.0**	**264**	**5**	**8**	**13**	**24**	**43**	**67**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3441	9.0	79	3	5	7	10	17	21
70-74	3074	9.7	82	3	5	7	12	20	25
75-79	3805	11.6	110	3	5	8	14	24	32
80-84	3282	12.9	151	3	5	9	15	26	37
85 +	2658	14.2	174	4	6	10	17	29	43
SUBTOTAL	**16259**	**11.4**	**121**	**3**	**5**	**8**	**13**	**23**	**31**
GRAND TOTAL	**55323**	**16.1**	**231**	**4**	**7**	**11**	**20**	**37**	**57**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	147	14.4	58	4	9	14	18	25	28
35-49	799	11.6	99	3	6	9	14	22	43
50-69	5110	14.2	203	3	6	10	17	29	44
70 +	554	15.7	173	3	6	13	21	34	41
	6609	**14.0**	**186**	**3**	**6**	**10**	**17**	**29**	**43**
0-17	20	1.5							
18-34	312	7.5	42	1	2	6	11	18	23
35-49	807	7.1	30	1	3	6	10	14	19
50-69	3871	8.5	54	2	4	7	10	16	20
70 +	310	9.3	44	3	5	7	12	19	26
	5319	**8.2**	**49**	**2**	**4**	**7**	**10**	**16**	**20**
	11928	**11.4**	**133**	**3**	**5**	**8**	**14**	**23**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	10.0							
18-34	47	27.8	745	5	19	21	95	99 +	99 +
35-49	177	15.4	338	4	6	12	18	83	99 +
50-69	886	17.0	257	4	7	12	28	44	84
70 +	332	26.1	566	5	10	20	36	90	99 +
SUBTOTAL	**1453**	**19.2**	**369**	**4**	**7**	**13**	**28**	**75**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	26	6.2	3						
35-49	73	10.3	43	4	6	9	12	25	25
50-69	287	9.6	62	1	5	7	11	21	32
70 +	77	9.9	19	3	7	9	13	16	17
SUBTOTAL	**464**	**9.5**	**49**	**3**	**5**	**8**	**12**	**21**	**25**
GRAND TOTAL	**1917**	**16.9**	**309**	**4**	**7**	**11**	**21**	**46**	**96**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	3.5	2						
18-34	81	12.9	65	4	6	12	19	27	27
35-49	230	16.8	259	5	8	10	18	36	53
50-69	996	14.2	146	5	7	10	21	33	78
70 +	312	21.6	430	6	12	15	39	99 +	99 +
	1632	**15.8**	**220**	**4**	**7**	**12**	**22**	**51**	**99 +**
0-17	6	1.0							
18-34	77	8.0	31	1	3	7	11	19	19
35-49	212	7.1	10	3	5	6	10	11	13
50-69	805	8.8	38	3	5	7	11	15	20
70 +	234	13.3	117	4	5	9	19	29	29
	1334	**9.2**	**51**	**3**	**5**	**7**	**11**	**17**	**27**
	2966	**12.9**	**155**	**4**	**6**	**9**	**15**	**30**	**55**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2931	7.0	53	2	3	5	8	14	17	0-17	0								
70-74	3367	7.2	53	2	3	5	8	13	17	18-34	37	8.1	22						
75-79	3703	8.8	108	3	4	6	10	16	26	35-49	326	4.5	5	2	3	4	6	7	8
80-84	4341	8.9	100	2	4	6	11	17	25	50-69	2329	5.7	27	2	3	4	7	10	14
85 +	4383	11.5	165	3	4	7	13	27	47	70 +	169	14.9	572	3	4	7	10	29	94
SUBTOTAL	**18726**	**8.9**	**104**	**2**	**4**	**6**	**10**	**17**	**27**		**2860**	**6.1**	**61**	**2**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3125	4.6	34	1	2	3	5	9	11	0-17	0								
70-74	3135	5.2	51	2	2	4	6	8	11	18-34	110	2.8	2	1	1	3	4	5	5
75-79	2944	5.4	20	2	3	4	7	10	12	35-49	662	4.7	13	2	2	3	7	9	12
80-84	2801	5.9	24	2	3	5	7	10	14	50-69	3744	4.1	9	1	2	4	5	8	9
85 +	2805	8.2	114	2	3	5	9	16	27	70 +	202	4.2	5	2	3	4	5	7	8
SUBTOTAL	**14810**	**5.8**	**49**	**2**	**3**	**4**	**7**	**10**	**14**		**4718**	**4.2**	**9**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**33536**	**7.5**	**82**	**2**	**3**	**5**	**8**	**14**	**21**		**7578**	**4.9**	**30**	**1**	**2**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	5.0								18-34	16	4.0							
35-49	63	3.7	4	< 1	2	4	5	7	7	35-49	81	5.9	14	2	4	5	7	13	13
50-69	234	8.7	46	3	4	6	12	16	26	50-69	271	8.7	69	2	3	5	11	21	24
70 +	100	10.4	117	2	5	7	12	25	47	70 +	124	6.7	25	2	3	5	10	13	31
SUBTOTAL	**407**	**8.2**	**60**	**2**	**4**	**5**	**11**	**15**	**26**		**493**	**7.6**	**48**	**2**	**3**	**5**	**10**	**21**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	2.0								0-17	0								
18-34	22	2.5	1							18-34	20	3.5							
35-49	65	8.3	14	4	6	7	9	16	16	35-49	132	4.7	9	1	2	5	6	10	10
50-69	257	4.4	15	1	1	4	6	7	7	50-69	399	3.9	8	1	2	3	6	8	9
70 +	102	6.0	23	2	3	5	5	10	22	70 +	236	5.1	12	1	2	5	7	9	10
SUBTOTAL	**456**	**5.2**	**18**	**1**	**2**	**4**	**7**	**9**	**10**		**789**	**4.4**	**9**	**1**	**2**	**4**	**6**	**9**	**10**
GRAND TOTAL	**864**	**6.6**	**40**	**2**	**3**	**5**	**7**	**12**	**22**		**1282**	**5.6**	**27**	**1**	**2**	**4**	**7**	**11**	**14**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	399	10.2	74	3	6	9	12	21	45	0-17	47	3.0	5						
70-74	367	10.9	55	3	6	9	15	22	27	18-34	41	20.0	585						
75-79	540	12.8	194	4	6	8	12	24	60	35-49	257	15.1	426	2	3	6	16	70	77
80-84	556	13.6	191	3	5	8	17	30	51	50-69	187	7.4	21	3	4	6	9	14	18
85 +	607	16.3	262	4	8	12	19	45	83	70 +	41	11.3	28						
SUBTOTAL	**2469**	**13.1**	**174**	**4**	**6**	**9**	**15**	**30**	**51**		**573**	**11.6**	**263**	**2**	**3**	**6**	**14**	**24**	**70**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2469**	**13.1**	**174**	**4**	**6**	**9**	**15**	**30**	**51**		**573**	**11.6**	**263**	**2**	**3**	**6**	**14**	**24**	**70**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	2.2	2							0-17	0								
18-34	51	24.8	812							18-34	43	5.8	2						
35-49	61	9.3	49	1	5	7	14	22	22	35-49	49	9.4	39	1	3	9	16	16	16
50-69	57	28.1	1224	2	2	12	42	96	96	50-69	39	7.2	22						
70 +	26	11.6	34							70 +	22	20.2	155						
SUBTOTAL	**222**	**17.1**	**603**	**1**	**4**	**6**	**18**	**42**	**80**		**153**	**9.4**	**62**	**1**	**5**	**6**	**14**	**16**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**222**	**17.1**	**603**	**1**	**4**	**6**	**18**	**42**	**80**		**153**	**9.4**	**62**	**1**	**5**	**6**	**14**	**16**	**33**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	196	6.6	60	1	1	3	10	15	29
70-74	149	5.4	10	2	4	4	7	9	9
75-79	155	5.9	9	2	4	5	8	10	10
80-84	171	9.6	68	3	5	7	10	20	27
85 +	153	14.5	174	2	6	12	25	51	99 +
SUBTOTAL	**823**	**8.4**	**75**	**2**	**4**	**6**	**10**	**16**	**32**
GRAND TOTAL	**823**	**8.4**	**75**	**2**	**4**	**6**	**10**	**16**	**32**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	81	3.3	8	< 1	1	2	5	9	9
18-34	128	4.6	13	1	2	4	6	12	13
35-49	159	4.4	12	1	3	3	5	8	9
50-69	230	4.1	5	1	3	4	6	7	8
70 +	33	5.5	16						
	632	**4.2**	**10**	**1**	**2**	**3**	**6**	**8**	**11**
	632	**4.2**	**10**	**1**	**2**	**3**	**6**	**8**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	4.0							
18-34	6	3.0							
35-49	6	2.0							
50-69	37	22.8	779						
70 +	6	3.0							
SUBTOTAL	**65**	**14.2**	**530**	**2**	**3**	**4**	**9**	**67**	**67**
GRAND TOTAL	**65**	**14.2**	**530**	**2**	**3**	**4**	**9**	**67**	**67**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	18	2.7	6						
50-69	18	13.0	133						
70 +	18	18.3	311						
	55	**11.3**	**187**	**< 1**	**1**	**6**	**11**	**42**	**42**
	55	**11.3**	**187**	**< 1**	**1**	**6**	**11**	**42**	**42**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1092	11.9	215	3	4	7	14	24	56	0-17	22	5.9	2						
70-74	577	10.4	81	2	4	8	13	25	32	18-34	242	5.6	22	1	3	4	8	15	20
75-79	660	11.8	122	3	5	8	15	24	37	35-49	495	7.4	50	2	3	5	9	15	20
80-84	395	13.9	151	4	6	10	17	27	47	50-69	813	11.8	150	2	4	8	14	24	37
85 +	320	11.2	77	3	4	7	14	22	34	70 +	41	8.2	68	3	3	5	9	27	27
SUBTOTAL	**3044**	**11.8**	**148**	**3**	**4**	**8**	**15**	**24**	**36**		**1614**	**9.3**	**102**	**2**	**3**	**6**	**12**	**20**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3044**	**11.8**	**148**	**3**	**4**	**8**	**15**	**24**	**36**		**1614**	**9.3**	**102**	**2**	**3**	**6**	**12**	**20**	**30**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	20	15.0	105						
18-34	61	6.5	17	2	3	5	10	13	15	18-34	45	5.4	11	2	2	4	9	10	10
35-49	124	6.4	17	3	3	6	7	12	16	35-49	90	4.5	10	1	2	4	7	10	10
50-69	106	7.3	19	3	4	7	9	12	20	50-69	108	18.8	493	3	3	7	32	46	73
70 +	0									70 +	16	12.0	16						
SUBTOTAL	**291**	**6.8**	**18**	**3**	**3**	**6**	**9**	**12**	**16**		**279**	**11.4**	**246**	**2**	**3**	**7**	**10**	**46**	**73**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**291**	**6.8**	**18**	**3**	**3**	**6**	**9**	**12**	**16**		**279**	**11.4**	**246**	**2**	**3**	**7**	**10**	**46**	**73**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	676	6.8	80	1	3	5	8	11	19
70-74	479	5.9	61	1	2	3	8	13	17
75-79	322	8.4	74	2	3	5	11	17	26
80-84	179	5.7	15	2	2	4	9	10	13
85 +	228	9.7	53	2	4	8	15	18	20
SUBTOTAL	**1884**	**7.1**	**66**	**1**	**3**	**5**	**9**	**15**	**19**
GRAND TOTAL	**1884**	**7.1**	**66**	**1**	**3**	**5**	**9**	**15**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	289	4.1	22	< 1	1	3	5	11	12
18-34	821	6.0	58	1	2	4	7	15	19
35-49	1314	4.9	24	1	1	3	6	11	16
50-69	1605	4.7	19	1	2	3	7	10	14
70 +	6	2.0							
	4036	**5.0**	**29**	**1**	**1**	**3**	**6**	**11**	**16**
	4036	**5.0**	**29**	**1**	**1**	**3**	**6**	**11**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	6.0	1						
18-34	73	6.3	20	< 1	4	6	7	16	16
35-49	59	8.8	78	1	2	5	20	24	24
50-69	90	3.7	6	1	2	3	5	6	10
70 +	10	2.0							
SUBTOTAL	**244**	**5.7**	**31**	**1**	**2**	**5**	**6**	**16**	**20**
GRAND TOTAL	**244**	**5.7**	**31**	**1**	**2**	**5**	**6**	**16**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	84	8.0	101	< 1	1	3	8	32	32
18-34	165	7.9	79	1	1	4	8	25	32
35-49	171	5.4	29	1	1	3	8	13	21
50-69	143	5.1	53	1	1	3	4	15	29
70 +	16	4.5	4						
	579	**6.4**	**60**	**1**	**1**	**3**	**8**	**15**	**29**
	579	**6.4**	**60**	**1**	**1**	**3**	**8**	**15**	**29**

DRG 20: Nervous System Infection except Viral Meningitis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	238	18.0	261	4	8	15	21	42	81
70-74	202	15.7	93	6	8	11	24	32	36
75-79	124	18.8	124	6	8	19	29	39	40
80-84	165	23.1	254	4	9	19	37	39	62
85 +	77	14.2	77	7	8	8	27	29	29
SUBTOTAL	**807**	**18.2**	**186**	**5**	**8**	**15**	**26**	**39**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	112	10.6	72	2	2	8	17	24	24
70-74	77	6.8	20	3	4	4	8	15	15
75-79	61	11.3	40	2	6	12	15	21	21
80-84	65	11.4	12	7	8	11	14	15	18
85 +	47	10.9	7						
SUBTOTAL	**363**	**10.1**	**39**	**2**	**4**	**10**	**14**	**21**	**22**
GRAND TOTAL	**1169**	**15.7**	**154**	**4**	**8**	**13**	**21**	**35**	**39**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	234	12.5	122	2	7	10	13	29	31
18-34	263	11.1	65	2	5	9	16	23	26
35-49	255	16.2	145	6	9	12	21	32	37
50-69	251	15.4	107	5	8	13	22	31	50
70 +	6	7.0							
	1009	**13.8**	**113**	**4**	**7**	**10**	**18**	**26**	**34**
0-17	664	9.1	21	3	6	10	11	15	16
18-34	271	7.4	20	2	4	7	10	12	14
35-49	234	9.0	27	3	5	9	12	15	19
50-69	218	7.9	39	1	3	8	12	14	21
70 +	0								
	1387	**8.5**	**25**	**2**	**5**	**9**	**11**	**14**	**16**
	2396	**10.7**	**69**	**3**	**6**	**10**	**13**	**21**	**26**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	124	13.8	102	5	8	12	17	44	50
18-34	63	19.3	559	1	6	10	21	71	71
35-49	106	18.2	100	4	12	16	23	36	38
50-69	0								
70 +	0								
SUBTOTAL	**293**	**16.6**	**203**	**5**	**8**	**12**	**21**	**38**	**71**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	71	10.0	11	4	7	11	12	13	15
18-34	10	11.0							
35-49	12	12.5	98						
50-69	16	8.5	4						
70 +	0								
SUBTOTAL	**110**	**10.1**	**19**	**4**	**7**	**11**	**12**	**15**	**22**
GRAND TOTAL	**403**	**14.8**	**161**	**5**	**7**	**11**	**17**	**36**	**44**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	124	11.0	18	5	8	11	13	16	19
18-34	39	12.8	58						
35-49	67	10.9	59	2	5	13	21	99 +	99 +
50-69	20	11.5	7						
70 +	0								
	251	**11.3**	**34**	**3**	**7**	**11**	**19**	**21**	**99 +**
0-17	157	8.4	17	3	3	10	12	12	14
18-34	59	9.8	25	< 1	4	12	13	15	15
35-49	39	11.4	26						
50-69	33	14.9	3						
70 +	0								
	287	**9.8**	**22**	**3**	**7**	**11**	**13**	**16**	**17**
	538	**10.5**	**28**	**3**	**7**	**11**	**14**	**19**	**21**

DRG 21: Viral Meningitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	22	7.9	15							0-17	136	4.3	6	2	3	4	5	7	7
70-74	6	4.0								18-34	310	7.0	62	3	4	5	7	14	14
75-79	16	11.9	2							35-49	112	7.4	32	3	4	6	8	12	23
80-84	12	8.0	17							50-69	77	6.6	10	2	3	7	8	13	13
85 +	26	18.6	117							70 +	0								
SUBTOTAL	84	11.8	68	4	5	11	12	32	32		636	6.4	39	2	3	5	7	12	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	7.0	10							0-17	729	3.6	5	1	2	3	4	7	8
70-74	6	23.0								18-34	1169	4.0	8	1	2	3	5	7	8
75-79	0									35-49	375	4.4	6	2	3	4	5	8	9
80-84	12	9.5								50-69	61	4.0	12	1	1	4	5	11	11
85 +	0									70 +	0								
SUBTOTAL	31	11.2	41								2335	3.9	7	1	2	3	5	7	8
GRAND TOTAL	114	11.6	61	4	5	10	12	23	32		2970	4.5	15	2	2	4	6	8	10

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	7.0								0-17	18	4.3	4						
18-34	63	7.1	66	2	3	5	8	15	31	18-34	75	9.3	62	2	3	8	13	27	27
35-49	20	4.0	9							35-49	6	15.0							
50-69	10	9.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	104	6.6	44	2	3	5	8	9	31		100	8.7	54	2	3	7	13	23	27
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	253	4.4	9	1	2	3	7	8	10	0-17	118	3.1	1	2	3	3	3	5	5
18-34	132	4.3	4	2	3	4	6	6	9	18-34	405	4.7	10	1	2	4	6	10	12
35-49	0									35-49	43	2.9	1						
50-69	6	3.0								50-69	10	2.0							
70 +	0									70 +	0								
SUBTOTAL	391	4.3	7	1	2	3	6	8	10		577	4.2	8	1	2	3	5	9	10
GRAND TOTAL	495	4.8	16	1	2	4	7	8	10		676	4.9	17	1	2	3	6	10	12

DRG 22: Hypertensive Encephalopathy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	228	9.6	198	3	4	5	8	14	28	0-17	6	5.0							
70-74	86	8.6	39	3	3	6	14	16	23	18-34	10	4.0							
75-79	189	6.4	12	3	3	6	9	12	14	35-49	96	4.9	10	2	3	4	7	12	12
80-84	187	11.3	133	2	4	6	15	33	42	50-69	269	7.0	30	2	4	6	8	13	14
85 +	41	9.4	30	4	5	9	19	99 +	99 +	70 +	6	6.0							
SUBTOTAL	**731**	**9.1**	**108**	**3**	**4**	**6**	**10**	**18**	**33**		**387**	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	141	4.2	5	2	3	4	5	7	8	0-17	10	2.0							
70-74	130	4.6	5	2	3	4	6	8	9	18-34	31	3.2	3						
75-79	71	3.6	2	2	3	3	4	5	7	35-49	114	4.3	4	2	3	4	5	8	8
80-84	98	6.0	8	2	4	6	8	10	12	50-69	187	4.7	9	2	3	3	6	10	13
85 +	108	4.2	11	2	2	3	7	9	12	70 +	0								
SUBTOTAL	**548**	**4.5**	**7**	**2**	**3**	**4**	**6**	**8**	**10**		**342**	**4.3**	**7**	**2**	**3**	**3**	**5**	**8**	**10**
GRAND TOTAL	**1279**	**7.1**	**70**	**2**	**3**	**5**	**8**	**14**	**20**		**729**	**5.4**	**17**	**2**	**3**	**4**	**7**	**10**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	16	2.3	1							18-34	16	3.5	4						
35-49	24	6.5	9							35-49	39	10.4	129						
50-69	37	12.7	73							50-69	41	12.0	217	2	2	5	21	37	37
70 +	10	2.0								70 +	0								
SUBTOTAL	**88**	**7.8**	**53**	**2**	**3**	**4**	**11**	**25**	**25**		**96**	**9.9**	**152**	**2**	**2**	**5**	**11**	**37**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	10	1.0								18-34	18	4.3	2						
35-49	6	1.0								35-49	43	4.4	3						
50-69	33	4.4	4							50-69	35	3.2	2						
70 +	6	2.0								70 +	6	4.0							
SUBTOTAL	**55**	**3.1**	**5**	**1**	**1**	**2**	**4**	**7**	**7**		**102**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**143**	**6.0**	**39**	**1**	**2**	**4**	**7**	**13**	**25**		**198**	**6.8**	**83**	**2**	**2**	**4**	**5**	**11**	**36**

DRG 23: Nontraumatic Stupor & Coma

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	120	7.1	44	1	2	7	12	23	99 +		0-17	12	1.5							
70-74	79	7.5	17	4	5	6	9	16	16		18-34	29	1.8	1						
75-79	71	7.2	27	3	4	5	10	18	18		35-49	22	3.5	1						
80-84	51	8.9	51	1	5	5	9	24	24		50-69	71	9.9	64	2	4	8	15	27	27
85 +	61	16.0	399	4	5	9	60	99 +	99 +		70 +	0								
SUBTOTAL	**383**	**8.9**	**102**	**2**	**4**	**6**	**10**	**23**	**78**			**134**	**6.3**	**49**	**1**	**2**	**4**	**8**	**15**	**27**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	29	2.9	4								0-17	6	2.0							
70-74	6	2.0									18-34	77	5.4	105	1	2	3	3	4	40
75-79	18	4.3	4								35-49	49	2.9	2	1	1	4	4	4	4
80-84	16	4.8	9								50-69	33	1.7	3						
85 +	6	2.0									70 +	0								
SUBTOTAL	**75**	**3.5**	**5**	**1**	**2**	**3**	**6**	**7**	**7**			**165**	**3.8**	**52**	**1**	**1**	**2**	**4**	**4**	**5**
GRAND TOTAL	**458**	**8.0**	**90**	**2**	**3**	**6**	**9**	**19**	**60**			**299**	**4.9**	**52**	**1**	**1**	**3**	**4**	**8**	**27**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	6	8.0							
18-34	12	3.0	1								18-34	22	1.0							
35-49	20	5.0	4								35-49	12	1.5							
50-69	12	20.5	120								50-69	16	6.0							
70 +	10	5.0									70 +	0								
SUBTOTAL	**55**	**8.0**	**73**	**2**	**3**	**5**	**7**	**31**	**31**			**57**	**3.3**	**7**	**< 1**	**1**	**2**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	26	1.8	1								0-17	6	2.0							
18-34	0										18-34	24	1.5							
35-49	0										35-49	0								
50-69	6	2.0									50-69	10	3.0							
70 +	0										70 +	0								
SUBTOTAL	**33**	**1.8**	**1**									**41**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
GRAND TOTAL	**88**	**5.7**	**55**	**1**	**2**	**3**	**7**	**10**	**31**			**98**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 24: Seizure & Headache Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3375	9.1	128	2	4	6	10	19	31
70-74	2051	9.0	133	2	3	6	11	18	38
75-79	1803	10.0	123	2	4	7	12	23	30
80-84	1414	12.2	232	2	4	8	14	23	43
85 +	1322	10.0	64	3	4	8	13	21	25
SUBTOTAL	**9965**	**9.8**	**135**	**2**	**4**	**6**	**11**	**21**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9965**	**9.8**	**135**	**2**	**4**	**6**	**11**	**21**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1612	5.3	39	1	2	3	6	12	20
35-49	1854	4.9	24	1	2	3	6	10	14
50-69	2369	6.9	43	2	3	5	8	14	20
70 +	130	11.2	121	2	4	8	16	27	29
	5965	**5.9**	**39**	**1**	**2**	**4**	**7**	**13**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5965	**5.9**	**39**	**1**	**2**	**4**	**7**	**13**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	986	6.0	44	1	2	4	7	16	25
35-49	1011	5.8	24	1	3	5	7	11	17
50-69	615	9.4	194	2	3	6	9	16	40
70 +	132	9.8	25	4	6	10	14	16	20
SUBTOTAL	**2744**	**6.9**	**72**	**1**	**2**	**5**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2744**	**6.9**	**72**	**1**	**2**	**5**	**8**	**15**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	699	4.5	24	1	2	3	5	9	12
35-49	625	4.8	13	2	2	4	6	10	11
50-69	623	7.6	52	2	3	6	10	14	19
70 +	59	10.1	66	3	5	6	14	26	26
	2007	**5.7**	**33**	**1**	**2**	**4**	**7**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2007	**5.7**	**33**	**1**	**2**	**4**	**7**	**12**	**15**

DRG 25: Seizure & Headache Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2526	4.6	16	1	2	4	6	8	11	0-17	0								
70-74	1021	4.8	18	1	2	4	7	9	11	18-34	5830	3.3	9	1	1	2	4	6	9
75-79	900	5.4	20	2	3	4	7	10	13	35-49	4451	3.5	8	1	2	3	5	7	9
80-84	764	7.1	66	2	3	4	8	14	21	50-69	2371	3.6	9	1	2	3	4	6	9
85 +	554	7.8	73	2	3	5	9	15	34	70 +	88	6.9	33	2	3	5	5	21	21
SUBTOTAL	**5765**	**5.4**	**30**	**1**	**2**	**4**	**7**	**10**	**14**		**12740**	**3.4**	**9**	**1**	**2**	**2**	**4**	**7**	**9**
GRAND TOTAL	**5765**	**5.4**	**30**	**1**	**2**	**4**	**7**	**10**	**14**		**12740**	**3.4**	**9**	**1**	**2**	**2**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1542	4.0	30	1	2	3	4	7	13	18-34	2174	3.3	13	1	1	2	4	6	8
35-49	850	4.1	9	1	2	3	5	8	9	35-49	872	3.1	7	1	1	2	4	7	9
50-69	403	7.2	140	2	3	5	6	12	17	50-69	407	4.4	11	1	2	3	5	11	14
70 +	49	7.2	26	4	4	4	9	19	19	70 +	39	3.8	4						
SUBTOTAL	**2844**	**4.5**	**41**	**1**	**2**	**3**	**5**	**8**	**12**		**3492**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**2844**	**4.5**	**41**	**1**	**2**	**3**	**5**	**8**	**12**		**3492**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 26: Seizure & Headache Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	1306	3.6	11	1	1	3	4	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										1306	3.6	11	1	1	3	4	7	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	7715	2.7	9	1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	6	1.0									7715	2.7	9	1	1	2	3	5	7
GRAND TOTAL	6	1.0									9021	2.9	9	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	566	4.1	20	1	2	3	4	8	13	0-17	291	3.7	9	1	2	3	5	9	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	566	4.1	20	1	2	3	4	8	13		291	3.7	9	1	2	3	5	9	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2506	3.4	12	1	2	3	4	6	8	0-17	1656	2.6	4	1	1	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	2506	3.4	12	1	2	3	4	6	8		1656	2.6	4	1	1	2	3	5	6
GRAND TOTAL	3072	3.5	13	1	2	3	4	6	9		1948	2.7	5	1	1	2	4	5	7

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	12.3	53						
70-74	12	7.0	10						
75-79	16	69.1	1188						
80-84	35	13.9	21						
85 +	39	38.9	705	12	18	41	80	99 +	99 +
SUBTOTAL	**132**	**27.0**	**753**	**5**	**10**	**18**	**62**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	5.8	9						
70-74	33	9.3	15						
75-79	6	31.0							
80-84	26	3.9	6						
85 +	22	7.5	1						
SUBTOTAL	**104**	**8.2**	**45**	**2**	**2**	**8**	**10**	**14**	**31**
GRAND TOTAL	**236**	**18.8**	**527**	**2**	**7**	**10**	**22**	**95**	**99 +**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	8.3	94	1	2	3	7	25	25
18-34	181	14.8	106	1	8	12	22	35	99 +
35-49	112	12.2	65	4	6	11	17	29	30
50-69	55	14.8	144	5	8	13	38	99 +	99 +
70 +	10	16.0							
	442	**12.9**	**101**	**1**	**4**	**11**	**21**	**31**	**38**
0-17	126	5.1	27	1	2	3	7	14	19
18-34	255	4.7	16	1	1	3	8	11	12
35-49	86	3.6	3	1	3	4	4	5	8
50-69	16	1.0							
70 +	10	7.0							
	493	**4.5**	**16**	**1**	**1**	**3**	**7**	**10**	**14**
	935	**8.5**	**74**	**1**	**2**	**5**	**12**	**24**	**30**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	18.0							
18-34	67	13.0	126	2	4	7	16	36	36
35-49	20	31.0	304						
50-69	10	38.0							
70 +	0								
SUBTOTAL	**108**	**19.2**	**218**	**2**	**7**	**16**	**36**	**48**	**94**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	2.0	1						
35-49	16	5.1	6						
50-69	0								
70 +	0								
SUBTOTAL	**47**	**3.1**	**5**						
GRAND TOTAL	**155**	**14.3**	**208**	**2**	**3**	**7**	**18**	**44**	**48**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	4.5	4						
18-34	141	20.5	540	2	3	14	28	92	99 +
35-49	79	20.0	211	6	9	16	35	43	49
50-69	10	61.0							
70 +	0								
	247	**21.0**	**460**	**2**	**6**	**15**	**43**	**67**	**99 +**
0-17	49	11.2	18	7	8	9	17	17	17
18-34	145	11.0	73	1	2	9	17	24	27
35-49	57	4.4	7	< 1	1	5	5	9	9
50-69	6	8.0							
70 +	0								
	257	**9.5**	**54**	**1**	**4**	**8**	**15**	**23**	**24**
	503	**15.1**	**285**	**2**	**4**	**9**	**21**	**49**	**79**

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	244	9.5	72	2	4	6	14	22	22
70-74	206	9.5	111	2	3	7	16	19	48
75-79	259	11.8	146	2	4	8	15	37	42
80-84	247	16.3	211	3	9	13	20	49	68
85 +	475	16.8	279	4	6	12	19	38	60
SUBTOTAL	**1430**	**13.5**	**194**	**2**	**5**	**10**	**17**	**34**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1430**	**13.5**	**194**	**2**	**5**	**10**	**17**	**34**	**52**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	393	5.2	21	1	2	3	7	11	18
35-49	226	8.6	135	2	2	5	9	19	31
50-69	204	8.6	58	2	2	7	13	17	33
70 +	57	12.0	30	4	9	12	17	20	20
	880	**7.3**	**63**	**2**	**2**	**4**	**9**	**17**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	880	**7.3**	**63**	**2**	**2**	**4**	**9**	**17**	**20**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	90	3.2	9	1	1	1	6	10	10
35-49	75	10.4	54	2	4	5	16	21	21
50-69	26	12.2	73						
70 +	16	8.6	12						
SUBTOTAL	**208**	**7.4**	**47**	**1**	**2**	**5**	**13**	**19**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**208**	**7.4**	**47**	**1**	**2**	**5**	**13**	**19**	**21**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	385	5.6	44	1	1	2	7	18	23
35-49	110	16.9	501	1	2	11	61	64	99 +
50-69	122	8.9	16	3	6	9	11	14	16
70 +	43	18.0	232						
	660	**8.9**	**148**	**1**	**2**	**4**	**11**	**19**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	660	**8.9**	**148**	**1**	**2**	**4**	**11**	**19**	**37**

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	88	3.8	13	1	2	3	4	13	13
70-74	100	9.6	73	1	4	9	11	27	32
75-79	196	6.3	25	1	2	5	9	12	18
80-84	147	4.1	8	1	2	3	5	9	11
85 +	218	7.7	64	1	3	5	11	14	20
SUBTOTAL	**748**	**6.4**	**42**	**1**	**2**	**4**	**9**	**12**	**18**
GRAND TOTAL	**748**	**6.4**	**42**	**1**	**2**	**4**	**9**	**12**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1432	3.1	10	1	1	2	4	7	11
35-49	414	3.5	11	1	1	2	4	9	10
50-69	499	4.1	14	1	2	3	5	8	13
70 +	104	6.2	20	1	2	6	10	13	15
	2449	**3.5**	**12**	**1**	**1**	**2**	**5**	**8**	**12**
	2449	**3.5**	**12**	**1**	**1**	**2**	**5**	**8**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	128	3.2	8	< 1	1	2	3	9	10
35-49	69	3.8	15	< 1	2	2	5	5	15
50-69	41	8.3	108						
70 +	10	4.0							
SUBTOTAL	**249**	**4.2**	**29**	**< 1**	**1**	**2**	**4**	**10**	**15**
GRAND TOTAL	**249**	**4.2**	**29**	**< 1**	**1**	**2**	**4**	**10**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	978	2.7	5	1	1	2	3	6	7
35-49	232	5.6	30	1	2	3	8	11	21
50-69	196	3.2	7	1	1	3	4	5	7
70 +	43	4.1	16						
	1449	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**10**
	1449	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	271	6.7	147	1	2	4	6	9	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**271**	**6.7**	**147**	**1**	**2**	**4**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2538	2.0	5	1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**2538**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**0**										**2809**	**2.5**	**20**	**1**	**1**	**1**	**2**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	3.7	15	<1	1	2	4	12	12	0-17	73	4.5	8	1	2	6	6	9	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**61**	**3.7**	**15**	**<1**	**1**	**2**	**4**	**12**	**12**		**73**	**4.5**	**8**	**1**	**2**	**6**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	668	1.5	1	1	1	1	2	2	4	0-17	827	2.1	4	1	1	1	2	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**668**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**4**		**827**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**729**	**1.7**	**3**	**1**	**1**	**1**	**2**	**2**	**4**		**901**	**2.3**	**5**	**1**	**1**	**1**	**2**	**6**	**6**

DRG 31: Concussion Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	202	4.5	15	1	2	3	6	11	14	0-17	0								
70-74	220	6.5	33	2	3	5	7	16	24	18-34	811	3.4	12	1	1	2	4	6	9
75-79	212	9.7	109	2	3	5	12	27	35	35-49	281	3.2	7	< 1	1	2	4	7	8
80-84	238	9.9	126	2	4	5	16	25	63	50-69	320	3.7	12	1	1	3	4	12	15
85 +	244	11.3	199	2	3	5	11	31	50	70 +	130	8.0	71	1	2	4	13	23	27
SUBTOTAL	**1116**	**8.5**	**106**	**2**	**3**	**5**	**9**	**23**	**31**		**1542**	**3.8**	**18**	**1**	**1**	**2**	**4**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1116**	**8.5**	**106**	**2**	**3**	**5**	**9**	**23**	**31**		**1542**	**3.8**	**18**	**1**	**1**	**2**	**4**	**8**	**13**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	114	3.2	9	1	1	2	6	8	10	18-34	850	3.1	17	1	1	2	4	5	7
35-49	106	2.6	7	1	1	1	2	8	9	35-49	240	3.4	9	1	2	2	4	6	8
50-69	43	3.1	1							50-69	200	4.7	12	1	3	4	5	11	12
70 +	0									70 +	53	7.0	92	1	1	2	8	26	26
SUBTOTAL	**263**	**3.0**	**7**	**1**	**1**	**2**	**3**	**8**	**8**		**1343**	**3.6**	**18**	**1**	**1**	**3**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**263**	**3.0**	**7**	**1**	**1**	**2**	**3**	**8**	**8**		**1343**	**3.6**	**18**	**1**	**1**	**3**	**4**	**6**	**10**

DRG 32: Concussion Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	251	5.2	103	1	2	3	5	7	14
70-74	179	2.8	10	1	1	1	3	10	12
75-79	232	4.2	13	1	1	3	5	10	12
80-84	167	4.6	19	1	1	3	6	13	15
85 +	275	7.3	163	1	2	3	7	21	21
SUBTOTAL	**1104**	**5.0**	**73**	**1**	**1**	**3**	**5**	**12**	**15**
GRAND TOTAL	**1104**	**5.0**	**73**	**1**	**1**	**3**	**5**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3426	2.0	4	1	1	1	2	4	5
35-49	1131	2.5	9	1	1	1	2	5	7
50-69	800	3.8	29	1	1	2	4	6	11
70 +	94	4.0	12	1	2	2	6	7	15
	5451	**2.4**	**9**	**1**	**1**	**2**	**3**	**4**	**6**
	5451	**2.4**	**9**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	395	2.4	3	1	1	2	3	6	6
35-49	61	2.5	3	< 1	1	2	4	5	5
50-69	45	1.9	1	1	1	2	3	3	3
70 +	0								
SUBTOTAL	**501**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**501**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2359	2.3	4	< 1	1	2	3	5	7
35-49	566	2.5	4	1	1	2	3	5	6
50-69	257	2.9	5	1	2	2	3	5	7
70 +	100	3.0	3	1	1	3	4	6	6
	3282	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	3282	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 33: Concussion Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	379	2.0	3	1	1	1	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**379**	**2.0**	**3**	**1**	**1**	**1**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	5435	1.4	2	1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**5435**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**5813**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	84	3.0	4	1	2	2	3	7	7	0-17	141	4.9	73	<1	1	2	4	21	21
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**84**	**3.0**	**4**	**1**	**2**	**2**	**3**	**7**	**7**		**141**	**4.9**	**73**	**<1**	**1**	**2**	**4**	**21**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	666	1.5	1	1	1	1	2	3	3	0-17	1257	1.6	1	1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**666**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**1257**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**750**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**1398**	**1.9**	**9**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 34: Other Disorders of Nervous System w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	644	11.9	180	2	4	7	14	25	48	0-17	232	3.4	7	1	2	2	5	6	10
70-74	405	10.1	76	2	4	7	12	23	30	18-34	130	8.9	74	1	2	6	12	21	30
75-79	436	10.5	98	3	5	8	13	22	30	35-49	212	13.5	396	1	2	7	17	28	75
80-84	467	10.7	71	4	5	9	13	24	28	50-69	544	9.2	93	2	3	6	11	22	30
85 +	277	12.0	135	4	5	8	16	26	36	70 +	6	9.0							
SUBTOTAL	**2229**	**11.1**	**117**	**3**	**4**	**8**	**13**	**25**	**36**		**1125**	**8.8**	**140**	**1**	**2**	**5**	**10**	**21**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2229**	**11.1**	**117**	**3**	**4**	**8**	**13**	**25**	**36**		**1125**	**8.8**	**140**	**1**	**2**	**5**	**10**	**21**	**30**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	11.5	52	3	3	13	18	92	99 +	0-17	29	3.9	14						
18-34	90	9.1	216	1	1	3	19	79	99 +	18-34	96	5.3	9	2	3	4	9	9	10
35-49	79	4.6	23	1	1	3	5	13	15	35-49	77	4.8	5	1	3	5	6	9	9
50-69	98	11.5	114	4	6	8	14	37	40	50-69	53	10.2	118	3	3	6	32	99 +	99 +
70 +	0									70 +	6	15.0							
SUBTOTAL	**318**	**9.1**	**117**	**1**	**3**	**5**	**14**	**40**	**47**		**261**	**6.2**	**37**	**2**	**3**	**5**	**9**	**11**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**318**	**9.1**	**117**	**1**	**3**	**5**	**14**	**40**	**47**		**261**	**6.2**	**37**	**2**	**3**	**5**	**9**	**11**	**32**

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	277	4.7	12	2	2	3	7	10	12	0-17	489	2.2	2	< 1	1	2	3	4	5
70-74	185	10.8	107	2	3	5	14	26	38	18-34	495	3.4	7	1	1	3	5	7	8
75-79	181	9.6	103	1	3	6	9	22	40	35-49	619	2.5	4	1	1	2	3	4	6
80-84	161	7.6	18	3	5	6	11	14	16	50-69	426	4.7	40	1	1	2	5	13	19
85 +	120	6.9	20	1	3	5	11	14	15	70 +	16	8.4							
SUBTOTAL	**925**	**7.7**	**56**	**2**	**3**	**5**	**9**	**16**	**24**		**2046**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**925**	**7.7**	**56**	**2**	**3**	**5**	**9**	**16**	**24**		**2046**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	153	2.6	8	1	1	2	3	7	7	0-17	92	1.4	1	< 1	1	1	1	3	4
18-34	96	6.7	14	1	4	7	9	12	12	18-34	132	3.3	5	1	1	2	5	7	8
35-49	67	5.8	17	2	2	5	6	13	13	35-49	96	3.2	3	1	2	2	5	7	7
50-69	49	9.4	97	1	1	5	11	27	27	50-69	53	2.5	2	1	1	2	4	5	5
70 +	6	7.0								70 +	6	9.0							
SUBTOTAL	**371**	**5.2**	**28**	**1**	**1**	**3**	**7**	**12**	**13**		**379**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**371**	**5.2**	**28**	**1**	**1**	**3**	**7**	**12**	**13**		**379**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 36: Retinal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	666	3.7	5	1	2	3	5	7	9	0-17	20	2.0							
70-74	377	3.9	7	1	2	3	5	7	11	18-34	212	4.0	4	2	3	3	5	7	8
75-79	385	3.4	3	2	2	3	5	6	6	35-49	196	3.3	2	2	2	3	4	6	7
80-84	124	4.2	9	2	2	3	5	7	13	50-69	799	3.1	8	2	2	2	4	5	6
85 +	110	3.4	6	2	2	3	4	4	13	70 +	16	3.4							
SUBTOTAL	**1663**	**3.7**	**6**	**1**	**2**	**3**	**5**	**6**	**9**		**1243**	**3.3**	**6**	**2**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1194	3.5	6	2	2	3	4	6	9	0-17	151	2.1	1	1	1	2	3	3	3
70-74	756	3.6	5	2	2	3	5	6	7	18-34	638	2.8	2	2	2	2	3	4	5
75-79	611	3.5	5	2	2	3	4	6	7	35-49	901	2.9	2	2	2	2	4	5	6
80-84	418	3.1	3	1	2	3	4	4	5	50-69	2739	3.0	5	1	2	2	3	5	7
85 +	212	3.2	4	2	2	2	4	5	6	70 +	63	4.7	38	1	2	3	3	10	23
SUBTOTAL	**3191**	**3.5**	**5**	**2**	**2**	**3**	**4**	**6**	**7**		**4492**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4854**	**3.5**	**5**	**2**	**2**	**3**	**4**	**6**	**8**		**5735**	**3.0**	**5**	**2**	**2**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	88	4.6	50	2	2	2	2	24	24	18-34	0								
35-49	31	1.3								35-49	20	4.5	7						
50-69	102	5.0	19	2	2	2	8	12	15	50-69	47	3.1	1						
70 +	0									70 +	10	8.0							
SUBTOTAL	**220**	**4.3**	**30**	**1**	**2**	**2**	**3**	**10**	**15**		**77**	**4.1**	**5**	**2**	**2**	**4**	**7**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	57	2.3		2	2	2	3	3	3	0-17	16	2.0							
18-34	71	5.6	78	1	2	2	3	27	27	18-34	145	2.4	2	1	1	2	3	4	6
35-49	51	1.8								35-49	41	4.8	11						
50-69	90	3.4	4	1	2	2	5	7	7	50-69	110	3.0	3	1	1	2	4	6	7
70 +	0									70 +	0								
SUBTOTAL	**269**	**3.4**	**24**	**1**	**2**	**2**	**3**	**6**	**7**		**312**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**489**	**3.8**	**27**	**1**	**2**	**2**	**3**	**8**	**15**		**389**	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**8**

DRG 37: Orbital Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	84	8.0	85	< 1	2	4	10	31	31	0-17	33	6.4	23						
70-74	79	3.8	11	1	1	3	6	9	11	18-34	137	3.9	8	1	2	3	6	7	11
75-79	37	6.6	7							35-49	37	7.4	60						
80-84	81	3.3	7	1	1	2	4	9	9	50-69	73	4.6	12	1	2	4	6	12	12
85 +	35	3.1	1							70 +	10	37.0							
SUBTOTAL	**316**	**5.0**	**32**	**1**	**2**	**3**	**8**	**10**	**11**		**289**	**6.0**	**53**	**1**	**2**	**4**	**6**	**12**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	57	3.1	8	1	1	3	3	9	9	0-17	222	3.9	15	1	1	2	4	8	11
70-74	43	2.7	6							18-34	204	2.4	6	1	1	1	2	6	9
75-79	55	6.0	49	1	1	4	7	20	20	35-49	228	2.3	6	1	1	2	2	4	6
80-84	88	3.7	7	1	1	2	6	7	9	50-69	90	4.2	10	1	2	2	7	9	9
85 +	37	2.9	4							70 +	0								
SUBTOTAL	**279**	**3.8**	**16**	**1**	**1**	**2**	**6**	**7**	**9**		**744**	**3.0**	**10**	**1**	**1**	**2**	**3**	**8**	**9**
GRAND TOTAL	**595**	**4.4**	**25**	**1**	**1**	**3**	**6**	**9**	**10**		**1033**	**3.8**	**24**	**1**	**1**	**2**	**5**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	5.0								0-17	0								
18-34	22	8.4	11							18-34	45	3.5	6	1	1	3	5	7	7
35-49	6	11.0								35-49	20	21.0	4						
50-69	10	2.0								50-69	10	8.0							
70 +	10	20.0								70 +	0								
SUBTOTAL	**59**	**9.0**	**37**	**2**	**3**	**10**	**11**	**20**	**20**		**75**	**8.8**	**62**	**1**	**3**	**7**	**19**	**23**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	63	2.8	6	< 1	< 1	2	4	8	8	0-17	55	2.9	6	1	1	2	5	8	8
18-34	59	6.6	81	1	2	3	5	26	26	18-34	122	5.6	26	1	1	4	8	13	17
35-49	10	1.0								35-49	0								
50-69	22	2.4	2							50-69	26	13.7	196						
70 +	0									70 +	6	2.0							
SUBTOTAL	**155**	**4.1**	**38**	**< 1**	**1**	**2**	**4**	**8**	**26**		**210**	**5.8**	**51**	**1**	**1**	**4**	**7**	**13**	**19**
GRAND TOTAL	**214**	**5.4**	**42**	**< 1**	**1**	**3**	**5**	**11**	**20**		**285**	**6.6**	**56**	**1**	**1**	**4**	**8**	**19**	**23**

DRG 38: Primary Iris Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	61	2.8	3	1	2	2	3	6	6	0-17	0								
70-74	26	15.4	278							18-34	10	1.0							
75-79	35	2.6	5							35-49	0								
80-84	10	2.0								50-69	41	3.0	3						
85 +	6	2.0								70 +	0								
SUBTOTAL	**139**	**5.1**	**79**	**1**	**1**	**2**	**5**	**6**	**36**		**51**	**2.6**	**3**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	3.4	1							0-17	0								
70-74	49	3.6	15	1	1	2	2	11	11	18-34	0								
75-79	55	1.9	1	< 1	1	1	2	4	4	35-49	10	1.0							
80-84	26	4.3	2							50-69	47	1.8							
85 +	12	2.5	2							70 +	0								
SUBTOTAL	**179**	**3.1**	**6**	**1**	**1**	**2**	**4**	**5**	**11**		**57**	**1.6**		**< 1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**318**	**3.9**	**39**	**1**	**1**	**2**	**4**	**6**	**11**		**108**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	20	5.0	1							18-34	0								
35-49	10	3.0								35-49	0								
50-69	6	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**37**	**3.9**	**2**								**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	6	1.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**6**	**1.0**							
GRAND TOTAL	**37**	**3.9**	**2**								**6**	**1.0**							

DRG 39: Lens Procedures with or without Vitrectomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1013	2.7	38	1	1	2	2	3	5
70-74	1009	1.9	3	< 1	1	2	2	3	4
75-79	1361	2.2	3	1	1	2	2	3	6
80-84	1214	2.3	4	< 1	1	2	2	3	6
85 +	954	2.1	1	1	1	2	2	3	5
SUBTOTAL	**5550**	**2.2**	**9**	**1**	**1**	**2**	**2**	**3**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1226	1.5	1	< 1	< 1	1	2	2	2
70-74	1461	1.6	1	< 1	1	2	2	2	3
75-79	2097	1.6	1	< 1	1	2	2	2	2
80-84	2111	1.6	1	< 1	1	2	2	2	3
85 +	1907	2.0	32	< 1	1	2	2	2	3
SUBTOTAL	**8802**	**1.7**	**7**	**< 1**	**1**	**2**	**2**	**2**	**3**
GRAND TOTAL	**14352**	**1.9**	**8**	**< 1**	**1**	**2**	**2**	**2**	**3**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	1.6							
35-49	86	3.5	11	2	2	3	3	4	15
50-69	656	2.1	8	1	1	2	2	3	3
70 +	37	1.7							
	795	**2.2**	**8**	**1**	**1**	**2**	**2**	**3**	**4**
0-17	135	1.2		< 1	< 1	1	1	2	2
18-34	110	2.6	4	1	1	2	3	4	8
35-49	218	1.5		< 1	1	1	2	2	2
50-69	1139	1.5		< 1	< 1	1	2	2	2
70 +	179	1.3		< 1	1	1	2	2	3
	1781	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**2**	**2**
	2575	**1.8**	**3**	**< 1**	**1**	**2**	**2**	**2**	**3**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	1.0							
35-49	6	1.0							
50-69	122	1.9	1	1	1	2	2	3	4
70 +	10	2.0							
SUBTOTAL	**149**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	51	1.6							
18-34	31	15.3	341						
35-49	20	1.5							
50-69	49	17.8	1007	1	1	2	3	79	79
70 +	39	1.3							
SUBTOTAL	**190**	**7.9**	**368**	**< 1**	**1**	**2**	**2**	**41**	**79**
GRAND TOTAL	**338**	**5.2**	**215**	**< 1**	**1**	**2**	**2**	**3**	**41**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	10	1.0							
35-49	0								
50-69	55	1.3		< 1	1	1	2	2	2
70 +	33	1.3							
	104	**1.3**		**< 1**	**< 1**	**1**	**2**	**2**	**2**
0-17	47	1.0							
18-34	43	1.0							
35-49	33	1.0							
50-69	102	1.0		< 1	< 1	< 1	1	1	1
70 +	139	1.0		< 1	< 1	1	1	1	1
	363	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**
	467	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**2**

DRG 40: Extraocular Procedures except Orbit Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	155	2.6	9	1	1	1	2	6	12	0-17	0								
70-74	96	5.0	31	<1	1	2	7	12	21	18-34	108	2.2	1	<1	1	2	3	4	4
75-79	108	3.3	6	1	1	3	4	8	8	35-49	98	1.7	1	1	1	2	2	3	3
80-84	110	3.2	20	<1	1	1	3	11	18	50-69	106	2.1	6	1	1	2	2	2	12
85+	75	7.7	55	2	2	3	18	21	21	70+	0								
SUBTOTAL	**544**	**4.0**	**23**	**1**	**1**	**2**	**5**	**11**	**18**		**312**	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	214	1.4		<1	1	1	2	2	2	0-17	0								
70-74	236	1.9	1	1	1	2	2	3	5	18-34	454	1.3	2	<1	<1	<1	1	2	3
75-79	291	2.3	15	<1	1	1	2	3	15	35-49	770	1.4	1	<1	1	1	1	3	3
80-84	177	1.8	1	1	1	1	2	3	4	50-69	893	1.6	3	<1	1	1	2	2	4
85+	141	2.1	1	<1	1	2	3	4	4	70+	6	1.0							
SUBTOTAL	**1060**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**3**	**4**		**2123**	**1.5**	**2**	**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1604**	**2.6**	**12**	**<1**	**1**	**1**	**2**	**5**	**9**		**2435**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	37	1.8	2							18-34	33	2.7	3						
35-49	31	31.0	505							35-49	12	3.5							
50-69	0									50-69	39	3.5	6						
70+	0									70+	10	12.0							
SUBTOTAL	**67**	**15.1**	**440**	**1**	**1**	**3**	**33**	**57**	**57**		**94**	**4.2**	**11**	**1**	**1**	**4**	**5**	**12**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	33	1.2								18-34	263	1.6	2	<1	<1	1	1	4	5
35-49	33	2.1	2							35-49	141	1.6	2	<1	1	1	1	2	4
50-69	20	1.5								50-69	283	1.4	1	<1	1	1	1	2	5
70+	0									70+	31	3.3	7						
SUBTOTAL	**86**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**5**		**717**	**1.6**	**2**	**<1**	**<1**	**1**	**1**	**3**	**5**
GRAND TOTAL	**153**	**7.5**	**238**	**<1**	**1**	**1**	**3**	**33**	**57**		**811**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**

DRG 41: Extraocular Procedures except Orbit Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**6**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	151	1.8	2	< 1	< 1	1	2	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	151	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**5**	**5**
0-17	2912	1.1		< 1	< 1	< 1	< 1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2912	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
	3063	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	41	2.5	4						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**41**	**2.5**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	848	1.1		< 1	< 1	< 1	< 1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**848**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
GRAND TOTAL	**889**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	20	**1.0**							
0-17	931	1.0		< 1	< 1	< 1	< 1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	931	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
	952	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	463	5.2	50	1	2	3	5	10	20	0-17	10	1.0							
70-74	471	3.8	7	1	2	3	4	7	10	18-34	143	2.6	1	2	2	2	3	5	5
75-79	408	4.5	14	1	2	3	6	10	12	35-49	192	3.8	21	1	2	2	3	10	20
80-84	302	3.0	4	2	2	2	4	4	9	50-69	340	4.5	32	2	2	2	4	13	17
85 +	181	5.3	36	1	2	3	7	10	27	70 +	53	2.2	1	1	2	2	3	3	3
SUBTOTAL	**1824**	**4.3**	**23**	**1**	**2**	**3**	**5**	**10**	**12**		**738**	**3.8**	**21**	**1**	**2**	**2**	**3**	**7**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	579	2.8	4	1	1	2	4	5	7	0-17	255	2.8	5	< 1	1	2	3	5	5
70-74	613	2.4	3	1	1	2	3	5	6	18-34	253	3.0	3	1	2	2	4	6	6
75-79	562	2.8	13	1	1	2	3	4	8	35-49	279	2.8	6	1	1	2	4	5	10
80-84	542	2.4	3	1	1	2	3	5	5	50-69	619	2.8	4	1	2	2	3	6	7
85 +	383	4.0	22	1	2	3	4	7	16	70 +	16	1.6							
SUBTOTAL	**2680**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**		**1422**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**4503**	**3.4**	**15**	**1**	**2**	**2**	**4**	**7**	**10**		**2160**	**3.1**	**10**	**1**	**2**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	5.0								0-17	0								
18-34	67	4.9	16	2	3	4	5	14	14	18-34	26	2.0							
35-49	51	4.0	1							35-49	0								
50-69	149	5.4	43	1	2	3	5	9	28	50-69	10	6.0							
70 +	6	6.0								70 +	10	4.0							
SUBTOTAL	**283**	**5.0**	**27**	**2**	**3**	**4**	**5**	**9**	**14**		**47**	**3.3**	**3**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	90	2.5	4	< 1	1	2	2	8	8	0-17	57	1.4		< 1	< 1	< 1	2	3	3
18-34	108	2.9	2	2	2	2	4	5	6	18-34	94	2.8	3	1	1	3	4	6	6
35-49	26	3.0	1							35-49	49	2.1	3	1	1	1	3	6	6
50-69	67	2.6	4	1	1	2	2	7	7	50-69	39	1.4							
70 +	43	3.0	1							70 +	12	1.0							
SUBTOTAL	**334**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**7**		**251**	**2.0**	**2**	**<1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**617**	**3.8**	**15**	**1**	**2**	**3**	**4**	**6**	**8**		**297**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**6**

DRG 43: Hyphema

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	4.5	4						
70-74	6	12.0							
75-79	0								
80-84	0								
85 +	6	23.0							
SUBTOTAL	**29**	**10.1**	**59**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	4.5	2						
70-74	20	5.0							
75-79	6	5.0							
80-84	0								
85 +	0								
SUBTOTAL	**47**	**4.8**	**1**						
GRAND TOTAL	**75**	**6.8**	**29**	**3**	**5**	**5**	**6**	**12**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	4.5	4						
18-34	16	4.3	1						
35-49	0								
50-69	0								
70 +	0								
	33	**4.4**	**2**						
0-17	265	3.9	2	2	3	4	5	6	6
18-34	232	3.9	5	1	2	3	5	8	9
35-49	51	3.6	7	1	1	3	5	8	8
50-69	16	3.9	2						
70 +	0								
	564	**3.9**	**4**	**1**	**2**	**4**	**5**	**6**	**8**
	597	**3.9**	**4**	**2**	**2**	**4**	**5**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	0								
35-49	0								
50-69	10	1.0							
70 +	0								
SUBTOTAL	**16**	**1.4**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	94	5.3	7	3	3	5	6	10	11
18-34	18	5.0							
35-49	0								
50-69	10	5.0							
70 +	0								
SUBTOTAL	**122**	**5.3**	**5**	**3**	**3**	**5**	**6**	**10**	**11**
GRAND TOTAL	**139**	**4.8**	**6**	**2**	**3**	**5**	**5**	**10**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	26	5.9	6						
35-49	0								
50-69	0								
70 +	0								
	37	**5.1**	**6**						
0-17	73	3.4	3	1	2	4	5	5	5
18-34	128	3.0	2	1	1	3	4	5	5
35-49	26	1.8	1						
50-69	0								
70 +	0								
	228	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**
	265	**3.3**	**3**	**1**	**2**	**4**	**4**	**5**	**5**

DRG 44: Acute Major Eye Infections

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	7.2	22						
70-74	47	8.6	47						
75-79	33	8.3	13						
80-84	26	5.1	3						
85 +	6	11.0							
SUBTOTAL	**139**	**7.7**	**25**	**3**	**4**	**6**	**11**	**13**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	73	7.6	22	3	4	5	12	16	16
70-74	26	11.9	95						
75-79	90	4.3	4	1	3	4	6	7	7
80-84	33	8.1	10						
85 +	43	13.5	23						
SUBTOTAL	**265**	**7.9**	**33**	**3**	**4**	**6**	**12**	**17**	**20**
GRAND TOTAL	**403**	**7.8**	**30**	**3**	**4**	**6**	**11**	**16**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	147	4.9	20	2	3	3	5	9	20
18-34	12	3.0	1						
35-49	43	7.3	16						
50-69	43	6.3	5						
70 +	0								
	244	**5.5**	**17**	**2**	**3**	**4**	**7**	**9**	**14**
0-17	1014	3.8	5	2	2	3	4	7	9
18-34	134	4.2	6	1	3	3	6	7	8
35-49	90	4.5	2	3	4	4	5	6	8
50-69	63	6.3	15	2	4	4	11	13	13
70 +	0								
	1302	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**9**
	1546	**4.2**	**8**	**2**	**3**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	6.0	12	2	3	5	7	12	12
18-34	31	18.0	274						
35-49	20	8.5	7						
50-69	10	6.0							
70 +	0								
SUBTOTAL	**110**	**9.8**	**108**	**3**	**5**	**6**	**11**	**12**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	397	4.2	7	2	2	3	5	8	11
18-34	10	5.0							
35-49	16	4.1	2						
50-69	26	7.7	7						
70 +	0								
SUBTOTAL	**450**	**4.4**	**7**	**2**	**3**	**4**	**5**	**8**	**11**
GRAND TOTAL	**560**	**5.5**	**31**	**2**	**3**	**4**	**6**	**11**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.7	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16	**3.7**	**1**						
0-17	196	4.5	7	2	3	3	6	10	10
18-34	59	3.4	3	2	2	3	4	7	7
35-49	16	4.4							
50-69	6	3.0							
70 +	6	2.0							
	283	**4.2**	**6**	**2**	**3**	**3**	**5**	**10**	**10**
	299	**4.2**	**6**	**2**	**3**	**3**	**5**	**10**	**10**

DRG 45: Neurological Eye Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	128	4.7	10	1	1	4	7	8	12	0-17	16	2.7	1						
70-74	92	5.8	17	1	3	5	6	15	15	18-34	12	4.0	4						
75-79	81	4.5	3	3	3	5	6	7	7	35-49	43	6.9	8						
80-84	41	4.8	9	2	3	3	7	11	11	50-69	94	4.6	9	1	3	4	6	7	13
85 +	22	10.4	26							70 +	0								
SUBTOTAL	**365**	**5.3**	**13**	**1**	**3**	**5**	**7**	**10**	**15**		**165**	**5.0**	**9**	**2**	**2**	**4**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	116	3.1	7	1	2	2	3	6	10	0-17	47	4.1	3						
70-74	122	4.4	12	1	2	3	7	10	12	18-34	69	3.5	1	2	3	4	4	5	5
75-79	69	2.9	4	1	1	2	4	6	6	35-49	84	3.1	16	1	1	1	2	13	13
80-84	29	3.8	7							50-69	187	3.8	6	1	2	3	5	9	10
85 +	6	2.0								70 +	16	4.8	9						
SUBTOTAL	**342**	**3.6**	**8**	**1**	**1**	**2**	**6**	**8**	**10**		**403**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**707**	**4.5**	**11**	**1**	**2**	**4**	**6**	**10**	**12**		**568**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	10	8.0							
35-49	20	37.5	978							35-49	10	5.0							
50-69	0									50-69	0								
70 +	0									70 +	10	3.0							
SUBTOTAL	**20**	**37.5**	**978**								**31**	**5.3**	4						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	1.0								0-17	20	1.0							
18-34	16	2.6								18-34	16	2.4							
35-49	0									35-49	6	2.0							
50-69	0									50-69	10	1.0							
70 +	0									70 +	16	2.0							
SUBTOTAL	**26**	**2.0**	**1**								**69**	**1.6**		1	1	2	2	2	3
GRAND TOTAL	**47**	**17.4**	**730**								**100**	**2.8**	5	1	1	2	3	6	8

DRG 46: Other Disorders of the Eye Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	220	4.5	23	< 1	1	3	7	10	16	0-17	0								
70-74	157	3.4	15	< 1	1	2	5	15	99 +	18-34	230	5.8	32	1	2	4	7	15	18
75-79	167	6.4	27	1	2	5	10	13	16	35-49	157	8.0	32	2	4	8	11	15	24
80-84	143	6.9	60	< 1	2	3	8	19	19	50-69	159	3.5	10	< 1	1	2	4	9	12
85 +	244	6.7	26	2	2	6	10	14	18	70 +	0								
SUBTOTAL	**931**	**5.6**	**31**	**1**	**1**	**3**	**8**	**15**	**18**		**546**	**5.8**	**28**	**1**	**2**	**4**	**7**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**931**	**5.6**	**31**	**1**	**1**	**3**	**8**	**15**	**18**		**546**	**5.8**	**28**	**1**	**2**	**4**	**7**	**14**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	90	10.5	122	1	3	7	14	37	37	18-34	57	5.0	8	2	3	3	8	9	9
35-49	31	7.7	28							35-49	33	7.3	17						
50-69	59	3.6	7	1	1	2	6	8	8	50-69	16	1.4							
70 +	10	12.0								70 +	10	1.0							
SUBTOTAL	**190**	**8.0**	**74**	**1**	**2**	**5**	**12**	**15**	**37**		**116**	**4.8**	**13**	**1**	**2**	**3**	**8**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**190**	**8.0**	**74**	**1**	**2**	**5**	**12**	**15**	**37**		**116**	**4.8**	**13**	**1**	**2**	**3**	**8**	**10**	**12**

DRG 47: Other Disorders of the Eye Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	88	2.4	4	<1	1	1	4	7	7	0-17	0								
70-74	143	3.0	4	1	1	2	5	6	7	18-34	171	3.6	5	1	2	3	5	7	8
75-79	128	2.9	10	<1	1	2	3	7	10	35-49	167	2.5	3	<1	1	2	4	5	5
80-84	161	4.5	10	1	1	5	6	9	12	50-69	161	3.5	7	1	2	2	4	8	10
85+	187	4.9	120	1	1	2	3	9	13	70+	16	1.7	1						
SUBTOTAL	707	3.8	38	1	1	2	5	7	11		515	3.2	5	1	1	2	4	6	8
GRAND TOTAL	707	3.8	38	1	1	2	5	7	11		515	3.2	5	1	1	2	4	6	8

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	39	5.6	4							18-34	51	3.7	17	1	1	2	4	14	14
35-49	41	7.8	23							35-49	22	5.8	12						
50-69	53	4.0	9	<1	2	3	6	11	11	50-69	26	1.0							
70+	16	11.3	1							70+	6	3.0							
SUBTOTAL	149	6.2	16	2	3	6	10	12	13		106	3.4	13	1	1	2	5	11	14
GRAND TOTAL	149	6.2	16	2	3	6	10	12	13		106	3.4	13	1	1	2	5	11	14

DRG 48: Other Disorders of the Eye Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	55	3.5	6	<1	2	3	5	8	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**55**	**3.5**	**6**	**<1**	**2**	**3**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	359	3.0	5	<1	1	2	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**359**	**3.0**	**5**	**<1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**0**										**414**	**3.1**	**5**	**<1**	**1**	**2**	**4**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	69	5.3	13	2	2	4	7	13	13	0-17	31	4.3	4						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**69**	**5.3**	**13**	**2**	**2**	**4**	**7**	**13**	**13**		**31**	**4.3**	**4**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	259	4.5	13	<1	1	3	8	10	10	0-17	137	2.5	5	<1	1	2	3	5	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**259**	**4.5**	**13**	**<1**	**1**	**3**	**8**	**10**	**10**		**137**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**328**	**4.7**	**13**	**1**	**2**	**4**	**7**	**10**	**12**		**167**	**2.9**	**5**	**<1**	**1**	**2**	**3**	**7**	**9**

DRG 49: Major Head & Neck Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	385	18.3	147	8	12	15	22	33	37	0-17	16	2.9	2						
70-74	263	23.5	386	9	11	16	32	65	95	18-34	31	9.3	48						
75-79	226	24.5	382	8	10	19	33	52	56	35-49	187	11.7	41	4	6	11	15	21	24
80-84	134	23.9	453	4	9	19	27	38	90	50-69	821	17.3	199	6	11	13	19	30	47
85 +	63	25.0	610	9	11	13	24	80	80	70 +	12	5.5	22						
SUBTOTAL	**1072**	**22.0**	**328**	**8**	**11**	**17**	**26**	**42**	**67**		**1068**	**15.7**	**171**	**4**	**8**	**13**	**19**	**28**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	185	7.3	18	1	4	7	11	13	15	0-17	112	2.6	1	1	2	3	3	3	4
70-74	192	8.6	60	2	3	5	12	18	32	18-34	228	3.7	5	2	3	3	3	5	7
75-79	110	10.2	49	2	3	10	13	18	25	35-49	212	7.5	46	1	3	4	12	20	21
80-84	0									50-69	509	10.4	64	1	4	10	13	22	30
85 +	47	10.7	77							70 +	10	8.0							
SUBTOTAL	**534**	**8.7**	**46**	**2**	**3**	**7**	**12**	**18**	**23**		**1072**	**7.6**	**50**	**1**	**3**	**4**	**11**	**16**	**23**
GRAND TOTAL	**1606**	**17.6**	**273**	**3**	**8**	**13**	**21**	**36**	**56**		**2140**	**11.6**	**127**	**3**	**3**	**10**	**15**	**25**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	10	20.0							
18-34	0									18-34	6	97.0							
35-49	69	19.4	83	12	13	16	18	37	37	35-49	10	72.0							
50-69	128	23.1	290	9	13	15	36	40	48	50-69	33	18.6	79						
70 +	0									70 +	10	45.0							
SUBTOTAL	**198**	**21.8**	**220**	**10**	**13**	**16**	**32**	**38**	**40**		**69**	**37.4**	**756**	**11**	**18**	**31**	**45**	**72**	**97**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	3.0								0-17	0								
18-34	31	5.7	17							18-34	67	3.9	8	1	2	3	3	10	10
35-49	10	2.0								35-49	16	7.6	56						
50-69	26	11.5	253							50-69	41	10.0	40						
70 +	0									70 +	0								
SUBTOTAL	**77**	**6.8**	**104**	**1**	**2**	**3**	**5**	**11**	**40**		**124**	**6.4**	**32**	**2**	**3**	**3**	**10**	**17**	**20**
GRAND TOTAL	**275**	**17.6**	**232**	**2**	**9**	**14**	**24**	**38**	**40**		**194**	**17.5**	**512**	**2**	**3**	**10**	**20**	**45**	**72**

DRG 50: Sialoadenectomy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	139	5.2	16	2	2	4	6	11	11
70-74	155	4.3	9	1	2	3	6	10	12
75-79	59	4.3	9	2	2	3	6	10	12
80-84	33	5.0	9						
85 +	12	3.0	4						
SUBTOTAL	397	4.6	11	2	2	4	6	11	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	357	2.7	2	1	1	3	4	5	5
70-74	361	3.0	4	1	2	3	4	4	5
75-79	192	2.8	8	1	1	2	3	5	14
80-84	63	3.0	5	1	1	2	6	6	6
85 +	57	9.2	161	2	2	3	6	36	36
SUBTOTAL	1029	3.2	15	1	2	2	4	5	6
GRAND TOTAL	1426	3.6	14	1	2	3	4	6	11

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	1.8	1						
35-49	100	3.2	4	1	2	3	5	6	7
50-69	253	4.5	6	2	3	4	6	9	9
70 +	6	9.0							
	395	4.0	6	1	2	3	5	9	9
0-17	69	2.1	1	1	2	2	2	4	4
18-34	681	2.7	2	1	2	2	3	4	5
35-49	1025	2.7	7	1	1	2	3	4	5
50-69	1192	2.4	2	1	1	2	3	4	5
70 +	43	4.9	4						
	3009	2.6	4	1	1	2	3	4	5
	3405	2.7	4	1	2	2	3	5	6

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	1.3							
35-49	33	1.6	1						
50-69	53	2.5	2	1	2	2	3	5	5
70 +	0								
SUBTOTAL	116	2.0	1	1	1	2	3	3	5
GRAND TOTAL	116	2.0	1	1	1	2	3	3	5

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	0								
35-49	0								
50-69	16	2.3	1						
70 +	0								
	22	2.5	1						
0-17	10	1.0							
18-34	69	1.4		< 1	1	1	2	2	2
35-49	45	2.2	1	1	1	2	3	4	4
50-69	55	3.7	9	2	2	2	3	10	10
70 +	6	2.0							
	185	2.3	4	1	1	2	2	4	10
	208	2.3	4	1	1	2	3	3	5

DRG 51: Salivary Gland Procedures except Sialoadenectomy

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	9.0							
70-74	16	5.0	16						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**26**	**6.5**	**14**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	73	2.3	2	1	1	2	4	5	5
70-74	22	3.2	6						
75-79	33	4.1	16						
80-84	24	2.3	3						
85 +	16	2.6							
SUBTOTAL	**169**	**2.8**	**6**	**1**	**1**	**2**	**4**	**5**	**10**
GRAND TOTAL	**196**	**3.3**	**8**	**1**	**1**	**2**	**4**	**9**	**10**

BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	4.0							
35-49	6	1.0							
50-69	6	15.0							
70 +	0								
	22	**6.2**	**32**						
0-17	16	2.9	2						
18-34	77	2.1	2	1	1	2	4	4	4
35-49	136	1.5	1	1	1	1	2	3	4
50-69	196	1.9	1	1	1	2	2	4	4
70 +	6	10.0							
	432	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**4**
	454	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**4**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**2.0**							
GRAND TOTAL	**10**	**2.0**							

NO INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	9.0							
50-69	0								
70 +	5	2.0							
	16	**6.4**	**12**						
0-17	0								
18-34	0								
35-49	10	3.0							
50-69	0								
70 +	0								
	10	**3.0**							
	26	**5.1**	**10**						

DRG 52: Cleft Lip & Palate Repair

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	41	4.8	4						
70-74	0									18-34	20	6.0	9						
75-79	0									35-49	0								
80-84	10	16.0								50-69	0								
85+	0									70+	0								
SUBTOTAL	**10**	**16.0**									**61**	**5.2**	**6**	**3**	**3**	**3**	**8**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	41	2.8	3							0-17	964	2.9	2	1	2	3	4	5	6
70-74	0									18-34	79	3.7	16	<1	1	2	3	13	13
75-79	0									35-49	81	1.3		1	1	1	1	2	2
80-84	0									50-69	53	1.4	1	<1	1	1	1	3	3
85+	0									70+	0								
SUBTOTAL	**41**	**2.8**	**3**								**1178**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**51**	**5.4**	**31**								**1239**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	6.3	2							0-17	0								
18-34	10	16.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	10	10.0							
70+	0									70+	0								
SUBTOTAL	**41**	**8.8**	**19**								**10**	**10.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	287	3.4	2	2	2	3	4	5	6	0-17	37	3.6	1						
18-34	0									18-34	20	4.0	9						
35-49	6	6.0								35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**293**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**57**	**3.7**	**4**	**1**	**2**	**4**	**5**	**7**	**7**
GRAND TOTAL	**334**	**4.1**	**7**	**2**	**3**	**3**	**5**	**6**	**8**		**67**	**4.7**	**9**	**1**	**2**	**4**	**7**	**10**	**10**

DRG 53: Sinus & Mastoid Procedures Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	222	3.5	12	1	1	2	6	10	10
70-74	175	3.3	7	1	1	2	4	8	11
75-79	92	5.1	17	1	2	3	8	12	12
80-84	53	10.1	72	1	1	9	15	24	24
85+	33	4.6	4						
SUBTOTAL	**575**	**4.4**	**20**	**1**	**1**	**2**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1163	2.2	8	1	1	1	2	4	6
70-74	626	2.4	11	1	1	1	2	4	6
75-79	291	2.8	11	1	1	2	3	5	7
80-84	153	4.4	19	1	2	3	4	12	16
85+	31	5.7	11						
SUBTOTAL	**2264**	**2.5**	**11**	**1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**2838**	**2.9**	**13**	**1**	**1**	**2**	**3**	**6**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	220	3.9	14	1	1	2	8	9	11
35-49	344	2.7	9	1	1	1	3	7	9
50-69	410	3.9	13	1	1	3	5	9	10
70+	0								
	974	**3.5**	**12**	**1**	**1**	**2**	**4**	**9**	**10**
0-17	0								
18-34	4285	1.6	1	1	1	1	2	3	3
35-49	4919	1.7	2	1	1	1	2	3	3
50-69	3926	1.7	2	1	1	1	2	3	4
70+	69	1.1		1	1	1	1	1	2
	13199	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	14173	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	3.0							
35-49	16	14.3	81						
50-69	12	1.0							
70+	0								
SUBTOTAL	**39**	**7.1**	**72**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	175	2.8	15	1	1	1	3	7	17
35-49	114	3.9	7	1	1	4	5	7	10
50-69	49	1.3		1	1	1	2	2	2
70+	0								
SUBTOTAL	**338**	**3.0**	**11**	**1**	**1**	**2**	**4**	**7**	**7**
GRAND TOTAL	**377**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	1.4							
35-49	0								
50-69	47	5.0	5						
70+	0								
	73	**3.7**	**7**	**1**	**2**	**4**	**5**	**9**	**9**
0-17	0								
18-34	259	2.0	3	1	1	1	2	4	7
35-49	210	1.2		1	1	1	1	2	2
50-69	200	1.5	1	<1	1	1	2	3	4
70+	20	2.5							
	689	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	762	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**6**	**1.0**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	6.4	47	1	2	4	9	22	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	75	**6.4**	**47**	**1**	**2**	**4**	**9**	**22**	**22**
0-17	1062	1.9	4	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1062	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**5**
	1137	**2.2**	**8**	**1**	**1**	**1**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	5.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**5.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	106	3.3	31	1	1	1	2	5	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**106**	**3.3**	**31**	**1**	**1**	**1**	**2**	**5**	**20**
GRAND TOTAL	**116**	**3.5**	**29**	**1**	**1**	**1**	**5**	**5**	**20**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	9.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10	**9.0**							
0-17	47	1.1		<1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	47	**1.1**		**<1**	**1**	**1**	**1**	**2**	**2**
	57	**2.5**	**9**	**<1**	**1**	**1**	**2**	**9**	**9**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	216	3.0	8	1	1	2	3	8	8	0-17	185	2.6	7	1	1	2	3	6	12
70-74	157	7.2	230	1	2	2	5	8	64	18-34	408	2.9	14	1	1	1	3	7	13
75-79	120	7.3	46	< 1	1	5	14	15	23	35-49	261	2.5	15	1	1	1	2	5	7
80-84	63	5.0	71	1	1	2	5	11	30	50-69	306	3.1	15	1	1	2	3	6	7
85 +	0									70 +	10	7.0							
SUBTOTAL	**556**	**5.3**	**90**	**1**	**1**	**2**	**5**	**11**	**15**		**1170**	**2.8**	**13**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	992	1.7	3	1	1	1	2	2	4	0-17	3932	1.4	1	< 1	1	1	1	2	3
70-74	560	1.6	1	1	1	1	2	2	3	18-34	11410	1.3	1	1	1	1	2	2	3
75-79	281	1.9	4	1	1	1	2	2	8	35-49	6606	1.4	1	1	1	1	2	2	3
80-84	106	2.0	1	1	1	2	2	4	5	50-69	4216	1.5	1	1	1	1	2	2	3
85 +	26	2.0								70 +	53	1.0		1	1	1	1	1	1
SUBTOTAL	**1966**	**1.7**	**3**	**1**	**1**	**1**	**2**	**2**	**4**		**26217**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**2522**	**2.5**	**24**	**1**	**1**	**1**	**2**	**5**	**8**		**27387**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	37	5.5	9							0-17	0								
18-34	16	3.3	1							18-34	43	3.0	15						
35-49	16	2.0								35-49	29	6.0	6						
50-69	20	3.0	4							50-69	29	1.2							
70 +	0									70 +	0								
SUBTOTAL	**90**	**3.9**	**7**	**1**	**2**	**4**	**5**	**9**	**9**		**100**	**3.3**	**11**	**1**	**1**	**1**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	312	2.6	24	< 1	1	1	1	2	20	0-17	161	1.3	1	< 1	< 1	1	1	2	4
18-34	348	1.5	1	1	1	1	2	3	3	18-34	556	1.3	1	1	1	1	1	2	2
35-49	71	1.5		1	1	2	2	2	2	35-49	295	1.3		1	1	1	1	2	2
50-69	98	1.6	1	1	1	1	2	3	4	50-69	242	1.3	1	1	1	1	1	2	3
70 +	0									70 +	10	1.0							
SUBTOTAL	**829**	**1.9**	**10**	**1**	**1**	**1**	**2**	**3**	**4**		**1265**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**919**	**2.1**	**10**	**1**	**1**	**1**	**2**	**4**	**5**		**1365**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**4**

DRG 56: Rhinoplasty

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	77	2.1	9	1	1	1	2	2	12	0-17	22	1.0							
70-74	24	4.0	13							18-34	86	1.8	2	1	1	1	2	4	5
75-79	0									35-49	112	1.5	1	1	1	1	2	3	3
80-84	6	1.0								50-69	88	3.3	6	1	1	3	4	8	8
85 +	0									70 +	0								
SUBTOTAL	108	2.5	10	1	1	1	2	10	12		308	2.1	3	1	1	1	3	4	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	157	1.5		1	1	1	2	2	2	0-17	609	1.3		1	1	1	2	2	2
70-74	65	1.7	1	1	1	1	2	4	4	18-34	2753	1.3	1	1	1	1	2	2	2
75-79	12	1.5								35-49	1542	1.4	1	1	1	1	2	2	2
80-84	0									50-69	756	1.4	1	1	1	1	2	2	2
85 +	0									70 +	20	1.5							
SUBTOTAL	234	1.5	1	1	1	1	2	2	3		5680	1.4	1	1	1	1	2	2	2
GRAND TOTAL	342	1.8	4	1	1	1	2	3	4		5988	1.4	1	1	1	1	2	2	2

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	6	1.0							
35-49	16	11.4	56							35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	16	11.4	56								6	1.0							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	41	1.5								0-17	94	1.0		1	1	1	1	1	1
18-34	112	1.3		< 1	1	1	2	2	2	18-34	196	1.2		< 1	1	1	1	1	2
35-49	6	1.0								35-49	139	1.0		1	1	1	1	1	1
50-69	6	2.0								50-69	49	1.0		1	1	1	1	1	1
70 +	0									70 +	0								
SUBTOTAL	165	1.3		1	1	1	2	2	2		477	1.1		1	1	1	1	1	2
GRAND TOTAL	181	2.2	13	1	1	1	2	2	17		483	1.1		1	1	1	1	1	2

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	31	7.7	92							0-17	0								
70-74	47	8.7	15							18-34	293	2.4	3	1	1	2	3	6	6
75-79	10	6.0								35-49	141	5.5	41	1	2	3	6	17	17
80-84	16	36.7	2022							50-69	77	2.2	5	< 1	1	2	2	3	9
85 +	16	1.7	1							70 +	0								
SUBTOTAL	**120**	**11.0**	**398**	**1**	**1**	**6**	**12**	**21**	**61**		**511**	**3.2**	**16**	**1**	**1**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	29	1.2								0-17	0								
70-74	29	1.6	2							18-34	1434	1.9	2	1	1	1	2	4	5
75-79	10	5.0								35-49	619	2.4	4	1	1	2	3	6	7
80-84	6	3.0								50-69	247	2.9	8	1	1	2	3	8	8
85 +	0									70 +	0								
SUBTOTAL	**73**	**2.1**	**2**	**1**	**1**	**1**	**3**	**5**	**5**		**2300**	**2.2**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**194**	**7.6**	**266**	**1**	**1**	**3**	**8**	**13**	**21**		**2811**	**2.3**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	39	5.2	15							18-34	51	9.0	149	1	3	3	7	40	40
35-49	0									35-49	16	2.0							
50-69	20	27.5	684							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**59**	**12.9**	**352**	**1**	**2**	**4**	**11**	**53**	**53**		**67**	**7.3**	**121**	**1**	**2**	**3**	**7**	**14**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	106	2.8	6	1	1	2	4	4	9	18-34	334	2.4	2	1	1	2	3	4	4
35-49	0									35-49	29	4.1	4						
50-69	20	1.5								50-69	22	3.6	2						
70 +	0									70 +	0								
SUBTOTAL	**126**	**2.6**	**5**	**1**	**1**	**2**	**4**	**4**	**9**		**385**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**185**	**5.9**	**137**	**1**	**1**	**2**	**4**	**11**	**53**		**452**	**3.3**	**22**	**1**	**2**	**2**	**3**	**5**	**7**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	524	2.7	58	1	1	1	2	3	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**524**	**2.7**	**58**	**1**	**1**	**1**	**2**	**3**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	9524	1.1	1	< 1	1	1	1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**9524**	**1.1**	**1**	**< 1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**0**										**10048**	**1.2**	**4**	**< 1**	**1**	**1**	**1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	49	2.3	2	1	1	3	3	4	4	0-17	100	1.4		1	1	1	2	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**49**	**2.3**	**2**	**1**	**1**	**3**	**3**	**4**	**4**		**100**	**1.4**		**1**	**1**	**1**	**2**	**2**	**2**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1084	1.1		< 1	1	1	1	1	3	0-17	854	1.2		< 1	1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1084**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**3**		**854**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**1133**	**1.2**		**< 1**	**1**	**1**	**1**	**1**	**3**		**953**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	1.5	1						
70-74	0								
75-79	0								
80-84	6	1.0							
85 +	0								
SUBTOTAL	**33**	**1.4**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	1.4		1	1	1	2	3	3
70-74	12	1.0							
75-79	10	2.0							
80-84	0								
85 +	0								
SUBTOTAL	**79**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**112**	**1.4**		**1**	**1**	**1**	**2**	**3**	**3**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	450	1.5	1	1	1	1	2	3	3
35-49	51	1.0		1	1	1	1	1	1
50-69	16	6.4							
70 +	0								
	518	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
0-17	0								
18-34	11466	1.1		1	1	1	1	1	2
35-49	949	1.2		1	1	1	1	2	2
50-69	98	1.1		1	1	1	1	2	2
70 +	0								
	12513	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
	13030	**1.1**		**1**	**1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	20.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**20.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	391	1.2		1	1	1	1	2	2
35-49	26	2.2							
50-69	0								
70 +	0								
SUBTOTAL	**418**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**424**	**1.5**	**5**	**1**	**1**	**1**	**1**	**2**	**3**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	0								
50-69	0								
70 +	0								
	6	**1.0**							
0-17	0								
18-34	715	1.1		1	1	1	1	1	2
35-49	59	1.2		1	1	1	1	2	2
50-69	10	1.0							
70 +	0								
	784	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
	790	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	589	1.8	3	1	1	1	2	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**589**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	3.0								0-17	29356	1.1		1	1	1	1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**3.0**									**29356**	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**6**	**3.0**									**29945**	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	4.2	18	1	1	1	9	11	11	0-17	18	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**61**	**4.2**	**18**	**1**	**1**	**1**	**9**	**11**	**11**		**18**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2330	1.1		1	1	1	1	1	2	0-17	1894	1.1		1	1	1	1	1	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2330**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**		**1894**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**2392**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**		**1913**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**

DRG 61: Myringotomy w/ Tube Insertion Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	6	4.0								18-34	20	14.0	52						
75-79	0									35-49	26	7.5	23						
80-84	6	2.0								50-69	37	9.3	154						
85 +	0									70 +	0								
SUBTOTAL	**12**	**3.0**	**1**								**84**	**9.9**	**92**	**< 1**	**1**	**6**	**13**	**29**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	61	1.3	1	< 1	< 1	< 1	1	3	3	0-17	0								
70-74	53	12.7	457	< 1	1	3	4	56	56	18-34	183	2.0	3	< 1	1	1	3	5	7
75-79	16	1.4								35-49	249	2.3	9	< 1	< 1	1	2	5	9
80-84	43	2.2	2							50-69	185	1.4	1	< 1	< 1	1	1	2	6
85 +	0									70 +	6	1.0							
SUBTOTAL	**173**	**5.0**	**165**	**< 1**	**< 1**	**1**	**3**	**4**	**56**		**623**	**1.9**	**5**	**< 1**	**< 1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**185**	**4.9**	**154**	**< 1**	**< 1**	**1**	**3**	**4**	**56**		**707**	**2.9**	**22**	**< 1**	**< 1**	**1**	**2**	**6**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	3.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**3.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	39	1.2								18-34	22	3.7	9						
35-49	12	7.0	39							35-49	10	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**51**	**2.6**	**15**	**1**	**1**	**1**	**1**	**13**	**13**		**33**	**2.9**	**8**						
GRAND TOTAL	**57**	**2.6**	**14**	**1**	**1**	**1**	**2**	**11**	**13**		**33**	**2.9**	**8**						

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	126	1.3	1	<1	<1	1	1	1	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**126**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**1**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2088	1.3	3	<1	<1	<1	<1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2088**	**1.3**	**3**	**<1**	**<1**	**<1**	**<1**	**1**	**2**
GRAND TOTAL	**0**										**2214**	**1.3**	**3**	**<1**	**<1**	**<1**	**<1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	1.9	5	<1	<1	1	2	7	8	0-17	16	15.8	49						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**57**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**7**	**8**		**16**	**15.8**	**49**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	430	1.4	2	<1	<1	<1	1	2	3	0-17	283	1.5	2	<1	<1	<1	<1	2	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**430**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**		**283**	**1.5**	**2**	**<1**	**<1**	**<1**	**<1**	**2**	**6**
GRAND TOTAL	**487**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**		**299**	**2.2**	**15**	**<1**	**<1**	**<1**	**<1**	**6**	**8**

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	212	12.3	198	1	3	7	22	23	27
70-74	161	12.4	119	2	5	11	17	45	99 +
75-79	128	13.7	280	2	4	7	11	49	52
80-84	65	16.5	214	3	4	12	23	42	44
85 +	22	31.5	422						
SUBTOTAL	**589**	**13.8**	**217**	**2**	**4**	**8**	**22**	**45**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	202	3.6	6	1	1	4	5	7	9
70-74	94	3.3	4	1	1	2	5	6	6
75-79	39	6.2	5						
80-84	71	5.1	14	1	2	3	9	9	11
85 +	26	5.2	1						
SUBTOTAL	**432**	**4.1**	**8**	**1**	**1**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1021**	**9.7**	**151**	**1**	**2**	**6**	**11**	**23**	**48**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	210	6.0	52	1	2	4	6	16	20
18-34	640	6.1	39	1	2	4	7	13	14
35-49	291	5.8	17	1	3	4	7	13	14
50-69	212	9.4	170	1	2	5	9	24	38
70 +	26	11.2	17						
	1379	**6.6**	**58**	**1**	**2**	**4**	**7**	**13**	**20**
0-17	986	2.5	3	1	1	2	3	4	5
18-34	3197	2.4	2	1	1	2	3	4	5
35-49	1522	3.1	14	1	1	2	3	5	6
50-69	579	3.2	9	1	1	2	4	7	11
70 +	26	1.8	1						
	6310	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
	7689	**3.4**	**18**	**1**	**1**	**2**	**4**	**6**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	5.0							
18-34	145	6.1	19	1	2	7	7	12	15
35-49	110	8.6	24	3	5	7	13	15	18
50-69	35	7.0	5						
70 +	0								
SUBTOTAL	**295**	**7.1**	**20**	**2**	**3**	**7**	**10**	**15**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	128	4.0	13	1	2	2	5	9	14
18-34	128	3.6	10	1	1	3	4	9	12
35-49	65	3.5	1	3	3	3	4	4	5
50-69	53	3.4	5	1	1	3	5	7	7
70 +	0								
SUBTOTAL	**375**	**3.7**	**9**	**1**	**2**	**3**	**4**	**9**	**12**
GRAND TOTAL	**670**	**5.2**	**17**	**1**	**2**	**4**	**7**	**12**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	4.3	2						
18-34	342	7.2	53	2	3	4	9	22	30
35-49	104	7.8	24	2	5	6	10	12	23
50-69	81	6.4	29	2	2	3	10	11	20
70 +	0								
	564	**7.0**	**42**	**2**	**3**	**5**	**9**	**19**	**25**
0-17	136	3.0	10	1	1	2	3	5	13
18-34	762	2.8	5	1	1	2	4	5	8
35-49	145	3.0	11	1	1	2	3	8	8
50-69	65	4.2	6	2	2	3	6	8	10
70 +	0								
	1108	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**9**
	1673	**4.3**	**22**	**1**	**2**	**3**	**5**	**10**	**14**

DRG 64: Ear, Nose, Mouth & Throat Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	336	15.1	195	3	6	12	19	54	99 +	0-17	10	2.0							
70-74	181	13.6	205	1	2	7	21	40	54	18-34	0								
75-79	175	9.6	315	1	2	2	6	28	42	35-49	75	17.9	171	< 1	3	24	27	37	37
80-84	73	4.5	10	1	2	4	6	11	11	50-69	399	9.0	105	1	2	7	11	19	25
85 +	86	17.5	431	2	9	10	19	72	72	70 +	16	11.6	72						
SUBTOTAL	**852**	**12.9**	**241**	**1**	**3**	**8**	**17**	**40**	**57**		**501**	**10.3**	**123**	**1**	**2**	**7**	**13**	**25**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	145	4.5	39	< 1	1	1	7	18	20	0-17	10	9.0							
70-74	179	2.4	7	1	1	1	2	7	10	18-34	0								
75-79	59	2.6	5	1	1	2	4	7	7	35-49	73	3.8	9	1	1	3	7	9	9
80-84	67	3.6	7	1	2	3	4	9	9	50-69	291	2.6	7	< 1	1	2	3	7	8
85 +	29	2.3	6							70 +	6	1.0							
SUBTOTAL	**479**	**3.2**	**17**	**1**	**1**	**1**	**4**	**7**	**10**		**381**	**3.0**	**8**	**< 1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**1331**	**9.4**	**182**	**1**	**1**	**5**	**11**	**23**	**50**		**882**	**7.1**	**86**	**< 1**	**1**	**3**	**9**	**18**	**26**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	20	19.5	32							18-34	0								
35-49	22	17.6	157							35-49	0								
50-69	81	8.0	80	1	1	3	17	23	24	50-69	73	11.6	69	3	7	8	12	30	30
70 +	10	5.0								70 +	0								
SUBTOTAL	**134**	**11.1**	**105**	**1**	**2**	**5**	**23**	**25**	**31**		**73**	**11.6**	**69**	**3**	**7**	**8**	**12**	**30**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	10	1.0							
18-34	0									18-34	6	3.0							
35-49	6	2.0								35-49	0								
50-69	37	2.3	3							50-69	55	9.0	56	< 1	< 1	6	15	21	21
70 +	0									70 +	0								
SUBTOTAL	**43**	**2.2**	**3**								**71**	**7.3**	**53**	**< 1**	**< 1**	**6**	**15**	**21**	**21**
GRAND TOTAL	**177**	**9.0**	**95**	**1**	**1**	**5**	**14**	**25**	**31**		**145**	**9.5**	**65**	**< 1**	**3**	**7**	**15**	**21**	**30**

DRG 65: Dysequilibrium

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	904	5.2	22	2	3	4	6	9	12
70-74	715	4.7	25	2	2	4	5	8	11
75-79	823	5.5	19	2	3	4	7	10	15
80-84	790	7.5	47	2	3	5	8	16	20
85 +	515	6.4	20	2	3	5	9	11	16
SUBTOTAL	**3748**	**5.8**	**28**	**2**	**3**	**4**	**7**	**10**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	988	3.5	5	1	2	3	4	7	8
70-74	992	3.9	8	2	2	3	5	8	9
75-79	750	3.7	5	2	2	3	5	6	9
80-84	619	5.1	11	2	3	4	7	10	11
85 +	473	5.3	17	1	2	4	7	9	15
SUBTOTAL	**3821**	**4.1**	**9**	**2**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**7569**	**5.0**	**19**	**2**	**2**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	98	6.1	21	1	2	6	9	15	16
35-49	328	3.2	4	1	2	3	4	6	7
50-69	949	4.2	17	1	2	3	5	7	11
70 +	73	5.0	8	2	2	4	7	8	12
	1458	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	37	2.5	1	1	2	2	4	4	4
18-34	367	2.8	3	1	1	2	4	5	6
35-49	782	3.7	12	1	2	3	5	7	10
50-69	1856	3.8	30	1	2	3	4	6	8
70 +	47	3.0	7	1	1	3	4	9	9
	3088	**3.6**	**22**	**1**	**2**	**3**	**4**	**6**	**8**
	4546	**3.8**	**19**	**1**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	3.5							
35-49	33	4.6	8						
50-69	84	5.4	12	1	3	5	7	13	13
70 +	0								
SUBTOTAL	**128**	**5.0**	**10**	**1**	**3**	**5**	**7**	**8**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	22	1.3							
18-34	24	2.5	1						
35-49	84	4.2	5	1	2	4	6	7	7
50-69	77	4.3	2	3	3	4	5	6	7
70 +	6	13.0							
SUBTOTAL	**214**	**4.0**	**6**	**1**	**2**	**4**	**6**	**7**	**7**
GRAND TOTAL	**342**	**4.4**	**8**	**1**	**2**	**4**	**6**	**7**	**8**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	4.1	6						
35-49	63	4.7	12	1	1	4	7	11	11
50-69	153	4.8	14	1	2	4	5	11	13
70 +	6	8.0							
	249	**4.8**	**13**	**1**	**2**	**4**	**7**	**11**	**11**
0-17	12	3.5	2						
18-34	53	2.3	3	1	1	1	3	6	6
35-49	98	1.7	1	1	1	1	2	3	5
50-69	244	2.9	2	1	2	3	4	4	6
70 +	45	5.9	9	3	3	5	9	10	10
	452	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**
	701	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**10**

DRG 66: Epistaxis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	411	4.2	7	1	2	4	6	7	9	0-17	0								
70-74	289	4.3	8	1	2	4	6	7	10	18-34	63	5.9	3	4	4	6	7	9	9
75-79	249	5.6	23	1	2	4	10	12	13	35-49	110	5.8	14	1	3	6	9	11	12
80-84	200	5.9	21	1	3	4	9	13	15	50-69	277	5.6	9	2	3	6	7	9	10
85 +	236	4.7	12	2	2	3	5	10	14	70 +	22	9.4	2						
SUBTOTAL	**1385**	**4.8**	**14**	**1**	**2**	**4**	**6**	**10**	**13**		**473**	**5.9**	**10**	**2**	**3**	**6**	**8**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	285	2.9	3	1	1	3	4	5	6	0-17	43	1.7	1						
70-74	251	2.9	3	1	2	3	4	5	7	18-34	177	3.2	2	< 1	2	3	4	5	5
75-79	157	3.8	5	1	2	3	5	7	7	35-49	251	3.9	3	2	2	4	5	7	7
80-84	177	3.8	6	1	2	3	5	6	10	50-69	735	4.3	6	1	2	4	6	7	9
85 +	159	4.5	10	2	2	4	6	10	12	70 +	35	4.3	1						
SUBTOTAL	**1029**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**7**		**1241**	**4.0**	**5**	**1**	**2**	**4**	**5**	**7**	**7**
GRAND TOTAL	**2414**	**4.2**	**10**	**1**	**2**	**3**	**5**	**9**	**11**		**1713**	**4.5**	**7**	**1**	**3**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	10.0								0-17	0								
18-34	6	4.0								18-34	0								
35-49	6	9.0								35-49	84	4.2	5	2	2	4	5	8	9
50-69	49	5.8	1	5	5	5	6	8	8	50-69	35	5.5	18						
70 +	0									70 +	0								
SUBTOTAL	**71**	**6.5**	**4**	**5**	**5**	**6**	**8**	**10**	**10**		**118**	**4.6**	**9**	**1**	**2**	**5**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	10	4.0							
18-34	10	4.0								18-34	39	4.1	2						
35-49	6	6.0								35-49	59	5.1	4	2	4	5	6	8	8
50-69	33	5.2	5							50-69	67	4.2	4	1	2	5	5	7	7
70 +	6	3.0								70 +	6	1.0							
SUBTOTAL	**55**	**4.8**	**3**	**1**	**4**	**5**	**6**	**7**	**7**		**181**	**4.4**	**4**	**1**	**4**	**5**	**5**	**7**	**8**
GRAND TOTAL	**126**	**5.8**	**5**	**4**	**5**	**5**	**7**	**9**	**10**		**299**	**4.4**	**6**	**1**	**3**	**5**	**5**	**7**	**8**

DRG 67: Epiglottitis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	22	6.6	3						
70-74	6	5.0								18-34	26	4.8	1						
75-79	10	41.0								35-49	0								
80-84	0									50-69	10	9.0							
85 +	0									70 +	0								
SUBTOTAL	**16**	**27.5**	**324**								**59**	**6.2**	**4**	**4**	**4**	**6**	**9**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	3.0								0-17	130	3.9	13	1	1	2	5	7	14
70-74	10	2.0								18-34	108	4.2	3	3	3	4	4	8	8
75-79	10	3.0								35-49	116	3.9	2	2	3	3	5	6	7
80-84	0									50-69	110	3.7	2	2	3	3	5	6	6
85 +	0									70 +	6	1.0							
SUBTOTAL	**31**	**2.7**									**471**	**3.9**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**47**	**11.3**	**251**								**530**	**4.2**	**6**	**1**	**3**	**4**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	6.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	6	4.0							
50-69	10	6.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16**	**6.0**									**6**	**4.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	43	6.9	16							0-17	22	2.4	3						
18-34	0									18-34	57	3.3	1	2	3	3	4	5	5
35-49	0									35-49	26	2.9	3						
50-69	0									50-69	16	3.9	2						
70 +	0									70 +	0								
SUBTOTAL	**43**	**6.9**	**16**								**122**	**3.1**	**2**	**1**	**2**	**3**	**5**	**5**	**5**
GRAND TOTAL	**59**	**6.7**	**12**	**2**	**2**	**6**	**10**	**11**	**11**		**128**	**3.2**	**2**	**1**	**2**	**3**	**5**	**5**	**5**

DRG 68: Otitis Media & URI Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	798	6.9	26	2	4	5	10	13	22	0-17	0								
70-74	481	6.1	13	3	3	5	8	11	13	18-34	1326	3.6	5	2	2	3	4	6	8
75-79	436	7.1	42	2	3	5	8	12	22	35-49	780	4.6	11	2	3	3	6	8	13
80-84	432	7.1	28	2	3	6	10	13	14	50-69	790	4.9	10	2	3	4	6	9	11
85 +	462	10.1	161	3	4	7	11	16	21	70 +	35	11.6	51						
SUBTOTAL	**2609**	**7.4**	**52**	**3**	**4**	**6**	**9**	**14**	**19**		**2931**	**4.3**	**10**	**2**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2609**	**7.4**	**52**	**3**	**4**	**6**	**9**	**14**	**19**		**2931**	**4.3**	**10**	**2**	**2**	**3**	**5**	**8**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	348	4.3	13	2	2	3	4	7	15	18-34	442	3.9	10	2	2	3	4	7	8
35-49	90	5.0	28	1	2	3	6	10	22	35-49	63	5.2	7	2	3	5	6	10	10
50-69	132	6.2	15	2	4	6	7	12	15	50-69	86	4.5	3	2	3	5	5	6	8
70 +	6	6.0								70 +	26	4.5	9						
SUBTOTAL	**577**	**4.9**	**16**	**2**	**2**	**4**	**6**	**11**	**15**		**617**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**577**	**4.9**	**16**	**2**	**2**	**4**	**6**	**11**	**15**		**617**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**9**

DRG 69: Otitis Media & URI Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	326	4.2	14	< 1	1	3	7	8	10	0-17	0								
70-74	193	4.3	9	1	2	3	7	10	11	18-34	2616	3.1	4	1	2	3	4	6	7
75-79	145	4.2	6	2	3	4	5	10	10	35-49	1033	3.2	5	1	2	3	4	6	8
80-84	65	5.7	11	2	3	5	7	9	14	50-69	642	3.6	7	1	2	3	4	7	9
85 +	88	8.1	55	1	4	6	10	27	27	70 +	41	4.0	2						
SUBTOTAL	**817**	**4.7**	**17**	**1**	**2**	**4**	**7**	**10**	**11**		**4331**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**817**	**4.7**	**17**	**1**	**2**	**4**	**7**	**10**	**11**		**4331**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	432	3.3	5	1	2	3	4	5	6	18-34	957	3.1	3	1	2	3	4	5	6
35-49	102	4.1	10	1	2	3	6	9	12	35-49	206	2.7	3	1	2	2	3	5	6
50-69	49	3.2	6	1	1	2	6	7	7	50-69	71	3.4	5	< 1	1	3	5	8	8
70 +	10	4.0								70 +	33	4.1							
SUBTOTAL	**593**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**		**1267**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**593**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**		**1267**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 70: Otitis Media & URI Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	2479	3.0	3	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2479**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	6380	2.8	3	1	2	2	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**6380**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**0**										**8859**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1247	3.7	6	1	2	3	5	7	8	0-17	609	3.4	7	1	2	3	4	6	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1247**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**609**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2779	3.0	3	1	2	3	4	5	6	0-17	1363	3.2	13	1	2	3	4	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2779**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**1363**	**3.2**	**13**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**4026**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**1972**	**3.2**	**11**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 71: Laryngotracheitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	4.0								0-17	340	2.9	4	1	1	3	4	5	6
70-74	0									18-34	0								
75-79	6	7.0								35-49	0								
80-84	0									50-69	39	4.5	7						
85 +	0									70 +	0								
SUBTOTAL	**16**	**5.1**	**2**								**379**	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	3.5								0-17	3532	2.1	2	1	1	2	2	4	5
70-74	0									18-34	47	4.1	9	1	1	3	5	11	11
75-79	6	4.0								35-49	20	3.5	2						
80-84	0									50-69	16	4.3	1						
85 +	0									70 +	0								
SUBTOTAL	**18**	**3.7**									**3615**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**35**	**4.4**	**2**								**3994**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	122	2.2	1	1	1	2	3	4	4	0-17	63	3.0	3	1	2	3	3	5	8
18-34	0									18-34	6	4.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**122**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**69**	**3.1**	**3**	**2**	**2**	**3**	**4**	**4**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	892	2.2	2	1	1	2	3	4	5	0-17	839	2.5	3	1	1	2	3	5	6
18-34	0									18-34	6	4.0							
35-49	0									35-49	0								
50-69	10	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**902**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**845**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1025**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**915**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 72: Nasal Trauma & Deformity

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	39	3.2	3						
70-74	20	5.0	17							18-34	57	1.6		1	1	1	2	3	3
75-79	29	2.1	1							35-49	33	1.9	1						
80-84	22	3.8	8							50-69	16	6.5	4						
85 +	33	7.3	25							70 +	0								
SUBTOTAL	104	4.7	17	1	1	3	8	10	14		145	2.6	4	1	1	2	4	5	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	1.3								0-17	660	1.4	1	< 1	< 1	1	1	3	3
70-74	0									18-34	532	1.8	1	< 1	1	1	3	3	3
75-79	12	2.5	2							35-49	163	1.5	1	< 1	< 1	1	2	3	4
80-84	20	3.5								50-69	79	2.4	2	< 1	1	2	4	5	5
85 +	29	3.0	1							70 +	0								
SUBTOTAL	98	2.4	2	1	1	2	3	4	5		1434	1.6	1	< 1	< 1	1	2	3	4
GRAND TOTAL	202	3.6	11	1	1	3	4	8	11		1579	1.7	2	< 1	< 1	1	2	3	4

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	12	2.0							
18-34	12	3.0	4							18-34	63	1.9	1	< 1	1	2	2	3	4
35-49	20	2.5	2							35-49	6	6.0							
50-69	0									50-69	0								
70 +	0									70 +	6	2.0							
SUBTOTAL	33	2.7	3								88	2.2	2	1	1	2	2	4	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	1.0								0-17	96	1.5	1	< 1	< 1	1	1	3	4
18-34	37	1.3								18-34	143	1.7	1	< 1	1	1	2	3	3
35-49	0									35-49	16	1.6							
50-69	0									50-69	24	1.3							
70 +	0									70 +	6	4.0							
SUBTOTAL	47	1.2									285	1.6	1	< 1	1	1	2	3	4
GRAND TOTAL	79	1.8	2	< 1	< 1	1	2	4	5		373	1.8	1	< 1	1	1	2	3	4

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	304	7.5	48	1	3	5	10	16	20
70-74	171	7.2	20	1	4	7	10	12	19
75-79	251	7.3	28	1	2	7	10	14	20
80-84	110	7.3	24	3	3	5	10	15	19
85 +	175	11.6	213	1	2	7	14	20	60
SUBTOTAL	**1010**	**8.1**	**67**	**1**	**3**	**6**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	365	2.7	6	< 1	1	2	4	6	9
70-74	194	5.0	49	< 1	1	3	6	10	21
75-79	226	4.5	15	1	2	2	6	10	12
80-84	75	2.4	4	1	1	2	2	7	7
85 +	143	6.0	29	1	1	5	6	17	20
SUBTOTAL	**1002**	**4.0**	**21**	**< 1**	**1**	**2**	**5**	**9**	**11**
GRAND TOTAL	**2013**	**6.1**	**48**	**1**	**2**	**4**	**8**	**14**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	236	3.9	7	1	2	3	6	7	8
35-49	189	4.0	7	1	2	4	6	8	9
50-69	334	4.9	14	1	2	5	7	10	12
70 +	29	9.1	19						
	788	**4.6**	**11**	**1**	**2**	**4**	**6**	**9**	**11**
0-17	0								
18-34	748	3.1	7	< 1	1	2	4	7	8
35-49	664	2.9	4	1	1	2	4	6	7
50-69	644	3.1	11	< 1	1	2	4	6	7
70 +	12	6.5	33						
	2068	**3.1**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**
	2856	**3.5**	**9**	**< 1**	**1**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	31	12.3	76						
35-49	26	20.2	340						
50-69	16	8.9	2						
70 +	10	7.0							
SUBTOTAL	**84**	**13.5**	**157**	**2**	**7**	**7**	**12**	**43**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	88	4.1	11	< 1	2	3	5	12	12
35-49	41	2.9	6	< 1	1	2	4	8	8
50-69	61	7.2	68	1	2	4	7	25	25
70 +	0								
SUBTOTAL	**190**	**4.9**	**31**	**1**	**2**	**3**	**5**	**12**	**25**
GRAND TOTAL	**273**	**7.5**	**85**	**1**	**2**	**4**	**7**	**23**	**25**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	35	3.0	1						
35-49	29	3.8							
50-69	22	5.6	3						
70 +	0								
	86	**4.0**	**3**	**3**	**3**	**4**	**4**	**6**	**8**
0-17	0								
18-34	222	2.8	4	< 1	1	2	4	6	7
35-49	86	2.4	1	< 1	1	2	3	4	4
50-69	79	4.1	15	1	1	3	7	9	14
70 +	0								
	387	**3.0**	**6**	**< 1**	**1**	**2**	**4**	**7**	**7**
	473	**3.1**	**6**	**< 1**	**1**	**3**	**4**	**6**	**8**

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	187	3.7	12	1	1	2	5	11	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**187**	**3.7**	**12**	**1**	**1**	**2**	**5**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1330	2.0	2	< 1	< 1	1	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1330**	**2.0**	**2**	**< 1**	**< 1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**0**										**1518**	**2.2**	**4**	**< 1**	**< 1**	**1**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	8.4	116	2	3	4	31	99 +	99 +	0-17	12	1.5							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**57**	**8.4**	**116**	**2**	**3**	**4**	**31**	**99 +**	**99 +**		**12**	**1.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	324	2.9	9	1	1	2	3	8	13	0-17	283	2.4	4	< 1	< 1	1	3	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**324**	**2.9**	**9**	**1**	**1**	**2**	**3**	**8**	**13**		**283**	**2.4**	**4**	**< 1**	**< 1**	**1**	**3**	**6**	**8**
GRAND TOTAL	**381**	**3.7**	**28**	**1**	**1**	**2**	**4**	**13**	**65**		**295**	**2.3**	**4**	**< 1**	**< 1**	**1**	**3**	**7**	**8**

DRG 75: Major Chest Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2351	16.7	127	8	9	12	21	32	41	0-17	116	10.8	74	4	4	6	22	25	25
70-74	1781	17.7	192	8	9	13	21	33	43	18-34	599	13.4	82	5	8	11	16	24	30
75-79	1043	16.6	138	7	9	13	19	31	40	35-49	1017	13.1	109	5	7	10	16	24	27
80-84	456	22.8	280	8	12	18	29	52	62	50-69	3670	14.4	99	7	9	11	17	26	32
85 +	108	23.8	171	10	16	24	26	33	57	70 +	122	16.1	63	8	9	14	20	28	34
SUBTOTAL	**5740**	**17.6**	**165**	**8**	**10**	**13**	**22**	**33**	**43**		**5524**	**14.0**	**98**	**6**	**8**	**11**	**17**	**25**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	795	9.6	18	5	7	9	11	16	18	0-17	155	8.0	18	4	5	7	12	13	19
70-74	505	10.6	26	6	8	9	12	17	21	18-34	558	9.0	22	4	5	9	12	14	16
75-79	232	11.8	66	5	7	9	11	29	29	35-49	668	8.2	22	3	6	7	9	14	18
80-84	81	12.6	26	8	8	10	18	22	22	50-69	1237	8.8	15	5	6	8	10	14	16
85 +	10	20.0								70 +	10	8.0							
SUBTOTAL	**1624**	**10.4**	**29**	**6**	**7**	**9**	**12**	**17**	**22**		**2628**	**8.6**	**19**	**4**	**6**	**8**	**10**	**14**	**16**
GRAND TOTAL	**7364**	**16.0**	**144**	**7**	**9**	**12**	**19**	**30**	**39**		**8152**	**12.3**	**79**	**5**	**7**	**10**	**15**	**23**	**27**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	18.1	119	8	9	9	28	35	35	0-17	6	9.0							
18-34	86	22.7	178	11	12	18	36	49	49	18-34	279	13.2	74	6	8	10	17	30	33
35-49	77	26.7	478	8	14	21	36	78	78	35-49	132	13.2	86	6	7	10	15	28	38
50-69	187	19.9	257	7	10	15	26	76	94	50-69	342	13.7	68	8	8	11	16	23	38
70 +	6	10.0								70 +	37	22.6	98						
SUBTOTAL	**414**	**21.4**	**268**	**8**	**10**	**16**	**28**	**37**	**76**		**797**	**13.8**	**78**	**6**	**8**	**10**	**17**	**29**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	51	5.4	4							0-17	26	8.9	17						
18-34	100	12.1	46	4	6	10	17	23	23	18-34	118	7.6	28	2	5	6	9	17	20
35-49	69	10.1	27	5	6	11	16	17	17	35-49	77	9.9	11	7	7	9	13	14	16
50-69	43	12.0	45							50-69	134	10.3	27	6	7	8	12	22	23
70 +	0									70 +	0								
SUBTOTAL	**263**	**10.3**	**39**	**4**	**5**	**8**	**16**	**20**	**23**		**357**	**9.2**	**25**	**5**	**6**	**8**	**12**	**16**	**20**
GRAND TOTAL	**677**	**17.1**	**208**	**5**	**8**	**13**	**23**	**35**	**49**		**1153**	**12.4**	**66**	**6**	**7**	**9**	**15**	**23**	**33**

DRG 76: Other Resp System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2151	14.2	224	2	5	10	18	30	54
70-74	1565	15.6	261	3	6	11	19	33	46
75-79	1508	17.7	290	4	8	14	23	44	86
80-84	754	22.0	262	7	11	18	35	51	99 +
85 +	479	20.9	271	6	10	16	27	49	55
SUBTOTAL	**6456**	**16.8**	**263**	**3**	**7**	**12**	**22**	**39**	**66**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6456**	**16.8**	**263**	**3**	**7**	**12**	**22**	**39**	**66**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	8.5	4						
18-34	630	16.1	197	2	6	14	22	33	47
35-49	1414	13.0	133	2	4	11	19	26	28
50-69	3064	12.9	135	2	5	10	17	29	37
70 +	137	20.0	617	2	3	13	21	59	89
	5292	**13.5**	**155**	**2**	**5**	**11**	**18**	**28**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5292	**13.5**	**155**	**2**	**5**	**11**	**18**	**28**	**37**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	5.7	21						
18-34	196	23.3	520	4	7	14	26	71	83
35-49	306	18.8	169	6	9	17	26	39	45
50-69	289	18.6	136	4	10	17	29	42	99 +
70 +	26	28.5	179						
SUBTOTAL	**848**	**19.6**	**246**	**4**	**9**	**15**	**27**	**43**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**848**	**19.6**	**246**	**4**	**9**	**15**	**27**	**43**	**52**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	27.0							
18-34	283	19.7	251	5	7	16	31	34	41
35-49	228	18.5	152	9	10	13	24	38	39
50-69	397	14.1	184	2	5	10	16	37	47
70 +	51	19.8	118						
	966	**17.2**	**198**	**3**	**7**	**13**	**25**	**35**	**41**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	966	**17.2**	**198**	**3**	**7**	**13**	**25**	**35**	**41**

DRG 77: Other Resp System O.R. Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	452	6.2	24	1	2	4	10	13	15
70-74	322	6.7	35	1	1	5	11	16	19
75-79	220	7.2	55	1	2	4	10	17	32
80-84	110	7.0	25	2	2	6	11	11	18
85 +	43	12.5	76						
SUBTOTAL	**1147**	**6.8**	**36**	**1**	**2**	**5**	**10**	**15**	**19**
GRAND TOTAL	**1147**	**6.8**	**36**	**1**	**2**	**5**	**10**	**15**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	26	3.5	4						
18-34	373	5.4	29	1	1	2	8	13	20
35-49	481	4.3	19	1	1	2	5	12	14
50-69	923	5.8	36	1	1	3	8	13	18
70 +	51	4.8	6						
	1854	**5.3**	**29**	**1**	**1**	**3**	**8**	**13**	**16**
	1854	**5.3**	**29**	**1**	**1**	**3**	**8**	**13**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	63	6.7	39	1	1	3	12	18	18
35-49	39	8.2	23						
50-69	67	9.2	63	1	4	7	14	25	25
70 +	6	12.0							
SUBTOTAL	**175**	**8.2**	**44**	**1**	**3**	**6**	**12**	**18**	**25**
GRAND TOTAL	**175**	**8.2**	**44**	**1**	**3**	**6**	**12**	**18**	**25**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	39	4.3	17						
35-49	106	7.8	60	1	2	4	17	19	23
50-69	128	10.5	98	2	3	8	11	24	36
70 +	0								
	273	**8.6**	**76**	**1**	**2**	**5**	**11**	**23**	**24**
	273	**8.6**	**76**	**1**	**2**	**5**	**11**	**23**	**24**

DRG 78: Pulmonary Embolism

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	890	11.8	41	6	8	10	14	19	23	0-17	0								
70-74	851	13.2	37	8	9	11	15	22	27	18-34	165	14.1	157	7	9	11	15	18	61
75-79	770	14.0	120	6	8	11	15	23	39	35-49	428	13.0	99	6	7	9	15	25	34
80-84	479	16.6	167	8	10	14	19	28	34	50-69	1023	12.4	92	6	7	10	13	20	26
85 +	326	16.2	154	8	10	12	16	26	46	70 +	81	14.1	119	8	10	11	13	16	51
SUBTOTAL	**3316**	**13.8**	**90**	**6**	**9**	**11**	**16**	**23**	**30**		**1697**	**12.8**	**102**	**6**	**8**	**10**	**14**	**20**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	440	9.4	15	4	8	9	11	14	17	0-17	0								
70-74	244	11.0	12	7	9	11	12	14	18	18-34	224	9.4	31	4	6	9	12	14	16
75-79	179	13.4	158	7	9	11	14	16	17	35-49	363	8.6	10	4	7	9	11	12	14
80-84	187	10.1	17	6	7	11	13	15	20	50-69	676	10.1	16	6	8	10	12	13	15
85 +	63	10.7	44	5	7	8	15	19	28	70 +	12	8.5	2						
SUBTOTAL	**1114**	**10.6**	**41**	**5**	**8**	**10**	**12**	**15**	**17**		**1275**	**9.5**	**17**	**5**	**7**	**9**	**12**	**13**	**15**
GRAND TOTAL	**4430**	**13.0**	**80**	**6**	**8**	**11**	**14**	**20**	**28**		**2972**	**11.4**	**68**	**6**	**7**	**10**	**12**	**17**	**23**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	18	13.7	3							18-34	81	11.1	75	2	7	9	11	14	39
35-49	63	10.9	13	6	7	12	13	16	17	35-49	71	14.5	112	6	7	13	19	38	38
50-69	39	17.5	269							50-69	120	11.3	16	7	8	10	15	16	20
70 +	37	36.6	684							70 +	33	24.5	51						
SUBTOTAL	**157**	**18.8**	**330**	**6**	**9**	**12**	**16**	**44**	**72**		**306**	**13.4**	**74**	**6**	**8**	**11**	**15**	**24**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	53	8.2	8	< 1	8	9	9	11	11	18-34	106	6.6	15	1	3	6	9	12	15
35-49	24	8.8	14							35-49	79	8.9	19	2	6	9	13	15	15
50-69	12	6.5	2							50-69	51	9.8	11	5	8	10	13	15	15
70 +	6	7.0								70 +	12	10.5	2						
SUBTOTAL	**96**	**8.0**	**9**	**4**	**7**	**8**	**10**	**11**	**14**		**248**	**8.2**	**17**	**2**	**5**	**9**	**11**	**14**	**15**
GRAND TOTAL	**253**	**14.8**	**236**	**5**	**7**	**10**	**13**	**43**	**44**		**554**	**11.1**	**55**	**3**	**7**	**10**	**13**	**18**	**24**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2432	13.6	116	5	7	11	17	25	32
70-74	2174	15.0	145	5	7	12	18	30	39
75-79	2705	15.3	174	6	8	12	18	32	41
80-84	3007	16.0	130	6	8	12	20	34	39
85 +	3999	16.1	142	6	9	14	19	31	40
SUBTOTAL	**14317**	**15.3**	**142**	**6**	**8**	**12**	**18**	**31**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14317**	**15.3**	**142**	**6**	**8**	**12**	**18**	**31**	**39**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1742	14.5	92	5	8	12	20	24	34
35-49	1720	16.5	119	6	10	15	21	27	31
50-69	1711	13.1	86	5	7	11	16	21	32
70 +	210	12.1	52	5	7	11	16	26	32
	5383	**14.6**	**99**	**5**	**8**	**12**	**19**	**26**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5383	**14.6**	**99**	**5**	**8**	**12**	**19**	**26**	**33**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1054	14.8	107	6	8	11	19	27	33
35-49	1058	17.0	148	5	9	14	22	34	38
50-69	434	20.1	348	6	10	14	22	50	84
70 +	175	21.9	437	4	11	15	23	48	65
SUBTOTAL	**2720**	**17.0**	**187**	**6**	**8**	**14**	**22**	**31**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2720**	**17.0**	**187**	**6**	**8**	**14**	**22**	**31**	**39**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	675	15.8	110	5	7	14	22	33	37
35-49	463	19.9	219	6	11	18	25	33	36
50-69	369	15.0	81	6	8	12	21	26	30
70 +	77	17.8	251	8	10	11	19	57	57
	1583	**16.9**	**146**	**5**	**8**	**14**	**23**	**31**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1583	**16.9**	**146**	**5**	**8**	**14**	**23**	**31**	**37**

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	228	8.3	31	3	5	7	8	14	21	0-17	0								
70-74	224	7.4	26	3	3	6	10	14	17	18-34	326	6.7	18	3	4	6	8	10	15
75-79	377	10.5	50	4	7	10	12	17	20	35-49	430	9.1	29	4	5	7	11	19	21
80-84	326	11.6	53	5	7	10	15	24	25	50-69	293	8.7	22	3	6	8	11	15	19
85 +	517	12.0	46	5	7	11	17	21	23	70 +	39	8.9	2						
SUBTOTAL	**1672**	**10.5**	**46**	**4**	**6**	**9**	**13**	**20**	**22**		**1088**	**8.2**	**24**	**3**	**5**	**7**	**10**	**15**	**19**
GRAND TOTAL	**1672**	**10.5**	**46**	**4**	**6**	**9**	**13**	**20**	**22**		**1088**	**8.2**	**24**	**3**	**5**	**7**	**10**	**15**	**19**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	157	9.4	58	4	5	6	10	28	28	18-34	216	10.0	43	2	4	9	15	19	20
35-49	51	8.2	5							35-49	128	10.1	58	3	7	8	12	18	32
50-69	69	12.4	29	7	8	13	16	22	22	50-69	102	7.6	3	5	7	7	8	10	11
70 +	41	10.0	10							70 +	29	17.6	118						
SUBTOTAL	**318**	**9.9**	**39**	**4**	**6**	**8**	**12**	**16**	**28**		**475**	**10.0**	**47**	**3**	**6**	**8**	**15**	**19**	**22**
GRAND TOTAL	**318**	**9.9**	**39**	**4**	**6**	**8**	**12**	**16**	**28**		**475**	**10.0**	**47**	**3**	**6**	**8**	**15**	**19**	**22**

DRG 81: Respiratory Infections & Inflammations Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	609	11.3	46	3	5	13	14	17	21
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**609**	**11.3**	**46**	**3**	**5**	**13**	**14**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	350	4.5	10	1	2	4	6	8	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**350**	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**12**
GRAND TOTAL	**0**										**959**	**8.8**	**44**	**2**	**3**	**8**	**14**	**15**	**19**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	300	8.1	33	2	4	5	13	14	19	0-17	77	10.1	14	5	7	8	15	15	15
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**300**	**8.1**	**33**	**2**	**4**	**5**	**13**	**14**	**19**		**77**	**10.1**	**14**	**5**	**7**	**8**	**15**	**15**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	185	6.3	15	2	4	5	8	12	16	0-17	116	6.1	14	3	4	6	7	9	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**185**	**6.3**	**15**	**2**	**4**	**5**	**8**	**12**	**16**		**116**	**6.1**	**14**	**3**	**4**	**6**	**7**	**9**	**16**
GRAND TOTAL	**485**	**7.4**	**27**	**2**	**4**	**5**	**11**	**14**	**16**		**194**	**7.7**	**18**	**3**	**4**	**7**	**9**	**15**	**16**

DRG 82: Respiratory Neoplasms

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3349	12.8	142	3	5	9	16	28	38	0-17	10	8.0							
70-74	3239	11.0	83	3	5	9	14	22	27	18-34	84	5.3	5	2	3	5	7	8	8
75-79	2630	14.2	165	3	6	10	18	29	36	35-49	1021	9.7	66	2	4	8	13	19	24
80-84	1501	13.8	177	2	6	10	16	30	41	50-69	4501	10.4	80	2	5	8	13	20	26
85 +	901	15.1	174	3	7	10	18	33	45	70 +	222	12.8	84	2	5	10	18	25	30
SUBTOTAL	**11621**	**12.9**	**140**	**3**	**5**	**10**	**16**	**27**	**37**		**5837**	**10.3**	**77**	**2**	**5**	**8**	**13**	**20**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	438	6.4	33	1	2	4	10	14	18	0-17	16	1.6							
70-74	518	5.0	19	1	2	4	7	10	15	18-34	26	9.1	152						
75-79	316	5.3	57	1	2	3	6	10	13	35-49	253	4.8	25	< 1	2	2	6	10	17
80-84	228	8.0	39	1	3	7	10	19	21	50-69	919	6.5	59	1	2	4	8	12	22
85 +	161	7.7	84	1	2	5	11	15	16	70 +	29	5.2	14						
SUBTOTAL	**1660**	**6.1**	**40**	**1**	**2**	**4**	**8**	**14**	**16**		**1243**	**6.1**	**53**	**1**	**2**	**4**	**7**	**12**	**22**
GRAND TOTAL	**13281**	**12.1**	**132**	**2**	**5**	**9**	**15**	**25**	**35**		**7080**	**9.6**	**76**	**2**	**4**	**7**	**12**	**19**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	71	11.9	36	3	7	10	18	22	22	18-34	41	11.3	194						
35-49	183	11.6	78	4	5	8	16	18	41	35-49	177	11.8	95	2	5	8	19	23	38
50-69	517	15.2	244	3	6	11	18	32	65	50-69	491	11.0	114	3	4	8	13	19	39
70 +	53	31.4	393	7	18	30	38	66	66	70 +	77	22.6	671	4	9	12	28	86	86
SUBTOTAL	**825**	**15.2**	**219**	**4**	**7**	**10**	**18**	**32**	**55**		**786**	**12.4**	**179**	**3**	**4**	**8**	**16**	**26**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	10	4.0								18-34	0								
35-49	22	3.9	10							35-49	35	1.4	1						
50-69	41	9.5	67							50-69	98	8.1	25	1	3	10	11	15	16
70 +	0									70 +	16	5.4	20						
SUBTOTAL	**73**	**7.0**	**48**	**1**	**2**	**4**	**11**	**22**	**22**		**149**	**6.2**	**27**	**< 1**	**1**	**4**	**11**	**13**	**16**
GRAND TOTAL	**899**	**14.5**	**210**	**3**	**6**	**10**	**18**	**32**	**47**		**935**	**11.4**	**160**	**2**	**4**	**8**	**14**	**23**	**38**

DRG 83: Major Chest Trauma w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	206	9.1	54	3	4	8	11	20	24	0-17	45	3.6	10	1	2	3	4	11	11
70-74	189	8.7	23	4	5	8	12	13	19	18-34	212	5.2	20	2	3	4	6	7	14
75-79	407	10.8	169	3	5	7	11	23	28	35-49	375	5.5	17	2	3	5	7	10	15
80-84	299	10.4	126	2	4	9	12	50	92	50-69	638	6.7	26	2	3	5	8	13	17
85 +	550	13.6	106	4	6	11	18	31	43	70 +	183	6.8	26	1	2	5	9	16	17
SUBTOTAL	**1652**	**11.2**	**112**	**3**	**5**	**8**	**14**	**24**	**39**		**1452**	**6.1**	**23**	**2**	**3**	**5**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1652**	**11.2**	**112**	**3**	**5**	**8**	**14**	**24**	**39**		**1452**	**6.1**	**23**	**2**	**3**	**5**	**7**	**12**	**16**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	33	12.9	138							18-34	161	5.8	20	2	2	4	8	13	14
35-49	6	5.0								35-49	163	5.2	7	2	3	5	7	9	10
50-69	22	3.3	1							50-69	130	7.1	13	4	5	6	11	12	13
70 +	0									70 +	57	13.6	63	4	5	14	16	28	28
SUBTOTAL	**61**	**8.6**	**95**	**2**	**3**	**5**	**6**	**30**	**30**		**511**	**6.8**	**25**	**2**	**4**	**5**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**61**	**8.6**	**95**	**2**	**3**	**5**	**6**	**30**	**30**		**511**	**6.8**	**25**	**2**	**4**	**5**	**9**	**14**	**16**

DRG 84: Major Chest Trauma w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	49	3.0	2	1	2	3	4	5	5
70-74	100	9.5	267	1	2	4	6	18	70
75-79	141	6.1	34	2	4	4	6	11	25
80-84	98	6.2	17	2	3	6	7	13	16
85 +	145	7.0	37	2	3	5	9	21	22
SUBTOTAL	**532**	**6.7**	**75**	**2**	**3**	**4**	**7**	**13**	**21**
GRAND TOTAL	**532**	**6.7**	**75**	**2**	**3**	**4**	**7**	**13**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	65	2.0	1	1	1	2	2	4	4
18-34	92	2.3	1	1	1	2	3	4	5
35-49	291	2.8	4	1	1	2	3	5	6
50-69	414	3.4	5	1	2	3	4	8	8
70 +	92	3.8	7	1	2	3	6	8	9
	953	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**8**
	953	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	3.0	1						
35-49	20	5.5	13						
50-69	6	1.0							
70 +	0								
SUBTOTAL	**39**	**4.0**	**10**						
GRAND TOTAL	**39**	**4.0**	**10**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	2.9	6						
18-34	173	3.8	7	1	2	3	5	9	10
35-49	79	3.8	8	1	1	4	5	6	11
50-69	73	2.7	2	1	2	2	4	5	6
70 +	65	4.1	8	2	2	3	7	8	9
	407	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
	407	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 85: Pleural Effusion w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	642	9.5	76	3	5	7	12	16	21
70-74	646	10.7	166	3	4	7	12	15	28
75-79	530	10.9	86	3	5	8	14	21	29
80-84	621	11.9	95	3	5	9	16	23	29
85 +	748	11.0	68	3	5	8	15	21	26
SUBTOTAL	**3186**	**10.8**	**98**	**3**	**5**	**8**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3186**	**10.8**	**98**	**3**	**5**	**8**	**13**	**21**	**27**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	5.0							
18-34	132	5.1	6	2	4	5	5	10	10
35-49	238	8.0	29	2	5	7	10	16	19
50-69	687	8.8	33	2	4	8	13	16	20
70 +	69	9.5	58	2	6	6	11	25	25
	1137	**8.2**	**32**	**2**	**5**	**7**	**11**	**16**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1137	**8.2**	**32**	**2**	**5**	**7**	**11**	**16**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	47	6.9	28						
35-49	75	7.4	55	< 1	3	6	7	25	25
50-69	175	6.7	24	2	4	5	8	11	23
70 +	31	8.7	22						
SUBTOTAL	**328**	**7.0**	**32**	**2**	**4**	**5**	**8**	**15**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**328**	**7.0**	**32**	**2**	**4**	**5**	**8**	**15**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	45	7.3	18	1	1	8	11	12	12
35-49	110	8.2	23	3	6	7	12	13	19
50-69	79	12.3	152	2	5	7	18	42	42
70 +	16	20.5	4						
	251	**10.1**	**73**	**2**	**6**	**8**	**12**	**19**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	251	**10.1**	**73**	**2**	**6**	**8**	**12**	**19**	**22**

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	114	5.6	7	1	4	6	7	8	10
70-74	132	5.0	15	2	2	3	7	12	12
75-79	143	6.4	26	3	3	4	6	15	21
80-84	59	11.1	25	3	9	10	15	19	19
85 +	104	8.9	38	3	5	7	13	21	22
SUBTOTAL	552	6.9	25	2	3	6	9	13	19
GRAND TOTAL	552	6.9	25	2	3	6	9	13	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	3.1	2						
18-34	81	6.6	18	2	3	6	8	15	15
35-49	122	6.7	13	3	4	6	9	12	13
50-69	277	4.6	11	2	2	4	6	7	14
70 +	6	1.0							
	503	5.3	13	2	3	4	7	12	14
	503	5.3	13	2	3	4	7	12	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	3.0							
35-49	26	11.1	25						
50-69	31	5.3	6						
70 +	0								
SUBTOTAL	67	7.2	23	2	3	7	11	16	16
GRAND TOTAL	67	7.2	23	2	3	7	11	16	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	45	5.3	14	1	1	5	7	11	11
35-49	16	15.3	81						
50-69	41	3.6	6	< 1	2	3	6	8	8
70 +	0								
	102	6.2	37	1	2	4	8	16	22
	102	6.2	37	1	2	4	8	16	22

DRG 87: Pulmonary Edema & Respiratory Failure

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2605	10.4	87	3	5	8	12	17	27
70-74	1937	9.4	59	4	5	8	11	16	22
75-79	1642	10.9	77	4	6	8	13	21	30
80-84	1183	11.6	93	4	6	9	13	21	25
85 +	813	11.1	107	4	5	8	13	25	39
SUBTOTAL	**8180**	**10.5**	**82**	**4**	**5**	**8**	**12**	**19**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	134	12.9	447	4	5	7	9	13	86
70-74	114	6.0	16	1	2	7	9	11	13
75-79	69	6.7	16	3	4	6	8	8	18
80-84	88	5.4	8	3	3	5	6	8	13
85 +	114	5.4	9	3	4	4	7	11	12
SUBTOTAL	**519**	**7.7**	**134**	**2**	**4**	**6**	**8**	**11**	**13**
GRAND TOTAL	**8700**	**10.4**	**85**	**4**	**5**	**8**	**12**	**18**	**27**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	13.3	131						
18-34	59	5.0	34	1	1	2	5	17	20
35-49	218	8.3	19	3	5	7	11	15	17
50-69	1593	9.7	52	4	5	8	11	17	22
70 +	86	11.1	73	2	5	9	14	19	36
	1974	**9.5**	**51**	**3**	**5**	**8**	**11**	**17**	**21**
0-17	33	1.9	1						
18-34	41	3.5	5						
35-49	16	4.9	2						
50-69	126	5.5	9	2	3	5	9	10	11
70 +	24	5.8	4						
	240	**4.7**	**8**	**1**	**3**	**4**	**6**	**10**	**10**
	2214	**9.0**	**48**	**3**	**5**	**8**	**11**	**16**	**20**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	5.9	2						
18-34	69	6.7	13	4	5	5	7	12	14
35-49	49	20.0	466	4	8	9	16	61	61
50-69	265	13.4	284	4	6	10	13	23	36
70 +	26	35.2	674						
SUBTOTAL	**432**	**14.0**	**311**	**4**	**6**	**8**	**13**	**28**	**67**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	1.0							
35-49	10	10.0							
50-69	33	9.9	40						
70 +	6	2.0							
SUBTOTAL	**59**	**7.6**	**37**	**1**	**2**	**5**	**10**	**19**	**19**
GRAND TOTAL	**491**	**13.3**	**282**	**4**	**5**	**8**	**13**	**23**	**61**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	29	3.6	4						
50-69	130	8.1	21	3	4	7	11	14	16
70 +	39	7.0	17						
	204	**7.1**	**21**	**1**	**4**	**6**	**10**	**14**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	20	12.5	13						
70 +	10	3.0							
	31	**9.3**	**29**						
	234	**7.4**	**22**	**2**	**3**	**7**	**10**	**14**	**16**

DRG 88: Chronic Obstructive Pulmonary Disease

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4646	9.8	92	3	5	7	11	17	24	0-17	22	3.3							
70-74	3361	10.1	81	4	5	8	12	18	22	18-34	26	7.8	5						
75-79	3249	9.7	84	3	5	7	12	19	27	35-49	301	6.7	15	3	4	6	9	11	13
80-84	2074	10.0	65	4	5	8	12	17	25	50-69	1941	8.2	42	3	5	6	10	15	17
85 +	1092	12.0	127	4	6	9	14	22	30	70 +	161	9.0	30	3	5	8	11	15	24
SUBTOTAL	**14422**	**10.0**	**87**	**3**	**5**	**8**	**12**	**18**	**25**		**2453**	**8.0**	**38**	**3**	**5**	**6**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3406	7.4	34	3	4	6	9	12	16	0-17	102	3.3	6	1	2	3	3	7	10
70-74	2394	6.9	16	3	4	6	9	12	14	18-34	104	4.2	4	2	3	5	6	6	8
75-79	1705	6.9	35	2	4	5	9	13	16	35-49	261	4.9	7	2	3	4	6	10	11
80-84	931	6.9	17	3	4	6	9	12	16	50-69	2453	6.7	32	2	3	6	8	12	14
85 +	521	7.6	43	2	4	6	10	15	16	70 +	238	6.5	17	2	3	5	9	13	15
SUBTOTAL	**8957**	**7.1**	**28**	**3**	**4**	**6**	**9**	**13**	**16**		**3157**	**6.4**	**28**	**2**	**3**	**5**	**8**	**11**	**13**
GRAND TOTAL	**23379**	**8.9**	**66**	**3**	**5**	**7**	**11**	**16**	**21**		**5610**	**7.1**	**33**	**3**	**4**	**6**	**9**	**12**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	6.9	2							0-17	0								
18-34	12	3.0								18-34	0								
35-49	171	6.2	10	3	4	5	7	12	13	35-49	65	7.9	27	3	4	5	13	17	17
50-69	925	7.7	44	2	4	6	9	14	17	50-69	283	8.4	48	2	4	7	12	14	19
70 +	96	13.4	40	7	8	12	18	26	26	70 +	57	6.2	4	3	6	6	8	9	9
SUBTOTAL	**1220**	**7.9**	**41**	**3**	**4**	**6**	**10**	**14**	**18**		**405**	**8.0**	**39**	**2**	**4**	**7**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20	5.0	9							0-17	0								
18-34	16	2.0								18-34	26	2.6	2						
35-49	114	6.0	9	2	4	5	8	9	12	35-49	65	4.5	5	2	2	4	6	8	8
50-69	664	6.5	40	3	3	5	8	11	12	50-69	214	6.7	27	2	3	5	8	18	18
70 +	49	13.7	448	3	4	6	8	69	69	70 +	81	4.5	4	2	3	5	5	9	9
SUBTOTAL	**864**	**6.8**	**60**	**2**	**3**	**5**	**8**	**11**	**12**		**387**	**5.6**	**18**	**2**	**3**	**4**	**6**	**11**	**18**
GRAND TOTAL	**2084**	**7.4**	**49**	**2**	**4**	**6**	**9**	**13**	**17**		**792**	**6.8**	**30**	**2**	**3**	**5**	**9**	**13**	**18**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11971	9.6	54	4	5	8	11	17	22	0-17	0								
70-74	11309	10.1	61	4	6	8	12	17	22	18-34	2365	7.5	35	3	4	6	9	15	21
75-79	12097	11.4	97	4	6	9	13	20	29	35-49	3471	8.6	43	3	5	7	10	16	19
80-84	11773	11.5	88	4	6	9	14	21	27	50-69	8657	8.4	26	3	5	7	10	14	18
85 +	15434	12.9	115	5	7	10	15	23	35	70 +	980	9.3	18	5	7	9	11	16	17
SUBTOTAL	**62583**	**11.2**	**86**	**4**	**6**	**9**	**13**	**20**	**27**		**15473**	**8.4**	**31**	**3**	**5**	**7**	**10**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**62583**	**11.2**	**86**	**4**	**6**	**9**	**13**	**20**	**27**		**15473**	**8.4**	**31**	**3**	**5**	**7**	**10**	**15**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1779	8.4	35	3	4	7	10	15	19	18-34	1288	7.0	27	3	3	6	9	13	16
35-49	1748	10.1	100	3	5	8	12	16	20	35-49	1182	8.0	22	3	5	7	10	14	18
50-69	2027	10.3	78	4	6	8	11	19	24	50-69	1448	9.3	48	4	5	8	11	15	20
70 +	528	13.7	142	5	7	10	16	23	27	70 +	363	9.2	31	5	5	7	11	16	23
SUBTOTAL	**6082**	**10.0**	**79**	**4**	**5**	**8**	**11**	**18**	**23**		**4280**	**8.2**	**34**	**3**	**4**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6082**	**10.0**	**79**	**4**	**5**	**8**	**11**	**18**	**23**		**4280**	**8.2**	**34**	**3**	**4**	**7**	**10**	**14**	**18**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2379	6.7	12	3	4	6	8	11	14	0-17	0								
70-74	2002	7.0	15	3	4	6	9	12	14	18-34	3131	4.6	7	2	3	4	6	8	10
75-79	2420	7.4	23	3	4	6	9	13	16	35-49	3070	5.4	9	2	3	5	7	9	10
80-84	2045	9.3	77	3	5	7	11	15	19	50-69	3662	6.1	10	3	4	5	8	10	11
85 +	2786	9.7	62	4	5	8	11	16	21	70 +	151	6.3	9	3	5	6	9	12	12
SUBTOTAL	11632	8.1	40	3	5	7	10	13	17		10013	5.4	9	2	3	5	7	9	11
GRAND TOTAL	11632	8.1	40	3	5	7	10	13	17		10013	5.4	9	2	3	5	7	9	11

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	689	5.3	9	3	3	4	7	8	11	18-34	1163	5.4	10	2	3	5	6	9	12
35-49	515	6.8	13	3	4	6	8	12	13	35-49	713	6.4	14	3	4	6	8	10	13
50-69	414	6.1	10	3	4	6	8	10	11	50-69	640	7.2	17	3	4	7	9	12	14
70 +	137	10.2	49	5	6	8	11	21	31	70 +	112	7.9	14	3	5	7	11	13	14
SUBTOTAL	1754	6.3	15	3	4	5	8	11	13		2628	6.2	14	2	4	6	8	11	14
GRAND TOTAL	1754	6.3	15	3	4	5	8	11	13		2628	6.2	14	2	4	6	8	11	14

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	47	11.6	44	4	6	9	18	25	25	0-17	3249	4.2	10	2	2	3	5	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**47**	**11.6**	**44**	**4**	**6**	**9**	**18**	**25**	**25**		**3249**	**4.2**	**10**	**2**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	5.5	4							0-17	8945	3.5	4	2	2	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**5.5**	**4**								**8945**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**73**	**9.4**	**38**	**4**	**4**	**8**	**11**	**18**	**25**		**12194**	**3.7**	**6**	**2**	**2**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1595	5.0	11	2	3	4	6	10	12	0-17	813	4.4	12	2	2	3	5	10	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1595**	**5.0**	**11**	**2**	**3**	**4**	**6**	**10**	**12**		**813**	**4.4**	**12**	**2**	**2**	**3**	**5**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5223	4.2	5	2	3	4	5	7	8	0-17	2137	3.7	5	2	2	3	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5223**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**		**2137**	**3.7**	**5**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**6819**	**4.4**	**7**	**2**	**3**	**4**	**5**	**8**	**9**		**2950**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**9**

DRG 92: Interstitial Lung Disease w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	375	9.5	67	3	5	8	11	16	23	0-17	33	29.6	1344						
70-74	377	10.7	109	2	5	8	14	21	43	18-34	147	5.2	22	1	2	4	6	14	19
75-79	359	9.9	29	4	6	9	13	17	17	35-49	220	11.9	148	3	5	7	15	32	38
80-84	202	14.7	117	5	8	13	22	56	99+	50-69	271	8.4	41	3	4	8	10	15	28
85+	196	8.7	21	5	5	7	10	18	19	70+	26	13.9	1						
SUBTOTAL	**1507**	**10.5**	**72**	**4**	**5**	**9**	**13**	**19**	**28**		**697**	**10.1**	**154**	**2**	**4**	**6**	**11**	**15**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1507**	**10.5**	**72**	**4**	**5**	**9**	**13**	**19**	**28**		**697**	**10.1**	**154**	**2**	**4**	**6**	**11**	**15**	**32**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	5.5	14							0-17	10	11.0							
18-34	94	9.6	14	5	7	9	12	17	17	18-34	31	6.0	2						
35-49	100	11.1	45	2	6	10	15	23	26	35-49	59	8.4	38	2	4	7	8	21	21
50-69	73	10.4	15	6	7	10	15	16	16	50-69	39	11.8	14						
70+	20	9.5	13							70+	26	9.8	34						
SUBTOTAL	**334**	**9.7**	**26**	**3**	**6**	**9**	**13**	**15**	**17**		**165**	**9.2**	**26**	**4**	**5**	**8**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**334**	**9.7**	**26**	**3**	**6**	**9**	**13**	**15**	**17**		**165**	**9.2**	**26**	**4**	**5**	**8**	**11**	**17**	**21**

DRG 93: Interstitial Lung Disease w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	114	9.1	36	4	4	7	12	19	22	0-17	47	3.4	1						
70-74	75	10.6	127	2	3	7	9	38	38	18-34	137	4.1	6	2	2	3	6	8	8
75-79	65	5.4	11	2	3	4	9	10	11	35-49	163	5.1	17	1	2	4	8	10	16
80-84	81	9.5	14	4	7	10	11	17	17	50-69	165	6.4	14	2	4	6	8	10	17
85 +	39	7.8	3							70 +	16	2.6							
SUBTOTAL	**375**	**8.7**	**44**	**3**	**4**	**7**	**10**	**17**	**22**		**528**	**5.0**	**13**	**1**	**2**	**4**	**8**	**9**	**11**
GRAND TOTAL	**375**	**8.7**	**44**	**3**	**4**	**7**	**10**	**17**	**22**		**528**	**5.0**	**13**	**1**	**2**	**4**	**8**	**9**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	20	10.0	52						
18-34	35	12.0	129							18-34	31	10.0	63						
35-49	20	9.0	67							35-49	26	5.1	6						
50-69	33	7.7	11							50-69	75	7.0	32	2	3	4	12	19	19
70 +	0									70 +	0								
SUBTOTAL	**88**	**9.7**	**73**	**< 1**	**4**	**8**	**14**	**17**	**35**		**153**	**7.7**	**39**	**2**	**3**	**5**	**12**	**19**	**21**
GRAND TOTAL	**88**	**9.7**	**73**	**< 1**	**4**	**8**	**14**	**17**	**35**		**153**	**7.7**	**39**	**2**	**3**	**5**	**12**	**19**	**21**

DRG 94: Pneumothorax w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	367	8.5	26	3	5	7	11	18	23
70-74	407	13.1	156	4	6	9	17	25	32
75-79	338	10.1	46	4	6	8	14	17	18
80-84	255	11.7	123	4	6	9	14	21	28
85 +	191	13.6	100	4	7	9	17	37	73
SUBTOTAL	**1558**	**11.2**	**93**	**4**	**5**	**8**	**14**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1558**	**11.2**	**93**	**4**	**5**	**8**	**14**	**22**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	81	4.4	11	1	2	3	7	10	10
18-34	554	6.6	24	1	3	6	9	11	15
35-49	389	8.7	82	3	4	6	9	17	20
50-69	682	8.5	47	3	4	7	10	17	22
70 +	79	21.4	195	8	8	11	38	38	43
	1787	**8.3**	**61**	**2**	**4**	**7**	**10**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1787	**8.3**	**61**	**2**	**4**	**7**	**10**	**16**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	6.6	35						
18-34	202	8.0	31	3	4	7	9	15	21
35-49	88	7.4	10	5	5	6	9	13	13
50-69	71	11.2	45	5	6	7	20	20	20
70 +	0								
SUBTOTAL	**387**	**8.4**	**31**	**3**	**5**	**7**	**11**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**387**	**8.4**	**31**	**3**	**5**	**7**	**11**	**17**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	4.7	3						
18-34	299	6.1	24	2	3	4	8	14	17
35-49	139	8.6	24	4	5	7	14	16	19
50-69	143	7.4	14	4	5	7	8	12	16
70 +	22	6.2	1						
	632	**6.9**	**21**	**2**	**4**	**6**	**8**	**14**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	632	**6.9**	**21**	**2**	**4**	**6**	**8**	**14**	**17**

DRG 95: Pneumothorax w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	81	3.3	4	1	2	3	4	4	9
70-74	71	4.9	4	3	3	4	6	8	8
75-79	55	4.7	4	1	4	6	6	7	7
80-84	6	3.0							
85 +	45	6.5	12	2	5	6	7	12	12
SUBTOTAL	**259**	**4.6**	**7**	**1**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**259**	**4.6**	**7**	**1**	**3**	**4**	**6**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	304	4.8	9	2	3	4	7	8	10
18-34	1907	4.5	9	2	3	4	5	8	10
35-49	660	4.9	10	2	3	4	6	8	10
50-69	379	5.6	12	3	3	5	6	8	15
70 +	20	3.5	2						
	3269	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
	3269	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	4.0	13						
18-34	314	5.0	8	2	3	4	7	10	11
35-49	49	3.8	2	2	3	3	5	6	6
50-69	20	7.5							
70 +	0								
SUBTOTAL	**426**	**4.9**	**8**	**2**	**3**	**4**	**7**	**10**	**11**
GRAND TOTAL	**426**	**4.9**	**8**	**2**	**3**	**4**	**7**	**10**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	73	5.1	16	1	2	4	7	14	14
18-34	784	4.7	11	1	3	4	6	9	12
35-49	204	4.0	4	2	2	4	6	6	7
50-69	16	5.3	1						
70 +	0								
	1078	**4.6**	**10**	**1**	**3**	**4**	**6**	**7**	**11**
	1078	**4.6**	**10**	**1**	**3**	**4**	**6**	**7**	**11**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12637	8.0	45	3	4	6	10	14	18	0-17	0								
70-74	9466	8.4	44	3	5	7	10	14	18	18-34	1978	4.8	13	2	3	4	6	8	10
75-79	8414	8.5	50	3	5	7	10	15	19	35-49	3750	6.3	19	2	4	5	8	11	14
80-84	5571	9.1	69	3	5	7	11	16	21	50-69	9122	7.1	28	3	4	6	9	12	15
85 +	4903	10.0	87	3	5	8	12	18	26	70 +	420	8.3	39	3	4	6	11	15	23
SUBTOTAL	**40990**	**8.6**	**54**	**3**	**5**	**7**	**10**	**15**	**19**		**15270**	**6.6**	**25**	**3**	**4**	**5**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**40990**	**8.6**	**54**	**3**	**5**	**7**	**10**	**15**	**19**		**15270**	**6.6**	**25**	**3**	**4**	**5**	**8**	**12**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	982	5.4	27	2	3	4	7	10	14	18-34	695	4.6	10	2	3	4	5	8	10
35-49	1469	6.5	27	3	4	5	8	12	13	35-49	660	5.5	12	2	3	4	7	10	13
50-69	2222	7.1	33	2	4	6	9	12	16	50-69	1292	7.2	37	3	4	6	9	12	16
70 +	240	9.9	54	4	6	8	12	18	19	70 +	208	8.4	31	2	4	7	11	18	21
SUBTOTAL	**4914**	**6.7**	**32**	**2**	**4**	**6**	**8**	**12**	**14**		**2854**	**6.2**	**26**	**2**	**3**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4914**	**6.7**	**32**	**2**	**4**	**6**	**8**	**12**	**14**		**2854**	**6.2**	**26**	**2**	**3**	**5**	**8**	**11**	**15**

DRG 97: Bronchitis & Asthma Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3848	6.6	38	3	3	6	8	11	15	0-17	0								
70-74	2115	6.1	12	2	4	5	8	10	12	18-34	6938	4.0	7	2	2	3	5	7	9
75-79	1601	6.5	19	2	4	6	8	10	15	35-49	7507	5.1	14	2	3	4	6	9	10
80-84	1247	6.9	15	3	4	6	9	12	14	50-69	6861	5.4	10	2	3	5	7	9	11
85 +	835	7.3	53	3	4	6	8	11	13	70 +	112	5.7	14	1	3	4	7	11	14
SUBTOTAL	**9646**	**6.6**	**28**	**3**	**4**	**6**	**8**	**11**	**14**		**21418**	**4.8**	**11**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**9646**	**6.6**	**28**	**3**	**4**	**6**	**8**	**11**	**14**		**21418**	**4.8**	**11**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2791	4.1	10	2	2	3	5	7	8	18-34	2842	3.8	6	2	2	3	5	7	8
35-49	2143	4.6	9	2	3	4	6	9	10	35-49	1770	4.6	8	2	3	4	6	8	10
50-69	1316	5.5	13	2	3	5	7	10	12	50-69	1271	5.7	10	2	3	5	7	10	11
70 +	61	6.8	17	1	4	6	9	14	14	70 +	118	6.9	4	5	5	6	8	11	12
SUBTOTAL	**6312**	**4.6**	**10**	**2**	**3**	**4**	**6**	**8**	**10**		**6002**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**6312**	**4.6**	**10**	**2**	**3**	**4**	**6**	**8**	**10**		**6002**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 98: Bronchitis & Asthma Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	5.0								0-17	3846	3.7	7	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**5.0**									**3846**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	6.0								0-17	21697	3.0	4	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**6.0**									**21697**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**16**	**5.6**									**25543**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2151	4.8	17	2	3	4	5	8	10	0-17	758	3.9	7	2	2	3	5	7	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2151**	**4.8**	**17**	**2**	**3**	**4**	**5**	**8**	**10**		**758**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9664	3.7	6	2	2	3	4	7	8	0-17	4531	3.1	3	1	2	3	4	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9664**	**3.7**	**6**	**2**	**2**	**3**	**4**	**7**	**8**		**4531**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**11816**	**3.9**	**8**	**2**	**2**	**3**	**5**	**7**	**8**		**5288**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 99: Respiratory Signs & Symptoms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2177	5.9	25	2	3	5	8	11	17	0-17	198	2.7	5	1	2	2	3	4	7
70-74	1615	6.9	28	2	3	5	9	13	17	18-34	224	3.8	6	1	2	3	6	8	9
75-79	1469	7.6	51	2	3	6	10	15	23	35-49	562	4.3	20	1	2	3	5	9	14
80-84	831	7.7	77	1	2	5	8	19	29	50-69	1748	5.3	23	2	3	4	7	9	12
85 +	699	8.4	83	2	3	6	10	19	31	70 +	69	5.6	4	3	4	6	8	8	8
SUBTOTAL	**6791**	**7.0**	**44**	**2**	**3**	**5**	**9**	**14**	**21**		**2801**	**4.8**	**20**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6791**	**7.0**	**44**	**2**	**3**	**5**	**9**	**14**	**21**		**2801**	**4.8**	**20**	**2**	**2**	**4**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	159	5.4	21	1	2	4	7	14	16	0-17	59	9.8	78	1	1	7	17	25	25
18-34	96	4.5	13	1	2	3	7	12	12	18-34	73	4.1	25	< 1	1	2	5	5	20
35-49	163	4.3	14	1	2	3	7	9	10	35-49	167	3.9	4	1	3	3	5	6	8
50-69	373	5.8	28	1	3	4	7	11	22	50-69	281	5.1	14	1	2	4	7	10	14
70 +	6	11.0								70 +	57	6.2	20	1	3	4	12	13	13
SUBTOTAL	**797**	**5.3**	**22**	**1**	**2**	**4**	**7**	**11**	**15**		**638**	**5.2**	**22**	**1**	**2**	**4**	**7**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**797**	**5.3**	**22**	**1**	**2**	**4**	**7**	**11**	**15**		**638**	**5.2**	**22**	**1**	**2**	**4**	**7**	**10**	**15**

DRG 100: Respiratory Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	878	3.6	7	1	2	3	4	7	9	0-17	917	3.3	7	1	1	2	4	6	9
70-74	591	3.0	3	1	1	3	4	6	7	18-34	660	2.8	3	1	2	2	3	5	7
75-79	363	3.4	5	1	2	3	4	6	7	35-49	1854	2.5	2	1	1	2	3	5	6
80-84	232	3.3	6	1	2	3	4	4	5	50-69	1707	2.5	2	1	2	2	3	4	6
85 +	145	3.5	6	1	1	3	5	6	8	70 +	16	2.7	1						
SUBTOTAL	**2208**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**		**5154**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2208**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**		**5154**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	568	3.4	4	1	2	3	5	6	7	0-17	291	3.0	7	1	2	2	3	4	12
18-34	136	2.4	1	1	2	2	3	4	4	18-34	134	2.4	3	1	1	2	3	6	7
35-49	161	2.4	2	1	1	2	3	4	5	35-49	320	2.5	6	1	1	2	3	7	9
50-69	196	3.8	7	2	2	3	5	6	11	50-69	322	2.6	3	1	1	2	3	5	7
70 +	10	5.0								70 +	22	3.1	2						
SUBTOTAL	**1072**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**1090**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1072**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**1090**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 101: Other Respiratory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1126	8.5	79	2	3	6	10	17	23
70-74	792	9.3	110	2	4	7	11	17	21
75-79	996	8.8	89	2	4	6	10	17	30
80-84	713	8.1	31	2	4	6	11	15	19
85 +	741	10.1	156	3	5	7	11	18	28
SUBTOTAL	**4369**	**8.9**	**93**	**2**	**4**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4369**	**8.9**	**93**	**2**	**4**	**7**	**11**	**17**	**22**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	240	5.3	23	1	2	4	7	11	11
18-34	334	6.3	182	2	2	4	5	9	9
35-49	597	4.8	17	1	2	4	6	11	15
50-69	949	6.8	39	1	2	5	8	16	24
70 +	153	7.7	36	2	3	7	9	21	21
	2273	**6.1**	**53**	**1**	**2**	**4**	**7**	**11**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2273	**6.1**	**53**	**1**	**2**	**4**	**7**	**11**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	4.8	14	2	2	4	5	14	14
18-34	94	5.5	16	2	2	5	7	15	15
35-49	126	5.8	10	1	3	6	8	10	11
50-69	106	6.3	16	1	3	7	9	11	14
70 +	20	15.0	9						
SUBTOTAL	**395**	**6.2**	**18**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**395**	**6.2**	**18**	**2**	**3**	**5**	**8**	**12**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	2.6	2	1	1	3	3	5	5
18-34	183	4.5	15	1	2	3	6	9	16
35-49	155	5.3	13	2	3	5	7	8	10
50-69	210	5.6	15	1	2	6	8	10	15
70 +	75	10.3	47	3	7	7	17	23	23
	672	**5.6**	**20**	**1**	**2**	**5**	**7**	**10**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	672	**5.6**	**20**	**1**	**2**	**5**	**7**	**10**	**16**

DRG 102: Other Respiratory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	342	3.9	12	1	2	3	5	7	9
70-74	236	4.1	7	1	2	4	5	8	9
75-79	191	5.6	15	2	3	4	8	11	17
80-84	128	7.6	127	< 1	2	4	6	12	35
85 +	218	6.5	24	1	3	6	8	12	20
SUBTOTAL	**1116**	**5.2**	**29**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**1116**	**5.2**	**29**	**1**	**2**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	678	2.4	3	1	1	2	3	4	6
18-34	438	2.4	4	1	1	2	3	5	5
35-49	462	3.0	9	1	1	2	3	5	8
50-69	660	3.8	8	1	2	3	6	8	9
70 +	37	4.8	4						
	2275	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
	2275	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	330	3.2	9	1	1	2	4	6	11
18-34	35	5.3	10						
35-49	35	3.1	2						
50-69	49	4.0	14	< 1	2	2	4	11	11
70 +	6	5.0							
SUBTOTAL	**454**	**3.5**	**9**	**1**	**1**	**3**	**4**	**7**	**11**
GRAND TOTAL	**454**	**3.5**	**9**	**1**	**1**	**3**	**4**	**7**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	106	2.6	5	1	2	2	2	3	9
18-34	218	2.8	3	1	1	3	3	5	7
35-49	79	2.0	1	1	1	2	3	3	4
50-69	59	2.8	3	1	1	3	3	6	7
70 +	16	7.1	2						
	479	**2.8**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
	479	**2.8**	**4**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 103: Heart Transplant

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**0**								

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**0**								

DRG 104: Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	428	26.4	199	13	17	22	35	53	61
70-74	434	28.2	285	14	19	24	30	51	63
75-79	334	24.9	189	13	16	21	30	48	76
80-84	124	31.2	180	20	25	26	32	49	69
85 +	31	16.0	3						
SUBTOTAL	**1351**	**26.8**	**224**	**13**	**17**	**22**	**30**	**51**	**63**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	41	12.5	36						
70-74	31	13.3	12						
75-79	41	14.0	35						
80-84	10	13.0							
85 +	0								
SUBTOTAL	**122**	**13.3**	**26**	**6**	**10**	**13**	**18**	**18**	**22**
GRAND TOTAL	**1474**	**25.7**	**221**	**13**	**16**	**22**	**29**	**48**	**63**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	15.0							
18-34	57	18.3	89	8	9	22	24	33	33
35-49	110	26.5	189	11	14	21	34	44	53
50-69	589	23.0	156	13	17	20	26	34	41
70 +	41	42.0	541						
	807	**24.0**	**194**	**13**	**16**	**20**	**27**	**35**	**53**
0-17	10	15.0							
18-34	0								
35-49	31	10.0	2						
50-69	71	17.3	43	8	13	15	23	29	29
70 +	0								
	112	**15.1**	**38**	**9**	**9**	**14**	**19**	**23**	**29**
	919	**22.9**	**183**	**12**	**15**	**20**	**26**	**34**	**53**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	31	17.3	17						
50-69	0								
70 +	10	19.0							
SUBTOTAL	**41**	**17.8**	**13**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	8.0							
18-34	0								
35-49	0								
50-69	20	20.0	4						
70 +	0								
SUBTOTAL	**31**	**16.0**	**36**						
GRAND TOTAL	**71**	**17.0**	**23**	**8**	**14**	**18**	**22**	**23**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	31	19.3	39						
50-69	41	22.3	91						
70 +	0								
	71	**21.0**	**70**	**12**	**13**	**19**	**27**	**36**	**36**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	71	**21.0**	**70**	**12**	**13**	**19**	**27**	**36**	**36**

DRG 105: Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	697	16.2	57	9	11	15	18	26	35	0-17	10	7.0							
70-74	615	17.1	80	9	11	15	20	31	40	18-34	71	11.4	29	3	8	10	16	21	21
75-79	397	16.5	64	9	11	14	20	27	40	35-49	312	15.6	260	8	9	11	17	22	44
80-84	128	21.6	138	11	14	17	21	41	51	50-69	1074	13.9	87	8	9	11	15	19	23
85 +	10	16.0								70 +	41	14.8	16						
SUBTOTAL	**1848**	**16.9**	**73**	**9**	**11**	**15**	**20**	**30**	**38**		**1508**	**14.1**	**119**	**8**	**9**	**11**	**15**	**20**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	130	11.1	6	8	10	12	14	14	14	0-17	0								
70-74	41	11.3	1							18-34	41	8.5	3						
75-79	61	11.0	7	8	9	10	14	15	15	35-49	82	9.5	2	8	8	9	10	12	12
80-84	26	15.9	35							50-69	179	10.1	7	8	8	9	12	14	17
85 +	0									70 +	0								
SUBTOTAL	**259**	**11.6**	**10**	**8**	**10**	**11**	**14**	**15**	**15**		**302**	**9.7**	**5**	**8**	**8**	**9**	**11**	**13**	**14**
GRAND TOTAL	**2107**	**16.3**	**69**	**9**	**11**	**14**	**20**	**27**	**37**		**1810**	**13.4**	**102**	**8**	**9**	**11**	**14**	**19**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	8.0								0-17	0								
18-34	51	25.6	376							18-34	26	12.2	10						
35-49	47	11.5	17	8	8	15	17	99 +	99 +	35-49	31	11.3	1						
50-69	51	20.8	385							50-69	57	12.9	14	8	11	13	13	20	20
70 +	0									70 +	0								
SUBTOTAL	**159**	**18.8**	**285**	**8**	**8**	**10**	**22**	**58**	**99 +**		**114**	**12.3**	**10**	**9**	**11**	**12**	**13**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	10	7.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**10**	**7.0**							
GRAND TOTAL	**159**	**18.8**	**285**	**8**	**8**	**10**	**22**	**58**	**99 +**		**124**	**11.9**	**11**	**7**	**10**	**11**	**13**	**16**	**20**

DRG 106: Coronary Bypass w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1848	19.2	87	11	13	17	23	29	34	0-17	0								
70-74	1463	20.4	127	11	13	16	26	35	43	18-34	6	6.0							
75-79	901	19.0	62	12	14	18	23	30	36	35-49	461	14.4	39	10	11	12	15	21	29
80-84	194	23.2	92	14	16	19	31	44	73	50-69	2535	16.8	89	10	12	14	19	24	34
85 +	20	27.0	1							70 +	61	23.7	72	12	14	25	32	34	34
SUBTOTAL	**4426**	**19.8**	**96**	**11**	**13**	**17**	**24**	**32**	**39**		**3063**	**16.5**	**83**	**10**	**11**	**14**	**18**	**25**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	546	13.2	11	9	11	13	15	18	20	0-17	0								
70-74	401	15.0	14	9	12	15	18	19	22	18-34	20	8.5	7						
75-79	143	15.9	18	11	13	14	17	23	25	35-49	373	12.0	13	9	10	11	14	17	21
80-84	10	24.0								50-69	1074	13.6	15	9	10	13	16	18	21
85 +	10	15.0								70 +	31	13.3	12						
SUBTOTAL	**1111**	**14.3**	**15**	**9**	**12**	**14**	**16**	**19**	**22**		**1498**	**13.1**	**15**	**9**	**10**	**12**	**15**	**18**	**21**
GRAND TOTAL	**5537**	**18.7**	**85**	**11**	**13**	**16**	**22**	**30**	**37**		**4561**	**15.4**	**63**	**9**	**11**	**13**	**17**	**22**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	20	12.5	13							35-49	31	11.7	4						
50-69	132	19.3	55	10	15	20	26	29	31	50-69	57	16.0	35	7	12	16	19	26	26
70 +	20	30.5	116							70 +	10	20.0							
SUBTOTAL	**173**	**19.8**	**77**	**9**	**15**	**20**	**26**	**31**	**41**		**98**	**15.1**	**28**	**9**	**12**	**14**	**19**	**25**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	20	15.5	21							35-49	10	9.0							
50-69	31	14.0	5							50-69	20	15.5	44						
70 +	10	14.0								70 +	0								
SUBTOTAL	**61**	**14.5**	**10**	**11**	**12**	**13**	**17**	**20**	**20**		**31**	**13.3**	**39**						
GRAND TOTAL	**234**	**18.4**	**65**	**10**	**12**	**16**	**22**	**29**	**31**		**128**	**14.7**	**31**	**9**	**9**	**13**	**19**	**22**	**26**

DRG 107: Coronary Bypass w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2882	12.5	61	8	9	10	13	19	24	0-17	0								
70-74	1667	13.1	57	8	9	11	14	21	27	18-34	22	6.5							
75-79	897	15.4	132	8	9	12	17	25	33	35-49	952	9.6	9	6	7	9	11	13	15
80-84	153	14.2	26	9	9	13	18	21	25	50-69	4502	11.3	52	7	8	10	12	16	20
85+	16	16.9	2							70+	77	14.4	30	10	11	12	18	26	26
SUBTOTAL	**5614**	**13.2**	**71**	**8**	**9**	**11**	**15**	**21**	**27**		**5553**	**11.0**	**45**	**7**	**8**	**10**	**12**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	744	9.5	5	7	8	9	10	13	15	0-17	0								
70-74	426	10.4	8	7	9	10	12	13	14	18-34	0								
75-79	257	11.6	28	7	9	10	12	22	24	35-49	548	8.1	3	6	7	8	9	11	12
80-84	10	11.0								50-69	1946	8.8	3	7	8	9	10	11	12
85+	0									70+	20	11.5	7						
SUBTOTAL	**1437**	**10.2**	**11**	**7**	**8**	**9**	**11**	**13**	**16**		**2515**	**8.7**	**3**	**7**	**7**	**8**	**9**	**11**	**12**
GRAND TOTAL	**7051**	**12.6**	**60**	**8**	**9**	**10**	**13**	**19**	**25**		**8068**	**10.3**	**33**	**7**	**8**	**9**	**11**	**14**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	92	9.9	14	7	7	9	10	20	20	35-49	49	9.5	9	7	7	9	9	15	15
50-69	226	13.2	16	8	10	13	17	19	20	50-69	271	10.2	7	8	9	10	11	14	15
70+	10	10.0								70+	10	15.0							
SUBTOTAL	**328**	**12.2**	**17**	**7**	**9**	**11**	**15**	**19**	**20**		**330**	**10.3**	**8**	**7**	**9**	**9**	**11**	**15**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	41	8.8	1							35-49	41	9.8	10						
50-69	31	10.3								50-69	102	8.9	4	8	8	8	9	11	15
70+	0									70+	0								
SUBTOTAL	**71**	**9.4**	**1**	**8**	**8**	**10**	**10**	**11**	**11**		**143**	**9.1**	**6**	**8**	**8**	**8**	**9**	**15**	**15**
GRAND TOTAL	**399**	**11.7**	**15**	**7**	**9**	**10**	**14**	**18**	**20**		**473**	**9.9**	**7**	**7**	**8**	**9**	**11**	**15**	**15**

DRG 108: Other Cardiothoracic or Vascular Procedures, w/ Pump

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1164	17.9	135	9	11	16	23	29	55	0-17	61	6.2	3	4	5	6	7	9	9
70-74	728	19.8	122	10	12	17	24	37	53	18-34	51	11.4	17						
75-79	338	21.9	157	10	13	17	28	44	50	35-49	283	14.1	101	7	9	12	15	35	56
80-84	92	32.2	246	15	18	33	50	81	99 +	50-69	1508	17.2	167	8	10	14	19	30	38
85 +	26	17.8	34							70 +	26	10.8	6						
SUBTOTAL	**2348**	**19.6**	**146**	**9**	**12**	**16**	**24**	**37**	**54**		**1930**	**16.2**	**151**	**7**	**9**	**13**	**19**	**29**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	194	10.3	4	8	9	10	12	14	14	0-17	143	6.6	4	4	6	6	8	10	10
70-74	92	15.9	19	10	12	16	20	24	24	18-34	31	7.3	3						
75-79	10	16.0								35-49	98	8.1	6	5	6	8	9	13	14
80-84	0									50-69	399	11.5	17	7	8	11	15	17	21
85 +	0									70 +	10	17.0							
SUBTOTAL	**296**	**12.2**	**16**	**8**	**9**	**11**	**14**	**20**	**20**		**681**	**9.9**	**17**	**6**	**7**	**9**	**12**	**16**	**18**
GRAND TOTAL	**2643**	**18.8**	**137**	**9**	**12**	**16**	**23**	**34**	**50**		**2611**	**14.6**	**124**	**7**	**8**	**11**	**17**	**24**	**35**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	12.0								0-17	0								
18-34	0									18-34	10	9.0							
35-49	47	17.7	82							35-49	47	16.7	42						
50-69	71	26.6	710	7	9	11	39	86	86	50-69	98	22.3	76	11	11	26	31	33	34
70 +	0									70 +	0								
SUBTOTAL	**128**	**22.2**	**448**	**7**	**10**	**13**	**24**	**39**	**86**		**155**	**19.7**	**75**	**9**	**11**	**22**	**27**	**31**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	61	7.2	9	4	5	6	9	13	13	0-17	10	4.0							
18-34	10	1.0								18-34	10	7.0							
35-49	20	7.5								35-49	0								
50-69	10	8.0								50-69	10	10.0							
70 +	0									70 +	20	10.0	4						
SUBTOTAL	**102**	**6.7**	**9**	**2**	**5**	**7**	**8**	**11**	**13**		**51**	**8.2**	**8**						
GRAND TOTAL	**230**	**15.3**	**312**	**5**	**7**	**9**	**15**	**34**	**39**		**206**	**16.9**	**83**	**8**	**9**	**12**	**24**	**31**	**32**

DRG 109: Other Cardiothoracic Procedures w/o Pump

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	320	16.0	168	4	9	13	22	29	72	0-17	47	13.6	300						
70-74	332	16.3	91	5	8	15	23	29	33	18-34	51	13.4	123						
75-79	230	15.1	140	4	7	13	23	26	28	35-49	163	10.8	27	3	6	12	14	18	20
80-84	177	14.7	74	4	11	13	18	29	38	50-69	558	16.1	108	7	8	14	23	32	37
85 +	135	14.7	98	4	5	13	19	29	36	70 +	0								
SUBTOTAL	**1194**	**15.6**	**119**	**4**	**8**	**13**	**22**	**29**	**36**		**819**	**14.7**	**108**	**4**	**7**	**12**	**21**	**32**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	8.0	42	2	3	4	15	19	19	0-17	61	4.2	2	2	4	4	4	7	7
70-74	31	15.0	11							18-34	53	9.0	59	2	5	6	9	24	24
75-79	57	10.0	24	2	7	10	15	16	16	35-49	157	8.4	7	6	6	9	10	13	13
80-84	37	6.9	3							50-69	94	7.0	27	2	3	6	8	20	20
85 +	41	9.3	4							70 +	0								
SUBTOTAL	**228**	**9.5**	**26**	**3**	**5**	**10**	**15**	**16**	**19**		**365**	**7.4**	**21**	**2**	**4**	**7**	**9**	**13**	**20**
GRAND TOTAL	**1422**	**14.6**	**109**	**4**	**8**	**12**	**19**	**29**	**33**		**1184**	**12.5**	**93**	**4**	**6**	**9**	**16**	**24**	**33**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	41	7.3	9							0-17	10	5.0							
18-34	10	37.0								18-34	37	13.1	12						
35-49	51	23.4	352							35-49	26	8.5	8						
50-69	10	4.0								50-69	33	13.2	21						
70 +	10	13.0								70 +	0								
SUBTOTAL	**122**	**16.7**	**246**	**4**	**5**	**10**	**25**	**37**	**56**		**106**	**11.2**	**20**	**6**	**7**	**12**	**13**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	92	4.1	5	2	2	4	4	9	9	0-17	20	3.5	2						
18-34	0									18-34	20	4.5	7						
35-49	10	6.0								35-49	6	9.0							
50-69	0									50-69	20	8.5	2						
70 +	0									70 +	0								
SUBTOTAL	**102**	**4.3**	**4**	**2**	**2**	**4**	**6**	**7**	**9**		**67**	**5.8**	**9**	**2**	**2**	**7**	**7**	**10**	**10**
GRAND TOTAL	**224**	**11.0**	**174**	**2**	**4**	**6**	**12**	**26**	**37**		**173**	**9.1**	**23**	**2**	**6**	**8**	**12**	**15**	**17**

DRG 110: Major Reconstructive Vascular Proc w/o Pump w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4752	18.4	252	7	9	13	21	43	64	0-17	10	6.0							
70-74	4165	19.0	215	8	10	14	24	40	56	18-34	41	9.0	23						
75-79	3639	19.3	197	8	10	15	24	42	60	35-49	536	11.7	55	5	7	10	14	19	28
80-84	1987	20.3	204	8	11	16	27	41	51	50-69	4236	14.7	157	6	8	10	17	28	37
85 +	845	20.0	126	10	13	18	24	43	50	70 +	216	13.7	52	6	8	11	19	27	27
SUBTOTAL	**15388**	**19.1**	**216**	**8**	**10**	**15**	**24**	**42**	**58**		**5039**	**14.3**	**141**	**6**	**8**	**10**	**16**	**27**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15388**	**19.1**	**216**	**8**	**10**	**15**	**24**	**42**	**58**		**5039**	**14.3**	**141**	**6**	**8**	**10**	**16**	**27**	**37**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	8.0								0-17	0								
18-34	0									18-34	6	10.0							
35-49	102	21.1	151	11	12	22	30	50	99 +	35-49	73	16.4	186	4	8	9	20	29	53
50-69	322	25.3	394	8	10	19	33	69	71	50-69	245	18.1	145	8	10	16	26	54	99 +
70 +	71	26.6	233	11	13	24	37	58	58	70 +	33	29.4	446						
SUBTOTAL	**505**	**24.3**	**322**	**8**	**11**	**19**	**32**	**65**	**71**		**357**	**18.6**	**190**	**8**	**9**	**15**	**26**	**53**	**60**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**505**	**24.3**	**322**	**8**	**11**	**19**	**32**	**65**	**71**		**357**	**18.6**	**190**	**8**	**9**	**15**	**26**	**53**	**60**

DRG 111: Major Reconstructive Vascular Proc w/o Pump w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1259	9.0	17	5	6	9	11	13	16	0-17	47	4.3							
70-74	1139	10.1	38	5	7	9	11	13	20	18-34	10	7.0							
75-79	825	10.7	43	5	7	9	13	16	20	35-49	306	6.8	7	4	5	6	8	10	11
80-84	405	12.1	35	7	8	10	14	24	25	50-69	2152	8.7	13	5	6	8	10	13	15
85 +	177	11.5	28	7	8	10	13	15	22	70 +	71	7.3	12	3	4	6	11	11	13
SUBTOTAL	**3806**	**10.2**	**32**	**5**	**7**	**9**	**12**	**15**	**20**		**2586**	**8.3**	**12**	**4**	**6**	**8**	**10**	**12**	**14**
GRAND TOTAL	**3806**	**10.2**	**32**	**5**	**7**	**9**	**12**	**15**	**20**		**2586**	**8.3**	**12**	**4**	**6**	**8**	**10**	**12**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	6.0								0-17	0								
18-34	0									18-34	0								
35-49	10	10.0								35-49	22	7.4	5						
50-69	147	9.5	29	4	7	8	11	20	20	50-69	153	9.3	17	3	7	9	12	16	16
70 +	10	15.0								70 +	55	16.9	215	3	9	11	16	46	46
SUBTOTAL	**177**	**9.7**	**27**	**4**	**7**	**8**	**11**	**15**	**20**		**230**	**10.9**	**74**	**4**	**7**	**9**	**12**	**16**	**18**
GRAND TOTAL	**177**	**9.7**	**27**	**4**	**7**	**8**	**11**	**15**	**20**		**230**	**10.9**	**74**	**4**	**7**	**9**	**12**	**16**	**18**

DRG 112: Vascular Procedures except Major Reconstruction w/o Pump

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5887	8.3	74	2	3	6	10	17	23	0-17	41	2.5	2						
70-74	3568	10.2	94	2	4	7	12	21	28	18-34	212	4.8	11	2	2	3	6	10	11
75-79	2211	11.4	112	3	5	9	13	23	40	35-49	2684	5.6	17	2	3	4	8	11	14
80-84	1182	13.7	153	3	5	10	18	35	48	50-69	7940	7.3	42	2	3	5	9	15	18
85 +	937	15.8	225	4	7	11	18	37	49	70 +	245	7.7	37	3	4	6	9	17	18
SUBTOTAL	**13786**	**10.2**	**107**	**2**	**4**	**7**	**12**	**22**	**30**		**11121**	**6.8**	**36**	**2**	**3**	**5**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3831	5.0	15	2	3	4	7	10	12	0-17	41	11.0	186						
70-74	2621	5.2	17	2	3	4	7	10	13	18-34	471	4.7	15	1	2	3	6	9	13
75-79	1292	6.0	20	2	3	5	9	13	16	35-49	3640	4.7	14	2	2	3	6	10	12
80-84	477	6.5	24	2	3	5	8	13	16	50-69	9491	4.7	12	2	2	3	6	9	12
85 +	192	6.5	18	1	2	6	10	14	16	70 +	165	6.7	48	1	2	4	8	16	27
SUBTOTAL	**8413**	**5.4**	**17**	**2**	**3**	**4**	**7**	**10**	**13**		**13807**	**4.7**	**14**	**2**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**22198**	**8.4**	**79**	**2**	**3**	**6**	**10**	**18**	**24**		**24928**	**5.7**	**25**	**2**	**3**	**4**	**7**	**11**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	6.0								0-17	0								
18-34	47	3.3	3							18-34	31	19.3	182						
35-49	232	6.7	13	2	4	6	9	13	14	35-49	173	11.6	66	2	5	9	15	25	29
50-69	507	8.0	47	2	3	6	11	15	19	50-69	418	10.1	71	2	5	8	11	23	33
70 +	16	22.8	225							70 +	49	9.6	50	3	4	8	15	21	21
SUBTOTAL	**813**	**7.6**	**43**	**2**	**3**	**6**	**10**	**14**	**19**		**670**	**10.9**	**77**	**2**	**5**	**9**	**15**	**25**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	2.0								0-17	0								
18-34	53	10.3	201	1	3	4	5	39	39	18-34	26	8.9	17						
35-49	165	3.8	5	2	2	3	4	9	9	35-49	306	5.8	16	2	3	5	8	12	15
50-69	401	3.7	5	2	2	3	5	6	8	50-69	395	4.5	12	1	2	4	7	9	11
70 +	10	12.0								70 +	20	1.5							
SUBTOTAL	**640**	**4.4**	**25**	**2**	**2**	**3**	**5**	**7**	**9**		**748**	**5.1**	**14**	**1**	**2**	**4**	**7**	**11**	**14**
GRAND TOTAL	**1453**	**6.2**	**38**	**2**	**3**	**4**	**8**	**13**	**15**		**1418**	**7.9**	**52**	**1**	**3**	**6**	**10**	**16**	**24**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1133	29.3	479	9	14	24	43	78	99 +	0-17	0								
70-74	827	23.9	275	7	12	20	36	66	99 +	18-34	10	84.0							
75-79	907	23.7	344	8	12	19	32	72	95	35-49	132	29.7	450	8	13	28	36	69	74
80-84	894	23.3	307	8	13	19	29	61	71	50-69	623	30.3	425	9	15	25	39	66	73
85 +	1279	20.3	296	6	10	15	26	49	70	70 +	53	39.2	705	8	17	39	52	83	83
SUBTOTAL	**5040**	**24.1**	**354**	**8**	**11**	**19**	**34**	**66**	**93**		**819**	**31.4**	**481**	**9**	**15**	**25**	**41**	**69**	**75**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	15.2	51							0-17	0								
70-74	67	15.8	34	10	10	16	22	24	24	18-34	0								
75-79	53	15.0	286	3	7	7	13	59	59	35-49	10	27.0							
80-84	51	24.9	353	7	15	16	31	71	71	50-69	26	30.0	384						
85 +	57	7.6	21	2	5	7	12	16	17	70 +	0								
SUBTOTAL	**267**	**15.5**	**173**	**5**	**7**	**12**	**20**	**26**	**31**		**37**	**29.2**	**276**						
GRAND TOTAL	**5307**	**23.6**	**348**	**7**	**11**	**18**	**32**	**65**	**90**		**856**	**31.3**	**472**	**9**	**15**	**26**	**41**	**67**	**74**

TYPE OF PATIENT	MEDICAID										NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	47	31.2	73							35-49	0								
50-69	130	37.1	456	16	19	38	48	70	81	50-69	112	38.6	862	9	11	26	57	89	91
70 +	26	18.2	27							70 +	37	40.1	10						
SUBTOTAL	**204**	**33.3**	**351**	**13**	**19**	**32**	**42**	**70**	**81**		**149**	**39.0**	**651**	**9**	**24**	**33**	**44**	**89**	**91**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**204**	**33.3**	**351**	**13**	**19**	**32**	**42**	**70**	**81**		**149**	**39.0**	**651**	**9**	**24**	**33**	**44**	**89**	**91**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	595	20.0	349	5	9	12	27	54	72	0-17	0								
70-74	375	20.6	342	5	7	14	28	55	85	18-34	20	27.5	116						
75-79	389	15.2	147	3	7	12	19	27	35	35-49	108	8.4	19	5	7	8	10	13	22
80-84	263	15.7	157	2	6	14	20	35	44	50-69	619	15.3	160	5	7	12	18	30	36
85 +	210	17.9	131	9	9	15	24	30	37	70 +	22	13.7	21						
SUBTOTAL	**1831**	**18.3**	**257**	**4**	**8**	**13**	**24**	**42**	**61**		**770**	**14.6**	**145**	**5**	**7**	**11**	**18**	**30**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	73	12.9	95	3	4	12	22	29	29	0-17	0								
70-74	77	17.2	196	2	6	16	21	47	47	18-34	6	6.0							
75-79	26	4.4	5							35-49	0								
80-84	26	10.9	4							50-69	37	5.4	25						
85 +	12	16.5	2							70 +	0								
SUBTOTAL	**216**	**13.3**	**119**	**2**	**4**	**11**	**20**	**25**	**29**		**43**	**5.5**	**22**						
GRAND TOTAL	**2047**	**17.7**	**244**	**4**	**7**	**13**	**23**	**40**	**56**		**813**	**14.2**	**143**	**4**	**7**	**11**	**17**	**30**	**37**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	10	4.0							
35-49	41	14.0	105							35-49	90	19.7	452	2	8	14	15	74	74
50-69	86	23.6	213	9	14	19	28	55	55	50-69	63	25.4	563	8	8	18	28	53	91
70 +	10	5.0								70 +	10	15.0							
SUBTOTAL	**137**	**19.3**	**199**	**5**	**9**	**15**	**26**	**41**	**55**		**173**	**20.6**	**463**	**4**	**8**	**14**	**27**	**36**	**74**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	10	7.0							
35-49	0									35-49	0								
50-69	22	7.5	58							50-69	0								
70 +	0									70 +	10	8.0							
SUBTOTAL	**22**	**7.5**	**58**								**20**	**7.5**							
GRAND TOTAL	**159**	**17.7**	**196**	**3**	**5**	**15**	**26**	**39**	**55**		**194**	**19.2**	**430**	**4**	**8**	**14**	**22**	**36**	**74**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	73	20.8	530	8	10	13	15	77	77
70-74	143	15.4	75	6	8	15	25	27	29
75-79	224	13.9	66	7	9	12	15	23	30
80-84	143	19.9	303	5	10	14	23	51	65
85 +	175	22.4	283	9	11	16	27	53	53
SUBTOTAL	**758**	**17.9**	**218**	**6**	**10**	**13**	**21**	**30**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	12	7.5	7						
75-79	6	8.0							
80-84	6	10.0							
85 +	10	16.0							
SUBTOTAL	**35**	**10.5**	**16**						
GRAND TOTAL	**793**	**17.6**	**211**	**6**	**9**	**13**	**20**	**30**	**53**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	33	9.1	14						
70 +	0								
	33	**9.1**	**14**						
0-17	0								
18-34	0								
35-49	10	9.0							
50-69	20	6.5	13						
70 +	0								
	31	**7.3**	**10**						
	63	**8.2**	**13**	**3**	**3**	**9**	**11**	**12**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	22.0							
70 +	10	87.0							
SUBTOTAL	**20**	**54.5**	**1111**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20**	**54.5**	**1111**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	6	12.0							
	6	**12.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6	**12.0**							

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1115	11.1	135	3	4	8	15	21	31
70-74	1471	12.4	197	3	5	9	13	24	35
75-79	2039	10.4	69	3	5	8	13	18	24
80-84	2166	13.1	146	3	5	10	16	24	38
85 +	2257	12.7	122	3	6	10	17	23	29
SUBTOTAL	**9048**	**12.0**	**130**	**3**	**5**	**9**	**15**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	646	4.6	5	2	3	4	6	8	9
70-74	1002	6.2	19	2	3	5	8	12	17
75-79	839	5.7	12	2	3	5	7	9	11
80-84	976	7.6	78	3	3	6	9	12	16
85 +	937	7.5	25	2	4	6	10	14	16
SUBTOTAL	**4401**	**6.4**	**31**	**2**	**3**	**5**	**8**	**12**	**15**
GRAND TOTAL	**13449**	**10.2**	**105**	**3**	**4**	**8**	**12**	**19**	**25**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	6.0							
18-34	26	3.4	7						
35-49	130	6.4	25	3	3	4	8	8	22
50-69	842	11.9	144	3	5	9	15	21	30
70 +	185	11.0	50	4	5	9	16	23	26
	1194	**10.9**	**116**	**3**	**4**	**8**	**14**	**22**	**26**
0-17	10	4.0							
18-34	33	7.7	8						
35-49	94	5.0	7	1	2	6	7	8	9
50-69	652	5.5	15	2	3	4	6	11	12
70 +	130	5.9	25	2	3	4	8	11	20
	919	**5.6**	**16**	**2**	**3**	**5**	**7**	**11**	**12**
	2113	**8.6**	**79**	**2**	**4**	**6**	**10**	**19**	**23**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	26	6.8	44						
50-69	69	14.4	52	3	10	14	18	21	30
70 +	73	13.0	55	7	9	11	12	36	99 +
SUBTOTAL	**169**	**12.6**	**58**	**3**	**9**	**12**	**15**	**30**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	6.5	4						
35-49	0								
50-69	33	7.0	16						
70 +	16	8.3	1						
SUBTOTAL	**65**	**7.2**	**10**	**2**	**5**	**7**	**9**	**12**	**12**
GRAND TOTAL	**234**	**11.1**	**51**	**2**	**7**	**11**	**14**	**21**	**34**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	21.0	64						
50-69	141	7.4	32	2	3	6	10	16	16
70 +	88	15.1	102	1	8	15	20	23	43
	244	**11.0**	**79**	**2**	**4**	**9**	**16**	**23**	**27**
0-17	6	2.0							
18-34	0								
35-49	6	4.0							
50-69	20	4.0	1						
70 +	51	6.6	24	1	3	5	12	15	15
	84	**5.4**	**17**	**1**	**3**	**4**	**6**	**12**	**15**
	328	**9.6**	**69**	**2**	**4**	**7**	**12**	**21**	**27**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	84	8.7	69	2	4	6	10	14	35	0-17	0								
70-74	122	6.7	49	1	2	4	7	21	22	18-34	6	4.0							
75-79	136	8.9	29	2	3	9	13	16	16	35-49	0								
80-84	53	10.2	278	1	1	2	4	44	44	50-69	39	12.8	18						
85 +	114	10.2	121	1	3	7	10	31	40	70 +	16	8.5	4						
SUBTOTAL	**509**	**8.8**	**88**	**1**	**3**	**5**	**11**	**21**	**31**		**61**	**10.8**	**21**	**5**	**7**	**11**	**13**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	77	4.0	7	1	2	4	4	5	12	0-17	0								
70-74	37	3.4	1							18-34	10	2.0							
75-79	59	4.8	7	2	2	4	5	10	10	35-49	20	2.5	2						
80-84	59	3.9	2	2	2	4	5	6	6	50-69	29	4.9	11						
85 +	84	6.4	109	2	2	2	5	34	34	70 +	0								
SUBTOTAL	**316**	**4.7**	**33**	**2**	**2**	**4**	**5**	**6**	**11**		**59**	**3.6**	**8**	**1**	**1**	**2**	**5**	**9**	**9**
GRAND TOTAL	**825**	**7.2**	**71**	**2**	**2**	**4**	**8**	**16**	**31**		**120**	**7.2**	**27**	**1**	**2**	**6**	**11**	**14**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	4.0								0-17	0								
18-34	10	3.0								18-34	0								
35-49	0									35-49	0								
50-69	20	21.0	85							50-69	0								
70 +	0									70 +	10	20.0							
SUBTOTAL	**41**	**12.3**	**120**								**10**	**20.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	10	3.0							
35-49	0									35-49	0								
50-69	0									50-69	12	2.0	1						
70 +	0									70 +	10	1.0							
SUBTOTAL	**0**										**33**	**2.0**	**1**						
GRAND TOTAL	**41**	**12.3**	**120**								**43**	**6.3**	**61**						

DRG 118: Cardiac Pacemaker Device Replacement

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	194	7.4	75	1	1	4	10	28	29
70-74	151	5.8	20	2	3	4	9	11	12
75-79	291	4.9	15	1	2	3	7	10	13
80-84	285	4.5	22	1	1	3	6	10	15
85 +	407	6.9	62	1	2	4	9	16	36
SUBTOTAL	**1328**	**5.9**	**41**	**1**	**2**	**3**	**7**	**13**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	137	3.2	10	< 1	1	2	4	9	9
70-74	161	2.8	7	1	1	2	3	7	11
75-79	263	3.2	16	1	1	2	3	9	14
80-84	206	2.9	4	1	2	3	3	6	7
85 +	393	4.0	52	1	2	3	4	5	9
SUBTOTAL	**1159**	**3.4**	**24**	**1**	**1**	**2**	**3**	**6**	**10**
GRAND TOTAL	**2488**	**4.7**	**35**	**1**	**2**	**3**	**5**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	10	3.0							
35-49	0								
50-69	92	7.5	390	2	2	2	3	3	81
70 +	16	3.1	2						
	128	**6.1**	**283**	**2**	**2**	**2**	**3**	**3**	**13**
0-17	0								
18-34	10	2.0							
35-49	33	2.6	1						
50-69	163	2.2	1	< 1	1	2	3	4	4
70 +	12	2.5							
	218	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
	346	**3.7**	**109**	**1**	**2**	**2**	**3**	**4**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	2.0							
18-34	0								
35-49	0								
50-69	20	2.5							
70 +	10	6.0							
SUBTOTAL	**41**	**3.3**	**3**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	10	12.0							
SUBTOTAL	**10**	**12.0**							
GRAND TOTAL	**51**	**5.0**	**15**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	21.0							
70 +	6	8.0							
	16	**16.1**	**42**						
0-17	0								
18-34	6	3.0							
35-49	0								
50-69	0								
70 +	0								
	6	**3.0**							
	22	**12.5**	**66**						

DRG 119: Vein Ligation & Stripping

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	173	9.0	53	2	4	7	11	22	23	0-17	0								
70-74	88	9.8	109	3	4	5	13	35	35	18-34	96	2.5	6	1	1	2	3	9	9
75-79	55	10.6	41	1	6	11	14	23	23	35-49	293	4.1	36	1	1	2	3	7	25
80-84	98	12.9	418	1	5	6	11	23	88	50-69	322	6.0	46	1	2	3	11	13	18
85 +	26	4.0	10							70 +	0								
SUBTOTAL	**440**	**9.9**	**144**	**2**	**4**	**6**	**12**	**23**	**27**		**711**	**4.7**	**38**	**1**	**1**	**2**	**4**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	654	3.8	15	1	2	2	4	7	15	0-17	0								
70-74	226	5.6	55	1	2	3	5	12	27	18-34	1404	2.0	2	1	1	2	3	3	4
75-79	124	3.5	8	1	1	2	4	9	9	35-49	2858	2.3	4	1	1	2	3	4	5
80-84	41	7.3	8	4	4	7	10	11	11	50-69	1648	2.7	4	1	1	2	3	6	6
85 +	33	5.8	40							70 +	22	4.5	11						
SUBTOTAL	**1078**	**4.3**	**24**	**1**	**2**	**3**	**4**	**9**	**15**		**5932**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1518**	**5.9**	**65**	**1**	**2**	**3**	**7**	**14**	**22**		**6643**	**2.6**	**8**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	26	3.0	3							18-34	10	3.0							
35-49	10	2.0								35-49	10	4.0							
50-69	49	4.6	14	1	2	4	6	13	13	50-69	16	4.3	1						
70 +	0									70 +	0								
SUBTOTAL	**86**	**3.8**	**10**	**1**	**2**	**3**	**5**	**6**	**13**		**37**	**3.8**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	141	3.0	8	1	1	2	4	5	12	18-34	96	2.1	2	1	1	2	2	5	6
35-49	157	2.6	2	1	2	2	3	4	4	35-49	155	1.7	1	1	1	1	3	3	3
50-69	33	3.3	4							50-69	102	2.4	3	1	1	2	3	4	7
70 +	0									70 +	0								
SUBTOTAL	**330**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**352**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**416**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**		**389**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 120: Other Circulatory System O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1221	15.5	241	2	4	12	22	34	49	0-17	12	6.0	1						
70-74	746	21.4	399	4	10	16	30	80	99 +	18-34	90	8.7	98	1	1	3	12	33	33
75-79	740	23.1	370	6	9	17	32	53	77	35-49	189	13.1	25	8	9	14	17	20	74
80-84	495	21.8	301	6	12	19	37	93	99 +	50-69	901	16.4	214	3	7	12	23	37	58
85 +	403	30.0	496	6	13	23	48	61	77	70 +	53	14.8	50	4	7	15	19	25	25
SUBTOTAL	**3604**	**20.7**	**357**	**3**	**8**	**15**	**30**	**55**	**88**		**1245**	**15.1**	**173**	**2**	**7**	**12**	**20**	**33**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	228	10.3	57	1	4	10	16	22	23	0-17	20	5.0	1						
70-74	100	9.7	61	2	2	8	19	20	25	18-34	63	5.1	8	1	1	5	7	9	9
75-79	139	14.4	115	2	4	12	23	31	31	35-49	112	8.3	29	1	4	11	12	13	18
80-84	187	18.0	343	3	6	15	24	28	85	50-69	185	15.8	171	4	6	12	20	45	48
85 +	86	22.1	677	1	5	16	21	89	89	70 +	16	9.6	56						
SUBTOTAL	**740**	**14.3**	**230**	**2**	**4**	**11**	**20**	**25**	**31**		**397**	**11.2**	**111**	**1**	**4**	**9**	**13**	**20**	**41**
GRAND TOTAL	**4344**	**19.6**	**341**	**3**	**8**	**14**	**27**	**51**	**81**		**1642**	**14.2**	**161**	**2**	**6**	**11**	**19**	**31**	**45**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	20	23.5	44							18-34	16	6.6	20						
35-49	37	40.3	727							35-49	51	25.8	135						
50-69	165	29.3	653	6	10	24	55	75	77	50-69	41	13.2	89	4	5	13	31	99 +	99 +
70 +	61	31.0	180	9	24	29	46	48	48	70 +	18	35.0	979						
SUBTOTAL	**283**	**30.7**	**530**	**6**	**10**	**26**	**48**	**72**	**77**		**126**	**20.6**	**304**	**5**	**11**	**16**	**31**	**78**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	20.0								18-34	10	12.0							
35-49	43	21.9	51							35-49	10	7.0							
50-69	26	29.2	285							50-69	26	7.8	39						
70 +	0									70 +	10	22.0							
SUBTOTAL	**75**	**24.3**	**140**	**8**	**21**	**22**	**27**	**49**	**49**		**57**	**11.0**	**48**	**4**	**5**	**7**	**19**	**22**	**22**
GRAND TOTAL	**359**	**29.3**	**454**	**6**	**12**	**24**	**46**	**70**	**75**		**183**	**17.6**	**244**	**4**	**7**	**15**	**22**	**46**	**99 +**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4691	11.8	49	6	8	10	13	19	25	0-17	0								
70-74	4369	12.5	65	6	8	11	14	21	26	18-34	45	15.8	252	8	8	9	13	55	55
75-79	5791	12.9	59	7	8	11	15	22	28	35-49	723	9.5	19	6	7	9	11	14	18
80-84	5231	14.1	121	7	8	11	16	23	31	50-69	4500	10.9	37	6	8	10	12	16	21
85 +	4431	14.3	108	7	8	11	16	25	35	70 +	456	12.9	48	7	8	11	15	21	31
SUBTOTAL	**24513**	**13.1**	**81**	**7**	**8**	**11**	**15**	**22**	**29**		**5724**	**10.9**	**38**	**6**	**8**	**10**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	120	9.8	22	7	8	9	10	13	21	0-17	0								
70-74	157	8.7	14	4	6	8	12	13	13	18-34	0								
75-79	100	9.7	11	7	7	8	10	16	17	35-49	55	8.9	2	6	9	9	10	10	10
80-84	112	10.0	9	7	8	10	11	14	16	50-69	242	9.4	9	6	7	9	11	13	16
85 +	73	8.7	5	7	7	8	10	13	13	70 +	16	7.0							
SUBTOTAL	**562**	**9.4**	**13**	**6**	**7**	**9**	**11**	**13**	**16**		**314**	**9.2**	**7**	**6**	**7**	**9**	**11**	**13**	**15**
GRAND TOTAL	**25075**	**13.0**	**80**	**7**	**8**	**11**	**15**	**22**	**29**		**6038**	**10.8**	**37**	**6**	**8**	**10**	**12**	**17**	**21**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	9.0								18-34	26	12.2	39						
35-49	118	16.3	339	6	9	11	12	19	75	35-49	167	9.1	8	6	7	10	11	12	12
50-69	589	11.0	21	7	8	10	13	18	21	50-69	760	11.2	56	6	7	10	12	20	25
70 +	181	19.1	494	7	9	11	17	51	98	70 +	348	11.9	79	5	8	10	13	25	53
SUBTOTAL	**894**	**13.4**	**170**	**7**	**8**	**10**	**13**	**18**	**25**		**1302**	**11.1**	**56**	**6**	**7**	**10**	**12**	**17**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	10	9.0								35-49	16	6.9	6						
50-69	6	6.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16**	**7.9**	**2**								**16**	**6.9**	**6**						
GRAND TOTAL	**911**	**13.3**	**167**	**7**	**8**	**10**	**13**	**18**	**25**		**1318**	**11.1**	**56**	**6**	**7**	**10**	**12**	**17**	**25**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2310	10.0	23	6	7	9	11	15	19	0-17	0								
70-74	2045	10.2	28	6	8	9	12	15	16	18-34	41	6.6	9	1	4	8	9	9	9
75-79	1947	10.8	70	6	7	9	12	15	21	35-49	581	8.7	15	5	7	8	10	11	13
80-84	1412	11.7	71	6	7	10	13	18	26	50-69	2595	9.1	17	5	7	9	10	13	16
85 +	1338	13.6	99	6	8	11	15	25	38	70 +	210	12.3	76	7	9	10	13	14	16
SUBTOTAL	**9053**	**11.0**	**54**	**6**	**8**	**10**	**12**	**17**	**23**		**3426**	**9.2**	**21**	**5**	**7**	**9**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2709	8.4	10	5	7	8	10	12	14	0-17	0								
70-74	2538	8.6	10	5	7	9	10	12	14	18-34	88	5.7	9	2	3	5	9	9	11
75-79	2192	9.1	22	5	7	9	11	13	15	35-49	2251	7.5	7	4	6	8	9	11	12
80-84	1279	9.3	13	6	7	9	11	14	17	50-69	5948	7.9	8	5	6	8	9	11	12
85 +	868	8.7	15	5	6	8	10	13	16	70 +	169	8.2	15	4	5	9	10	12	13
SUBTOTAL	**9586**	**8.8**	**14**	**5**	**7**	**8**	**10**	**12**	**14**		**8455**	**7.8**	**8**	**4**	**6**	**8**	**9**	**11**	**12**
GRAND TOTAL	**18638**	**9.9**	**35**	**5**	**7**	**9**	**11**	**14**	**18**		**11881**	**8.2**	**12**	**5**	**6**	**8**	**10**	**11**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	2.0								18-34	6	10.0							
35-49	96	8.4	7	4	6	9	10	13	13	35-49	185	8.5	14	3	6	9	10	11	16
50-69	369	10.6	52	6	7	9	12	14	24	50-69	481	10.2	20	6	8	10	11	17	19
70 +	94	11.2	90	5	5	10	11	14	45	70 +	126	11.5	38	7	9	10	12	14	31
SUBTOTAL	**564**	**10.2**	**52**	**5**	**7**	**9**	**12**	**14**	**18**		**799**	**10.0**	**22**	**5**	**7**	**10**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	5.0								0-17	0								
18-34	29	10.3	16							18-34	35	7.5	10						
35-49	83	8.7	7	7	7	9	11	12	12	35-49	530	7.7	9	4	6	7	9	12	13
50-69	230	9.4	12	5	7	9	11	15	15	50-69	1143	9.2	26	5	7	8	11	14	20
70 +	20	8.5	2							70 +	120	9.0	30	4	6	7	11	18	22
SUBTOTAL	**369**	**9.2**	**11**	**5**	**7**	**9**	**11**	**14**	**15**		**1827**	**8.7**	**21**	**4**	**6**	**8**	**10**	**13**	**17**
GRAND TOTAL	**933**	**9.8**	**36**	**5**	**7**	**9**	**11**	**14**	**15**		**2626**	**9.1**	**22**	**4**	**6**	**8**	**10**	**14**	**18**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5027	7.4	43	1	2	6	10	15	20
70-74	3348	8.3	52	2	2	7	12	17	21
75-79	2164	8.3	51	2	2	7	12	16	23
80-84	970	10.9	138	2	3	8	14	22	26
85 +	267	12.1	61	2	6	11	17	24	28
SUBTOTAL	11777	8.2	57	1	2	7	11	17	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2606	4.5	15	1	2	3	6	10	12
70-74	1547	4.9	14	1	2	4	7	10	12
75-79	797	5.9	30	1	2	4	8	11	17
80-84	461	6.5	24	1	2	7	10	14	16
85 +	75	7.5	18	1	5	8	10	13	14
SUBTOTAL	5486	5.0	18	1	2	4	7	10	13
GRAND TOTAL	17262	7.2	47	1	2	6	10	15	20

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	92	1.8	3	1	1	1	1	6	6
18-34	145	4.7	10	1	2	4	6	8	13
35-49	1695	6.8	33	1	2	6	10	14	19
50-69	6230	6.5	32	1	2	5	9	13	17
70 +	163	8.0	73	1	1	3	13	21	21
	8324	6.5	33	1	2	5	9	13	17
0-17	0								
18-34	82	5.8	13	2	2	4	8	11	11
35-49	1755	3.5	7	1	1	2	5	8	9
50-69	5101	3.9	11	1	1	3	6	8	11
70 +	82	2.8	10	1	1	1	2	11	11
	7018	3.8	10	1	1	3	6	8	10
	15343	5.3	24	1	2	4	8	12	14

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	1.5							
18-34	41	7.5	40						
35-49	271	5.1	21	1	1	4	8	11	11
50-69	487	8.5	50	1	3	7	11	19	26
70 +	0								
SUBTOTAL	819	7.2	42	1	2	6	9	18	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	51	3.6	8						
35-49	147	4.3	8	1	1	5	6	7	10
50-69	128	4.3	16	1	1	2	7	7	15
70 +	31	7.0	13						
SUBTOTAL	357	4.4	12	1	1	4	7	9	10
GRAND TOTAL	1176	6.3	35	1	2	5	9	15	19

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	84	10.4	12	6	8	10	11	17	17
35-49	165	9.3	25	2	6	10	12	16	18
50-69	454	9.2	57	1	3	8	12	17	19
70 +	10	16.0							
	723	9.3	45	1	5	9	12	17	18
0-17	0								
18-34	10	2.0							
35-49	151	3.1	4	1	1	3	4	6	8
50-69	224	4.5	18	1	1	4	6	10	10
70 +	26	4.4	7						
	412	3.9	12	1	1	3	5	8	10
	1135	7.4	40	1	2	6	10	16	18

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5119	3.8	21	1	1	2	4	10	13	0-17	499	1.3		1	1	1	1	2	2
70-74	3069	3.5	14	1	2	2	3	9	12	18-34	226	2.4	5	1	1	2	3	5	9
75-79	1769	3.9	21	1	1	2	4	9	15	35-49	2360	3.4	14	1	1	2	4	9	11
80-84	456	5.5	41	1	1	2	9	17	18	50-69	8636	3.6	18	1	1	2	4	9	12
85 +	81	5.3	13	1	2	4	8	12	12	70 +	171	6.7	59	1	1	3	9	20	26
SUBTOTAL	**10495**	**3.8**	**20**	**1**	**1**	**2**	**4**	**10**	**13**		**11893**	**3.5**	**17**	**1**	**1**	**2**	**4**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8830	2.8	10	1	1	2	2	7	10	0-17	872	1.2		< 1	1	1	1	2	2
70-74	5017	2.9	9	1	1	2	3	8	10	18-34	864	3.1	10	1	1	2	4	8	10
75-79	2529	3.0	10	1	1	2	3	8	11	35-49	8548	2.8	8	1	1	2	3	7	9
80-84	475	5.0	19	1	2	2	8	11	14	50-69	22540	2.7	8	1	1	2	2	7	9
85 +	114	4.3	9	1	2	4	7	8	10	70 +	267	2.3	3	1	1	2	3	5	6
SUBTOTAL	**16964**	**2.9**	**10**	**1**	**1**	**2**	**3**	**8**	**10**		**33091**	**2.7**	**8**	**1**	**1**	**2**	**2**	**7**	**9**
GRAND TOTAL	**27459**	**3.3**	**14**	**1**	**1**	**2**	**3**	**8**	**11**		**44984**	**2.9**	**10**	**1**	**1**	**2**	**3**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	214	1.6	1	1	1	1	2	2	3	0-17	20	2.0							
18-34	67	3.4	5	1	2	2	6	7	7	18-34	20	1.5							
35-49	277	3.4	13	1	1	1	5	9	11	35-49	163	4.2	13	1	1	3	7	11	12
50-69	532	4.5	20	1	1	2	8	12	13	50-69	456	4.0	47	1	1	1	5	10	11
70 +	0									70 +	0								
SUBTOTAL	**1090**	**3.6**	**15**	**1**	**1**	**2**	**5**	**11**	**12**		**660**	**3.9**	**36**	**1**	**1**	**2**	**5**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	265	1.4		< 1	1	1	2	2	2	0-17	31	1.0							
18-34	77	1.9	2	< 1	1	1	4	4	4	18-34	96	3.6	7	1	1	3	5	9	9
35-49	662	2.2	5	1	1	1	2	4	6	35-49	685	3.7	12	1	1	2	5	8	11
50-69	838	3.1	18	1	1	2	2	9	11	50-69	1139	3.2	12	1	1	1	5	9	11
70 +	20	2.5								70 +	26	2.9	3						
SUBTOTAL	**1863**	**2.5**	**10**	**1**	**1**	**2**	**2**	**5**	**10**		**1977**	**3.4**	**11**	**1**	**1**	**2**	**5**	**9**	**10**
GRAND TOTAL	**2953**	**2.9**	**12**	**1**	**1**	**2**	**3**	**8**	**11**		**2637**	**3.5**	**17**	**1**	**1**	**2**	**5**	**9**	**11**

DRG 126: Acute & Subacute Endocarditis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	196	28.5	404	9	14	21	36	63	79	0-17	0								
70-74	185	35.5	177	23	27	32	42	62	64	18-34	86	20.6	165	3	13	15	28	47	47
75-79	163	25.3	191	7	14	28	37	40	41	35-49	194	27.2	226	10	17	28	38	47	67
80-84	104	26.4	284	7	14	22	40	56	63	50-69	259	24.2	83	12	15	26	31	35	40
85 +	122	29.7	111	15	21	31	37	41	49	70 +	10	32.0							
SUBTOTAL	**770**	**29.4**	**254**	**9**	**16**	**29**	**39**	**54**	**62**		**548**	**24.9**	**150**	**11**	**15**	**26**	**31**	**40**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	31	18.0	143							0-17	0								
70-74	16	20.2	360							18-34	57	18.7	92	5	9	24	28	29	29
75-79	16	34.8	121							35-49	41	15.6	17	9	12	16	19	21	21
80-84	0									50-69	73	21.1	55	9	14	23	28	29	29
85 +	0									70 +	10	27.0							
SUBTOTAL	**63**	**22.9**	**237**	**2**	**6**	**22**	**43**	**43**	**44**		**181**	**19.4**	**62**	**9**	**13**	**21**	**28**	**29**	**29**
GRAND TOTAL	**833**	**28.9**	**256**	**9**	**16**	**29**	**39**	**47**	**62**		**729**	**23.5**	**134**	**9**	**15**	**24**	**29**	**38**	**44**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	141	27.8	156	13	15	29	42	45	45	18-34	84	26.0	239	3	23	26	29	59	59
35-49	110	37.6	157	27	29	34	58	99 +	99 +	35-49	94	38.7	182	10	31	39	51	55	55
50-69	31	39.0	174							50-69	22	16.5	65						
70 +	0									70 +	0								
SUBTOTAL	**281**	**32.8**	**183**	**14**	**28**	**29**	**45**	**58**	**99 +**		**200**	**30.9**	**253**	**10**	**23**	**29**	**43**	**55**	**58**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	31	19.3	22							18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	10	56.0							
70 +	0									70 +	0								
SUBTOTAL	**31**	**19.3**	**22**								**10**	**56.0**							
GRAND TOTAL	**312**	**31.5**	**184**	**14**	**25**	**29**	**45**	**54**	**73**		**210**	**32.1**	**270**	**10**	**23**	**29**	**43**	**55**	**57**

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	20286	8.7	53	3	4	7	11	16	21
70-74	19123	9.3	58	3	5	7	11	17	23
75-79	22295	10.0	75	3	5	8	12	19	27
80-84	20127	10.3	85	3	5	8	12	20	27
85 +	22622	12.0	134	4	5	9	14	25	35
SUBTOTAL	**104454**	**10.1**	**84**	**3**	**5**	**8**	**12**	**19**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2897	6.2	19	2	3	5	7	11	14
70-74	2724	6.3	16	3	4	5	7	11	14
75-79	3459	6.7	28	3	4	6	8	12	15
80-84	3555	7.9	75	3	4	6	9	14	21
85 +	4434	7.0	25	3	4	6	9	13	15
SUBTOTAL	**17068**	**6.9**	**34**	**3**	**4**	**6**	**8**	**12**	**16**
GRAND TOTAL	**121522**	**9.7**	**78**	**3**	**5**	**7**	**11**	**18**	**26**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	4.6	14	2	2	3	5	14	14
18-34	204	6.5	29	2	3	4	9	18	19
35-49	1243	8.0	35	3	4	7	10	15	18
50-69	10045	8.4	51	3	4	7	10	16	21
70 +	1410	8.9	32	3	5	8	11	16	20
	12983	**8.4**	**47**	**3**	**4**	**7**	**10**	**16**	**20**
0-17	16	1.7	1						
18-34	47	5.5	10						
35-49	285	5.0	9	2	3	5	7	8	9
50-69	1992	6.0	19	2	3	5	8	10	13
70 +	261	5.5	7	2	3	5	8	9	10
	2601	**5.8**	**16**	**2**	**3**	**5**	**7**	**10**	**12**
	15584	**7.9**	**43**	**3**	**4**	**6**	**10**	**15**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	289	7.8	78	1	2	5	9	15	32
35-49	727	8.4	33	3	4	7	12	16	17
50-69	2624	9.3	84	3	4	7	11	17	23
70 +	784	14.2	191	4	7	10	17	27	41
SUBTOTAL	**4425**	**9.9**	**98**	**3**	**4**	**7**	**12**	**19**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	4.0							
35-49	75	4.7	9	2	2	4	6	11	11
50-69	430	5.5	11	2	3	5	7	11	13
70 +	167	8.3	17	4	5	7	13	13	18
SUBTOTAL	**685**	**6.1**	**14**	**2**	**3**	**5**	**7**	**12**	**13**
GRAND TOTAL	**5110**	**9.4**	**88**	**3**	**4**	[illegible]	**11**	**18**	**26**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	6.9	16						
18-34	147	8.9	84	3	5	5	9	16	40
35-49	326	7.0	18	2	5	6	8	12	17
50-69	2055	9.1	54	3	4	7	11	18	27
70 +	727	11.8	214	3	5	7	12	20	26
	3292	**9.5**	**89**	**3**	**5**	**7**	**11**	**19**	**26**
0-17	0								
18-34	22	3.8	4						
35-49	29	5.1	1						
50-69	409	4.7	10	2	2	4	6	8	10
70 +	242	7.0	21	2	4	6	9	15	17
	703	**5.5**	**15**	**2**	**3**	**4**	**7**	**10**	**15**
	3995	**8.8**	**78**	**3**	**4**	**6**	**10**	**18**	**24**

DRG 128: Deep Vein Thrombophlebitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1006	10.1	27	4	6	9	13	17	19	0-17	10	7.0							
70-74	968	10.8	36	6	7	9	12	19	21	18-34	244	9.1	33	4	7	8	9	16	22
75-79	772	10.6	32	5	7	9	12	17	23	35-49	562	10.3	36	5	7	9	12	17	21
80-84	627	11.6	66	6	7	10	13	18	23	50-69	1163	9.7	25	4	7	9	11	16	19
85 +	548	13.0	94	5	8	10	15	23	31	70 +	61	10.0	10	7	8	9	12	15	18
SUBTOTAL	**3921**	**11.0**	**47**	**5**	**7**	**9**	**13**	**18**	**22**		**2041**	**9.8**	**29**	**4**	**7**	**9**	**11**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	697	8.6	14	4	6	8	10	13	16	0-17	6	7.0							
70-74	538	10.9	83	6	7	9	11	15	26	18-34	440	6.6	11	2	4	7	8	11	12
75-79	574	9.3	20	5	7	8	10	14	16	35-49	921	8.6	15	4	6	8	11	13	17
80-84	487	8.9	15	4	6	8	11	14	16	50-69	1357	8.2	11	4	6	8	10	13	14
85 +	299	9.3	18	5	7	9	10	15	19	70 +	39	9.7	4						
SUBTOTAL	**2595**	**9.4**	**31**	**5**	**7**	**8**	**11**	**14**	**17**		**2762**	**8.1**	**13**	**4**	**6**	**8**	**10**	**13**	**14**
GRAND TOTAL	**6516**	**10.3**	**41**	**5**	**7**	**9**	**12**	**17**	**21**		**4803**	**8.8**	**20**	**4**	**6**	**8**	**11**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	63	9.2	13	5	8	9	13	13	13	18-34	49	7.1	10	2	5	8	9	11	11
35-49	159	18.3	326	6	7	11	20	34	78	35-49	71	8.7	16	3	6	9	10	15	15
50-69	151	8.5	20	4	5	8	10	17	18	50-69	77	8.4	19	2	5	6	11	14	16
70 +	29	12.7	15							70 +	16	8.5	4						
SUBTOTAL	**401**	**12.8**	**160**	**5**	**7**	**9**	**14**	**20**	**33**		**214**	**8.2**	**15**	**3**	**6**	**8**	**11**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	9.0								0-17	0								
18-34	77	7.6	10	3	5	8	9	12	13	18-34	67	7.9	6	4	7	7	10	11	11
35-49	108	10.9	26	5	6	11	14	17	21	35-49	126	7.0	10	3	5	7	9	10	14
50-69	69	7.4	7	4	7	7	9	9	13	50-69	106	7.3	4	5	6	8	8	10	11
70 +	10	13.0								70 +	0								
SUBTOTAL	**271**	**9.1**	**18**	**4**	**6**	**9**	**12**	**14**	**17**		**299**	**7.3**	**7**	**4**	**5**	**7**	**9**	**11**	**11**
GRAND TOTAL	**672**	**11.3**	**106**	**4**	**7**	**9**	**13**	**18**	**22**		**513**	**7.7**	**10**	**3**	**6**	**8**	**10**	**11**	**14**

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	57	13.4	260	4	5	8	18	71	99+	0-17	0								
70-74	12	12.0	1							18-34	0								
75-79	49	7.9	54	3	3	3	12	23	23	35-49	0								
80-84	65	9.7	30	2	5	9	13	18	20	50-69	59	15.2	68	4	9	16	22	28	28
85+	29	11.6	9							70+	0								
SUBTOTAL	**212**	**10.7**	**96**	**3**	**5**	**9**	**16**	**23**	**99+**		**59**	**15.2**	**68**	**4**	**9**	**16**	**22**	**28**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	20	4.5	2							0-17	0								
70-74	6	1.0								18-34	0								
75-79	16	7.4								35-49	6	13.0							
80-84	0									50-69	6	9.0							
85+	0									70+	0								
SUBTOTAL	**43**	**5.1**	**6**								**12**	**11.0**	**4**						
GRAND TOTAL	**255**	**9.7**	**85**	**3**	**5**	**8**	**13**	**23**	**99+**		**71**	**14.5**	**59**	**7**	**9**	**13**	**22**	**28**	**28**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	6	6.0							
35-49	0									35-49	0								
50-69	0									50-69	6	17.0							
70+	0									70+	6	3.0							
SUBTOTAL	**0**										**18**	**8.7**	**38**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**18**	**8.7**	**38**						

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3262	8.6	56	2	4	8	11	15	23
70-74	2907	8.2	34	2	5	7	11	14	18
75-79	2816	10.2	98	2	5	8	12	19	26
80-84	2092	10.9	110	3	5	9	13	20	25
85 +	2033	13.0	162	3	6	9	14	24	41
SUBTOTAL	13109	9.9	88	2	5	8	12	18	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	13109	9.9	88	2	5	8	12	18	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	8.0	52						
18-34	344	6.9	15	2	4	6	9	12	14
35-49	1231	8.1	24	2	5	8	11	13	18
50-69	3003	7.3	21	1	3	7	10	13	16
70 +	141	9.9	70	2	3	8	13	28	31
	4739	7.5	23	2	4	7	10	14	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4739	7.5	23	2	4	7	10	14	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	18.0	89						
18-34	126	9.5	50	2	6	7	11	17	28
35-49	320	8.6	27	2	5	8	11	15	21
50-69	412	10.0	60	1	3	8	16	21	24
70 +	132	22.7	486	7	10	17	27	32	69
SUBTOTAL	1037	11.5	126	2	5	9	15	24	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1037	11.5	126	2	5	9	15	24	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	222	10.2	87	4	6	7	9	21	29
35-49	259	6.8	23	1	3	5	10	13	17
50-69	357	11.9	73	2	7	10	13	25	35
70 +	51	7.7	17	1	6	10	11	12	12
	888	9.7	63	2	4	8	12	18	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	888	9.7	63	2	4	8	12	18	29

DRG 131: Peripheral Vascular Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2188	6.0	30	1	2	5	9	11	14
70-74	1797	6.1	31	1	1	5	9	12	15
75-79	1473	6.5	25	1	2	6	9	13	15
80-84	974	7.9	40	1	3	7	10	15	18
85 +	823	8.7	44	2	4	8	10	17	19
SUBTOTAL	**7255**	**6.7**	**33**	**1**	**2**	**6**	**9**	**13**	**16**
GRAND TOTAL	**7255**	**6.7**	**33**	**1**	**2**	**6**	**9**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	67	6.1	16	3	3	4	9	13	13
18-34	1088	6.2	11	1	4	6	8	10	12
35-49	1931	5.9	14	1	2	6	8	11	12
50-69	3494	5.6	17	1	2	5	9	11	13
70 +	159	5.6	18	< 1	2	5	9	11	15
	6739	**5.8**	**15**	**1**	**2**	**6**	**8**	**11**	**12**
	6739	**5.8**	**15**	**1**	**2**	**6**	**8**	**11**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	3.0							
18-34	228	6.2	11	1	4	6	8	11	11
35-49	273	7.1	20	1	4	7	10	12	14
50-69	283	8.4	61	1	2	8	12	17	17
70 +	37	6.4	10						
SUBTOTAL	**831**	**7.2**	**32**	**1**	**3**	**7**	**10**	**12**	**16**
GRAND TOTAL	**831**	**7.2**	**32**	**1**	**3**	**7**	**10**	**12**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	271	7.1	13	1	5	7	10	13	13
35-49	387	7.6	17	1	5	8	10	13	14
50-69	481	5.7	19	< 1	1	6	9	11	14
70 +	102	6.1	27	1	2	6	8	14	19
	1241	**6.6**	**18**	**1**	**2**	**7**	**9**	**11**	**14**
	1241	**6.6**	**18**	**1**	**2**	**7**	**9**	**11**	**14**

DRG 132: Atherosclerosis w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	660	5.5	18	1	3	4	8	11	15
70-74	526	6.8	23	3	4	6	8	12	15
75-79	379	5.5	12	2	3	5	7	10	12
80-84	458	7.8	45	2	4	6	9	15	19
85 +	420	7.2	30	3	4	6	9	13	18
SUBTOTAL	**2442**	**6.5**	**26**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2442**	**6.5**	**26**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	6.0							
18-34	6	1.0							
35-49	110	5.5	12	1	3	6	7	8	16
50-69	795	4.5	12	1	2	4	6	11	13
70 +	43	4.4	19	1	2	2	7	14	14
	964	**4.6**	**13**	**1**	**2**	**4**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	964	**4.6**	**13**	**1**	**2**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	55	3.3	1	2	2	4	4	5	5
50-69	155	5.9	41	2	3	4	6	8	29
70 +	33	10.1	5						
SUBTOTAL	**242**	**5.8**	**31**	**2**	**3**	**4**	**6**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**242**	**5.8**	**31**	**2**	**3**	**4**	**6**	**11**	**12**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.0							
35-49	33	6.3	10						
50-69	75	5.1	14	< 1	2	4	5	12	12
70 +	10	8.0							
	128	**5.4**	**12**	**1**	**3**	**5**	**8**	**11**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	128	**5.4**	**12**	**1**	**3**	**5**	**8**	**11**	**12**

DRG 133: Atherosclerosis w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	375	3.8	8	1	1	3	6	8	10
70-74	334	3.8	5	2	2	3	5	6	7
75-79	181	3.7	7	1	2	3	5	7	10
80-84	194	4.6	5	2	3	5	6	7	8
85 +	230	6.3	16	2	3	5	8	14	16
SUBTOTAL	**1314**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**1314**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	3.0							
35-49	287	2.6	2	< 1	1	2	4	4	5
50-69	776	3.2	6	1	1	2	4	6	8
70 +	12	3.0	4						
SUBTOTAL	**1088**	**3.0**	**5**	**< 1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1088**	**3.0**	**5**	**< 1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	0								
35-49	33	3.0	6						
50-69	65	2.3	2	1	1	1	3	4	4
70 +	10	8.0							
SUBTOTAL	**114**	**2.9**	**6**	**1**	**1**	**2**	**4**	**8**	**8**
GRAND TOTAL	**114**	**2.9**	**6**	**1**	**1**	**2**	**4**	**8**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	45	3.1	1	1	2	3	4	5	5
50-69	88	3.6	3	1	2	4	5	6	6
70 +	0								
SUBTOTAL	**132**	**3.4**	**2**	**1**	**2**	**4**	**4**	**5**	**6**
GRAND TOTAL	**132**	**3.4**	**2**	**1**	**2**	**4**	**4**	**5**	**6**

DRG 134: Hypertension

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	941	7.4	41	2	3	5	8	16	21
70-74	841	7.0	30	2	3	5	9	14	16
75-79	749	7.4	59	2	3	5	10	14	17
80-84	497	6.9	42	2	4	6	7	12	24
85 +	277	11.6	257	2	4	9	12	20	24
SUBTOTAL	**3306**	**7.6**	**62**	**2**	**3**	**6**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	904	4.3	8	1	2	4	6	8	10
70-74	505	4.5	9	1	2	3	6	8	11
75-79	525	5.2	15	2	2	4	7	9	12
80-84	240	7.0	22	3	4	5	9	18	18
85 +	185	7.9	47	2	2	6	9	21	24
SUBTOTAL	**2361**	**5.1**	**16**	**2**	**2**	**4**	**6**	**9**	**13**
GRAND TOTAL	**5667**	**6.5**	**44**	**2**	**3**	**5**	**8**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	9.5	32						
18-34	110	6.6	16	1	3	7	9	10	15
35-49	591	5.5	13	2	3	4	7	10	12
50-69	1082	5.9	27	2	3	5	7	11	13
70 +	43	10.3	40						
	1846	**5.9**	**22**	**2**	**3**	**5**	**8**	**11**	**14**
0-17	81	2.0	1	< 1	1	2	3	3	5
18-34	210	4.4	10	1	2	3	6	8	12
35-49	1029	3.9	6	2	2	3	5	7	8
50-69	1721	4.0	7	1	2	3	5	7	9
70 +	26	2.0							
	3068	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
	4913	**4.7**	**14**	**2**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	6.0							
18-34	33	6.2	15						
35-49	104	6.1	11	2	4	6	8	9	15
50-69	175	5.5	9	2	3	5	8	8	14
70 +	16	9.9	30						
SUBTOTAL	**338**	**6.0**	**12**	**2**	**4**	**6**	**8**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	47	3.7	12						
35-49	106	4.4	9	2	2	3	5	9	12
50-69	165	4.2	7	2	2	3	5	10	10
70 +	10	8.0							
SUBTOTAL	**328**	**4.3**	**9**	**2**	**2**	**3**	**5**	**10**	**11**
GRAND TOTAL	**666**	**5.2**	**11**	**2**	**3**	**4**	**7**	**10**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	49	4.4	8	1	2	4	7	9	9
35-49	187	7.4	37	2	3	7	8	16	18
50-69	232	6.4	26	2	3	5	8	13	16
70 +	6	1.0							
	475	**6.5**	**29**	**2**	**3**	**5**	**8**	**13**	**18**
0-17	6	2.0							
18-34	75	7.7	24	3	4	6	14	16	16
35-49	269	4.3	10	1	2	3	6	11	11
50-69	318	4.0	6	1	2	3	5	8	8
70 +	6	5.0							
	674	**4.5**	**11**	**1**	**2**	**3**	**6**	**10**	**11**
	1149	**5.3**	**19**	**1**	**2**	**4**	**7**	**11**	**15**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	226	6.3	14	2	3	5	9	12	13	0-17	0								
70-74	224	5.8	7	3	4	6	7	10	11	18-34	33	4.4	7						
75-79	257	7.2	47	2	3	5	8	18	25	35-49	134	10.0	89	2	4	6	10	28	32
80-84	310	9.4	89	3	4	7	12	15	27	50-69	214	5.9	27	1	2	4	7	15	17
85 +	291	11.2	108	4	6	8	11	20	30	70 +	22	7.5	23						
SUBTOTAL	**1308**	**8.2**	**62**	**2**	**4**	**6**	**10**	**14**	**20**		**403**	**7.2**	**49**	**1**	**3**	**4**	**9**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1308**	**8.2**	**62**	**2**	**4**	**6**	**10**	**14**	**20**		**403**	**7.2**	**49**	**1**	**3**	**4**	**9**	**17**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	47	13.5	155							18-34	12	4.5							
35-49	37	32.1	1057							35-49	22	21.3	375						
50-69	47	6.9	19							50-69	22	3.7	12						
70 +	20	5.5								70 +	0								
SUBTOTAL	**151**	**14.9**	**410**	**3**	**5**	**6**	**13**	**46**	**78**		**57**	**10.8**	**221**	**1**	**3**	**4**	**9**	**42**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**151**	**14.9**	**410**	**3**	**5**	**6**	**13**	**46**	**78**		**57**	**10.8**	**221**	**1**	**3**	**4**	**9**	**42**	**42**

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	3.3	5	< 1	1	3	4	6	10
70-74	67	7.7	65	1	3	5	8	26	26
75-79	126	3.3	7	1	2	2	4	7	10
80-84	94	5.6	12	3	3	4	7	14	14
85 +	110	5.0	4	1	3	5	7	7	7
SUBTOTAL	**507**	**4.7**	**17**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**507**	**4.7**	**17**	**1**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	175	3.3	5	1	2	3	4	7	8
35-49	365	3.1	4	1	2	3	4	6	8
50-69	273	3.6	4	1	2	3	4	7	7
70 +	0								
SUBTOTAL	**813**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**813**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	43	3.4	8						
35-49	26	2.7	2						
50-69	6	10.0							
70 +	10	3.0							
SUBTOTAL	**86**	**3.6**	**8**	**< 1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**86**	**3.6**	**8**	**< 1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	35	1.5	1						
35-49	29	4.4	9						
50-69	26	1.8							
70 +	0								
SUBTOTAL	**90**	**2.5**	**5**	**1**	**1**	**2**	**2**	**8**	**8**
GRAND TOTAL	**90**	**2.5**	**5**	**1**	**1**	**2**	**2**	**8**	**8**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**7.0**							
GRAND TOTAL	**10**	**7.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	5.4	21	2	2	4	8	12	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	108	**5.4**	**21**	**2**	**2**	**4**	**8**	**12**	**16**
0-17	175	1.9	2	< 1	< 1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	175	**1.9**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
	283	**3.2**	**12**	**< 1**	**1**	**2**	**4**	**8**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	51	4.8	5						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**51**	**4.8**	**5**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	82	5.4	83	< 1	< 1	1	4	29	29
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**82**	**5.4**	**83**	**< 1**	**< 1**	**1**	**4**	**29**	**29**
GRAND TOTAL	**132**	**5.2**	**53**	**< 1**	**1**	**3**	**5**	**9**	**29**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	2.9	3						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	26	**2.9**	**3**						
0-17	26	4.5	6						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	26	**4.5**	**6**						
	53	**3.7**	**5**	**< 1**	**2**	**4**	**5**	**7**	**7**

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7649	6.3	36	2	3	5	8	12	17
70-74	7710	6.8	38	2	3	5	8	13	18
75-79	7995	8.0	55	2	4	6	9	17	23
80-84	6891	8.1	57	2	4	6	10	16	21
85 +	6020	10.3	126	3	4	7	12	22	34
SUBTOTAL	**36265**	**7.8**	**61**	**2**	**3**	**6**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**36265**	**7.8**	**61**	**2**	**3**	**6**	**9**	**15**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	4.4	7	1	2	4	7	8	8
18-34	711	2.6	3	1	1	2	3	4	6
35-49	1611	4.4	13	1	2	4	5	8	10
50-69	7199	5.4	29	2	2	4	7	10	12
70 +	493	6.4	22	2	3	5	8	12	17
	10104	**5.1**	**25**	**1**	**2**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10104	**5.1**	**25**	**1**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	3.8	7						
18-34	122	3.4	3	1	3	3	4	6	7
35-49	196	4.9	8	1	2	5	8	9	10
50-69	843	7.1	43	2	3	6	9	12	16
70 +	293	8.7	21	4	6	8	11	12	18
SUBTOTAL	**1481**	**6.8**	**32**	**2**	**3**	**6**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1481**	**6.8**	**32**	**2**	**3**	**6**	**8**	**11**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	114	3.3	3	1	2	3	4	6	6
35-49	375	5.7	21	1	2	4	8	11	15
50-69	945	5.7	25	2	3	4	6	12	15
70 +	218	8.1	46	2	3	6	10	18	20
	1652	**5.8**	**26**	**2**	**2**	**4**	**7**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1652	**5.8**	**26**	**2**	**2**	**4**	**7**	**13**	**15**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4635	4.4	14	1	2	3	6	9	11
70-74	4325	4.6	15	1	2	4	6	8	10
75-79	4003	4.9	15	2	2	4	6	9	13
80-84	3282	5.0	11	2	3	4	6	9	12
85 +	2579	5.9	27	2	3	5	7	11	14
SUBTOTAL	**18823**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**18823**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	234	2.4	1	1	2	2	3	4	5
18-34	1300	2.5	5	1	1	2	3	5	7
35-49	3365	3.0	6	1	1	2	4	6	8
50-69	7507	3.6	10	1	2	3	5	7	9
70 +	324	3.9	5	1	3	4	5	6	8
	12730	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
	12730	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	1.9	1						
18-34	102	2.7	2	1	2	2	4	5	5
35-49	263	4.8	17	2	2	3	5	13	14
50-69	340	5.4	11	3	3	5	6	8	12
70 +	106	4.9	5	2	3	5	7	8	8
SUBTOTAL	**854**	**4.6**	**12**	**1**	**2**	**4**	**6**	**8**	**13**
GRAND TOTAL	**854**	**4.6**	**12**	**1**	**2**	**4**	**6**	**8**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	75	8.2	216	2	2	4	5	7	57
18-34	385	2.1	2	< 1	1	2	3	4	5
35-49	560	3.2	9	1	1	2	4	7	10
50-69	1257	3.7	11	1	2	3	4	6	10
70 +	204	5.3	5	2	3	6	7	8	9
	2481	**3.6**	**16**	**1**	**2**	**3**	**4**	**7**	**10**
	2481	**3.6**	**16**	**1**	**2**	**3**	**4**	**7**	**10**

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10977	5.5	18	2	3	4	7	10	12
70-74	9812	5.9	24	2	3	5	7	10	14
75-79	10468	6.5	34	2	3	5	8	12	15
80-84	8121	7.4	84	2	3	5	8	12	17
85 +	6891	7.0	30	3	4	6	9	13	18
SUBTOTAL	**46268**	**6.4**	**37**	**2**	**3**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12372	4.2	7	2	3	4	5	7	9
70-74	8588	4.4	8	2	3	4	5	7	9
75-79	8185	4.7	11	2	3	4	6	8	10
80-84	5681	5.1	21	2	3	4	6	9	11
85 +	3960	5.7	45	2	3	4	7	9	13
SUBTOTAL	**38786**	**4.6**	**14**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**85054**	**5.6**	**27**	**2**	**3**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	5.0							
18-34	120	3.9	9	1	2	3	6	10	11
35-49	1811	4.2	6	2	3	4	5	8	10
50-69	7814	4.7	9	2	3	4	6	8	10
70 +	564	6.1	28	3	3	5	7	11	16
	10319	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	344	3.1	2	2	2	3	4	4	6
35-49	5426	3.3	4	1	2	3	4	6	7
50-69	15650	3.8	5	2	2	3	5	7	8
70 +	603	4.3	7	2	3	4	5	7	10
	22023	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
	32342	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	33	3.9	8						
35-49	497	4.8	14	2	3	4	6	9	11
50-69	2082	5.5	37	2	3	4	6	9	13
70 +	281	7.5	27	3	4	6	9	15	15
SUBTOTAL	**2893**	**5.6**	**32**	**2**	**3**	**4**	**7**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	53	3.3	2	2	2	2	4	6	6
35-49	670	4.1	8	2	2	3	5	7	8
50-69	1459	4.4	8	2	2	4	5	8	11
70 +	255	6.3	16	2	4	5	8	10	10
SUBTOTAL	**2436**	**4.5**	**9**	**2**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**5329**	**5.1**	**22**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	33	2.5							
35-49	473	4.5	9	2	3	4	5	9	12
50-69	1159	5.2	25	2	2	4	6	9	12
70 +	410	6.9	26	2	3	5	8	15	16
	2074	**5.4**	**22**	**2**	**3**	**4**	**6**	**10**	**14**
0-17	0								
18-34	108	3.5	5	1	2	3	5	5	9
35-49	1110	4.0	7	1	2	3	5	8	10
50-69	2510	4.1	8	2	2	3	5	8	10
70 +	350	4.1	5	2	3	4	6	7	8
	4078	**4.1**	**7**	**2**	**2**	**3**	**5**	**8**	**10**
	6152	**4.5**	**13**	**2**	**2**	**4**	**5**	**8**	**10**

DRG 141: Syncope & Collapse w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3041	5.8	34	2	3	4	7	10	14
70-74	3153	6.3	43	2	3	5	7	12	15
75-79	3795	7.5	109	2	3	5	8	14	23
80-84	3697	8.8	87	2	3	6	10	19	30
85 +	3907	9.1	103	2	4	6	10	20	35
SUBTOTAL	**17594**	**7.6**	**80**	**2**	**3**	**5**	**9**	**15**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17594**	**7.6**	**80**	**2**	**3**	**5**	**9**	**15**	**23**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	124	1.8	1	1	1	1	3	3	4
18-34	422	3.2	7	1	1	2	4	5	7
35-49	658	3.2	10	1	2	3	4	5	6
50-69	2267	4.2	7	1	2	4	5	8	9
70 +	277	4.9	12	2	2	4	6	9	14
	3748	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3748	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	3.2	2						
18-34	86	3.0	8	1	1	2	3	10	10
35-49	159	6.8	69	2	3	4	6	15	36
50-69	387	6.2	22	2	3	5	8	13	17
70 +	86	9.5	35	5	5	8	15	99 +	99 +
SUBTOTAL	**744**	**6.2**	**34**	**1**	**3**	**4**	**8**	**14**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**744**	**6.2**	**34**	**1**	**3**	**4**	**8**	**14**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	69	2.7	1	2	2	3	3	4	4
18-34	106	2.5	3	< 1	1	2	4	5	5
35-49	194	3.5	3	1	2	4	4	7	8
50-69	446	5.4	16	1	3	5	7	9	13
70 +	202	6.4	16	2	2	6	9	11	14
	1017	**4.8**	**13**	**1**	**2**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1017	**4.8**	**13**	**1**	**2**	**4**	**6**	**9**	**12**

DRG 142: Syncope & Collapse w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2151	4.1	11	1	2	3	5	8	10
70-74	2334	4.0	8	2	2	3	5	7	9
75-79	2557	5.2	39	2	2	4	7	9	11
80-84	2683	5.4	23	2	3	4	7	10	13
85 +	1898	5.5	21	2	3	4	7	10	16
SUBTOTAL	**11623**	**4.9**	**21**	**2**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**11623**	**4.9**	**21**	**2**	**2**	**4**	**6**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	403	2.2	2	1	1	2	3	4	5
18-34	1014	2.4	3	1	1	2	3	4	5
35-49	1479	2.6	4	1	1	2	3	5	6
50-69	3204	3.0	3	1	2	3	4	6	6
70 +	291	3.8	6	1	2	3	4	6	8
	6392	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
	6392	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	90	2.5	1	< 1	2	2	3	5	5
18-34	196	3.5	4	1	2	4	5	6	7
35-49	134	4.7	8	1	3	4	6	7	12
50-69	179	4.1	11	2	2	3	4	9	15
70 +	139	5.6	11	2	3	5	6	11	12
SUBTOTAL	**738**	**4.1**	**8**	**1**	**2**	**3**	**5**	**7**	**11**
GRAND TOTAL	**738**	**4.1**	**8**	**1**	**2**	**3**	**5**	**7**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	65	3.7	6	2	2	2	7	7	7
18-34	316	2.7	4	1	1	2	3	6	8
35-49	297	3.2	5	1	2	2	4	6	9
50-69	585	3.4	4	1	2	3	5	7	7
70 +	155	5.4	12	2	3	6	6	9	16
	1418	**3.4**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
	1418	**3.4**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 143: Chest Pain

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3347	4.0	15	1	2	3	5	7	8	0-17	6	2.0							
70-74	2179	4.2	9	1	2	3	5	8	9	18-34	515	3.0	5	1	2	2	4	6	7
75-79	1941	4.5	31	1	2	3	5	8	11	35-49	2888	3.1	4	1	2	3	4	6	8
80-84	1275	4.6	29	2	2	3	5	8	12	50-69	4374	3.4	4	1	2	3	4	6	7
85 +	1016	5.9	84	2	2	4	6	9	16	70 +	112	4.5	6	2	3	4	6	9	11
SUBTOTAL	**9759**	**4.4**	**26**	**1**	**2**	**3**	**5**	**8**	**9**		**7896**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5044	3.4	5	1	2	3	4	6	8	0-17	59	2.3	1	< 1	2	2	3	4	4
70-74	2608	3.2	4	1	2	3	4	6	7	18-34	2243	2.3	2	1	1	2	3	4	5
75-79	1927	3.8	5	2	2	3	5	7	8	35-49	11318	2.5	2	1	1	2	3	4	5
80-84	1285	3.7	11	1	2	3	4	7	8	50-69	13311	2.8	3	1	2	2	3	5	6
85 +	778	3.7	11	1	2	3	5	7	9	70 +	173	3.1	4	1	2	3	4	6	9
SUBTOTAL	**11642**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**		**27103**	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**5**
GRAND TOTAL	**21401**	**3.9**	**15**	**1**	**2**	**3**	**5**	**7**	**9**		**34999**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	253	3.4	7	1	1	3	4	6	10	18-34	273	2.5	2	1	1	2	3	5	6
35-49	446	3.7	7	1	2	3	5	7	8	35-49	691	3.1	6	1	2	3	4	6	8
50-69	741	3.6	5	1	2	3	4	7	7	50-69	784	3.5	6	1	2	3	4	7	9
70 +	67	4.4	8	1	1	4	7	9	9	70 +	118	3.8	3	2	3	4	5	5	7
SUBTOTAL	**1508**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**1866**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	33	2.4	1							0-17	6	1.0							
18-34	310	2.7	3	1	2	2	3	5	8	18-34	572	2.3	2	1	1	2	3	4	5
35-49	742	3.0	4	1	2	2	4	6	7	35-49	2385	2.5	3	1	1	2	3	5	6
50-69	839	3.2	4	1	2	3	4	6	7	50-69	2066	3.2	6	1	2	2	4	7	8
70 +	26	3.2								70 +	90	5.5	35	1	3	3	4	21	21
SUBTOTAL	**1950**	**3.0**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**5119**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**3457**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**6985**	**2.9**	**5**	**1**	**2**	**2**	**4**	**6**	**7**

DRG 144: Other Circulatory System Diagnoses w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2591	8.3	59	2	4	6	11	15	21
70-74	1915	8.2	41	2	4	7	11	15	21
75-79	1846	10.2	129	3	4	7	12	19	23
80-84	1016	10.5	67	3	5	8	13	21	30
85 +	636	9.2	48	3	4	7	13	17	27
SUBTOTAL	**8004**	**9.1**	**72**	**2**	**4**	**7**	**11**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8004**	**9.1**	**72**	**2**	**4**	**7**	**11**	**17**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	5.5	41	1	1	3	7	22	22
18-34	485	5.0	13	1	2	4	7	9	14
35-49	888	6.8	54	1	3	5	8	15	18
50-69	2494	7.2	42	2	3	6	9	14	19
70 +	161	13.8	165	5	6	8	14	35	50
	4117	**7.1**	**48**	**2**	**3**	**6**	**9**	**14**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4117	**7.1**	**48**	**2**	**3**	**6**	**9**	**14**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	3.0							
18-34	90	6.3	26	1	2	6	9	12	20
35-49	143	5.9	12	3	4	5	7	13	14
50-69	295	9.4	56	3	5	8	11	16	28
70 +	37	9.2	22						
SUBTOTAL	**575**	**7.9**	**40**	**2**	**4**	**6**	**10**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**575**	**7.9**	**40**	**2**	**4**	**6**	**10**	**14**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	106	7.6	58	2	4	6	7	11	30
35-49	196	8.1	45	1	4	7	8	25	25
50-69	379	7.9	36	3	4	6	10	15	17
70 +	41	8.8	20	4	5	9	10	18	18
	721	**8.0**	**41**	**2**	**4**	**6**	**10**	**15**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	721	**8.0**	**41**	**2**	**4**	**6**	**10**	**15**	**25**

DRG 145: Other Circulatory System Diagnoses w/o CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	625	4.3	12	1	2	3	5	10	12	0-17	132	5.2	23	<1	1	3	7	13	13
70-74	389	3.6	7	1	2	3	4	9	10	18-34	550	3.2	5	1	2	3	4	7	8
75-79	302	4.6	12	2	2	4	6	8	12	35-49	762	3.5	7	1	2	3	5	6	9
80-84	224	5.3	39	1	2	4	7	8	12	50-69	1247	3.9	10	1	2	3	5	7	9
85+	139	5.4	11	2	3	5	8	12	12	70+	71	5.3	10	2	3	4	7	8	13
SUBTOTAL	**1679**	**4.4**	**15**	**1**	**2**	**3**	**6**	**9**	**12**		**2762**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1679**	**4.4**	**15**	**1**	**2**	**3**	**6**	**9**	**12**		**2762**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20	3.5	7							0-17	26	2.2	2						
18-34	77	2.8	2	1	2	2	5	5	5	18-34	193	2.3	1	1	1	2	3	3	4
35-49	88	4.8	6	1	2	5	6	9	9	35-49	214	3.7	10	1	2	3	5	7	8
50-69	71	7.5	28	3	4	6	7	14	20	50-69	94	3.2	1	2	2	3	4	5	5
70+	16	7.4								70+	73	4.4	5	2	2	4	7	8	8
SUBTOTAL	**273**	**5.0**	**14**	**1**	**2**	**5**	**6**	**8**	**14**		**601**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**273**	**5.0**	**14**	**1**	**2**	**5**	**6**	**8**	**14**		**601**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 146: Rectal Resection w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	483	16.7	171	9	11	13	17	23	42		0-17	0									
70-74	585	15.5	94	9	10	13	16	23	33		18-34	61	11.7	16	7	10	11	11	20	20	
75-79	593	15.1	59	9	11	13	19	22	29		35-49	155	13.0	111	8	9	10	12	14	52	
80-84	300	21.5	229	9	12	17	24	44	66		50-69	854	14.5	90	8	10	11	15	23	30	
85 +	234	24.8	196	12	15	22	37	57	64		70 +	49	16.4	121	11	11	12	15	45	45	
SUBTOTAL	**2194**	**17.5**	**141**	**9**	**11**	**14**	**20**	**29**	**44**			**1119**	**14.2**	**91**	**8**	**10**	**11**	**15**	**23**	**32**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	0										0-17	0									
70-74	0										18-34	0									
75-79	0										35-49	0									
80-84	0										50-69	0									
85 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**2194**	**17.5**	**141**	**9**	**11**	**14**	**20**	**29**	**44**			**1119**	**14.2**	**91**	**8**	**10**	**11**	**15**	**23**	**32**	

	MEDICAID										NO INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	10	13.0									0-17	10	9.0								
18-34	43	15.0	12								18-34	0									
35-49	16	20.7	25								35-49	22	12.2	2							
50-69	47	27.6	372	10	11	12	46	61	61		50-69	108	13.7	8	10	12	14	16	16	19	
70 +	6	79.0									70 +	22	14.5	11							
SUBTOTAL	**122**	**23.6**	**345**	**10**	**12**	**16**	**27**	**54**	**70**			**163**	**13.3**	**8**	**9**	**11**	**13**	**16**	**17**	**19**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	0										50-69	0									
70 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**122**	**23.6**	**345**	**10**	**12**	**16**	**27**	**54**	**70**			**163**	**13.3**	**8**	**9**	**11**	**13**	**16**	**17**	**19**	

DRG 147: Rectal Resection w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	183	9.9	2	8	9	10	10	12	13
70-74	226	12.1	14	8	9	11	14	18	19
75-79	159	9.1	12	3	9	9	10	12	16
80-84	94	12.1	9	8	10	12	14	14	20
85 +	26	10.2	3						
SUBTOTAL	**689**	**10.7**	**11**	**8**	**9**	**10**	**12**	**14**	**16**
GRAND TOTAL	**689**	**10.7**	**11**	**8**	**9**	**10**	**12**	**14**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10	5.0							
18-34	20	12.5	2						
35-49	94	11.6	23	4	9	10	13	21	21
50-69	483	10.9	14	8	9	10	12	16	17
70 +	16	22.8	49						
	623	**11.2**	**20**	**8**	**9**	**10**	**13**	**17**	**21**
	623	**11.2**	**20**	**8**	**9**	**10**	**13**	**17**	**21**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	9.0							
35-49	10	16.0							
50-69	20	12.0	4						
70 +	0								
SUBTOTAL	**41**	**12.3**	**8**						
GRAND TOTAL	**41**	**12.3**	**8**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	10	9.0							
50-69	29	11.1	16						
70 +	0								
	39	**10.5**	**13**						
	39	**10.5**	**13**						

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7399	17.3	159	8	10	13	20	32	48
70-74	7484	16.6	118	8	10	14	19	30	38
75-79	6865	19.0	150	9	11	15	23	38	47
80-84	5227	21.4	250	9	12	16	25	43	58
85 +	3923	22.2	195	10	13	19	27	39	58
SUBTOTAL	**30900**	**18.8**	**171**	**9**	**11**	**15**	**22**	**35**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**30900**	**18.8**	**171**	**9**	**11**	**15**	**22**	**35**	**48**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	353	10.7	73	4	4	8	11	22	32
18-34	1449	14.2	112	6	8	11	17	27	31
35-49	3309	14.5	97	7	9	12	16	24	33
50-69	8432	15.7	115	8	10	12	18	28	36
70 +	528	18.8	176	8	10	14	25	40	66
SUBTOTAL	**14070**	**15.2**	**113**	**8**	**9**	**12**	**18**	**27**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14070**	**15.2**	**113**	**8**	**9**	**12**	**18**	**27**	**36**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	67	14.2	193	4	6	8	19	45	45
18-34	320	17.2	268	7	9	11	20	33	36
35-49	340	18.9	231	7	10	15	24	59	71
50-69	711	24.5	360	9	12	18	31	52	87
70 +	145	26.3	297	9	12	21	42	63	99 +
SUBTOTAL	**1583**	**21.5**	**314**	**7**	**10**	**15**	**29**	**51**	**71**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1583**	**21.5**	**314**	**7**	**10**	**15**	**29**	**51**	**71**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	75	14.1	173	5	7	9	16	46	46
18-34	513	15.5	173	6	8	11	18	33	41
35-49	501	14.2	65	8	9	12	15	29	32
50-69	1015	14.9	78	8	9	12	17	27	32
70 +	196	23.3	361	10	12	16	28	72	78
SUBTOTAL	**2300**	**15.6**	**129**	**7**	**9**	**12**	**18**	**29**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2300**	**15.6**	**129**	**7**	**9**	**12**	**18**	**29**	**37**

DRG 149: Major Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2310	10.7	17	7	8	10	12	16	18
70-74	1825	11.4	30	7	8	10	12	17	23
75-79	1436	11.1	18	7	9	10	13	16	20
80-84	937	11.9	29	7	9	11	14	18	22
85 +	519	12.1	19	7	9	12	14	17	20
SUBTOTAL	**7028**	**11.2**	**23**	**7**	**8**	**10**	**13**	**16**	**21**
GRAND TOTAL	**7028**	**11.2**	**23**	**7**	**8**	**10**	**13**	**16**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	548	7.1	24	3	5	7	8	10	14
18-34	1080	9.0	33	2	5	8	11	18	21
35-49	1970	9.7	21	6	7	9	11	15	20
50-69	4089	9.9	14	7	8	9	11	14	18
70 +	112	10.5	10	6	8	11	12	14	17
	7799	**9.5**	**20**	**5**	**7**	**9**	**11**	**15**	**19**
	7799	**9.5**	**20**	**5**	**7**	**9**	**11**	**15**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	61	6.5	8	2	4	7	9	10	10
18-34	149	9.9	33	1	8	9	14	17	23
35-49	67	10.1	5	8	9	9	11	15	15
50-69	191	14.3	65	8	9	11	17	23	38
70 +	10	10.0							
SUBTOTAL	**479**	**11.3**	**45**	**4**	**8**	**9**	**14**	**20**	**23**
GRAND TOTAL	**479**	**11.3**	**45**	**4**	**8**	**9**	**14**	**20**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	43	4.3	4						
18-34	265	9.7	37	5	6	9	11	17	18
35-49	204	8.7	12	6	7	8	10	12	14
50-69	289	9.9	14	6	7	9	11	16	18
70 +	37	11.9	3						
	837	**9.4**	**22**	**5**	**7**	**9**	**11**	**14**	**18**
	837	**9.4**	**22**	**5**	**7**	**9**	**11**	**14**	**18**

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1076	15.7	225	7	8	11	16	25	46
70-74	780	15.6	170	7	9	12	17	27	33
75-79	919	17.4	166	7	10	13	21	35	48
80-84	760	16.8	96	8	10	14	20	28	41
85 +	521	19.5	159	8	11	16	25	33	46
SUBTOTAL	**4056**	**16.8**	**170**	**7**	**9**	**13**	**19**	**30**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4056**	**16.8**	**170**	**7**	**9**	**13**	**19**	**30**	**44**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	161	12.5	42	7	7	10	16	23	24
18-34	359	12.2	88	4	5	8	16	28	39
35-49	693	10.5	32	6	7	9	12	16	22
50-69	1127	14.0	130	6	9	11	16	23	34
70 +	33	18.0	62						
	2371	**12.7**	**90**	**5**	**8**	**10**	**15**	**21**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2371	**12.7**	**90**	**5**	**8**	**10**	**15**	**21**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	37	12.9	79						
18-34	151	18.6	361	8	9	11	12	49	76
35-49	100	14.9	49	5	8	18	19	25	28
50-69	126	14.8	73	6	8	13	20	27	34
70 +	33	11.3	11						
SUBTOTAL	**446**	**15.7**	**166**	**7**	**8**	**11**	**18**	**28**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**446**	**15.7**	**166**	**7**	**8**	**11**	**18**	**28**	**38**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	10.0							
18-34	136	10.6	69	5	6	8	12	30	30
35-49	118	17.2	121	5	8	14	26	31	40
50-69	124	17.2	146	8	10	14	23	27	45
70 +	0								
	389	**14.7**	**117**	**6**	**8**	**12**	**19**	**30**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	389	**14.7**	**117**	**6**	**8**	**12**	**19**	**30**	**35**

DRG 151: Peritoneal Adhesiolysis w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	630	9.1	29	3	5	8	12	15	19
70-74	438	10.7	22	6	8	10	14	16	19
75-79	267	8.9	18	4	6	8	11	15	17
80-84	265	10.3	13	6	8	10	13	16	16
85 +	173	11.6	41	5	7	10	16	20	22
SUBTOTAL	**1772**	**9.9**	**25**	**4**	**7**	**9**	**12**	**16**	**19**
GRAND TOTAL	**1772**	**9.9**	**25**	**4**	**7**	**9**	**12**	**16**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	216	6.2	6	2	5	6	8	10	11
18-34	1067	6.2	14	2	4	5	8	11	12
35-49	1381	7.6	18	3	5	7	10	14	17
50-69	1320	8.5	33	4	5	7	10	13	16
70 +	18	12.3	7						
	4003	**7.5**	**22**	**3**	**5**	**7**	**9**	**13**	**16**
	4003	**7.5**	**22**	**3**	**5**	**7**	**9**	**13**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	35	5.6	11						
18-34	185	7.3	42	2	3	6	11	12	15
35-49	79	6.5	12	3	3	6	10	11	11
50-69	143	7.8	16	3	5	8	8	14	16
70 +	6	3.0							
SUBTOTAL	**448**	**7.1**	**26**	**2**	**3**	**6**	**9**	**13**	**15**
GRAND TOTAL	**448**	**7.1**	**26**	**2**	**3**	**6**	**9**	**13**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	12	6.0	10						
18-34	210	7.0	15	3	5	6	8	12	13
35-49	92	7.3	6	3	6	7	8	11	11
50-69	175	9.4	20	4	5	9	12	16	21
70 +	20	13.5	13						
	509	**8.1**	**17**	**4**	**5**	**7**	**10**	**13**	**17**
	509	**8.1**	**17**	**4**	**5**	**7**	**10**	**13**	**17**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	493	8.8	16	4	6	8	12	15	18	0-17	33	7.9	24						
70-74	473	10.5	49	4	6	9	12	21	23	18-34	104	5.4	7	2	2	6	8	8	9
75-79	438	10.8	58	5	6	9	13	21	28	35-49	314	7.1	14	2	4	7	9	14	14
80-84	324	9.1	38	3	5	8	11	15	23	50-69	412	12.1	121	4	6	8	13	25	41
85 +	283	12.9	228	3	6	8	14	27	28	70 +	26	5.5	4						
SUBTOTAL	**2011**	**10.3**	**68**	**4**	**6**	**9**	**12**	**18**	**25**		**888**	**9.2**	**70**	**3**	**5**	**7**	**10**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2011**	**10.3**	**68**	**4**	**6**	**9**	**12**	**18**	**25**		**888**	**9.2**	**70**	**3**	**5**	**7**	**10**	**16**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	20	12.5	32							0-17	0								
18-34	20	16.0	1							18-34	0								
35-49	49	9.7	18	6	7	7	12	19	19	35-49	22	4.0	8						
50-69	102	9.3	27	2	6	9	13	16	22	50-69	29	8.5	8						
70 +	0									70 +	10	11.0							
SUBTOTAL	**192**	**10.5**	**27**	**3**	**7**	**9**	**15**	**18**	**19**		**61**	**7.3**	**13**	**1**	**5**	**7**	**11**	**12**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**192**	**10.5**	**27**	**3**	**7**	**9**	**15**	**18**	**19**		**61**	**7.3**	**13**	**1**	**5**	**7**	**11**	**12**	**12**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	348	7.3	7	5	6	8	9	10	11
70-74	265	7.7	7	5	6	7	10	11	12
75-79	242	8.2	8	4	7	8	10	12	13
80-84	57	9.8	15	4	5	11	13	14	14
85 +	100	7.4	5	5	6	8	9	10	12
SUBTOTAL	**1012**	**7.8**	**8**	**4**	**6**	**8**	**9**	**11**	**13**
GRAND TOTAL	**1012**	**7.8**	**8**	**4**	**6**	**8**	**9**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	102	5.1	7	1	2	6	7	8	9
18-34	324	5.5	14	1	2	5	8	9	10
35-49	381	7.1	8	3	6	7	9	10	11
50-69	536	7.6	9	2	6	8	9	11	11
70 +	18	11.7	47						
	1361	**6.8**	**11**	**2**	**5**	**7**	**9**	**10**	**11**
	1361	**6.8**	**11**	**2**	**5**	**7**	**9**	**10**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	14.0	38						
18-34	45	7.9	6	3	6	9	10	10	10
35-49	6	8.0							
50-69	22	10.2	13						
70 +	0								
SUBTOTAL	**94**	**9.8**	**20**	**6**	**8**	**8**	**10**	**20**	**20**
GRAND TOTAL	**94**	**9.8**	**20**	**6**	**8**	**8**	**10**	**20**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10	8.0							
18-34	63	6.0	9	< 1	2	7	8	10	10
35-49	49	7.5	7	6	6	6	8	14	14
50-69	84	8.7	20	2	6	9	10	18	18
70 +	10	9.0							
	216	**7.7**	**13**	**2**	**6**	**7**	**9**	**11**	**14**
	216	**7.7**	**13**	**2**	**6**	**7**	**9**	**11**	**14**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2687	16.0	133	5	9	13	21	32	42
70-74	2041	19.6	234	7	10	16	22	42	54
75-79	1913	20.8	283	6	10	16	27	40	58
80-84	1656	20.4	300	6	9	15	25	42	67
85 +	1228	22.3	235	8	13	18	26	46	61
SUBTOTAL	**9526**	**19.3**	**232**	**6**	**10**	**15**	**23**	**40**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9526**	**19.3**	**232**	**6**	**10**	**15**	**23**	**40**	**55**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	540	12.0	41	6	7	10	16	22	24
35-49	1434	13.8	89	6	8	11	17	26	31
50-69	2536	16.7	125	7	9	13	22	34	39
70 +	130	17.3	65	7	9	16	23	29	30
	4641	**15.3**	**106**	**6**	**8**	**12**	**19**	**29**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4641	**15.3**	**106**	**6**	**8**	**12**	**19**	**29**	**37**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	120	22.8	354	6	11	14	33	43	67
35-49	171	15.2	113	5	7	14	18	27	44
50-69	267	16.0	115	5	8	13	24	34	41
70 +	47	51.7	546	34	40	41	95	99 +	99 +
SUBTOTAL	**605**	**19.9**	**287**	**5**	**8**	**15**	**29**	**42**	**83**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**605**	**19.9**	**287**	**5**	**8**	**15**	**29**	**42**	**83**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	177	12.7	170	5	7	9	12	17	60
35-49	212	17.4	232	6	8	11	21	43	58
50-69	434	24.2	399	6	10	19	32	63	82
70 +	49	24.3	266	10	11	14	33	51	51
	872	**20.2**	**325**	**6**	**9**	**13**	**27**	**50**	**65**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	872	**20.2**	**325**	**6**	**9**	**13**	**27**	**50**	**65**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	566	10.7	57	4	7	8	12	21	24	0-17	0								
70-74	434	10.3	20	5	8	10	12	15	19	18-34	407	8.9	29	5	7	8	9	12	19
75-79	373	10.7	19	5	8	11	13	16	17	35-49	915	8.0	15	3	6	8	9	13	16
80-84	224	11.4	43	5	7	10	14	20	21	50-69	1049	9.0	32	4	6	8	10	14	22
85 +	151	11.9	90	2	4	10	15	28	33	70 +	49	10.0	37	2	8	10	12	23	23
SUBTOTAL	**1748**	**10.8**	**41**	**4**	**7**	**10**	**13**	**18**	**22**		**2420**	**8.7**	**25**	**4**	**6**	**8**	**10**	**14**	**19**
GRAND TOTAL	**1748**	**10.8**	**41**	**4**	**7**	**10**	**13**	**18**	**22**		**2420**	**8.7**	**25**	**4**	**6**	**8**	**10**	**14**	**19**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	43	10.6	31							18-34	112	9.3	41	4	5	7	9	20	23
35-49	81	9.2	78	< 1	2	7	9	20	33	35-49	143	8.6	20	3	6	8	12	13	15
50-69	73	10.9	34	< 1	8	11	11	21	21	50-69	94	11.6	50	6	7	9	12	29	29
70 +	0									70 +	10	16.0							
SUBTOTAL	**198**	**10.1**	**52**	**< 1**	**7**	**8**	**11**	**21**	**23**		**359**	**9.8**	**36**	**4**	**6**	**7**	**12**	**20**	**23**
GRAND TOTAL	**198**	**10.1**	**52**	**< 1**	**7**	**8**	**11**	**21**	**23**		**359**	**9.8**	**36**	**4**	**6**	**7**	**12**	**20**	**23**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	514	9.2	187	2	3	5	8	16	50
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**514**	**9.2**	**187**	**2**	**3**	**5**	**8**	**16**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	11.0								0-17	939	3.5	3	2	3	3	4	6	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**11.0**									**939**	**3.5**	**3**	**2**	**3**	**3**	**4**	**6**	**6**
GRAND TOTAL	**6**	**11.0**									**1453**	**5.5**	**75**	**2**	**3**	**3**	**5**	**8**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	137	9.8	32	4	6	8	16	17	22	0-17	63	6.1	6	4	4	5	7	11	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**137**	**9.8**	**32**	**4**	**6**	**8**	**16**	**17**	**22**		**63**	**6.1**	**6**	**4**	**4**	**5**	**7**	**11**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	187	4.2	4	3	3	4	5	8	10	0-17	108	4.0	2	3	3	4	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**187**	**4.2**	**4**	**3**	**3**	**4**	**5**	**8**	**10**		**108**	**4.0**	**2**	**3**	**3**	**4**	**4**	**6**	**7**
GRAND TOTAL	**324**	**6.6**	**24**	**3**	**3**	**5**	**8**	**16**	**17**		**171**	**4.8**	**4**	**3**	**4**	**4**	**5**	**7**	**11**

DRG 157: Anal & Stomal Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1314	6.8	74	1	2	5	8	14	17
70-74	854	7.3	54	2	3	5	9	16	22
75-79	858	7.6	37	2	3	6	9	17	24
80-84	847	9.1	145	2	3	6	12	17	23
85 +	654	9.4	88	3	4	7	11	16	28
SUBTOTAL	**4527**	**7.9**	**79**	**2**	**3**	**5**	**9**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4527**	**7.9**	**79**	**2**	**3**	**5**	**9**	**16**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	7.3	23						
18-34	731	3.9	12	1	2	3	5	8	11
35-49	1347	4.6	28	1	2	3	5	7	13
50-69	1646	4.9	11	2	2	4	6	9	11
70 +	63	7.3	28	2	3	6	14	15	18
	3830	**4.7**	**18**	**1**	**2**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3830	**4.7**	**18**	**1**	**2**	**4**	**6**	**9**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	79	3.9	5	1	2	4	5	7	8
35-49	102	7.0	31	3	3	4	11	16	19
50-69	84	7.9	33	1	2	8	11	14	19
70 +	33	8.1	17						
SUBTOTAL	**297**	**6.5**	**25**	**1**	**3**	**4**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**297**	**6.5**	**25**	**1**	**3**	**4**	**9**	**14**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	11.0							
18-34	71	10.5	61	4	4	8	18	25	25
35-49	157	3.5	6	1	2	3	4	7	8
50-69	196	10.0	118	1	4	6	13	21	44
70 +	12	6.0	4						
	446	**7.7**	**73**	**1**	**3**	**4**	**10**	**18**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	446	**7.7**	**73**	**1**	**3**	**4**	**10**	**18**	**21**

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1740	3.0	4	1	2	2	4	6	7
70-74	1108	3.7	20	1	1	2	4	7	9
75-79	723	4.6	28	1	2	3	5	9	17
80-84	373	4.0	10	1	2	3	6	8	9
85 +	342	3.7	7	1	1	3	5	7	8
SUBTOTAL	**4286**	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**4286**	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	240	3.5	6	< 1	1	4	5	7	8
18-34	4352	2.5	3	1	1	2	3	5	6
35-49	6458	2.4	2	1	1	2	3	4	5
50-69	4639	2.7	5	1	1	2	3	5	6
70 +	84	3.2	2	1	2	3	4	6	6
	15772	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	15772	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	55	2.8	2	1	2	2	4	5	5
18-34	352	2.8	2	1	2	3	4	5	5
35-49	242	3.7	17	1	1	3	4	8	10
50-69	65	3.0	2	2	2	3	4	5	5
70 +	10	5.0							
SUBTOTAL	**725**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**725**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	122	2.5	3	< 1	1	1	4	4	5
18-34	666	2.3	4	1	1	2	3	4	6
35-49	676	2.6	6	1	1	2	3	5	9
50-69	585	2.5	4	1	1	2	3	5	8
70 +	41	1.5	1						
	2090	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	2090	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1296	6.2	27	1	3	5	8	11	16
70-74	725	8.3	57	3	4	6	9	15	24
75-79	689	7.2	39	2	4	6	8	14	15
80-84	344	8.8	31	4	5	7	12	18	19
85 +	259	15.5	329	5	8	10	15	30	74
SUBTOTAL	**3312**	**7.8**	**66**	**2**	**4**	**6**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3312**	**7.8**	**66**	**2**	**4**	**6**	**9**	**15**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	153	3.9	3	1	3	4	5	6	6
35-49	589	5.5	56	1	3	4	5	10	17
50-69	1389	6.2	37	2	3	5	8	10	12
70 +	29	6.6	10						
	2160	**5.9**	**40**	**2**	**3**	**5**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2160	**5.9**	**40**	**2**	**3**	**5**	**7**	**10**	**12**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	55	5.8	3	3	5	5	7	9	9
35-49	147	6.1	8	4	4	5	7	11	11
50-69	208	5.7	21	2	3	5	6	12	12
70 +	26	37.0	1895						
SUBTOTAL	**436**	**7.8**	**179**	**2**	**4**	**5**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**436**	**7.8**	**179**	**2**	**4**	**5**	**7**	**11**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	1.7							
35-49	86	3.9	4	1	3	3	5	8	8
50-69	116	5.5	12	2	3	4	6	11	14
70 +	29	6.1	12						
	253	**4.7**	**10**	**1**	**3**	**4**	**5**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	253	**4.7**	**10**	**1**	**3**	**4**	**5**	**9**	**11**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1613	4.1	6	1	2	4	6	7	8
70-74	1133	4.9	23	1	2	4	6	8	13
75-79	709	4.1	7	1	2	3	5	7	9
80-84	401	4.2	8	1	2	3	6	7	8
85 +	214	6.1	11	2	5	5	8	11	11
SUBTOTAL	**4070**	**4.4**	**12**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**4070**	**4.4**	**12**	**1**	**2**	**4**	**6**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1471	2.6	4	1	1	2	4	5	6
35-49	3221	2.8	5	1	1	2	4	5	7
50-69	4119	3.4	6	1	2	3	4	6	7
70 +	41	4.9	5	1	4	5	7	8	8
	8852	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**7**
	8852	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	240	3.4	4	1	2	3	6	6	7
35-49	253	3.1	4	1	2	3	4	6	7
50-69	263	4.2	8	1	2	4	5	8	10
70 +	37	6.0	21						
SUBTOTAL	**792**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**792**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	334	2.7	4	1	1	2	4	6	7
35-49	422	2.8	5	1	1	2	3	7	8
50-69	318	3.1	4	1	2	3	4	7	8
70 +	43	4.8	10						
	1116	**2.9**	**5**	**1**	**1**	**2**	**4**	**7**	**7**
	1116	**2.9**	**5**	**1**	**1**	**2**	**4**	**7**	**7**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2351	4.2	17	1	2	3	5	8	11	0-17	0								
70-74	2506	4.5	25	1	2	3	5	9	14	18-34	308	2.2	2	1	1	2	3	4	4
75-79	2379	4.7	28	1	2	3	6	9	13	35-49	605	3.2	13	1	1	2	4	6	8
80-84	1587	6.3	57	1	2	4	7	13	19	50-69	2310	3.3	8	1	1	3	4	6	8
85 +	1200	7.8	41	2	3	6	10	16	21	70 +	181	4.4	8	1	2	4	6	7	11
SUBTOTAL	**10023**	**5.1**	**32**	**1**	**2**	**3**	**6**	**11**	**15**		**3404**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10023**	**5.1**	**32**	**1**	**2**	**3**	**6**	**11**	**15**		**3404**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	37	3.2	2							18-34	61	5.1	14	1	2	4	7	12	12
35-49	33	4.1	8							35-49	124	3.7	9	1	2	3	5	6	9
50-69	122	2.9	5	1	1	2	4	7	8	50-69	308	3.5	26	1	1	2	3	6	9
70 +	6	14.0								70 +	63	4.7	6	2	2	4	8	8	8
SUBTOTAL	**198**	**3.5**	**9**	**1**	**1**	**3**	**4**	**8**	**8**		**556**	**3.9**	**19**	**1**	**2**	**3**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**198**	**3.5**	**9**	**1**	**1**	**3**	**4**	**8**	**8**		**556**	**3.9**	**19**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5170	2.3	3	1	1	2	3	4	6
70-74	4610	2.3	3	1	1	2	3	4	5
75-79	3437	2.6	5	1	1	2	3	5	6
80-84	2159	3.0	4	1	1	2	4	6	7
85 +	1163	3.8	7	1	2	3	5	8	9
SUBTOTAL	**16539**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**16539**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5398	1.5	1	1	1	1	2	3	3
35-49	6916	1.6	1	1	1	1	2	3	3
50-69	11897	1.9	2	1	1	2	2	3	4
70 +	399	2.5	3	1	1	2	3	5	7
	24611	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	24611	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	228	1.8	1	1	1	2	2	3	4
35-49	185	1.9	2	1	1	2	2	3	4
50-69	240	2.8	3	1	2	2	4	6	6
70 +	84	8.1	187	1	1	2	3	43	43
SUBTOTAL	**737**	**2.9**	**26**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**737**	**2.9**	**26**	**1**	**1**	**2**	**3**	**4**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1212	1.6	1	1	1	1	2	3	4
35-49	1004	1.7	2	1	1	1	2	3	4
50-69	1622	1.9	2	1	1	2	2	3	5
70 +	251	1.7	2	1	1	1	2	3	3
	4089	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	4089	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 163: Hernia Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**22**	**1.5**							
GRAND TOTAL	**22**	**1.5**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	173	2.0	2	1	1	2	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	173	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**6**
0-17	4679	1.2		< 1	< 1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4679	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
	4853	**1.3**		**< 1**	**< 1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	145	6.5	96	1	2	4	6	40	99 +
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**145**	**6.5**	**96**	**1**	**2**	**4**	**6**	**40**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1053	1.5	1	< 1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1053**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**1198**	**2.2**	**15**	**< 1**	**1**	**1**	**2**	**3**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	65	3.5	12	1	2	2	3	7	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	65	**3.5**	**12**	**1**	**2**	**2**	**3**	**7**	**12**
0-17	740	1.4	1	< 1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	740	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
	805	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**2**	**3**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	348	11.9	32	6	8	10	15	19	23
70-74	265	12.7	35	7	8	11	15	23	28
75-79	147	15.1	73	7	9	13	18	23	41
80-84	171	13.0	34	7	10	12	16	24	24
85 +	136	19.8	311	6	14	17	19	28	31
SUBTOTAL	**1067**	**13.7**	**80**	**7**	**8**	**12**	**17**	**23**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1067**	**13.7**	**80**	**7**	**8**	**12**	**17**	**23**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	464	10.2	19	5	7	9	12	16	20
18-34	556	9.6	36	5	7	8	11	14	16
35-49	519	9.4	18	5	7	8	12	15	19
50-69	674	11.3	25	6	8	10	14	18	22
70 +	22	15.8	48						
	2237	**10.3**	**26**	**5**	**7**	**9**	**12**	**17**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2237	**10.3**	**26**	**5**	**7**	**9**	**12**	**17**	**21**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	102	8.5	16	3	6	8	12	15	15
18-34	45	14.0	159	3	7	10	16	44	44
35-49	22	11.5	28						
50-69	16	12.3	1						
70 +	0								
SUBTOTAL	**185**	**10.6**	**55**	**5**	**6**	**10**	**13**	**16**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**185**	**10.6**	**55**	**5**	**6**	**10**	**13**	**16**	**44**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	9.1	19	4	5	8	10	16	17
18-34	189	10.0	25	5	7	8	13	20	22
35-49	157	12.9	57	6	8	11	19	21	35
50-69	100	11.8	22	7	8	11	15	20	22
70 +	10	17.0							
	564	**11.1**	**34**	**5**	**7**	**9**	**14**	**20**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	564	**11.1**	**34**	**5**	**7**	**9**	**14**	**20**	**22**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	242	9.0	11	6	7	9	10	12	14	0-17	2178	6.6	9	3	4	6	8	10	12
70-74	110	9.5	6	6	8	10	10	12	15	18-34	1876	6.2	6	3	4	6	8	10	10
75-79	128	11.0	44	6	7	10	12	22	29	35-49	1442	7.0	8	4	5	7	9	10	12
80-84	35	8.9	23							50-69	853	8.3	9	5	6	8	10	12	13
85 +	43	11.2	14							70 +	0								
SUBTOTAL	**558**	**9.7**	**19**	**6**	**7**	**9**	**10**	**14**	**19**		**6349**	**6.8**	**8**	**3**	**5**	**6**	**8**	**10**	**12**
GRAND TOTAL	**558**	**9.7**	**19**	**6**	**7**	**9**	**10**	**14**	**19**		**6349**	**6.8**	**8**	**3**	**5**	**6**	**8**	**10**	**12**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	226	7.7	10	4	6	7	9	11	11	0-17	430	7.3	14	3	5	7	9	11	12
18-34	104	6.5	5	4	5	6	8	10	11	18-34	795	6.6	7	3	5	6	8	10	12
35-49	63	9.8	17	3	7	11	13	14	14	35-49	263	6.3	5	3	5	6	7	11	11
50-69	12	8.5								50-69	122	9.2	14	6	6	8	11	16	17
70 +	0									70 +	0								
SUBTOTAL	**405**	**7.8**	**10**	**3**	**5**	**7**	**9**	**11**	**13**		**1609**	**6.9**	**10**	**3**	**5**	**7**	**8**	**11**	**12**
GRAND TOTAL	**405**	**7.8**	**10**	**3**	**5**	**7**	**9**	**11**	**13**		**1609**	**6.9**	**10**	**3**	**5**	**7**	**8**	**11**	**12**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	173	9.3	18	4	6	8	13	16	16
70-74	149	9.0	16	4	6	8	12	14	18
75-79	159	9.7	26	5	6	8	11	15	25
80-84	29	7.4	22						
85 +	43	11.4	26						
SUBTOTAL	**552**	**9.4**	**21**	**4**	**6**	**8**	**12**	**16**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**552**	**9.4**	**21**	**4**	**6**	**8**	**12**	**16**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	642	5.1	12	3	3	4	6	8	10
18-34	1017	5.4	10	3	3	5	6	10	11
35-49	587	6.4	17	3	4	5	8	10	12
50-69	462	7.3	13	4	5	7	9	11	14
70 +	16	13.9	42						
	2724	**5.9**	**13**	**3**	**4**	**5**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2724	**5.9**	**13**	**3**	**4**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	4.9	2	3	3	5	6	7	7
18-34	151	6.4	12	4	4	6	8	9	10
35-49	31	4.0	1						
50-69	22	3.5	1						
70 +	0								
SUBTOTAL	**281**	**5.5**	**8**	**3**	**4**	**5**	**7**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**281**	**5.5**	**8**	**3**	**4**	**5**	**7**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	6.2	13	4	4	5	7	10	15
18-34	336	5.9	12	3	4	5	6	8	10
35-49	81	7.1	5	5	5	7	8	9	13
50-69	90	11.0	72	3	5	9	12	21	36
70 +	0								
	627	**6.8**	**23**	**3**	**4**	**5**	**7**	**10**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	627	**6.8**	**23**	**3**	**4**	**5**	**7**	**10**	**18**

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	312	5.3	5	3	4	5	6	9	10	0-17	7728	3.3	2	2	3	3	4	5	6
70-74	49	7.5	5	4	5	8	9	10	10	18-34	9792	3.6	2	2	3	3	4	5	6
75-79	43	6.9	9							35-49	3502	4.1	3	2	3	4	5	6	7
80-84	39	6.7	7							50-69	1212	4.7	4	3	3	4	6	7	8
85 +	26	5.5	1							70 +	22	4.3	1						
SUBTOTAL	**469**	**5.8**	**6**	**3**	**4**	**5**	**8**	**10**	**10**		**22255**	**3.7**	**2**	**2**	**3**	**3**	**4**	**6**	**6**
GRAND TOTAL	**469**	**5.8**	**6**	**3**	**4**	**5**	**8**	**10**	**10**		**22255**	**3.7**	**2**	**2**	**3**	**3**	**4**	**6**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	837	3.6	2	2	3	3	4	6	7	0-17	1387	3.4	3	2	2	3	4	5	6
18-34	735	3.9	1	3	3	4	5	5	6	18-34	3292	3.6	2	2	3	3	4	5	6
35-49	128	5.0	3	3	4	5	6	7	8	35-49	578	4.1	3	3	3	4	5	6	7
50-69	31	6.7	3							50-69	200	4.8	6	3	3	4	5	7	11
70 +	0									70 +	0								
SUBTOTAL	**1731**	**3.9**	**2**	**2**	**3**	**4**	**5**	**6**	**7**		**5457**	**3.7**	**3**	**2**	**3**	**3**	**4**	**6**	**6**
GRAND TOTAL	**1731**	**3.9**	**2**	**2**	**3**	**4**	**5**	**6**	**7**		**5457**	**3.7**	**3**	**2**	**3**	**3**	**4**	**6**	**6**

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	198	7.3	33	1	2	8	10	17	20
70-74	134	3.1	14	1	1	1	7	99 +	99 +
75-79	120	11.3	143	1	3	8	13	26	39
80-84	63	1.6	1	1	1	1	2	3	3
85 +	63	6.2	25	1	1	9	10	13	14
SUBTOTAL	**579**	**6.4**	**57**	**1**	**1**	**3**	**10**	**18**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**579**	**6.4**	**57**	**1**	**1**	**3**	**10**	**18**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	3.5	5	1	1	3	6	7	7
18-34	92	3.8	6	1	3	3	4	7	10
35-49	112	4.6	20	1	1	2	7	14	14
50-69	289	5.0	30	1	2	2	6	14	18
70 +	10	21.0							
	556	**4.9**	**26**	**1**	**1**	**3**	**6**	**14**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	556	**4.9**	**26**	**1**	**1**	**3**	**6**	**14**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	3.0							
18-34	10	7.0							
35-49	57	4.7	5	2	3	4	6	9	9
50-69	37	14.7	138						
70 +	0								
SUBTOTAL	**110**	**8.2**	**70**	**3**	**3**	**6**	**9**	**9**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**110**	**8.2**	**70**	**3**	**3**	**6**	**9**	**9**	**33**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	59	4.5	15	2	2	4	4	12	15
35-49	33	9.6	83						
50-69	26	7.5	14						
70 +	0								
	128	**6.3**	**35**	**2**	**2**	**4**	**10**	**15**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	128	**6.3**	**35**	**2**	**2**	**4**	**10**	**15**	**22**

DRG 169: Mouth Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	230	1.6	1	< 1	1	1	2	3	3
70-74	100	2.4	1	< 1	2	2	3	4	5
75-79	149	2.0	2	1	1	1	3	4	4
80-84	79	1.7	1	1	1	1	3	3	3
85 +	69	1.6	1	1	1	1	2	3	4
SUBTOTAL	**628**	**1.8**	**1**	**< 1**	**1**	**1**	**3**	**3**	**4**
GRAND TOTAL	**628**	**1.8**	**1**	**< 1**	**1**	**1**	**3**	**3**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	475	2.2	3	< 1	< 1	1	3	5	6
18-34	752	2.3	5	< 1	1	1	3	6	7
35-49	489	2.2	5	< 1	1	1	3	4	6
50-69	560	1.8	3	< 1	1	1	2	3	6
70 +	20	1.5							
	2296	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**
	2296	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	102	2.2	2	< 1	1	2	3	3	7
18-34	22	1.0							
35-49	6	3.0							
50-69	31	1.0							
70 +	0								
SUBTOTAL	**161**	**1.8**	**2**	**< 1**	**1**	**1**	**3**	**3**	**3**
GRAND TOTAL	**161**	**1.8**	**2**	**< 1**	**1**	**1**	**3**	**3**	**3**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	37	2.2	5	< 1	1	1	2	7	7
18-34	120	3.6	12	1	1	3	4	8	12
35-49	69	4.2	11	1	1	5	5	11	11
50-69	37	3.8	7						
70 +	16	3.5	4						
	279	**3.6**	**10**	**1**	**1**	**3**	**5**	**8**	**11**
	279	**3.6**	**10**	**1**	**1**	**3**	**5**	**8**	**11**

DRG 170: Other Digestive System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	709	16.5	165	5	7	14	24	37	48
70-74	511	21.0	335	6	10	16	26	46	83
75-79	420	20.2	319	6	10	15	20	42	73
80-84	299	22.9	385	7	11	15	30	58	84
85 +	238	29.9	543	7	14	23	51	94	99 +
SUBTOTAL	**2178**	**20.6**	**321**	**6**	**9**	**15**	**28**	**48**	**78**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2178**	**20.6**	**321**	**6**	**9**	**15**	**28**	**48**	**78**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	9.8	63	1	6	7	11	28	28
18-34	342	10.1	167	2	3	7	10	24	45
35-49	511	13.7	140	4	6	9	18	28	41
50-69	683	14.5	117	5	7	11	18	30	42
70 +	57	15.8	56	10	11	14	17	34	36
	1667	**13.2**	**133**	**4**	**6**	**10**	**16**	**28**	**41**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1667	**13.2**	**133**	**4**	**6**	**10**	**16**	**28**	**41**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	16.0							
18-34	47	17.3	63	6	9	19	24	29	29
35-49	37	24.9	316						
50-69	110	18.4	213	4	15	16	20	22	60
70 +	0								
SUBTOTAL	**204**	**19.2**	**192**	**6**	**10**	**18**	**20**	**38**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**204**	**19.2**	**192**	**6**	**10**	**18**	**20**	**38**	**56**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	5.8	21						
18-34	139	11.4	58	4	7	9	15	22	32
35-49	29	11.3	48						
50-69	134	16.8	205	4	6	8	30	39	39
70 +	10	15.0							
	348	**13.0**	**120**	**3**	**6**	**9**	**17**	**32**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	348	**13.0**	**120**	**3**	**6**	**9**	**17**	**32**	**39**

DRG 171: Other Digestive System O.R. Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	169	10.3	37	2	5	9	15	20	20
70-74	128	6.5	14	1	5	6	10	11	12
75-79	104	13.2	292	1	3	9	16	31	62
80-84	63	12.9	58	2	8	10	20	22	26
85 +	24	12.8	21						
SUBTOTAL	**489**	**10.4**	**93**	**2**	**5**	**9**	**13**	**20**	**20**
GRAND TOTAL	**489**	**10.4**	**93**	**2**	**5**	**9**	**13**	**20**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	244	3.7	10	1	2	3	5	6	7
18-34	1035	4.8	14	1	2	4	6	10	12
35-49	519	5.2	16	1	1	4	8	11	13
50-69	387	7.0	24	1	4	6	9	14	15
70 +	0								
	2186	**5.1**	**17**	**1**	**2**	**4**	**7**	**11**	**13**
	2186	**5.1**	**17**	**1**	**2**	**4**	**7**	**11**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	3.4	4						
18-34	157	3.5	6	1	2	3	4	7	9
35-49	45	5.5	8	1	2	6	8	9	9
50-69	35	11.7	42						
70 +	0								
SUBTOTAL	**265**	**4.9**	**18**	**1**	**2**	**4**	**7**	**9**	**10**
GRAND TOTAL	**265**	**4.9**	**18**	**1**	**2**	**4**	**7**	**9**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	55	5.4	14	1	3	6	6	12	12
18-34	191	3.7	16	1	1	3	4	6	19
35-49	61	4.1	5	1	1	4	6	7	7
50-69	18	8.0	2						
70 +	0								
	326	**4.3**	**14**	**1**	**1**	**4**	**6**	**8**	**12**
	326	**4.3**	**14**	**1**	**1**	**4**	**6**	**8**	**12**

DRG 172: Digestive Malignancy w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1214	11.9	133	2	5	8	15	28	40
70-74	1332	11.5	105	2	4	8	15	25	30
75-79	941	11.0	85	3	5	8	14	24	33
80-84	1025	12.1	107	3	6	9	15	23	37
85 +	1171	13.0	143	4	5	10	16	25	40
SUBTOTAL	**5684**	**11.9**	**116**	**3**	**5**	**8**	**15**	**25**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5584**	**11.9**	**116**	**3**	**5**	**8**	**15**	**25**	**35**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	84	4.3	6	2	2	4	5	9	9
35-49	393	9.0	66	2	3	7	12	18	27
50-69	1512	10.3	97	2	4	7	13	20	31
70 +	61	13.5	94	3	5	8	22	29	29
	2050	**9.9**	**89**	**2**	**4**	**7**	**12**	**20**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2050	**9.9**	**89**	**2**	**4**	**7**	**12**	**20**	**31**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	16	14.8	121						
50-69	171	20.5	330	3	6	15	42	64	99 +
70 +	6	16.0							
SUBTOTAL	**194**	**19.9**	**304**	**3**	**6**	**15**	**27**	**57**	**82**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**194**	**19.9**	**304**	**3**	**6**	**15**	**27**	**57**	**82**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	4.6							
35-49	98	12.8	38	5	6	13	15	24	25
50-69	230	14.8	114	3	5	11	21	26	31
70 +	63	18.3	287	4	7	10	26	53	53
	407	**14.4**	**124**	**4**	**5**	**11**	**20**	**26**	**36**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	407	**14.4**	**124**	**4**	**5**	**11**	**20**	**26**	**36**

DRG 173: Digestive Malignancy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	220	5.7	34	< 1	1	5	6	12	15
70-74	232	8.0	194	1	1	3	8	20	23
75-79	194	5.5	17	1	2	5	7	12	13
80-84	275	8.1	132	1	2	4	8	13	42
85 +	171	6.8	87	1	2	3	10	12	40
SUBTOTAL	**1092**	**6.9**	**99**	**1**	**2**	**4**	**8**	**13**	**23**
GRAND TOTAL	**1092**	**6.9**	**99**	**1**	**2**	**4**	**8**	**13**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	26	7.0	8						
18-34	0								
35-49	169	4.1	11	1	2	3	6	11	12
50-69	540	4.9	20	1	2	4	6	10	14
70 +	43	9.7	15						
	778	**5.0**	**19**	**1**	**2**	**4**	**7**	**11**	**12**
	778	**5.0**	**19**	**1**	**2**	**4**	**7**	**11**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	20	7.0	1						
35-49	16	5.1	2						
50-69	41	4.8	7						
70 +	0								
SUBTOTAL	**77**	**5.4**	**5**	**2**	**3**	**5**	**8**	**9**	**9**
GRAND TOTAL	**77**	**5.4**	**5**	**2**	**3**	**5**	**8**	**9**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6	2.0							
35-49	0								
50-69	49	4.8	10	1	2	3	8	9	9
70 +	43	2.8	2						
	98	**3.8**	**7**	**1**	**2**	**3**	**5**	**9**	**9**
	98	**3.8**	**7**	**1**	**2**	**3**	**5**	**9**	**9**

DRG 174: G.I. Hemorrhage w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6071	7.2	34	3	4	6	8	12	15
70-74	5197	7.7	52	3	4	6	9	14	19
75-79	5967	8.2	52	3	4	6	10	15	18
80-84	5692	9.0	64	3	5	7	10	17	25
85+	6551	10.4	112	3	5	8	12	19	25
SUBTOTAL	**29477**	**8.5**	**65**	**3**	**4**	**7**	**10**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**29477**	**8.5**	**65**	**3**	**4**	**7**	**10**	**15**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	157	3.0	6	1	1	2	4	7	8
18-34	1076	4.4	17	1	2	4	5	7	9
35-49	2512	5.4	11	2	3	5	6	9	11
50-69	5747	6.3	29	3	4	5	7	11	14
70+	544	7.6	27	2	4	6	10	14	17
	10036	**5.9**	**24**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	10036	**5.9**	**24**	**2**	**3**	**5**	**7**	**10**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	65	5.2	22	2	3	3	4	16	16
18-34	312	5.1	27	2	3	4	6	7	9
35-49	536	8.1	35	3	4	6	9	14	18
50-69	774	8.2	55	3	4	6	9	14	24
70+	143	10.2	52	3	5	9	12	19	31
SUBTOTAL	**1830**	**7.7**	**45**	**3**	**4**	**6**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1830**	**7.7**	**45**	**3**	**4**	**6**	**9**	**14**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	2.3	1						
18-34	509	4.8	11	2	3	4	6	8	11
35-49	748	5.9	25	2	3	5	7	10	15
50-69	1159	6.4	14	3	4	5	8	11	14
70+	267	12.3	207	3	4	7	14	24	42
	2706	**6.5**	**39**	**2**	**4**	**5**	**7**	**11**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2706	**6.5**	**39**	**2**	**4**	**5**	**7**	**11**	**16**

DRG 175: G.I. Hemorrhage w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1644	4.6	6	2	3	4	6	7	9
70-74	1546	5.3	10	2	3	5	7	9	10
75-79	1683	5.1	11	2	3	5	6	9	10
80-84	1495	5.4	12	2	3	5	7	10	12
85 +	1291	6.2	16	2	4	5	8	10	14
SUBTOTAL	**7659**	**5.3**	**11**	**2**	**3**	**5**	**6**	**9**	**11**
GRAND TOTAL	**7659**	**5.3**	**11**	**2**	**3**	**5**	**6**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	253	3.2	4	1	1	3	5	6	7
18-34	994	3.2	3	1	2	3	4	5	6
35-49	1511	3.7	6	1	2	3	5	6	8
50-69	2893	4.2	6	2	3	4	5	7	8
70 +	143	7.2	35	2	4	5	8	12	12
	5793	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
	5793	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	79	2.7	2	< 1	< 1	3	4	5	5
18-34	161	4.2	4	2	3	4	5	7	7
35-49	169	4.2	4	1	3	4	5	7	8
50-69	212	5.3	6	3	4	5	6	7	8
70 +	55	3.6	3	1	3	3	4	7	7
SUBTOTAL	**676**	**4.3**	**5**	**1**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**676**	**4.3**	**5**	**1**	**3**	**4**	**5**	**7**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	33	3.4	1						
18-34	460	3.1	3	1	2	3	4	5	7
35-49	249	3.8	4	1	2	4	5	5	7
50-69	397	4.0	3	2	3	4	5	6	7
70 +	84	5.7	10	2	4	5	7	8	15
	1222	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
	1222	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	513	7.9	26	3	4	7	10	14	17
70-74	391	8.7	48	3	4	6	10	16	24
75-79	385	9.6	37	3	5	8	13	17	26
80-84	363	11.7	129	4	6	7	15	21	30
85 +	432	11.8	113	3	5	8	17	29	54
SUBTOTAL	**2084**	**9.8**	**71**	**3**	**5**	**7**	**12**	**18**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	126	7.8	49	1	3	7	9	13	28
70-74	155	8.1	12	4	6	7	10	15	15
75-79	88	6.0	10	2	3	5	9	10	12
80-84	51	5.5	7	3	4	4	8	11	11
85 +	114	8.2	19	2	5	7	10	15	16
SUBTOTAL	**534**	**7.5**	**23**	**2**	**4**	**7**	**10**	**13**	**15**
GRAND TOTAL	**2618**	**9.3**	**62**	**3**	**5**	**7**	**11**	**17**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	4.5	2						
18-34	73	6.3	78	1	2	3	5	28	28
35-49	212	7.4	47	3	3	5	7	19	28
50-69	316	6.4	15	3	4	5	8	13	15
70 +	18	9.3	1						
	632	**6.8**	**33**	**3**	**3**	**5**	**8**	**13**	**19**
0-17	26	4.3	2						
18-34	202	5.4	21	1	4	4	6	8	10
35-49	316	5.0	9	2	2	5	6	8	12
50-69	352	5.5	7	3	4	5	7	8	12
70 +	6	6.0							
	903	**5.3**	**11**	**2**	**3**	**5**	**7**	**8**	**12**
	1534	**5.9**	**20**	**2**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	22	12.3	32						
35-49	10	3.0							
50-69	43	10.0	39						
70 +	6	14.0							
SUBTOTAL	**81**	**10.0**	**38**	**1**	**4**	**10**	**16**	**18**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	10	9.0							
35-49	26	5.5	8						
50-69	31	4.0	1						
70 +	0								
SUBTOTAL	**77**	**4.9**	**7**	**2**	**2**	**4**	**8**	**9**	**9**
GRAND TOTAL	**159**	**7.5**	**29**	**2**	**3**	**7**	**10**	**18**	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	20	6.5	13						
35-49	37	5.7	22						
50-69	45	9.2	30	3	5	8	14	20	20
70 +	0								
	102	**7.4**	**26**	**3**	**3**	**5**	**10**	**16**	**20**
0-17	0								
18-34	65	3.0	3	1	2	3	4	6	6
35-49	77	5.0	7	2	3	4	8	8	10
50-69	37	5.6	6						
70 +	0								
	179	**4.4**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
	281	**5.5**	**15**	**2**	**3**	**4**	**8**	**10**	**14**

Northeastern Region, July 1988 - June 1989

DRG 177: Uncomplicated Peptic Ulcer w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	919	7.4	25	3	4	7	9	14	18
70-74	768	6.7	16	3	4	6	8	12	14
75-79	713	7.4	20	3	5	6	9	12	14
80-84	625	7.7	24	3	4	6	9	14	17
85 +	564	11.2	80	4	5	9	14	19	28
SUBTOTAL	**3589**	**7.9**	**33**	**3**	**4**	**6**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3589**	**7.9**	**33**	**3**	**4**	**6**	**10**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	4.2	3	1	3	4	6	6	6
18-34	314	4.1	8	2	2	3	4	8	9
35-49	678	5.3	12	2	3	4	6	10	12
50-69	1019	5.8	18	2	3	5	7	11	15
70 +	63	6.9	19	2	3	5	9	15	15
	2125	**5.4**	**14**	**2**	**3**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2125	**5.4**	**14**	**2**	**3**	**4**	**6**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	57	4.0	7	1	2	3	7	8	9
35-49	114	6.5	22	2	3	6	7	18	18
50-69	90	8.0	18	6	6	7	8	9	23
70 +	41	9.3	12						
SUBTOTAL	**301**	**6.9**	**19**	**2**	**4**	**6**	**8**	**11**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**301**	**6.9**	**19**	**2**	**4**	**6**	**8**	**11**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	5.0							
18-34	55	3.9	7	1	2	3	4	9	9
35-49	110	4.2	2	2	3	4	5	6	7
50-69	106	5.7	13	3	3	4	7	12	13
70 +	0								
	281	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	281	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**12**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	393	4.3	5	2	3	4	6	7	9
70-74	348	6.2	12	3	4	5	8	10	16
75-79	328	5.5	9	2	3	5	6	9	11
80-84	279	5.9	7	4	4	5	8	10	11
85 +	210	7.4	12	3	5	7	10	13	14
SUBTOTAL	**1558**	**5.7**	**10**	**2**	**3**	**5**	**7**	**10**	**11**
GRAND TOTAL	**1558**	**5.7**	**10**	**2**	**3**	**5**	**7**	**10**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	3.2	3	< 1	2	3	4	7	7
18-34	739	3.9	6	1	2	3	5	7	8
35-49	1245	4.0	6	1	2	4	5	7	9
50-69	1053	4.2	5	2	2	4	5	7	9
70 +	22	4.1	3						
	3106	**4.0**	**5**	**1**	**2**	**4**	**5**	**7**	**9**
	3106	**4.0**	**5**	**1**	**2**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	1.0							
18-34	151	4.7	34	1	2	3	5	8	8
35-49	88	4.9	9	1	3	4	7	7	13
50-69	77	3.8	3	< 1	2	4	5	6	7
70 +	0								
SUBTOTAL	**326**	**4.4**	**19**	**1**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**326**	**4.4**	**19**	**1**	**2**	**4**	**5**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10	4.0							
18-34	141	2.7	1	1	2	3	3	4	5
35-49	220	3.7	2	2	3	3	4	6	6
50-69	143	5.1	9	2	3	5	6	6	15
70 +	6	4.0							
	519	**3.8**	**4**	**2**	**3**	**3**	**4**	**6**	**6**
	519	**3.8**	**4**	**2**	**3**	**3**	**4**	**6**	**6**

DRG 179: Inflammatory Bowel Disease

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	536	9.8	60	3	5	8	12	20	31	0-17	171	9.5	51	2	5	7	15	24	25
70-74	348	11.9	50	4	7	10	14	21	25	18-34	1308	10.1	84	3	4	7	12	23	29
75-79	330	10.8	84	3	5	8	12	21	37	35-49	1194	9.8	79	3	4	7	12	20	29
80-84	240	15.0	102	5	7	12	20	31	33	50-69	711	8.5	32	4	4	7	11	18	21
85 +	198	15.3	171	6	7	12	13	46	50	70 +	26	7.8	5						
SUBTOTAL	**1652**	**11.8**	**86**	**4**	**6**	**9**	**14**	**25**	**33**		**3411**	**9.6**	**70**	**3**	**4**	**7**	**12**	**21**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	226	8.3	26	4	4	7	11	13	16	0-17	196	4.8	9	1	2	5	6	9	12
70-74	149	6.9	16	3	4	5	10	13	17	18-34	2058	7.5	27	3	4	6	9	14	18
75-79	191	8.9	40	3	5	7	11	21	27	35-49	1072	8.0	33	3	4	6	9	18	21
80-84	79	11.6	63	6	6	7	17	29	29	50-69	526	6.8	21	2	3	6	9	12	17
85 +	45	11.6	64	6	7	7	10	26	26	70 +	0								
SUBTOTAL	**691**	**8.8**	**36**	**3**	**5**	**7**	**11**	**17**	**25**		**3851**	**7.4**	**27**	**2**	**4**	**6**	**9**	**14**	**18**
GRAND TOTAL	**2343**	**10.9**	**74**	**4**	**6**	**8**	**13**	**21**	**31**		**7261**	**8.5**	**48**	**3**	**4**	**6**	**10**	**18**	**22**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	167	15.9	248	4	5	9	23	28	68	18-34	128	9.4	47	3	5	7	14	19	21
35-49	79	13.9	101	5	7	13	15	23	42	35-49	79	8.8	23	2	4	8	12	16	16
50-69	63	12.7	125	4	4	9	17	36	36	50-69	65	9.4	52	2	6	7	9	25	25
70 +	10	4.0								70 +	0								
SUBTOTAL	**320**	**14.4**	**184**	**4**	**5**	**9**	**22**	**30**	**51**		**273**	**9.2**	**41**	**2**	**5**	**8**	**12**	**19**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	242	6.5	24	1	3	5	8	12	14	18-34	244	6.2	23	3	3	5	6	15	18
35-49	59	5.3	9	3	3	4	7	11	11	35-49	145	9.1	21	4	5	8	11	14	21
50-69	33	3.8	3							50-69	69	11.7	33	4	8	11	16	18	23
70 +	0									70 +	0								
SUBTOTAL	**334**	**6.0**	**20**	**2**	**3**	**5**	**7**	**11**	**14**		**458**	**8.0**	**27**	**3**	**4**	**6**	**10**	**16**	**18**
GRAND TOTAL	**654**	**10.1**	**118**	**3**	**4**	**6**	**12**	**23**	**28**		**731**	**8.4**	**33**	**3**	**4**	**7**	**11**	**18**	**20**

DRG 180: G.I. Obstruction w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2233	8.7	108	2	4	6	10	16	22
70-74	2135	9.1	45	3	5	7	12	18	21
75-79	2512	8.6	36	3	5	7	11	15	23
80-84	2167	10.2	85	3	5	8	12	19	27
85 +	2984	11.0	88	3	5	9	13	20	28
SUBTOTAL	**12031**	**9.6**	**74**	**3**	**5**	**7**	**12**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12031**	**9.6**	**74**	**3**	**5**	**7**	**12**	**18**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	161	2.7	6	1	1	2	3	6	6
18-34	275	6.1	24	1	3	5	7	14	19
35-49	678	6.8	24	2	3	5	9	14	15
50-69	1412	7.9	74	2	3	6	9	16	20
70 +	194	10.8	43	4	6	9	14	20	23
	2720	**7.3**	**53**	**2**	**3**	**6**	**9**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2720	**7.3**	**53**	**2**	**3**	**6**	**9**	**15**	**20**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	51	4.1	9	1	2	4	5	11	11
18-34	171	7.1	17	3	4	7	9	12	12
35-49	84	8.2	38	3	3	5	12	14	25
50-69	346	8.3	66	3	4	6	10	18	22
70 +	49	8.6	15	3	6	8	12	14	14
SUBTOTAL	**701**	**7.7**	**44**	**3**	**4**	**6**	**10**	**14**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**701**	**7.7**	**44**	**3**	**4**	**6**	**10**	**14**	**22**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	1.2							
18-34	67	3.0	2	1	2	3	4	4	6
35-49	104	7.0	13	4	4	6	9	13	16
50-69	255	6.8	17	3	4	6	8	12	17
70 +	104	8.5	40	4	5	6	10	13	31
	562	**6.4**	**22**	**2**	**3**	**5**	**8**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	562	**6.4**	**22**	**2**	**3**	**5**	**8**	**12**	**16**

DRG 181: G.I. Obstruction w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1652	4.7	10	2	3	4	6	8	9
70-74	1147	5.5	17	2	3	4	7	10	13
75-79	1177	5.5	11	2	3	5	7	9	12
80-84	1047	6.0	16	2	3	5	8	12	14
85 +	1078	6.1	25	2	3	5	7	10	14
SUBTOTAL	**6101**	**5.5**	**16**	**2**	**3**	**5**	**7**	**9**	**13**
GRAND TOTAL	**6101**	**5.5**	**16**	**2**	**3**	**5**	**7**	**9**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	432	1.9	2	1	1	1	2	4	5
18-34	825	4.5	10	1	2	4	6	10	12
35-49	1613	4.4	11	2	2	4	5	8	10
50-69	2282	4.8	8	2	3	4	6	8	10
70 +	100	5.9	14	1	4	6	7	13	14
	5252	**4.4**	**10**	**1**	**2**	**4**	**6**	**8**	**10**
	5252	**4.4**	**10**	**1**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	110	3.5	12	1	1	2	5	8	12
18-34	175	4.9	6	2	3	4	6	9	10
35-49	171	4.6	10	1	3	3	5	11	11
50-69	238	6.8	30	3	4	5	8	15	20
70 +	26	7.5	4						
SUBTOTAL	**721**	**5.4**	**17**	**1**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**721**	**5.4**	**17**	**1**	**3**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	92	3.1	4	1	1	4	5	6	6
18-34	275	4.6	11	2	3	4	6	8	13
35-49	222	4.6	13	2	2	4	5	10	10
50-69	273	5.7	38	1	2	4	8	10	12
70 +	61	6.6	14	2	3	6	12	12	12
	923	**4.9**	**20**	**1**	**2**	**4**	**6**	**10**	**12**
	923	**4.9**	**20**	**1**	**2**	**4**	**6**	**10**	**12**

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12563	7.0	51	2	3	5	8	13	18
70-74	9977	7.0	48	2	3	5	8	13	17
75-79	10546	7.7	50	2	4	6	9	14	18
80-84	9138	8.3	56	2	4	7	10	16	22
85 +	9266	9.5	81	3	4	7	11	19	25
SUBTOTAL	**51489**	**7.8**	**57**	**2**	**4**	**6**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	51489	7.8	57	2	4	6	9	15	20

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7509	3.9	11	1	2	3	5	7	10
35-49	8189	4.9	17	2	2	4	6	9	12
50-69	12031	5.5	22	2	3	4	7	10	13
70 +	650	6.4	17	2	3	5	9	12	14
	28378	**4.9**	**18**	**2**	**2**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	28378	4.9	18	2	2	4	6	9	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1571	4.4	16	1	2	3	5	9	10
35-49	1656	6.6	54	2	3	5	7	13	20
50-69	1850	6.3	42	2	3	5	8	11	14
70 +	273	9.2	40	4	5	7	12	16	16
SUBTOTAL	**5349**	**6.0**	**39**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	5349	6.0	39	2	3	5	7	11	15

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1962	3.4	7	1	2	3	4	6	8
35-49	1471	4.9	14	1	2	4	6	9	11
50-69	1664	5.8	28	2	3	4	7	10	13
70 +	299	7.0	28	2	3	5	8	15	21
	5396	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5396	4.8	18	1	2	4	6	9	12

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6272	4.8	11	1	2	4	6	9	11
70-74	4858	4.6	13	1	2	4	6	8	11
75-79	4062	5.4	21	1	3	4	7	10	12
80-84	3314	5.4	32	2	3	5	6	10	13
85 +	2481	6.0	34	2	3	4	7	11	15
SUBTOTAL	**20986**	**5.1**	**20**	**1**	**2**	**4**	**7**	**9**	**12**
GRAND TOTAL	**20986**	**5.1**	**20**	**1**	**2**	**4**	**7**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	16636	2.8	6	1	1	2	4	6	7
35-49	13530	3.7	9	1	2	3	5	7	9
50-69	12966	4.2	7	1	2	4	6	8	9
70 +	332	3.7	6	1	2	3	5	7	9
	43464	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
	43464	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2583	2.8	4	1	1	2	3	5	7
35-49	1202	4.8	17	1	2	4	6	10	13
50-69	937	5.5	16	1	3	5	7	10	14
70 +	81	5.9	25	2	2	3	7	9	21
SUBTOTAL	**4803**	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**4803**	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4718	2.6	6	1	1	2	3	5	6
35-49	2066	3.5	7	1	2	3	5	7	9
50-69	1672	3.8	7	1	2	3	5	7	8
70 +	196	5.9	13	1	2	5	8	12	13
	8651	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
	8651	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**7.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**3.0**							
GRAND TOTAL	**16**	**5.5**	**4**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	9061	2.8	6	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9061	**2.8**	**6**	**1**	**2**	**2**	**3**	**5**	**6**
0-17	12582	2.4	4	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	12582	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
	21643	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2942	4.1	27	1	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2942**	**4.1**	**27**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4196	2.8	4	1	2	2	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4196**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**7138**	**3.3**	**14**	**1**	**2**	**3**	**4**	**6**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1662	2.8	4	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1662	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	2628	2.4	3	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2628	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	4290	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	190	7.2	19	2	3	6	9	15	16	0-17	0								
70-74	92	8.0	36	3	4	7	8	15	26	18-34	328	4.0	15	< 1	2	3	4	8	12
75-79	86	14.5	493	3	3	7	10	74	74	35-49	173	8.1	39	2	4	7	11	16	27
80-84	43	13.4	263							50-69	183	7.8	49	2	3	6	11	17	18
85 +	39	7.3	20							70 +	10	12.0							
SUBTOTAL	**448**	**9.3**	**144**	**3**	**3**	**6**	**10**	**15**	**26**		**695**	**6.1**	**34**	**1**	**3**	**4**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	120	3.2	3	1	2	3	4	7	7	0-17	0								
70-74	22	8.5	18							18-34	760	2.7	5	1	1	2	3	6	7
75-79	26	6.8	12							35-49	310	3.6	4	1	2	4	5	7	7
80-84	6	8.0								50-69	212	3.5	9	< 1	1	2	5	6	8
85 +	43	3.2	2							70 +	10	8.0							
SUBTOTAL	**218**	**4.3**	**9**	**1**	**2**	**3**	**7**	**9**	**10**		**1292**	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**666**	**7.7**	**105**	**2**	**3**	**5**	**9**	**13**	**16**		**1986**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	149	6.8	67	2	4	5	7	8	17	18-34	326	3.1	3	1	1	3	5	6	6
35-49	98	8.4	34	3	3	7	12	19	20	35-49	102	3.1	3	1	2	3	4	6	7
50-69	77	5.1	2	3	4	5	7	7	7	50-69	53	7.6	45	2	2	4	10	20	20
70 +	0									70 +	10	12.0							
SUBTOTAL	**324**	**6.9**	**43**	**2**	**4**	**5**	**7**	**13**	**18**		**491**	**3.8**	**11**	**1**	**2**	**3**	**5**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	169	2.8	2	1	2	3	3	3	8	18-34	595	2.3	2	1	1	2	3	4	4
35-49	41	4.0	18	1	1	1	8	12	12	35-49	147	3.6	5	1	1	3	5	7	8
50-69	39	11.7	221							50-69	24	3.0	3						
70 +	0									70 +	12	1.0							
SUBTOTAL	**249**	**4.4**	**48**	**1**	**2**	**3**	**3**	**8**	**12**		**778**	**2.6**	**3**	**1**	**1**	**2**	**4**	**4**	**6**
GRAND TOTAL	**573**	**5.8**	**46**	**1**	**2**	**4**	**7**	**12**	**17**		**1269**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	412	2.7	5	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**412**	**2.7**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	780	2.0	2	< 1	1	1	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**780**	**2.0**	**2**	**< 1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**0**										**1192**	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	116	3.2	2	2	2	3	4	5	6	0-17	100	3.7	6	1	2	3	5	8	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**116**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**100**	**3.7**	**6**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	332	2.4	3	< 1	1	2	3	4	6	0-17	173	2.6	4	1	1	2	3	7	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**332**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**		**173**	**2.6**	**4**	**1**	**1**	**2**	**3**	**7**	**7**
GRAND TOTAL	**448**	**2.6**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**		**273**	**3.0**	**5**	**1**	**1**	**2**	**4**	**7**	**7**

DRG 187: Dental Extractions & Restorations

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	191	3.2	25	1	1	2	3	6	7
70-74	73	1.8	1	< 1	1	1	3	3	4
75-79	79	5.2	72	1	1	2	4	27	27
80-84	29	2.8	4						
85 +	39	4.2	11						
SUBTOTAL	**412**	**3.4**	**28**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	228	1.5	2	< 1	< 1	< 1	1	3	5
70-74	45	1.4		< 1	1	1	2	2	2
75-79	71	1.3		< 1	< 1	1	2	2	2
80-84	22	1.0							
85 +	43	1.9	1						
SUBTOTAL	**409**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**821**	**2.4**	**15**	**< 1**	**1**	**1**	**2**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	1.3		< 1	< 1	1	1	3	3
18-34	143	2.2	4	< 1	1	1	3	6	6
35-49	73	2.6	4	1	1	2	3	7	7
50-69	112	3.2	19	< 1	1	2	3	7	18
70 +	0								
	403	**2.4**	**8**	**< 1**	**1**	**1**	**3**	**6**	**7**
0-17	1281	1.1		< 1	< 1	< 1	1	1	1
18-34	1126	1.2	1	< 1	< 1	< 1	1	1	2
35-49	108	3.1	12	< 1	< 1	1	2	9	11
50-69	88	1.6	1	1	1	1	2	3	4
70 +	6	1.0							
	2610	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
	3013	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	2.6	8	< 1	< 1	1	3	5	11
18-34	45	4.2	7	1	1	4	6	9	9
35-49	37	2.4	7						
50-69	0								
70 +	0								
SUBTOTAL	**145**	**3.1**	**8**	**< 1**	**< 1**	**2**	**4**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	340	1.0		< 1	< 1	< 1	< 1	1	1
18-34	55	1.9	2	< 1	< 1	1	2	5	5
35-49	20	1.5							
50-69	16	1.0							
70 +	0								
SUBTOTAL	**432**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
GRAND TOTAL	**577**	**1.6**	**3**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	1.0							
18-34	45	2.7	3	< 1	1	2	4	6	6
35-49	26	5.2	7						
50-69	12	1.5							
70 +	0								
	116	**2.7**	**5**	**< 1**	**1**	**1**	**4**	**6**	**8**
0-17	161	1.2		< 1	< 1	< 1	< 1	2	3
18-34	267	2.6	10	< 1	< 1	1	3	5	6
35-49	33	2.4	1						
50-69	0								
70 +	0								
	460	**2.1**	**7**	**< 1**	**< 1**	**1**	**3**	**4**	**5**
	577	**2.2**	**6**	**< 1**	**< 1**	**1**	**3**	**5**	**6**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2390	7.6	42	2	3	6	10	15	19	0-17	0								
70-74	1666	7.3	63	1	3	5	10	16	23	18-34	601	6.1	115	1	2	3	6	8	35
75-79	1768	8.3	63	2	3	6	10	19	26	35-49	876	5.7	22	1	2	4	7	13	16
80-84	1622	8.4	73	2	4	6	10	18	23	50-69	1742	6.2	21	2	3	5	8	13	17
85 +	1624	9.3	110	2	3	6	11	19	27	70 +	110	10.5	42	2	4	11	15	16	23
SUBTOTAL	**9070**	**8.1**	**68**	**2**	**3**	**6**	**10**	**17**	**23**		**3329**	**6.2**	**39**	**1**	**2**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9070**	**8.1**	**68**	**2**	**3**	**6**	**10**	**17**	**23**		**3329**	**6.2**	**39**	**1**	**2**	**5**	**8**	**13**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	132	8.9	136	1	2	5	9	21	44	18-34	149	3.4	6	1	1	4	5	5	6
35-49	104	6.0	27	1	2	4	8	15	18	35-49	128	7.5	34	1	3	6	11	17	21
50-69	267	8.1	48	1	3	6	11	16	29	50-69	287	8.7	67	1	3	6	11	19	31
70 +	94	10.8	77	3	6	7	15	29	29	70 +	88	7.9	34	1	1	7	13	16	18
SUBTOTAL	**597**	**8.3**	**70**	**1**	**3**	**6**	**11**	**18**	**29**		**652**	**7.2**	**46**	**1**	**2**	**5**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**597**	**8.3**	**70**	**1**	**3**	**6**	**11**	**18**	**29**		**652**	**7.2**	**46**	**1**	**2**	**5**	**10**	**16**	**20**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	980	4.1	17	< 1	1	3	5	9	12	0-17	0								
70-74	764	4.1	14	< 1	1	3	5	9	11	18-34	1990	2.7	7	1	1	2	3	5	8
75-79	654	4.1	18	< 1	1	2	6	10	12	35-49	1516	3.3	12	< 1	1	2	4	8	11
80-84	587	6.6	115	1	1	3	7	15	19	50-69	1648	3.6	13	< 1	1	2	5	9	11
85 +	540	4.8	18	1	2	3	6	11	13	70 +	35	2.2	2						
SUBTOTAL	**3524**	**4.6**	**34**	**1**	**1**	**3**	**6**	**10**	**13**		**5189**	**3.1**	**10**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**3524**	**4.6**	**34**	**1**	**1**	**3**	**6**	**10**	**13**		**5189**	**3.1**	**10**	**1**	**1**	**2**	**4**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	340	3.9	15	1	1	2	5	8	15	18-34	583	2.5	6	< 1	1	2	3	5	8
35-49	139	4.0	29	1	2	3	4	5	7	35-49	328	3.4	12	< 1	1	2	4	9	10
50-69	185	5.5	35	1	1	4	6	15	25	50-69	287	2.9	9	1	1	2	2	7	11
70 +	26	1.6								70 +	86	3.0	3	< 1	1	4	4	5	5
SUBTOTAL	**691**	**4.3**	**23**	**1**	**1**	**3**	**5**	**8**	**15**		**1284**	**2.9**	**8**	**< 1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**691**	**4.3**	**23**	**1**	**1**	**3**	**5**	**8**	**15**		**1284**	**2.9**	**8**	**< 1**	**1**	**2**	**4**	**7**	**10**

DRG 190: Other Digestive System Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	330	3.8	25	1	1	2	4	9	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**330**	**3.8**	**25**	**1**	**1**	**2**	**4**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2359	1.7	3	< 1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2359**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**0**										**2689**	**1.9**	**6**	**< 1**	**1**	**1**	**2**	**3**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	118	2.9	3	< 1	2	2	3	6	6	0-17	63	2.8	4	< 1	1	3	4	5	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**118**	**2.9**	**3**	**< 1**	**2**	**2**	**3**	**6**	**6**		**63**	**2.8**	**4**	**< 1**	**1**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	613	2.7	18	< 1	1	1	2	4	8	0-17	487	2.0	4	< 1	1	1	2	3	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**613**	**2.7**	**18**	**< 1**	**1**	**1**	**2**	**4**	**8**		**487**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**731**	**2.7**	**15**	**< 1**	**1**	**2**	**3**	**6**	**8**		**550**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	607	24.3	310	8	12	19	37	59	88
70-74	462	20.1	191	8	11	15	26	39	41
75-79	328	26.1	500	9	12	18	32	59	79
80-84	153	20.9	199	9	13	18	23	37	40
85 +	198	21.4	146	7	15	19	27	38	53
SUBTOTAL	**1748**	**22.9**	**291**	**8**	**12**	**18**	**30**	**47**	**66**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1748**	**22.9**	**291**	**8**	**12**	**18**	**30**	**47**	**66**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	8.9	4						
18-34	426	17.6	239	5	7	14	21	42	58
35-49	503	19.0	247	6	9	14	21	50	53
50-69	896	20.3	208	7	10	14	28	44	56
70 +	20	11.5	32						
	1885	**19.0**	**223**	**6**	**9**	**14**	**25**	**45**	**56**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1885	**19.0**	**223**	**6**	**9**	**14**	**25**	**45**	**56**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	9.0	1						
18-34	94	18.9	100	7	10	16	27	34	35
35-49	132	26.3	271	8	13	23	38	49	61
50-69	75	31.3	664	6	14	23	56	84	84
70 +	10	6.0							
SUBTOTAL	**324**	**24.0**	**333**	**7**	**8**	**19**	**34**	**49**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**324**	**24.0**	**333**	**7**	**8**	**19**	**34**	**49**	**61**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	28.0	409						
18-34	196	20.4	303	8	9	15	21	48	72
35-49	151	19.1	263	5	11	15	21	31	33
50-69	114	15.2	34	10	10	14	18	25	26
70 +	22	17.1	56						
	524	**19.3**	**239**	**8**	**10**	**14**	**21**	**32**	**57**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	524	**19.3**	**239**	**8**	**10**	**14**	**21**	**32**	**57**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	118	12.0	67	3	3	12	14	25	28
70-74	81	11.5	27	5	7	12	13	22	22
75-79	39	8.4	14						
80-84	18	10.3	24						
85 +	16	14.1	30						
SUBTOTAL	**273**	**11.4**	**44**	**3**	**6**	**11**	**14**	**22**	**25**
GRAND TOTAL	**273**	**11.4**	**44**	**3**	**6**	**11**	**14**	**22**	**25**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	118	11.4	58	5	7	8	13	18	33
35-49	130	11.9	107	3	5	6	17	24	40
50-69	334	9.4	49	3	6	9	11	15	16
70 +	0								
	583	**10.4**	**65**	**4**	**6**	**8**	**12**	**17**	**33**
	583	**10.4**	**65**	**4**	**6**	**8**	**12**	**17**	**33**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	26.0							
18-34	6	15.0							
35-49	16	8.6	12						
50-69	20	4.5	2						
70 +	0								
SUBTOTAL	**53**	**11.1**	**69**	**3**	**6**	**6**	**15**	**26**	**26**
GRAND TOTAL	**53**	**11.1**	**69**	**3**	**6**	**6**	**15**	**26**	**26**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	37	8.2	2						
35-49	6	4.0							
50-69	16	13.5	4						
70 +	0								
	59	**9.2**	**11**	**5**	**7**	**9**	**11**	**15**	**15**
	59	**9.2**	**11**	**5**	**7**	**9**	**11**	**15**	**15**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	764	15.7	77	6	10	14	20	26	34
70-74	713	19.3	152	8	11	16	23	39	44
75-79	695	19.9	140	8	12	18	24	41	51
80-84	717	18.8	121	8	12	17	23	35	46
85 +	617	22.9	237	9	15	20	25	44	48
SUBTOTAL	**3506**	**19.2**	**147**	**8**	**11**	**17**	**23**	**34**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3506**	**19.2**	**147**	**8**	**11**	**17**	**23**	**34**	**45**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	8.0							
18-34	51	9.0	20	3	5	9	13	15	15
35-49	187	13.7	201	4	7	10	13	20	56
50-69	854	16.0	143	7	9	13	19	26	36
70 +	59	29.9	1006	10	11	17	23	98	98
	1157	**16.0**	**203**	**6**	**8**	**12**	**19**	**26**	**38**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1157	**16.0**	**203**	**6**	**8**	**12**	**19**	**26**	**38**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	7.0							
18-34	16	9.5	4						
35-49	6	23.0							
50-69	57	24.2	211	7	14	21	40	51	53
70 +	59	24.1	406	9	12	15	42	64	73
SUBTOTAL	**149**	**21.3**	**276**	**7**	**9**	**15**	**23**	**42**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**149**	**21.3**	**276**	**7**	**9**	**15**	**23**	**42**	**53**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	33	8.5	45						
35-49	22	12.4	51						
50-69	130	22.6	309	9	12	16	21	60	61
70 +	10	24.0							
	196	**19.1**	**252**	**6**	**9**	**16**	**20**	**51**	**60**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	196	**19.1**	**252**	**6**	**9**	**16**	**20**	**51**	**60**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	114	17.6	153	6	8	14	23	27	50	0-17	0								
70-74	108	13.2	38	8	8	11	17	23	26	18-34	84	3.6	3	1	2	4	5	6	7
75-79	120	14.3	37	7	8	14	19	21	26	35-49	147	8.7	21	3	6	7	11	17	17
80-84	110	14.9	46	8	11	13	20	23	27	50-69	369	10.8	139	2	6	9	12	17	31
85 +	55	22.8	363	10	12	12	32	60	60	70 +	20	16.0							
SUBTOTAL	**507**	**15.8**	**107**	**7**	**9**	**13**	**19**	**26**	**32**		**619**	**9.5**	**96**	**2**	**5**	**7**	**11**	**17**	**18**
GRAND TOTAL	**507**	**15.8**	**107**	**7**	**9**	**13**	**19**	**26**	**32**		**619**	**9.5**	**96**	**2**	**5**	**7**	**11**	**17**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	22	5.6	3							18-34	29	6.1	3						
35-49	6	5.0								35-49	43	12.0	47						
50-69	6	24.0								50-69	20	19.5	21						
70 +	0									70 +	0								
SUBTOTAL	**35**	**8.8**	**53**								**92**	**11.9**	**50**	**5**	**7**	**10**	**15**	**24**	**27**
GRAND TOTAL	**35**	**8.8**	**53**								**92**	**11.9**	**50**	**5**	**7**	**10**	**15**	**24**	**27**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1139	13.5	73	6	9	12	16	22	26	0-17	39	8.2	4						
70-74	1037	12.8	35	7	9	11	16	20	25	18-34	1061	9.0	40	5	6	7	10	13	17
75-79	988	14.3	44	8	10	13	17	23	29	35-49	902	9.8	19	5	7	9	11	16	19
80-84	674	16.9	145	9	11	13	21	26	29	50-69	1389	11.3	41	6	8	10	13	18	20
85 +	627	19.6	125	11	12	16	22	34	38	70 +	75	15.6	41	8	12	15	20	25	28
SUBTOTAL	**4465**	**14.9**	**81**	**8**	**10**	**13**	**17**	**24**	**30**		**3467**	**10.3**	**36**	**5**	**7**	**9**	**12**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4465**	**14.9**	**81**	**8**	**10**	**13**	**17**	**24**	**30**		**3467**	**10.3**	**36**	**5**	**7**	**9**	**12**	**17**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	16	6.4							
18-34	275	10.6	48	5	6	9	12	18	25	18-34	216	11.7	98	6	7	9	11	16	22
35-49	37	14.3	30							35-49	173	10.8	29	5	7	9	15	20	24
50-69	67	12.0	57	6	7	10	12	19	33	50-69	110	11.0	30	7	7	10	12	17	30
70 +	33	14.4	24							70 +	10	20.0							
SUBTOTAL	**412**	**11.5**	**48**	**5**	**7**	**10**	**13**	**22**	**25**		**526**	**11.3**	**59**	**6**	**7**	**10**	**12**	**20**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**412**	**11.5**	**48**	**5**	**7**	**10**	**13**	**22**	**25**		**526**	**11.3**	**59**	**6**	**7**	**10**	**12**	**20**	**23**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	246	9.6	15	5	6	9	13	15	17	0-17	6	4.0							
70-74	236	10.7	25	6	7	8	16	19	20	18-34	469	7.0	6	4	5	6	9	10	12
75-79	126	11.6	12	8	9	11	15	15	17	35-49	521	7.5	10	3	5	7	9	11	14
80-84	86	10.4	15	7	7	10	13	17	18	50-69	479	8.8	11	5	7	8	10	13	17
85 +	63	12.7	14	9	10	12	15	19	20	70 +	10	9.0							
SUBTOTAL	**758**	**10.6**	**18**	**6**	**7**	**10**	**13**	**17**	**19**		**1485**	**7.7**	**10**	**4**	**6**	**7**	**9**	**12**	**14**
GRAND TOTAL	**758**	**10.6**	**18**	**6**	**7**	**10**	**13**	**17**	**19**		**1485**	**7.7**	**10**	**4**	**6**	**7**	**9**	**12**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	110	7.1	4	5	6	7	8	10	10	18-34	49	5.9	4	4	4	5	7	10	10
35-49	45	10.5	11	7	8	10	12	18	18	35-49	29	7.9	15						
50-69	22	8.5	15							50-69	61	8.2	15	2	6	8	10	13	16
70 +	0									70 +	10	15.0							
SUBTOTAL	**177**	**8.1**	**9**	**5**	**6**	**8**	**10**	**11**	**14**		**149**	**7.8**	**15**	**4**	**4**	**7**	**10**	**15**	**15**
GRAND TOTAL	**177**	**8.1**	**9**	**5**	**6**	**8**	**10**	**11**	**14**		**149**	**7.8**	**15**	**4**	**4**	**7**	**10**	**15**	**15**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4390	10.6	75	5	6	8	12	18	25	0-17	84	6.6	12	3	4	6	9	10	16
70-74	3019	10.3	39	5	7	9	12	17	21	18-34	3319	5.9	9	3	4	5	7	9	11
75-79	2261	11.5	47	5	7	10	14	20	24	35-49	5392	6.9	18	3	4	6	8	12	14
80-84	1442	13.7	77	7	9	12	16	21	29	50-69	6672	8.1	21	4	5	7	10	13	17
85 +	915	16.0	129	7	10	13	18	26	45	70 +	230	12.4	150	5	8	9	12	17	37
SUBTOTAL	**12027**	**11.5**	**68**	**5**	**7**	**9**	**13**	**19**	**26**		**15696**	**7.3**	**20**	**4**	**5**	**6**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12027**	**11.5**	**68**	**5**	**7**	**9**	**13**	**19**	**26**		**15696**	**7.3**	**20**	**4**	**5**	**6**	**9**	**12**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	8.0							
18-34	793	7.1	11	4	5	6	8	11	15	18-34	556	7.9	27	4	5	6	8	16	19
35-49	552	8.1	38	4	5	6	8	16	20	35-49	648	6.6	9	4	5	6	8	11	14
50-69	395	10.6	112	4	5	7	9	25	34	50-69	678	8.7	24	4	5	7	11	13	16
70 +	81	13.6	276	3	7	9	12	27	68	70 +	57	9.3	33	4	6	8	8	21	21
SUBTOTAL	**1821**	**8.5**	**56**	**4**	**5**	**6**	**9**	**14**	**20**		**1945**	**7.8**	**21**	**4**	**5**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1821**	**8.5**	**56**	**4**	**5**	**6**	**9**	**14**	**20**		**1945**	**7.8**	**21**	**4**	**5**	**7**	**9**	**13**	**16**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3098	6.9	16	4	5	6	8	11	13	0-17	153	5.3	2	3	4	5	6	8	8
70-74	2082	7.5	15	4	5	7	9	12	15	18-34	9615	4.9	3	3	4	5	6	7	8
75-79	1302	8.2	24	5	6	7	9	12	17	35-49	10649	5.3	6	3	4	5	6	8	9
80-84	576	8.5	18	5	6	7	10	14	17	50-69	10173	5.9	7	4	4	5	7	9	10
85 +	263	10.7	45	5	7	9	12	20	25	70 +	139	7.1	3	5	6	7	9	10	10
SUBTOTAL	**7321**	**7.6**	**19**	**4**	**5**	**7**	**9**	**12**	**15**		**30729**	**5.4**	**5**	**3**	**4**	**5**	**6**	**8**	**9**
GRAND TOTAL	**7321**	**7.6**	**19**	**4**	**5**	**7**	**9**	**12**	**15**		**30729**	**5.4**	**5**	**3**	**4**	**5**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID										NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	45	5.2	1	4	5	5	5	8	8	0-17	47	3.9	1						
18-34	1778	5.1	4	3	4	5	6	8	9	18-34	1495	5.4	6	3	4	5	7	8	10
35-49	688	5.8	8	3	4	5	6	9	12	35-49	1265	5.8	7	3	4	5	6	9	11
50-69	414	6.4	9	3	4	6	8	11	11	50-69	1012	5.9	7	3	4	5	7	9	11
70 +	53	10.2	21	4	5	11	14	16	16	70 +	22	8.8	25						
SUBTOTAL	**2978**	**5.6**	**7**	**3**	**4**	**5**	**6**	**9**	**11**		**3842**	**5.7**	**7**	**3**	**4**	**5**	**7**	**9**	**11**
GRAND TOTAL	**2978**	**5.6**	**7**	**3**	**4**	**5**	**6**	**9**	**11**		**3842**	**5.7**	**7**	**3**	**4**	**5**	**7**	**9**	**11**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	139	17.9	128	6	10	16	25	42	42
70-74	110	21.9	161	7	11	21	28	29	52
75-79	100	20.9	281	4	10	15	22	54	60
80-84	43	21.7	238						
85 +	53	23.8	239	7	8	17	41	44	44
SUBTOTAL	**444**	**20.7**	**196**	**7**	**10**	**18**	**28**	**42**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	18	10.0	11						
70-74	16	11.5	4						
75-79	0								
80-84	6	8.0							
85 +	0								
SUBTOTAL	**41**	**10.3**	**8**	**6**	**8**	**10**	**13**	**14**	**14**
GRAND TOTAL	**485**	**19.8**	**189**	**7**	**9**	**16**	**27**	**42**	**46**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	10	33.0							
18-34	0								
35-49	37	6.6	8						
50-69	285	15.7	86	5	8	15	22	30	34
70 +	10	8.0							
SUBTOTAL	**342**	**15.0**	**92**	**5**	**8**	**10**	**21**	**32**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	61	13.6	41	7	9	12	17	26	26
70 +	0								
SUBTOTAL	**61**	**13.6**	**41**	**7**	**9**	**12**	**17**	**26**	**26**
GRAND TOTAL	**403**	**14.8**	**84**	**5**	**8**	**11**	**21**	**30**	**33**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	13.0							
35-49	6	28.0							
50-69	22	20.7	132						
70 +	0								
SUBTOTAL	**39**	**19.8**	**99**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**39**	**19.8**	**99**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	12	10.5	22						
50-69	33	10.6	11						
70 +	10	12.0							
SUBTOTAL	**55**	**10.9**	**11**	**6**	**9**	**10**	**15**	**15**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	6	3.0							
SUBTOTAL	**6**	**3.0**							
GRAND TOTAL	**61**	**10.1**	**16**	**4**	**6**	**10**	**15**	**15**	**15**

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	81	23.9	388	8	10	14	36	69	69	0-17	10	22.0							
70-74	57	19.9	475	3	8	10	28	64	64	18-34	41	5.5	5	1	4	7	7	7	7
75-79	41	19.9	251	6	7	10	36	44	44	35-49	102	13.2	78	3	7	11	18	20	40
80-84	22	29.9	149							50-69	165	22.2	195	8	13	15	32	46	48
85 +	33	19.8	556							70 +	0								
SUBTOTAL	**234**	**22.2**	**390**	**6**	**8**	**12**	**28**	**64**	**68**		**318**	**17.2**	**163**	**4**	**7**	**14**	**21**	**40**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	49	4.5	22	1	1	1	6	13	13	0-17	0								
70-74	12	3.0	1							18-34	108	4.7	6	3	3	4	5	9	10
75-79	10	4.0								35-49	81	7.7	48	1	3	4	10	23	23
80-84	22	9.0	71							50-69	61	6.1	3	3	6	6	7	8	8
85 +	0									70 +	0								
SUBTOTAL	**94**	**5.3**	**33**	**1**	**1**	**4**	**6**	**18**	**18**		**251**	**6.0**	**20**	**2**	**4**	**5**	**7**	**10**	**16**
GRAND TOTAL	**328**	**17.4**	**346**	**1**	**6**	**10**	**25**	**44**	**65**		**568**	**12.3**	**131**	**3**	**4**	**7**	**15**	**28**	**43**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	36.0								0-17	12	10.5							
18-34	12	11.0	1							18-34	65	15.5	69	6	8	14	21	23	34
35-49	16	14.7	169							35-49	26	14.9	59						
50-69	6	16.0								50-69	33	10.4	45						
70 +	0									70 +	0								
SUBTOTAL	**45**	**18.7**	**152**	**5**	**10**	**14**	**31**	**36**	**36**		**136**	**13.7**	**60**	**6**	**8**	**10**	**21**	**24**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	6.0								0-17	0								
18-34	6	8.0								18-34	35	6.4	18						
35-49	0									35-49	6	4.0							
50-69	10	2.0								50-69	6	3.0							
70 +	0									70 +	0								
SUBTOTAL	**33**	**5.1**	**5**								**47**	**5.6**	**15**	**3**	**3**	**4**	**6**	**15**	**15**
GRAND TOTAL	**77**	**13.0**	**135**	**2**	**5**	**8**	**16**	**36**	**36**		**183**	**11.6**	**61**	**4**	**6**	**8**	**15**	**24**	**24**

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	430	12.2	178	1	5	8	15	26	37	0-17	0								
70-74	302	13.4	121	2	7	11	15	28	40	18-34	69	11.3	58	2	4	13	16	24	24
75-79	132	14.8	476	1	2	7	11	62	75	35-49	408	8.3	57	2	4	7	10	12	29
80-84	116	12.8	42	5	7	11	16	23	24	50-69	603	11.6	94	3	5	8	16	26	28
85 +	41	11.0	51							70 +	16	11.9	30						
SUBTOTAL	**1021**	**12.9**	**179**	**1**	**6**	**9**	**15**	**25**	**37**		**1096**	**10.4**	**80**	**2**	**5**	**8**	**13**	**23**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	5.0	58							0-17	0								
70-74	33	3.6	4							18-34	10	10.0							
75-79	0									35-49	10	1.0							
80-84	6	1.0								50-69	61	2.5	3	1	1	1	5	5	5
85 +	0									70 +	0								
SUBTOTAL	**90**	**4.2**	**35**	**1**	**1**	**1**	**4**	**20**	**20**		**82**	**3.3**	**9**	**< 1**	**1**	**1**	**5**	**10**	**10**
GRAND TOTAL	**1110**	**12.2**	**173**	**1**	**5**	**8**	**14**	**24**	**31**		**1178**	**9.9**	**78**	**2**	**5**	**7**	**13**	**22**	**27**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	37	13.0	63							18-34	20	28.5	631						
35-49	82	7.9	47	< 1	1	6	14	19	19	35-49	100	14.4	148	6	6	11	14	37	46
50-69	73	20.3	314	3	7	10	31	51	51	50-69	90	16.4	121	2	10	16	28	33	35
70 +	0									70 +	0								
SUBTOTAL	**192**	**13.6**	**182**	**1**	**3**	**10**	**16**	**31**	**51**		**210**	**16.6**	**196**	**4**	**6**	**11**	**25**	**35**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**192**	**13.6**	**182**	**1**	**3**	**10**	**16**	**31**	**51**		**210**	**16.6**	**196**	**4**	**6**	**11**	**25**	**35**	**47**

DRG 202: Cirrhosis & Alcoholic Hepatitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1257	11.4	70	4	6	9	15	23	28	0-17	0								
70-74	540	13.6	159	2	7	11	17	30	49	18-34	169	8.8	43	3	4	7	13	21	24
75-79	493	13.0	94	5	7	11	14	22	26	35-49	913	10.6	59	4	5	8	14	20	28
80-84	185	12.3	47	4	8	12	15	21	28	50-69	1828	11.9	94	3	5	9	16	22	30
85 +	110	13.4	37	7	9	13	16	19	33	70 +	6	6.0							
SUBTOTAL	**2585**	**12.3**	**91**	**4**	**7**	**10**	**16**	**23**	**31**		**2915**	**11.3**	**81**	**3**	**5**	**9**	**15**	**22**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	94	2.2	3	< 1	1	1	3	6	6	0-17	0								
70-74	67	5.2	59	< 1	1	1	8	10	27	18-34	22	1.8	2						
75-79	39	10.6	47							35-49	114	2.6	7	1	1	1	4	8	8
80-84	35	5.9	26							50-69	236	3.8	22	1	1	1	5	8	14
85 +	31	4.7	9							70 +	0								
SUBTOTAL	**265**	**5.0**	**35**	**< 1**	**1**	**2**	**8**	**10**	**21**		**373**	**3.3**	**16**	**1**	**1**	**1**	**5**	**8**	**8**
GRAND TOTAL	**2850**	**11.6**	**90**	**3**	**6**	**9**	**15**	**22**	**30**		**3288**	**10.4**	**80**	**2**	**4**	**8**	**14**	**21**	**28**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	4.0								0-17	0								
18-34	169	12.2	153	5	6	8	14	19	57	18-34	147	14.1	429	3	4	5	15	32	82
35-49	485	11.7	83	3	6	10	13	23	32	35-49	436	15.3	163	5	7	11	21	30	44
50-69	471	15.7	254	3	8	10	19	27	48	50-69	332	12.7	86	4	6	10	18	25	37
70 +	20	15.5	95							70 +	33	14.4	81						
SUBTOTAL	**1155**	**13.4**	**167**	**3**	**6**	**10**	**15**	**25**	**42**		**947**	**14.2**	**175**	**4**	**6**	**10**	**20**	**31**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	28.0								18-34	26	3.5	4						
35-49	33	3.0	3							35-49	39	2.7	2						
50-69	43	2.1	3							50-69	26	3.3	9						
70 +	0									70 +	16	2.1	2						
SUBTOTAL	**81**	**4.4**	**49**	**< 1**	**< 1**	**2**	**5**	**5**	**28**		**108**	**3.0**	**4**	**1**	**1**	**4**	**4**	**5**	**7**
GRAND TOTAL	**1237**	**12.8**	**164**	**3**	**6**	**9**	**15**	**25**	**40**		**1055**	**13.0**	**169**	**3**	**5**	**8**	**18**	**30**	**37**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1049	10.4	84	2	4	8	12	22	28	0-17	20	9.0	67						
70-74	962	12.8	101	3	5	10	18	25	35	18-34	33	4.7	18						
75-79	813	15.1	202	4	7	11	16	30	46	35-49	373	6.9	26	1	3	6	9	15	16
80-84	754	16.3	255	4	6	12	19	32	59	50-69	1284	8.5	49	2	3	7	11	18	22
85 +	391	11.6	68	3	6	11	16	19	22	70 +	120	11.7	82	2	6	12	15	15	37
SUBTOTAL	**3969**	**13.2**	**148**	**3**	**5**	**10**	**16**	**26**	**35**		**1830**	**8.3**	**48**	**2**	**3**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	283	4.9	12	1	2	4	7	10	11	0-17	0								
70-74	302	6.8	34	1	2	5	10	13	15	18-34	20	9.5	76						
75-79	328	7.5	47	1	2	6	10	14	18	35-49	120	3.7	12	1	1	2	5	10	13
80-84	200	8.6	84	1	3	5	11	19	34	50-69	585	4.3	10	1	2	3	6	9	10
85 +	169	8.9	41	2	3	8	11	18	24	70 +	0								
SUBTOTAL	**1282**	**7.1**	**43**	**1**	**2**	**5**	**10**	**15**	**19**		**725**	**4.4**	**13**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**5250**	**11.7**	**129**	**2**	**4**	**9**	**15**	**23**	**32**		**2555**	**7.2**	**41**	**1**	**3**	**6**	**10**	**15**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	13.0								18-34	0								
35-49	37	5.3	30							35-49	43	20.4	613						
50-69	102	8.8	28	2	3	9	14	17	17	50-69	128	11.9	59	2	5	11	15	25	27
70 +	20	20.0	1							70 +	24	13.5	181						
SUBTOTAL	**169**	**9.7**	**41**	**2**	**3**	**9**	**14**	**19**	**21**		**196**	**14.0**	**204**	**2**	**5**	**10**	**15**	**27**	**61**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	10	4.0							
50-69	26	9.6	24							50-69	120	4.9	14	1	1	3	9	10	11
70 +	0									70 +	6	1.0							
SUBTOTAL	**26**	**9.6**	**24**								**137**	**4.7**	**13**	**< 1**	**1**	**3**	**9**	**10**	**10**
GRAND TOTAL	**196**	**9.6**	**39**	**2**	**3**	**10**	**15**	**19**	**20**		**332**	**10.2**	**146**	**1**	**3**	**8**	**11**	**25**	**27**

DRG 204: Disorders of Pancreas except Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1636	9.1	43	3	5	7	11	16	21	0-17	16	1.0							
70-74	862	11.0	97	4	5	9	13	20	27	18-34	1029	7.5	31	3	4	6	9	14	19
75-79	748	11.2	111	4	5	9	14	27	36	35-49	2074	8.8	61	3	5	6	11	17	24
80-84	456	10.2	59	3	6	8	12	20	28	50-69	1730	10.0	115	3	5	7	11	20	26
85 +	758	12.0	110	4	6	9	15	21	29	70 +	51	6.5	10	3	3	6	9	11	11
SUBTOTAL	**4459**	**10.4**	**79**	**4**	**5**	**8**	**13**	**20**	**28**		**4899**	**8.9**	**74**	**3**	**4**	**6**	**11**	**16**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	850	7.3	57	2	4	6	8	12	18	0-17	73	7.3	40	1	3	5	6	14	24
70-74	375	6.6	8	3	4	6	9	10	12	18-34	1263	5.6	15	2	3	5	7	9	12
75-79	452	6.9	22	3	4	6	9	12	15	35-49	1611	6.0	18	2	3	5	7	11	14
80-84	200	6.3	14	2	4	6	8	12	13	50-69	1717	5.9	24	2	3	5	7	10	14
85 +	200	8.5	30	4	5	7	9	16	22	70 +	26	7.3	19						
SUBTOTAL	**2076**	**7.1**	**34**	**3**	**4**	**6**	**8**	**12**	**15**		**4692**	**5.9**	**20**	**2**	**3**	**5**	**7**	**10**	**14**
GRAND TOTAL	**6535**	**9.4**	**67**	**3**	**5**	**7**	**11**	**17**	**26**		**9591**	**7.4**	**50**	**2**	**4**	**6**	**9**	**14**	**19**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	10	6.0							
18-34	652	8.9	81	3	5	6	9	16	30	18-34	632	7.1	44	2	3	5	8	14	21
35-49	958	8.6	44	3	4	6	10	18	22	35-49	735	7.9	29	3	4	7	10	14	16
50-69	385	10.6	150	2	4	6	11	24	33	50-69	255	12.2	80	4	6	11	17	25	31
70 +	29	8.7	9							70 +	26	18.8	246						
SUBTOTAL	**2023**	**9.1**	**76**	**3**	**4**	**6**	**10**	**19**	**25**		**1658**	**8.4**	**51**	**3**	**4**	**6**	**11**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	10	4.0							
18-34	189	6.2	19	1	4	5	8	11	13	18-34	389	4.9	8	2	3	5	6	8	11
35-49	342	7.0	17	3	4	6	9	12	15	35-49	446	5.9	13	2	3	5	8	12	14
50-69	132	5.5	16	1	2	5	8	13	14	50-69	255	5.9	21	3	4	5	7	8	12
70 +	20	9.5	32							70 +	31	4.7	4						
SUBTOTAL	**684**	**6.6**	**18**	**2**	**4**	**5**	**8**	**13**	**15**		**1131**	**5.5**	**13**	**2**	**3**	**5**	**7**	**9**	**13**
GRAND TOTAL	**2707**	**8.4**	**63**	**3**	**4**	**6**	**10**	**16**	**23**		**2789**	**7.3**	**37**	**2**	**4**	**6**	**9**	**14**	**20**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1359	11.2	114	3	4	8	14	25	33	0-17	102	6.9	43	1	2	3	10	18	20
70-74	719	10.8	85	4	5	8	14	21	32	18-34	389	7.4	40	2	3	6	9	16	22
75-79	623	12.0	72	4	6	10	14	25	29	35-49	715	7.8	73	1	3	6	10	14	21
80-84	399	13.4	151	3	5	12	16	26	53	50-69	1489	9.8	75	2	4	7	13	22	29
85 +	257	14.1	71	5	7	13	19	28	32	70 +	18	20.3	119						
SUBTOTAL	**3357**	**11.7**	**102**	**3**	**5**	**9**	**15**	**24**	**32**		**2714**	**8.9**	**70**	**2**	**4**	**7**	**11**	**20**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3357**	**11.7**	**102**	**3**	**5**	**9**	**15**	**24**	**32**		**2714**	**8.9**	**70**	**2**	**4**	**7**	**11**	**20**	**27**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	49	10.1	103	2	2	4	13	28	28	0-17	57	5.4	15	1	2	4	11	11	11
18-34	232	6.1	31	2	2	4	8	11	13	18-34	346	7.3	20	2	4	7	9	14	15
35-49	120	7.9	65	2	4	6	8	10	33	35-49	287	8.8	38	2	4	7	12	18	19
50-69	261	15.2	244	2	4	9	21	34	37	50-69	251	9.8	31	4	6	9	12	21	22
70 +	0									70 +	47	15.5	188						
SUBTOTAL	**662**	**10.3**	**142**	**2**	**3**	**6**	**11**	**27**	**33**		**988**	**8.6**	**40**	**2**	**5**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**662**	**10.3**	**142**	**2**	**3**	**6**	**11**	**27**	**33**		**988**	**8.6**	**40**	**2**	**5**	**7**	**11**	**17**	**22**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	438	4.9	41	1	1	4	7	10	11
70-74	194	4.6	34	1	1	3	5	6	23
75-79	165	7.9	22	2	4	7	11	14	15
80-84	77	7.9	30	3	4	7	9	20	20
85 +	55	5.3	9	< 1	3	6	6	10	10
SUBTOTAL	**929**	**5.6**	**35**	**1**	**1**	**4**	**7**	**11**	**15**
GRAND TOTAL	**929**	**5.6**	**35**	**1**	**1**	**4**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	265	3.4	15	1	2	2	3	8	11
18-34	760	4.4	14	1	1	3	6	9	12
35-49	1033	3.2	14	1	1	1	4	9	12
50-69	1064	4.1	19	1	1	2	6	10	12
70 +	10	2.0							
	3131	**3.8**	**16**	**1**	**1**	**2**	**5**	**9**	**12**
	3131	**3.8**	**16**	**1**	**1**	**2**	**5**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	86	5.7	28	< 1	3	4	6	19	19
18-34	173	5.5	24	1	2	4	7	11	15
35-49	90	7.6	255	1	2	4	5	6	66
50-69	63	8.5	161	< 1	1	3	10	21	45
70 +	0								
SUBTOTAL	**412**	**6.4**	**96**	**1**	**2**	**4**	**6**	**11**	**19**
GRAND TOTAL	**412**	**6.4**	**96**	**1**	**2**	**4**	**6**	**11**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	49	4.2	13	< 1	2	3	4	11	11
18-34	302	5.0	21	1	2	3	7	12	15
35-49	171	6.6	28	1	3	5	10	18	20
50-69	65	4.5	9	1	2	3	8	9	9
70 +	10	1.0							
	597	**5.3**	**22**	**1**	**2**	**4**	**7**	**12**	**17**
	597	**5.3**	**22**	**1**	**2**	**4**	**7**	**12**	**17**

DRG 207: Disorders of the Biliary Tract w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1687	8.0	71	2	3	6	9	16	21	0-17	41	9.5	106						
70-74	1293	7.7	37	2	4	6	10	14	18	18-34	428	3.7	9	1	2	3	5	6	7
75-79	1489	8.3	40	3	4	6	11	17	20	35-49	919	4.9	13	1	2	4	7	10	13
80-84	1509	8.5	54	2	4	7	11	16	18	50-69	1689	5.8	40	2	3	4	7	11	14
85 +	1948	10.1	61	3	5	8	12	19	24	70 +	88	9.7	36	4	4	9	17	18	18
SUBTOTAL	**7926**	**8.6**	**54**	**2**	**4**	**7**	**11**	**16**	**20**		**3164**	**5.4**	**30**	**1**	**2**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7926**	**8.6**	**54**	**2**	**4**	**7**	**11**	**16**	**20**		**3164**	**5.4**	**30**	**1**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	94	4.6	7	2	2	3	7	9	9	18-34	143	4.9	11	1	2	4	6	8	14
35-49	120	7.0	13	2	4	7	10	12	14	35-49	171	4.7	10	1	2	5	6	8	14
50-69	253	7.8	66	2	4	5	9	14	21	50-69	214	8.2	33	3	4	6	11	18	22
70 +	59	9.7	30	3	4	9	13	19	19	70 +	55	7.1	28	2	3	5	8	18	18
SUBTOTAL	**526**	**7.3**	**41**	**2**	**3**	**7**	**9**	**13**	**19**		**583**	**6.2**	**23**	**2**	**3**	**5**	**8**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**526**	**7.3**	**41**	**2**	**3**	**7**	**9**	**13**	**19**		**583**	**6.2**	**23**	**2**	**3**	**5**	**8**	**13**	**14**

DRG 208: Disorders of the Biliary Tract w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1196	4.3	12	1	2	3	5	9	12	0-17	90	6.0	24	< 1	3	4	10	16	16
70-74	913	4.6	11	1	2	4	6	8	13	18-34	1481	2.9	6	1	1	2	4	5	7
75-79	923	4.8	18	1	2	4	7	9	13	35-49	2228	3.0	6	1	1	2	4	6	8
80-84	544	5.8	19	2	3	5	7	10	16	50-69	2379	3.4	6	1	2	3	4	7	8
85 +	619	6.9	102	2	2	5	8	11	14	70 +	75	3.8	8	1	2	3	4	9	10
SUBTOTAL	**4194**	**5.0**	**28**	**1**	**2**	**4**	**7**	**10**	**13**		**6254**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**4194**	**5.0**	**28**	**1**	**2**	**4**	**7**	**10**	**13**		**6254**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	14.0	19							0-17	16	4.3	1						
18-34	344	3.5	7	1	2	3	5	7	9	18-34	464	3.0	4	1	1	3	4	5	6
35-49	187	4.7	10	2	2	3	7	10	12	35-49	485	3.5	7	1	1	3	5	6	7
50-69	88	4.4	14	1	2	3	4	14	14	50-69	414	4.0	8	1	2	4	5	8	10
70 +	49	11.0	52	1	6	8	19	23	23	70 +	53	3.7	19	1	1	2	5	15	15
SUBTOTAL	**699**	**4.9**	**19**	**1**	**2**	**3**	**6**	**11**	**14**		**1432**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**8**
GRAND TOTAL	**699**	**4.9**	**19**	**1**	**2**	**3**	**6**	**11**	**14**		**1432**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**8**

DRG 209: Major Joint & Limb Reattachment Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	4688	15.0	94	8	10	12	16	24	35		0-17	20	11.0	9						
70-74	5307	16.4	116	9	10	13	18	27	38		18-34	112	10.6	7	7	9	10	13	14	15
75-79	5411	17.4	108	9	11	15	20	28	40		35-49	475	13.4	147	7	8	10	14	19	25
80-84	4392	20.1	168	10	12	16	24	35	49		50-69	3578	13.7	71	8	9	11	15	21	30
85 +	4592	21.7	218	10	13	17	27	41	66		70 +	381	16.4	69	10	11	15	19	25	32
SUBTOTAL	**24389**	**18.0**	**144**	**9**	**11**	**15**	**21**	**31**	**45**			**4566**	**13.8**	**78**	**8**	**9**	**11**	**15**	**21**	**30**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	5087	11.0	18	7	9	10	12	15	18		0-17	31	7.7	9						
70-74	4408	11.5	20	8	9	11	13	16	18		18-34	310	8.8	14	3	7	9	11	13	15
75-79	3852	12.7	26	8	10	12	15	18	21		35-49	1090	9.2	15	6	7	9	11	14	15
80-84	2760	14.6	85	8	10	13	16	21	31		50-69	6134	10.3	12	7	8	10	12	15	17
85 +	1774	15.8	69	9	11	14	18	26	31		70 +	350	12.2	23	6	9	12	15	18	19
SUBTOTAL	**17882**	**12.5**	**38**	**8**	**9**	**11**	**14**	**18**	**22**			**7915**	**10.2**	**13**	**7**	**8**	**10**	**12**	**15**	**17**
GRAND TOTAL	**42271**	**15.7**	**107**	**8**	**10**	**13**	**17**	**27**	**35**			**12481**	**11.5**	**40**	**7**	**8**	**10**	**13**	**17**	**20**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	20	8.5	7								0-17	10	12.0							
18-34	16	21.4	272								18-34	22	11.3	66						
35-49	71	12.9	40	8	8	12	20	24	24		35-49	53	10.7	8	8	8	10	11	16	16
50-69	134	11.1	26	8	9	10	11	13	13		50-69	357	15.1	91	6	10	13	17	39	40
70 +	84	19.6	152	10	10	15	24	37	51		70 +	238	23.8	549	9	12	15	23	79	85
SUBTOTAL	**326**	**14.0**	**88**	**8**	**9**	**11**	**13**	**24**	**37**			**680**	**17.6**	**264**	**8**	**10**	**13**	**18**	**30**	**79**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	10	12.0									0-17	10	3.0							
18-34	43	9.0	22								18-34	59	11.2	202	3	4	6	11	40	52
35-49	118	9.7	11	7	8	9	11	15	15		35-49	100	10.1	14	6	7	9	14	16	17
50-69	214	14.3	68	7	8	11	17	29	30		50-69	391	9.3	11	5	7	9	11	15	16
70 +	22	20.1	90								70 +	100	16.7	125	7	9	12	19	39	43
SUBTOTAL	**407**	**12.7**	**54**	**6**	**8**	**10**	**15**	**23**	**30**			**660**	**10.6**	**53**	**5**	**7**	**9**	**12**	**17**	**19**
GRAND TOTAL	**733**	**13.3**	**69**	**7**	**9**	**11**	**15**	**24**	**35**			**1340**	**14.2**	**172**	**6**	**8**	**11**	**15**	**24**	**40**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1903	20.6	275	8	11	16	26	42	87	0-17	0								
70-74	2385	20.7	196	9	12	17	25	36	62	18-34	713	17.9	195	5	9	15	20	34	57
75-79	3960	20.3	199	9	12	17	25	39	59	35-49	554	19.3	227	6	10	14	25	50	63
80-84	4918	22.1	192	10	12	18	28	45	56	50-69	1489	19.0	256	7	9	14	23	34	60
85 +	7702	21.8	224	9	12	17	28	43	60	70 +	434	24.0	320	10	12	18	30	42	64
SUBTOTAL	**20868**	**21.4**	**214**	**9**	**12**	**17**	**27**	**43**	**60**		**3190**	**19.5**	**249**	**7**	**10**	**15**	**24**	**39**	**61**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**20868**	**21.4**	**214**	**9**	**12**	**17**	**27**	**43**	**60**		**3190**	**19.5**	**249**	**7**	**10**	**15**	**24**	**39**	**61**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	124	12.7	216	2	7	8	12	56	99 +	18-34	385	19.6	229	7	9	15	22	44	58
35-49	114	23.1	488	8	8	15	20	54	80	35-49	90	18.6	122	7	8	17	35	81	99 +
50-69	185	23.5	348	8	11	20	36	87	98	50-69	238	19.4	306	5	9	13	20	46	58
70 +	116	27.0	502	11	13	15	33	43	91	70 +	283	33.1	444	13	16	27	49	73	85
SUBTOTAL	**540**	**21.7**	**404**	7	9	**14**	**29**	**55**	**91**		**996**	**23.3**	**336**	**7**	**10**	**17**	**31**	**55**	**73**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
RAND TOTAL	**540**	**21.7**	**404**	7	9	14	29	55	91		**996**	**23.3**	**336**	7	10	17	31	55	73

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1051	14.0	121	5	8	12	17	25	30
70-74	1122	12.8	41	7	9	12	15	20	21
75-79	1489	14.7	105	6	9	12	17	23	30
80-84	1890	17.0	121	8	11	14	20	28	41
85 +	2591	16.9	120	8	10	14	20	28	38
SUBTOTAL	**8144**	**15.6**	**109**	**7**	**10**	**13**	**18**	**27**	**36**
GRAND TOTAL	**8144**	**15.6**	**109**	**7**	**10**	**13**	**18**	**27**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	974	7.5	32	2	4	6	9	15	16
35-49	735	8.0	28	3	4	7	10	14	17
50-69	1440	10.4	39	4	6	9	14	18	24
70 +	214	14.5	116	6	8	11	16	31	37
	3363	**9.3**	**43**	**3**	**5**	**8**	**12**	**16**	**22**
	3363	**9.3**	**43**	**3**	**5**	**8**	**12**	**16**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	108	8.6	16	3	5	8	11	12	19
35-49	35	18.4	233						
50-69	90	14.5	50	7	9	12	17	19	36
70 +	69	15.4	82	5	10	12	19	26	35
SUBTOTAL	**302**	**13.0**	**77**	**4**	**8**	**11**	**17**	**26**	**36**
GRAND TOTAL	**302**	**13.0**	**77**	**4**	**8**	**11**	**17**	**26**	**36**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	456	10.3	46	3	5	8	15	18	23
35-49	257	8.8	25	3	5	8	11	16	21
50-69	330	11.3	38	5	7	9	17	19	30
70 +	112	19.9	139	9	10	15	28	39	45
	1155	**11.2**	**57**	**4**	**6**	**9**	**15**	**21**	**28**
	1155	**11.2**	**57**	**4**	**6**	**9**	**15**	**21**	**28**

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	23.2	97							0-17	503	9.9	148	3	4	6	10	23	31
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**23.2**	**97**								**503**	**9.9**	**148**	**3**	**4**	**6**	**10**	**23**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	2.0								0-17	2121	8.0	68	2	4	5	9	17	25
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**2.0**									**2121**	**8.0**	**68**	**2**	**4**	**5**	**9**	**17**	**25**
GRAND TOTAL	**33**	**19.2**	**148**								**2624**	**8.4**	**84**	**2**	**4**	**5**	**9**	**18**	**25**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	204	9.5	102	3	3	5	8	24	35	0-17	145	12.6	103	7	7	10	14	21	46
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**204**	**9.5**	**102**	**3**	**3**	**5**	**8**	**24**	**35**		**145**	**12.6**	**103**	**7**	**7**	**10**	**14**	**21**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	432	6.7	29	2	3	5	9	13	17	0-17	361	8.6	98	1	3	5	11	18	20
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**432**	**6.7**	**29**	**2**	**3**	**5**	**9**	**13**	**17**		**361**	**8.6**	**98**	**1**	**3**	**5**	**11**	**18**	**20**
GRAND TOTAL	**636**	**7.6**	**54**	**2**	**3**	**5**	**9**	**17**	**21**		**505**	**9.7**	**102**	**2**	**4**	**7**	**11**	**19**	**28**

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	297	19.1	286	3	6	13	28	40	59
70-74	167	20.5	450	4	11	15	20	35	82
75-79	84	18.8	412	7	8	13	18	86	99 +
80-84	73	26.1	683	8	8	15	44	84	99 +
85 +	130	19.6	217	4	8	17	22	42	49
SUBTOTAL	**752**	**20.1**	**365**	**4**	**8**	**15**	**25**	**47**	**82**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	104	14.8	245	2	3	10	15	42	51
70-74	31	11.0	89						
75-79	29	3.3	3						
80-84	22	18.4	510						
85 +	12	13.0	1						
SUBTOTAL	**198**	**12.9**	**217**	**2**	**3**	**6**	**14**	**38**	**51**
GRAND TOTAL	**949**	**18.6**	**343**	**3**	**6**	**14**	**24**	**44**	**59**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	62.0							
35-49	39	18.5	45						
50-69	136	10.9	50	5	7	9	13	14	20
70 +	26	14.5	30						
	212	**15.2**	**164**	**6**	**9**	**11**	**15**	**27**	**41**
0-17	10	6.0							
18-34	51	5.4	6						
35-49	37	6.0	7						
50-69	51	7.4	13	3	4	7	10	13	13
70 +	0								
	149	**6.3**	**9**	**2**	**4**	**6**	**8**	**10**	**13**
	361	**11.5**	**119**	**4**	**6**	**9**	**13**	**23**	**27**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	18.0							
35-49	41	32.0	173						
50-69	10	26.0							
70 +	10	15.0							
SUBTOTAL	**71**	**26.7**	**145**	**15**	**15**	**26**	**37**	**50**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	7.8	9						
18-34	31	9.3	4						
35-49	20	3.5							
50-69	10	9.0							
70 +	0								
SUBTOTAL	**77**	**7.4**	**9**	**3**	**4**	**9**	**10**	**12**	**12**
GRAND TOTAL	**149**	**16.7**	**167**	**4**	**9**	**12**	**26**	**37**	**50**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	86.0							
35-49	6	16.0							
50-69	20	32.5	116						
70 +	0								
	37	**44.6**	**776**						
0-17	0								
18-34	16	5.4	20						
35-49	6	7.0							
50-69	0								
70 +	10	7.0							
	33	**6.2**	**10**						
	69	**26.5**	**784**	**2**	**7**	**16**	**43**	**86**	**86**

DRG 214: Back & Neck Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1638	14.9	193	5	7	10	18	30	39	0-17	359	11.2	49	7	7	9	12	21	30
70-74	1275	15.8	205	5	7	11	18	34	46	18-34	766	11.0	60	4	6	9	14	21	33
75-79	1045	18.8	196	6	9	13	24	37	47	35-49	1718	9.7	89	3	4	7	10	19	27
80-84	448	19.0	153	9	10	14	24	41	52	50-69	2121	10.8	88	4	6	8	12	22	29
85 +	183	25.3	214	10	17	23	29	57	62	70 +	112	12.7	38	7	7	10	14	21	26
SUBTOTAL	**4590**	**16.8**	**200**	**5**	**8**	**12**	**22**	**35**	**46**		**5076**	**10.5**	**81**	**4**	**5**	**8**	**12**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4590**	**16.8**	**200**	**5**	**8**	**12**	**22**	**35**	**46**		**5076**	**10.5**	**81**	**4**	**5**	**8**	**12**	**21**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	88	13.1	50	7	8	13	24	92	99 +	0-17	92	14.6	62	9	9	10	19	32	32
18-34	173	10.8	34	4	5	11	13	21	24	18-34	161	10.5	57	2	4	9	13	23	27
35-49	120	9.9	88	3	4	6	15	17	37	35-49	151	7.8	41	3	3	6	9	12	29
50-69	149	20.5	425	5	8	13	23	39	87	50-69	112	13.0	95	3	5	11	25	30	99 +
70 +	0									70 +	16	41.3	169						
SUBTOTAL	**530**	**13.7**	**177**	**4**	**6**	**11**	**17**	**25**	**39**		**532**	**11.9**	**97**	**3**	**5**	**9**	**16**	**29**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**530**	**13.7**	**177**	**4**	**6**	**11**	**17**	**25**	**39**		**532**	**11.9**	**97**	**3**	**5**	**9**	**16**	**29**	**32**

DRG 215: Back & Neck Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2443	8.6	35	4	5	7	10	16	20	0-17	403	7.1	19	3	4	7	9	10	12
70-74	1434	8.6	30	4	5	7	10	14	20	18-34	5845	5.5	14	2	3	4	7	10	13
75-79	1139	10.0	41	4	6	8	11	19	24	35-49	12333	5.8	18	2	3	5	7	10	13
80-84	373	10.9	49	4	5	9	15	24	25	50-69	7288	6.6	19	3	4	5	8	11	15
85 +	118	15.7	96	5	7	12	24	33	34	70 +	86	10.3	53	3	5	7	13	27	27
SUBTOTAL	5507	9.2	39	4	5	8	11	17	23		25955	6.0	18	2	3	5	7	11	14
GRAND TOTAL	5507	9.2	39	4	5	8	11	17	23		25955	6.0	18	2	3	5	7	11	14

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	8.0	2							0-17	106	7.0	6	4	5	7	9	10	11
18-34	471	5.7	23	2	3	4	6	9	16	18-34	1019	5.9	19	2	3	4	8	12	15
35-49	467	6.3	14	3	4	5	8	11	12	35-49	960	5.3	12	2	3	4	7	10	14
50-69	228	7.6	28	2	4	5	10	12	21	50-69	526	5.7	14	3	4	4	7	10	12
70 +	10	9.0								70 +	12	10.0							
SUBTOTAL	1206	6.4	20	2	4	5	8	12	15		2622	5.7	15	2	3	4	7	11	14
GRAND TOTAL	1206	6.4	20	2	4	5	8	12	15		2622	5.7	15	2	3	4	7	11	14

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	240	25.0	638	2	6	16	36	61	85	0-17	57	8.8	55	2	3	7	13	25	27
70-74	145	16.8	200	3	5	15	25	35	40	18-34	61	14.5	157	2	4	9	29	34	34
75-79	173	22.3	540	4	5	12	26	62	68	35-49	157	18.5	465	2	5	10	20	57	83
80-84	67	27.1	365	9	11	23	26	68	68	50-69	232	16.6	308	1	6	12	21	29	55
85 +	90	28.7	191	13	16	26	38	58	58	70 +	0								
SUBTOTAL	**715**	**23.3**	**456**	**3**	**7**	**16**	**30**	**59**	**68**		**507**	**16.0**	**317**	**2**	**5**	**10**	**20**	**31**	**57**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	104	7.5	56	1	1	5	15	20	21	0-17	196	11.6	246	< 1	1	4	17	50	56
70-74	126	10.5	329	1	1	3	8	56	57	18-34	255	3.9	25	1	2	3	4	4	9
75-79	69	9.6	91	2	2	5	15	27	28	35-49	175	3.9	15	< 1	1	2	4	12	13
80-84	6	2.0								50-69	244	4.4	25	1	1	2	7	15	16
85 +	45	23.2	122	7	16	28	33	99 +	99 +	70 +	39	4.1	10						
SUBTOTAL	**350**	**10.9**	**192**	**1**	**1**	**5**	**16**	**28**	**56**		**909**	**5.7**	**79**	**1**	**1**	**3**	**4**	**14**	**21**
GRAND TOTAL	**1065**	**19.2**	**403**	**1**	**4**	**13**	**26**	**57**	**62**		**1416**	**9.4**	**189**	**1**	**2**	**4**	**11**	**21**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	63.0								18-34	20	21.0	304						
35-49	26	40.8	1322							35-49	0								
50-69	20	39.0	9							50-69	10	6.0							
70 +	0									70 +	16	19.1	210						
SUBTOTAL	**57**	**44.1**	**684**	**2**	**36**	**42**	**83**	**99 +**	**99 +**		**47**	**17.1**	**234**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	1.0								0-17	0								
18-34	6	28.0								18-34	22	3.2	2						
35-49	10	43.0								35-49	0								
50-69	22	6.8	6							50-69	16	7.6	20						
70 +	0									70 +	0								
SUBTOTAL	**55**	**14.2**	**256**	**1**	**1**	**7**	**28**	**43**	**43**		**39**	**5.1**	**14**						
GRAND TOTAL	**112**	**29.4**	**696**	**1**	**3**	**35**	**53**	**83**	**99 +**		**86**	**11.6**	**170**	**1**	**4**	**4**	**11**	**38**	**38**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	880	26.1	377	6	9	21	42	57	71
70-74	395	30.1	365	3	12	28	52	62	99 +
75-79	401	34.2	661	9	17	32	75	99 +	99 +
80-84	352	30.9	524	8	14	26	52	81	99 +
85 +	322	40.0	655	13	23	42	69	99 +	99 +
SUBTOTAL	2351	30.8	505	7	13	28	50	81	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	251	13.5	196	2	3	9	20	30	52
70-74	139	9.1	102	1	2	6	11	27	36
75-79	104	18.2	500	2	4	11	22	54	75
80-84	53	7.4	25	1	3	8	11	16	16
85 +	84	11.8	104	< 1	4	11	16	34	34
SUBTOTAL	630	12.6	208	1	3	8	16	30	45
GRAND TOTAL	2981	26.9	498	4	10	22	45	74	99 +

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	206	22.5	599	3	4	14	41	65	96
18-34	438	19.7	246	4	8	15	31	49	62
35-49	471	25.6	479	5	12	21	34	72	94
50-69	856	24.8	426	6	9	16	38	59	77
70 +	96	23.9	191	9	10	26	43	99 +	99 +
	2066	23.6	410	4	9	17	34	61	86
0-17	485	5.6	39	1	1	3	7	16	22
18-34	1257	5.3	43	1	2	3	6	13	17
35-49	644	6.6	70	1	2	4	8	14	23
50-69	438	6.7	34	1	3	5	9	15	22
70 +	45	16.9	220	< 1	5	14	20	41	41
	2868	6.1	52	1	2	3	7	14	21
	4934	13.4	277	1	3	7	17	41	57

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	26.3	184						
18-34	100	20.6	224	4	14	15	26	49	56
35-49	116	32.5	248	15	16	32	51	58	99 +
50-69	118	22.0	328	7	8	21	28	75	99 +
70 +	10	69.0							
SUBTOTAL	371	26.5	330	7	14	25	40	69	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	163	9.2	201	1	1	3	8	38	45
18-34	126	9.5	96	1	1	7	17	27	28
35-49	75	19.1	504	1	2	8	31	40	78
50-69	22	20.1	106						
70 +	10	11.0							
SUBTOTAL	397	11.8	231	1	2	6	11	31	45
GRAND TOTAL	768	18.9	333	1	5	14	30	53	75

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	17.3	187	3	4	19	23	39	39
18-34	285	20.8	445	2	6	12	37	61	80
35-49	153	24.2	587	3	8	15	34	64	88
50-69	92	22.2	168	6	13	21	35	76	99 +
70 +	39	33.3	273						
	617	22.4	417	3	8	15	36	61	80
0-17	177	6.2	125	1	1	3	5	17	22
18-34	562	6.9	58	1	2	4	9	15	27
35-49	236	10.2	123	2	3	7	12	18	39
50-69	102	9.5	59	2	2	7	17	21	23
70 +	20	3.0							
	1098	7.7	84	1	2	4	9	18	27
	1715	13.0	253	1	3	7	17	37	55

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	923	12.0	134	3	5	8	13	26	40	0-17	0									
70-74	558	12.2	96	4	6	9	14	25	29	18-34	713	9.6	120	3	4	6	11	19	30
75-79	462	13.9	128	4	6	9	21	30	32	35-49	691	10.8	115	3	5	7	13	19	34
80-84	440	16.7	162	4	7	13	22	31	51	50-69	1214	10.1	75	3	5	8	13	20	25
85 +	314	15.3	203	4	6	13	19	25	34	70 +	94	23.8	615	4	8	15	25	88	88
SUBTOTAL	**2697**	**13.5**	**141**	**4**	**6**	**10**	**17**	**29**	**40**		**2712**	**10.6**	**122**	**3**	**5**	**7**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**2697**	**13.5**	**141**	**4**	**6**	**10**	**17**	**29**	**40**		**2712**	**10.6**	**122**	**3**	**5**	**7**	**13**	**21**	**27**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	108	18.1	400	3	4	10	19	41	70	18-34	479	11.4	77	3	5	8	17	23	30
35-49	134	12.5	151	3	5	8	17	45	99 +	35-49	132	12.0	57	4	7	11	14	17	34
50-69	88	18.6	241	4	6	15	21	57	57	50-69	320	13.9	334	4	5	7	13	28	53
70 +	10	19.0								70 +	37	10.7	38						
SUBTOTAL	**340**	**16.0**	**256**	**4**	**5**	**11**	**21**	**45**	**70**		**968**	**12.3**	**159**	**3**	**5**	**8**	**14**	**23**	**36**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**340**	**16.0**	**256**	**4**	**5**	**11**	**21**	**45**	**70**		**968**	**12.3**	**159**	**3**	**5**	**8**	**14**	**23**	**36**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1907	6.9	41	2	3	5	8	14	19
70-74	945	8.0	58	3	4	6	9	14	22
75-79	625	8.8	79	3	5	7	10	15	20
80-84	499	9.7	91	3	4	7	11	19	35
85 +	196	9.4	22	3	7	11	13	15	17
SUBTOTAL	**4172**	**7.9**	**57**	**3**	**4**	**6**	**9**	**15**	**20**
GRAND TOTAL	**4172**	**7.9**	**57**	**3**	**4**	**6**	**9**	**15**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	5682	4.1	12	1	2	3	5	7	10
35-49	4702	4.6	15	2	2	4	5	8	10
50-69	4803	5.4	14	2	3	5	7	10	12
70 +	147	14.0	167	3	5	10	18	34	34
SUBTOTAL	**15333**	**4.7**	**16**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**15333**	**4.7**	**16**	**1**	**2**	**4**	**6**	**9**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	446	5.4	12	1	3	5	8	10	12
35-49	269	5.0	8	2	3	5	7	8	9
50-69	122	8.3	56	3	4	6	10	13	31
70 +	41	12.0	36						
SUBTOTAL	**878**	**6.0**	**21**	**2**	**3**	**5**	**8**	**11**	**13**
GRAND TOTAL	**878**	**6.0**	**21**	**2**	**3**	**5**	**8**	**11**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2078	4.7	22	1	2	4	6	9	11
35-49	1206	5.2	22	2	3	4	6	10	12
50-69	672	6.2	27	2	3	4	7	12	18
70 +	106	13.4	38	7	8	12	18	22	25
SUBTOTAL	**4062**	**5.3**	**25**	**2**	**2**	**4**	**6**	**11**	**14**
GRAND TOTAL	**4062**	**5.3**	**25**	**2**	**2**	**4**	**6**	**11**	**14**

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	3.0								0-17	245	5.4	8	3	3	5	7	10	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**3.0**									**245**	**5.4**	**8**	**3**	**3**	**5**	**7**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3634	3.5	12	1	2	3	4	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3634**	**3.5**	**12**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**6**	**3.0**									**3879**	**3.6**	**12**	**1**	**2**	**3**	**4**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	6.6	15							0-17	114	9.9	17	6	6	9	14	16	17
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**47**	**6.6**	**15**								**114**	**9.9**	**17**	**6**	**6**	**9**	**14**	**16**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	377	3.3	7	1	2	3	4	6	7	0-17	648	4.5	21	1	2	3	6	10	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**377**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**7**		**648**	**4.5**	**21**	**1**	**2**	**3**	**6**	**10**	**14**
GRAND TOTAL	**424**	**3.7**	**9**	**1**	**2**	**3**	**4**	**7**	**10**		**762**	**5.3**	**24**	**1**	**2**	**4**	**7**	**12**	**17**

DRG 221: Knee Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	316	9.6	133	1	2	6	11	25	39	0-17	151	5.5	34	1	3	4	7	9	13
70-74	155	6.8	30	1	3	5	12	14	20	18-34	371	5.1	16	2	2	4	7	13	16
75-79	196	12.2	97	3	7	9	21	30	65	35-49	145	5.2	22	1	2	2	9	14	15
80-84	112	14.2	96	5	7	15	25	99 +	99 +	50-69	310	8.9	65	1	3	8	12	15	25
85 +	45	25.7	403	1	9	24	48	49	49	70 +	0								
SUBTOTAL	**823**	**11.2**	**131**	**1**	**3**	**8**	**15**	**25**	**48**		**976**	**6.4**	**38**	**1**	**2**	**4**	**8**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**823**	**11.2**	**131**	**1**	**3**	**8**	**15**	**25**	**48**		**976**	**6.4**	**38**	**1**	**2**	**4**	**8**	**14**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	17.3	303							0-17	16	2.4							
18-34	10	47.0								18-34	55	8.0	63	< 1	1	9	10	27	27
35-49	26	4.8	12							35-49	22	7.2	1						
50-69	10	1.0								50-69	22	4.7	10						
70 +	0									70 +	12	8.5	61						
SUBTOTAL	**77**	**14.8**	**322**	**< 1**	**1**	**9**	**41**	**47**	**47**		**128**	**6.6**	**38**	**1**	**2**	**6**	**9**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**77**	**14.8**	**322**	**< 1**	**1**	**9**	**41**	**47**	**47**		**128**	**6.6**	**38**	**1**	**2**	**6**	**9**	**12**	**18**

DRG 222: Knee Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	841	4.8	20	< 1	1	3	7	11	14	0-17	2821	2.7	4	< 1	1	3	4	5	6
70-74	450	3.6	13	< 1	1	2	4	10	11	18-34	9123	3.0	4	1	1	3	4	5	6
75-79	212	4.1	17	< 1	1	2	5	11	13	35-49	3166	2.6	7	< 1	1	2	3	5	6
80-84	159	7.5	54	2	3	5	8	20	21	50-69	2106	2.5	7	< 1	1	1	3	6	8
85 +	47	6.0	11							70 +	12	6.5	2						
SUBTOTAL	**1709**	**4.7**	**22**	**< 1**	**1**	**3**	**7**	**11**	**14**		**17229**	**2.8**	**5**	**< 1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**1709**	**4.7**	**22**	**< 1**	**1**	**3**	**7**	**11**	**14**		**17229**	**2.8**	**5**	**< 1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	63	3.8	6	1	1	3	5	8	8	0-17	238	3.5	5	1	2	3	4	5	10
18-34	257	3.6	6	< 1	2	3	4	7	8	18-34	1652	3.2	28	< 1	1	2	4	5	6
35-49	110	2.7	9	< 1	1	1	4	6	13	35-49	414	2.9	6	< 1	< 1	2	4	7	9
50-69	71	4.4	12	1	1	4	9	10	10	50-69	228	2.9	13	< 1	< 1	1	3	8	10
70 +	0									70 +	10	10.0							
SUBTOTAL	**501**	**3.5**	**8**	**< 1**	**1**	**3**	**4**	**8**	**10**		**2542**	**3.2**	**21**	**< 1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**501**	**3.5**	**8**	**< 1**	**1**	**3**	**4**	**8**	**10**		**2542**	**3.2**	**21**	**< 1**	**1**	**2**	**4**	**5**	**8**

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	318	6.5	90	1	2	4	8	10	15	0-17	81	3.9	13	1	1	3	4	9	13
70-74	187	7.8	33	2	3	7	9	18	23	18-34	232	4.5	13	1	2	3	6	9	13
75-79	261	7.0	36	3	4	5	8	11	20	35-49	198	6.4	63	1	2	3	7	15	15
80-84	124	9.6	50	2	5	8	14	20	24	50-69	518	6.7	106	1	2	3	6	15	21
85 +	124	13.1	247	2	2	8	14	29	59	70 +	6	13.0							
SUBTOTAL	**1014**	**8.0**	**84**	**2**	**3**	**5**	**9**	**17**	**23**		**1035**	**6.0**	**70**	**1**	**2**	**3**	**6**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	393	3.3	7	1	2	2	3	5	10	0-17	134	2.0	1	1	1	2	2	4	4
70-74	196	3.8	5	2	2	3	5	8	8	18-34	941	2.4	2	1	1	2	3	4	6
75-79	155	5.4	28	2	3	3	5	11	23	35-49	1469	2.4	3	1	1	2	3	4	6
80-84	55	11.4	105	2	4	6	20	34	34	50-69	1412	2.9	4	1	2	2	4	5	7
85 +	39	7.5	3							70 +	37	2.7	1						
SUBTOTAL	**837**	**4.5**	**21**	**2**	**2**	**3**	**5**	**9**	**11**		**3993**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1852**	**6.5**	**59**	**2**	**2**	**4**	**8**	**12**	**20**		**5028**	**3.3**	**19**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	2.0								0-17	12	2.5							
18-34	29	5.6	8							18-34	106	5.4	12	2	3	5	7	9	14
35-49	49	8.5	23	2	4	9	10	16	16	35-49	18	18.7	554						
50-69	57	3.7	2	1	3	4	5	5	5	50-69	112	5.2	15	2	2	4	7	8	15
70 +	0									70 +	10	42.0							
SUBTOTAL	**141**	**5.7**	**15**	**2**	**4**	**4**	**9**	**10**	**16**		**259**	**7.6**	**110**	**2**	**2**	**5**	**7**	**15**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	0								
18-34	47	1.7	1	1	1	1	3	3	3	18-34	116	1.9	1	1	1	2	2	4	5
35-49	24	1.5								35-49	67	2.0		1	2	2	2	3	3
50-69	63	7.2	35	1	1	5	13	17	17	50-69	167	5.4	95	2	2	3	4	7	43
70 +	0									70 +	0								
SUBTOTAL	**141**	**4.1**	**24**	**1**	**1**	**2**	**5**	**13**	**17**		**350**	**3.6**	**49**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**281**	**4.9**	**20**	**1**	**1**	**4**	**6**	**13**	**16**		**609**	**5.3**	**78**	**1**	**2**	**2**	**5**	**8**	**15**

DRG 224: Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	656	3.0	3	1	2	3	4	5	6		0-17	1381	2.3	2	1	1	2	3	4	5
70-74	444	3.1	5	1	2	2	4	6	8		18-34	3421	2.6	5	1	1	2	3	4	5
75-79	277	3.4	7	1	2	3	4	7	10		35-49	1809	2.6	3	1	1	2	3	5	6
80-84	163	4.4	15	1	2	3	7	8	8		50-69	1760	2.7	6	1	1	2	3	5	6
85 +	102	7.5	58	2	3	5	9	25	28		70 +	61	4.2	8	1	3	3	5	9	11
SUBTOTAL	**1642**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**9**			**8432**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1642**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**9**			**8432**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	88	3.7	12	1	2	3	3	13	13		0-17	163	2.0	1	1	1	1	3	4	4
18-34	251	3.4	16	1	2	3	3	5	5		18-34	742	2.7	4	1	1	2	3	5	7
35-49	51	1.6	1	1	1	1	2	4	4		35-49	253	2.0	1	1	1	2	2	3	4
50-69	37	4.4	9								50-69	187	3.2	9	1	1	3	4	5	14
70 +	6	3.0									70 +	47	3.6	2						
SUBTOTAL	**432**	**3.3**	**13**	**1**	**2**	**3**	**3**	**5**	**10**			**1391**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**432**	**3.3**	**13**	**1**	**2**	**3**	**3**	**5**	**10**			**1391**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 225: Foot Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	438	9.2	89	1	3	6	11	21	32	0-17	202	4.9	17	1	3	4	5	11	16
70-74	249	9.0	74	2	3	6	11	24	27	18-34	104	4.7	34	1	2	4	5	7	27
75-79	175	12.6	185	2	2	6	18	32	33	35-49	265	6.7	61	2	3	4	7	11	26
80-84	77	10.2	67	4	4	8	12	21	33	50-69	318	6.6	37	2	3	4	9	15	17
85 +	37	13.6	161							70 +	12	7.5	46						
SUBTOTAL	**976**	**10.0**	**105**	**2**	**3**	**6**	**13**	**27**	**33**		**901**	**6.1**	**40**	**2**	**3**	**4**	**6**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	996	4.1	15	1	2	3	5	7	12	0-17	1184	2.7	5	1	1	2	3	5	8
70-74	540	3.4	10	1	1	3	4	7	9	18-34	1937	2.3	2	1	1	2	3	4	5
75-79	310	4.2	20	1	1	3	4	8	14	35-49	1882	2.3	2	1	1	2	3	4	5
80-84	151	4.9	30	1	2	3	5	16	19	50-69	2915	2.8	5	1	1	2	4	5	6
85 +	84	9.2	122	2	4	5	6	38	38	70 +	55	3.4	3	1	2	4	5	5	5
SUBTOTAL	**2080**	**4.2**	**21**	**1**	**2**	**3**	**5**	**7**	**13**		**7973**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3056**	**6.0**	**55**	**1**	**2**	**4**	**6**	**14**	**21**		**8874**	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	3.3	1							0-17	10	3.0							
18-34	16	4.9	2							18-34	61	11.5	26	3	9	13	17	18	18
35-49	26	17.4	171							35-49	16	23.4	132						
50-69	88	21.7	515	6	6	11	29	56	81	50-69	61	12.5	90	2	3	12	21	29	29
70 +	16	11.0	144							70 +	0								
SUBTOTAL	**163**	**16.4**	**365**	**2**	**4**	**11**	**26**	**42**	**56**		**149**	**12.6**	**81**	**3**	**4**	**12**	**17**	**29**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	312	4.0	8	1	2	3	5	8	9	0-17	173	5.4	74	1	1	3	5	12	38
18-34	143	2.6	3	1	1	2	4	6	6	18-34	273	3.2	7	1	1	3	4	7	7
35-49	75	4.6	17	1	2	3	7	14	14	35-49	187	3.5	18	1	1	2	3	10	19
50-69	67	2.6	2	1	1	2	4	5	5	50-69	287	2.5	5	1	1	2	3	5	6
70 +	26	5.8	12							70 +	16	5.4	12						
SUBTOTAL	**623**	**3.7**	**8**	**1**	**2**	**3**	[illegible]	**7**	**9**		**937**	**3.5**	**22**	**1**	**1**	**2**	**4**	**6**	**10**
GRAND TOTAL	**786**	**6.3**	**109**	**1**	**2**	**3**	[illegible]	**11**	**26**		**1086**	**4.7**	**40**	**1**	**1**	**2**	**5**	**12**	**18**

DRG 226: Soft Tissue Procedures w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	389	7.7	69	1	2	4	8	23	26
70-74	259	10.5	127	2	4	6	14	25	38
75-79	240	12.8	179	2	4	9	16	24	36
80-84	77	6.9	41	1	2	6	7	22	22
85 +	96	10.0	34	3	5	9	16	20	99 +
SUBTOTAL	**1061**	**9.7**	**107**	**2**	**3**	**6**	**13**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1061**	**9.7**	**107**	**2**	**3**	**6**	**13**	**23**	**31**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	330	4.7	27	1	2	3	5	10	17
18-34	336	6.0	32	1	2	4	7	17	17
35-49	401	9.7	109	2	3	6	14	19	29
50-69	513	11.7	199	1	3	6	12	34	47
70 +	31	11.0	54						
	1612	**8.5**	**112**	**1**	**2**	**4**	**11**	**18**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1612	**8.5**	**112**	**1**	**2**	**4**	**11**	**18**	**29**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	181	9.8	439	1	2	4	6	14	94
18-34	26	9.5	23						
35-49	79	9.3	13	4	7	9	11	16	16
50-69	22	5.1	21						
70 +	0								
SUBTOTAL	**310**	**9.3**	**264**	**1**	**3**	**5**	**10**	**15**	**82**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**310**	**9.3**	**264**	**1**	**3**	**5**	**10**	**15**	**82**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.3	1						
18-34	134	5.6	7	4	4	5	6	10	12
35-49	63	9.1	79	1	3	6	9	28	28
50-69	92	15.2	300	< 1	5	13	17	61	61
70 +	0								
	306	**9.1**	**127**	**2**	**4**	**5**	**10**	**17**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	306	**9.1**	**127**	**2**	**4**	**5**	**10**	**17**	**28**

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	894	3.9	10	1	2	3	5	7	9
70-74	522	4.7	29	1	2	3	6	8	11
75-79	295	4.9	15	1	2	3	8	10	14
80-84	151	4.7	13	1	2	4	7	10	13
85 +	92	7.6	24	2	4	5	12	16	16
SUBTOTAL	**1954**	**4.5**	**17**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**1954**	**4.5**	**17**	**1**	**2**	**3**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	1534	3.1	13	1	1	2	4	6	9
18-34	2710	2.6	4	1	1	2	4	5	6
35-49	3227	2.6	5	1	1	2	3	5	7
50-69	2536	3.1	6	1	1	3	4	6	7
70 +	69	3.9	8	< 1	2	3	7	7	10
SUBTOTAL	**10077**	**2.8**	**6**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**10077**	**2.8**	**6**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	338	4.5	101	1	2	2	4	5	9
18-34	249	3.6	4	1	2	4	5	6	6
35-49	104	2.2	3	1	1	2	2	4	8
50-69	47	4.8	16						
70 +	10	3.0							
SUBTOTAL	**748**	**3.9**	**49**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**748**	**3.9**	**49**	**1**	**2**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	316	2.6	4	< 1	1	2	3	5	7
18-34	752	2.7	3	1	1	2	4	5	5
35-49	391	3.3	13	1	1	2	4	5	11
50-69	220	3.4	5	1	1	3	5	7	8
70 +	12	4.0	10						
SUBTOTAL	**1691**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**1691**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	216	5.0	28	2	2	3	5	15	15	0-17	6	5.0							
70-74	88	3.1	7	1	1	2	5	5	11	18-34	173	3.3	6	1	1	2	5	9	9
75-79	88	2.5	3	1	1	2	4	5	6	35-49	108	8.6	86	2	3	5	10	15	34
80-84	77	3.5	26	1	1	1	4	5	20	50-69	226	4.6	27	1	1	2	5	12	18
85 +	16	2.4								70 +	0								
SUBTOTAL	485	3.9	19	1	1	2	4	8	15		513	5.0	36	1	1	3	5	12	18
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	344	2.1	1	1	1	2	3	4	4	0-17	139	1.9	3	< 1	< 1	1	2	3	5
70-74	194	2.6	1	1	2	3	4	4	5	18-34	314	1.7	2	< 1	1	1	2	3	6
75-79	53	2.8	2	1	1	3	4	4	4	35-49	328	1.9	1	< 1	1	2	2	3	5
80-84	47	2.6	1							50-69	693	2.2	2	1	1	2	3	4	5
85 +	0									70 +	37	2.7	2						
SUBTOTAL	638	2.4	1	1	1	2	3	4	4		1510	2.0	2	1	1	2	3	4	5
GRAND TOTAL	1123	3.0	10	1	1	2	4	5	6		2023	2.8	12	1	1	2	3	5	8

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	20	11.0	26						
18-34	53	4.2	17	< 1	1	3	5	12	12	18-34	96	7.4	17	3	4	6	11	11	17
35-49	43	2.4	4							35-49	26	6.7	12						
50-69	16	4.1	6							50-69	20	4.5	13						
70 +	0									70 +	0								
SUBTOTAL	112	3.5	11	< 1	1	2	5	7	12		163	7.4	19	2	4	6	11	13	16
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	1.0								0-17	6	1.0							
18-34	10	3.0								18-34	45	2.2	3	1	1	2	2	6	6
35-49	37	1.3								35-49	51	2.4	2						
50-69	12	2.5	2							50-69	47	4.5	22						
70 +	0									70 +	0								
SUBTOTAL	69	1.7	1	< 1	1	1	2	3	4		149	2.9	9	1	1	2	3	6	13
GRAND TOTAL	181	2.8	8	< 1	1	1	4	6	12		312	5.3	20	1	2	4	8	11	16

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	662	2.2	5	< 1	1	1	2	6	7	0-17	1324	1.6	3	< 1	< 1	1	1	2	3
70-74	428	1.9	1	< 1	1	1	3	4	4	18-34	2441	1.7	2	< 1	< 1	1	2	3	4
75-79	232	2.2	4	1	1	1	3	5	5	35-49	1235	1.6	2	< 1	< 1	1	2	3	4
80-84	112	1.9	1	< 1	1	2	2	4	4	50-69	1249	2.0	4	< 1	1	1	3	4	5
85 +	33	8.2	56							70 +	16	4.7	25						
SUBTOTAL	**1467**	**2.2**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**		**6265**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1467**	**2.2**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**		**6265**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	247	1.6	1	< 1	< 1	1	2	2	3	0-17	230	1.4	1	< 1	< 1	1	1	3	3
18-34	442	2.2	3	< 1	1	2	3	4	6	18-34	846	1.8	3	< 1	1	1	2	4	7
35-49	136	2.0	2	1	1	1	2	4	5	35-49	373	2.2	3	< 1	1	2	3	4	5
50-69	61	1.7	2	< 1	< 1	1	1	4	6	50-69	155	1.5	1	< 1	1	1	2	2	5
70 +	0									70 +	6	5.0							
SUBTOTAL	**886**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**		**1610**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**886**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**		**1610**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29	3.5	12							0-17	114	3.7	33	1	1	2	4	6	23
70-74	33	16.9	353							18-34	57	4.8	3	3	4	4	7	8	8
75-79	65	6.4	27	2	3	3	14	14	15	35-49	61	2.7	2	1	1	2	5	5	5
80-84	63	27.5	895	2	4	10	57	73	78	50-69	57	4.5	10	1	2	3	7	10	10
85 +	69	9.1	38	3	3	8	15	18	18	70 +	0								
SUBTOTAL	**259**	**13.3**	**356**	**1**	**3**	**6**	**15**	**44**	**57**		**289**	**3.9**	**17**	**1**	**2**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	116	2.6	10	1	1	2	3	6	13	0-17	931	2.8	15	< 1	1	2	3	5	8
70-74	88	4.3	11	1	2	3	6	7	14	18-34	1000	2.3	10	< 1	1	2	3	4	5
75-79	55	4.4	[illegible]	2	3	4	7	8	8	35-49	271	2.7	9	< 1	1	2	3	4	7
80-84	73	6.0	27	2	2	4	6	17	17	50-69	283	2.7	4	1	1	2	4	6	6
85 +	96	3.6	6	1	1	4	6	7	7	70 +	10	6.0							
SUBTOTAL	**428**	**4.0**	**13**	**1**	**1**	**3**	**6**	**7**	**14**		**2496**	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**686**	**7.5**	**162**	**1**	**2**	**3**	**7**	**15**	**18**		**2785**	**2.7**	**12**	**< 1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	2.0	1	< 1	< 1	2	3	99 +	99 +	0-17	0								
18-34	6	6.0								18-34	6	2.0							
35-49	10	4.0								35-49	0								
50-69	16	7.4	12							50-69	6	4.0							
70 +	0									70 +	0								
SUBTOTAL	**84**	**3.6**	**8**	**< 1**	**2**	**3**	**6**	**99 +**	**99 +**		**12**	**3.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	92	1.6	1	1	1	1	2	3	3	0-17	187	2.7	4	1	2	2	3	4	10
18-34	57	4.7	85	< 1	1	1	4	25	31	18-34	287	1.7	1	< 1	1	1	2	3	4
35-49	26	1.8	1							35-49	22	1.3							
50-69	10	1.0								50-69	22	2.6	2						
70 +	0									70 +	0								
SUBTOTAL	**185**	**2.6**	**29**	**1**	**1**	**1**	**2**	**3**	**4**		**520**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**269**	**2.9**	**22**	**< 1**	**1**	**1**	**3**	**6**	**31**		**532**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	185	10.9	377	1	2	5	9	31	53	0-17	90	3.8	17	< 1	< 1	1	5	14	14
70-74	141	8.9	137	2	2	4	7	30	41	18-34	187	4.7	25	1	2	3	4	12	17
75-79	79	20.3	456	2	8	11	35	41	80	35-49	202	10.4	381	1	2	4	7	28	60
80-84	49	11.0	61	3	5	6	21	23	23	50-69	275	9.6	120	1	2	5	16	22	27
85 +	16	45.4	380							70 +	0								
SUBTOTAL	**471**	**13.1**	**336**	**2**	**2**	**5**	**14**	**41**	**53**		**754**	**7.9**	**161**	**1**	**2**	**3**	**9**	**21**	**27**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	538	3.7	27	1	1	2	4	5	8	0-17	1094	3.1	28	< 1	< 1	1	3	7	10
70-74	314	3.4	9	1	1	2	5	6	10	18-34	2740	2.3	10	< 1	1	1	2	4	6
75-79	232	4.9	45	1	1	2	5	12	24	35-49	1931	2.3	7	< 1	1	1	2	4	6
80-84	112	5.7	15	1	3	4	9	12	14	50-69	1508	2.8	17	< 1	1	2	3	5	8
85 +	47	9.9	99							70 +	39	5.1	30						
SUBTOTAL	**1243**	**4.2**	**29**	**1**	**1**	**3**	**5**	**8**	**14**		**7312**	**2.5**	**14**	**< 1**	**1**	**1**	**3**	**4**	**8**
GRAND TOTAL	**1713**	**6.7**	**129**	**1**	**2**	**3**	**5**	**14**	**30**		**8066**	**3.0**	**30**	**< 1**	**1**	**2**	**3**	**5**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	37	3.4	4							0-17	20	11.0	67						
18-34	53	2.3		2	2	2	3	3	3	18-34	69	9.7	178	1	1	5	7	41	41
35-49	47	15.9	294							35-49	53	16.9	181	1	9	11	28	44	44
50-69	29	5.2	4							50-69	33	1.4							
70 +	0									70 +	0								
SUBTOTAL	**165**	**6.9**	**117**	**1**	**2**	**3**	**6**	**25**	**43**		**175**	**10.5**	**160**	**1**	**1**	**5**	**11**	**28**	**41**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	102	8.9	275	< 1	1	1	5	36	54	0-17	185	2.9	5	< 1	< 1	2	4	7	8
18-34	171	2.0	1	1	1	2	3	4	4	18-34	615	2.3	5	< 1	1	2	3	4	6
35-49	104	7.8	193	1	1	2	7	17	49	35-49	285	2.8	11	< 1	1	1	3	6	11
50-69	92	3.6	6	< 1	2	3	4	9	9	50-69	257	2.6	4	1	1	2	4	5	6
70 +	0									70 +	16	6.6	12						
SUBTOTAL	**469**	**5.1**	**112**	**1**	**1**	**2**	**4**	**9**	**24**		**1359**	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**634**	**5.6**	**114**	**1**	**1**	**2**	**4**	**9**	**25**		**1534**	**3.5**	**30**	**< 1**	**1**	**2**	**4**	**6**	**11**

DRG 232: Arthroscopy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	6	1.0							
70-74	18	2.7	1							18-34	16	5.1	2						
75-79	0									35-49	12	6.5	33						
80-84	10	25.0								50-69	22	9.5	23						
85 +	10	1.0								70 +	0								
SUBTOTAL	39	8.1	106								57	6.7	23	1	2	6	12	13	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	1.7	1							0-17	291	1.7	4	< 1	1	1	2	3	4
70-74	16	2.6								18-34	739	2.4	29	< 1	< 1	1	2	3	4
75-79	6	13.0								35-49	318	3.0	18	< 1	< 1	1	2	7	17
80-84	0									50-69	310	2.0	3	< 1	1	1	2	4	6
85 +	10	1.0								70 +	20	3.0	4						
SUBTOTAL	71	2.8	11	< 1	1	2	3	3	13		1679	2.3	17	< 1	< 1	1	2	3	5
GRAND TOTAL	110	4.6	50	< 1	1	2	3	13	25		1736	2.4	18	< 1	< 1	1	2	4	7

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	20	16.0	178						
50-69	10	3.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	10	3.0									20	16.0	178						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	3.0								0-17	41	1.0		< 1	< 1	1	1	1	1
18-34	20	1.5								18-34	114	2.6	13	< 1	< 1	1	3	3	14
35-49	6	7.0								35-49	37	1.0							
50-69	0									50-69	65	2.2	6	< 1	1	1	2	4	9
70 +	0									70 +	10	2.0							
SUBTOTAL	37	2.8	4								267	2.0	8	< 1	< 1	1	1	3	9
GRAND TOTAL	47	2.9	3								287	3.0	32	< 1	< 1	1	2	4	14

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	261	14.9	202	2	4	10	22	39	44
70-74	346	14.3	106	5	7	11	21	30	44
75-79	251	15.8	187	3	7	10	20	51	57
80-84	232	15.2	141	6	8	10	19	32	37
85 +	171	17.5	121	6	8	14	25	34	43
SUBTOTAL	**1261**	**15.3**	**151**	**3**	**7**	**11**	**21**	**34**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1261**	**15.3**	**151**	**3**	**7**	**11**	**21**	**34**	**44**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	3.4	3	1	2	3	5	6	6
18-34	259	8.9	52	1	3	6	13	18	25
35-49	177	9.9	100	2	5	6	13	16	39
50-69	314	11.7	113	2	3	9	15	28	37
70 +	59	16.2	213	2	3	11	38	39	39
	864	**10.3**	**98**	**2**	**3**	**6**	**14**	**25**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	864	**10.3**	**98**	**2**	**3**	**6**	**14**	**25**	**37**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	10.5	32						
18-34	53	7.2	22	2	5	5	8	16	16
35-49	37	10.7	53						
50-69	10	10.0							
70 +	6	13.0							
SUBTOTAL	**126**	**9.3**	**32**	**4**	**5**	**8**	**13**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**126**	**9.3**	**32**	**4**	**5**	**8**	**13**	**16**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	189	11.0	60	2	6	9	16	21	23
35-49	71	17.2	77	11	12	16	16	29	37
50-69	49	7.8	36	1	3	8	18	99 +	99 +
70 +	0								
	310	**11.9**	**69**	**2**	**6**	**12**	**18**	**29**	**36**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	310	**11.9**	**69**	**2**	**6**	**12**	**18**	**29**	**36**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	385	5.9	54	1	2	4	7	13	22	0-17	611	3.3	5	1	2	3	4	6	8
70-74	281	6.4	27	1	3	5	8	15	16	18-34	1206	3.0	9	1	1	2	4	7	10
75-79	232	8.0	131	2	3	5	8	15	27	35-49	961	3.8	55	1	1	2	3	5	12
80-84	236	9.6	255	1	3	4	8	14	41	50-69	888	5.0	66	1	1	3	5	9	17
85 +	139	8.0	21	1	5	9	11	14	14	70 +	29	7.4	20						
SUBTOTAL	**1273**	**7.3**	**97**	**1**	**3**	**5**	**8**	**15**	**19**		**3695**	**3.8**	**35**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**1273**	**7.3**	**97**	**1**	**3**	**5**	**8**	**15**	**19**		**3695**	**3.8**	**35**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	53	3.0	12	< 1	1	2	4	12	12	0-17	59	3.8	5	1	2	4	5	8	8
18-34	75	3.9	15	1	1	2	4	10	14	18-34	261	4.2	10	1	2	3	6	9	10
35-49	86	3.4	8	1	1	2	5	7	10	35-49	230	7.6	70	2	3	5	10	11	25
50-69	43	8.2	28							50-69	110	5.3	42	1	1	2	6	12	23
70 +	22	4.4	2							70 +	16	14.0							
SUBTOTAL	**279**	**4.3**	**16**	**1**	**1**	**3**	**6**	**10**	**14**		**676**	**5.7**	**39**	**1**	**2**	**4**	**7**	**11**	**14**
GRAND TOTAL	**279**	**4.3**	**16**	**1**	**1**	**3**	**6**	**10**	**14**		**676**	**5.7**	**39**	**1**	**2**	**4**	**7**	**11**	**14**

DRG 235: Fractures of Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	132	20.6	406	4	6	13	29	63	69	0-17	126	17.6	194	1	3	16	28	41	41
70-74	116	25.5	640	3	10	14	27	79	84	18-34	16	5.3	1						
75-79	116	13.5	146	2	4	12	16	43	44	35-49	26	23.4	106						
80-84	145	25.5	404	7	10	16	44	69	99 +	50-69	79	16.6	239	4	5	15	18	21	66
85 +	344	26.9	615	6	9	18	38	74	85	70 +	33	34.8	589						
SUBTOTAL	**853**	**23.7**	**505**	**4**	**8**	**15**	**32**	**66**	**85**		**281**	**19.1**	**274**	**3**	**6**	**16**	**25**	**41**	**66**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	88	24.8	598	2	6	12	39	75	75	0-17	1031	14.1	182	1	3	9	22	31	39
70-74	75	18.1	603	3	5	10	16	79	99 +	18-34	29	20.6	232						
75-79	151	10.9	85	2	6	8	12	34	35	35-49	37	5.6	10						
80-84	116	16.5	321	3	10	12	20	30	74	50-69	81	10.5	152	3	3	6	14	21	48
85 +	155	15.1	479	1	3	7	18	31	90	70 +	6	10.0							
SUBTOTAL	**585**	**16.1**	**396**	**2**	**5**	**10**	**17**	**39**	**79**		**1183**	**13.8**	**179**	**1**	**3**	**9**	**21**	**30**	**39**
GRAND TOTAL	**1438**	**20.6**	**474**	**3**	**7**	**12**	**29**	**64**	**85**		**1465**	**14.8**	**201**	**2**	**3**	**11**	**22**	**32**	**41**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	55	20.3	459	2	4	13	31	61	61	0-17	61	25.2	285	2	9	31	43	45	47
18-34	10	29.0								18-34	6	1.0							
35-49	0									35-49	0								
50-69	6	3.0								50-69	33	26.4	346						
70 +	22	47.2	1840							70 +	16	26.0							
SUBTOTAL	**94**	**26.5**	**856**	**3**	**4**	**15**	**61**	**93**	**99 +**		**116**	**24.4**	**274**	**2**	**10**	**26**	**42**	**47**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	297	18.5	218	1	4	20	28	40	45	0-17	289	18.2	196	2	3	17	26	38	47
18-34	10	83.0								18-34	35	11.9	247						
35-49	6	52.0								35-49	0								
50-69	12	5.5	7							50-69	6	2.0							
70 +	0									70 +	12	7.0	39						
SUBTOTAL	**326**	**20.7**	**352**	**2**	**4**	**20**	**28**	**42**	**55**		**342**	**16.9**	**202**	**1**	**3**	**14**	**25**	**38**	**47**
GRAND TOTAL	**420**	**22.0**	**469**	**2**	**4**	**19**	**31**	**55**	**83**		**458**	**18.8**	**231**	**1**	**3**	**17**	**26**	**43**	**47**

DRG 236: Fractures of Hip & Pelvis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	477	16.8	247	4	6	13	20	31	66	0-17	171	15.5	129	3	6	11	24	29	33
70-74	550	16.6	179	5	8	14	25	43	99 +	18-34	236	11.3	104	3	5	8	13	25	28
75-79	982	19.0	272	6	9	16	21	32	60	35-49	212	19.5	268	3	7	10	34	44	53
80-84	1300	17.1	156	6	9	14	23	42	62	50-69	338	10.8	36	4	6	10	13	17	20
85 +	1982	20.2	313	5	10	15	26	49	67	70 +	161	22.1	175	8	11	20	27	46	49
SUBTOTAL	**5290**	**18.6**	**249**	**5**	**8**	**14**	**23**	**43**	**64**		**1119**	**14.9**	**147**	**3**	**7**	**11**	**20**	**34**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	338	8.6	45	3	4	7	11	12	25	0-17	236	7.9	90	1	2	4	11	21	30
70-74	440	11.9	57	3	6	10	17	21	24	18-34	377	6.5	39	2	3	5	7	12	13
75-79	566	9.9	42	4	6	8	14	19	28	35-49	216	7.2	26	2	5	6	8	15	20
80-84	872	11.6	78	4	6	10	15	20	25	50-69	371	9.6	70	3	4	6	13	19	25
85 +	1338	12.8	145	3	6	10	16	23	35	70 +	77	15.9	282	5	7	8	27	28	65
SUBTOTAL	**3555**	**11.5**	**93**	**3**	**6**	**9**	**15**	**21**	**28**		**1277**	**8.3**	**75**	**2**	**3**	**6**	**9**	**18**	**24**
GRAND TOTAL	**8845**	**15.7**	**198**	**4**	**7**	**12**	**19**	**33**	**50**		**2396**	**11.4**	**119**	**3**	**5**	**7**	**14**	**25**	**37**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	13.1	19							0-17	33	8.1	50						
18-34	47	9.7	33							18-34	244	9.0	69	2	3	6	11	20	23
35-49	31	10.7	21							35-49	65	21.7	316	6	9	15	25	60	60
50-69	22	7.5	3							50-69	88	12.5	71	1	3	12	21	25	25
70 +	20	53.5	2177							70 +	134	15.4	71	6	10	13	17	32	32
SUBTOTAL	**149**	**16.2**	**529**	**6**	**8**	**9**	**12**	**21**	**99**		**564**	**12.5**	**114**	**2**	**6**	**9**	**17**	**24**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	92	6.1	51	1	2	3	7	24	24	0-17	79	4.1	15	1	1	3	6	13	13
18-34	20	20.0	178							18-34	218	6.6	43	1	3	5	8	12	16
35-49	43	5.0	6							35-49	75	7.5	41	3	3	5	8	17	22
50-69	6	21.0								50-69	92	11.6	47	5	7	9	16	22	24
70 +	10	37.0								70 +	75	11.7	114	1	5	11	16	17	43
SUBTOTAL	**171**	**9.9**	**123**	**1**	**3**	**5**	**11**	**33**	**37**		**540**	**7.9**	**56**	**1**	**3**	**6**	**9**	**17**	**22**
GRAND TOTAL	**320**	**12.8**	**321**	**2**	**4**	**8**	**12**	**24**	**37**		**1104**	**10.2**	**91**	**2**	**4**	**7**	**15**	**22**	**25**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	37	9.5	19							0-17	26	8.8	27						
70-74	33	10.1	49							18-34	6	2.0							
75-79	49	10.1	42	2	7	10	12	21	21	35-49	18	6.0	18						
80-84	37	16.9	4							50-69	10	13.0							
85 +	71	9.4	13	4	6	11	12	14	14	70 +	0								
SUBTOTAL	**226**	**10.9**	**31**	**2**	**7**	**12**	**15**	**19**	**20**		**61**	**8.0**	**26**	**1**	**3**	**6**	**13**	**15**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	61	5.1	17	1	2	4	8	13	13	0-17	77	7.0	32	1	3	6	8	16	21
70-74	29	9.3	37							18-34	106	6.3	28	1	2	5	7	16	21
75-79	63	4.3	2	2	3	4	5	6	7	35-49	51	3.5	8	1	1	3	6	8	8
80-84	55	5.9	8	< 1	3	7	8	9	9	50-69	67	4.8	15	< 1	1	3	8	11	11
85 +	24	4.0	9							70 +	10	2.0							
SUBTOTAL	**232**	**5.5**	**15**	**1**	**3**	**4**	**8**	**9**	**13**		**312**	**5.6**	**24**	**1**	**2**	**5**	**7**	**11**	**16**
GRAND TOTAL	**458**	**8.1**	**30**	**2**	**3**	**7**	**12**	**17**	**19**		**373**	**6.0**	**25**	**1**	**2**	**6**	**8**	**13**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	12	6.0	10						
50-69	0									50-69	0								
70 +	6	6.0								70 +	0								
SUBTOTAL	**6**	**6.0**									**12**	**6.0**	**10**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	41	5.6	44	1	2	4	5	21	21
18-34	16	1.0								18-34	29	3.2	1						
35-49	6	5.0								35-49	12	3.5							
50-69	0									50-69	6	4.0							
70 +	10	3.0								70 +	0								
SUBTOTAL	**33**	**2.4**	**2**								**88**	**4.4**	**22**	**2**	**2**	**3**	**4**	**5**	**21**
GRAND TOTAL	**39**	**2.9**	**4**								**100**	**4.6**	**21**	**2**	**3**	**3**	**4**	**9**	**21**

DRG 238: Osteomyelitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	253	19.8	171	7	9	15	29	44	48	0-17	45	13.0	63	6	8	11	13	32	32
70-74	173	16.5	132	5	7	15	21	27	36	18-34	108	14.6	197	5	5	9	20	22	53
75-79	167	20.5	245	3	8	16	27	42	43	35-49	136	12.0	54	5	6	8	16	22	28
80-84	208	19.2	184	6	7	16	32	42	43	50-69	418	16.1	99	5	11	13	22	31	35
85 +	84	17.8	253	4	7	11	27	38	60	70 +	10	25.0							
SUBTOTAL	**884**	**19.0**	**189**	**5**	**7**	**15**	**27**	**39**	**44**		**717**	**15.0**	**105**	**5**	**8**	**13**	**20**	**28**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	134	9.6	33	4	5	9	14	19	19	0-17	194	10.6	51	3	6	9	13	21	27
70-74	71	11.4	40	1	9	11	13	20	25	18-34	108	6.1	26	2	3	4	7	14	21
75-79	71	10.8	30	6	8	9	11	17	26	35-49	116	11.7	111	2	4	8	12	26	37
80-84	49	9.7	16	5	6	8	12	18	18	50-69	181	15.8	106	5	8	14	25	30	30
85 +	35	9.6	17							70 +	0								
SUBTOTAL	**361**	**10.2**	**30**	**4**	**6**	**10**	**12**	**19**	**21**		**599**	**11.6**	**85**	**3**	**4**	**8**	**14**	**26**	**30**
GRAND TOTAL	**1245**	**16.4**	**159**	**5**	**7**	**12**	**23**	**36**	**43**		**1316**	**13.5**	**99**	**3**	**6**	**11**	**19**	**26**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	27.0	58							0-17	10	27.0							
18-34	33	11.3	62							18-34	55	10.9	26	3	8	12	17	17	17
35-49	71	26.1	270	2	12	27	30	53	53	35-49	37	9.1	16						
50-69	75	25.6	133	14	17	27	38	45	45	50-69	55	27.5	137	6	19	25	41	42	42
70 +	10	21.0								70 +	0								
SUBTOTAL	**220**	**23.6**	**177**	**8**	**14**	**27**	**30**	**47**	**53**		**157**	**17.3**	**133**	**4**	**9**	**16**	**23**	**41**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	53	11.0	26	3	9	11	12	19	19	0-17	59	19.5	196	5	9	12	34	42	42
18-34	12	12.5	7							18-34	65	9.9	48	< 1	3	12	17	19	19
35-49	26	21.8	339							35-49	10	8.0							
50-69	0									50-69	10	10.0							
70 +	0									70 +	16	14.6							
SUBTOTAL	**92**	**14.3**	**134**	**3**	**10**	**12**	**15**	**44**	**44**		**161**	**13.8**	**112**	**3**	**8**	**12**	**17**	**34**	**42**
GRAND TOTAL	**312**	**20.9**	**182**	**5**	**11**	**18**	**29**	**45**	**53**		**318**	**15.5**	**125**	**3**	**8**	**12**	**19**	**36**	**42**

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1936	14.2	117	4	7	11	18	29	35	0-17	61	4.2	7	< 1	1	4	6	8	8
70-74	1889	14.2	136	4	7	11	18	29	35	18-34	75	11.2	136	1	6	10	12	17	47
75-79	1819	15.1	219	4	7	11	18	35	50	35-49	534	12.6	104	2	4	10	17	29	34
80-84	1675	15.3	164	4	7	11	19	31	44	50-69	1840	12.8	97	3	6	10	17	25	34
85 +	1619	17.1	252	5	7	13	21	36	52	70 +	163	9.9	133	2	3	5	13	23	47
SUBTOTAL	**8937**	**15.1**	**176**	**4**	**7**	**11**	**19**	**30**	**42**		**2673**	**12.3**	**101**	**3**	**5**	**10**	**17**	**26**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	570	10.0	58	2	4	8	16	21	26	0-17	59	15.4	288	1	1	8	39	42	43
70-74	805	9.8	45	3	5	8	13	20	23	18-34	75	3.6	12	1	1	2	3	11	11
75-79	1078	12.5	85	3	5	11	16	23	29	35-49	173	7.4	38	1	2	6	10	16	21
80-84	906	11.8	154	3	5	8	14	21	33	50-69	746	9.2	60	2	3	7	11	21	23
85 +	882	11.4	60	4	6	9	15	21	26	70 +	39	8.2	9						
SUBTOTAL	**4241**	**11.3**	**84**	**3**	**5**	**9**	**15**	**21**	**26**		**1092**	**8.8**	**68**	**1**	**3**	**7**	**11**	**21**	**23**
GRAND TOTAL	**13179**	**13.9**	**150**	**4**	**6**	**11**	**17**	**27**	**37**		**3765**	**11.3**	**94**	**2**	**4**	**8**	**16**	**23**	**31**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	28.0								18-34	6	4.0							
35-49	77	9.3	30	4	6	6	14	20	20	35-49	49	11.0	66	3	4	6	16	27	27
50-69	224	21.7	496	6	8	14	24	64	64	50-69	165	21.3	418	2	4	14	29	63	72
70 +	33	34.7	141							70 +	73	10.2	61	2	4	12	13	16	30
SUBTOTAL	**340**	**20.2**	**396**	**6**	**7**	**14**	**24**	**64**	**64**		**293**	**16.4**	**291**	**2**	**4**	**12**	**26**	**32**	**63**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	2.3	2							0-17	20	32.5	1043						
18-34	16	2.4								18-34	0								
35-49	6	1.0								35-49	26	10.3	26						
50-69	59	14.1	51	5	10	15	17	27	27	50-69	86	6.4	14	3	4	5	9	14	14
70 +	33	7.1	8							70 +	12	20.5	373						
SUBTOTAL	**145**	**8.1**	**51**	**1**	**2**	**5**	**12**	**17**	**27**		**145**	**12.0**	**268**	**1**	**3**	**6**	**14**	**39**	**64**
GRAND TOTAL	**485**	**16.6**	**323**	**4**	**6**	**11**	**20**	**34**	**64**		**438**	**15.0**	**287**	**2**	**4**	**10**	**16**	**32**	**63**

DRG 240: Connective Tissue Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	811	10.2	100	2	4	6	11	24	33
70-74	522	14.1	208	3	4	10	17	29	41
75-79	436	10.5	87	3	5	8	12	20	28
80-84	251	11.0	76	2	5	9	15	29	33
85 +	169	15.4	292	4	5	12	15	31	32
SUBTOTAL	**2188**	**11.7**	**138**	**3**	**5**	**8**	**15**	**27**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2188**	**11.7**	**138**	**3**	**5**	**8**	**15**	**27**	**33**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	255	5.9	33	1	2	3	9	17	17
18-34	473	7.8	38	2	4	6	11	14	15
35-49	544	6.9	28	1	4	5	10	16	22
50-69	615	10.4	86	2	5	7	13	23	32
70 +	29	7.4	19						
	1915	**8.1**	**52**	**2**	**4**	**6**	**10**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1915	**8.1**	**52**	**2**	**4**	**6**	**10**	**17**	**23**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	33	16.4	89						
18-34	194	8.1	128	1	3	5	8	13	49
35-49	86	12.1	65	7	7	8	16	28	28
50-69	143	14.9	538	3	4	7	9	72	72
70 +	0								
SUBTOTAL	**454**	**11.6**	**251**	**2**	**4**	**7**	**10**	**25**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**454**	**11.6**	**251**	**2**	**4**	**7**	**10**	**25**	**53**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	8.5	7						
18-34	200	9.4	74	1	3	7	11	29	32
35-49	79	13.7	89	5	5	11	16	33	33
50-69	122	13.1	96	1	4	12	19	28	32
70 +	0								
	422	**11.2**	**84**	**2**	**4**	**10**	**13**	**28**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	422	**11.2**	**84**	**2**	**4**	**10**	**13**	**28**	**32**

DRG 241: Connective Tissue Disorders w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	387	8.9	107	1	3	5	10	20	36
70-74	269	9.5	53	3	4	7	13	22	24
75-79	257	8.1	25	3	5	7	10	15	20
80-84	98	9.2	58	4	4	6	8	26	28
85+	65	11.0	36	5	6	8	16	21	21
SUBTOTAL	**1076**	**9.0**	**65**	**2**	**4**	**6**	**11**	**20**	**24**
GRAND TOTAL	**1076**	**9.0**	**65**	**2**	**4**	**6**	**11**	**20**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	491	4.7	14	1	2	4	6	8	14
18-34	666	5.9	27	1	3	4	7	13	15
35-49	662	5.4	27	1	2	4	7	12	16
50-69	707	7.4	40	2	3	5	9	18	21
70+	10	7.0							
	2537	**5.9**	**29**	**1**	**2**	**4**	**7**	**14**	**18**
	2537	**5.9**	**29**	**1**	**2**	**4**	**7**	**14**	**18**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	55	3.5	6	1	2	3	4	8	8
18-34	137	5.0	31	2	2	3	5	12	22
35-49	43	6.1	39						
50-69	47	10.5	36						
70+	0								
SUBTOTAL	**281**	**5.8**	**33**	**1**	**2**	**3**	**8**	**15**	**21**
GRAND TOTAL	**281**	**5.8**	**33**	**1**	**2**	**3**	**8**	**15**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	86	2.9	3	<1	2	3	3	5	7
18-34	108	7.8	15	3	6	7	9	12	16
35-49	61	6.7	30	1	4	5	8	18	18
50-69	106	5.6	31	1	2	4	7	11	21
70+	10	13.0							
	371	**6.0**	**24**	**1**	**3**	**4**	**8**	**13**	**18**
	371	**6.0**	**24**	**1**	**3**	**4**	**8**	**13**	**18**

DRG 242: Septic Arthritis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	45	25.2	443	4	4	23	23	61	61	0-17	49	15.8	43	4	13	15	17	26	26
70-74	6	16.0								18-34	33	7.8	5						
75-79	51	18.1	164	4	12	16	17	42	42	35-49	61	17.8	131	4	12	15	22	37	45
80-84	65	21.0	389	4	4	8	38	48	58	50-69	75	19.3	182	4	8	15	32	43	43
85 +	47	11.8	31							70 +	10	10.0							
SUBTOTAL	**214**	**19.0**	**275**	**4**	**5**	**13**	**24**	**46**	**58**		**228**	**16.1**	**120**	**4**	**9**	**14**	**17**	**32**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	45	6.0	6	3	4	6	8	10	10	0-17	200	8.8	42	2	5	7	10	16	25
70-74	33	4.9	5							18-34	108	6.4	11	3	4	6	8	12	13
75-79	49	14.4	184	3	6	8	12	40	40	35-49	181	5.9	16	1	3	5	10	12	13
80-84	45	8.5	13	5	7	7	13	15	15	50-69	130	7.7	19	3	4	8	9	14	15
85 +	49	10.0	17	5	6	9	13	16	16	70 +	0								
SUBTOTAL	**220**	**9.1**	**59**	**3**	**5**	**7**	**10**	**15**	**16**		**619**	**7.3**	**26**	**2**	**4**	**6**	**10**	**13**	**16**
GRAND TOTAL	**434**	**14.0**	**190**	**4**	**5**	**8**	**16**	**40**	**46**		**848**	**9.7**	**66**	**2**	**4**	**8**	**12**	**17**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	29.0	323							0-17	10	22.0							
18-34	16	10.6								18-34	20	8.0	9						
35-49	20	10.5	32							35-49	31	9.0	5						
50-69	0									50-69	6	22.0							
70 +	31	15.0	26							70 +	0								
SUBTOTAL	**98**	**17.7**	**175**	**5**	**8**	**16**	**19**	**47**	**49**		**67**	**11.8**	**39**	**5**	**7**	**11**	**12**	**22**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	73	16.2	204	2	5	9	29	44	44	0-17	35	6.6	22						
18-34	26	14.8	51							18-34	106	6.4	28	2	3	4	7	12	20
35-49	0									35-49	33	3.8							
50-69	0									50-69	22	12.0	40						
70 +	10	25.0								70 +	10	51.0							
SUBTOTAL	**110**	**16.7**	**155**	**5**	**7**	**14**	**25**	**29**	**44**		**206**	**8.8**	**120**	**2**	**4**	**4**	**12**	**18**	**31**
GRAND TOTAL	**208**	**17.2**	**164**	**5**	**7**	**14**	**23**	**34**	**46**		**273**	**9.6**	**101**	**2**	**4**	**6**	**12**	**20**	**22**

DRG 243: Medical Back Problems

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2827	9.4	57	2	4	8	13	19	22	0-17	212	4.6	27	< 1	2	2	5	11	13
70-74	2078	10.5	73	2	5	8	14	23	30	18-34	1157	5.9	26	1	3	4	8	10	15
75-79	2797	11.1	84	3	5	8	15	21	26	35-49	1923	6.8	35	1	3	6	8	14	17
80-84	2212	12.0	119	4	6	9	14	23	37	50-69	2767	8.3	46	2	4	7	11	16	21
85 +	2461	15.1	201	4	7	11	19	36	58	70 +	240	8.9	46	2	4	7	11	17	27
SUBTOTAL	**12375**	**11.6**	**109**	**3**	**5**	**9**	**15**	**23**	**32**		**6299**	**7.3**	**40**	**1**	**3**	**6**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3968	6.0	28	1	2	5	8	13	15	0-17	1410	2.1	5	< 1	< 1	1	2	4	6
70-74	2858	6.8	47	1	2	6	9	14	17	18-34	6989	4.4	18	1	1	3	6	9	12
75-79	2392	7.1	34	1	3	6	10	14	16	35-49	11366	4.8	21	1	1	4	7	10	13
80-84	2080	8.7	55	2	4	7	10	17	23	50-69	9742	5.2	21	1	1	4	7	11	14
85 +	1970	10.3	79	3	5	8	13	21	28	70 +	281	6.7	50	1	1	5	8	12	19
SUBTOTAL	**13268**	**7.4**	**47**	**1**	**3**	**6**	**10**	**15**	**19**		**29788**	**4.7**	**20**	**1**	**1**	**4**	**7**	**10**	**13**
GRAND TOTAL	**25643**	**9.4**	**81**	**2**	**4**	**7**	**12**	**19**	**26**		**36087**	**5.2**	**25**	**1**	**1**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	5.9	33	3	3	3	4	18	18	0-17	79	4.9	26	1	2	3	6	17	17
18-34	187	5.6	41	2	2	4	6	11	29	18-34	405	7.1	122	1	2	3	7	16	27
35-49	173	6.8	25	2	3	5	9	15	17	35-49	185	9.3	151	1	4	4	11	17	55
50-69	251	8.4	60	1	3	5	11	20	21	50-69	271	7.4	52	2	2	7	9	13	15
70 +	45	10.8	66	2	4	4	18	21	21	70 +	77	8.1	77	3	3	4	9	16	35
SUBTOTAL	**713**	**7.2**	**47**	**2**	**3**	**4**	**10**	**18**	**21**		**1018**	**7.5**	**99**	**1**	**2**	**4**	**9**	**15**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	242	2.0	4	< 1	< 1	1	2	3	7	0-17	434	2.4	9	< 1	< 1	1	2	7	10
18-34	707	4.0	24	1	1	3	5	8	12	18-34	1988	4.5	15	1	2	3	6	9	11
35-49	872	6.4	74	1	1	4	8	14	18	35-49	1772	4.4	17	1	1	3	6	10	12
50-69	436	4.8	21	1	1	3	6	10	12	50-69	829	5.5	39	1	1	4	8	11	15
70 +	37	17.9	65							70 +	96	4.4	14	1	2	5	6	7	16
SUBTOTAL	**2294**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**16**		**5119**	**4.4**	**19**	**1**	**1**	**3**	**6**	**9**	**12**
GRAND TOTAL	**3007**	**5.6**	**47**	**1**	**1**	**4**	**7**	**12**	**19**		**6138**	**4.9**	**34**	**1**	**1**	**3**	**7**	**10**	**14**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	481	7.4	43	1	2	5	10	16	19	0-17	10	3.0							
70-74	509	7.5	53	2	3	5	10	16	19	18-34	33	2.7	2						
75-79	686	11.0	152	2	4	7	12	26	31	35-49	112	4.9	26	< 1	1	3	4	13	17
80-84	615	12.4	187	3	5	8	14	38	46	50-69	287	5.5	21	1	2	4	8	11	15
85 +	688	14.0	275	3	4	8	19	40	86	70 +	16	6.9	2						
SUBTOTAL	**2980**	**10.8**	**160**	**2**	**4**	**7**	**13**	**25**	**41**		**458**	**5.2**	**20**	**1**	**2**	**4**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2980**	**10.8**	**160**	**2**	**4**	**7**	**13**	**25**	**41**		**458**	**5.2**	**20**	**1**	**2**	**4**	**7**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	53	12.2	134	1	6	8	11	35	35	18-34	0								
35-49	59	9.7	53	3	3	9	14	23	23	35-49	16	12.3	25						
50-69	134	8.8	63	2	3	6	10	24	28	50-69	43	4.9	10						
70 +	37	25.7	645							70 +	29	13.6	56						
SUBTOTAL	**283**	**11.8**	**177**	**3**	**4**	**9**	**14**	**24**	**35**		**88**	**9.1**	**44**	**2**	**3**	**8**	**16**	**20**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**283**	**11.8**	**177**	**3**	**4**	**9**	**14**	**24**	**35**		**88**	**9.1**	**44**	**2**	**3**	**8**	**16**	**20**	**20**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	324	5.1	29	1	2	3	7	10	19
70-74	326	5.1	23	< 1	2	4	7	14	18
75-79	436	7.4	39	2	3	5	10	16	22
80-84	348	8.2	119	2	3	5	11	17	60
85 +	340	8.0	54	2	4	6	9	14	16
SUBTOTAL	**1774**	**6.8**	**55**	**1**	**3**	**5**	**9**	**15**	**20**
GRAND TOTAL	**1774**	**6.8**	**55**	**1**	**3**	**5**	**9**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	281	5.1	23	1	2	3	8	13	15
18-34	104	3.3	7	1	1	2	5	7	9
35-49	169	3.3	7	< 1	1	2	5	7	8
50-69	497	4.2	17	1	2	3	5	8	13
70 +	22	3.5	7						
	1074	**4.2**	**16**	**1**	**1**	**3**	**5**	**9**	**13**
	1074	**4.2**	**16**	**1**	**1**	**3**	**5**	**9**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	51	6.0	31	< 1	1	5	6	19	19
18-34	22	2.4	3						
35-49	29	2.7	2						
50-69	61	5.6	9	3	4	4	9	10	11
70 +	16	4.6							
SUBTOTAL	**179**	**4.8**	**14**	**< 1**	**3**	**4**	**5**	**10**	**11**
GRAND TOTAL	**179**	**4.8**	**14**	**< 1**	**3**	**4**	**5**	**10**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	31	1.0							
18-34	53	2.7	3	< 1	1	3	4	5	5
35-49	98	4.3	11	1	2	3	7	11	11
50-69	96	3.2	4	1	2	3	4	6	8
70 +	29	11.1	53						
	306	**4.0**	**16**	**< 1**	**2**	**3**	**4**	**10**	**16**
	306	**4.0**	**16**	**< 1**	**2**	**3**	**4**	**10**	**16**

DRG 246: Non-specific Arthropathies

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	63	6.7	12	3	4	5	10	12	13	0-17	0								
70-74	47	10.2	22	3	4	11	15	16	16	18-34	0								
75-79	81	9.0	80	2	3	5	13	30	30	35-49	16	10.1	6						
80-84	35	13.0	205							50-69	12	5.5	2						
85+	51	14.0	93	2	10	12	15	31	31	70+	0								
SUBTOTAL	**277**	**10.1**	**78**	**2**	**4**	**8**	**13**	**26**	**30**		**29**	**8.1**	**10**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	1.7	1							0-17	63	3.8	14	2	2	3	3	6	15
70-74	35	2.8	2							18-34	55	3.9	1	3	3	4	5	6	6
75-79	49	5.4	27	1	2	2	11	15	15	35-49	75	4.5	4	3	3	5	5	8	8
80-84	43	10.1	16							50-69	94	3.7	8	< 1	1	3	4	11	11
85+	67	7.6	15	4	6	7	9	10	18	70+	0								
SUBTOTAL	**232**	**5.9**	**22**	**1**	**2**	**4**	**9**	**11**	**18**		**287**	**4.0**	**7**	**1**	**3**	**3**	**5**	**7**	**11**
GRAND TOTAL	**509**	**8.2**	**57**	**2**	**3**	**5**	**11**	**15**	**28**		**316**	**4.4**	**9**	**1**	**3**	**3**	**5**	**8**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	1.0								18-34	0								
35-49	0									35-49	16	1.7	1						
50-69	10	7.0								50-69	6	6.0							
70+	0									70+	0								
SUBTOTAL	**20**	**4.0**	**9**								**22**	**2.9**	**4**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	2.1	1							0-17	16	6.1	6						
18-34	22	5.4	5							18-34	22	1.5	1						
35-49	20	5.5	2							35-49	0								
50-69	10	2.0								50-69	29	4.1	1						
70+	0									70+	0								
SUBTOTAL	**79**	**3.9**	**5**	**1**	**2**	**4**	**7**	**7**	**7**		**67**	**3.8**	**5**	**1**	**3**	**3**	**5**	**8**	**8**
GRAND TOTAL	**100**	**3.9**	**6**	**1**	**2**	**4**	**7**	**7**	**7**		**90**	**3.5**	**5**	**1**	**1**	**3**	**5**	**8**	**8**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	416	13.2	253	2	3	5	16	35	39	0-17	37	6.8	28						
70-74	297	12.8	215	1	3	8	15	37	52	18-34	183	7.4	46	2	2	5	10	17	28
75-79	293	12.1	197	3	3	7	13	38	51	35-49	187	8.9	137	1	3	5	9	17	30
80-84	230	15.2	247	2	3	11	23	26	40	50-69	352	8.3	96	1	3	4	12	17	36
85 +	226	10.8	67	2	4	10	14	23	24	70 +	12	4.5	2						
SUBTOTAL	**1463**	**12.8**	**205**	**2**	**3**	**8**	**16**	**30**	**40**		**772**	**8.1**	**90**	**2**	**3**	**4**	**10**	**17**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	414	7.2	156	1	2	4	6	15	16	0-17	149	2.6	3	1	1	2	3	5	5
70-74	316	7.5	41	2	2	5	13	16	20	18-34	522	4.3	79	< 1	1	2	4	6	10
75-79	202	9.8	88	1	2	6	15	20	30	35-49	917	3.4	25	1	1	2	4	7	9
80-84	183	13.3	237	1	3	7	22	28	64	50-69	709	4.7	80	1	2	3	5	8	14
85 +	200	8.6	53	1	2	7	14	23	37	70 +	12	1.0							
SUBTOTAL	**1314**	**8.7**	**118**	**1**	**2**	**5**	**13**	**20**	**26**		**2308**	**3.9**	**53**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**2777**	**10.9**	**168**	**1**	**3**	**6**	**15**	**24**	**38**		**3080**	**5.0**	**65**	**1**	**1**	**3**	**5**	**10**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	20.0								0-17	10	2.0							
18-34	37	14.2	161							18-34	22	4.9	15						
35-49	75	9.4	48	2	3	8	11	24	24	35-49	53	9.6	111	2	2	4	11	30	30
50-69	151	19.5	372	1	4	21	38	71	99 +	50-69	55	3.6	2	2	2	3	5	6	6
70 +	10	23.0								70 +	6	1.0							
SUBTOTAL	**279**	**16.2**	**255**	**1**	**4**	**10**	**24**	**39**	**71**		**147**	**5.8**	**52**	**2**	**2**	**3**	**5**	**11**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	104	3.2	6	< 1	1	2	6	7	7	0-17	57	3.0	2	1	2	3	3	6	6
18-34	65	2.3	1	2	2	2	3	3	4	18-34	147	4.8	23	1	1	3	7	10	19
35-49	108	5.0	14	1	2	5	7	10	16	35-49	120	4.1	8	2	2	3	5	8	11
50-69	112	9.0	86	3	4	6	9	11	37	50-69	102	3.0	4	< 1	2	3	4	5	9
70 +	0									70 +	0								
SUBTOTAL	**389**	**5.2**	**37**	**1**	**2**	**3**	**7**	**9**	**11**		**426**	**3.9**	**12**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**668**	**9.8**	**157**	**1**	**2**	**5**	**11**	**31**	**38**		**573**	**4.4**	**23**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 248: Tendonitis, Myositis & Bursitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	234	7.9	70	1	3	5	12	18	21	0-17	37	1.0							
70-74	173	6.8	21	1	3	7	11	13	13	18-34	132	4.6	4	2	3	5	6	7	7
75-79	163	8.4	26	2	4	7	12	17	17	35-49	236	6.0	27	1	3	4	8	16	16
80-84	110	17.3	278	5	6	9	23	52	55	50-69	259	5.3	19	1	2	4	7	12	16
85 +	100	14.5	228	4	6	9	22	22	67	70 +	0								
SUBTOTAL	**780**	**9.9**	**113**	**2**	**4**	**7**	**13**	**19**	**23**		**664**	**5.2**	**19**	**1**	**2**	**4**	**6**	**10**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	314	3.2	5	1	2	3	4	5	9	0-17	493	3.4	9	1	2	2	4	7	10
70-74	134	5.8	35	< 1	2	5	6	12	24	18-34	320	4.6	11	1	2	4	6	9	9
75-79	102	8.0	25	2	3	8	12	15	16	35-49	524	3.2	7	1	2	3	4	6	8
80-84	157	6.0	9	3	4	6	7	12	12	50-69	674	3.4	9	1	1	3	4	7	9
85 +	88	7.2	27	2	3	6	7	17	17	70 +	10	15.0							
SUBTOTAL	**795**	**5.3**	**19**	**1**	**2**	**4**	**6**	**12**	**15**		**2021**	**3.6**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1575**	**7.6**	**71**	**1**	**3**	**5**	**10**	**16**	**21**		**2685**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	43	7.9	12							18-34	73	5.8	17	1	4	5	9	14	14
35-49	41	8.5	1							35-49	90	5.0	10	1	3	5	6	11	11
50-69	26	7.5	2							50-69	61	7.8	27	2	2	8	13	15	17
70 +	0									70 +	6	11.0							
SUBTOTAL	**110**	**8.0**	**6**	**5**	**7**	**9**	**9**	**10**	**13**		**230**	**6.2**	**18**	**1**	**3**	**5**	**9**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	88	2.5	2	< 1	< 1	3	4	4	6	0-17	120	3.8	7	< 1	2	2	6	8	9
18-34	37	4.2	11							18-34	141	3.7	3	2	3	3	4	7	8
35-49	43	5.4	15							35-49	41	5.0	17	1	2	4	10	12	12
50-69	26	4.0	1							50-69	59	3.4	5	1	2	3	4	7	8
70 +	0									70 +	10	7.0							
SUBTOTAL	**194**	**3.7**	**8**	**< 1**	**1**	**3**	**4**	**9**	**11**		**371**	**3.9**	**7**	**1**	**2**	**3**	**6**	**8**	**9**
GRAND TOTAL	**304**	**5.2**	**11**	**< 1**	**3**	**5**	**9**	**9**	**12**		**601**	**4.8**	**12**	**1**	**2**	**4**	**6**	**10**	**12**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	126	8.8	48	1	4	7	9	19	26	0-17	383	3.3	16	< 1	< 1	2	4	6	7
70-74	75	17.2	238	2	4	11	25	45	45	18-34	43	3.5	12						
75-79	84	11.1	107	2	2	6	14	28	28	35-49	10	9.0							
80-84	71	12.9	151	2	5	12	27	99 +	99 +	50-69	22	9.5	46						
85 +	104	16.8	551	1	6	9	12	53	97	70 +	10	6.0							
SUBTOTAL	**460**	**13.0**	**229**	**2**	**4**	**9**	**14**	**40**	**45**		**469**	**3.8**	**19**	**< 1**	**< 1**	**2**	**5**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	183	3.5	12	1	1	2	5	8	14	0-17	628	1.8	8	< 1	< 1	< 1	1	3	9
70-74	122	4.0	10	1	2	3	5	6	13	18-34	165	2.4	4	< 1	< 1	1	3	5	8
75-79	88	5.5	21	1	2	4	11	13	15	35-49	41	1.6	1	< 1	< 1	1	2	4	4
80-84	179	5.9	45	< 1	1	4	7	14	27	50-69	287	4.5	33	< 1	1	2	6	10	17
85 +	59	4.6	23	1	1	2	5	14	16	70 +	10	11.0							
SUBTOTAL	**631**	**4.7**	**24**	**1**	**1**	**3**	**6**	**13**	**14**		**1131**	**2.7**	**15**	**< 1**	**< 1**	**1**	**2**	**6**	**10**
GRAND TOTAL	**1092**	**8.2**	**127**	**1**	**2**	**5**	**10**	**19**	**28**		**1600**	**3.0**	**17**	**< 1**	**< 1**	**1**	**3**	**7**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	3.5	7	< 1	< 1	3	4	9	9	0-17	61	4.0	5	< 1	2	4	5	8	8
18-34	10	3.0								18-34	10	10.0							
35-49	31	14.3	94							35-49	0								
50-69	26	22.0	665							50-69	6	1.0							
70 +	0									70 +	6	7.0							
SUBTOTAL	**128**	**9.9**	**217**	**< 1**	**2**	**3**	**9**	**27**	**54**		**84**	**4.7**	**9**	**< 1**	**2**	**4**	**7**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	281	2.6	7	< 1	< 1	< 1	4	7	8	0-17	277	1.0		< 1	< 1	< 1	< 1	1	1
18-34	37	3.2	9							18-34	29	1.6	1						
35-49	12	8.0	4							35-49	16	17.3	169						
50-69	6	1.0								50-69	33	1.7	1						
70 +	0									70 +	10	7.0							
SUBTOTAL	**336**	**2.8**	**8**	**< 1**	**< 1**	**1**	**4**	**7**	**9**		**365**	**2.0**	**19**	**< 1**	**< 1**	**< 1**	**1**	**3**	**7**
GRAND TOTAL	**465**	**4.8**	**75**	**< 1**	**< 1**	**2**	**4**	**10**	**12**		**448**	**2.5**	**18**	**< 1**	**< 1**	**< 1**	**2**	**7**	**8**

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	161	7.0	156	1	2	4	6	14	21	0-17	0								
70-74	102	7.0	30	1	4	5	10	15	21	18-34	79	2.7	1	1	2	2	3	5	5
75-79	277	10.3	110	1	2	7	15	18	32	35-49	147	4.4	15	1	2	3	6	9	16
80-84	165	9.9	50	4	5	7	12	20	29	50-69	283	4.8	25	1	2	3	5	9	12
85 +	224	14.8	365	3	5	8	15	35	88	70 +	12	4.0							
SUBTOTAL	**929**	**10.4**	**168**	**2**	**3**	**6**	**13**	**21**	**32**		**522**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**929**	**10.4**	**168**	**2**	**3**	**6**	**13**	**21**	**32**		**522**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**12**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	26	2.8	1							18-34	118	4.8	19	2	2	3	5	13	15
35-49	10	9.0								35-49	84	8.1	53	1	2	8	11	13	29
50-69	31	6.0	5							50-69	18	5.0	34						
70 +	0									70 +	12	23.0	53						
SUBTOTAL	**67**	**5.2**	**7**	**2**	**3**	**4**	**8**	**9**	**9**		**232**	**7.0**	**50**	**1**	**2**	**4**	**11**	**15**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**67**	**5.2**	**7**	**2**	**3**	**4**	**8**	**9**	**9**		**232**	**7.0**	**50**	**1**	**2**	**4**	**11**	**15**	**27**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	220	3.7	23	1	1	2	4	6	19	0-17	0								
70-74	269	3.3	12	1	1	2	4	7	11	18-34	831	2.1	3	< 1	1	2	3	4	5
75-79	314	4.3	22	1	1	2	5	10	17	35-49	662	2.1	2	1	1	2	3	4	5
80-84	267	5.0	24	1	2	4	6	10	16	50-69	756	2.7	10	1	1	2	3	5	8
85 +	236	4.8	11	1	2	4	7	8	13	70 +	43	2.5	2						
SUBTOTAL	**1306**	**4.2**	**19**	**1**	**1**	**3**	**5**	**9**	**14**		**2292**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1306**	**4.2**	**19**	**1**	**1**	**3**	**5**	**9**	**14**		**2292**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	94	1.6	1	< 1	1	1	2	4	4	18-34	475	2.4	4	< 1	1	2	3	4	6
35-49	65	2.5	5	1	1	2	3	4	9	35-49	206	2.2	3	1	1	2	3	4	5
50-69	26	4.5	20							50-69	128	2.2	1	< 1	1	2	3	3	4
70 +	0									70 +	18	2.7	2						
SUBTOTAL	**185**	**2.3**	**6**	**1**	**1**	**1**	**2**	**4**	**10**		**827**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**185**	**2.3**	**6**	**1**	**1**	**1**	**2**	**4**	**10**		**827**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	108	2.4	5	1	1	1	2	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**108**	**2.4**	**5**	**1**	**1**	**1**	**2**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3159	1.4	1	< 1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3159**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**3267**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	12	3.0	4							0-17	16	1.7	1						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**12**	**3.0**	**4**								**16**	**1.7**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	416	1.6	1	1	1	1	2	3	3	0-17	768	1.2		< 1	1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**416**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**768**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**428**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**784**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	701	10.8	120	2	4	7	14	26	29	0-17	0								
70-74	705	11.8	122	2	4	8	14	26	40	18-34	432	5.3	28	1	2	4	6	9	11
75-79	731	13.0	236	3	5	9	14	28	41	35-49	381	6.2	41	1	2	4	6	13	22
80-84	892	18.5	409	2	6	13	21	49	71	50-69	670	8.1	65	2	3	5	10	22	26
85 +	1029	16.1	290	4	5	10	22	46	90	70 +	114	12.6	122	2	6	6	18	32	40
SUBTOTAL	**4058**	**14.4**	**256**	**2**	**5**	**9**	**18**	**34**	**59**		**1597**	**7.2**	**57**	**2**	**3**	**5**	**9**	**16**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4058**	**14.4**	**256**	**2**	**5**	**9**	**18**	**34**	**59**		**1597**	**7.2**	**57**	**2**	**3**	**5**	**9**	**16**	**24**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	116	5.7	12	2	3	6	7	12	13	18-34	259	5.2	15	1	2	4	8	10	12
35-49	26	5.8	5							35-49	147	8.0	148	1	2	5	8	10	51
50-69	71	9.1	33	2	5	9	16	18	18	50-69	128	14.0	112	2	5	10	21	29	37
70 +	26	13.9	195							70 +	155	12.4	73	4	6	12	16	21	37
SUBTOTAL	**240**	**7.6**	**44**	**2**	**3**	**6**	**9**	**16**	**18**		**689**	**9.1**	**87**	**1**	**3**	**7**	**11**	**20**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**240**	**7.6**	**44**	**2**	**3**	**6**	**9**	**16**	**18**		**689**	**9.1**	**87**	**1**	**3**	**7**	**11**	**20**	**29**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	849	5.1	31	1	2	3	6	10	14	0-17	0								
70-74	744	5.5	34	1	2	4	7	10	16	18-34	2084	2.7	8	< 1	1	2	3	5	6
75-79	729	7.0	83	1	3	5	9	13	18	35-49	1566	3.4	7	1	1	2	4	7	8
80-84	951	6.5	48	1	2	5	8	13	17	50-69	1727	4.7	23	1	2	3	5	9	14
85 +	1094	9.5	112	2	3	6	11	20	29	70 +	214	7.5	17	2	5	7	9	12	13
SUBTOTAL	**4367**	**6.9**	**67**	**1**	**2**	**5**	**8**	**14**	**22**		**5592**	**3.7**	**14**	**1**	**1**	**3**	**5**	**7**	**11**
GRAND TOTAL	**4367**	**6.9**	**67**	**1**	**2**	**5**	**8**	**14**	**22**		**5592**	**3.7**	**14**	**1**	**1**	**3**	**5**	**7**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	206	4.2	10	< 1	1	4	6	8	10	18-34	1135	3.1	8	1	1	2	4	7	10
35-49	94	4.8	16	< 1	2	3	7	14	14	35-49	568	3.4	7	1	1	3	4	7	9
50-69	118	6.6	37	1	2	4	11	12	22	50-69	308	4.3	29	1	1	3	5	6	21
70 +	31	7.7	11							70 +	134	15.4	336	2	4	6	19	53	54
SUBTOTAL	**448**	**5.2**	**20**	**< 1**	**1**	**4**	**7**	**11**	**14**		**2145**	**4.1**	**40**	**1**	**1**	**3**	**4**	**8**	**11**
GRAND TOTAL	**448**	**5.2**	**20**	**< 1**	**1**	**4**	**7**	**11**	**14**		**2145**	**4.1**	**40**	**1**	**1**	**3**	**4**	**8**	**11**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	271	5.4	64	1	1	3	6	9	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**271**	**5.4**	**64**	**1**	**1**	**3**	**6**	**9**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	2.0								0-17	3219	2.4	9	1	1	1	2	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**2.0**									**3219**	**2.4**	**9**	**1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**6**	**2.0**									**3490**	**2.7**	**14**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	2.0								0-17	167	7.1	44	1	2	4	10	16	18
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16**	**2.0**									**167**	**7.1**	**44**	**1**	**2**	**4**	**10**	**16**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	456	4.6	40	1	2	2	5	9	13	0-17	774	2.4	4	1	1	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**456**	**4.6**	**40**	**1**	**2**	**2**	**5**	**9**	**13**		**774**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**473**	**4.5**	**39**	**1**	**2**	**2**	**5**	**9**	**13**		**941**	**3.2**	**14**	**1**	**1**	**2**	**3**	**7**	**10**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	424	5.9	25	2	3	4	8	12	17	0-17	102	3.4	9	< 1	1	2	5	9	10
70-74	181	6.7	44	1	2	4	7	17	23	18-34	175	3.9	7	1	2	3	7	8	8
75-79	220	8.8	102	2	3	6	13	20	47	35-49	224	4.8	15	1	2	3	8	11	11
80-84	128	8.3	44	3	4	5	14	20	22	50-69	334	5.1	17	1	2	4	7	12	14
85 +	167	10.2	130	2	3	7	10	25	34	70 +	0								
SUBTOTAL	**1120**	**7.5**	**63**	**2**	**3**	**5**	**10**	**19**	**23**		**835**	**4.6**	**14**	**1**	**2**	**3**	**6**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	316	4.3	10	1	2	4	5	8	12	0-17	872	1.4	2	< 1	< 1	< 1	1	3	3
70-74	122	5.0	24	1	2	3	6	12	18	18-34	403	2.9	6	< 1	1	2	4	7	9
75-79	138	4.4	12	2	2	3	5	8	13	35-49	629	3.7	35	1	1	2	4	7	9
80-84	165	5.4	25	1	2	3	7	12	14	50-69	587	3.1	5	1	2	2	4	6	8
85 +	100	8.9	59	2	2	7	12	17	31	70 +	12	6.5	13						
SUBTOTAL	**841**	**5.2**	**23**	**1**	**2**	**3**	**7**	**12**	**14**		**2504**	**2.7**	**13**	**< 1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**1962**	**6.5**	**47**	**2**	**2**	**4**	**8**	**15**	**20**		**3339**	**3.1**	**14**	**< 1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	4.5	6							0-17	67	2.4	3	< 1	< 1	1	4	4	6
18-34	37	4.6	6							18-34	88	4.6	10	1	1	4	8	9	10
35-49	67	4.7	11	2	2	4	6	10	10	35-49	55	4.4	5	2	2	6	6	7	7
50-69	145	4.6	40	1	2	3	4	6	27	50-69	22	3.0							
70 +	20	17.0	178							70 +	0								
SUBTOTAL	**295**	**5.5**	**45**	**1**	**2**	**3**	**6**	**10**	**27**		**232**	**3.7**	**7**	**< 1**	**1**	**3**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	240	2.5	21	< 1	< 1	1	3	4	5	0-17	139	3.0	43	< 1	< 1	< 1	1	2	26
18-34	65	3.2	3	< 1	2	3	5	6	6	18-34	132	3.8	21	1	1	2	4	8	18
35-49	92	2.9	3	1	2	2	4	7	7	35-49	155	2.5	3	< 1	1	2	3	6	6
50-69	94	3.5	7	1	2	3	4	9	11	50-69	77	2.4	3	< 1	1	1	5	5	5
70 +	6	5.0								70 +	6	9.0							
SUBTOTAL	**497**	**2.9**	**13**	**< 1**	**< 1**	**2**	**4**	**5**	**7**		**509**	**3.0**	**19**	**< 1**	**< 1**	**1**	**3**	**6**	**9**
GRAND TOTAL	**793**	**3.9**	**26**	**< 1**	**1**	**2**	**4**	**7**	**10**		**742**	**3.2**	**15**	**< 1**	**1**	**2**	**4**	**7**	**9**

DRG 257: Total Mastectomy for Malignancy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1683	7.3	24	3	5	6	8	12	16	0-17	0								
70-74	1632	7.0	12	4	5	6	8	10	14	18-34	143	5.1	4	3	4	5	6	7	7
75-79	1589	7.5	28	3	5	6	8	12	17	35-49	1475	5.3	5	3	4	5	6	8	9
80-84	1019	9.2	122	3	5	7	9	15	19	50-69	3040	6.1	16	3	4	5	7	9	10
85 +	603	7.4	24	3	5	6	9	13	15	70 +	122	6.0	18	4	5	5	6	7	14
SUBTOTAL	6525	7.6	38	3	5	6	8	12	16		4780	5.8	13	3	4	5	7	9	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	6525	7.6	38	3	5	6	8	12	16		4780	5.8	13	3	4	5	7	9	10

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	20	7.5	13							18-34	26	4.9	1						
35-49	98	6.9	5	4	6	7	8	10	12	35-49	157	4.9	3	3	4	5	6	8	8
50-69	171	7.7	23	3	5	6	9	14	23	50-69	387	5.8	5	3	4	6	7	8	10
70 +	20	16.5	76							70 +	37	5.3	4	3	3	5	7	8	8
SUBTOTAL	310	8.0	25	4	5	7	9	12	23		607	5.5	5	3	4	5	7	8	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	310	8.0	25	4	5	7	9	12	23		607	5.5	5	3	4	5	7	8	8

DRG 258: Total Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2241	5.3	5	3	4	5	6	8	9	0-17	0								
70-74	1911	5.4	4	3	4	5	7	8	9	18-34	302	4.7	2	3	4	5	6	7	7
75-79	1196	6.2	10	3	5	6	7	9	10	35-49	2186	4.4	3	2	3	4	5	7	8
80-84	896	6.3	11	3	4	6	8	11	13	50-69	4543	4.9	4	3	4	5	6	7	8
85 +	432	5.4	5	3	4	5	7	8	9	70 +	128	6.3	4	4	5	6	8	9	10
SUBTOTAL	**6676**	**5.6**	**7**	**3**	**4**	**5**	**7**	**9**	**10**		**7159**	**4.8**	**3**	**3**	**4**	**5**	**6**	**7**	**8**
GRAND TOTAL	**6676**	**5.6**	**7**	**3**	**4**	**5**	**7**	**9**	**10**		**7159**	**4.8**	**3**	**3**	**4**	**5**	**6**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	61	4.5	4	2	2	5	6	7	7
35-49	57	5.8	10	2	4	5	6	12	12	35-49	228	4.2	2	2	3	5	5	6	6
50-69	106	5.5	3	4	5	5	7	8	8	50-69	422	5.0	5	3	4	5	6	8	9
70 +	16	6.7	1							70 +	51	5.3	4	3	4	5	5	9	9
SUBTOTAL	**179**	**5.7**	**5**	**3**	**5**	**5**	**7**	**8**	**12**		**762**	**4.8**	**4**	**2**	**4**	**5**	**6**	**7**	**9**
GRAND TOTAL	**179**	**5.7**	**5**	**3**	**5**	**5**	**7**	**8**	**12**		**762**	**4.8**	**4**	**2**	**4**	**5**	**6**	**7**	**9**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	448	5.3	25	2	3	4	6	9	14
70-74	369	6.1	54	2	2	5	6	11	18
75-79	299	6.4	54	1	2	4	8	12	20
80-84	208	10.4	149	1	4	6	16	39	48
85 +	187	4.6	9	1	2	4	6	8	13
SUBTOTAL	**1512**	**6.3**	**56**	**1**	**3**	**4**	**7**	**13**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1512**	**6.3**	**56**	**1**	**3**	**4**	**7**	**13**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	39	4.7	14						
35-49	367	5.4	42	1	2	3	6	10	17
50-69	699	6.3	47	2	2	4	7	15	23
70 +	33	6.1	24						
	1137	**5.9**	**44**	**1**	**2**	**4**	**6**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1137	**5.9**	**44**	**1**	**2**	**4**	**6**	**15**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	71.0							
35-49	16	3.5	4						
50-69	33	8.2	30						
70 +	6	2.0							
SUBTOTAL	**65**	**16.3**	**585**	**2**	**4**	**6**	**19**	**71**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**65**	**16.3**	**585**	**2**	**4**	**6**	**19**	**71**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	8.9	46						
35-49	90	2.7	6	1	1	1	3	9	9
50-69	69	3.0	4	1	1	3	4	5	7
70 +	26	2.6							
	212	**3.6**	**14**	**1**	**1**	**3**	**4**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	212	**3.6**	**14**	**1**	**1**	**3**	**4**	**7**	**9**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	717	3.3	6	1	2	3	5	6	7	0-17	0								
70-74	487	3.0	5	< 1	1	2	4	5	6	18-34	63	2.4	2	< 1	1	2	4	4	5
75-79	420	3.1	3	< 1	2	3	4	6	6	35-49	943	2.7	3	1	1	3	4	5	6
80-84	302	3.5	3	1	2	3	5	6	7	50-69	1662	2.9	6	1	1	2	4	5	6
85 +	208	3.1	5	1	2	2	3	7	8	70 +	33	2.8	1						
SUBTOTAL	**2133**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**2701**	**2.8**	**5**	**1**	**1**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2133**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**2701**	**2.8**	**5**	**1**	**1**	**3**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	22	2.2	1						
35-49	29	6.0	5							35-49	175	2.0	2	< 1	< 1	1	3	4	5
50-69	77	4.4	6	< 1	1	6	6	8	8	50-69	263	2.4	4	< 1	1	2	3	4	4
70 +	10	2.0								70 +	51	2.0	1						
SUBTOTAL	**116**	**4.6**	**7**	**1**	**2**	**4**	**6**	**8**	**9**		**511**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**116**	**4.6**	**7**	**1**	**2**	**4**	**6**	**8**	**9**		**511**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**4**

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	77	3.4	7	1	2	3	3	9	9	0-17	31	2.3								
70-74	61	3.4	3	2	3	3	5	6	7	18-34	275	3.1	10	1	2	2	3	4	5	
75-79	39	15.5	878							35-49	255	6.1	125	1	1	3	4	13	31	
80-84	16	4.5	4							50-69	165	3.5	5	1	2	3	4	7	7	
85 +	26	5.8	1							70 +	0									
SUBTOTAL	**220**	**5.9**	**175**	**1**	**2**	**3**	**5**	**7**	**9**		**725**	**4.2**	**51**	**1**	**2**	**3**	**4**	**7**	**13**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	314	3.0	10	1	1	2	4	5	9	0-17	503	1.8	1	1	1	2	2	3	3	
70-74	143	2.6	6	1	1	2	4	7	9	18-34	3113	2.2	2	1	1	2	3	4	4	
75-79	43	2.7	4							35-49	2702	2.2	2	1	1	2	3	4	5	
80-84	35	2.6	1							50-69	1516	2.2	2	1	1	2	3	4	5	
85 +	47	3.3	4	1	2	3	6	7	7	70 +	16	2.4								
SUBTOTAL	**581**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**9**		**7850**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	
GRAND TOTAL	**801**	**3.7**	**55**	**1**	**1**	**2**	**4**	**7**	**9**		**8576**	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	6	3.0								0-17	10	1.0								
18-34	31	2.7	3							18-34	10	4.0								
35-49	10	8.0								35-49	10	12.0								
50-69	20	2.5								50-69	16	3.2	9							
70 +	0									70 +	0									
SUBTOTAL	**67**	**3.5**	**5**	**1**	**2**	**3**	**5**	**8**	**8**		**47**	**4.8**	**19**							
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	31	2.7								0-17	57	1.4		1	1	1	2	3	3	
18-34	163	3.0	3	1	2	3	4	4	9	18-34	300	1.3		1	1	1	1	2	3	
35-49	69	4.2	23	1	2	3	3	5	19	35-49	212	1.7	1	< 1	1	1	2	3	3	
50-69	51	1.6		< 1	1	2	2	2	2	50-69	94	1.7	1	1	1	1	2	4	4	
70 +	20	3.0	1							70 +	0									
SUBTOTAL	**334**	**3.0**	**7**	**1**	**2**	**3**	**3**	**4**	**5**		**662**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	
GRAND TOTAL	**401**	**3.1**	**7**	**1**	**2**	**3**	**3**	**5**	**8**		**709**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	169	1.9	1	< 1	1	2	2	3	4	0-17	0								
70-74	94	2.5	4	1	1	2	3	7	7	18-34	12	3.5	7						
75-79	77	5.3	57	2	2	2	2	20	25	35-49	112	1.9	2	1	1	1	2	3	6
80-84	37	2.7	3							50-69	249	2.7	23	< 1	1	1	2	5	6
85 +	22	4.5	7							70 +	10	2.0							
SUBTOTAL	399	2.9	15	1	1	2	3	5	7		383	2.5	16	1	1	1	2	4	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	373	1.8	8	< 1	< 1	1	2	2	4	0-17	47	1.4	1						
70-74	273	1.7	2	< 1	< 1	1	2	3	6	18-34	361	1.6	7	< 1	< 1	1	1	2	2
75-79	273	1.8	2	< 1	1	1	2	4	4	35-49	1012	1.2		< 1	< 1	1	1	2	2
80-84	128	2.1	3	< 1	1	2	2	3	8	50-69	1098	1.4	2	< 1	< 1	1	1	2	3
85 +	31	2.0	1							70 +	10	5.0							
SUBTOTAL	1078	1.8	4	< 1	1	1	2	3	4		2528	1.4	2	< 1	< 1	1	1	2	3
GRAND TOTAL	1477	2.1	7	< 1	1	1	2	4	6		2911	1.5	4	< 1	< 1	1	1	2	3

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	20	3.0	1							35-49	31	1.3							
50-69	10	3.0								50-69	26	7.5	30						
70 +	0									70 +	10	1.0							
SUBTOTAL	31	3.0	1								67	3.7	21	1	1	1	5	14	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20	2.0	1							0-17	12	3.0	4						
18-34	57	1.5		< 1	< 1	1	2	3	3	18-34	98	2.0	4	< 1	< 1	1	2	6	7
35-49	73	3.0	7	1	1	1	6	8	8	35-49	456	1.2	1	< 1	< 1	1	1	2	2
50-69	98	1.7	1	< 1	< 1	1	2	3	4	50-69	351	1.3	1	< 1	< 1	1	1	2	2
70 +	10	1.0								70 +	10	1.0							
SUBTOTAL	259	2.0	3	< 1	< 1	1	2	4	6		927	1.4	1	< 1	< 1	1	1	2	4
GRAND TOTAL	289	2.1	3	< 1	1	2	3	4	6		994	1.5	3	< 1	< 1	1	1	2	5

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1931	21.6	303	5	9	15	31	51	70	0-17	41	10.3	39						
70-74	905	23.9	394	7	10	18	38	72	99 +	18-34	238	24.0	363	4	6	21	37	48	54
75-79	909	29.0	541	6	12	23	54	94	99 +	35-49	485	17.6	188	6	8	13	24	38	53
80-84	892	20.2	218	6	10	17	30	45	97	50-69	1204	20.0	255	5	9	16	26	40	60
85 +	1078	22.2	334	6	10	17	31	52	73	70 +	57	20.7	48	9	14	21	27	29	30
SUBTOTAL	**5715**	**23.0**	**355**	**6**	**10**	**18**	**34**	**60**	**97**		**2025**	**19.7**	**246**	**5**	**8**	**15**	**26**	**40**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5715**	**23.0**	**355**	**6**	**10**	**18**	**34**	**60**	**97**		**2025**	**19.7**	**246**	**5**	**8**	**15**	**26**	**40**	**55**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	28.3	161							0-17	6	5.0							
18-34	202	26.5	627	4	6	20	51	92	99 +	18-34	61	17.6	259	4	5	14	16	52	52
35-49	302	22.1	278	7	10	15	38	57	99 +	35-49	108	17.9	108	4	12	18	22	43	99 +
50-69	247	25.4	408	6	14	22	39	90	99 +	50-69	141	33.7	645	8	10	27	68	73	81
70 +	77	21.5	242	8	10	19	35	99 +	99 +	70 +	33	12.9	45						
SUBTOTAL	**858**	**24.2**	**393**	**6**	**9**	**19**	**42**	**78**	**99 +**		**348**	**23.5**	**416**	**5**	**10**	**16**	**32**	**69**	**81**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**858**	**24.2**	**393**	**6**	**9**	**19**	**42**	**78**	**99 +**		**348**	**23.5**	**416**	**5**	**10**	**16**	**32**	**69**	**81**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	432	17.0	179	3	6	13	25	32	42	0-17	124	6.7	40	2	3	4	6	18	24
70-74	230	17.2	273	4	6	11	24	35	40	18-34	238	8.8	74	2	4	7	9	12	25
75-79	189	16.2	115	6	8	13	22	33	42	35-49	255	12.3	93	3	5	8	16	29	33
80-84	161	22.2	487	3	7	15	22	64	64	50-69	420	10.8	98	3	5	9	12	21	27
85 +	281	17.7	340	3	5	10	25	44	62	70 +	16	10.6	20						
SUBTOTAL	**1294**	**17.7**	**262**	**4**	**6**	**13**	**24**	**35**	**50**		**1053**	**10.2**	**87**	**2**	**4**	**8**	**12**	**24**	**29**
GRAND TOTAL	**1294**	**17.7**	**262**	**4**	**6**	**13**	**24**	**35**	**50**		**1053**	**10.2**	**87**	**2**	**4**	**8**	**12**	**24**	**29**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12	4.0	4							0-17	6	2.0							
18-34	73	18.7	227	2	6	21	22	50	50	18-34	149	10.2	105	3	4	6	9	34	35
35-49	73	7.6	12	5	6	6	7	13	15	35-49	61	11.7	48	6	7	9	13	26	26
50-69	71	11.0	44	3	4	12	17	21	21	50-69	53	9.2	79	1	4	6	13	31	31
70 +	10	7.0								70 +	10	4.0							
SUBTOTAL	**240**	**11.8**	**110**	**3**	**5**	**7**	**17**	**21**	**23**		**279**	**9.9**	**84**	**3**	**4**	**7**	**11**	**26**	**34**
GRAND TOTAL	**240**	**11.8**	**110**	**3**	**5**	**7**	**17**	**21**	**23**		**279**	**9.9**	**84**	**3**	**4**	**7**	**11**	**26**	**34**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	410	7.8	62	2	3	6	10	17	21	0-17	183	4.1	9	1	2	4	5	10	82
70-74	214	8.4	83	1	2	6	10	29	31	18-34	251	5.6	24	1	2	5	8	10	13
75-79	314	10.7	87	1	2	8	15	27	31	35-49	289	9.9	106	1	4	7	12	19	31
80-84	169	8.0	77	1	2	5	13	28	36	50-69	760	13.7	337	2	4	9	12	30	50
85+	267	12.9	222	2	5	9	14	19	51	70+	33	19.9	177						
SUBTOTAL	**1373**	**9.6**	**108**	**1**	**2**	**7**	**13**	**20**	**31**		**1516**	**10.6**	**214**	**1**	**3**	**7**	**11**	**22**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1373**	**9.6**	**108**	**1**	**2**	**7**	**13**	**20**	**31**		**1516**	**10.6**	**214**	**1**	**3**	**7**	**11**	**22**	**44**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	63	30.9	614	10	14	22	32	84	84	0-17	43	5.9	25						
18-34	43	6.3	80							18-34	114	4.9	16	2	2	3	5	14	15
35-49	37	8.1	22							35-49	69	6.3	17	2	2	5	9	14	14
50-69	59	8.7	13	4	6	7	12	14	14	50-69	29	4.6	15						
70+	0									70+	22	17.9	101						
SUBTOTAL	**202**	**15.1**	**331**	**2**	**3**	**10**	**20**	**30**	**61**		**277**	**6.4**	**36**	**2**	**2**	**4**	**9**	**14**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**202**	**15.1**	**331**	**2**	**3**	**10**	**20**	**30**	**61**		**277**	**6.4**	**36**	**2**	**2**	**4**	**9**	**14**	**22**

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	475	4.9	21	1	1	3	7	12	15	0-17	705	2.5	3	< 1	1	2	3	5	6
70-74	391	4.6	18	1	1	2	8	11	15	18-34	1055	3.6	13	1	1	3	5	7	9
75-79	389	4.8	15	1	2	3	7	11	12	35-49	1110	3.7	10	1	1	2	6	8	9
80-84	318	6.7	85	1	2	4	9	13	17	50-69	1117	3.8	25	< 1	1	2	4	8	12
85 +	245	5.4	33	1	1	3	7	15	17	70 +	39	5.8	47						
SUBTOTAL	**1817**	**5.2**	**32**	**1**	**1**	**3**	**7**	**12**	**15**		**4026**	**3.5**	**15**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**1817**	**5.2**	**32**	**1**	**1**	**3**	**7**	**12**	**15**		**4026**	**3.5**	**15**	**1**	**1**	**2**	**4**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	147	4.4	11	1	2	3	7	11	11	0-17	114	2.4	11	< 1	1	1	3	3	13
18-34	157	3.1	8	1	1	2	4	8	11	18-34	448	4.1	24	< 1	1	2	4	11	14
35-49	90	10.6	129	1	2	7	14	38	38	35-49	159	5.8	47	< 1	1	3	8	19	21
50-69	79	4.7	29	< 1	1	2	6	8	21	50-69	118	5.1	23	< 1	1	2	9	10	17
70 +	6	8.0								70 +	20	3.5	7						
SUBTOTAL	**479**	**5.2**	**42**	**1**	**1**	**3**	**7**	**11**	**18**		**860**	**4.3**	**27**	**< 1**	**1**	**2**	**4**	**11**	**17**
GRAND TOTAL	**479**	**5.2**	**42**	**1**	**1**	**3**	**7**	**11**	**18**		**860**	**4.3**	**27**	**< 1**	**1**	**2**	**4**	**11**	**17**

DRG 267: Perianal & Pilonidal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	1.0								0-17	33	1.9							
70-74	29	5.0	8							18-34	167	2.7	2	1	2	3	4	4	6
75-79	0									35-49	37	3.6	6						
80-84	10	14.0								50-69	18	1.3							
85 +	10	21.0								70 +	0								
SUBTOTAL	**55**	**9.2**	**52**	**< 1**	**2**	**7**	**14**	**21**	**21**		**255**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	84	2.0	1	1	1	2	3	3	3	0-17	587	2.0	2	1	1	2	2	4	5
70-74	20	1.5								18-34	3541	1.8	1	1	1	2	2	3	4
75-79	12	3.0	4							35-49	631	1.8	1	1	1	1	3	3	3
80-84	10	2.0								50-69	149	1.8	1	1	1	2	2	2	4
85 +	0									70 +	0								
SUBTOTAL	**126**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**		**4907**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**181**	**4.2**	**27**	**1**	**1**	**2**	**3**	**14**	**21**		**5162**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	13.0								0-17	0								
18-34	10	4.0								18-34	26	2.1	1						
35-49	31	2.7	1							35-49	0								
50-69	0									50-69	10	1.0							
70 +	0									70 +	0								
SUBTOTAL	**51**	**5.0**	**17**								**37**	**1.8**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	37	1.4								0-17	63	1.4		1	1	1	2	2	3
18-34	216	1.9	1	1	1	2	2	3	4	18-34	491	1.6	1	1	1	1	2	3	4
35-49	22	1.9	1							35-49	51	2.8	18	1	1	1	2	14	14
50-69	0									50-69	16	1.0							
70 +	0									70 +	10	1.0							
SUBTOTAL	**275**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**		**631**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**326**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**		**668**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	92	3.1	6	< 1	1	2	4	9	9
70-74	37	3.4	6						
75-79	77	2.9	3	1	2	2	3	7	7
80-84	31	1.7							
85 +	79	5.8	16	1	2	3	9	11	11
SUBTOTAL	**316**	**3.6**	**9**	**1**	**2**	**2**	**4**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	189	2.4	3	1	1	2	3	5	6
70-74	137	2.5	4	1	1	2	3	4	8
75-79	122	1.8	1	< 1	< 1	1	2	3	4
80-84	88	1.5		< 1	< 1	1	2	2	2
85 +	71	2.0	3	< 1	< 1	1	1	6	6
SUBTOTAL	**607**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**923**	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**6**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	1.8	1	1	1	1	2	4	4
18-34	53	2.0	1	1	1	2	3	3	3
35-49	86	4.0	4	2	3	4	5	8	8
50-69	141	3.1	5	1	1	2	4	6	9
70 +	6	2.0							
	334	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	224	1.7	1	< 1	1	1	2	3	5
18-34	355	1.9	1	< 1	1	1	2	4	5
35-49	630	2.2	2	1	1	2	3	4	5
50-69	1055	1.7	1	1	1	1	2	3	4
70 +	57	2.3	5	< 1	1	1	2	7	7
	2321	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**4**
	2655	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	16	24.5	196						
50-69	0								
70 +	0								
SUBTOTAL	**16**	**24.5**	**196**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.0							
18-34	26	3.7	4						
35-49	20	2.0							
50-69	20	5.0							
70 +	0								
SUBTOTAL	**84**	**3.1**	**3**	**< 1**	**1**	**2**	**5**	**6**	**6**
GRAND TOTAL	**100**	**6.6**	**97**	**< 1**	**2**	**3**	**6**	**26**	**35**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	14.0							
18-34	59	3.8	15	1	1	3	3	12	12
35-49	6	4.0							
50-69	6	2.0							
70 +	0								
	81	**4.9**	**23**	**1**	**2**	**3**	**8**	**14**	**14**
0-17	20	2.0	1						
18-34	151	2.1	1	< 1	1	2	3	3	3
35-49	157	1.6	1	1	1	1	2	3	3
50-69	705	1.3		1	1	1	1	2	3
70 +	104	1.5	1	1	1	1	2	3	4
	1137	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	1219	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	705	11.4	164	1	3	7	14	28	51	0-17	81	3.4	4	1	2	3	5	7	7
70-74	630	12.6	89	2	6	10	17	30	36	18-34	220	6.5	45	1	3	4	6	14	25
75-79	509	12.6	163	2	5	10	16	23	30	35-49	505	7.7	78	2	2	4	9	20	24
80-84	387	14.7	234	2	5	13	17	27	62	50-69	925	11.8	133	2	4	9	15	24	32
85 +	371	18.1	309	3	6	13	29	47	69	70 +	22	44.4	1241						
SUBTOTAL	**2602**	**13.4**	**181**	**2**	**4**	**10**	**17**	**30**	**43**		**1754**	**10.0**	**135**	**2**	**3**	**6**	**13**	**21**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2602**	**13.4**	**181**	**2**	**4**	**10**	**17**	**30**	**43**		**1754**	**10.0**	**135**	**2**	**3**	**6**	**13**	**21**	**30**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	5.0	1							0-17	10	2.0							
18-34	145	9.7	121	1	4	8	11	19	45	18-34	214	5.5	12	2	3	4	9	11	11
35-49	116	12.2	118	4	5	6	15	38	39	35-49	161	6.9	18	1	3	8	10	12	16
50-69	192	15.1	114	4	8	13	18	39	42	50-69	77	7.0	41	<1	1	5	11	20	20
70 +	16	14.0	64							70 +	10	17.0							
SUBTOTAL	**495**	**12.3**	**116**	**3**	**5**	**9**	**16**	**27**	**39**		**473**	**6.4**	**21**	**1**	**3**	**5**	**10**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**495**	**12.3**	**116**	**3**	**5**	**9**	**16**	**27**	**39**		**473**	**6.4**	**21**	**1**	**3**	**5**	**10**	**12**	**16**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	949	3.5	19	< 1	1	2	4	7	13	0-17	1129	2.2	6	< 1	< 1	1	2	5	7	
70-74	623	3.8	25	< 1	1	3	4	7	10	18-34	1676	2.5	6	< 1	< 1	1	3	6	8	
75-79	326	4.8	25	< 1	1	3	6	14	16	35-49	2001	2.9	11	< 1	1	2	3	6	10	
80-84	191	4.5	18	1	1	2	7	13	15	50-69	2003	3.0	15	< 1	1	2	3	5	10	
85 +	171	6.5	55	< 1	1	2	11	18	26	70 +	33	2.2	2							
SUBTOTAL	**2261**	**4.1**	**25**	**< 1**	**1**	**3**	**4**	**10**	**14**		**6841**	**2.7**	**10**	**< 1**	**< 1**	**1**	**3**	**6**	**9**	
GRAND TOTAL	**2261**	**4.1**	**25**	**< 1**	**1**	**3**	**4**	**10**	**14**		**6841**	**2.7**	**10**	**< 1**	**< 1**	**1**	**3**	**6**	**9**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	257	4.3	25	< 1	< 1	2	7	11	13	0-17	269	2.5	5	< 1	< 1	1	3	6	6	
18-34	214	2.4	3	< 1	1	2	3	5	6	18-34	585	2.8	6	< 1	1	2	3	6	9	
35-49	84	4.8	33	1	1	2	4	19	19	35-49	300	4.1	26	1	1	2	4	11	15	
50-69	96	3.7	8	1	1	3	5	9	9	50-69	275	2.7	9	< 1	1	2	3	6	9	
70 +	12	1.0								70 +	10	2.0								
SUBTOTAL	**662**	**3.6**	**17**	**< 1**	**1**	**2**	**5**	**8**	**11**		**1438**	**3.0**	**11**	**< 1**	**1**	**2**	**3**	**6**	**9**	
GRAND TOTAL	**662**	**3.6**	**17**	**< 1**	**1**	**2**	**5**	**8**	**11**		**1438**	**3.0**	**11**	**< 1**	**1**	**2**	**3**	**6**	**9**	

DRG 271: Skin Ulcers

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	821	11.6	87	3	6	9	15	24	32	0-17	51	6.0	3						
70-74	599	14.6	161	5	7	11	18	31	48	18-34	81	6.4	44	1	3	5	6	9	28
75-79	687	14.4	157	4	7	11	18	36	44	35-49	214	10.2	130	4	6	7	11	14	15
80-84	638	15.9	113	6	9	14	19	33	43	50-69	332	14.9	171	4	6	10	21	34	39
85 +	888	16.8	186	6	7	12	22	37	61	70 +	22	14.9	310						
SUBTOTAL	**3632**	**14.6**	**144**	**4**	**7**	**11**	**19**	**33**	**46**		**701**	**11.8**	**146**	**4**	**5**	**8**	**12**	**29**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	222	11.2	90	2	4	9	15	27	46	0-17	20	5.0	4						
70-74	106	9.8	30	2	7	9	14	15	21	18-34	22	4.3	24						
75-79	136	9.5	21	3	6	10	13	19	99 +	35-49	20	8.5	7						
80-84	216	13.5	77	3	5	13	18	25	38	50-69	90	12.1	186	< 1	6	9	13	17	59
85 +	175	11.3	85	4	6	7	13	26	28	70 +	22	3.5	9						
SUBTOTAL	**856**	**11.4**	**69**	**3**	**5**	**10**	**15**	**24**	**35**		**175**	**8.7**	**114**	**< 1**	**2**	**7**	**11**	**14**	**17**
GRAND TOTAL	**4488**	**14.0**	**132**	**4**	**7**	**11**	**18**	**31**	**45**		**876**	**11.2**	**141**	**3**	**5**	**8**	**12**	**23**	**38**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	35.0	17							0-17	0								
18-34	71	23.3	359	3	7	16	41	59	59	18-34	29	5.8	9						
35-49	122	13.7	313	3	6	8	10	29	58	35-49	37	3.4	1						
50-69	57	17.3	59	6	12	18	20	32	33	50-69	67	10.7	52	4	5	11	13	25	25
70 +	26	14.0	8							70 +	39	27.1	482						
SUBTOTAL	**308**	**18.8**	**263**	**5**	**7**	**15**	**26**	**40**	**59**		**171**	**12.0**	**203**	**3**	**3**	**7**	**13**	**25**	**62**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	10	2.0							
18-34	6	4.0								18-34	6	3.0							
35-49	10	6.0								35-49	18	5.3	17						
50-69	22	19.0	198							50-69	22	3.5	7						
70 +	0									70 +	0								
SUBTOTAL	**39**	**13.2**	**160**								**57**	**3.7**	**9**	**1**	**2**	**3**	**4**	**10**	**11**
GRAND TOTAL	**346**	**18.1**	**254**	**5**	**7**	**12**	**26**	**40**	**41**		**228**	**9.9**	**168**	**2**	**3**	**5**	**11**	**25**	**27**

DRG 272: Major Skin Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	334	9.6	55	2	5	7	12	23	26
70-74	175	10.1	39	5	5	7	15	21	24
75-79	326	10.6	48	4	5	8	14	21	27
80-84	204	12.5	63	5	6	10	18	30	31
85 +	224	14.1	96	4	7	11	26	30	38
SUBTOTAL	**1263**	**11.2**	**62**	**4**	**5**	**9**	**15**	**26**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1263**	**11.2**	**62**	**4**	**5**	**9**	**15**	**26**	**30**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	92	5.0	10	1	3	4	7	11	12
18-34	194	10.9	89	3	4	7	15	24	40
35-49	173	9.6	48	2	5	9	12	24	26
50-69	324	8.7	39	3	4	7	11	17	23
70 +	16	7.6	12						
	799	**9.0**	**52**	**3**	**4**	**7**	**11**	**21**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	799	**9.0**	**52**	**3**	**4**	**7**	**11**	**21**	**24**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	23.0							
18-34	20	4.5	7						
35-49	53	9.2	17	4	4	9	14	14	14
50-69	73	9.3	9	6	6	9	12	14	14
70 +	0								
SUBTOTAL	**157**	**9.5**	**26**	**4**	**6**	**8**	**12**	**14**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**157**	**9.5**	**26**	**4**	**6**	**8**	**12**	**14**	**23**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	20	22.5							
35-49	37	11.4	14						
50-69	33	6.7	13						
70 +	12	5.0	4						
	108	**10.8**	**49**	**3**	**4**	**9**	**17**	**22**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	108	**10.8**	**49**	**3**	**4**	**9**	**17**	**22**	**23**

DRG 273: Major Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	228	9.6	82	1	3	7	13	22	28	0-17	295	3.9	14	1	2	2	4	9	14
70-74	128	17.0	463	2	3	9	22	30	83	18-34	267	8.8	36	3	5	7	13	17	19
75-79	128	7.5	22	1	4	6	11	14	17	35-49	324	9.3	39	2	4	8	14	17	21
80-84	75	6.5	5	3	5	6	8	10	10	50-69	395	8.5	42	3	4	6	14	19	21
85 +	61	7.3	8	3	5	7	10	12	12	70 +	10	2.0							
SUBTOTAL	**621**	**10.1**	**145**	**1**	**4**	**6**	**12**	**22**	**28**		**1292**	**7.7**	**38**	**2**	**3**	**5**	**12**	**17**	**19**
GRAND TOTAL	**621**	**10.1**	**145**	**1**	**4**	**6**	**12**	**22**	**28**		**1292**	**7.7**	**38**	**2**	**3**	**5**	**12**	**17**	**19**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	75	5.1	4	3	4	5	6	9	9	0-17	65	3.9	6	1	2	3	6	8	8
18-34	31	10.3	11							18-34	47	6.5	9						
35-49	20	6.0	26							35-49	22	6.8	5						
50-69	12	6.0	27							50-69	33	9.0	32						
70 +	0									70 +	0								
SUBTOTAL	**139**	**6.5**	**15**	**1**	**4**	**6**	**9**	**11**	**15**		**167**	**6.0**	**15**	**2**	**3**	**4**	**8**	**11**	**17**
GRAND TOTAL	**139**	**6.5**	**15**	**1**	**4**	**6**	**9**	**11**	**15**		**167**	**6.0**	**15**	**2**	**3**	**4**	**8**	**11**	**17**

DRG 274: Malignant Breast Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	177	8.9	91	1	2	6	11	16	37	0-17	0								
70-74	81	15.8	587	2	2	7	23	26	95	18-34	10	3.0							
75-79	159	15.3	238	2	3	14	18	44	58	35-49	242	9.3	48	1	3	8	14	17	22
80-84	112	15.1	277	2	3	11	18	29	75	50-69	377	11.8	148	1	4	8	14	34	42
85 +	120	9.7	154	2	4	5	10	35	45	70 +	6	28.0							
SUBTOTAL	**650**	**12.5**	**240**	**1**	**3**	**7**	**14**	**29**	**44**		**636**	**10.9**	**111**	**1**	**3**	**8**	**14**	**22**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**650**	**12.5**	**240**	**1**	**3**	**7**	**14**	**29**	**44**		**636**	**10.9**	**111**	**1**	**3**	**8**	**14**	**22**	**37**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	31	20.3	161							18-34	0								
35-49	12	3.0	4							35-49	16	22.5	196						
50-69	90	10.0	60	1	4	6	16	23	24	50-69	10	2.0							
70 +	0									70 +	10	6.0							
SUBTOTAL	**132**	**11.7**	**103**	**1**	**4**	**7**	**17**	**24**	**37**		**37**	**12.2**	**173**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**132**	**11.7**	**103**	**1**	**4**	**7**	**17**	**24**	**37**		**37**	**12.2**	**173**						

DRG 275: Malignant Breast Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	67	3.4	5	< 1	1	3	6	6	6	0-17	0								
70-74	12	2.0	1							18-34	6	8.0							
75-79	59	5.0	13	1	1	3	8	10	10	35-49	59	2.1	2	< 1	< 1	1	3	5	5
80-84	39	6.9	57							50-69	141	4.1	15	< 1	1	3	5	10	14
85 +	12	5.5	7							70 +	6	9.0							
SUBTOTAL	**189**	**4.7**	**20**	**1**	**1**	**3**	**8**	**8**	**10**		**212**	**3.8**	**13**	**< 1**	**1**	**3**	**5**	**9**	**10**
GRAND TOTAL	**189**	**4.7**	**20**	**1**	**1**	**3**	**8**	**8**	**10**		**212**	**3.8**	**13**	**< 1**	**1**	**3**	**5**	**9**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	12	12.0	27							18-34	0								
35-49	6	1.0								35-49	0								
50-69	6	2.0								50-69	33	5.1	13						
70 +	0									70 +	0								
SUBTOTAL	**24**	**6.8**	**42**								**33**	**5.1**	**13**						
GRAND TOTAL	**24**	**6.8**	**42**								**33**	**5.1**	**13**						

DRG 276: Non-malignant Breast Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	6.8	70	1	1	4	5	26	26
70-74	53	3.6	5	2	2	3	8	99 +	99 +
75-79	22	11.1	15						
80-84	10	4.0							
85 +	6	22.0							
SUBTOTAL	**143**	**6.7**	**46**	**1**	**2**	**4**	**10**	**26**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	112	4.5	12	1	2	4	5	9	13
70-74	37	1.8	2						
75-79	22	1.0	-						
80-84	26	2.2	2						
85 +	0								
SUBTOTAL	**198**	**3.3**	**10**	**1**	**1**	**2**	**4**	**8**	**12**
GRAND TOTAL	**340**	**4.7**	**28**	**1**	**1**	**3**	**5**	**13**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	6.0							
18-34	37	4.7	11						
35-49	37	4.8	27						
50-69	35	6.1	3						
70 +	0								
	118	**5.2**	**13**	**1**	**2**	**5**	**7**	**10**	**13**
0-17	18	4.7	10						
18-34	212	3.0	3	1	1	3	4	5	6
35-49	247	3.0	5	<1	1	2	4	7	7
50-69	120	4.8	12	<1	2	4	8	10	11
70 +	0								
	597	**3.4**	**6**	**<1**	**1**	**3**	**5**	**7**	**9**
	715	**3.7**	**8**	**<1**	**1**	**3**	**5**	**8**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	22	6.4	37						
35-49	20	6.0	9						
50-69	10	3.0							
70 +	0								
SUBTOTAL	**53**	**5.6**	**20**	**2**	**3**	**3**	**9**	**16**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	7.0							
18-34	65	4.5	6	2	3	4	5	9	9
35-49	12	5.5	2						
50-69	20	2.0	1						
70 +	0								
SUBTOTAL	**108**	**4.4**	**6**	**1**	**3**	**4**	**6**	**7**	**9**
GRAND TOTAL	**161**	**4.8**	**11**	**1**	**3**	**4**	**7**	**9**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	4.2	9						
35-49	6	7.0							
50-69	10	1.0							
70 +	0								
	33	**3.7**	**9**						
0-17	16	2.6							
18-34	41	3.5	3						
35-49	41	2.8	4						
50-69	6	11.0							
70 +	0								
	104	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**11**
	137	**3.6**	**7**	**<1**	**1**	**3**	**6**	**7**	**8**

DRG 277: Cellulitis Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3960	10.2	72	4	5	8	12	19	25
70-74	2634	10.1	64	4	5	8	12	19	27
75-79	2758	11.0	75	4	6	9	13	20	24
80-84	2677	11.4	106	4	6	9	13	21	27
85 +	2575	12.9	143	4	6	9	14	25	40
SUBTOTAL	**14604**	**11.0**	**91**	**4**	**6**	**8**	**13**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14604**	**11.0**	**91**	**4**	**6**	**8**	**13**	**20**	**28**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1078	5.5	17	2	3	5	7	10	11
35-49	2186	7.8	34	3	4	6	10	15	18
50-69	3634	8.2	42	3	5	7	10	14	17
70 +	163	10.2	47	2	5	8	17	22	25
	7061	**7.7**	**37**	**3**	**4**	**6**	**9**	**14**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7061	**7.7**	**37**	**3**	**4**	**6**	**9**	**14**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	837	8.0	34	3	4	6	10	14	17
35-49	1200	9.3	102	4	5	7	11	15	21
50-69	888	11.0	87	4	5	9	12	21	31
70 +	128	20.5	611	5	7	10	19	55	95
SUBTOTAL	**3054**	**9.9**	**106**	**3**	**5**	**7**	**11**	**17**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3054**	**9.9**	**106**	**3**	**5**	**7**	**11**	**17**	**25**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	756	5.5	15	2	3	5	7	10	12
35-49	750	7.2	15	3	4	7	9	13	13
50-69	634	8.7	48	3	4	7	10	21	28
70 +	73	12.1	40	6	6	10	21	22	22
	2213	**7.2**	**27**	**3**	**4**	**6**	**9**	**13**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2213	**7.2**	**27**	**3**	**4**	**6**	**9**	**13**	**20**

DRG 278: Cellulitis Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2277	6.8	22	3	4	6	9	11	14	0-17	0								
70-74	1349	7.3	31	3	4	6	9	14	17	18-34	3251	4.4	9	2	2	4	5	8	10
75-79	1285	8.0	29	3	5	7	10	14	17	35-49	3595	5.2	15	2	3	4	6	10	13
80-84	1108	8.4	37	3	5	7	10	13	21	50-69	4305	6.2	16	3	4	5	7	11	14
85 +	1192	8.0	21	4	5	7	9	13	18	70 +	161	7.2	28	3	4	5	8	16	20
SUBTOTAL	**7211**	**7.6**	**27**	**3**	**4**	**6**	**9**	**13**	**17**		**11312**	**5.4**	**15**	**2**	**3**	**4**	**7**	**10**	**13**
GRAND TOTAL	**7211**	**7.6**	**27**	**3**	**4**	**6**	**9**	**13**	**17**		**11312**	**5.4**	**15**	**2**	**3**	**4**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	791	5.0	15	2	3	4	6	9	13	18-34	1707	4.5	8	2	3	4	6	8	10
35-49	499	6.3	15	3	4	5	8	9	12	35-49	807	4.8	9	2	3	4	6	8	9
50-69	442	7.0	14	3	5	6	8	11	12	50-69	595	6.8	19	3	4	6	8	13	15
70 +	84	8.7	21	4	5	6	10	17	17	70 +	47	8.2	12	4	6	12	12	99 +	99 +
SUBTOTAL	**1815**	**6.0**	**16**	**2**	**3**	**5**	**7**	**11**	**13**		**3156**	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**1815**	**6.0**	**16**	**2**	**3**	**5**	**7**	**11**	**13**		**3156**	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**12**

DRG 279: Cellulitis Age 0-17

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	18.0								0-17	483	4.1	6	2	2	3	6	8	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**18.0**									**483**	**4.1**	**6**	**2**	**2**	**3**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2204	3.7	7	2	2	3	4	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2204**	**3.7**	**7**	**2**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**6**	**18.0**									**2687**	**3.8**	**7**	**2**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	222	5.8	14	2	3	4	10	11	11	0-17	71	5.8	5	3	3	6	8	9	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**222**	**5.8**	**14**	**2**	**3**	**4**	**10**	**11**	**11**		**71**	**5.8**	**5**	**3**	**3**	**6**	**8**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	883	4.8	62	2	2	3	5	7	8	0-17	627	3.8	4	1	2	3	5	7	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**888**	**4.8**	**62**	**2**	**2**	**3**	**5**	**7**	**8**		**627**	**3.8**	**4**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**1110**	**5.0**	**53**	**2**	**2**	**4**	**5**	**8**	**11**		**699**	**4.0**	**4**	**2**	**2**	**3**	**5**	**7**	**7**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	340	9.0	154	1	2	5	10	22	30	0-17	0								
70-74	485	6.7	33	2	3	5	9	13	25	18-34	697	2.6	4	<1	1	2	3	5	7
75-79	540	11.2	234	2	4	8	11	21	55	35-49	483	3.4	11	1	1	3	4	5	10
80-84	642	12.2	211	2	3	7	16	33	50	50-69	471	5.4	29	1	2	3	7	13	21
85+	1014	10.5	158	2	4	8	11	19	42	70+	151	6.5	28	1	2	4	9	18	18
SUBTOTAL	**3021**	**10.2**	**166**	**2**	**4**	**7**	**11**	**21**	**38**		**1801**	**3.9**	**16**	**1**	**1**	**3**	**4**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	3021	10.2	166	2	4	7	11	21	38		1801	3.9	16	1	1	3	4	8	13

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	159	7.4	37	2	3	6	11	18	22	18-34	917	2.5	5	1	1	2	3	5	7
35-49	120	4.0	8	1	2	3	7	8	9	35-49	365	2.8	5	1	1	2	3	4	8
50-69	136	5.1	27	1	2	3	6	16	19	50-69	130	5.8	42	1	2	3	5	19	24
70+	20	12.0	127							70+	90	5.1	15	2	2	4	6	13	13
SUBTOTAL	**436**	**6.0**	**33**	**1**	**2**	**4**	**8**	**16**	**19**		**1502**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	436	6.0	33	1	2	4	8	16	19		1502	3.0	10	1	1	2	3	6	9

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	379	4.5	18	1	1	3	6	13	14	0-17	0								
70-74	242	5.6	18	2	3	4	7	15	15	18-34	2043	2.1	3	1	1	1	2	4	5
75-79	426	6.7	73	2	2	4	8	15	18	35-49	1023	2.6	4	1	1	2	3	5	6
80-84	548	6.5	64	1	2	4	8	13	15	50-69	691	2.6	3	1	1	2	4	5	6
85 +	894	7.4	84	1	2	5	9	15	25	70 +	130	3.4	7	1	2	2	4	8	10
SUBTOTAL	**2489**	**6.5**	**62**	**1**	**2**	**4**	**8**	**14**	**18**		**3887**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2489**	**6.5**	**62**	**1**	**2**	**4**	**8**	**14**	**18**		**3887**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	487	2.6	3	1	1	2	3	5	7	18-34	2679	1.9	2	1	1	1	2	3	4
35-49	110	3.3	8	1	2	2	4	6	13	35-49	409	2.4	5	1	1	2	3	4	6
50-69	55	4.4	6	1	2	3	6	8	8	50-69	242	2.6	6	1	1	2	3	4	9
70 +	10	4.0								70 +	59	4.1	5	1	2	4	5	8	8
SUBTOTAL	**662**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**		**3390**	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**662**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**		**3390**	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**5**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**3.0**							
GRAND TOTAL	**16**	**3.0**							

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	289	2.9	7	1	1	2	3	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	289	**2.9**	**7**	**1**	**1**	**2**	**3**	**7**	**10**
0-17	1617	1.7	2	<1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1617	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**5**
	1907	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	5.9	19	2	4	4	6	14	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**49**	**5.9**	**19**	**2**	**4**	**4**	**6**	**14**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	432	2.3	5	1	1	2	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**432**	**2.3**	**5**	**1**	**1**	**2**	**2**	**5**	**6**
GRAND TOTAL	**481**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	1.5		1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	104	**1.5**		**1**	**1**	**1**	**2**	**2**	**3**
0-17	632	2.0	2	1	1	1	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	632	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**6**
	735	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	371	8.5	54	2	3	7	10	16	22
70-74	242	7.5	22	2	4	7	10	15	19
75-79	200	9.5	136	2	3	7	11	18	30
80-84	220	8.4	27	3	4	7	11	17	20
85 +	242	12.0	182	1	4	8	13	29	35
SUBTOTAL	**1275**	**9.1**	**82**	**2**	**4**	**7**	**11**	**17**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1275**	**9.1**	**82**	**2**	**4**	**7**	**11**	**17**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	3.8	4	1	2	3	5	6	8
18-34	314	6.8	46	1	3	6	8	11	21
35-49	373	7.8	59	2	4	5	8	17	22
50-69	416	6.7	38	1	3	5	8	17	22
70 +	20	5.5	2						
	1239	**6.8**	**44**	**1**	**3**	**5**	**8**	**14**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1239	**6.8**	**44**	**1**	**3**	**5**	**8**	**14**	**21**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	4.2	5						
18-34	126	10.1	39	4	7	8	14	18	27
35-49	67	11.3	41	3	8	11	11	24	24
50-69	31	6.3	9						
70 +	10	21.0							
SUBTOTAL	**281**	**9.4**	**40**	**3**	**5**	**8**	**11**	**21**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**281**	**9.4**	**40**	**3**	**5**	**8**	**11**	**21**	**24**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	126	8.3	61	2	3	5	11	21	27
35-49	63	11.5	94	3	3	7	26	27	29
50-69	110	6.2	22	1	3	5	8	10	18
70 +	0								
	310	**8.1**	**56**	**2**	**3**	**5**	**10**	**21**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	310	**8.1**	**56**	**2**	**3**	**5**	**10**	**21**	**27**

DRG 284: Minor Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	220	3.7	7	< 1	1	4	5	6	7
70-74	253	4.8	16	< 1	2	4	7	12	14
75-79	163	3.6	7	< 1	1	3	5	7	10
80-84	108	5.8	23	< 1	2	4	6	14	16
85 +	92	5.6	28	< 1	1	6	7	11	22
SUBTOTAL	**835**	**4.5**	**15**	**< 1**	**2**	**4**	**6**	**9**	**13**
GRAND TOTAL	**835**	**4.5**	**15**	**< 1**	**2**	**4**	**6**	**9**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	483	2.5	3	< 1	1	2	3	5	5
18-34	699	2.8	4	1	1	2	4	5	7
35-49	632	4.5	20	1	2	3	5	9	15
50-69	540	3.9	14	1	1	2	6	9	12
70 +	0								
	2353	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**
	2353	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	198	3.6	21	1	2	2	3	9	17
18-34	69	3.2	4	< 1	1	3	5	6	6
35-49	59	6.8	79	2	2	2	5	26	26
50-69	47	6.3	25						
70 +	10	3.0							
SUBTOTAL	**383**	**4.3**	**28**	**1**	**2**	**2**	**5**	**10**	**21**
GRAND TOTAL	**383**	**4.3**	**28**	**1**	**2**	**2**	**5**	**10**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	157	3.2	7	< 1	1	2	4	7	11
18-34	163	2.8	6	< 1	1	1	4	6	10
35-49	94	4.1	43	< 1	< 1	< 1	4	22	22
50-69	192	2.3	6	1	1	1	2	9	9
70 +	10	1.0							
	615	**2.9**	**12**	**< 1**	**1**	**1**	**4**	**8**	**9**
	615	**2.9**	**12**	**< 1**	**1**	**1**	**4**	**8**	**9**

Northeastern Region, July 1988 - June 1989

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	308	25.2	351	9	12	19	37	52	89	0-17	0								
70-74	155	32.7	879	8	13	19	51	92	99+	18-34	0								
75-79	143	18.2	222	5	10	13	26	65	99+	35-49	79	21.4	194	7	9	14	31	32	57
80-84	100	31.0	333	10	17	36	49	64	99+	50-69	340	27.1	442	7	11	20	42	64	87
85+	75	39.7	581	8	18	42	67	99+	99+	70+	6	12.0							
SUBTOTAL	**780**	**27.6**	**489**	**8**	**12**	**19**	**43**	**81**	**99+**		**426**	**25.8**	**396**	**7**	**11**	**19**	**39**	**57**	**67**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	10	17.0								18-34	10	5.0							
75-79	6	3.0								35-49	0								
80-84	10	8.0								50-69	20	31.5	116						
85+	0									70+	0								
SUBTOTAL	**26**	**10.3**	**33**								**31**	**22.7**	**237**						
GRAND TOTAL	**807**	**27.0**	**483**	**8**	**12**	**19**	**42**	**81**	**99+**		**456**	**25.6**	**386**	**7**	**11**	**20**	**39**	**56**	**67**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	26	32.3	177							35-49	22	20.6	200						
50-69	53	40.3	670	10	14	34	58	81	81	50-69	37	45.1	155						
70+	0									70+	0								
SUBTOTAL	**79**	**37.6**	**516**	**14**	**21**	**30**	**58**	**81**	**81**		**59**	**35.8**	**313**	**6**	**27**	**41**	**42**	**63**	**63**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	6	8.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**6**	**8.0**							
GRAND TOTAL	**79**	**37.6**	**516**	**14**	**21**	**30**	**58**	**81**	**81**		**65**	**33.2**	**349**	**7**	**14**	**35**	**42**	**63**	**63**

DRG 286: Adrenal & Pituitary Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	47	16.4	202						
70-74	41	15.8	21						
75-79	75	16.4	175	5	10	11	22	47	47
80-84	10	10.0							
85 +	6	13.0							
SUBTOTAL	**179**	**15.8**	**132**	**8**	**8**	**11**	**18**	**43**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	6.7	1						
70-74	16	5.6							
75-79	10	9.0							
80-84	10	11.0							
85 +	0								
SUBTOTAL	**53**	**7.7**	**4**	**5**	**6**	**7**	**9**	**11**	**11**
GRAND TOTAL	**232**	**13.9**	**114**	**6**	**8**	**10**	**18**	**22**	**43**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	10.0							
18-34	77	11.4	24	5	7	11	12	22	22
35-49	102	10.4	22	5	7	9	14	18	21
50-69	157	12.4	73	5	7	10	14	22	40
70 +	0								
	346	**11.5**	**45**	**5**	**7**	**10**	**14**	**21**	**22**
0-17	26	8.0							
18-34	84	7.3	4	5	6	6	9	10	10
35-49	157	10.7	57	6	6	8	11	15	37
50-69	79	10.4	11	5	7	11	12	14	17
70 +	0								
	346	**9.6**	**31**	**5**	**6**	**8**	**11**	**14**	**15**
	693	**10.6**	**39**	**5**	**7**	**9**	**12**	**15**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	17.0							
50-69	10	22.0							
70 +	6	77.0							
SUBTOTAL	**26**	**32.8**	**615**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	11.7	15						
35-49	0								
50-69	10	15.0							
70 +	0								
SUBTOTAL	**41**	**12.5**	**14**						
GRAND TOTAL	**67**	**20.5**	**344**	**8**	**10**	**17**	**17**	**22**	**77**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	12.0							
35-49	10	11.0							
50-69	10	7.0							
70 +	6	8.0							
	37	**9.7**	**5**						
0-17	0								
18-34	10	7.0							
35-49	0								
50-69	10	9.0							
70 +	0								
	20	**8.0**	**1**						
	57	**9.1**	**4**	**7**	**7**	**9**	**11**	**12**	**12**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	607	20.1	307	6	8	15	26	48	59	0-17	0								
70-74	336	18.0	170	7	8	15	26	38	67	18-34	37	16.6	16						
75-79	285	22.8	290	5	8	21	38	59	62	35-49	155	23.5	334	6	11	19	31	45	76
80-84	232	25.3	321	7	11	23	36	51	82	50-69	744	19.1	321	6	8	13	22	44	56
85 +	153	33.8	1022	8	10	17	51	92	95	70 +	37	38.1	1214						
SUBTOTAL	**1614**	**22.2**	**364**	**6**	**9**	**16**	**30**	**51**	**85**		**972**	**20.5**	**359**	**6**	**8**	**15**	**23**	**44**	**62**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	32.0								0-17	0								
70-74	6	1.0								18-34	10	22.0							
75-79	0									35-49	18	13.0	64						
80-84	6	28.0								50-69	43	7.8	24						
85 +	10	10.0								70 +	0								
SUBTOTAL	**39**	**20.7**	**158**								**71**	**11.2**	**55**	**1**	**7**	**11**	**16**	**22**	**23**
GRAND TOTAL	**1652**	**22.1**	**359**	**6**	**9**	**17**	**31**	**51**	**85**		**1043**	**19.8**	**344**	**6**	**8**	**15**	**22**	**44**	**62**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	21.0								0-17	0								
18-34	20	14.5	13							18-34	29	11.1	5						
35-49	73	22.4	969	5	6	10	23	98	98	35-49	71	14.1	75	4	8	13	16	20	37
50-69	108	23.3	231	6	10	25	27	39	58	50-69	96	18.7	105	4	8	23	25	30	37
70 +	24	49.3	29							70 +	0								
SUBTOTAL	**236**	**24.9**	**481**	**6**	**10**	**18**	**36**	**57**	**58**		**196**	**15.9**	**87**	**4**	**8**	**13**	**23**	**30**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	10	4.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10**	**4.0**									**0**								
GRAND TOTAL	**247**	**24.0**	**479**	**5**	**9**	**18**	**27**	**57**	**58**		**196**	**15.9**	**87**	**4**	**8**	**13**	**23**	**30**	**37**

DRG 288: O.R. Procedures for Obesity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	47	31.2	273	13	16	38	56	99+	99+	0-17	0								
70-74	6	9.0								18-34	204	6.9	14	4	5	6	7	12	16
75-79	10	12.0								35-49	395	9.5	104	4	6	7	10	13	20
80-84	0									50-69	114	14.0	197	3	5	10	18	29	52
85+	10	13.0								70+	0								
SUBTOTAL	**73**	**24.1**	**263**	**12**	**13**	**16**	**38**	**99+**	**99+**		**713**	**9.5**	**98**	**4**	**5**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	7.5	6	5	5	7	10	11	11	0-17	10	5.0							
70-74	0									18-34	607	4.6	8	1	2	5	6	8	9
75-79	0									35-49	707	3.8	6	1	1	4	6	7	7
80-84	0									50-69	234	2.6	5	1	1	1	5	7	7
85+	0									70+	0								
SUBTOTAL	**63**	**7.5**	**6**	**5**	**5**	**7**	**10**	**11**	**11**		**1559**	**3.9**	**7**	**1**	**1**	**4**	**6**	**7**	**8**
GRAND TOTAL	**137**	**16.4**	**212**	**5**	**8**	**12**	**25**	**56**	**99+**		**2272**	**5.7**	**42**	**1**	**2**	**5**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	53	11.3	70	6	6	7	10	28	28	18-34	0								
35-49	63	7.1	1	6	7	7	9	99+	99+	35-49	10	16.0							
50-69	16	6.0								50-69	10	3.0							
70+	0									70+	0								
SUBTOTAL	**132**	**8.6**	**33**	**6**	**6**	**7**	**9**	**28**	**99+**		**20**	**9.5**	**44**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	8.0								0-17	0								
18-34	88	6.1	4	4	5	5	7	10	10	18-34	106	2.8	8	1	1	1	3	7	9
35-49	49	8.0	1	7	7	8	9	9	9	35-49	190	1.8	1	1	1	1	2	3	5
50-69	12	6.0								50-69	51	1.0							
70+	0									70+	10	1.0							
SUBTOTAL	**155**	**6.8**	**4**	**4**	**5**	**7**	**9**	**9**	**10**		**357**	**2.0**	**3**	**1**	**1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**287**	**7.6**	**18**	**5**	**6**	**7**	**9**	**10**	**28**		**377**	**2.4**	**8**	**1**	**1**	**1**	**2**	**5**	**9**

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	155	12.3	172	3	4	7	16	23	56	0-17	20	8.0	4						
70-74	49	11.8	169	1	3	7	13	36	36	18-34	10	14.0							
75-79	20	3.0								35-49	37	4.4	1						
80-84	39	23.4	58							50-69	94	13.6	359	3	4	4	10	57	57
85 +	10	15.0								70 +	12	4.5							
SUBTOTAL	**273**	**13.2**	**159**	**3**	**4**	**8**	**19**	**34**	**36**		**173**	**10.4**	**211**	**3**	**4**	**5**	**10**	**14**	**57**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	169	5.6	41	2	2	3	6	9	26	0-17	0								
70-74	126	5.3	36	3	3	4	4	8	13	18-34	106	3.3	2	2	2	3	4	5	6
75-79	79	7.0	75	2	3	3	5	29	29	35-49	177	4.0	4	1	3	4	5	6	10
80-84	37	11.4	138							50-69	481	4.0	12	2	3	3	4	6	9
85 +	47	13.5	38							70 +	0								
SUBTOTAL	**459**	**7.0**	**60**	**2**	**3**	**4**	**6**	**21**	**29**		**764**	**3.9**	**9**	**2**	**3**	**3**	**4**	**6**	**7**
GRAND TOTAL	**732**	**9.3**	**105**	**3**	**3**	**4**	**12**	**25**	**30**		**937**	**5.1**	**52**	**2**	**3**	**4**	**5**	**6**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	22.0								18-34	0								
35-49	0									35-49	0								
50-69	10	3.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**20**	**12.5**	**95**								**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	10	3.0								18-34	0								
35-49	10	4.0								35-49	16	3.4							
50-69	10	10.0								50-69	33	2.7	3						
70 +	0									70 +	0								
SUBTOTAL	**31**	**5.7**	**10**								**49**	**3.0**	**2**	**2**	**2**	**2**	**4**	**6**	**6**
GRAND TOTAL	**51**	**8.4**	**54**								**49**	**3.0**	**2**	**2**	**2**	**2**	**4**	**6**	**6**

DRG 290: Thyroid Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	181	8.2	178	2	3	5	6	11	61	0-17	26	3.5	6						
70-74	149	8.8	68	2	4	6	9	18	18	18-34	232	3.9	4	2	3	3	5	6	7
75-79	145	7.5	89	2	3	4	8	14	39	35-49	308	5.2	22	2	3	4	7	9	14
80-84	88	24.8	864	5	5	16	23	99	99	50-69	291	6.0	45	2	2	4	6	10	19
85 +	49	20.0	237	5	12	18	22	57	57	70 +	20	4.0							
SUBTOTAL	**611**	**11.5**	**271**	**2**	**3**	**5**	**12**	**22**	**51**		**878**	**5.1**	**25**	**2**	**3**	**4**	**6**	**8**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	518	3.6	6	2	2	3	4	5	6	0-17	116	2.8	3	1	1	2	4	5	6
70-74	336	4.5	7	2	3	4	5	9	10	18-34	1259	2.7	1	1	2	3	3	4	5
75-79	169	4.3	9	3	3	3	5	6	15	35-49	2349	2.8	2	1	2	3	4	4	5
80-84	88	7.0	67	3	3	4	6	29	29	50-69	1557	3.0	2	2	2	3	4	4	5
85 +	16	2.4								70 +	10	4.0							
SUBTOTAL	**1127**	**4.2**	**12**	**2**	**3**	**3**	**4**	**6**	**10**		**5291**	**2.8**	**2**	**1**	**2**	**3**	**4**	**4**	**5**
GRAND TOTAL	**1738**	**6.8**	**115**	**2**	**3**	**4**	**6**	**13**	**20**		**6170**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	11.0								18-34	35	3.6	2						
35-49	20	3.5								35-49	33	4.2	5						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**26**	**5.2**	**11**								**67**	**4.0**	**3**	**2**	**2**	**4**	**5**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	116	3.4	4	1	2	3	5	5	8	18-34	98	2.2	1	1	1	2	3	4	4
35-49	63	3.5	3	2	3	3	4	7	7	35-49	157	2.7	1	1	2	3	3	4	5
50-69	51	3.6	1							50-69	126	2.5	1	1	1	3	3	4	4
70 +	0									70 +	0								
SUBTOTAL	**230**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**7**		**381**	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**257**	**3.7**	**4**	**2**	**2**	**3**	**4**	**6**	**8**		**448**	**2.7**	**2**	**1**	**2**	**2**	**4**	**5**	**5**

DRG 291: Thyroglossal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	2.0								0-17	0								
70-74	0									18-34	0								
75-79	6	2.0								35-49	0								
80-84	0									50-69	20	2.5							
85 +	0									70 +	0								
SUBTOTAL	**16**	**2.0**									**20**	**2.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	22	1.5								0-17	291	1.4		1	1	1	2	2	3
70-74	0									18-34	134	2.0	1	1	1	2	3	3	3
75-79	0									35-49	86	1.9	1	1	1	1	3	4	4
80-84	0									50-69	53	2.5	1	1	2	2	3	4	4
85 +	0									70 +	0								
SUBTOTAL	**22**	**1.5**									**564**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**39**	**1.7**									**585**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	1.7								0-17	49	1.0		< 1	< 1	1	1	1	1
18-34	37	1.0								18-34	22	1.5	1						
35-49	0									35-49	20	1.5							
50-69	10	3.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**69**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**92**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**69**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**92**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	308	15.5	147	4	7	12	20	33	48
70-74	151	18.9	160	4	9	16	32	40	43
75-79	157	19.6	103	9	13	17	27	36	36
80-84	153	26.4	455	6	16	23	44	99 +	99 +
85 +	39	26.0	304	7	8	32	48	99 +	99 +
SUBTOTAL	**807**	**19.5**	**223**	**5**	**9**	**17**	**30**	**44**	**90**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**807**	**19.5**	**223**	**5**	**9**	**17**	**30**	**44**	**90**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	14.6	26						
18-34	49	8.5	38	1	7	7	11	22	22
35-49	73	10.3	108	2	3	6	12	34	34
50-69	271	17.8	96	7	11	19	24	30	37
70 +	6	54.0							
	432	**15.7**	**119**	**3**	**7**	**12**	**22**	**30**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	432	**15.7**	**119**	**3**	**7**	**12**	**22**	**30**	**37**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	20	14.0	67						
35-49	33	18.1	91						
50-69	59	30.3	454	4	8	25	42	65	68
70 +	0								
SUBTOTAL	**112**	**23.8**	**325**	**6**	**10**	**23**	**42**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**112**	**23.8**	**325**	**6**	**10**	**23**	**42**	**99 +**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	9.0							
35-49	31	12.7	4						
50-69	29	13.1	30						
70 +	0								
	69	**12.3**	**16**	**9**	**9**	**12**	**15**	**20**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	69	**12.3**	**16**	**9**	**9**	**12**	**15**	**20**	**20**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	53	17.4	283	3	6	10	32	86	99 +	0-17	0								
70-74	37	11.2	38							18-34	33	6.2	63						
75-79	26	6.0	24							35-49	106	4.0	23	< 1	1	2	4	14	15
80-84	18	18.7	79							50-69	55	4.1	33	< 1	1	1	2	16	16
85 +	0									70 +	6	1.0							
SUBTOTAL	**134**	**13.6**	**158**	**3**	**4**	**10**	**19**	**32**	**55**		**200**	**4.3**	**32**	**< 1**	**1**	**2**	**5**	**15**	**16**
GRAND TOTAL	**134**	**13.6**	**158**	**3**	**4**	**10**	**19**	**32**	**55**		**200**	**4.3**	**32**	**< 1**	**1**	**2**	**5**	**15**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20	10.5	13							0-17	0								
18-34	0									18-34	16	1.7	1						
35-49	10	12.0								35-49	10	7.0							
50-69	6	13.0								50-69	0								
70 +	6	2.0								70 +	0								
SUBTOTAL	**43**	**10.0**	**18**								**26**	**3.8**	**7**						
GRAND TOTAL	**43**	**10.0**	**18**								**26**	**3.8**	**7**						

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3889	10.3	101	3	5	8	12	20	32
70-74	2587	9.8	60	3	5	8	12	19	25
75-79	2377	11.9	163	4	5	8	13	25	48
80-84	1982	13.3	202	3	6	9	15	27	35
85+	1381	13.2	116	4	6	10	17	29	40
SUBTOTAL	**12216**	**11.3**	**124**	**3**	**5**	**8**	**13**	**22**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2365	6.8	24	3	4	6	8	12	14
70-74	1511	7.0	37	3	4	6	8	12	17
75-79	1344	8.9	104	3	4	6	10	16	24
80-84	750	9.7	115	3	5	7	11	17	19
85+	350	11.9	143	4	5	8	14	26	47
SUBTOTAL	**6321**	**7.9**	**64**	**3**	**4**	**6**	**9**	**13**	**19**
GRAND TOTAL	**18537**	**10.2**	**106**	**3**	**5**	**7**	**12**	**19**	**30**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	1836	7.0	26	2	4	6	8	13	17
50-69	3455	8.3	39	3	5	7	10	15	19
70+	118	10.9	123	3	4	6	15	35	42
	5409	**7.9**	**37**	**3**	**4**	**7**	**9**	**15**	**18**
0-17	0								
18-34	0								
35-49	2514	5.0	9	2	3	4	6	9	11
50-69	3200	5.8	10	3	4	5	7	10	11
70+	98	6.5	8	4	5	6	8	12	13
	5812	**5.5**	**10**	**2**	**3**	**5**	**7**	**9**	**11**
	11220	**6.7**	**25**	**2**	**4**	**6**	**8**	**12**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	701	9.0	85	3	4	7	10	17	20
50-69	1002	11.1	144	3	5	8	12	20	32
70+	112	10.8	68	4	5	7	20	28	99+
SUBTOTAL	**1815**	**10.2**	**118**	**3**	**5**	**7**	**12**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	469	7.0	43	3	4	5	8	11	13
50-69	560	6.6	14	2	4	6	8	12	14
70+	49	15.7	182	4	7	12	14	41	41
SUBTOTAL	**1078**	**7.2**	**38**	**3**	**4**	**6**	**9**	**12**	**14**
GRAND TOTAL	**2893**	**9.1**	**90**	**3**	**4**	**7**	**10**	**17**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	597	7.7	34	3	4	6	9	14	20
50-69	623	10.0	64	3	5	8	13	16	29
70+	114	15.7	409	2	9	10	16	78	99+
	1334	**9.4**	**84**	**3**	**5**	**7**	**11**	**16**	**22**
0-17	0								
18-34	0								
35-49	524	5.3	9	2	3	5	6	10	13
50-69	628	6.6	18	2	4	6	8	11	16
70+	94	9.0	34	3	4	8	11	20	20
	1245	**6.3**	**17**	**2**	**3**	**5**	**8**	**11**	**14**
	2579	**7.9**	**54**	**3**	**4**	**6**	**10**	**14**	**20**

DRG 295: Diabetes Age 0-35

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	283	10.2	209	2	3	7	10	22	26
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**283**	**10.2**	**209**	**2**	**3**	**7**	**10**	**22**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	88	4.5	11	1	1	4	7	8	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**88**	**4.5**	**11**	**1**	**1**	**4**	**7**	**8**	**13**
GRAND TOTAL	**371**	**8.8**	**168**	**1**	**2**	**5**	**9**	**20**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	719	4.8	16	2	2	4	6	8	14
18-34	1603	5.1	20	2	3	4	6	9	11
35-49	77	5.9	6	4	4	5	7	10	10
50-69	0								
70 +	0								
	2400	**5.0**	**18**	**2**	**3**	**4**	**6**	**9**	**13**
0-17	2090	4.1	5	2	3	4	5	7	8
18-34	3074	4.1	7	2	2	4	5	8	9
35-49	163	4.5	7	2	2	4	7	8	9
50-69	0								
70 +	0								
	5327	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**8**
	7727	**4.4**	**10**	**2**	**2**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	100	5.1	6	2	2	6	7	8	9
18-34	723	6.7	26	2	3	5	8	15	19
35-49	57	6.0	9	2	3	8	8	10	10
50-69	0								
70 +	0								
SUBTOTAL	**880**	**6.5**	**23**	**2**	**3**	**6**	**8**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	442	4.8	9	1	3	4	6	10	11
18-34	901	5.1	13	2	3	4	7	10	13
35-49	12	5.5							
50-69	0								
70 +	0								
SUBTOTAL	**1355**	**5.0**	**12**	**2**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**2235**	**5.6**	**17**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	102	4.4	6	2	3	4	6	9	9
18-34	868	5.7	19	2	3	5	8	10	12
35-49	16	7.0	16						
50-69	0								
70 +	0								
	986	**5.6**	**18**	**2**	**3**	**5**	**8**	**10**	**12**
0-17	259	4.5	7	1	3	4	6	8	10
18-34	1251	4.2	10	1	2	3	5	8	11
35-49	49	5.0	22	2	3	3	4	17	17
50-69	0								
70 +	0								
	1558	**4.3**	**10**	**1**	**2**	**3**	**5**	**8**	**11**
	2544	**4.8**	**13**	**2**	**2**	**4**	**6**	**9**	**11**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6482	9.3	106	2	4	6	11	20	30	0-17	0								
70-74	5221	10.4	141	3	4	7	12	22	34	18-34	1691	7.8	58	1	3	5	10	17	24
75-79	6535	11.6	168	3	5	8	13	26	44	35-49	1754	6.8	40	2	3	5	9	13	18
80-84	6207	13.5	220	3	5	9	16	33	57	50-69	4274	8.9	90	2	3	6	10	18	26
85 +	8562	14.1	209	4	6	10	17	31	57	70 +	338	9.0	39	3	4	7	10	17	25
SUBTOTAL	**33007**	**11.9**	**175**	**3**	**5**	**8**	**14**	**27**	**44**		**8057**	**8.2**	**71**	**2**	**3**	**6**	**10**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**33007**	**11.9**	**175**	**3**	**5**	**8**	**14**	**27**	**44**		**8057**	**8.2**	**71**	**2**	**3**	**6**	**10**	**17**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	601	10.9	135	2	4	7	14	22	29	18-34	257	5.2	15	1	2	4	8	11	14
35-49	644	8.0	44	3	3	6	9	18	21	35-49	316	6.8	23	3	3	6	8	11	20
50-69	882	10.5	155	2	5	7	13	19	30	50-69	642	8.0	71	2	4	5	9	15	27
70 +	198	10.5	69	5	6	7	15	99 +	99 +	70 +	220	15.8	339	3	4	14	19	52	85
SUBTOTAL	**2325**	**9.9**	**113**	**3**	**4**	**7**	**13**	**21**	**30**		**1434**	**8.4**	**102**	**2**	**3**	**6**	**10**	**19**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2325**	**9.9**	**113**	**3**	**4**	**7**	**13**	**21**	**30**		**1434**	**8.4**	**102**	**2**	**3**	**6**	**10**	**19**	**23**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2119	5.6	21	2	3	4	7	12	16
70-74	1960	6.1	60	2	3	4	7	11	14
75-79	2534	7.0	78	2	3	5	8	13	18
80-84	2180	7.9	73	2	3	5	9	16	26
85 +	2888	8.8	97	2	4	6	10	18	23
SUBTOTAL	**11680**	**7.2**	**70**	**2**	**3**	**5**	**8**	**14**	**19**
GRAND TOTAL	**11680**	**7.2**	**70**	**2**	**3**	**5**	**8**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2528	4.3	21	1	2	3	5	11	14
35-49	1469	3.9	14	1	2	3	5	7	11
50-69	1727	3.9	8	1	2	3	5	7	9
70 +	159	8.5	104	2	2	5	8	34	34
	5883	**4.2**	**18**	**1**	**2**	**3**	**5**	**9**	**13**
	5883	**4.2**	**18**	**1**	**2**	**3**	**5**	**9**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	473	7.0	101	1	2	4	10	13	15
35-49	275	6.9	118	1	3	3	5	12	36
50-69	253	5.9	161	1	2	4	6	8	85
70 +	100	9.0	25	3	5	9	14	17	99 +
SUBTOTAL	**1100**	**6.9**	**113**	**1**	**2**	**4**	**8**	**13**	**21**
GRAND TOTAL	**1100**	**6.9**	**113**	**1**	**2**	**4**	**8**	**13**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	434	3.0	11	1	1	2	4	5	10
35-49	206	3.4	5	1	2	3	4	7	8
50-69	246	5.3	18	2	2	4	7	10	16
70 +	175	8.5	30	3	4	8	12	16	18
	1061	**4.5**	**19**	**1**	**2**	**3**	**5**	**10**	**14**
	1061	**4.5**	**19**	**1**	**2**	**3**	**5**	**10**	**14**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	6.6								0-17	1879	7.6	106	2	2	4	9	16	27
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**16**	**6.6**									**1879**	**7.6**	**106**	**2**	**2**	**4**	**9**	**16**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	6848	3.5	16	1	2	2	3	7	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**6**	**1.0**									**6848**	**3.5**	**16**	**1**	**2**	**2**	**3**	**7**	**13**
GRAND TOTAL	**22**	**5.1**	**7**								**8727**	**4.4**	**38**	**1**	**2**	**2**	**4**	**10**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	927	8.4	77	2	3	5	10	19	26	0-17	244	5.8	18	1	2	5	9	13	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**927**	**8.4**	**77**	**2**	**3**	**5**	**10**	**19**	**26**		**244**	**5.8**	**18**	**1**	**2**	**5**	**9**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2483	4.6	18	1	2	3	6	10	15	0-17	1222	3.5	14	1	2	2	4	6	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2483**	**4.6**	**18**	**1**	**2**	**3**	**6**	**10**	**15**		**1222**	**3.5**	**14**	**1**	**2**	**2**	**4**	**6**	**10**
GRAND TOTAL	**3410**	**5.7**	**37**	**1**	**2**	**3**	**7**	**14**	**18**		**1467**	**3.9**	**16**	**1**	**2**	**2**	**4**	**8**	**13**

DRG 299: Inborn Errors of Metabolism

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	94	8.4	34	2	4	7	12	21	21	0-17	39	5.6	14						
70-74	20	8.5	59							18-34	39	13.5	259						
75-79	24	15.3	270							35-49	6	12.0							
80-84	16	20.1	42							50-69	67	9.3	148	1	1	2	13	36	36
85 +	10	11.0								70 +	0								
SUBTOTAL	**165**	**10.7**	**84**	**2**	**4**	**8**	**15**	**22**	**25**		**151**	**9.6**	**143**	**1**	**2**	**6**	**10**	**36**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	2.1	5	< 1	1	1	2	7	7	0-17	67	6.5	109	1	2	4	4	5	39
70-74	35	2.4	7							18-34	110	8.0	41	1	3	4	16	18	18
75-79	16	2.3	1							35-49	130	2.3	2	< 1	1	2	3	7	99 +
80-84	0									50-69	116	2.1	3	1	1	1	2	5	6
85 +	6	3.0								70 +	0								
SUBTOTAL	**120**	**2.2**	**5**	**1**	**1**	**1**	**3**	**7**	**8**		**424**	**4.4**	**36**	**1**	**1**	**2**	**4**	**16**	**18**
GRAND TOTAL	**285**	**7.2**	**68**	**1**	**1**	**4**	**8**	**16**	**25**		**575**	**5.7**	**69**	**1**	**1**	**3**	**6**	**16**	**36**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	20	2.0	1							0-17	6	8.0							
18-34	10	25.0								18-34	6	18.0							
35-49	10	3.0								35-49	6	5.0							
50-69	0									50-69	0								
70 +	10	63.0								70 +	0								
SUBTOTAL	**51**	**19.0**	**573**								**16**	**10.3**	**33**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	12	2.5	2							18-34	33	2.2	2						
35-49	16	1.7	1							35-49	16	1.6							
50-69	10	10.0								50-69	16	8.3	25						
70 +	0									70 +	10	1.0							
SUBTOTAL	**39**	**4.2**	**14**								**75**	**3.2**	**13**	**< 1**	**1**	**2**	**2**	**12**	**12**
GRAND TOTAL	**90**	**12.6**	**383**	**1**	**1**	**3**	**10**	**63**	**63**		**94**	**4.6**	**25**	**< 1**	**1**	**2**	**5**	**12**	**18**

DRG 300: Endocrine Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	414	9.4	33	3	6	8	13	18	19
70-74	391	12.7	234	3	6	9	14	19	67
75-79	550	15.5	216	3	7	11	20	26	49
80-84	399	17.3	274	4	6	12	24	48	66
85 +	308	15.3	109	5	8	13	20	26	32
SUBTOTAL	**2062**	**14.1**	**185**	**3**	**6**	**10**	**17**	**25**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2062**	**14.1**	**185**	**3**	**6**	**10**	**17**	**25**	**48**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	65	5.2	33	1	1	3	5	18	18
18-34	94	8.3	103	2	3	4	7	35	35
35-49	263	8.0	50	2	4	6	11	14	17
50-69	615	6.7	23	3	3	5	8	13	16
70 +	12	36.0	436						
	1049	**7.4**	**52**	**2**	**3**	**5**	**9**	**15**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1049	**7.4**	**52**	**2**	**3**	**5**	**9**	**15**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	57	5.1	10	1	1	6	7	10	10
18-34	51	7.4	141	2	2	2	5	39	39
35-49	75	9.8	23	3	9	9	14	17	17
50-69	59	6.4	29	1	3	6	10	99 +	99 +
70 +	22	14.4	184						
SUBTOTAL	**265**	**7.9**	**63**	**2**	**3**	**6**	**10**	**20**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**265**	**7.9**	**63**	**2**	**3**	**6**	**10**	**20**	**39**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	9.3	75						
18-34	33	5.9	10						
35-49	43	4.5	6						
50-69	90	8.6	32	2	4	10	14	16	16
70 +	0								
	196	**7.4**	**32**	**1**	**3**	**6**	**11**	**16**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	196	**7.4**	**32**	**1**	**3**	**6**	**11**	**16**	**20**

DRG 301: Endocrine Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	175	4.8	21	< 1	1	4	5	8	16
70-74	139	5.9	12	1	3	5	8	10	14
75-79	143	7.7	39	1	3	6	10	22	22
80-84	128	8.8	44	2	5	7	10	15	28
85 +	86	5.3	20	2	3	3	6	7	20
SUBTOTAL	**670**	**6.5**	**30**	**1**	**3**	**5**	**8**	**14**	**19**
GRAND TOTAL	**670**	**6.5**	**30**	**1**	**3**	**5**	**8**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	293	1.4	1	< 1	< 1	1	1	2	3
18-34	181	3.4	7	1	1	3	4	7	10
35-49	295	4.8	15	1	2	4	6	11	13
50-69	397	4.5	13	1	2	3	5	11	13
70 +	0								
	1168	**3.6**	**11**	**< 1**	**1**	**2**	**5**	**8**	**11**
	1168	**3.6**	**11**	**< 1**	**1**	**2**	**5**	**8**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	84	3.6	9	< 1	1	3	5	10	10
18-34	47	3.7	9						
35-49	10	2.0							
50-69	16	3.9	2						
70 +	0								
SUBTOTAL	**157**	**3.5**	**8**	**< 1**	**1**	**2**	**5**	**9**	**10**
GRAND TOTAL	**157**	**3.5**	**8**	**< 1**	**1**	**2**	**5**	**9**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	88	1.5		< 1	< 1	1	2	3	3
18-34	51	4.4	12	2	2	2	6	12	12
35-49	39	4.8	2						
50-69	29	5.6	18						
70 +	10	1.0							
	216	**3.3**	**8**	**< 1**	**1**	**2**	**5**	**6**	**12**
	216	**3.3**	**8**	**< 1**	**1**	**2**	**5**	**6**	**12**

DRG 302: Kidney Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	377	18.9	49	13	14	17	22	27	31	0-17	0								
70-74	0									18-34	10	10.0							
75-79	0									35-49	31	18.3	11						
80-84	0									50-69	20	13.5							
85 +	0									70 +	0								
SUBTOTAL	**377**	**18.9**	**49**	**13**	**14**	**17**	**22**	**27**	**31**		**61**	**15.3**	**16**	**10**	**13**	**14**	**19**	**22**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	41	13.5	1							0-17	0								
70-74	0									18-34	51	11.8	5						
75-79	0									35-49	0								
80-84	0									50-69	10	14.0							
85 +	0									70 +	0								
SUBTOTAL	**41**	**13.5**	**1**								**61**	**12.2**	**5**	**8**	**11**	**14**	**14**	**14**	**14**
GRAND TOTAL	**418**	**18.4**	**47**	**13**	**14**	**16**	**22**	**27**	**30**		**122**	**13.8**	**13**	**10**	**12**	**14**	**14**	**19**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	16.0								18-34	10	17.0							
35-49	10	19.0								35-49	0								
50-69	10	33.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**31**	**22.7**	**57**								**10**	**17.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**31**	**22.7**	**57**								**10**	**17.0**							

Northeastern Region, July 1988 - June 1989

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	907	15.9	66	8	10	15	19	27	36	0-17	41	13.5	5						
70-74	695	22.9	275	8	13	17	27	48	67	18-34	31	21.3	170						
75-79	674	17.4	129	9	11	15	19	31	49	35-49	255	11.1	41	5	7	9	14	18	19
80-84	395	17.9	132	8	10	13	22	36	42	50-69	1104	14.4	96	7	9	13	16	24	27
85 +	149	14.0	52	6	10	12	18	21	31	70 +	45	15.0	22	10	10	15	20	23	23
SUBTOTAL	**2820**	**18.1**	**149**	**8**	**11**	**15**	**21**	**33**	**49**		**1475**	**13.9**	**86**	**7**	**9**	**12**	**16**	**23**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	444	11.9	45	7	8	9	14	18	25	0-17	20	7.0	1						
70-74	242	11.7	51	6	9	11	13	16	17	18-34	22	7.5	1						
75-79	187	9.8	15	5	8	10	12	15	18	35-49	181	9.6	39	6	6	8	10	17	32
80-84	114	13.0	50	8	9	11	14	22	37	50-69	658	9.6	15	5	8	9	11	14	18
85 +	45	15.0	56	7	8	13	17	27	27	70 +	12	13.5							
SUBTOTAL	**1033**	**11.7**	**43**	**7**	**8**	**10**	**13**	**17**	**22**		**894**	**9.5**	**19**	**5**	**7**	**9**	**11**	**14**	**18**
GRAND TOTAL	**3852**	**16.4**	**129**	**8**	**10**	**13**	**19**	**31**	**40**		**2370**	**12.3**	**65**	**6**	**8**	**10**	**15**	**19**	**24**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	20	8.5								0-17	10	23.0							
18-34	22	15.5	17							18-34	0								
35-49	10	9.0								35-49	16	10.4	12						
50-69	69	21.8	113	13	15	23	43	99 +	99 +	50-69	165	12.9	50	7	9	11	13	26	34
70 +	20	11.5	7							70 +	31	24.0	121						
SUBTOTAL	**143**	**16.5**	**89**	**8**	**9**	**18**	**24**	**99 +**	**99 +**		**222**	**14.7**	**73**	**7**	**9**	**11**	**16**	**29**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	6	8.0							
35-49	6	9.0								35-49	37	10.7	22						
50-69	20	8.5								50-69	49	6.5	11	1	5	8	9	10	10
70 +	0									70 +	0								
SUBTOTAL	**26**	**8.6**									**92**	**8.3**	**19**	**1**	**6**	**8**	**9**	**18**	**18**
GRAND TOTAL	**169**	**15.3**	**83**	**8**	**9**	**14**	**23**	**99 +**	**99 +**		**314**	**12.8**	**66**	**6**	**8**	**10**	**13**	**26**	**34**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1135	13.8	126	4	7	11	18	29	43	0-17	467	7.8	25	4	5	7	9	12	16
70-74	772	13.6	134	3	7	10	17	27	36	18-34	577	9.0	37	3	5	8	10	16	23
75-79	579	18.3	168	6	9	15	23	39	47	35-49	911	8.5	38	2	4	7	10	15	24
80-84	302	16.6	129	7	9	14	22	36	64	50-69	1353	12.8	115	5	7	10	15	22	31
85+	159	21.3	236	2	11	18	30	44	61	70+	29	20.3	158						
SUBTOTAL	**2946**	**15.3**	**148**	**4**	**8**	**12**	**20**	**32**	**43**		**3335**	**10.3**	**74**	**3**	**6**	**8**	**12**	**20**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2946**	**15.3**	**148**	**4**	**8**	**12**	**20**	**32**	**43**		**3335**	**10.3**	**74**	**3**	**6**	**8**	**12**	**20**	**27**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	84	6.5	6	4	5	6	7	12	12	0-17	47	22.1	408						
18-34	90	12.5	53	3	7	12	16	26	26	18-34	128	9.0	17	5	7	7	11	14	19
35-49	79	9.9	29	3	6	9	12	22	22	35-49	86	8.7	41	3	4	8	11	16	26
50-69	177	13.8	129	5	7	10	17	30	34	50-69	147	19.8	234	6	9	13	28	50	54
70+	0									70+	10	27.0							
SUBTOTAL	**430**	**11.4**	**78**	**4**	**6**	**9**	**15**	**20**	**30**		**418**	**14.7**	**176**	**4**	**7**	**9**	**16**	**31**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**430**	**11.4**	**78**	**4**	**6**	**9**	**15**	**20**	**30**		**418**	**14.7**	**176**	**4**	**7**	**9**	**16**	**31**	**50**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	544	7.6	28	2	4	7	9	14	16
70-74	373	7.9	33	2	4	8	10	13	18
75-79	169	5.5	20	1	3	4	8	12	17
80-84	104	14.0	134	1	4	11	22	32	39
85 +	61	5.6	12	2	3	3	9	11	11
SUBTOTAL	**1251**	**7.8**	**40**	**2**	**3**	**7**	**10**	**15**	**21**
GRAND TOTAL	**1251**	**7.8**	**40**	**2**	**3**	**7**	**10**	**15**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	715	6.5	15	2	4	7	8	10	12
18-34	788	6.8	17	3	5	6	8	11	13
35-49	1006	5.6	11	2	3	6	8	9	11
50-69	1092	6.3	21	2	3	5	8	11	13
70 +	22	14.7	135						
	3624	**6.3**	**18**	**2**	**3**	**6**	**8**	**10**	**13**
	3624	**6.3**	**18**	**2**	**3**	**6**	**8**	**10**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	69	9.4	35	4	5	7	13	20	20
18-34	149	10.2	46	4	5	8	12	22	26
35-49	33	5.7	3						
50-69	49	7.3	5	4	5	8	9	11	11
70 +	0								
SUBTOTAL	**299**	**9.0**	**34**	**4**	**5**	**8**	**11**	**20**	**22**
GRAND TOTAL	**299**	**9.0**	**34**	**4**	**5**	**8**	**11**	**20**	**22**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	77	7.4	30	5	5	6	7	21	21
18-34	191	7.0	9	3	6	6	9	12	13
35-49	169	6.2	8	3	4	6	8	11	11
50-69	106	6.5	13	2	4	6	9	12	13
70 +	0								
	544	**6.7**	**12**	**3**	**5**	**6**	**8**	**11**	**13**
	544	**6.7**	**12**	**3**	**5**	**6**	**8**	**11**	**13**

DRG 306: Prostatectomy w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	440	11.9	88	4	6	11	14	21	30
70-74	742	12.0	106	4	6	9	15	24	30
75-79	668	11.7	86	4	6	8	14	28	35
80-84	676	15.5	247	5	6	10	17	32	50
85+	385	17.1	211	5	8	13	20	34	54
SUBTOTAL	**2911**	**13.4**	**149**	**4**	**6**	**10**	**16**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2911**	**13.4**	**149**	**4**	**6**	**10**	**16**	**27**	**37**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	558	7.5	22	3	5	6	9	13	16
70+	92	9.0	20	4	5	8	11	15	18
	650	**7.7**	**22**	**3**	**5**	**7**	**10**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	650	**7.7**	**22**	**3**	**5**	**7**	**10**	**13**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	22	10.4	19						
70+	6	5.0							
SUBTOTAL	**29**	**9.2**	**20**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**29**	**9.2**	**20**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	43	17.3	379						
70+	0								
	43	**17.3**	**379**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	43	**17.3**	**379**						

DRG 307: Prostatectomy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	373	5.3	7	3	4	4	6	9	11	0-17	0								
70-74	377	7.1	21	3	5	6	8	12	27	18-34	0								
75-79	410	7.2	12	4	5	6	9	13	15	35-49	0								
80-84	234	10.2	277	4	4	5	9	14	21	50-69	485	5.5	11	3	4	5	6	10	11
85 +	163	7.5	38	3	4	5	7	17	25	70 +	61	7.5	60	1	3	4	8	24	24
SUBTOTAL	**1556**	**7.2**	**58**	**3**	**4**	**5**	**8**	**12**	**15**		**546**	**5.8**	**16**	**3**	**4**	**5**	**6**	**10**	**14**
GRAND TOTAL	**1556**	**7.2**	**58**	**3**	**4**	**5**	**8**	**12**	**15**		**546**	**5.8**	**16**	**3**	**4**	**5**	**6**	**10**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	6	4.0								50-69	69	4.7	4	3	3	5	6	8	8
70 +	20	6.5								70 +	20	3.0	1						
SUBTOTAL	**26**	**5.9**	**1**								**90**	**4.3**	**3**	**2**	**3**	**4**	**5**	**8**	**8**
GRAND TOTAL	**26**	**5.9**	**1**								**90**	**4.3**	**3**	**2**	**3**	**4**	**5**	**8**	**8**

DRG 308: Minor Bladder Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	534	11.6	227	2	4	6	12	21	60
70-74	579	9.4	47	2	4	7	13	21	22
75-79	342	12.9	207	3	4	9	16	25	37
80-84	511	13.6	156	2	7	11	17	25	36
85 +	377	15.6	162	2	7	15	19	34	35
SUBTOTAL	**2343**	**12.3**	**158**	**2**	**4**	**9**	**15**	**25**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2343**	**12.3**	**158**	**2**	**4**	**9**	**15**	**25**	**35**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	17.7	363	< 1	2	8	34	52	52
18-34	51	4.3	6	2	2	4	5	8	8
35-49	94	10.2	112	1	3	7	10	37	37
50-69	501	10.4	83	3	4	8	12	24	27
70 +	16	34.3	25						
	723	**11.1**	**122**	**2**	**4**	**8**	**12**	**27**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	723	**11.1**	**122**	**2**	**4**	**8**	**12**	**27**	**37**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	8.0							
18-34	43	20.5	292						
35-49	31	8.2	16						
50-69	26	14.0	66						
70 +	0								
SUBTOTAL	**120**	**13.8**	**150**	**5**	**7**	**8**	**21**	**24**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**120**	**13.8**	**150**	**5**	**7**	**8**	**21**	**24**	**49**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	13.0							
18-34	22	12.0	5						
35-49	31	9.0	89						
50-69	67	11.0	81	< 1	4	9	23	24	24
70 +	16	38.3	440						
	143	**13.9**	**183**	**1**	**4**	**11**	**22**	**24**	**54**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	143	**13.9**	**183**	**1**	**4**	**11**	**22**	**24**	**54**

DRG 309: Minor Bladder Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	371	4.3	11	1	2	4	6	9	10
70-74	379	6.2	22	1	2	6	10	12	13
75-79	216	8.2	135	1	2	5	8	17	46
80-84	130	7.0	39	1	2	5	13	17	18
85 +	112	10.1	197	2	3	4	10	20	52
SUBTOTAL	**1208**	**6.4**	**60**	**1**	**2**	**4**	**9**	**13**	**17**
GRAND TOTAL	**1208**	**6.4**	**60**	**1**	**2**	**4**	**9**	**13**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	37	7.4	37						
18-34	55	3.1	1	1	2	3	4	5	5
35-49	108	2.8	4	1	1	2	4	4	7
50-69	359	5.0	23	1	1	3	8	10	15
70 +	16	7.7	25						
	574	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**15**
	574	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	5.5	4						
18-34	29	4.8	10						
35-49	22	5.9	3						
50-69	0								
70 +	0								
SUBTOTAL	**67**	**5.3**	**6**	**3**	**3**	**5**	**7**	**7**	**10**
GRAND TOTAL	**67**	**5.3**	**6**	**3**	**3**	**5**	**7**	**7**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	20	4.5	13						
18-34	16	2.0							
35-49	6	4.0							
50-69	65	7.8	43	1	2	4	14	19	19
70 +	16	2.0							
	124	**5.6**	**31**	**1**	**2**	**2**	**8**	**14**	**19**
	124	**5.6**	**31**	**1**	**2**	**2**	**8**	**14**	**19**

DRG 310: Transurethral Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2162	5.4	32	1	2	4	7	12	16
70-74	2127	6.4	44	1	2	4	8	13	19
75-79	2143	5.8	31	1	2	4	7	12	16
80-84	1858	7.8	86	2	3	5	9	14	20
85 +	1381	9.1	80	2	4	7	10	19	31
SUBTOTAL	**9671**	**6.7**	**53**	**1**	**3**	**4**	**8**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9671**	**6.7**	**53**	**1**	**3**	**4**	**8**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	5.2	5						
18-34	648	5.1	12	2	3	4	6	10	14
35-49	1208	4.6	15	1	2	4	6	9	11
50-69	2718	4.5	15	1	2	3	6	9	11
70 +	187	6.4	34	1	1	3	11	17	19
	4794	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4794	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	4.0							
18-34	29	4.5	3						
35-49	102	6.8	16	2	4	5	10	13	15
50-69	191	8.5	50	2	3	5	12	16	31
70 +	110	12.1	162	3	5	6	10	23	47
SUBTOTAL	**442**	**8.6**	**71**	**2**	**4**	**6**	**10**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**442**	**8.6**	**71**	**2**	**4**	**6**	**10**	**16**	**23**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	112	5.7	45	2	2	4	6	8	26
35-49	179	5.0	7	2	3	5	6	9	10
50-69	218	5.9	17	1	3	4	9	13	14
70 +	55	6.5	66	< 1	1	3	7	23	23
	564	**5.6**	**24**	**2**	**2**	**4**	**7**	**10**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	564	**5.6**	**24**	**2**	**2**	**4**	**7**	**10**	**16**

DRG 311: Transurethral Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2410	2.9	5	1	1	2	4	6	8
70-74	2103	2.9	5	1	1	2	4	6	7
75-79	1817	3.1	5	1	1	3	4	6	8
80-84	1418	3.5	7	1	1	3	5	7	9
85 +	790	3.8	9	1	2	3	5	8	9
SUBTOTAL	**8538**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**8538**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	33	5.1	5						
18-34	968	3.1	3	1	2	3	4	6	6
35-49	2607	2.8	4	1	1	2	4	5	7
50-69	4523	2.9	4	1	1	2	4	6	7
70 +	210	3.3	6	< 1	1	3	4	8	8
	8340	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
	8340	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	2.0							
18-34	112	2.9	5	< 1	< 1	4	4	7	8
35-49	71	3.1	11	1	1	2	3	11	11
50-69	114	3.8	8	1	2	3	4	7	11
70 +	31	7.0	6						
SUBTOTAL	**334**	**3.6**	**8**	**< 1**	**1**	**3**	**4**	**8**	**11**
GRAND TOTAL	**334**	**3.6**	**8**	**< 1**	**1**	**3**	**4**	**8**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	2.1	2						
18-34	279	3.5	3	2	2	3	5	6	6
35-49	224	3.0	6	1	1	2	3	7	9
50-69	373	1.7	1	< 1	1	1	2	3	4
70 +	128	2.4	7	< 1	1	1	3	4	11
	1021	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**
	1021	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**

DRG 312: Urethral Procedures, Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	198	9.6	225	1	3	4	8	45	53
70-74	232	5.9	33	1	2	4	9	12	12
75-79	293	6.3	106	1	3	4	7	8	14
80-84	153	7.3	20	2	4	6	10	11	20
85 +	120	7.0	37	1	3	5	9	14	23
SUBTOTAL	**996**	**7.1**	**92**	**1**	**3**	**4**	**8**	**12**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**996**	**7.1**	**92**	**1**	**3**	**4**	**8**	**12**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	114	4.2	9	< 1	2	3	5	8	11
35-49	114	4.2	10	1	2	3	7	10	11
50-69	204	5.1	15	1	2	4	7	9	13
70 +	16	4.6							
	448	**4.6**	**12**	**1**	**2**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	448	**4.6**	**12**	**1**	**2**	**4**	**6**	**9**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	2.0							
35-49	12	3.5	2						
50-69	16	6.4							
70 +	20	23.5	400						
SUBTOTAL	**59**	**10.9**	**221**	**2**	**2**	**5**	**7**	**43**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**59**	**10.9**	**221**	**2**	**2**	**5**	**7**	**43**	**43**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	7.5	7						
35-49	6	5.0							
50-69	29	3.6	16						
70 +	20	8.0	52						
	67	**5.8**	**27**	**1**	**1**	**5**	**10**	**15**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	67	**5.8**	**27**	**1**	**1**	**5**	**10**	**15**	**15**

DRG 313: Urethral Procedures, Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	291	3.1	6	1	1	2	4	6	8	0-17	0								
70-74	191	3.9	21	1	1	3	4	7	13	18-34	326	2.4	5	< 1	1	1	3	6	7
75-79	238	2.3	2	1	1	2	3	4	4	35-49	332	2.3	4	1	1	1	3	5	6
80-84	177	2.5	3	1	2	2	3	4	5	50-69	391	3.4	8	1	1	3	5	7	11
85 +	67	3.5	7	1	1	3	4	9	9	70 +	6	3.0							
SUBTOTAL	**966**	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**8**		**1055**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**966**	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**8**		**1055**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	33	5.1	14							18-34	29	4.0	28						
35-49	0									35-49	45	2.5	15	< 1	1	1	1	12	12
50-69	20	3.5								50-69	49	1.7	1	1	1	1	2	4	4
70 +	6	1.0								70 +	26	2.4	2						
SUBTOTAL	**59**	**4.1**	**9**	**1**	**2**	**3**	**7**	**10**	**11**		**149**	**2.5**	**11**	**1**	**1**	**1**	**2**	**4**	**12**
GRAND TOTAL	**59**	**4.1**	**9**	**1**	**2**	**3**	**7**	**10**	**11**		**149**	**2.5**	**11**	**1**	**1**	**1**	**2**	**4**	**12**

DRG 314: Urethral Procedures, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	94	2.0	2	<1	<1	<1	3	5	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**94**	**2.0**	**2**	**<1**	**<1**	**<1**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	357	1.8	8	<1	<1	<1	<1	2	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**357**	**1.8**	**8**	**<1**	**<1**	**<1**	**<1**	**2**	**7**
GRAND TOTAL	**0**										**450**	**1.8**	**7**	**<1**	**<1**	**<1**	**1**	**4**	**5**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	10	4.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**10**	**4.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	33	2.9	8							0-17	41	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**33**	**2.9**	**8**								**41**	**1.0**							
GRAND TOTAL	**39**	**2.6**	**7**								**51**	**1.6**	**1**						

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1520	13.1	202	2	4	8	20	30	46	0-17	10	4.0							
70-74	689	19.5	307	3	7	15	28	44	84	18-34	261	11.9	106	1	4	9	19	31	33
75-79	621	18.7	276	4	7	14	29	51	99 +	35-49	564	13.3	139	2	4	10	19	30	40
80-84	287	17.7	275	2	7	13	21	46	51	50-69	1100	13.0	137	2	4	10	20	30	44
85 +	253	27.3	476	5	15	25	45	93	99 +	70 +	67	17.8	219	2	3	20	27	44	44
SUBTOTAL	**3370**	**16.9**	**280**	**2**	**5**	**12**	**25**	**46**	**66**		**2003**	**13.1**	**137**	**2**	**4**	**10**	**20**	**30**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	823	4.4	37	1	2	3	4	8	11	0-17	69	5.5	18	1	3	4	9	14	14
70-74	295	6.2	50	1	2	3	7	15	26	18-34	261	5.2	23	1	2	3	9	14	16
75-79	183	7.9	105	1	2	3	7	30	37	35-49	296	5.2	39	1	1	2	5	13	17
80-84	59	3.3	6	1	1	3	6	7	8	50-69	709	4.2	15	1	2	3	5	9	13
85 +	20	40.5	1559							70 +	20	4.0	4						
SUBTOTAL	**1382**	**5.7**	**89**	**1**	**2**	**3**	**5**	**11**	**26**		**1355**	**4.7**	**22**	**1**	**2**	**3**	**6**	**11**	**15**
GRAND TOTAL	**4752**	**13.7**	**250**	**2**	**3**	**8**	**21**	**38**	**51**		**3358**	**9.7**	**107**	**1**	**2**	**5**	**13**	**25**	**34**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	33.5	464							0-17	0								
18-34	114	17.3	191	1	7	12	32	40	42	18-34	86	12.0	65	5	7	9	14	28	28
35-49	222	21.9	198	4	11	20	30	42	51	35-49	149	13.7	46	4	12	14	15	22	29
50-69	192	18.1	258	3	9	13	24	65	88	50-69	141	21.2	443	1	7	15	26	63	71
70 +	20	13.5	2							70 +	20	62.0	556						
SUBTOTAL	**575**	**20.0**	**235**	**4**	**9**	**17**	**28**	**42**	**59**		**395**	**18.5**	**333**	**3**	**7**	**14**	**22**	**39**	**69**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	57	5.7	21	1	1	3	11	12	12	18-34	22	1.5	1						
35-49	51	6.2	7	2	5	7	9	99 +	99 +	35-49	102	7.8	19	3	4	4	12	14	14
50-69	43	5.8	29							50-69	51	9.2	22						
70 +	0									70 +	0								
SUBTOTAL	**151**	**5.9**	**18**	**1**	**2**	**6**	**9**	**15**	**99 +**		**175**	**7.4**	**23**	**1**	**4**	**8**	**11**	**14**	**15**
GRAND TOTAL	**726**	**17.0**	**222**	**2**	**6**	**12**	**25**	**42**	**59**		**571**	**15.1**	**264**	**2**	**5**	**12**	**15**	**29**	**63**

DRG 316: Renal Failure

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1500	9.9	93	2	4	7	11	19	29
70-74	872	13.3	217	4	6	10	16	28	80
75-79	937	12.2	92	4	5	9	16	27	35
80-84	750	12.4	92	4	6	10	16	28	33
85 +	921	15.8	182	5	7	11	21	30	48
SUBTOTAL	**4979**	**12.4**	**135**	**3**	**5**	**9**	**15**	**27**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	230	4.5	14	1	2	4	6	7	9
70-74	90	6.3	7	1	5	7	8	9	11
75-79	161	6.2	13	2	2	7	9	11	13
80-84	104	9.9	52	3	3	7	12	22	29
85 +	79	7.4	18	3	5	6	8	17	17
SUBTOTAL	**664**	**6.3**	**22**	**2**	**3**	**6**	**8**	**11**	**16**
GRAND TOTAL	**5643**	**11.7**	**126**	**3**	**5**	**8**	**14**	**26**	**35**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	3.7	7						
18-34	143	8.3	54	2	3	5	16	17	17
35-49	353	9.1	55	3	4	7	13	19	23
50-69	746	10.1	106	3	5	7	11	19	28
70 +	53	8.9	17	3	6	9	11	15	15
	1326	**9.4**	**82**	**3**	**4**	**7**	**12**	**17**	**27**
0-17	22	4.8	33						
18-34	120	5.6	19	1	3	4	8	11	16
35-49	73	8.3	131	< 1	1	5	8	36	36
50-69	222	6.3	18	2	3	5	8	13	14
70 +	26	3.3	2						
	465	**6.2**	**37**	**1**	**2**	**5**	**8**	**13**	**17**
	1791	**8.6**	**72**	**2**	**3**	**6**	**11**	**17**	**23**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	108	9.3	79	3	4	5	7	28	29
35-49	130	8.4	41	2	3	7	10	18	24
50-69	157	11.3	84	3	4	9	12	33	33
70 +	16	6.0	16						
SUBTOTAL	**412**	**9.7**	**68**	**3**	**4**	**7**	**12**	**24**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	31	4.0	5						
35-49	73	6.7	30	< 1	2	8	9	9	21'
50-69	12	2.0	1						
70 +	0								
SUBTOTAL	**126**	**5.2**	**22**	**1**	**2**	**3**	**8**	**9**	**12**
GRAND TOTAL	**538**	**8.6**	**61**	**2**	**3**	**7**	**10**	**19**	**28**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	4.0	8	1	2	4	4	11	11
35-49	59	9.6	47	2	3	13	17	18	18
50-69	75	10.7	68	1	3	7	15	27	27
70 +	26	6.8	2						
	214	**8.2**	**46**	**2**	**3**	**5**	**13**	**17**	**18**
0-17	0								
18-34	41	7.0	9						
35-49	37	8.3	44						
50-69	10	1.0							
70 +	10	7.0							
	98	**6.9**	**24**	**< 1**	**4**	**7**	**10**	**17**	**18**
	312	**7.8**	**40**	**1**	**3**	**5**	**11**	**17**	**18**

DRG 317: Admit for Renal Dialysis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	37	2.3	1							0-17	0								
70-74	39	6.9	19							18-34	71	2.6	10	<1	<1	1	3	10	10
75-79	10	2.0								35-49	31	1.0							
80-84	0									50-69	10	1.0							
85 +	0									70 +	0								
SUBTOTAL	**86**	**4.4**	**14**	<1	2	3	5	13	13		**112**	**2.0**	**7**	<1	<1	1	1	3	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	1.0								0-17	0								
70-74	10	2.0								18-34	10	4.0							
75-79	0									35-49	16	1.4							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**20**	**1.5**									**26**	**2.4**	**2**						
GRAND TOTAL	**106**	**3.8**	**13**	1	2	2	4	8	13		**139**	**2.1**	**6**	<1	<1	1	2	4	10

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	10	2.0							
35-49	20	1.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**20**	**1.0**									**10**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**20**	**1.0**									**10**	**2.0**							

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	232	9.9	135	2	3	6	14	20	20	0-17	10	2.0							
70-74	202	12.3	91	2	5	8	20	25	31	18-34	0								
75-79	342	11.6	251	1	3	6	13	57	64	35-49	69	9.6	61	2	5	7	16	25	25
80-84	244	13.2	211	1	3	8	17	35	41	50-69	304	8.9	80	1	3	5	11	21	36
85 +	299	13.5	124	3	6	10	15	33	41	70 +	10	4.0							
SUBTOTAL	**1320**	**12.1**	**171**	**2**	**4**	**8**	**15**	**31**	**41**		**393**	**8.7**	**75**	**1**	**3**	**5**	**11**	**21**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1320**	**12.1**	**171**	**2**	**4**	**8**	**15**	**31**	**41**		**393**	**8.7**	**75**	**1**	**3**	**5**	**11**	**21**	**25**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	10	27.0								35-49	37	7.7	28						
50-69	31	15.0	58							50-69	45	13.9	71	3	3	17	18	25	25
70 +	6	4.0								70 +	26	8.0	20						
SUBTOTAL	**47**	**16.2**	**84**								**108**	**10.4**	**52**	**3**	**3**	**8**	**16**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**47**	**16.2**	**84**								**108**	**10.4**	**52**	**3**	**3**	**8**	**16**	**18**	**25**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	141	1.9	1	< 1	1	1	3	3	3
70-74	100	3.1	9	< 1	1	2	4	9	10
75-79	114	3.0	17	< 1	1	2	3	7	17
80-84	61	3.0	8	< 1	1	2	4	9	9
85 +	55	5.8	31	< 1	1	2	11	15	15
SUBTOTAL	**471**	**3.0**	**12**	**< 1**	**1**	**2**	**3**	**8**	**10**
GRAND TOTAL	**471**	**3.0**	**12**	**< 1**	**1**	**2**	**3**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	26	1.4							
18-34	29	1.2							
35-49	39	1.8	2						
50-69	247	3.8	44	1	1	2	4	5	13
70 +	0								
	340	**3.2**	**33**	**1**	**1**	**1**	**3**	**5**	**5**
	340	**3.2**	**33**	**1**	**1**	**1**	**3**	**5**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	3.6							
35-49	6	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**22**	**3.5**							
GRAND TOTAL	**22**	**3.5**							

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6	2.0							
35-49	0								
50-69	33	1.0							
70 +	0								
	39	**1.2**							
	39	**1.2**							

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4170	9.0	52	4	5	8	11	15	21
70-74	3496	10.3	114	4	5	7	11	18	30
75-79	4180	11.1	115	4	6	8	13	21	30
80-84	4427	11.2	101	4	6	8	13	20	29
85 +	6953	11.6	95	4	6	9	14	22	34
SUBTOTAL	**23225**	**10.8**	**96**	**4**	**6**	**8**	**13**	**20**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**23225**	**10.8**	**96**	**4**	**6**	**8**	**13**	**20**	**30**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1815	5.4	18	2	3	4	6	10	12
35-49	1410	6.4	20	2	3	5	8	12	16
50-69	2744	7.7	41	3	4	6	9	13	17
70 +	210	12.7	213	5	5	7	12	26	39
	6179	**6.9**	**37**	**2**	**4**	**5**	**8**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6179	**6.9**	**37**	**2**	**4**	**5**	**8**	**12**	**17**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	568	6.8	45	2	4	5	7	11	14
35-49	403	7.7	40	3	4	6	9	17	22
50-69	687	9.3	35	4	5	7	12	19	22
70 +	275	15.4	123	7	9	13	17	45	52
SUBTOTAL	**1933**	**9.1**	**59**	**3**	**5**	**7**	**11**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1933**	**9.1**	**59**	**3**	**5**	**7**	**11**	**18**	**22**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	511	4.7	6	2	3	4	6	8	9
35-49	138	4.3	6	1	3	4	7	7	9
50-69	359	8.1	34	4	4	5	10	19	23
70 +	124	23.4	740	5	7	13	26	81	95
	1133	**7.8**	**127**	**2**	**4**	**5**	**8**	**14**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1133	**7.8**	**127**	**2**	**4**	**5**	**8**	**14**	**23**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1385	6.5	16	2	4	6	8	11	14
70-74	1161	6.8	28	3	4	6	8	10	16
75-79	1273	7.9	56	3	4	6	8	13	19
80-84	1243	7.8	52	3	4	6	9	12	17
85+	1699	9.0	56	3	5	7	11	16	18
SUBTOTAL	**6761**	**7.7**	**43**	**3**	**4**	**6**	**9**	**13**	**17**
GRAND TOTAL	**6761**	**7.7**	**43**	**3**	**4**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	4526	4.2	4	2	3	4	5	7	8
35-49	2169	4.6	7	2	3	4	6	8	10
50-69	1988	4.9	8	2	3	4	6	8	9
70+	77	7.0	13	3	4	6	9	14	14
SUBTOTAL	**8762**	**4.5**	**6**	**2**	**3**	**4**	**6**	**7**	**9**
GRAND TOTAL	**8762**	**4.5**	**6**	**2**	**3**	**4**	**6**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1143	4.9	7	2	3	4	6	8	10
35-49	271	5.2	12	1	3	4	7	12	12
50-69	98	4.7	2	2	4	5	5	7	7
70+	55	8.7	10	6	6	8	11	14	14
SUBTOTAL	**1567**	**5.1**	**8**	**2**	**3**	**5**	**6**	**8**	**11**
GRAND TOTAL	**1567**	**5.1**	**8**	**2**	**3**	**5**	**6**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	1723	4.7	7	2	3	4	6	8	10
35-49	446	4.9	7	2	3	5	6	8	9
50-69	163	5.3	7	2	3	5	8	9	9
70+	84	6.3	5	4	5	6	7	10	10
SUBTOTAL	**2416**	**4.8**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**2416**	**4.8**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	84	9.4	30	2	6	9	12	19	19	0-17	623	3.8	5	1	2	3	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**84**	**9.4**	**30**	**2**	**6**	**9**	**12**	**19**	**19**		**623**	**3.8**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2868	3.5	4	1	2	3	5	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2868**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**84**	**9.4**	**30**	**2**	**6**	**9**	**12**	**19**	**19**		**3491**	**3.6**	**4**	**1**	**2**	**3**	**5**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	314	4.9	12	2	3	4	6	9	14	0-17	159	4.6	8	1	2	4	7	9	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**314**	**4.9**	**12**	**2**	**3**	**4**	**6**	**9**	**14**		**159**	**4.6**	**8**	**1**	**2**	**4**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	825	4.3	7	2	3	4	5	7	11	0-17	526	4.0	5	2	3	3	5	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**825**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**11**		**526**	**4.0**	**5**	**2**	**3**	**3**	**5**	**7**	**8**
GRAND TOTAL	**1139**	**4.5**	**8**	**2**	**3**	**4**	**5**	**7**	**11**		**684**	**4.2**	**6**	**2**	**2**	**3**	**6**	**8**	**9**

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2251	4.2	17	1	2	3	5	8	11	0-17	132	2.3	1	1	2	2	3	3	4
70-74	1277	4.5	12	1	2	3	6	9	11	18-34	2864	2.8	4	1	1	2	3	6	7
75-79	968	6.1	24	1	3	5	8	12	16	35-49	4732	3.0	7	1	1	2	4	6	8
80-84	546	5.6	29	1	2	4	7	12	14	50-69	4789	3.6	8	1	2	3	5	7	10
85 +	338	9.3	130	2	3	6	11	20	26	70 +	67	4.8	18	1	2	4	8	8	15
SUBTOTAL	5380	5.1	27	1	2	4	6	11	13		12586	3.2	7	1	1	2	4	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	77	2.0	2	< 1	< 1	2	2	3	6	0-17	10	1.0							
70-74	71	2.1	6	< 1	1	1	2	2	10	18-34	134	1.4		< 1	< 1	1	2	2	3
75-79	39	1.7	1							35-49	253	2.3	5	< 1	1	2	2	4	10
80-84	16	3.2	9							50-69	371	1.8	2	< 1	1	1	2	3	4
85 +	0									70 +	16	1.4							
SUBTOTAL	204	2.1	4	< 1	1	1	2	3	7		784	1.9	3	< 1	1	1	2	3	4
GRAND TOTAL	5584	5.0	27	1	2	3	6	11	13		13370	3.1	7	1	1	2	4	6	8

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	20	6.0	4							0-17	22	4.3	7						
18-34	403	3.7	7	1	2	3	5	7	8	18-34	731	2.1	2	1	1	2	3	4	4
35-49	308	4.0	8	1	2	4	4	7	9	35-49	746	3.0	13	1	1	2	3	6	8
50-69	306	5.7	26	2	2	5	6	10	19	50-69	517	3.1	8	1	1	2	4	6	8
70 +	37	6.8	4							70 +	37	4.3	5						
SUBTOTAL	1074	4.5	13	1	2	4	5	8	10		2053	2.8	8	1	1	2	3	5	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	10	2.0								18-34	24	2.5	3						
35-49	12	5.0								35-49	37	3.7	8						
50-69	22	4.1	3							50-69	26	1.5	1						
70 +	0									70 +	0								
SUBTOTAL	45	3.9	3	2	2	4	5	6	6		88	2.7	5	< 1	1	2	3	8	8
GRAND TOTAL	1119	4.5	13	2	2	4	5	8	10		2141	2.8	8	1	1	2	3	5	8

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1803	2.8	6	1	1	2	3	6	8	0-17	375	1.9	1	1	1	2	3	3	3
70-74	947	3.4	11	1	2	2	4	6	8	18-34	6038	2.2	3	1	1	2	3	4	5
75-79	609	3.6	14	1	2	3	4	6	10	35-49	9246	2.2	3	1	1	2	3	4	6
80-84	269	3.5	11	1	1	2	3	8	13	50-69	6985	2.5	4	1	1	2	3	5	6
85 +	106	3.9	5	2	2	3	5	7	9	70 +	100	2.5	3	1	1	2	4	5	6
SUBTOTAL	**3734**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**9**		**22743**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**3734**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**9**		**22743**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20	3.0								0-17	51	1.6	1	1	1	1	2	3	3
18-34	424	2.4	4	1	1	2	3	4	6	18-34	1634	2.0	2	1	1	2	2	3	5
35-49	228	2.7	4	1	1	2	4	5	7	35-49	1375	2.2	2	1	1	2	3	4	6
50-69	179	4.0	12	1	1	3	5	10	13	50-69	654	2.7	9	1	1	2	3	5	8
70 +	0									70 +	20	15.0	67						
SUBTOTAL	**852**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**8**		**3734**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**852**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**8**		**3734**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	570	6.0	38	1	2	4	8	11	15	0-17	0								
70-74	438	6.8	93	2	3	4	6	10	25	18-34	130	4.4	22	1	2	2	5	7	15
75-79	389	6.5	41	2	3	5	7	14	31	35-49	112	7.3	49	1	2	5	8	18	22
80-84	477	7.9	73	2	3	5	8	16	17	50-69	505	5.1	18	1	2	4	7	12	14
85 +	605	9.4	121	2	4	7	11	16	32	70 +	18	5.0	19						
SUBTOTAL	**2479**	**7.4**	**77**	**2**	**3**	**5**	**8**	**15**	**21**		**766**	**5.3**	**24**	**1**	**2**	**4**	**6**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2479**	**7.4**	**77**	**2**	**3**	**5**	**8**	**15**	**21**		**766**	**5.3**	**24**	**1**	**2**	**4**	**6**	**13**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	53	5.4	44	1	2	3	4	23	23	18-34	55	3.7	6	1	1	5	6	7	7
35-49	33	3.8	3							35-49	47	9.0	113						
50-69	55	3.8	5	1	1	4	5	8	8	50-69	81	3.8	11	1	2	3	4	12	12
70 +	26	5.2	2							70 +	26	6.0	1						
SUBTOTAL	**167**	**4.5**	**17**	**1**	**2**	**4**	**5**	**7**	**8**		**210**	**5.2**	**35**	**1**	**1**	**3**	**6**	**12**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**167**	**4.5**	**17**	**1**	**2**	**4**	**5**	**7**	**8**		**210**	**5.2**	**35**	**1**	**1**	**3**	**6**	**12**	**23**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	391	2.9	4	1	1	2	4	5	8	0-17	0									
70-74	340	3.7	24	1	1	2	3	8	10	18-34	369	2.5	11	< 1	1	1	3	5	6	
75-79	318	3.5	5	1	2	3	5	7	9	35-49	513	2.1	3	< 1	1	1	3	4	6	
80-84	273	4.4	9	1	2	3	6	9	9	50-69	619	2.8	6	< 1	1	2	4	6	8	
85 +	259	4.7	4	2	3	4	6	7	8	70 +	12	3.5								
SUBTOTAL	**1581**	**3.7**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**1514**	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**5**	**6**	
GRAND TOTAL	**1581**	**3.7**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**1514**	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**5**	**6**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	67	3.7	7	1	2	3	5	9	9	18-34	45	2.2	3	< 1	1	1	3	5	5	
35-49	10	1.0								35-49	45	2.7	3	1	1	2	4	5	5	
50-69	6	3.0								50-69	59	2.1	1	1	1	1	3	4	4	
70 +	6	1.0								70 +	26	3.8								
SUBTOTAL	**90**	**3.2**	**6**	**1**	**1**	**2**	**4**	**9**	**9**		**175**	**2.5**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	
GRAND TOTAL	**90**	**3.2**	**6**	**1**	**1**	**2**	**4**	**9**	**9**		**175**	**2.5**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	59	3.0	7	< 1	< 1	2	5	8	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**59**	**3.0**	**7**	**< 1**	**< 1**	**2**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	206	2.9	4	< 1	1	2	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**206**	**2.9**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**0**										**265**	**2.9**	**4**	**< 1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	2.0								0-17	16	1.6							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**2.0**									**16**	**1.6**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	3.4	2							0-17	71	1.6	1	< 1	1	1	1	4	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**26**	**3.4**	**2**								**71**	**1.6**	**1**	**< 1**	**1**	**1**	**1**	**4**	**4**
GRAND TOTAL	**33**	**3.1**	**2**								**88**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**4**	**4**

DRG 328: Urethral Stricture Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	45	4.5	6	< 1	1	5	6	8	8
70-74	130	4.8	5	1	4	5	6	8	9
75-79	118	3.9	6	1	3	3	5	6	10
80-84	130	4.9	24	1	2	4	6	7	9
85 +	81	7.1	14	2	5	6	10	14	14
SUBTOTAL	505	4.9	13	1	3	5	6	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	505	4.9	13	1	3	5	6	9	10

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	2.8	4						
35-49	33	2.2	2						
50-69	39	3.7	11						
70 +	16	1.7	1						
	110	2.8	6	< 1	1	2	3	5	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	110	2.8	6	< 1	1	2	3	5	9

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	31	3.3							
35-49	0								
50-69	6	2.0							
70 +	0								
SUBTOTAL	37	3.1							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	37	3.1							

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.0							
35-49	0								
50-69	0								
70 +	0								
	10	3.0							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10	3.0							

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	3.3	4						
70-74	29	3.1	5						
75-79	6	2.0							
80-84	18	1.0							
85 +	16	1.7	1						
SUBTOTAL	**100**	**2.5**	**4**	**< 1**	**< 1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**100**	**2.5**	**4**	**< 1**	**< 1**	**2**	**3**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	90	1.9	1	< 1	1	1	3	4	4
35-49	55	2.1	6	< 1	< 1	< 1	1	7	7
50-69	81	4.8	26	< 1	1	2	8	16	16
70 +	20	6.0	17						
	247	**3.3**	**14**	**< 1**	**1**	**1**	**4**	**9**	**10**
	247	**3.3**	**14**	**< 1**	**1**	**1**	**4**	**9**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	8.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**8.0**							
GRAND TOTAL	**10**	**8.0**							

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	16	1.0							
50-69	0								
70 +	10	1.0							
	26	**1.0**							
	26	**1.0**							

DRG 330: Urethral Stricture Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	102	1.2		<1	<1	<1	<1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**102**	**1.2**		**<1**	**<1**	**<1**	**<1**	**2**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	57	1.0		<1	<1	<1	<1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**57**	**1.0**		**<1**	**<1**	**<1**	**<1**	**1**	**1**
GRAND TOTAL	**0**										**159**	**1.1**		**<1**	**<1**	**<1**	**<1**	**1**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	10	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**10**	**1.0**							
GRAND TOTAL	**0**										**10**	**1.0**							

Northeastern Region, July 1988 - June 1989

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1870	8.3	72	2	3	6	11	17	20
70-74	1082	10.1	171	2	3	7	11	18	25
75-79	1043	7.6	58	2	3	5	9	17	26
80-84	845	10.5	138	2	4	7	14	22	29
85 +	642	14.4	208	2	5	9	17	36	50
SUBTOTAL	**5482**	**9.6**	**119**	**2**	**3**	**7**	**12**	**19**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5482**	**9.6**	**119**	**2**	**3**	**7**	**12**	**19**	**29**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1031	4.6	24	1	2	3	6	10	12
35-49	846	5.7	32	1	2	4	6	11	17
50-69	1304	6.6	38	1	3	5	8	14	17
70 +	86	5.5	13	2	2	4	10	11	12
	3266	**5.7**	**32**	**1**	**2**	**4**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3266	**5.7**	**32**	**1**	**2**	**4**	**7**	**12**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	187	5.0	10	1	2	5	7	11	11
35-49	216	8.0	74	1	2	4	8	22	26
50-69	214	10.6	61	2	6	10	14	17	21
70 +	20	9.0	1						
SUBTOTAL	**638**	**8.0**	**53**	**1**	**2**	**6**	**10**	**19**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**638**	**8.0**	**53**	**1**	**2**	**6**	**10**	**19**	**22**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	359	4.6	17	1	2	4	6	8	11
35-49	234	9.0	182	1	4	4	8	20	27
50-69	249	7.0	48	1	2	4	8	18	20
70 +	33	5.1	47						
	874	**6.5**	**74**	**1**	**2**	**4**	**8**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	874	**6.5**	**74**	**1**	**2**	**4**	**8**	**15**	**20**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	713	4.5	15	1	2	3	6	9	12	0-17	0									
70-74	401	4.2	77	1	1	2	3	7	8	18-34	894	2.7	6	1	1	2	3	5	7	
75-79	350	4.4	13	1	1	3	6	8	12	35-49	956	3.3	12	1	1	2	3	8	10	
80-84	224	8.2	115	2	3	5	9	12	21	50-69	911	3.6	9	1	1	2	5	8	10	
85 +	118	3.6	9	1	2	2	4	8	11	70 +	26	4.0	1							
SUBTOTAL	**1807**	**4.8**	**42**	**1**	**2**	**3**	**6**	**9**	**12**		**2787**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**10**	
GRAND TOTAL	**1807**	**4.8**	**42**	**1**	**2**	**3**	**6**	**9**	**12**		**2787**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**10**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	149	3.7	5	1	2	3	5	7	8	18-34	332	3.3	11	1	1	2	4	5	9	
35-49	71	3.3	6	< 1	1	1	6	7	7	35-49	206	5.3	25	1	2	3	7	13	16	
50-69	84	4.8	20	1	1	5	7	7	18	50-69	120	4.6	10	1	2	4	8	8	11	
70 +	22	8.5	40							70 +	69	6.6	28	2	2	3	12	14	14	
SUBTOTAL	**326**	**4.2**	**13**	**1**	**1**	**3**	**6**	**7**	**8**		**727**	**4.4**	**18**	**1**	**1**	**3**	**5**	**11**	**13**	
GRAND TOTAL	**326**	**4.2**	**13**	**1**	**1**	**3**	**6**	**7**	**8**		**727**	**4.4**	**18**	**1**	**1**	**3**	**5**	**11**	**13**	

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	3.0								0-17	448	4.4	15	1	2	3	6	10	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**10**	**3.0**									**448**	**4.4**	**15**	**1**	**2**	**3**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	3.0								0-17	770	3.0	9	<1	1	2	4	6	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**6**	**3.0**									**770**	**3.0**	**9**	**<1**	**1**	**2**	**4**	**6**	**11**
GRAND TOTAL	**16**	**3.0**									**1218**	**3.5**	**12**	**<1**	**1**	**2**	**4**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	92	5.4	18	1	2	4	7	16	16	0-17	92	4.8	24	1	2	2	7	14	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**92**	**5.4**	**18**	**1**	**2**	**4**	**7**	**16**	**16**		**92**	**4.8**	**24**	**1**	**2**	**2**	**7**	**14**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	149	5.2	75	1	1	2	4	13	35	0-17	126	2.2	4	<1	<1	1	3	4	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**149**	**5.2**	**75**	**1**	**1**	**2**	**4**	**13**	**35**		**126**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**4**	**8**
GRAND TOTAL	**240**	**5.3**	**53**	**1**	**2**	**3**	**5**	**13**	**16**		**218**	**3.3**	**14**	**<1**	**1**	**2**	**3**	**9**	**13**

DRG 334: Major Male Pelvic Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	860	12.5	39	7	9	11	15	18	23	0-17	0								
70-74	778	13.5	38	8	9	12	16	22	23	18-34	26	7.0							
75-79	623	14.2	45	8	10	13	16	22	30	35-49	16	14.8	49						
80-84	281	15.7	47	9	11	16	17	23	28	50-69	803	13.2	92	7	8	11	15	19	24
85 +	159	16.7	64	7	12	15	18	31	35	70 +	55	12.1	25	5	10	10	18	21	21
SUBTOTAL	**2701**	**13.7**	**44**	**8**	**9**	**12**	**16**	**22**	**28**		**901**	**12.9**	**86**	**7**	**8**	**11**	**15**	**19**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2701**	**13.7**	**44**	**8**	**9**	**12**	**16**	**22**	**28**		**901**	**12.9**	**86**	**7**	**8**	**11**	**15**	**19**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	6	7.0							
50-69	37	22.0	76							50-69	84	9.9	2	9	9	9	10	13	13
70 +	10	11.0								70 +	33	14.8	16						
SUBTOTAL	**47**	**19.6**	**80**								**122**	**11.1**	**11**	**9**	**9**	**9**	**13**	**18**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**47**	**19.6**	**80**								**122**	**11.1**	**11**	**9**	**9**	**9**	**13**	**18**	**18**

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	648	9.2	9	6	7	9	11	13	16
70-74	499	9.4	7	6	8	9	11	12	14
75-79	330	9.9	7	7	8	9	12	13	15
80-84	94	13.2	27	9	10	11	15	24	25
85 +	41	15.4	144	7	7	9	17	42	42
SUBTOTAL	**1611**	**9.8**	**14**	**7**	**7**	**9**	**11**	**14**	**16**
GRAND TOTAL	**1611**	**9.8**	**14**	**7**	**7**	**9**	**11**	**14**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	12	8.5							
35-49	12	13.5	98						
50-69	827	9.4	9	6	7	9	11	13	14
70 +	29	12.7	13						
	886	**9.5**	**11**	**6**	**7**	**9**	**11**	**13**	**15**
	886	**9.5**	**11**	**6**	**7**	**9**	**11**	**13**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	6	10.0							
35-49	0								
50-69	6	8.0							
70 +	0								
SUBTOTAL	**18**	**6.3**	**16**						
GRAND TOTAL	**18**	**6.3**	**16**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	6	11.0							
50-69	57	8.1	13	4	5	8	9	15	15
70 +	26	11.5	4						
	90	**9.3**	**12**	**5**	**6**	**9**	**12**	**15**	**15**
	90	**9.3**	**12**	**5**	**6**	**9**	**12**	**15**	**15**

DRG 336: Transurethral Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4533	7.3	33	3	4	6	8	13	17	0-17	0								
70-74	5598	7.0	23	3	4	6	8	11	16	18-34	10	12.0							
75-79	5961	8.4	47	4	5	6	10	15	19	35-49	81	8.0	18	4	5	6	11	16	16
80-84	3801	9.7	74	4	5	7	11	19	27	50-69	3626	6.9	32	3	4	5	8	11	18
85+	2667	10.9	85	4	6	8	13	21	26	70+	467	9.5	130	3	5	6	9	19	26
SUBTOTAL	**22559**	**8.4**	**49**	**4**	**5**	**6**	**9**	**15**	**20**		**4185**	**7.3**	**43**	**3**	**4**	**6**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**22559**	**8.4**	**49**	**4**	**5**	**6**	**9**	**15**	**20**		**4185**	**7.3**	**43**	**3**	**4**	**6**	**8**	**12**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	46.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	183	8.8	22	4	4	7	14	15	16	50-69	409	5.6	6	4	4	5	6	9	12
70+	108	11.1	32	6	7	9	15	20	23	70+	226	9.3	84	3	4	7	11	35	42
SUBTOTAL	**302**	**10.9**	**70**	**4**	**6**	**8**	**15**	**20**	**23**		**636**	**6.9**	**37**	**3**	**4**	**5**	**7**	**13**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**302**	**10.9**	**70**	**4**	**6**	**8**	**15**	**20**	**23**		**636**	**6.9**	**37**	**3**	**4**	**5**	**7**	**13**	**21**

DRG 337: Transurethral Prostatectomy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7116	5.0	6	3	4	5	6	7	8	0-17	0								
70-74	6794	5.3	7	3	4	5	6	8	9	18-34	10	5.0							
75-79	5221	5.3	6	3	4	5	6	8	9	35-49	183	4.7	5	3	3	5	5	7	7
80-84	2675	6.1	9	3	4	5	7	9	12	50-69	8732	4.9	4	3	4	5	6	7	9
85 +	1259	6.8	19	4	4	6	8	11	13	70 +	526	5.1	6	3	4	5	6	7	9
SUBTOTAL	**23065**	**5.4**	**8**	**3**	**4**	**5**	**6**	**8**	**9**		**9451**	**4.9**	**4**	**3**	**4**	**5**	**6**	**7**	**9**
GRAND TOTAL	**23065**	**5.4**	**8**	**3**	**4**	**5**	**6**	**8**	**9**		**9451**	**4.9**	**4**	**3**	**4**	**5**	**6**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	16	3.7	1							35-49	22	4.1	3						
50-69	196	5.9	7	4	4	5	8	9	13	50-69	831	4.3	4	3	3	4	5	7	10
70 +	73	6.7	13	4	5	5	8	15	15	70 +	249	4.6	9	3	3	4	5	7	7
SUBTOTAL	**285**	**6.0**	**8**	**4**	**4**	**5**	**7**	**9**	**14**		**1102**	**4.4**	**5**	**3**	**3**	**4**	**5**	**7**	**10**
GRAND TOTAL	**285**	**6.0**	**8**	**4**	**4**	**5**	**7**	**9**	**14**		**1102**	**4.4**	**5**	**3**	**3**	**4**	**5**	**7**	**10**

DRG 338: Testes Procedures, for Malignancy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	302	7.0	71	1	1	3	10	20	29
70-74	409	7.8	86	1	2	4	10	17	23
75-79	517	7.8	124	1	2	4	11	17	26
80-84	336	8.0	76	2	3	5	9	18	26
85 +	297	10.2	138	1	2	7	12	25	49
SUBTOTAL	**1862**	**8.1**	**102**	**1**	**2**	**4**	**11**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	169	2.2	7	1	1	1	2	3	10
70-74	200	1.9	1	1	1	2	3	3	4
75-79	212	2.2	6	1	1	1	2	6	8
80-84	196	3.2	26	< 1	1	1	2	9	19
85 +	112	2.0	1	1	1	2	2	3	4
SUBTOTAL	**888**	**2.3**	**9**	**1**	**1**	**1**	**2**	**5**	**8**
GRAND TOTAL	**2750**	**6.2**	**79**	**1**	**1**	**3**	**8**	**16**	**23**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	9.0							
18-34	61	4.6	13	1	1	4	5	12	12
35-49	37	12.4	205						
50-69	314	5.8	27	1	1	3	10	14	16
70 +	51	10.4	45						
	469	**6.7**	**45**	**1**	**1**	**5**	**10**	**15**	**18**
0-17	0								
18-34	491	2.2	2	1	1	2	3	4	5
35-49	228	2.0	1	1	1	2	3	3	4
50-69	130	1.9	2	< 1	1	1	2	4	5
70 +	37	2.3							
	886	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
	1355	**3.7**	**21**	**1**	**1**	**2**	**4**	**9**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	4.5	13						
35-49	0								
50-69	20	21.0	85						
70 +	0								
SUBTOTAL	**33**	**14.8**	**123**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	20	2.5							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**2.5**							
GRAND TOTAL	**53**	**10.1**	**111**	**1**	**2**	**6**	**12**	**30**	**30**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	10.8	49						
35-49	6	6.0							
50-69	22	13.8	116						
70 +	26	7.4	29						
	71	**10.1**	**65**	**2**	**2**	**8**	**16**	**25**	**25**
0-17	10	1.0							
18-34	122	2.8	7	1	1	1	5	6	9
35-49	39	1.2							
50-69	20	2.5	2						
70 +	10	1.0							
	202	**2.3**	**5**	**< 1**	**< 1**	**1**	**2**	**6**	**7**
	273	**4.3**	**32**	**< 1**	**1**	**1**	**5**	**14**	**16**

DRG 339: Testes Procedures, Non-malignancy Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	136	4.9	21	< 1	2	3	10	12	14
70-74	161	3.2	9	1	2	2	3	7	11
75-79	110	6.9	129	1	1	2	5	12	41
80-84	71	5.6	29	2	2	5	6	18	18
85 +	22	10.6	47						
SUBTOTAL	**501**	**5.2**	**46**	**1**	**2**	**3**	**5**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	397	2.7	4	1	1	2	3	4	8
70-74	310	2.2	5	1	1	1	2	4	8
75-79	236	2.8	4	1	1	2	3	7	7
80-84	110	2.2	1	1	1	2	3	3	5
85 +	26	2.5	1						
SUBTOTAL	**1080**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1581**	**3.4**	**19**	**1**	**1**	**2**	**3**	**7**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	108	2.9	8	1	1	1	4	7	11
35-49	33	3.4	8						
50-69	179	5.5	44	1	1	3	6	15	15
70 +	16	8.3	25						
	336	**4.6**	**30**	**1**	**1**	**2**	**6**	**12**	**15**
0-17	0								
18-34	2033	1.6	1	1	1	1	2	3	4
35-49	1446	1.5	1	< 1	1	1	2	2	3
50-69	1143	1.9	2	1	1	1	3	3	4
70 +	0								
	4623	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	4959	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	5.0							
70 +	0								
SUBTOTAL	**10**	**5.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	102	3.9	17	1	1	2	5	11	15
35-49	63	2.4	9	1	1	1	2	6	11
50-69	37	5.9	41						
70 +	0								
SUBTOTAL	**202**	**3.8**	**20**	**1**	**1**	**2**	**3**	**13**	**15**
GRAND TOTAL	**212**	**3.8**	**19**	**1**	**1**	**2**	**4**	**11**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	12	1.0							
50-69	6	13.0							
70 +	0								
	24	**4.0**	**28**						
0-17	0								
18-34	412	2.0	3	1	1	1	2	4	5
35-49	167	2.7	9	< 1	1	1	3	10	11
50-69	112	1.3		1	1	1	2	2	3
70 +	10	1.0							
	701	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**6**
	725	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	143	2.0	1	1	1	2	2	4	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**143**	**2.0**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	1.0								0-17	2683	1.4	1	< 1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**1.0**									**2683**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**10**	**1.0**									**2825**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	1.9	1							0-17	20	3.0	1						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**43**	**1.9**	**1**								**20**	**3.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	420	1.5	1	< 1	1	1	2	3	3	0-17	448	1.3		< 1	< 1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**420**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**		**448**	**1.3**		**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**462**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**		**469**	**1.4**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**

DRG 341: Penis Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	312	8.5	236	2	4	5	6	11	34	0-17	53	3.5	9	< 1	1	2	8	8	8
70-74	302	6.6	10	3	5	7	8	12	12	18-34	43	3.3	7						
75-79	297	8.5	103	3	5	6	8	16	19	35-49	122	3.1	3	2	2	2	3	6	8
80-84	169	8.4	21	3	4	7	11	15	15	50-69	361	3.8	6	1	2	3	5	8	9
85 +	134	10.0	60	4	6	7	10	16	34	70 +	43	6.7	19						
SUBTOTAL	**1214**	**8.2**	**99**	3	4	6	8	**14**	**17**		**621**	**3.8**	**7**	**1**	**2**	**3**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	595	4.5	7	1	2	4	6	8	10	0-17	579	3.2	7	< 1	1	2	5	7	8
70-74	530	4.7	4	3	3	5	6	7	8	18-34	132	3.2	3	1	2	3	5	5	5
75-79	336	5.8	9	2	4	5	8	9	12	35-49	340	3.4	4	1	2	3	5	5	8
80-84	253	6.2	11	3	4	5	7	11	13	50-69	1288	4.1	7	1	2	4	5	7	9
85 +	118	11.3	206	5	6	9	11	13	53	70 +	47	3.8	3						
SUBTOTAL	**1832**	**5.5**	**23**	2	3	5	7	**9**	**11**		**2386**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**3046**	**6.6**	**55**	2	4	5	7	**11**	**13**		**3007**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	22	1.8	1							18-34	20	6.0	4						
35-49	31	27.3	790							35-49	22	3.9	2						
50-69	16	7.9	2							50-69	39	6.5	31						
70 +	0									70 +	6	3.0							
SUBTOTAL	**69**	**14.5**	**480**	**1**	**3**	**6**	**13**	**66**	**66**		**88**	**5.5**	**16**	**3**	**4**	**4**	**5**	**8**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	73	3.8	15	< 1	2	2	3	13	13	0-17	37	4.5	4						
18-34	6	5.0								18-34	37	3.8	2						
35-49	16	3.9	2							35-49	20	2.5	2						
50-69	16	3.9	6							50-69	47	2.3	1						
70 +	0									70 +	10	2.0							
SUBTOTAL	**112**	**3.9**	**11**	**2**	**2**	**2**	**5**	**7**	**13**		**151**	**3.2**	**3**	**1**	**2**	**4**	**4**	**6**	**6**
GRAND TOTAL	**181**	**7.9**	**215**	**1**	**2**	**3**	**7**	**13**	**66**		**238**	**4.0**	**9**	**1**	**2**	**4**	**5**	**6**	**8**

DRG 342: Circumcision Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	41	2.5	1	2	2	2	3	4	4	0-17	0								
70-74	16	2.0								18-34	31	1.7							
75-79	63	3.1	8	1	1	2	5	9	9	35-49	39	2.7	17						
80-84	39	4.7	32							50-69	53	4.3	28	<1	1	2	3	15	15
85 +	16	2.0								70 +	0								
SUBTOTAL	**175**	**3.1**	**11**	**1**	**2**	**2**	**2**	**9**	**14**		**122**	**3.1**	**18**	**<1**	**1**	**2**	**2**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	3.3	9							0-17	0								
70-74	33	1.9	1							18-34	96	1.1		<1	<1	1	1	2	2
75-79	61	1.0		<1	<1	1	1	1	1	35-49	112	1.4		<1	1	1	2	2	2
80-84	0									50-69	192	1.4		1	1	1	2	2	3
85 +	26	4.2	1							70 +	10	1.0							
SUBTOTAL	**147**	**2.2**	**3**	**<1**	**<1**	**1**	**3**	**5**	**7**		**410**	**1.3**		**<1**	**1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**322**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**9**		**532**	**1.7**	**5**	**<1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	6	6.0								35-49	16	1.0							
50-69	0									50-69	10	12.0							
70 +	0									70 +	0								
SUBTOTAL	**6**	**6.0**									**26**	**5.2**	**30**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	18	1.3							
35-49	0									35-49	22	1.3							
50-69	20	3.5	7							50-69	16	1.6							
70 +	6	1.0								70 +	0								
SUBTOTAL	**26**	**2.9**	**6**								**57**	**1.4**		**<1**	**<1**	**<1**	**2**	**2**	**2**
GRAND TOTAL	**33**	**3.5**	**6**								**84**	**2.6**	**13**	**<1**	**<1**	**1**	**2**	**12**	**12**

DRG 343: Circumcision Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	37	**1.0**							
0-17	369	1.0		< 1	< 1	< 1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	369	**1.0**		**<1**	**<1**	**<1**	**1**	**1**	**1**
	405	**1.0**		**<1**	**<1**	**<1**	**1**	**1**	**1**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	4.9	106	< 1	< 1	1	1	32	32
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**81**	**4.9**	**106**	**<1**	**<1**	**1**	**1**	**32**	**32**
GRAND TOTAL	**92**	**4.6**	**95**	**<1**	**1**	**1**	**1**	**32**	**32**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	90	1.2		< 1	< 1	< 1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	90	**1.2**		**<1**	**<1**	**<1**	**1**	**2**	**2**
	90	**1.2**		**<1**	**<1**	**<1**	**1**	**2**	**2**

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	165	13.3	310	2	5	8	12	31	76
70-74	86	6.3	7	4	5	6	7	8	14
75-79	94	12.8	65	5	5	11	17	29	29
80-84	41	5.3	14	2	2	3	7	13	13
85 +	104	8.4	12	4	5	8	10	14	15
SUBTOTAL	**489**	**10.3**	**131**	**3**	**5**	**7**	**12**	**17**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	118	5.3	3	4	4	5	7	7	8
70-74	47	7.0	3						
75-79	35	2.9	3						
80-84	37	4.1	3						
85 +	0								
SUBTOTAL	**236**	**5.1**	**4**	**2**	**4**	**5**	**6**	**7**	**9**
GRAND TOTAL	**725**	**8.6**	**96**	**3**	**5**	**6**	**9**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	10	7.0							
35-49	20	6.0							
50-69	81	14.4	372	2	4	7	14	64	64
70 +	0								
SUBTOTAL	**112**	**12.2**	**283**	**4**	**6**	**6**	**10**	**16**	**64**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	20	6.5	2						
35-49	6	6.0							
50-69	75	4.7	3	3	3	4	7	7	7
70 +	0								
SUBTOTAL	**102**	**5.2**	**3**	**3**	**4**	**5**	**7**	**8**	**8**
GRAND TOTAL	**214**	**8.8**	**161**	**3**	**4**	**6**	**7**	**14**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	9.0							
35-49	0								
50-69	16	7.3	25						
70 +	0								
SUBTOTAL	**26**	**7.9**	**16**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**26**	**7.9**	**16**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	12	14.5	2						
70 +	0								
SUBTOTAL	**12**	**14.5**	**2**						
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	16	2.7	1						
70 +	10	2.0							
SUBTOTAL	**26**	**2.5**	**1**						
GRAND TOTAL	**39**	**6.3**	**33**						

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	98	5.6	10	2	4	4	9	11	11
70-74	90	7.2	23	2	4	5	10	12	20
75-79	147	5.8	28	1	2	3	7	17	17
80-84	41	10.0	17						
85 +	39	17.7	51						
SUBTOTAL	**414**	**7.6**	**36**	**2**	**3**	**6**	**11**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	61	2.5	1	< 1	1	3	4	4	4
70-74	61	2.7	1	1	2	3	4	4	4
75-79	20	5.0							
80-84	12	3.0	1						
85 +	43	5.5	11						
SUBTOTAL	**198**	**3.5**	**5**	**1**	**2**	**3**	**4**	**5**	**9**
GRAND TOTAL	**611**	**6.3**	**29**	**2**	**3**	**4**	**9**	**13**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	0								
50-69	55	10.4	12	6	9	10	10	19	19
70 +	0								
	65	**8.9**	**22**	**1**	**7**	**9**	**10**	**13**	**19**
0-17	0								
18-34	6	1.0							
35-49	43	1.7	1						
50-69	141	3.6	21	1	1	2	5	7	7
70 +	0								
	189	**3.1**	**17**	**1**	**1**	**2**	**3**	**6**	**7**
	255	**4.6**	**24**	**1**	**1**	**2**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	20	6.5							
70 +	10	2.0							
	31	**5.0**	**5**						
	31	**5.0**	**5**						

DRG 346: Malignancy, Male Reproductive System, w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	346	11.2	109	2	3	8	17	25	29
70-74	385	9.6	101	2	3	5	12	17	41
75-79	418	7.8	49	2	3	5	8	19	22
80-84	379	10.4	172	2	3	6	12	20	35
85 +	287	9.2	126	2	4	5	12	18	32
SUBTOTAL	1815	9.6	111	2	3	6	12	22	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1815	9.6	111	2	3	6	12	22	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	20	4.5	13						
18-34	31	7.7							
35-49	20	7.0							
50-69	200	6.4	26	2	3	5	8	13	20
70 +	16	39.2	1223						
SUBTOTAL	287	8.3	142	2	3	7	8	13	23
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	287	8.3	142	2	3	7	8	13	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	5.0							
35-49	10	8.0							
50-69	26	3.8							
70 +	10	2.0							
SUBTOTAL	53	4.4	4	2	3	4	5	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	53	4.4	4	2	3	4	5	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	20	25.5	7						
70 +	0								
SUBTOTAL	20	25.5	7						
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	20	25.5	7						

DRG 347: Malignancy, Male Reproductive System, w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	0										0-17	0									
70-74	0										18-34	0									
75-79	0										35-49	0									
80-84	0										50-69	0									
85 +	0										70 +	0									
SUBTOTAL	0											0									
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	171	2.8	5	< 1	1	2	4	7	8		0-17	0									
70-74	155	1.8	3	< 1	1	1	2	3	3		18-34	6	1.0								
75-79	136	1.8	1	1	1	1	3	3	3		35-49	22	7.2	41							
80-84	88	3.0	12	< 1	1	1	5	5	14		50-69	90	2.1	5	< 1	1	1	2	3	10	
85 +	61	4.8	34	< 1	1	3	4	15	20		70 +	0									
SUBTOTAL	611	2.6	8	< 1	1	1	3	5	8			118	3.0	16	< 1	1	1	2	10	14	
GRAND TOTAL	611	2.6	8	< 1	1	1	3	5	8			118	3.0	16	< 1	1	1	2	10	14	

	MEDICAID										NO INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	0										50-69	0									
70 +	0										70 +	0									
SUBTOTAL	0											0									
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	10	1.0									0-17	0									
18-34	0										18-34	10	1.0								
35-49	0										35-49	0									
50-69	0										50-69	6	3.0								
70 +	0										70 +	6	13.0								
SUBTOTAL	10	1.0										22	4.8	27							
GRAND TOTAL	10	1.0										22	4.8	27							

DRG 348: Benign Prostatic Hypertrophy w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	275	6.4	56	1	1	3	8	18	25
70-74	295	8.0	283	< 1	1	3	6	18	21
75-79	293	4.1	12	1	2	3	5	8	11
80-84	242	6.8	20	2	3	7	10	15	16
85 +	251	9.0	101	1	3	6	10	20	27
SUBTOTAL	**1357**	**6.8**	**100**	**1**	**2**	**4**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1357**	**6.8**	**100**	**1**	**2**	**4**	**8**	**15**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	6	1.0							
50-69	275	3.0	4	< 1	1	2	4	6	7
70 +	24	1.8							
	306	**2.9**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	306	**2.9**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	4.0							
70 +	10	12.0							
SUBTOTAL	**20**	**8.0**	**17**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20**	**8.0**	**17**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	37	2.2	2	< 1	< 1	1	3	5	5
70 +	6	6.0							
	43	**2.7**	**4**	**< 1**	**< 1**	**2**	**5**	**6**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	43	**2.7**	**4**	**< 1**	**< 1**	**2**	**5**	**6**	**6**

DRG 349: Benign Prostatic Hypertrophy w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	257	1.9	2	< 1	1	1	2	4	6	0-17	0								
70-74	302	2.1	3	< 1	1	1	3	4	4	18-34	0								
75-79	249	2.9	6	< 1	1	3	4	7	8	35-49	37	2.1							
80-84	163	3.3	4	< 1	1	3	5	6	6	50-69	589	2.0	2	1	1	1	3	4	5
85 +	84	4.5	11	1	2	4	7	11	11	70 +	22	1.0							
SUBTOTAL	**1053**	**2.6**	**5**	**< 1**	**1**	**2**	**4**	**6**	**7**		**648**	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**1053**	**2.6**	**5**	**< 1**	**1**	**2**	**4**	**6**	**7**		**648**	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	6	3.0							
50-69	10	1.0								50-69	53	1.9	1	< 1	1	1	3	4	4
70 +	0									70 +	31	5.3	39						
SUBTOTAL	**10**	**1.0**									**90**	**3.2**	**16**	**< 1**	**1**	**1**	**3**	**14**	**14**
GRAND TOTAL	**10**	**1.0**									**90**	**3.2**	**16**	**< 1**	**1**	**1**	**3**	**14**	**14**

DRG 350: Inflammation of the Male Reproductive System

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	340	6.9	13	3	5	7	8	10	12	0-17	12	3.5	2						
70-74	147	7.3	9	3	4	7	11	11	11	18-34	116	3.7	5	2	3	3	4	6	9
75-79	251	8.4	33	3	5	7	9	19	21	35-49	312	5.1	7	2	3	5	6	10	10
80-84	116	7.2	16	3	5	6	9	12	18	50-69	613	5.6	10	2	4	5	7	10	12
85 +	102	8.1	23	4	5	7	8	16	21	70 +	12	4.5	2						
SUBTOTAL	**955**	**7.5**	**19**	**3**	**5**	**7**	**9**	**12**	**19**		**1065**	**5.2**	**9**	**2**	**3**	**5**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	318	4.5	6	2	3	4	5	8	9	0-17	236	3.6	8	< 1	1	3	5	7	10
70-74	208	4.9	9	2	2	4	8	8	10	18-34	658	4.2	7	1	3	4	5	8	10
75-79	75	5.4	18	2	2	3	6	15	15	35-49	613	4.5	6	1	3	4	6	8	9
80-84	67	6.0	14	2	4	5	6	14	14	50-69	733	4.9	6	2	3	5	6	7	8
85 +	12	11.0	17							70 +	10	10.0							
SUBTOTAL	**680**	**5.0**	**10**	**2**	**3**	**4**	**6**	**9**	**11**		**2251**	**4.5**	**6**	**1**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1636**	**6.5**	**17**	**2**	**4**	**6**	**8**	**11**	**15**		**3317**	**4.7**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	53	4.3	2	3	3	4	6	6	6	18-34	100	4.5	5	2	2	5	6	7	8
35-49	26	7.8	13							35-49	26	4.7	4						
50-69	77	10.9	127	2	5	9	9	39	39	50-69	61	9.6	61	3	4	5	19	22	22
70 +	0									70 +	0								
SUBTOTAL	**157**	**8.1**	**74**	**3**	**4**	**6**	**9**	**12**	**39**		**187**	**6.2**	**29**	**2**	**3**	**5**	**7**	**19**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	81	1.9	1	< 1	< 1	1	3	4	4	0-17	53	3.1	12	< 1	1	1	3	10	10
18-34	55	4.6	2	2	3	5	6	6	6	18-34	208	3.6	5	1	2	3	6	7	7
35-49	53	4.1	7	1	2	3	7	8	8	35-49	98	3.8	4	1	2	3	6	7	7
50-69	22	4.3								50-69	63	6.2	15	3	3	5	9	14	14
70 +	6	11.0								70 +	10	10.0							
SUBTOTAL	**218**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**432**	**4.1**	**9**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**375**	**5.5**	**39**	**1**	**2**	**4**	**6**	**9**	**12**		**619**	**4.7**	**16**	**1**	**2**	**4**	**6**	**8**	**10**

DRG 351: Sterilization, Male

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6	1.0							
35-49	37	1.0		< 1	< 1	< 1	< 1	1	1
50-69	0								
70 +	0								
	43	**1.0**		**<1**	**<1**	**<1**	**<1**	**1**	**1**
	43	**1.0**		**<1**	**<1**	**<1**	**<1**	**1**	**1**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	12	1.0							
35-49	0								
50-69	0								
70 +	0								
	12	**1.0**							
	12	1.0							

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	41	3.2	12	< 1	1	2	4	11	11	0-17	6	1.0							
70-74	45	5.1	3	4	4	4	6	9	9	18-34	35	2.7	4						
75-79	10	3.0								35-49	20	1.0							
80-84	6	2.0								50-69	37	5.2	8						
85 +	6	11.0								70 +	0								
SUBTOTAL	**108**	**4.4**	**9**	**1**	**2**	**4**	**6**	**11**	**11**		**98**	**3.2**	**7**	**< 1**	**1**	**2**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	157	1.4	1	< 1	< 1	< 1	2	3	3
70-74	22	1.8	2							18-34	208	2.1	2	< 1	1	2	2	5	5
75-79	33	5.1	7							35-49	143	1.8	1	< 1	1	2	2	2	4
80-84	0									50-69	106	2.0	1	< 1	1	2	2	3	5
85 +	0									70 +	0								
SUBTOTAL	**55**	**3.8**	**8**	**< 1**	**1**	**3**	**6**	**8**	**8**		**613**	**1.8**	**1**	**< 1**	**< 1**	**2**	**2**	**3**	**5**
GRAND TOTAL	**163**	**4.2**	**9**	**1**	**2**	**4**	**6**	**9**	**11**		**711**	**2.0**	**2**	**< 1**	**< 1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	2.0							
18-34	20	7.5	32							18-34	10	2.0							
35-49	0									35-49	0								
50-69	10	5.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**31**	**6.7**	**22**								**16**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	49	1.1		< 1	< 1	< 1	1	2	2	0-17	47	1.4	1						
18-34	10	3.0								18-34	102	1.9	1	1	1	2	2	3	4
35-49	26	3.7	4							35-49	6	2.0							
50-69	0									50-69	43	6.3	80						
70 +	0									70 +	0								
SUBTOTAL	**86**	**2.1**	**3**	**< 1**	**< 1**	**1**	**3**	**6**	**6**		**198**	**2.7**	**21**	**< 1**	**1**	**1**	**2**	**3**	**15**
GRAND TOTAL	**116**	**3.3**	**12**	**< 1**	**< 1**	**2**	**5**	**6**	**13**		**214**	**2.7**	**19**	**< 1**	**1**	**2**	**2**	**3**	**4**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	104	13.9	107	6	7	11	16	25	43	0-17	10	13.0								
70-74	102	10.8	11	7	8	11	12	15	19	18-34	20	9.0	1							
75-79	47	19.3	67							35-49	175	9.0	10	6	7	8	9	15	15	
80-84	26	9.5	2							50-69	161	14.1	60	6	8	12	17	26	35	
85 +	20	17.0	17							70 +	0									
SUBTOTAL	**300**	**13.5**	**62**	**7**	**8**	**11**	**16**	**23**	**29**		**367**	**11.3**	**37**	**6**	**8**	**9**	**15**	**17**	**26**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	37	10.2	28							0-17	0									
70-74	31	7.3	6							18-34	47	8.0	8							
75-79	20	7.0	1							35-49	224	9.5	10	6	7	9	12	12	14	
80-84	10	13.0								50-69	110	8.4	10	6	6	7	11	12	16	
85 +	0									70 +	0									
SUBTOTAL	**98**	**8.9**	**16**	**5**	**6**	**8**	**11**	**13**	**21**		**381**	**9.0**	**10**	**6**	**7**	**8**	**12**	**12**	**16**	
GRAND TOTAL	**397**	**12.4**	**55**	**6**	**8**	**11**	**13**	**22**	**28**		**748**	**10.1**	**25**	**6**	**7**	**9**	**12**	**16**	**17**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	31	8.7	4							18-34	0									
35-49	20	21.0	17							35-49	31	23.7	35							
50-69	10	17.0								50-69	37	9.8	21							
70 +	0									70 +	0									
SUBTOTAL	**61**	**14.2**	**40**	**6**	**10**	**13**	**17**	**25**	**25**		**67**	**16.1**	**75**	**6**	**7**	**16**	**25**	**30**	**30**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	10	5.0								18-34	0									
35-49	10	17.0								35-49	10	11.0								
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**20**	**11.0**	**38**								**10**	**11.0**								
GRAND TOTAL	**82**	**13.4**	**41**	**5**	**9**	**17**	**17**	**25**	**25**		**77**	**15.4**	**68**	**6**	**7**	**16**	**25**	**30**	**30**	

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	601	11.0	72	6	7	8	12	19	24
70-74	554	9.5	63	5	6	8	10	17	19
75-79	326	10.7	79	6	7	9	10	17	28
80-84	232	10.8	18	5	8	10	13	17	18
85 +	98	12.5	51	8	8	9	14	17	37
SUBTOTAL	**1811**	**10.5**	**63**	**5**	**7**	**8**	**12**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1811**	**10.5**	**63**	**5**	**7**	**8**	**12**	**17**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	5.0							
18-34	124	9.2	54	4	5	6	9	16	31
35-49	452	7.3	11	4	5	6	8	13	14
50-69	972	9.2	35	5	6	7	9	13	23
70 +	26	15.3	105						
	1585	**8.7**	**32**	**5**	**6**	**7**	**9**	**13**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1585	**8.7**	**32**	**5**	**6**	**7**	**9**	**13**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	26	7.5	4						
35-49	12	7.0	10						
50-69	106	11.1	70	4	6	9	12	12	35
70 +	10	8.0							
SUBTOTAL	**155**	**9.9**	**52**	**4**	**6**	**8**	**12**	**12**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**155**	**9.9**	**52**	**4**	**6**	**8**	**12**	**12**	**35**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	8.0							
35-49	57	8.6	30	5	6	6	8	20	20
50-69	137	9.4	6	7	8	9	12	13	14
70 +	22	6.6	5						
	226	**8.9**	**12**	**6**	**6**	**8**	**10**	**13**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	226	**8.9**	**12**	**6**	**6**	**8**	**10**	**13**	**14**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	619	6.5	4	4	5	6	7	9	12	0-17	0								
70-74	499	6.1	2	5	5	6	8	8	8	18-34	495	4.6	3	2	4	4	5	7	8
75-79	224	6.2	4	4	5	6	7	8	10	35-49	1118	5.0	2	3	4	5	6	7	7
80-84	108	6.9	3	5	5	7	7	10	10	50-69	1351	5.9	3	4	5	6	7	8	9
85 +	59	8.3	3	5	7	9	10	11	11	70 +	20	7.5							
SUBTOTAL	1510	6.4	4	4	5	6	7	9	10		2985	5.4	3	3	4	5	6	8	8
GRAND TOTAL	1510	6.4	4	4	5	6	7	9	10		2985	5.4	3	3	4	5	6	8	8

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	10	16.0							
18-34	216	4.4	3	3	3	4	5	7	7	18-34	49	4.4	3	2	3	5	5	7	7
35-49	114	5.4	3	3	5	5	6	8	8	35-49	110	6.0	5	4	4	6	7	9	11
50-69	67	5.4	2	4	4	5	7	7	7	50-69	126	6.2	7	4	5	5	7	10	13
70 +	0									70 +	0								
SUBTOTAL	397	4.9	3	3	4	5	6	7	8		295	6.2	9	4	4	5	7	10	13
GRAND TOTAL	397	4.9	3	3	4	5	6	7	8		295	6.2	9	4	4	5	7	10	13

DRG 356: Female Reproductive System Reconstructive Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	566	8.9	91	4	5	7	9	12	18
70-74	513	7.2	24	3	4	6	7	13	20
75-79	324	9.0	52	4	5	7	9	18	23
80-84	189	9.1	17	4	7	9	10	15	17
85 +	39	4.4	3						
SUBTOTAL	**1632**	**8.3**	**53**	**4**	**5**	**6**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1300	5.0	4	3	4	5	6	8	9
70-74	1059	5.0	4	3	4	5	6	7	8
75-79	613	5.0	2	3	4	5	6	7	8
80-84	273	5.7	4	3	5	6	7	7	9
85 +	112	7.4	48	3	4	5	6	13	28
SUBTOTAL	**3357**	**5.1**	**5**	**3**	**4**	**5**	**6**	**7**	**8**
GRAND TOTAL	**4989**	**6.1**	**23**	**3**	**4**	**5**	**7**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	108	5.4	5	3	4	4	7	8	10
35-49	489	5.9	8	3	4	5	7	9	11
50-69	923	6.4	11	3	4	6	8	9	12
70 +	43	5.3	3						
	1562	**6.2**	**10**	**3**	**4**	**6**	**7**	**9**	**11**
0-17	0								
18-34	418	5.0	5	3	3	5	7	8	9
35-49	2335	4.8	4	3	4	4	6	7	8
50-69	3610	4.8	5	3	3	4	6	7	8
70 +	37	5.7	5						
	6399	**4.8**	**4**	**3**	**3**	**5**	**6**	**7**	**8**
	7961	**5.1**	**6**	**3**	**4**	**5**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	3.0							
35-49	47	7.1	8	3	4	8	9	12	12
50-69	75	6.4	3	4	5	7	8	8	8
70 +	20	22.5	221						
SUBTOTAL	**159**	**8.3**	**62**	**3**	**4**	**8**	**8**	**11**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	96	4.2	5	1	2	4	6	7	9
35-49	236	4.9	4	2	3	4	7	7	9
50-69	84	4.6	3	2	3	5	6	6	8
70 +	6	5.0							
SUBTOTAL	**422**	**4.7**	**4**	**2**	**3**	**4**	**6**	**7**	**9**
GRAND TOTAL	**581**	**5.7**	**22**	**2**	**3**	**5**	**7**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	12	5.0							
50-69	37	5.2	5	3	3	4	7	9	9
70 +	0								
	49	**5.1**	**4**	**3**	**4**	**5**	**6**	**9**	**9**
0-17	0								
18-34	29	2.5	3						
35-49	116	4.5	5	2	3	4	5	8	10
50-69	173	4.2	2	2	4	4	5	6	6
70 +	10	7.0							
	328	**4.2**	**3**	**2**	**3**	**4**	**5**	**7**	**7**
	377	**4.4**	**3**	**2**	**3**	**4**	**5**	**7**	**7**

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	405	12.9	44	6	8	12	15	19	29	0-17	0								
70-74	422	14.3	40	8	10	13	17	23	28	18-34	75	8.2	6	5	5	10	10	11	11
75-79	220	15.0	237	6	7	10	16	21	43	35-49	450	10.1	21	5	6	9	14	17	19
80-84	114	23.1	95	13	14	21	32	38	42	50-69	868	11.3	30	6	8	10	13	17	21
85+	35	15.0	54							70+	31	11.3	1						
SUBTOTAL	**1196**	**14.8**	**91**	**7**	**8**	**13**	**17**	**25**	**32**		**1424**	**10.8**	**26**	**6**	**7**	**10**	**13**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	108	8.8	6	6	7	9	10	12	15	0-17	12	5.0							
70-74	151	7.5	6	4	5	8	9	12	12	18-34	210	5.3	3	3	4	5	6	7	8
75-79	79	8.0	3	7	7	8	9	9	12	35-49	424	5.8	2	4	5	6	7	8	8
80-84	43	7.5	2							50-69	363	6.8	4	4	5	7	8	9	11
85+	22	12.7	12							70+	10	6.0							
SUBTOTAL	**403**	**8.2**	**7**	**5**	**7**	**8**	**9**	**12**	**13**		**1019**	**6.0**	**3**	**4**	**5**	**6**	**7**	**8**	**9**
GRAND TOTAL	**1599**	**13.2**	**78**	**6**	**8**	**11**	**16**	**21**	**29**		**2443**	**8.8**	**22**	**5**	**6**	**8**	**11**	**14**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	49	6.6	2	5	5	7	8	8	8
35-49	12	7.0	1							35-49	55	9.7	49	4	4	5	19	22	22
50-69	55	10.5	10	6	7	11	13	15	15	50-69	77	10.6	14	7	8	9	14	15	18
70+	0									70+	16	16.4	20						
SUBTOTAL	**67**	**9.9**	**10**	**6**	**7**	**8**	**13**	**14**	**15**		**198**	**9.9**	**27**	**5**	**5**	**8**	**13**	**19**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	4.0							
18-34	20	5.0	4							18-34	57	6.0	10	3	3	6	7	12	12
35-49	6	6.0								35-49	61	9.2	11	4	6	10	13	13	13
50-69	20	6.5								50-69	20	11.0	1						
70+	0									70+	6	8.0							
SUBTOTAL	**47**	**5.8**	**2**								**151**	**8.0**	**12**	**3**	**4**	**7**	**11**	**13**	**13**
GRAND TOTAL	**114**	**8.2**	**11**	**6**	**6**	**7**	**11**	**14**	**15**		**348**	**9.0**	**22**	**4**	**5**	**8**	**12**	**15**	**19**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1339	8.0	43	4	5	7	9	14	17	0-17	132	5.7	13	3	3	5	7	12	12
70-74	1021	7.7	15	5	5	7	9	12	16	18-34	4242	5.5	9	3	4	5	6	8	10
75-79	707	8.3	21	5	6	7	9	13	19	35-49	12363	6.4	10	4	5	6	7	9	12
80-84	293	11.5	78	5	7	8	12	19	35	50-69	3696	7.2	25	4	5	6	8	10	13
85 +	179	13.2	210	6	8	8	12	19	70	70 +	90	11.4	48	6	7	8	10	27	27
SUBTOTAL	**3539**	**8.5**	**44**	**5**	**6**	**7**	**9**	**15**	**17**		**20523**	**6.4**	**13**	**4**	**5**	**6**	**7**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3539**	**8.5**	**44**	**5**	**6**	**7**	**9**	**15**	**17**		**20523**	**6.4**	**13**	**4**	**5**	**6**	**7**	**9**	**12**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	8.0								0-17	39	6.2	3						
18-34	658	6.4	16	3	4	6	7	9	13	18-34	475	5.1	10	2	3	5	6	8	13
35-49	581	6.7	10	4	5	[illegible]	8	11	14	35-49	1345	6.9	16	4	5	6	7	12	14
50-69	102	6.9	8	3	5	7	9	11	11	50-69	257	5.9	2	4	5	6	7	8	8
70 +	0									70 +	20	5.5							
SUBTOTAL	**1351**	**6.6**	**13**	**3**	**4**	**6**	**8**	**11**	**13**		**2135**	**6.4**	**13**	**3**	**4**	**6**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1351**	**6.6**	**13**	**3**	**4**	**6**	**8**	**11**	**13**		**2135**	**6.4**	**13**	**3**	**4**	**6**	**7**	**10**	**13**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2583	5.7	4	4	4	6	7	8	9	0-17	756	4.1	3	2	3	4	5	6	7
70-74	1793	5.9	3	4	5	6	7	8	9	18-34	22701	4.1	3	2	3	4	5	6	7
75-79	856	6.7	18	4	5	6	8	9	12	35-49	39335	4.9	3	3	4	5	6	7	7
80-84	251	6.2	3	4	5	6	8	8	9	50-69	9931	5.3	3	4	4	5	6	7	8
85 +	132	7.8	10	5	6	7	8	15	15	70 +	116	5.1	3	3	4	5	6	7	8
SUBTOTAL	**5615**	**6.0**	**6**	**4**	**5**	**6**	**7**	**8**	**9**		**72839**	**4.7**	**3**	**3**	**4**	**5**	**6**	**7**	**7**
GRAND TOTAL	**5615**	**6.0**	**6**	**4**	**5**	**6**	**7**	**8**	**9**		**72839**	**4.7**	**3**	**3**	**4**	**5**	**6**	**7**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	67	3.7	2	2	3	4	5	5	5	0-17	175	4.6	3	2	4	5	5	7	7
18-34	2208	4.2	4	2	3	4	5	6	7	18-34	2512	3.8	5	1	3	4	5	6	6
35-49	1289	5.0	3	3	4	5	6	7	8	35-49	2667	5.0	4	3	4	5	6	7	8
50-69	230	5.8	1	4	5	6	6	7	8	50-69	788	5.6	5	4	4	5	6	7	11
70 +	10	7.0								70 +	33	5.9	5						
SUBTOTAL	**3805**	**4.6**	**4**	**2**	**4**	**4**	**6**	**7**	**7**		**6175**	**4.6**	**5**	**2**	**3**	**4**	**6**	**7**	**8**
GRAND TOTAL	**3805**	**4.6**	**4**	**2**	**4**	**4**	**6**	**7**	**7**		**6175**	**4.6**	**5**	**2**	**3**	**4**	**6**	**7**	**8**

DRG 360: Vagina, Cervix & Vulva Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	206	11.4	394	1	2	5	11	39	91	0-17	39	2.1	3						
70-74	137	6.6	24	2	3	7	9	25	99 +	18-34	200	2.5	6	< 1	1	1	3	7	8
75-79	122	8.2	143	1	1	4	11	15	45	35-49	220	4.1	19	1	1	2	8	10	10
80-84	65	9.4	38	3	4	10	13	17	22	50-69	143	8.2	63	1	3	5	15	21	21
85 +	79	9.3	97	1	2	5	25	26	26	70 +	0								
SUBTOTAL	**609**	**9.2**	**186**	**1**	**2**	**5**	**11**	**25**	**45**		**601**	**4.4**	**29**	**1**	**1**	**2**	**6**	**10**	**17**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	261	2.6	5	1	1	2	3	5	7	0-17	132	1.9	3	1	1	1	2	5	7
70-74	132	3.1	4	< 1	1	3	5	6	6	18-34	1373	1.5	1	< 1	< 1	1	2	3	4
75-79	151	3.4	6	1	2	2	4	8	9	35-49	1178	1.7	2	< 1	< 1	1	2	4	4
80-84	102	2.9	5	< 1	1	2	4	6	9	50-69	497	2.8	5	< 1	1	2	4	6	8
85 +	92	3.8	6	2	2	3	5	10	10	70 +	16	1.0							
SUBTOTAL	**738**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**9**		**3196**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1347**	**5.8**	**97**	**1**	**2**	**3**	**6**	**11**	**23**		**3798**	**2.2**	**7**	**< 1**	**1**	**1**	**2**	**5**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	6	12.0							
18-34	26	2.5	1							18-34	59	1.9	1	< 1	1	2	2	4	5
35-49	37	1.2								35-49	10	9.0							
50-69	18	5.3	7							50-69	37	7.7	20						
70 +	16	3.9	2							70 +	0								
SUBTOTAL	**98**	**2.8**	**4**	**1**	**1**	**2**	**3**	**6**	**8**		**112**	**5.0**	**19**	**1**	**1**	**2**	**7**	**12**	**14**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	47	1.9	1							0-17	75	1.8	1	< 1	1	2	3	3	3
18-34	249	2.2	4	< 1	1	1	2	6	8	18-34	375	1.4	1	< 1	1	1	1	2	4
35-49	94	2.0	2	< 1	1	1	4	4	4	35-49	149	1.5	1	< 1	< 1	1	2	3	3
50-69	31	3.7	2							50-69	33	2.6	1						
70 +	20	2.0	1							70 +	6	3.0							
SUBTOTAL	**440**	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**		**638**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**538**	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**		**750**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 361: Laparoscopy & Incisional Tubal Interruption

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	59	4.9	45	1	1	2	5	18	24	0-17	57	3.0	4	< 1	1	2	5	5	5
70-74	0									18-34	467	3.4	10	1	1	2	5	7	9
75-79	20	1.5								35-49	175	2.7	6	1	1	2	3	4	11
80-84	0									50-69	10	13.0							
85 +	0									70 +	0								
SUBTOTAL	**79**	**4.0**	**36**	**1**	**1**	**2**	**4**	**5**	**24**		**709**	**3.3**	**10**	**1**	**1**	**2**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	2.7	2							0-17	289	3.3	3	1	2	3	5	6	6
70-74	0									18-34	4431	2.2	4	< 1	1	1	3	5	6
75-79	0									35-49	2180	2.0	3	< 1	1	1	3	4	5
80-84	0									50-69	108	1.3		< 1	< 1	1	2	2	2
85 +	0									70 +	0								
SUBTOTAL	**37**	**2.7**	**2**								**7008**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**116**	**3.6**	**25**	**1**	**1**	**2**	**4**	**5**	**18**		**7717**	**2.3**	**4**	**< 1**	**1**	**1**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	124	3.5	5	1	2	2	6	7	7	18-34	108	5.1	15	1	2	4	9	12	13
35-49	43	3.5	7							35-49	16	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**167**	**3.5**	**5**	**1**	**1**	**2**	**6**	**7**	**7**		**124**	**4.6**	**15**	**1**	**1**	**3**	**6**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	77	3.1	5	1	1	3	6	6	7	0-17	65	3.6	11	1	2	2	4	11	11
18-34	764	2.7	6	< 1	1	2	3	7	7	18-34	913	2.7	6	< 1	1	1	4	7	8
35-49	141	2.1	2	< 1	1	2	3	5	5	35-49	330	1.7	4	< 1	1	1	2	3	4
50-69	6	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**988**	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**6**	**7**		**1308**	**2.5**	**6**	**< 1**	**1**	**1**	**3**	**6**	**8**
GRAND TOTAL	**1155**	**2.8**	**6**	**< 1**	**1**	**2**	**3**	**6**	**7**		**1432**	**2.7**	**7**	**< 1**	**1**	**1**	**3**	**7**	**9**

DRG 362: Endoscopic Tubal Interruption

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	41	1.4	1	1	1	1	2	3	3
75-79	0									35-49	6	2.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**47**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	334	1.0		< 1	< 1	< 1	< 1	< 1	1
75-79	0									35-49	179	1.1		< 1	< 1	< 1	1	1	2
80-84	0									50-69	6	1.0							
85 +	0									70 +	0								
SUBTOTAL	**0**										**519**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
GRAND TOTAL	**0**										**566**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	22	1.0								18-34	20	2.0	1						
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**22**	**1.0**									**20**	**2.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	90	1.0		< 1	< 1	< 1	< 1	1	1	18-34	118	1.1		< 1	< 1	< 1	1	1	2
35-49	6	1.0								35-49	122	1.1		< 1	< 1	< 1	1	1	2
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**96**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**		**240**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**118**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**		**261**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**

DRG 363: D&C, Conization & Radio-Implant, for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	192	3.2	4	1	2	3	4	7	7	0-17	0								
70-74	247	10.9	348	1	2	4	12	35	91	18-34	31	3.3	7						
75-79	102	7.2	77	2	2	3	8	25	29	35-49	84	3.9	8	1	2	3	4	10	10
80-84	90	10.5	81	3	3	5	21	26	26	50-69	134	5.1	20	2	2	3	7	12	16
85 +	90	15.7	330	4	5	10	22	29	75	70 +	10	4.0							
SUBTOTAL	**719**	**8.9**	**198**	**2**	**2**	**4**	**8**	**25**	**30**		**259**	**4.4**	**14**	**1**	**2**	**3**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	175	1.8	2	1	1	1	2	3	6	0-17	0								
70-74	157	3.3	4	1	2	4	4	6	8	18-34	438	1.5	1	< 1	1	1	2	3	3
75-79	75	2.6	2	< 1	1	3	4	4	4	35-49	369	2.3	3	1	1	2	3	4	5
80-84	86	2.9	2	1	2	3	4	4	6	50-69	428	2.9	4	1	2	2	4	4	6
85 +	53	4.3	30	1	2	3	4	19	19	70 +	20	3.0							
SUBTOTAL	**546**	**2.8**	**6**	**1**	**1**	**2**	**4**	**4**	**6**		**1255**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1265**	**6.3**	**124**	**1**	**2**	**3**	**6**	**14**	**26**		**1514**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	10	1.0							
35-49	22	3.3	1							35-49	31	10.7	156						
50-69	26	5.1	16							50-69	57	13.0	135	1	1	15	27	27	27
70 +	10	27.0								70 +	0								
SUBTOTAL	**59**	**8.2**	**83**	**2**	**2**	**3**	**10**	**27**	**27**		**98**	**11.0**	**139**	**< 1**	**1**	**3**	**27**	**28**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	10	1.0							
18-34	77	1.1		< 1	1	1	1	1	2	18-34	69	1.7		< 1	1	2	2	3	3
35-49	59	3.2	1	2	2	3	4	5	6	35-49	114	1.4	1	< 1	< 1	1	1	2	4
50-69	67	3.2	1	2	2	3	4	5	5	50-69	75	1.8	1	1	1	1	2	4	4
70 +	10	5.0								70 +	51	2.0							
SUBTOTAL	**214**	**2.5**	**2**	**1**	**1**	**2**	**4**	**5**	**5**		**320**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**273**	**3.7**	**25**	**1**	**1**	**2**	**4**	**5**	**10**		**418**	**3.8**	**49**	**< 1**	**1**	**1**	**2**	**4**	**27**

DRG 364: D&C, Conization except for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	181	4.0	25	1	1	2	4	17	18	0-17	20	6.0	4						
70 74	73	4.8	47	1	1	2	4	10	26	18-34	324	1.7	1	1	1	1	2	3	3
75-79	110	4.0	13	1	1	2	5	11	12	35-49	1031	2.1	4	1	1	1	2	5	6
80-84	61	8.3	44	2	3	6	14	21	21	50-69	434	2.5	4	1	1	2	3	6	7
85 +	35	5.7	13							70 +	0								
SUBTOTAL	**460**	**4.8**	**29**	**1**	**1**	**2**	**5**	**12**	**18**		**1809**	**2.2**	**4**	**1**	**1**	**1**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	249	1.4		< 1	1	1	2	2	3	0-17	24	2.8	1						
70-74	179	1.9	2	< 1	1	1	2	5	5	18-34	1338	1.4	1	< 1	< 1	1	1	2	4
75-79	104	2.7	5	< 1	1	2	5	6	8	35-49	3158	1.3	1	< 1	< 1	1	1	2	3
80-84	79	1.9	2	1	1	2	2	2	6	50-69	1312	1.4	1	< 1	< 1	1	1	2	3
85 +	81	2.4	2	< 1	1	2	3	5	5	70 +	16	1.7	1						
SUBTOTAL	**693**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**		**5849**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1153**	**3.1**	**15**	**< 1**	**1**	**2**	**3**	**6**	**12**		**7658**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**4**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	100	1.7	1	< 1	1	1	2	3	4	18-34	114	1.9	3	1	1	1	2	3	7
35-49	134	3.2	13	2	2	2	3	4	7	35-49	214	2.6	11	< 1	1	1	2	6	7
50-69	100	2.6	4	1	1	2	4	6	7	50-69	84	3.4	7	1	1	3	4	10	10
70 +	10	10.0								70 +	0								
SUBTOTAL	**344**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**		**412**	**2.6**	**8**	**1**	**1**	**1**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12	4.0	10							0-17	0								
18-34	194	1.9	3	< 1	< 1	1	2	5	6	18-34	277	1.7	5	< 1	< 1	1	1	3	9
35-49	212	1.4		< 1	1	1	2	2	3	35-49	540	1.2	1	< 1	< 1	1	1	1	2
50-69	100	1.6	1	< 1	1	1	2	3	4	50-69	200	1.5	1	< 1	< 1	1	2	3	4
70 +	0									70 +	6	1.0							
SUBTOTAL	**518**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**		**1023**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**862**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**7**		**1434**	**1.7**	**4**	**< 1**	**1**	**1**	**1**	**3**	**6**

DRG 365: Other Female Reproductive System O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	104	13.3	116	5	7	8	15	31	39	0-17	29	5.5	33						
70-74	81	9.5	20	5	7	9	11	20	20	18-34	147	11.0	320	2	4	5	9	15	75
75-79	84	16.0	56	6	10	16	20	30	30	35-49	130	15.5	362	4	5	6	15	44	69
80-84	63	18.6	163	5	6	13	35	37	37	50-69	167	9.9	39	4	6	8	13	16	30
85 +	18	18.3	202							70 +	12	11.0	4						
SUBTOTAL	**350**	**14.3**	**102**	**5**	**7**	**11**	**20**	**35**	**37**		**485**	**11.5**	**216**	**4**	**5**	**7**	**12**	**16**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	114	5.4	7	3	4	5	6	10	11	0-17	49	5.1	5	3	3	5	5	9	9
70-74	71	6.9	17	3	4	6	8	8	19	18-34	581	4.3	10	1	3	4	5	7	9
75-79	0									35-49	310	5.7	10	2	4	5	7	10	11
80-84	49	6.6	21	1	4	5	12	13	13	50-69	395	5.1	12	2	3	4	6	8	9
85 +	0									70 +	0								
SUBTOTAL	**234**	**6.1**	**13**	**3**	**4**	**5**	**8**	**12**	**13**		**1334**	**4.9**	**11**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**585**	**11.0**	**82**	**4**	**5**	**8**	**13**	**22**	**35**		**1819**	**6.7**	**74**	**2**	**4**	**5**	**7**	**11**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	10	7.0							
18-34	39	22.6	158							18-34	22	8.5	9						
35-49	67	11.4	34	8	8	8	13	24	24	35-49	20	5.5							
50-69	39	11.2	78							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**145**	**14.3**	**103**	**4**	**7**	**11**	**23**	**34**	**35**		**53**	**7.1**	**6**	**5**	**5**	**6**	**8**	**13**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	3.6								0-17	12	2.5							
18-34	159	5.8	7	3	4	6	8	9	10	18-34	118	4.9	5	2	3	4	6	8	10
35-49	59	3.9	5	1	2	4	6	7	7	35-49	65	7.7	13	4	4	8	10	14	14
50-69	20	5.5								50-69	22	4.8	1						
70 +	0									70 +	0								
SUBTOTAL	**265**	**5.1**	**6**	**2**	**3**	**5**	**6**	**9**	**9**		**218**	**5.6**	**9**	**3**	**4**	**4**	**7**	**10**	**12**
GRAND TOTAL	**409**	**8.4**	**59**	**3**	**4**	**6**	**9**	**23**	**24**		**271**	**5.9**	**9**	**3**	**4**	**5**	**7**	**11**	**13**

DRG 366: Malignancy, Female Reproductive System w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	242	10.3	198	1	3	7	10	22	34	0-17	0								
70-74	141	12.8	237	1	2	7	16	33	55	18-34	31	5.7	3						
75-79	100	12.3	145	2	8	9	14	18	56	35-49	82	12.5	502	1	2	5	8	71	71
80-84	145	19.4	190	2	8	17	36	43	43	50-69	230	10.3	174	1	3	6	10	39	46
85 +	92	16.7	145	3	5	13	22	43	43	70 +	22	7.0	25						
SUBTOTAL	**719**	**13.7**	**201**	**2**	**4**	**9**	**18**	**36**	**43**		**365**	**10.2**	**226**	**1**	**3**	**5**	**9**	**27**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**719**	**13.7**	**201**	**2**	**4**	**9**	**18**	**36**	**43**		**365**	**10.2**	**226**	**1**	**3**	**5**	**9**	**27**	**46**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	20	10.5	21							0-17	0								
18-34	0									18-34	0								
35-49	57	9.0	31	1	4	13	14	15	15	35-49	53	7.0	27	1	1	7	12	13	13
50-69	59	12.9	29	6	10	10	20	21	21	50-69	55	10.4	115	1	4	7	9	32	32
70 +	20	27.5	360							70 +	16	16.6	240						
SUBTOTAL	**157**	**13.1**	**103**	**4**	**6**	**10**	**15**	**21**	**46**		**124**	**9.8**	**101**	**1**	**3**	**7**	**12**	**32**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**157**	**13.1**	**103**	**4**	**6**	**10**	**15**	**21**	**46**		**124**	**9.8**	**101**	**1**	**3**	**7**	**12**	**32**	**34**

DRG 367: Malignancy, Female Reproductive System w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	84	3.4	5	< 1	1	4	5	7	7	0-17	16	8.1	6						
70-74	59	1.6	2	< 1	1	1	2	4	5	18-34	47	1.7	2						
75-79	16	1.6								35-49	126	1.4		< 1	1	1	2	2	2
80-84	10	10.0								50-69	165	2.5	5	1	1	1	3	5	7
85 +	0									70 +	0								
SUBTOTAL	**169**	**3.0**	**7**	**< 1**	**1**	**2**	**5**	**7**	**10**		**355**	**2.2**	**5**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**169**	**3.0**	**7**	**< 1**	**1**	**2**	**5**	**7**	**10**		**355**	**2.2**	**5**	**< 1**	**1**	**1**	**2**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	2.0								18-34	22	1.3							
35-49	26	3.1	3							35-49	16	1.0							
50-69	16	3.6								50-69	20	3.5	2						
70 +	0									70 +	0								
SUBTOTAL	**49**	**3.1**	**2**	**1**	**2**	**4**	**4**	**5**	**5**		**59**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**5**	**5**
GRAND TOTAL	**49**	**3.1**	**2**	**1**	**2**	**4**	**4**	**5**	**5**		**59**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**5**	**5**

DRG 368: Infections, Female Reproductive System

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	45	8.9	50	3	3	6	18	21	21	0-17	81	4.7	2	3	4	4	6	6	8
70-74	10	6.0								18-34	632	5.4	8	3	4	5	6	10	11
75-79	6	10.0								35-49	236	6.2	9	3	4	5	9	9	13
80-84	26	21.7	714							50-69	59	8.2	50	3	4	4	17	21	23
85 +	24	11.0	20							70 +	0								
SUBTOTAL	**112**	**12.2**	**218**	**3**	**3**	**9**	**12**	**21**	**66**		**1008**	**5.7**	**10**	**3**	**4**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	35	4.1	1							0-17	713	3.8	3	2	3	4	4	6	7
70-74	0									18-34	4121	4.2	6	2	3	4	5	7	8
75-79	0									35-49	1218	5.5	8	2	3	5	7	9	11
80-84	6	17.0								50-69	71	4.8	5	2	4	5	5	9	9
85 +	22	10.5	15							70 +	6	6.0							
SUBTOTAL	**63**	**7.6**	**24**	**3**	**4**	**5**	**11**	**16**	**17**		**6130**	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**175**	**10.5**	**152**	**3**	**4**	**7**	**12**	**18**	**21**		**7138**	**4.6**	**7**	**2**	**3**	**4**	**5**	**8**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	1.7	1							0-17	57	8.2	6	5	5	8	10	12	12
18-34	575	4.6	4	2	3	4	5	7	9	18-34	550	4.8	4	3	4	4	6	7	9
35-49	61	4.7	7	1	2	5	6	9	9	35-49	57	9.5	26	4	4	11	12	18	18
50-69	10	7.0								50-69	22	6.0	11						
70 +	0									70 +	0								
SUBTOTAL	**662**	**4.5**	**5**	**2**	**3**	**4**	**5**	**7**	**9**		**687**	**5.5**	**8**	**3**	**4**	**5**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	246	4.4	6	2	2	4	6	8	9	0-17	167	4.8	12	2	3	4	5	11	15
18-34	1626	4.3	10	2	3	4	5	7	8	18-34	2180	4.4	7	2	3	4	5	7	11
35-49	214	5.0	8	2	3	5	6	10	11	35-49	293	6.3	15	2	4	5	7	11	16
50-69	16	8.3	1							50-69	10	4.0							
70 +	0									70 +	0								
SUBTOTAL	**2102**	**4.4**	**10**	**2**	**3**	**4**	**5**	**8**	**9**		**2650**	**4.6**	**9**	**2**	**3**	**4**	**5**	**8**	**11**
GRAND TOTAL	**2765**	**4.4**	**9**	**2**	**3**	**4**	**5**	**8**	**9**		**3337**	**4.8**	**9**	**2**	**3**	**4**	**5**	**8**	**11**

Northeastern Region, July 1988 - June 1989

DRG 369: Menstrual & Other Female Reproductive System Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	122	3.0	6	1	1	2	3	6	9
70-74	55	5.0	19	< 1	2	4	6	16	16
75-79	63	5.5	9	2	2	5	7	11	11
80-84	79	5.0	15	1	2	4	7	8	16
85 +	67	11.7	72	2	3	8	22	23	23
SUBTOTAL	**387**	**5.6**	**30**	**1**	**2**	**4**	**7**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	167	2.6	5	< 1	< 1	2	3	6	9
70-74	47	1.3							
75-79	51	3.2	6	< 1	1	1	5	7	7
80-84	45	6.7	28	2	2	5	7	16	16
85 +	53	6.2	79	< 1	1	2	2	27	27
SUBTOTAL	**363**	**3.6**	**21**	**< 1**	**1**	**2**	**4**	**7**	**16**
GRAND TOTAL	**750**	**4.6**	**27**	**< 1**	**1**	**2**	**6**	**10**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	126	2.0	1	1	1	2	3	3	5
18-34	597	3.4	25	1	1	2	4	6	8
35-49	574	3.6	36	< 1	1	2	3	7	11
50-69	151	2.9	5	1	1	2	5	6	7
70 +	0								
	1449	**3.3**	**26**	**1**	**1**	**2**	**3**	**6**	**8**
0-17	1137	1.9	1	1	1	2	2	3	4
18-34	4132	2.4	3	1	1	2	3	4	6
35-49	1608	2.2	5	< 1	1	1	3	5	7
50-69	326	2.7	7	< 1	1	2	3	5	8
70 +	0								
	7202	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	8650	**2.5**	**7**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	2.7	2	< 1	1	2	4	5	5
18-34	118	2.4	3	1	1	2	3	4	7
35-49	151	2.5	3	1	1	2	3	5	7
50-69	37	3.6	4						
70 +	0								
SUBTOTAL	**369**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	183	2.4	3	1	1	2	3	5	6
18-34	632	2.1	2	< 1	1	2	3	4	6
35-49	177	2.0	1	< 1	1	2	3	3	5
50-69	37	3.8	9						
70 +	0								
SUBTOTAL	**1029**	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1398**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	1.7	1						
18-34	293	3.3	5	1	2	3	4	7	8
35-49	124	4.4	7	1	1	5	7	8	8
50-69	39	4.8	30						
70 +	6	5.0							
	499	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	240	1.8	1	< 1	1	2	2	3	3
18-34	1255	2.2	3	1	1	2	3	4	5
35-49	259	2.5	3	< 1	1	2	3	6	6
50-69	47	1.7	2						
70 +	0								
	1801	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	2300	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 370: Cesarean Section w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	92	6.3	7	4	5	5	7	13	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**92**	6.3	7	4	5	5	7	13	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**92**	6.3	7	4	5	5	7	13	13

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	493	7.1	29	4	5	6	7	10	16
18-34	24153	6.1	23	4	4	5	6	8	11
35-49	4797	6.8	31	4	5	5	7	9	13
50-69	0								
70 +	0								
	29443	6.2	24	4	4	5	6	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	29443	6.2	24	4	4	5	6	8	11

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	591	6.5	7	4	5	6	8	10	12
18-34	5811	6.5	21	4	5	5	7	9	13
35-49	454	7.1	13	5	5	6	7	12	17
50-69	0								
70 +	0								
SUBTOTAL	**6856**	6.5	19	4	5	5	7	9	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6856**	6.5	19	4	5	5	7	9	13

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	155	6.8	10	3	4	6	9	11	14
18-34	4374	6.1	15	4	5	5	6	9	12
35-49	636	6.1	6	4	5	5	7	10	11
50-69	0								
70 +	0								
	5165	6.1	13	4	5	5	7	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5165	6.1	13	4	5	5	7	9	12

DRG 371: Cesarean Section w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	161	5.2	1	4	5	5	6	6	8	0-17	819	4.9	2	4	4	5	5	6	8
70-74	0									18-34	102327	4.8	5	4	4	5	5	6	6
75-79	0									35-49	18208	5.1	6	4	4	5	5	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**161**	**5.2**	**1**	**4**	**5**	**5**	**6**	**6**	**8**		**121354**	**4.9**	**5**	**4**	**4**	**5**	**5**	**6**	**7**
GRAND TOTAL	**161**	**5.2**	**1**	**4**	**5**	**5**	**6**	**6**	**8**		**121354**	**4.9**	**5**	**4**	**4**	**5**	**5**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	962	5.0	2	4	4	5	5	7	8	0-17	389	4.8	2	4	4	5	5	6	6
18-34	14781	4.8	2	3	4	5	5	6	7	18-34	15614	4.8	4	3	4	5	5	6	7
35-49	793	6.1	20	4	4	5	6	7	11	35-49	1938	4.9	2	3	4	5	5	6	6
50-69	6	4.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16541**	**4.8**	**3**	**4**	**4**	**5**	**5**	**6**	**7**		**17940**	**4.8**	**4**	**3**	**4**	**5**	**5**	**6**	**7**
GRAND TOTAL	**16541**	**4.8**	**3**	**4**	**4**	**5**	**5**	**6**	**7**		**17940**	**4.8**	**4**	**3**	**4**	**5**	**5**	**6**	**7**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	33	3.6	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**33**	**3.6**	**3**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	5.2	28						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**43**	**5.2**	**28**						
GRAND TOTAL	**75**	**4.5**	**18**	**2**	**3**	**3**	**4**	**6**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	277	3.8	3	2	3	3	4	7	7
18-34	9795	3.7	9	2	2	3	4	6	7
35-49	1451	3.6	13	2	2	3	4	5	7
50-69	0								
70 +	0								
	11523	**3.7**	**9**	**2**	**2**	**3**	**4**	**6**	**7**
0-17	387	2.7	1	1	2	3	3	4	5
18-34	16501	3.3	6	2	2	3	3	5	6
35-49	2421	3.4	4	2	2	3	4	5	6
50-69	0								
70 +	0								
	19308	**3.3**	**6**	**2**	**2**	**3**	**4**	**5**	**6**
	30832	**3.4**	**7**	**2**	**2**	**3**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	242	4.7	23	2	3	3	5	7	10
18-34	2370	3.8	13	2	2	3	4	6	8
35-49	165	7.3	80	2	3	4	6	20	38
50-69	0								
70 +	0								
SUBTOTAL	**2777**	**4.1**	**19**	**2**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	503	3.5	8	2	3	3	3	5	7
18-34	3602	3.3	6	2	2	3	4	5	7
35-49	137	3.5	5	1	2	3	5	7	9
50-69	0								
70 +	0								
SUBTOTAL	**4242**	**3.4**	**6**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**7019**	**3.6**	**11**	**2**	**2**	**3**	**4**	**5**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	4.3	3	2	3	4	5	6	8
18-34	1701	3.8	10	2	2	3	4	6	8
35-49	194	3.8	2	2	3	3	4	7	8
50-69	0								
70 +	0								
	2005	**3.8**	**9**	**2**	**2**	**3**	**4**	**6**	**8**
0-17	206	2.6	1	1	2	2	3	4	4
18-34	3979	2.9	2	2	2	3	3	4	5
35-49	456	2.8	1	2	2	3	3	4	5
50-69	0								
70 +	0								
	4642	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
	6647	**3.1**	**4**	**2**	**2**	**3**	**3**	**5**	**6**

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	1.8	1							0-17	350	3.5	22	2	2	3	3	4	4
70-74	0									18-34	11341	3.5	16	2	2	3	4	5	6
75-79	0									35-49	1457	3.7	6	2	3	3	4	5	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**1.8**	**1**								**13149**	**3.5**	**15**	**2**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	308	2.8	1	2	2	3	3	4	5	0-17	4698	2.6	1	2	2	2	3	3	4
70-74	0									18-34	304332	2.6	1	2	2	3	3	3	4
75-79	0									35-49	39312	2.6	1	2	2	3	3	4	4
80-84	0									50-69	37	3.0	1						
85 +	0									70 +	0								
SUBTOTAL	**308**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**5**		**348379**	**2.6**	**1**	**2**	**2**	**3**	**3**	**3**	**4**
GRAND TOTAL	**334**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**		**361527**	**2.6**	**1**	**2**	**2**	**3**	**3**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	414	3.2	1	2	3	3	4	4	5	0-17	167	3.7	5	2	2	3	4	8	10
18-34	4285	3.2	11	2	2	3	3	4	5	18-34	3142	3.2	7	2	2	3	3	4	6
35-49	212	2.7	1	2	2	3	3	3	4	35-49	228	3.6	10	2	2	3	4	5	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4911**	**3.2**	**10**	**2**	**2**	**3**	**3**	**4**	**5**		**3537**	**3.2**	**7**	**2**	**2**	**3**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5323	2.6	1	2	2	3	3	4	4	0-17	2724	2.5	1	2	2	2	3	3	4
18-34	50104	2.4	1	2	2	2	3	3	4	18-34	67529	2.4	1	1	2	2	3	3	4
35-49	1573	2.7	2	1	2	3	3	4	4	35-49	5177	2.4	1	1	2	2	3	3	4
50-69	0									50-69	10	2.0							
70 +	0									70 +	0								
SUBTOTAL	**57000**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**4**		**75440**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**61911**	**2.5**	**2**	**2**	**2**	**2**	**3**	**3**	**4**		**78977**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	3.0								0-17	12	1.0							
70-74	0									18-34	1402	3.7	3	2	3	3	4	5	8
75-79	0									35-49	348	3.9	9	2	3	3	4	5	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**3.0**									**1762**	**3.7**	**4**	**2**	**3**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	3.4								0-17	16	2.9	2						
70-74	0									18-34	13560	3.0	1	2	2	3	3	4	4
75-79	0									35-49	3333	3.4	2	2	3	3	4	4	5
80-84	0									50-69	10	2.0							
85 +	0									70 +	0								
SUBTOTAL	**16**	**3.4**									**16920**	**3.1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**
GRAND TOTAL	**26**	**3.2**									**18682**	**3.2**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	3.4								0-17	6	3.0							
18-34	721	4.0	8	2	3	3	4	5	10	18-34	297	3.6	2	2	3	3	4	5	8
35-49	41	3.8	2							35-49	49	3.4		3	3	3	4	4	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**778**	**4.0**	**7**	**2**	**3**	**3**	**4**	**5**	**8**		**352**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	2.0								0-17	12	1.0							
18-34	4665	3.0	1	2	2	3	3	4	4	18-34	2563	3.1	9	2	2	3	3	4	5
35-49	399	3.3	1	2	3	3	4	5	5	35-49	601	2.9	1	2	2	3	3	4	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5070**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**5**		**3176**	**3.1**	**8**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**5849**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**		**3528**	**3.1**	**7**	**2**	**2**	**3**	**3**	**4**	**5**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	6	7.0							
70-74	0									18-34	120	4.6	3	3	3	4	6	7	7
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**126**	**4.7**	**3**	**3**	**3**	**5**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	163	3.1	7	2	2	3	3	4	5
75-79	0									35-49	26	4.3	2						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**189**	**3.3**	**7**	**2**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**0**										**316**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	10	4.0							
35-49	0									35-49	16	6.6							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**26**	**5.6**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	3.0								0-17	0								
18-34	29	4.6	2							18-34	49	2.7		2	2	3	3	3	3
35-49	0									35-49	16	2.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**35**	**4.4**	**2**								**65**	**2.5**		**2**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**35**	**4.4**	**2**								**92**	**3.4**	**3**	**2**	**2**	**3**	**4**	**7**	**7**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	3.0								0-17	10	6.0							
70-74	0									18-34	713	4.8	87	1	2	3	4	6	10
75-79	0									35-49	35	3.5	1						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**3.0**									**758**	**4.8**	**82**	**1**	**2**	**3**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	2.0								0-17	96	2.9	2	1	2	3	3	6	6
70-74	0									18-34	2439	3.1	6	1	2	3	3	5	7
75-79	0									35-49	416	3.6	6	1	2	3	5	7	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**2.0**									**2950**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**8**
GRAND TOTAL	**16**	**2.6**									**3708**	**3.5**	**22**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	2.5	1							0-17	33	2.6							
18-34	324	4.2	4	2	3	4	5	7	8	18-34	293	3.8	4	1	3	3	5	7	9
35-49	0									35-49	20	6.0	9						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**351**	**4.1**	**4**	**2**	**2**	**4**	**5**	**7**	**8**		**346**	**3.8**	**4**	**1**	**3**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	49	4.7	4	2	3	5	6	8	8	0-17	61	2.5	1	1	2	3	3	4	4
18-34	880	2.9	2	1	2	3	4	4	5	18-34	890	3.2	6	1	2	3	4	5	8
35-49	31	7.7	2							35-49	141	2.4	2	1	1	2	4	5	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**960**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**7**		**1092**	**3.0**	**5**	**1**	**2**	**3**	**3**	**5**	**7**
GRAND TOTAL	**1310**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**8**		**1438**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**8**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	2.4	5						
18-34	603	2.8	6	1	1	2	3	5	9
35-49	102	4.8	32	1	1	2	5	14	20
50-69	0								
70 +	0								
	727	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**9**
0-17	29	2.5	1						
18-34	1180	2.6	10	< 1	1	1	3	6	8
35-49	222	2.9	4	1	1	2	4	6	7
50-69	0								
70 +	0								
	1430	**2.6**	**9**	**< 1**	**1**	**1**	**3**	**6**	**8**
	2158	**2.8**	**9**	**< 1**	**1**	**2**	**3**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	8.7	34						
18-34	177	3.1	21	1	1	2	3	3	21
35-49	10	9.0							
50-69	0								
70 +	0								
SUBTOTAL	**218**	**4.2**	**26**	**1**	**1**	**2**	**3**	**9**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	2.0							
18-34	336	2.3	4	< 1	1	1	2	5	7
35-49	6	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**371**	**2.2**	**4**	**< 1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**589**	**2.9**	**13**	**< 1**	**1**	**2**	**3**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	3.0	1						
18-34	143	2.8	4	1	1	2	5	6	7
35-49	10	1.0							
50-69	0								
70 +	0								
	165	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	10	2.0							
18-34	501	2.5	11	< 1	1	1	3	6	7
35-49	63	3.0	4	< 1	< 1	3	5	6	6
50-69	0								
70 +	0								
	575	**2.6**	**10**	**< 1**	**1**	**1**	**3**	**6**	**7**
	740	**2.6**	**9**	**< 1**	**1**	**1**	**3**	**6**	**7**

DRG 378: Ectopic Pregnancy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	3.2	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**37**	**3.2**	**1**						
GRAND TOTAL	**43**	**3.2**	**1**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	4.3	3	3	3	4	4	8	8
18-34	1990	4.5	3	3	4	4	5	6	7
35-49	593	4.4	2	3	4	4	5	6	7
50-69	0								
70 +	0								
	2642	**4.5**	**3**	**3**	**4**	**4**	**5**	**6**	**7**
0-17	73	3.1	1	2	3	3	4	4	5
18-34	5929	3.6	2	1	3	4	5	5	6
35-49	1337	3.8	2	1	3	4	5	6	6
50-69	0								
70 +	0								
	7338	**3.7**	**2**	**1**	**3**	**4**	**5**	**5**	**6**
	9981	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	5.9	6						
18-34	418	4.6	3	3	4	5	5	6	7
35-49	51	5.4	1						
50-69	0								
70 +	0								
SUBTOTAL	**495**	**4.7**	**3**	**3**	**4**	**5**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	33	4.4	1						
18-34	1192	4.1	2	2	3	4	5	6	6
35-49	90	3.8	2	1	3	4	5	5	5
50-69	0								
70 +	0								
SUBTOTAL	**1314**	**4.0**	**2**	**2**	**3**	**4**	**5**	**6**	**6**
GRAND TOTAL	**1809**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	5.0							
18-34	817	4.7	3	3	4	4	5	7	8
35-49	136	5.1	1	4	5	5	5	6	7
50-69	0								
70 +	0								
	960	**4.7**	**3**	**3**	**4**	**5**	**5**	**6**	**8**
0-17	81	4.0	2	3	3	4	5	6	6
18-34	2100	3.9	3	1	3	4	5	6	6
35-49	297	3.6	3	1	2	4	5	6	7
50-69	0								
70 +	0								
	2479	**3.9**	**3**	**1**	**3**	**4**	**5**	**6**	**6**
	3439	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

DRG 379: Threatened Abortion

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	2.0								0-17	53	4.1	4	1	2	4	6	7	7
70-74	0									18-34	2486	5.0	54	1	1	3	5	11	18
75-79	0									35-49	399	5.1	20	1	1	3	7	12	15
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	10	2.0									2938	5.0	49	1	1	3	5	11	17
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	90	2.6	2	< 1	1	2	3	6	6	0-17	383	1.8	2	< 1	1	1	2	4	5
70-74	0									18-34	12556	2.5	12	< 1	1	1	3	5	7
75-79	0									35-49	1422	2.8	7	< 1	1	2	3	5	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	90	2.6	2	< 1	1	2	3	6	6		14361	2.5	12	< 1	1	1	3	5	7
GRAND TOTAL	100	2.6	2	< 1	1	2	3	5	6		17300	2.9	19	< 1	1	2	3	6	9

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	181	2.6	2	< 1	1	2	4	4	5	0-17	79	2.8	2	1	2	2	4	5	5
18-34	1304	3.1	8	< 1	1	2	4	6	9	18-34	907	3.8	7	1	2	4	5	7	9
35-49	61	3.2	2	1	2	3	4	5	5	35-49	69	6.2	79	< 1	< 1	2	6	27	27
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1547	3.0	7	< 1	1	2	4	6	8		1056	3.9	12	1	2	3	5	7	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	564	2.1	4	< 1	< 1	1	2	6	6	0-17	383	2.4	3	< 1	< 1	2	4	5	6
18-34	4932	2.0	4	< 1	< 1	1	2	4	5	18-34	4654	2.6	8	< 1	< 1	1	3	5	8
35-49	65	2.2	3	1	1	1	4	5	5	35-49	220	3.0	6	< 1	1	2	5	6	7
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	5562	2.0	4	< 1	< 1	1	2	4	5		5257	2.6	8	< 1	< 1	1	4	5	7
GRAND TOTAL	7109	2.2	5	< 1	1	1	3	5	6		6313	2.9	8	< 1	1	2	4	6	8

DRG 380: Abortion w/o D&C

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**6**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	265	3.4	7	1	2	2	4	7	10
35-49	67	2.6	4	1	1	2	3	7	7
50-69	0								
70 +	0								
	342	**3.2**	**6**	**1**	**2**	**2**	**4**	**7**	**7**
0-17	344	1.5		< 1	1	1	2	2	3
18-34	2795	1.5	1	< 1	1	1	2	2	3
35-49	811	1.5	1	1	1	1	2	2	3
50-69	0								
70 +	0								
	3951	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
	4293	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	79	3.7	6	1	1	4	7	8	8
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**79**	**3.7**	**6**	**1**	**1**	**4**	**7**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	106	1.3		1	1	1	2	2	2
18-34	668	1.5	1	< 1	1	1	2	2	2
35-49	53	1.6	3	< 1	< 1	1	1	6	6
50-69	0								
70 +	0								
SUBTOTAL	**827**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**907**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**2**	**4**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	55	2.4	2	< 1	1	2	4	4	4
35-49	0								
50-69	0								
70 +	0								
	55	**2.4**	**2**	**< 1**	**1**	**2**	**4**	**4**	**4**
0-17	59	1.6		< 1	1	1	2	3	3
18-34	1027	1.6	1	< 1	1	1	2	3	4
35-49	114	2.0	4	1	1	1	2	3	8
50-69	0								
70 +	0								
	1200	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
	1255	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	20	2.0								0-17	43	1.5	1						
70-74	0									18-34	1327	2.1	4	< 1	1	1	2	5	6
75-79	0									35-49	438	2.2	5	< 1	1	1	3	5	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**20**	**2.0**									**1807**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	100	1.1		< 1	< 1	1	1	2	2	0-17	809	1.2	1	< 1	< 1	< 1	1	1	2
70-74	0									18-34	21399	1.2	1	< 1	< 1	1	1	2	2
75-79	0									35-49	5986	1.2	1	< 1	< 1	1	1	2	2
80-84	0									50-69	10	1.0							
85 +	0									70 +	0								
SUBTOTAL	**100**	**1.1**		**< 1**	**< 1**	**1**	**1**	**2**	**2**		**28205**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**120**	**1.3**		**< 1**	**< 1**	**1**	**2**	**2**	**2**		**30012**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	10	1.0								0-17	18	3.0	5						
18-34	385	2.5	4	1	1	2	3	6	8	18-34	473	2.7	11	< 1	1	1	3	5	13
35-49	39	2.7	2							35-49	96	2.3	2	1	1	2	3	5	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**434**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**587**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	242	1.3	1	< 1	1	1	1	2	2	0-17	371	1.3	1	< 1	< 1	1	1	2	4
18-34	3456	1.3	1	< 1	< 1	1	1	2	3	18-34	7736	1.2		< 1	< 1	1	1	2	2
35-49	389	1.3	1	< 1	< 1	1	1	2	4	35-49	1610	1.1		< 1	< 1	1	1	1	2
50-69	0									50-69	10	1.0							
70 +	0									70 +	0								
SUBTOTAL	**4087**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**9727**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**4521**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**4**		**10314**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	1.0								0-17	6	2.0							
70-74	0									18-34	505	1.6	8	< 1	< 1	1	1	3	4
75-79	0									35-49	82	3.0	12	< 1	< 1	1	1	10	10
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**593**	**1.8**	**9**	**< 1**	**< 1**	**1**	**1**	**3**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	104	1.5	2	< 1	< 1	< 1	< 1	4	5	0-17	409	1.0		< 1	< 1	< 1	1	1	1
70-74	0									18-34	10882	1.1	1	< 1	< 1	< 1	1	1	1
75-79	0									35-49	1202	1.0		< 1	< 1	< 1	1	1	1
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**104**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**< 1**	**4**	**5**		**12494**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**
GRAND TOTAL	**110**	**1.5**	**1**	**< 1**	**< 1**	**< 1**	**1**	**4**	**5**		**13087**	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**1**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	1.0								0-17	0								
18-34	383	1.3		< 1	< 1	< 1	1	2	3	18-34	61	1.7	1	< 1	1	1	2	3	3
35-49	10	1.0								35-49	6	4.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**420**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**		**67**	**1.9**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	587	1.1		< 1	< 1	< 1	1	1	1	0-17	214	1.0		< 1	< 1	1	1	1	1
18-34	3936	1.1		< 1	< 1	< 1	1	1	1	18-34	2290	1.0		< 1	< 1	< 1	1	1	1
35-49	128	1.0		< 1	< 1	< 1	1	1	1	35-49	200	1.3	1	< 1	< 1	< 1	1	2	3
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4652**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**		**2704**	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**
GRAND TOTAL	**5071**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**		**2771**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	84	3.9	14	1	1	3	4	13	13	0-17	556	2.6	5	< 1	< 1	2	3	5	6
70-74	0									18-34	8260	3.7	19	< 1	1	3	4	7	10
75-79	0									35-49	860	3.8	8	1	2	3	5	7	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**84**	**3.9**	**14**	**1**	**1**	**3**	**4**	**13**	**13**		**9676**	**3.7**	**17**	**< 1**	**1**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	65	1.8	1	< 1	< 1	1	2	3	5	0-17	483	2.3	3	< 1	1	2	3	4	6
70-74	0									18-34	16564	3.1	7	< 1	1	2	4	6	7
75-79	0									35-49	1842	3.8	33	< 1	1	2	4	7	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**65**	**1.8**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**5**		**18888**	**3.1**	**9**	**< 1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**149**	**3.0**	**9**	**< 1**	**1**	**2**	**3**	**5**	**13**		**28565**	**3.3**	**12**	**< 1**	**1**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	518	2.4	4	< 1	< 1	1	3	6	7	0-17	130	2.8	2	1	2	3	4	5	6
18-34	4298	3.1	12	< 1	< 1	2	4	6	9	18-34	2054	4.3	29	1	2	3	6	8	10
35-49	269	3.7	8	< 1	1	3	5	8	10	35-49	128	4.5	10	< 1	2	3	7	10	10
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5084**	**3.1**	**11**	**< 1**	**< 1**	**2**	**4**	**6**	**9**		**2313**	**4.2**	**27**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	699	2.5	5	< 1	< 1	2	3	5	6	0-17	279	2.0	2	< 1	< 1	1	3	4	6
18-34	5033	2.5	5	< 1	1	2	3	5	6	18-34	4048	3.1	6	< 1	1	2	4	6	8
35-49	399	3.0	5	< 1	1	3	4	6	6	35-49	318	3.5	4	1	2	3	4	6	7
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6131**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**		**4645**	**3.0**	**6**	**< 1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**11215**	**2.8**	**8**	**< 1**	**1**	**2**	**4**	**6**	**7**		**6958**	**3.4**	**13**	**< 1**	**1**	**3**	**4**	**7**	**8**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	47	15.1	547						
70-74	0									18-34	841	4.4	49	< 1	1	2	5	9	13
75-79	0									35-49	183	6.6	64	< 1	1	3	9	24	29
80-84	0									50-69	6	6.0							
85 +	0									70 +	0								
SUBTOTAL	**0**										**1078**	**5.2**	**77**	**< 1**	**1**	**3**	**5**	**11**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	1.0								0-17	320	1.7	3	< 1	< 1	< 1	1	3	6
70-74	0									18-34	11318	2.1	7	< 1	< 1	1	2	4	5
75-79	0									35-49	1848	1.9	4	< 1	< 1	1	2	3	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**37**	**1.0**									**13486**	**2.0**	**7**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**37**	**1.0**									**14564**	**2.3**	**13**	**< 1**	**< 1**	**1**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	2.5	1							0-17	12	3.5	7						
18-34	169	1.7	1	< 1	< 1	1	2	4	5	18-34	257	4.7	42	< 1	1	3	5	12	23
35-49	16	3.3	1							35-49	10	4.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**232**	**2.0**	**2**	**< 1**	**< 1**	**1**	**3**	**4**	**4**		**279**	**4.7**	**39**	**< 1**	**1**	**3**	**5**	**10**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	304	1.8	2	< 1	< 1	1	2	3	4	0-17	145	1.5	1	< 1	< 1	1	2	2	5
18-34	2851	2.1	9	< 1	< 1	1	2	4	6	18-34	2528	2.0	3	< 1	< 1	1	2	4	6
35-49	65	1.7	1	< 1	< 1	< 1	2	3	3	35-49	326	2.6	11	< 1	< 1	1	3	5	12
50-69	10	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3230**	**2.1**	**8**	**< 1**	**< 1**	**1**	**2**	**4**	**6**		**2999**	**2.0**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**3462**	**2.1**	**7**	**< 1**	**< 1**	**1**	**2**	**4**	**5**		**3278**	**2.2**	**7**	**< 1**	**< 1**	**1**	**2**	**5**	**6**

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	173	80.9	157	66	83	94	99 +	99 +	99 +
1000-1499	785	59.4	314	38	46	60	79	92	99 +
1500-1749	516	40.2	232	22	30	38	46	55	65
1750-2499	1339	20.3	169	5	12	18	26	36	44
2500 +	1345	8.0	29	3	4	7	11	15	16
	4157	**28.7**	**626**	**4**	**9**	**21**	**48**	**80**	**95**
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	10	13.0							
2500 +	31	8.3	2						
	41	**9.5**	**5**						
	4198	**28.5**	**624**	**4**	**9**	**21**	**47**	**80**	**95**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	82	77.5	95	72	80	99 +	99 +	99 +	99 +
1000-1499	183	55.4	160	40	51	59	79	99 +	99 +
1500-1749	88	33.9	105	26	30	39	52	99 +	99 +
1750-2499	210	15.8	66	5	10	14	22	26	28
2500 +	277	9.5	61	1	3	8	15	23	23
SUBTOTAL	**840**	**30.3**	**643**	**5**	**11**	**36**	**99**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	12	10.0	10						
2500 +	0								
SUBTOTAL	**12**	**10.0**	**10**						
GRAND TOTAL	**852**	**30.0**	**639**	**5**	**11**	**36**	**80**	**99 +**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	51	84.4	159	64	86	99	99 +	99 +	99 +
1000-1499	112	47.7	95	36	39	46	57	60	64
1500-1749	149	28.0	151	8	22	33	37	99 +	99 +
1750-2499	373	17.6	139	5	9	18	21	29	40
2500 +	189	5.4	20	1	3	5	6	16	18
	874	**24.5**	**490**	**4**	**8**	**20**	**39**	**65**	**99 +**
1-999	0								
1000-1499	0								
1500-1749	10	44.0							
1750-2499	0								
2500 +	0								
	10	**44.0**							
	884	**24.7**	**489**	**4**	**8**	**20**	**39**	**65**	**99 +**

DRG 387: Prematurity w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	12	9.0							
2500 +	0								
SUBTOTAL	**12**	**9.0**							
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12**	**9.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	71	67.9	206	47	64	74	93	99 +	99 +
1000-1499	438	44.6	292	29	35	42	60	99 +	99 +
1500-1749	426	29.6	106	20	22	27	39	45	50
1750-2499	3004	12.6	117	5	6	10	16	23	33
2500 +	2097	6.6	31	3	4	5	8	11	14
	6036	**14.7**	**239**	**3**	**5**	**8**	**19**	**38**	**52**
1-999	0								
1000-1499	47	36.4	177						
1500-1749	49	17.3	48	11	13	15	21	33	33
1750-2499	695	12.3	55	5	7	11	17	22	28
2500 +	320	6.0	29	2	3	5	6	9	21
	1111	**11.7**	**89**	**3**	**5**	**9**	**15**	**23**	**31**
	7147	**14.2**	**217**	**3**	**5**	**8**	**18**	**36**	**50**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	236	45.2	297	27	34	41	55	72	92
1500-1749	177	32.5	220	15	24	29	45	60	65
1750-2499	972	13.6	92	5	7	11	18	28	37
2500 +	414	7.9	73	2	4	5	9	15	18
SUBTOTAL	**1799**	**18.3**	**278**	**4**	**6**	**12**	**26**	**44**	**55**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	10	32.0							
1500-1749	41	28.0	12						
1750-2499	171	12.3	57	3	5	10	20	22	24
2500 +	118	9.0	78	3	3	4	14	15	34
SUBTOTAL	**340**	**13.7**	**100**	**3**	**4**	**11**	**22**	**29**	**33**
GRAND TOTAL	**2140**	**17.6**	**253**	**4**	**6**	**12**	**25**	**41**	**53**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	155	41.2	190	18	33	40	50	65	70
1500-1749	169	29.9	77	21	22	31	35	43	47
1750-2499	776	10.1	40	4	6	8	13	20	25
2500 +	603	5.9	14	2	4	5	6	10	14
	1704	**13.4**	**170**	**3**	**5**	**8**	**17**	**33**	**41**
1-999	0								
1000-1499	41	37.3	73						
1500-1749	31	25.3	48						
1750-2499	228	13.3	57	6	8	11	18	22	28
2500 +	173	5.4	11	2	3	5	6	11	13
	473	**13.3**	**123**	**3**	**5**	**9**	**20**	**33**	**39**
	2176	**13.4**	**160**	**3**	**5**	**8**	**18**	**33**	**41**

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	10	2.0							
SUBTOTAL	**10**	**2.0**							
GRAND TOTAL	**10**	**2.0**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	6	31.0							
1750-2499	92	7.7	19	3	5	7	9	16	17
2500 +	37	7.1	6						
	134	**8.6**	**39**	**3**	**5**	**7**	**10**	**16**	**17**
1-999	0								
1000-1499	22	24.3	10						
1500-1749	196	21.8	23	17	19	22	25	28	31
1750-2499	3834	6.5	21	2	3	5	8	13	16
2500 +	3718	3.8	4	2	2	3	5	6	6
	7771	**5.6**	**22**	**2**	**3**	**4**	**6**	**11**	**17**
	7905	**5.7**	**23**	**2**	**3**	**4**	**6**	**12**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	10	21.0							
2500 +	0								
SUBTOTAL	**10**	**21.0**							
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	39	28.6	39						
1500-1749	67	26.4	50	15	17	29	32	33	33
1750-2499	1267	6.7	33	2	3	5	9	15	18
2500 +	970	3.3	3	2	2	3	4	5	6
SUBTOTAL	**2343**	**6.2**	**45**	**2**	**2**	**4**	**6**	**15**	**19**
GRAND TOTAL	**2353**	**6.3**	**45**	**2**	**2**	**4**	**6**	**15**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	10	35.0							
1750-2499	29	6.9	21						
2500 +	16	5.6							
	55	**11.7**	**137**	**3**	**5**	**6**	**15**	**35**	**35**
1-999	0								
1000-1499	10	8.0							
1500-1749	57	18.0	32	10	13	19	20	27	27
1750-2499	1818	6.7	27	2	3	5	9	13	18
2500 +	1583	3.6	3	2	2	3	5	6	7
	3468	**5.5**	**22**	**2**	**3**	**4**	**6**	**12**	**15**
	3523	**5.6**	**24**	**2**	**3**	**4**	**6**	**12**	**16**

DRG 389: Full Term Neonate w/ Major Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	84	36.6	96	26	26	34	40	52	52
1500-1749	84	23.5	94	6	14	25	29	35	35
1750-2499	1061	7.5	59	2	4	6	9	14	23
2500 +	23254	4.5	10	2	3	4	5	8	9
	24483	**4.8**	**18**	**2**	**3**	**4**	**5**	**8**	**10**
1-999	6	10.0							
1000-1499	0								
1500-1749	20	8.5	21						
1750-2499	357	5.2	17	2	3	4	5	9	13
2500 +	10282	4.1	3	2	3	4	5	6	7
	10665	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
	35147	**4.6**	**13**	**2**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	10	44.0							
1500-1749	0								
1750-2499	291	11.4	176	4	5	6	12	37	38
2500 +	4189	5.0	16	2	3	4	6	9	11
SUBTOTAL	**4490**	**5.5**	**32**	**2**	**3**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	6	28.0							
1500-1749	0								
1750-2499	128	6.9	11	2	5	7	8	10	13
2500 +	2339	6.1	69	2	3	4	6	9	20
SUBTOTAL	**2474**	**6.2**	**67**	**2**	**3**	**4**	**6**	**10**	**20**
GRAND TOTAL	**6964**	**5.7**	**44**	**2**	**3**	**4**	**6**	**10**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	10	82.0							
1500-1749	31	26.3	25						
1750-2499	371	9.1	129	2	3	5	11	15	26
2500 +	7140	5.0	21	2	3	4	6	8	11
	7552	**5.4**	**37**	**2**	**3**	**4**	**6**	**9**	**12**
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	120	5.6	10	3	3	5	6	11	13
2500 +	3505	4.7	8	3	3	4	5	6	8
	3625	**4.7**	**8**	**3**	**3**	**4**	**5**	**6**	**8**
	11177	**5.2**	**27**	**2**	**3**	**4**	**5**	**8**	**11**

DRG 390: Neonate w/ Other Significant Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	10	2.0							
SUBTOTAL	**10**	**2.0**							
GRAND TOTAL	**10**	**2.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	41	4.1	1	2	3	5	5	5	5
2500 +	1251	3.7	4	2	2	3	4	5	6
	1291	**3.7**	**4**	**2**	**2**	**4**	**4**	**5**	**6**
1-999	0								
1000-1499	0								
1500-1749	55	15.4	36	7	8	18	19	23	23
1750-2499	2797	4.2	8	2	3	4	5	7	9
2500 +	60812	3.3	3	2	2	3	4	5	6
	63664	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
	64956	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	6	4.0							
2500 +	458	4.3	11	2	3	4	5	7	9
SUBTOTAL	**464**	**4.3**	**11**	**2**	**3**	**4**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	16	17.2	9						
1500-1749	20	19.5							
1750-2499	921	4.2	9	2	2	3	5	7	10
2500 +	13022	3.3	8	2	2	3	4	5	7
SUBTOTAL	**13979**	**3.4**	**8**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**14444**	**3.5**	**9**	**2**	**2**	**3**	**4**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	33	5.2	28						
2500 +	297	4.9	21	2	2	3	5	11	12
	330	**4.9**	**22**	**2**	**2**	**3**	**5**	**11**	**13**
1-999	0								
1000-1499	0								
1500-1749	16	27.7	1						
1750-2499	1080	4.9	22	2	2	3	5	9	13
2500 +	20373	3.5	6	2	2	3	4	5	6
	21469	**3.6**	**7**	**2**	**2**	**3**	**4**	**5**	**7**
	21799	**3.6**	**7**	**2**	**2**	**3**	**4**	**6**	**7**

DRG 391: Normal Newborn

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	12	20.5	7						
1750-2499	0									1750-2499	3445	3.7	4	2	2	3	5	6	7
2500 +	124	3.2	2	2	2	3	4	5	7	2500 +	319767	2.9	1	2	2	3	4	5	5
SUBTOTAL	**124**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**7**		**323224**	**2.9**	**1**	**2**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**124**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**7**		**323224**	**2.9**	**1**	**2**	**2**	**3**	**4**	**5**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	6	25.0							
1750-2499	1143	3.5	4	2	2	3	4	6	9	1750-2499	2009	3.2	4	2	2	3	4	5	6
2500 +	52175	2.8	2	2	2	2	3	4	5	2500 +	124501	2.9	2	2	2	3	3	5	5
SUBTOTAL	**53317**	**2.8**	**2**	**2**	**2**	**2**	**3**	**4**	**5**		**126516**	**2.9**	**2**	**2**	**2**	**3**	**3**	**5**	**5**
GRAND TOTAL	**53317**	**2.8**	**2**	**2**	**2**	**2**	**3**	**4**	**5**		**126516**	**2.9**	**2**	**2**	**2**	**3**	**3**	**5**	**5**

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	145	20.2	182	8	11	16	29	32	32	0-17	0								
70-74	102	22.6	204	8	10	17	39	44	45	18-34	306	13.8	153	6	8	10	13	27	37
75-79	65	22.0	173	8	12	17	32	38	49	35-49	212	15.9	156	7	8	11	20	25	37
80-84	37	18.8	68							50-69	273	15.5	136	6	8	12	18	23	48
85 +	16	11.2	9							70 +	16	10.8	9						
SUBTOTAL	**365**	**20.6**	**172**	**9**	**11**	**16**	**29**	**39**	**45**		**807**	**14.8**	**146**	**6**	**8**	**10**	**17**	**25**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	13.4	61							0-17	0								
70-74	33	7.4								18-34	287	6.8	11	4	5	6	7	9	11
75-79	22	7.9	3							35-49	139	8.0	5	5	7	8	9	11	12
80-84	29	14.6	26							50-69	94	9.4	5	7	8	9	10	14	14
85 +	0									70 +	0								
SUBTOTAL	**122**	**11.1**	**36**	**6**	**7**	**9**	**11**	**20**	**26**		**519**	**7.6**	**9**	**5**	**6**	**7**	**9**	**11**	**12**
GRAND TOTAL	**487**	**18.2**	**155**	**7**	**9**	**13**	**26**	**36**	**43**		**1326**	**12.0**	**105**	**5**	**7**	**9**	**13**	**22**	**32**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	77	20.2	423	6	8	10	33	68	68	18-34	204	17.0	195	7	8	11	20	41	52
35-49	43	17.4	282							35-49	124	14.1	140	5	7	11	17	17	51
50-69	6	20.0								50-69	43	13.0	19						
70 +	0									70 +	0								
SUBTOTAL	**126**	**19.2**	**354**	**6**	**8**	**9**	**20**	**47**	**68**		**371**	**15.6**	**159**	**6**	**8**	**11**	**17**	**32**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	26	6.0	7							18-34	51	8.2	21	5	5	6	9	17	17
35-49	0									35-49	12	6.5							
50-69	0									50-69	10	8.0							
70 +	0									70 +	0								
SUBTOTAL	**26**	**6.0**	**7**								**73**	**7.9**	**15**	**5**	**5**	**6**	**8**	**17**	**17**
GRAND TOTAL	**153**	**16.9**	**318**	**6**	**7**	**9**	**16**	**47**	**68**		**444**	**14.3**	**143**	**6**	**7**	**10**	**14**	**32**	**51**

DRG 393: Splenectomy Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	69	9.8	21	6	6	9	11	12	23
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**69**	**9.8**	**21**	**6**	**6**	**9**	**11**	**12**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	198	6.8	11	4	5	6	7	8	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**198**	**6.8**	**11**	**4**	**5**	**6**	**7**	**8**	**14**
GRAND TOTAL	**0**										**267**	**7.5**	**15**	**5**	**5**	**6**	**8**	**11**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	7.0								0-17	16	7.9	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10**	**7.0**									**16**	**7.9**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	8.0								0-17	6	8.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**8.0**									**6**	**8.0**							
GRAND TOTAL	**16**	**7.4**									**22**	**7.9**	**2**						

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	63	19.1	128	2	13	17	32	34	34
70-74	94	11.0	234	< 1	2	5	13	23	62
75-79	81	22.5	307	6	13	18	29	36	73
80-84	26	11.4	196						
85 +	35	31.0	403						
SUBTOTAL	**299**	**18.2**	**289**	**1**	**4**	**13**	**29**	**36**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	124	3.4	8	1	1	2	4	8	10
70-74	57	3.8	9	< 1	1	3	4	9	10
75-79	22	2.6	3						
80-84	22	1.5	1						
85 +	16	13.6	72						
SUBTOTAL	**242**	**4.0**	**18**	**< 1**	**1**	**3**	**4**	**10**	**10**
GRAND TOTAL	**542**	**11.8**	**218**	**1**	**2**	**5**	**17**	**33**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	12.2	38						
18-34	163	14.2	212	1	3	9	19	41	42
35-49	192	17.6	504	4	4	10	21	64	93
50-69	167	9.9	111	1	2	8	15	43	99 +
70 +	0								
	554	**14.0**	**281**	**2**	**4**	**9**	**17**	**41**	**64**
0-17	381	3.2	10	< 1	1	2	5	7	10
18-34	477	2.4	9	< 1	1	2	2	4	10
35-49	352	2.8	7	1	1	2	3	7	9
50-69	259	3.1	12	1	1	1	3	9	11
70 +	0								
	1469	**2.8**	**9**	**< 1**	**1**	**2**	**3**	**7**	**10**
	2023	**5.9**	**108**	**1**	**1**	**2**	**6**	**14**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	41	33.8	928						
35-49	20	33.5	1111						
50-69	16	27.7	1						
70 +	0								
SUBTOTAL	**77**	**32.4**	**771**	**< 1**	**8**	**23**	**66**	**85**	**85**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	37	2.1	2						
18-34	55	6.1	61	< 1	1	2	6	22	22
35-49	20	3.0	4						
50-69	16	1.7	1						
70 +	0								
SUBTOTAL	**128**	**3.9**	**31**	**1**	**1**	**2**	**4**	**6**	**22**
GRAND TOTAL	**206**	**14.6**	**499**	**< 1**	**1**	**4**	**22**	**37**	**73**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	45	9.8	45	2	3	9	9	21	21
35-49	39	16.4	19						
50-69	37	31.6	489						
70 +	0								
	120	**18.6**	**283**	**3**	**8**	**11**	**22**	**54**	**55**
0-17	31	8.7	55						
18-34	88	2.6	4	< 1	1	2	2	7	7
35-49	63	4.8	20	1	1	2	9	13	13
50-69	33	3.4	9						
70 +	10	4.0							
	224	**4.2**	**20**	**< 1**	**2**	**2**	**5**	**9**	**13**
	344	**9.2**	**158**	**1**	**2**	**4**	**9**	**22**	**34**

DRG 395: Red Blood Cell Disorders Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2400	8.1	109	1	2	5	9	17	27	0-17	0								
70-74	2365	6.5	65	1	2	4	8	15	20	18-34	687	6.8	60	1	1	4	11	13	23
75-79	2657	7.7	73	1	3	6	10	15	20	35-49	1316	5.0	40	1	1	3	7	10	20
80-84	2133	9.1	120	2	2	6	11	21	30	50-69	1919	6.2	47	1	2	4	8	14	19
85+	2587	9.3	159	2	3	6	11	18	24	70+	208	9.0	54	1	3	8	12	21	25
SUBTOTAL	**12141**	**8.1**	**106**	**1**	**2**	**5**	**10**	**17**	**23**		**4130**	**6.1**	**48**	**1**	**1**	**4**	**8**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	831	6.1	25	1	3	5	7	12	14	0-17	0								
70-74	715	5.2	21	<1	2	4	7	10	15	18-34	611	5.2	11	1	3	4	7	10	13
75-79	646	5.6	28	1	2	4	7	12	17	35-49	738	4.8	20	1	2	3	6	9	13
80-84	1059	5.7	72	1	2	3	7	11	16	50-69	719	5.4	15	1	3	5	7	10	14
85+	959	6.1	26	1	2	5	8	13	15	70+	26	12.4	5						
SUBTOTAL	**4211**	**5.8**	**37**	**1**	**2**	**4**	**7**	**12**	**15**		**2095**	**5.2**	**16**	**1**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**16352**	**7.5**	**89**	**1**	**2**	**5**	**9**	**15**	**21**		**6225**	**5.8**	**38**	**1**	**2**	**4**	**7**	**12**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	797	6.1	30	1	2	4	8	14	16	18-34	228	9.9	154	1	2	8	11	13	38
35-49	558	6.2	33	1	1	5	9	14	18	35-49	259	5.3	29	1	1	4	7	14	15
50-69	340	8.8	39	2	5	7	12	19	21	50-69	397	8.3	116	2	3	5	8	18	37
70+	92	7.8	30	2	3	6	11	19	19	70+	61	10.1	34	2	4	11	14	19	19
SUBTOTAL	**1787**	**6.7**	**34**	**1**	**2**	**5**	**9**	**15**	**19**		**945**	**8.0**	**99**	**1**	**2**	**5**	**9**	**15**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	947	5.3	23	1	2	4	7	9	12	18-34	418	4.2	9	1	2	4	5	7	9
35-49	189	6.8	18	2	4	6	8	10	19	35-49	228	5.4	14	2	3	4	7	9	10
50-69	165	5.6	8	1	4	6	7	10	10	50-69	242	4.4	19	1	1	2	8	12	12
70+	18	5.7	7							70+	53	6.6	5	4	5	6	8	11	11
SUBTOTAL	**1320**	**5.6**	**20**	**1**	**2**	**4**	**7**	**10**	**12**		**941**	**4.7**	**13**	**1**	**2**	**4**	**6**	**10**	**11**
GRAND TOTAL	**3107**	**6.2**	**29**	**1**	**2**	**5**	**8**	**13**	**18**		**1887**	**6.3**	**59**	**1**	**2**	**4**	**8**	**12**	**18**

DRG 396: Red Blood Cell Disorders Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	228	3.0	8	< 1	< 1	2	4	6	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										228	3.0	8	< 1	< 1	2	4	6	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	5.0								0-17	558	4.4	20	< 1	1	3	6	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	10	5.0									558	4.4	20	< 1	1	3	6	7	9
GRAND TOTAL	10	5.0									787	4.0	17	< 1	1	3	6	7	9

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	181	8.2	37	1	4	6	12	17	24	0-17	51	6.6	12						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	181	8.2	37	1	4	6	12	17	24		51	6.6	12						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	416	3.6	5	1	2	3	5	6	8	0-17	161	4.7	13	< 1	1	4	6	9	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	416	3.6	5	1	2	3	5	6	8		161	4.7	13	< 1	1	4	6	9	14
GRAND TOTAL	597	5.0	19	1	2	4	6	11	16		212	5.1	13	1	2	4	8	10	12

DRG 397: Coagulation Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	471	6.8	23	2	3	6	9	13	16	0-17	218	2.5	4	< 1	1	2	3	5	7
70-74	430	11.0	150	2	4	9	13	21	32	18-34	236	4.6	16	1	1	4	7	8	12
75-79	306	10.3	112	2	3	7	13	23	24	35-49	236	7.1	25	1	3	6	10	15	16
80-84	271	12.6	117	4	7	9	21	27	58	50-69	373	6.9	21	1	3	6	10	13	17
85 +	147	12.3	123	3	5	10	15	22	47	70 +	6	3.0							
SUBTOTAL	**1624**	**10.0**	**102**	**2**	**4**	**7**	**12**	**21**	**28**		**1070**	**5.5**	**20**	**1**	**2**	**4**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	130	5.3	11	2	3	5	6	13	13	0-17	579	3.3	11	1	1	2	4	7	11
70-74	163	4.8	6	2	3	4	6	7	9	18-34	251	5.0	10	1	2	5	7	10	11
75-79	96	6.6	19	3	4	6	8	26	99 +	35-49	265	4.8	7	2	3	4	6	10	10
80-84	35	9.6	93							50-69	279	5.2	19	2	3	4	6	9	15
85 +	35	10.4	30							70 +	0								
SUBTOTAL	**458**	**6.1**	**22**	**2**	**4**	**5**	**7**	**14**	**18**		**1373**	**4.3**	**12**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**2082**	**9.2**	**87**	**2**	**4**	**7**	**12**	**20**	**27**		**2443**	**4.8**	**16**	**1**	**2**	**4**	**6**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	4.1	3							0-17	37	5.3	30						
18-34	116	6.7	21	3	5	5	7	10	20	18-34	69	8.2	39	1	1	5	14	15	18
35-49	75	8.7	35	< 1	5	7	10	21	21	35-49	31	7.0	27						
50-69	47	4.1	9							50-69	53	7.5	11	3	6	7	9	13	13
70 +	10	9.0								70 +	0								
SUBTOTAL	**287**	**6.5**	**23**	**2**	**4**	**5**	**8**	**10**	**20**		**190**	**7.2**	**28**	**1**	**3**	**6**	**13**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	141	3.6	2	2	2	4	5	6	6	0-17	169	2.2	1	< 1	1	2	3	4	4
18-34	84	10.4	378	1	2	3	5	62	62	18-34	67	5.3	9	3	4	4	6	9	13
35-49	26	6.5	2							35-49	49	5.5	10	< 1	2	6	7	10	10
50-69	0									50-69	33	7.9	60						
70 +	0									70 +	0								
SUBTOTAL	**251**	**6.1**	**136**	**1**	**2**	**4**	**5**	**7**	**8**		**318**	**3.9**	**14**	**< 1**	**1**	**3**	**4**	**8**	**12**
GRAND TOTAL	**538**	**6.4**	**75**	**2**	**3**	**5**	**7**	**10**	**20**		**507**	**5.2**	**22**	**< 1**	**2**	**3**	**6**	**14**	**15**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	837	11.1	158	3	5	7	12	24	32	0-17	560	6.8	35	2	4	6	9	12	16
70-74	607	7.8	58	1	3	6	9	14	20	18-34	1019	9.8	70	< 1	3	8	13	21	26
75-79	477	8.4	60	1	4	6	11	16	24	35-49	1412	12.1	140	3	5	8	15	27	34
80-84	297	11.0	94	3	5	8	15	18	43	50-69	1300	8.6	50	3	5	7	10	15	22
85 +	116	11.3	78	2	5	10	14	20	34	70 +	57	8.2	16	4	5	6	10	15	16
SUBTOTAL	**2335**	**9.7**	**102**	**2**	**4**	**7**	**11**	**19**	**27**		**4348**	**9.8**	**85**	**3**	**5**	**7**	**12**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2335**	**9.7**	**102**	**2**	**4**	**7**	**11**	**19**	**27**		**4348**	**9.8**	**85**	**3**	**5**	**7**	**12**	**21**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	251	6.4	41	2	3	4	7	15	15	0-17	79	4.2	8	1	2	3	7	9	9
18-34	713	14.9	303	2	5	9	20	35	61	18-34	204	11.0	58	3	6	9	14	21	26
35-49	817	15.7	274	1	5	10	21	50	95	35-49	230	16.1	235	3	5	10	28	52	54
50-69	167	12.8	51	7	7	9	17	25	29	50-69	132	11.3	305	2	4	6	8	21	70
70 +	0									70 +	22	11.3	67						
SUBTOTAL	**1948**	**14.0**	**244**	**2**	**4**	**9**	**20**	**39**	**54**		**668**	**12.0**	**175**	**2**	**4**	**8**	**15**	**28**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1948**	**14.0**	**244**	**2**	**4**	**9**	**20**	**39**	**54**		**668**	**12.0**	**175**	**2**	**4**	**8**	**15**	**28**	**52**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	112	10.3	139	2	4	7	9	19	53	0-17	1298	3.6	7	< 1	1	3	5	7	8
70-74	96	5.3	12	< 1	1	5	9	9	11	18-34	412	6.4	32	1	3	5	8	15	16
75-79	79	5.3	23	1	2	3	9	13	15	35-49	412	5.2	11	2	2	4	8	10	11
80-84	128	5.2	7	2	3	5	8	8	9	50-69	295	10.6	333	1	3	5	11	16	52
85 +	49	6.2	12	1	3	7	10	11	11	70 +	0								
SUBTOTAL	**465**	**6.6**	**47**	**1**	**3**	**5**	**8**	**11**	**19**		**2416**	**5.2**	**57**	**1**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**465**	**6.6**	**47**	**1**	**3**	**5**	**8**	**11**	**19**		**2416**	**5.2**	**57**	**1**	**2**	**4**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	232	3.8	7	< 1	2	3	5	8	9	0-17	212	4.0	5	1	2	4	5	7	8
18-34	108	8.2	70	2	3	7	10	10	32	18-34	149	5.1	12	1	3	4	7	12	13
35-49	141	8.4	158	1	1	3	9	21	49	35-49	59	6.6	15	< 1	< 1	8	10	11	11
50-69	45	4.7	5	1	4	5	7	7	7	50-69	10	8.0							
70 +	0									70 +	10	3.0							
SUBTOTAL	**526**	**6.0**	**65**	**1**	**2**	**4**	**8**	**10**	**21**		**440**	**4.8**	**10**	**1**	**3**	**4**	**7**	**9**	**11**
GRAND TOTAL	**526**	**6.0**	**65**	**1**	**2**	**4**	**8**	**10**	**21**		**440**	**4.8**	**10**	**1**	**3**	**4**	**7**	**9**	**11**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	438	16.2	177	4	8	13	23	30	39	0-17	20	30.5	400						
70-74	312	16.2	209	2	6	12	21	42	52	18-34	139	20.6	576	6	8	8	21	54	91
75-79	194	20.5	241	9	11	15	28	42	49	35-49	363	25.1	543	3	8	16	39	59	81
80-84	120	27.3	403	8	15	23	38	77	99 +	50-69	603	21.2	337	5	9	15	25	49	57
85 +	81	15.3	380	1	3	6	32	41	67	70 +	22	14.8	56						
SUBTOTAL	**1145**	**18.0**	**246**	**3**	**8**	**13**	**24**	**39**	**56**		**1147**	**22.4**	**431**	**4**	**8**	**15**	**33**	**50**	**62**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	190	8.0	30	2	4	6	13	18	18	0-17	33	6.6	3						
70-74	200	8.6	31	4	5	7	11	17	21	18-34	350	5.9	18	1	3	5	8	10	16
75-79	112	11.5	60	5	7	8	13	26	27	35-49	336	6.1	38	1	3	5	8	10	12
80-84	75	6.8	58	1	1	5	9	14	29	50-69	532	6.6	20	2	4	6	8	11	13
85 +	33	8.6	22							70 +	0								
SUBTOTAL	**609**	**8.7**	**41**	**1**	**5**	**7**	**12**	**18**	**23**		**1251**	**6.3**	**24**	**2**	**3**	**5**	**8**	**10**	**12**
GRAND TOTAL	**1754**	**14.8**	**195**	**2**	**6**	**10**	**19**	**32**	**43**		**2398**	**14.0**	**284**	**2**	**5**	**8**	**15**	**35**	**50**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	20	23.5								18-34	45	23.3	262	7	10	18	36	53	53
35-49	10	30.0								35-49	33	8.7	4						
50-69	47	28.9	323							50-69	33	31.7	1293						
70 +	0									70 +	0								
SUBTOTAL	**77**	**27.6**	**200**	**11**	**16**	**24**	**42**	**55**	**55**		**110**	**21.4**	**563**	**5**	**7**	**11**	**23**	**53**	**84**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20	1.0								0-17	0								
18-34	26	7.0	13							18-34	55	5.7	5	1	4	7	7	8	8
35-49	16	6.6								35-49	75	13.6	132	4	8	10	17	40	40
50-69	22	5.5	9							50-69	20	9.0	26						
70 +	10	24.0								70 +	0								
SUBTOTAL	**96**	**7.1**	**45**	**< 1**	**1**	**6**	**8**	**24**	**24**		**151**	**10.1**	**84**	**4**	**4**	**8**	**14**	**17**	**40**
GRAND TOTAL	**173**	**16.3**	**218**	**1**	**6**	**11**	**24**	**42**	**55**		**261**	**14.9**	**316**	**4**	**5**	**9**	**14**	**39**	**53**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	385	23.4	496	1	6	13	40	52	74
70-74	312	15.0	116	2	6	13	24	32	35
75-79	361	19.6	263	2	9	16	30	44	45
80-84	141	18.1	227	2	3	18	29	37	46
85 +	226	17.0	303	3	6	11	24	38	60
SUBTOTAL	**1424**	**19.1**	**305**	**2**	**6**	**13**	**28**	**44**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1424**	**19.1**	**305**	**2**	**6**	**13**	**28**	**44**	**56**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	84	18.9	264	2	8	12	17	53	53
35-49	216	9.2	44	2	4	10	12	16	22
50-69	487	15.0	232	2	4	11	21	35	46
70 +	43	19.9	102						
	835	**14.1**	**190**	**2**	**4**	**10**	**17**	**34**	**46**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	835	**14.1**	**190**	**2**	**4**	**10**	**17**	**34**	**46**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	9.0							
18-34	26	20.2	286						
35-49	33	18.4	317						
50-69	29	8.2	41						
70 +	0								
SUBTOTAL	**98**	**14.9**	**219**	**4**	**5**	**9**	**15**	**41**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**98**	**14.9**	**219**	**4**	**5**	**9**	**15**	**41**	**54**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	6.3	1						
35-49	0								
50-69	37	14.9	41						
70 +	0								
	53	**12.2**	**45**	**1**	**7**	**16**	**18**	**19**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	53	**12.2**	**45**	**1**	**7**	**16**	**18**	**19**	**19**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	291	4.3	13	1	1	3	6	8	13	0-17	10	11.0							
70-74	302	3.5	12	1	1	2	4	7	10	18-34	240	6.1	27	1	2	4	8	15	17
75-79	204	8.0	64	1	2	4	15	19	24	35-49	314	3.8	14	1	1	2	5	11	13
80-84	116	8.5	45	2	4	4	10	19	22	50-69	591	5.3	29	1	1	3	8	13	19
85+	53	1.9	1	1	1	2	2	4	4	70+	29	3.6	2						
SUBTOTAL	**966**	**5.2**	**31**	**1**	**1**	**3**	**7**	**14**	**18**		**1184**	**5.1**	**25**	**1**	**1**	**3**	**7**	**12**	**17**
GRAND TOTAL	**966**	**5.2**	**31**	**1**	**1**	**3**	**7**	**14**	**18**		**1184**	**5.1**	**25**	**1**	**1**	**3**	**7**	**12**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	1.6								0-17	20	8.0	38						
18-34	6	1.0								18-34	43	3.9	5						
35-49	20	9.5	44							35-49	53	9.8	19	3	5	11	14	14	14
50-69	20	4.5	7							50-69	88	4.2	11	< 1	1	3	7	10	10
70+	0									70+	20	6.0	26						
SUBTOTAL	**63**	**5.0**	**27**	**1**	**2**	**2**	**7**	**16**	**16**		**224**	**6.0**	**21**	**1**	**2**	**5**	**10**	**14**	**14**
GRAND TOTAL	**63**	**5.0**	**27**	**1**	**2**	**2**	**7**	**16**	**16**		**224**	**6.0**	**21**	**1**	**2**	**5**	**10**	**14**	**14**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1216	12.1	118	2	4	9	16	28	38
70-74	994	15.2	200	3	5	11	22	33	42
75-79	1053	15.7	241	1	6	13	20	37	47
80-84	638	15.6	216	3	6	10	21	40	50
85 +	475	13.2	130	3	5	9	18	28	46
SUBTOTAL	**4376**	**14.3**	**184**	**3**	**5**	**10**	**19**	**31**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4376**	**14.3**	**184**	**3**	**5**	**10**	**19**	**31**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	243	8.1	35	2	3	8	10	14	19
35-49	524	14.2	181	2	6	10	18	35	36
50-69	1638	12.6	124	3	5	9	17	25	33
70 +	86	12.8	70	3	5	11	20	29	29
	2500	**12.5**	**128**	**3**	**5**	**9**	**17**	**27**	**34**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2500	**12.5**	**128**	**3**	**5**	**9**	**17**	**27**	**34**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	173	10.8	145	3	4	7	12	22	54
35-49	90	12.1	86	3	6	8	16	34	34
50-69	202	17.4	397	5	7	10	17	46	75
70 +	16	16.0	64						
SUBTOTAL	**481**	**14.0**	**245**	**4**	**6**	**9**	**16**	**34**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**481**	**14.0**	**245**	**4**	**6**	**9**	**16**	**34**	**55**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	75	10.0	68	1	2	8	15	24	24
35-49	73	8.1	18	3	4	7	13	15	15
50-69	163	11.8	101	3	5	9	15	25	43
70 +	39	18.6	174						
	350	**11.4**	**92**	**2**	**4**	**8**	**15**	**25**	**34**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	350	**11.4**	**92**	**2**	**4**	**8**	**15**	**25**	**34**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	465	7.0	27	2	3	6	9	18	19	0-17	69	4.0	12	< 1	1	3	4	10	10
70-74	355	7.3	33	2	4	6	9	16	23	18-34	190	4.0	14	1	1	2	6	11	12
75-79	247	7.9	66	1	2	5	9	20	23	35-49	432	6.4	46	1	2	5	9	12	13
80-84	136	8.3	73	2	3	7	8	14	36	50-69	744	5.6	17	1	2	4	8	11	13
85 +	124	7.7	60	1	2	6	9	18	27	70 +	26	7.1	16						
SUBTOTAL	**1326**	**7.5**	**44**	**2**	**3**	**6**	**9**	**17**	**21**		**1461**	**5.6**	**26**	**1**	**2**	**4**	**8**	**11**	**13**
GRAND TOTAL	**1326**	**7.5**	**44**	**2**	**3**	**6**	**9**	**17**	**21**		**1461**	**5.6**	**26**	**1**	**2**	**4**	**8**	**11**	**13**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20	2.0	1							0-17	0								
18-34	81	4.1	8	< 1	2	4	5	10	10	18-34	10	13.0							
35-49	6	4.0								35-49	57	4.6	53	1	1	1	2	20	20
50-69	39	11.6	48							50-69	130	8.5	61	2	3	6	10	18	19
70 +	10	1.0								70 +	0								
SUBTOTAL	**157**	**5.5**	**29**	**1**	**2**	**4**	**6**	**14**	**21**		**198**	**7.6**	**60**	**1**	**2**	**6**	**10**	**18**	**20**
GRAND TOTAL	**157**	**5.5**	**29**	**1**	**2**	**4**	**6**	**14**	**21**		**198**	**7.6**	**60**	**1**	**2**	**6**	**10**	**18**	**20**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	234	14.8	326	1	3	8	28	32	35
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**234**	**14.8**	**326**	**1**	**3**	**8**	**28**	**32**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	253	3.5	11	< 1	1	2	5	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**253**	**3.5**	**11**	**< 1**	**1**	**2**	**5**	**7**	**9**
GRAND TOTAL	**0**										**487**	**8.9**	**194**	**1**	**1**	**3**	**9**	**30**	**32**

	MEDICAID										NC INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	9.3	112							0-17	31	39.7	729						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**31**	**9.3**	**112**								**31**	**39.7**	**729**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**31**	**9.3**	**112**								**31**	**39.7**	**729**						

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	234	18.0	316	4	7	13	25	48	79	0-17	20	7.0	1						
70-74	210	18.6	186	5	8	15	30	42	45	18-34	37	24.3	265						
75-79	224	13.1	79	5	7	11	19	24	41	35-49	153	15.4	141	4	9	9	19	29	50
80-84	77	17.7	113	4	4	23	25	31	31	50-69	485	12.5	83	4	5	10	16	23	34
85 +	63	21.2	115	6	17	21	27	34	44	70 +	20	16.5	21						
SUBTOTAL	809	17.0	187	5	7	13	24	42	46		715	13.7	109	4	6	10	19	26	39
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	809	17.0	187	5	7	13	24	42	46		715	13.7	109	4	6	10	19	26	39

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	20	23.0	269							18-34	10	9.0							
35-49	10	6.0								35-49	0								
50-69	37	10.1	15							50-69	47	20.8	297						
70 +	0									70 +	0								
SUBTOTAL	67	13.4	130	6	7	7	16	39	39		57	18.7	264	7	9	12	27	57	61
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	67	13.4	130	6	7	7	16	39	39		57	18.7	264	7	9	12	27	57	61

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	75	8.3	21	3	5	6	11	17	17	0-17	31	5.0	2						
70-74	116	7.8	34	3	4	6	11	12	24	18-34	59	7.0	11	3	6	6	9	13	15
75-79	90	7.4	6	3	6	7	9	12	12	35-49	175	5.1	25	1	2	4	6	11	22
80-84	22	9.3	52							50-69	320	7.3	30	1	4	7	9	13	19
85 +	26	11.2	65							70 +	16	3.9	6						
SUBTOTAL	**330**	**8.2**	**28**	**3**	**4**	**7**	**11**	**14**	**21**		**601**	**6.4**	**26**	**1**	**3**	**6**	**8**	**12**	**17**
GRAND TOTAL	**330**	**8.2**	**28**	**3**	**4**	**7**	**11**	**14**	**21**		**601**	**6.4**	**26**	**1**	**3**	**6**	**8**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	8.0								0-17	0								
18-34	0									18-34	0								
35-49	6	7.0								35-49	26	8.4	34						
50-69	6	20.0								50-69	22	12.9	27						
70 +	0									70 +	20	7.5							
SUBTOTAL	**22**	**11.0**	**32**								**69**	**9.6**	**27**	**2**	**7**	**8**	**11**	**15**	**21**
GRAND TOTAL	**22**	**11.0**	**32**								**69**	**9.6**	**27**	**2**	**7**	**8**	**11**	**15**	**21**

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	424	7.5	101	2	3	5	8	13	21	0-17	31	10.3	18						
70-74	365	11.6	322	2	2	4	8	30	72	18-34	53	11.5	175	< 1	1	4	28	35	35
75-79	216	8.0	54	1	2	5	13	20	25	35-49	218	4.5	6	2	3	4	6	8	9
80-84	96	15.2	175	2	9	11	15	51	51	50-69	426	8.7	131	1	3	5	7	24	39
85 +	61	11.1	181	2	3	5	13	40	40	70 +	47	4.1	3						
SUBTOTAL	**1161**	**9.7**	**177**	**2**	**3**	**5**	**11**	**21**	**34**		**774**	**7.5**	**92**	**1**	**3**	**5**	**7**	**16**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	267	4.2	9	1	2	3	6	9	10	0-17	29	4.0	3						
70-74	334	3.5	12	1	2	2	4	7	10	18-34	108	3.0	5	< 1	1	2	4	5	9
75-79	161	3.1	2	1	2	3	4	6	6	35-49	350	3.3	16	1	2	3	3	5	8
80-84	88	4.0	14	2	2	3	3	14	14	50-69	646	2.9	6	1	2	2	3	5	7
85 +	51	3.2	1							70 +	26	2.2	1						
SUBTOTAL	**901**	**3.7**	**9**	**1**	**2**	**3**	**4**	**7**	**10**		**1159**	**3.0**	**9**	**1**	**2**	**2**	**3**	**5**	**8**
GRAND TOTAL	**2062**	**7.1**	**113**	**2**	**2**	**3**	**7**	**15**	**25**		**1934**	**4.8**	**47**	**1**	**2**	**3**	**5**	**8**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	67	8.6	111	2	2	5	6	33	33	35-49	20	22.0	341						
50-69	88	3.3	2	2	2	3	4	6	6	50-69	39	8.7	61						
70 +	0									70 +	0								
SUBTOTAL	**155**	**5.6**	**56**	**2**	**2**	**3**	**5**	**8**	**33**		**59**	**13.3**	**194**	**1**	**4**	**8**	**21**	**40**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	18	3.3	1							18-34	39	2.8	4						
35-49	63	6.4	13	2	3	6	10	12	12	35-49	18	2.3	1						
50-69	102	3.5	4	1	2	3	5	6	8	50-69	49	6.7	57	< 1	2	3	5	21	21
70 +	16	10.1	42							70 +	0								
SUBTOTAL	**200**	**4.9**	**13**	**2**	**2**	**3**	**6**	**11**	**14**		**106**	**4.5**	**32**	**< 1**	**1**	**3**	**4**	**7**	**21**
GRAND TOTAL	**355**	**5.2**	**32**	**2**	**2**	**3**	**6**	**10**	**15**		**165**	**7.7**	**107**	**1**	**2**	**3**	**7**	**21**	**40**

DRG 409: Radiotherapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	864	9.3	54	5	5	5	14	21	22	0-17	20	3.0	4						
70-74	937	11.3	169	4	5	5	13	23	39	18-34	82	2.8	1	2	2	3	3	5	5
75-79	530	10.5	57	5	5	7	14	20	26	35-49	226	8.2	58	2	4	5	13	15	30
80-84	267	13.1	227	4	5	6	15	37	48	50-69	1170	6.8	29	4	5	5	6	13	17
85 +	230	17.3	379	3	5	11	25	40	71	70 +	43	9.1	43						
SUBTOTAL	**2828**	**11.2**	**140**	**4**	**5**	**6**	**14**	**23**	**37**		**1541**	**6.8**	**33**	**3**	**4**	**5**	**6**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	153	3.9	2	2	2	5	5	5	5	0-17	0								
70-74	167	6.9	49	2	4	5	5	19	30	18-34	51	1.8	1						
75-79	31	4.0	2							35-49	82	3.3	3	1	2	2	5	6	6
80-84	10	1.0								50-69	296	4.4	1	2	4	5	5	6	6
85 +	31	3.7	15							70 +	10	2.0							
SUBTOTAL	**391**	**5.1**	**25**	**1**	**2**	**5**	**5**	**6**	**18**		**438**	**3.8**	**2**	**2**	**2**	**4**	**5**	**5**	**6**
GRAND TOTAL	**3220**	**10.5**	**130**	**4**	**5**	**5**	**13**	**22**	**35**		**1979**	**6.2**	**28**	**2**	**4**	**5**	**6**	**12**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	20	5.0								18-34	10	1.0							
35-49	0									35-49	20	37.0	657						
50-69	145	7.2	24	3	5	5	10	11	11	50-69	112	7.7	49	4	4	5	9	14	32
70 +	0									70 +	0								
SUBTOTAL	**165**	**6.9**	**21**	**4**	**5**	**5**	**10**	**11**	**11**		**143**	**11.4**	**242**	**1**	**4**	**5**	**12**	**33**	**62**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	10	3.0								18-34	41	3.3	2						
35-49	10	3.0								35-49	0								
50-69	51	10.0	124							50-69	20	4.5							
70 +	0									70 +	0								
SUBTOTAL	**71**	**8.0**	**98**	**3**	**3**	**4**	**5**	**32**	**32**		**61**	**3.7**	**2**	**2**	**2**	**4**	**5**	**5**	**5**
GRAND TOTAL	**236**	**7.2**	**44**	**3**	**4**	**5**	**7**	**11**	**26**		**204**	**9.1**	**182**	**2**	**4**	**5**	**9**	**14**	**45**

DRG 410: Chemotherapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13040	3.7	10	1	2	3	5	6	7	0-17	1445	2.9	6	1	2	2	3	5	6
70-74	9513	3.5	11	1	2	3	4	6	7	18-34	1993	3.7	6	1	2	4	5	6	7
75-79	5355	3.5	6	1	2	3	5	6	7	35-49	9192	3.7	16	1	2	3	5	6	7
80-84	1434	4.3	19	1	2	4	5	7	8	50-69	24390	3.2	7	1	2	3	4	6	6
85 +	293	4.2	25	1	2	3	4	6	9	70 +	507	3.3	4	1	2	3	5	6	8
SUBTOTAL	**29636**	**3.6**	**10**	**1**	**2**	**3**	**5**	**6**	**7**		**37528**	**3.4**	**9**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2237	2.6	4	1	1	2	3	5	6	0-17	605	3.1	1	2	2	3	4	5	5
70-74	2777	2.4	3	1	1	2	3	5	6	18-34	1147	3.3	4	1	2	4	4	5	5
75-79	925	2.6	4	1	1	2	4	5	6	35-49	2914	2.2	3	1	1	2	3	5	5
80-84	359	2.2	3	1	1	2	3	5	6	50-69	6170	2.3	3	1	1	2	3	5	6
85 +	41	5.3	1	4	4	6	6	6	6	70 +	141	1.6	2	1	1	1	1	5	5
SUBTOTAL	**6339**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**10977**	**2.4**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**35974**	**3.4**	**9**	**1**	**2**	**3**	**5**	**6**	**7**		**48505**	**3.1**	**8**	**1**	**2**	**2**	**4**	**6**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	583	3.8	3	2	2	4	5	5	6	0-17	112	2.7	1	2	2	3	3	4	4
18-34	695	3.0	13	1	1	2	4	5	6	18-34	458	3.3	8	1	1	2	5	6	8
35-49	799	4.2	14	1	2	4	5	7	10	35-49	656	4.2	11	1	2	4	5	6	7
50-69	1832	4.1	16	1	2	4	5	6	8	50-69	1129	3.7	13	1	2	2	5	6	15
70 +	10	5.0								70 +	45	3.5	1	2	3	4	4	4	4
SUBTOTAL	**3919**	**3.9**	**13**	**1**	**2**	**4**	**5**	**6**	**8**		**2400**	**3.7**	**11**	**1**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	326	2.9	2	1	2	3	4	5	5	0-17	31	3.7							
18-34	249	3.5	3	1	2	4	5	5	5	18-34	143	4.2	24	1	2	4	5	5	21
35-49	330	3.6	7	1	1	4	5	8	9	35-49	214	3.4	2	1	2	3	5	5	5
50-69	357	3.0	3	1	1	3	4	6	6	50-69	418	2.6	8	1	1	1	3	6	7
70 +	0									70 +	22	2.7							
SUBTOTAL	**1261**	**3.3**	**4**	**1**	**2**	**3**	**5**	**5**	**6**		**827**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**6**
GRAND TOTAL	**5180**	**3.7**	**11**	**1**	**2**	**3**	**5**	**6**	**8**		**3228**	**3.6**	**10**	**1**	**2**	**3**	**5**	**6**	**8**

DRG 411: History of Malignancy w/o Endoscopy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	1.0								0-17	0								
70-74	18	2.7	3							18-34	0								
75-79	6	14.0								35-49	0								
80-84	0									50-69	67	3.3	17	1	1	2	2	6	15
85 +	0									70 +	0								
SUBTOTAL	**35**	**4.2**	**23**								**67**	**3.3**	**17**	**1**	**1**	**2**	**2**	**6**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	1.0								0-17	0								
70-74	12	2.5	2							18-34	16	1.0							
75-79	10	1.0								35-49	10	2.0							
80-84	10	5.0								50-69	20	1.5							
85 +	10	1.0								70 +	0								
SUBTOTAL	**53**	**2.1**	**3**	**< 1**	**< 1**	**1**	**4**	**5**	**5**		**47**	**1.4**							
GRAND TOTAL	**88**	**2.9**	**12**	**< 1**	**< 1**	**1**	**5**	**5**	**14**		**114**	**2.6**	**11**	**1**	**1**	**2**	**2**	**6**	**13**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	10	2.0								35-49	0								
50-69	16	5.4	20							50-69	6	6.0							
70 +	0									70 +	0								
SUBTOTAL	**26**	**4.1**	**15**								**6**	**6.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	1.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	20	1.0							
70 +	0									70 +	0								
SUBTOTAL	**10**	**1.0**									**20**	**1.0**							
GRAND TOTAL	**37**	**3.2**	**13**								**26**	**2.2**	**5**						

DRG 412: History of Malignancy w/ Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12	2.0	1							0-17	0								
70-74	33	1.3								18-34	0								
75-79	6	1.0								35-49	0								
80-84	16	1.6								50-69	20	2.5							
85 +	0									70 +	0								
SUBTOTAL	**67**	**1.5**		**< 1**	**1**	**1**	**2**	**2**	**3**		**20**	**2.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	5.5	36							0-17	0								
70-74	6	1.0								18-34	0								
75-79	26	1.0								35-49	0								
80-84	0									50-69	24	1.5							
85 +	0									70 +	0								
SUBTOTAL	**49**	**2.5**	**16**	**1**	**1**	**1**	**1**	**13**	**13**		**24**	**1.5**							
GRAND TOTAL	**116**	**1.9**	**7**	**< 1**	**1**	**1**	**2**	**3**	**10**		**45**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	10	1.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**10**	**1.0**							
GRAND TOTAL	**0**										**10**	**1.0**							

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	354	16.1	365	3	4	8	19	41	74	0-17	10	3.0							
70-74	334	16.0	245	4	5	12	19	39	41	18-34	29	5.1	5						
75-79	357	12.1	124	2	4	9	16	24	49	35-49	169	8.4	42	2	2	8	12	18	22
80-84	157	20.3	562	3	8	12	21	70	87	50-69	597	12.1	81	3	5	10	17	24	31
85 +	155	16.2	359	4	6	10	21	39	39	70 +	12	9.5	13						
SUBTOTAL	**1357**	**15.5**	**299**	**3**	**5**	**9**	**19**	**36**	**60**		**817**	**10.9**	**73**	**2**	**4**	**9**	**15**	**23**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1357**	**15.5**	**299**	**3**	**5**	**9**	**19**	**36**	**60**		**817**	**10.9**	**73**	**2**	**4**	**9**	**15**	**23**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	26	9.9	44							18-34	10	7.0							
35-49	20	12.5	76							35-49	16	2.4							
50-69	108	17.2	249	2	4	6	28	44	46	50-69	79	16.5	152	3	7	15	31	36	99 +
70 +	0									70 +	0								
SUBTOTAL	**155**	**15.4**	**198**	**3**	**4**	**6**	**23**	**44**	**46**		**106**	**13.4**	**144**	**3**	**3**	**7**	**30**	**36**	**96**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**155**	**15.4**	**198**	**3**	**4**	**6**	**23**	**44**	**46**		**106**	**13.4**	**144**	**3**	**3**	**7**	**30**	**36**	**96**

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	112	6.4	27	1	1	5	10	16	16
70-74	108	4.3	11	1	1	4	7	9	12
75-79	71	7.7	35	3	5	5	12	15	23
80-84	65	10.1	104	3	4	8	8	22	38
85 +	92	8.3	83	1	3	5	8	32	32
SUBTOTAL	**448**	**7.0**	**50**	**1**	**3**	**5**	**8**	**15**	**21**
GRAND TOTAL	**448**	**7.0**	**50**	**1**	**3**	**5**	**8**	**15**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	73	2.0	3	< 1	1	1	2	6	6
18-34	16	2.5	4						
35-49	149	4.8	25	1	2	3	5	13	19
50-69	387	6.5	94	1	2	3	6	17	33
70 +	20	2.5							
SUBTOTAL	**646**	**5.4**	**65**	**1**	**1**	**3**	**5**	**13**	**19**
GRAND TOTAL	**646**	**5.4**	**65**	**1**	**1**	**3**	**5**	**13**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	6.0							
35-49	10	8.0							
50-69	12	13.0							
70 +	0								
SUBTOTAL	**29**	**9.7**	**9**						
GRAND TOTAL	**29**	**9.7**	**9**						

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	22	4.6	17						
50-69	29	7.1	65						
70 +	16	2.1	2						
SUBTOTAL	**67**	**5.1**	**37**	**1**	**1**	**3**	**5**	**11**	**22**
GRAND TOTAL	**67**	**5.1**	**37**	**1**	**1**	**3**	**5**	**11**	**22**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1141	23.8	236	7	13	20	36	51	78
70-74	650	28.3	371	8	13	23	39	50	69
75-79	717	26.8	349	9	12	22	37	56	76
80-84	534	24.1	314	9	12	20	29	52	66
85 +	483	25.8	271	10	14	21	32	55	56
SUBTOTAL	**3525**	**25.6**	**303**	**9**	**13**	**21**	**36**	**52**	**69**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	202	12.7	76	3	6	10	18	25	33
70-74	130	18.5	193	4	7	15	21	45	46
75-79	106	15.3	132	4	8	12	21	42	99 +
80-84	73	21.5	182	4	12	21	31	33	53
85 +	43	7.0	18						
SUBTOTAL	**554**	**15.3**	**138**	**4**	**7**	**13**	**21**	**33**	**44**
GRAND TOTAL	**4079**	**24.2**	**293**	**7**	**12**	**20**	**35**	**50**	**64**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	136	14.4	85	5	8	11	23	32	32
18-34	369	16.9	280	4	6	10	24	33	41
35-49	503	20.6	234	4	9	16	26	45	55
50-69	949	21.5	248	6	10	18	26	43	53
70 +	6	24.0							
	1964	**19.9**	**243**	**4**	**9**	**16**	**26**	**41**	**49**
0-17	185	7.5	49	2	3	4	11	16	30
18-34	422	7.4	35	1	3	6	10	17	20
35-49	251	10.0	97	2	4	8	11	23	30
50-69	456	10.8	67	2	5	9	14	24	26
70 +	26	6.6							
	1340	**9.0**	**61**	**2**	**4**	**7**	**12**	**20**	**26**
	3305	**15.5**	**198**	**3**	**6**	**11**	**21**	**33**	**45**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	37	18.8	338						
18-34	177	20.9	259	6	9	16	32	39	65
35-49	181	35.3	562	7	19	29	50	81	97
50-69	100	32.2	691	12	18	20	95	99 +	99 +
70 +	29	15.9	5						
SUBTOTAL	**524**	**27.6**	**488**	**6**	**13**	**21**	**39**	**65**	**97**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	33	3.5	14						
18-34	86	10.5	52	3	5	9	13	27	27
35-49	63	8.0	44	< 1	2	4	15	18	18
50-69	26	7.0							
70 +	0								
SUBTOTAL	**208**	**8.2**	**43**	**2**	**2**	**7**	**11**	**16**	**20**
GRAND TOTAL	**732**	**22.1**	**438**	**3**	**7**	**16**	**32**	**53**	**95**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	18.0	52						
18-34	49	11.5	91	4	4	6	18	28	28
35-49	59	24.7	186	6	18	18	43	44	44
50-69	65	34.4	523	11	17	28	41	81	81
70 +	0								
	204	**23.7**	**326**	**5**	**11**	**18**	**29**	**43**	**59**
0-17	47	7.7	25	3	4	5	15	16	16
18-34	98	8.9	71	1	4	5	10	25	26
35-49	63	18.4	103	7	7	12	27	34	34
50-69	63	11.3	57	5	6	10	15	20	31
70 +	6	88.0							
	277	**13.1**	**208**	**2**	**5**	**8**	**16**	**27**	**34**
	481	**17.6**	**284**	**4**	**6**	**12**	**26**	**39**	**44**

DRG 416: Septicemia Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3170	12.4	105	4	7	10	14	26	35	0-17	0								
70-74	2585	13.5	128	5	7	11	15	22	35	18-34	758	9.6	99	3	5	7	11	14	27
75-79	2695	13.6	111	5	7	11	16	26	36	35-49	1161	11.7	91	4	6	9	13	21	33
80-84	2459	14.8	152	5	8	12	18	32	41	50-69	2738	12.2	87	5	7	9	15	24	31
85 +	3813	14.6	125	6	9	12	17	27	44	70 +	206	15.3	165	6	7	10	14	40	42
SUBTOTAL	**14722**	**13.8**	**124**	**5**	**7**	**11**	**16**	**26**	**38**		**4863**	**11.8**	**95**	**4**	**6**	**9**	**13**	**23**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	153	10.6	59	5	7	9	13	17	17	0-17	0								
70-74	206	12.5	99	4	6	10	17	28	36	18-34	230	7.4	32	3	4	6	9	12	17
75-79	226	9.9	51	4	4	8	10	21	23	35-49	226	7.5	25	3	4	6	9	15	17
80-84	210	15.0	168	6	9	10	14	30	36	50-69	385	7.7	21	3	4	7	10	15	17
85 +	304	13.8	74	6	7	10	16	30	33	70 +	22	5.5	5						
SUBTOTAL	**1098**	**12.5**	**93**	**4**	**7**	**10**	**14**	**26**	**33**		**864**	**7.5**	**25**	**3**	**4**	**6**	**9**	**15**	**17**
GRAND TOTAL	**15820**	**13.7**	**122**	**5**	**7**	**11**	**16**	**26**	**38**		**5727**	**11.1**	**86**	**4**	**6**	**9**	**13**	**21**	**29**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	330	11.9	98	4	5	8	15	29	33	18-34	161	12.9	105	3	5	9	17	31	39
35-49	410	16.3	116	6	9	14	21	37	39	35-49	181	17.4	169	5	8	13	24	42	48
50-69	352	14.2	113	6	8	11	16	31	38	50-69	216	13.1	71	5	8	10	17	21	33
70 +	98	16.9	88	5	7	17	30	30	99 +	70 +	84	17.7	105	7	11	14	25	36	36
SUBTOTAL	**1190**	**14.5**	**111**	**4**	**7**	**11**	**18**	**31**	**39**		**642**	**14.9**	**116**	**4**	**7**	**11**	**19**	**33**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	35	3.6	8							18-34	59	5.6	9	2	4	4	8	11	12
35-49	31	7.4	24							35-49	22	7.3	9						
50-69	12	9.5	13							50-69	26	9.1	25						
70 +	12	20.5	98							70 +	33	7.3	15						
SUBTOTAL	**90**	**8.0**	**55**	**1**	**3**	**6**	**11**	**16**	**30**		**141**	**6.9**	**15**	**3**	**4**	**7**	**10**	**12**	**14**
GRAND TOTAL	**1279**	**14.1**	**110**	**4**	**7**	**11**	**18**	**30**	**38**		**782**	**13.4**	**107**	**4**	**6**	**10**	**17**	**31**	**36**

DRG 417: Septicemia Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	31	8.7	2							0-17	837	6.9	25	2	3	6	10	12	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**31**	**8.7**	**2**								**837**	**6.9**	**25**	**2**	**3**	**6**	**10**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	5.0								0-17	1178	5.3	12	2	3	4	8	10	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**5.0**									**1178**	**5.3**	**12**	**2**	**3**	**4**	**8**	**10**	**12**
GRAND TOTAL	**41**	**7.8**	**4**								**2015**	**5.9**	**18**	**2**	**3**	**5**	**9**	**11**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	242	6.6	13	3	3	7	9	10	14	0-17	122	4.2	7	2	3	3	5	10	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**242**	**6.6**	**13**	**3**	**3**	**7**	**9**	**10**	**14**		**122**	**4.2**	**7**	**2**	**3**	**3**	**5**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	471	5.5	14	2	3	4	8	12	14	0-17	204	4.5	7	2	3	4	5	8	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**471**	**5.5**	**14**	**2**	**3**	**4**	**8**	**12**	**14**		**204**	**4.5**	**7**	**2**	**3**	**4**	**5**	**8**	**10**
GRAND TOTAL	**713**	**5.9**	**14**	**2**	**3**	**5**	**9**	**10**	**14**		**326**	**4.4**	**7**	**2**	**3**	**4**	**5**	**9**	**11**

DRG 418: Postoperative & Post-traumatic Infections

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	628	10.5	119	2	5	7	12	21	32	0-17	108	6.6	48	2	3	4	5	18	23
70-74	194	9.7	19	5	6	9	15	16	16	18-34	265	6.4	16	2	4	5	10	11	14
75-79	344	7.9	27	3	4	7	11	12	15	35-49	312	7.8	25	3	4	7	9	18	20
80-84	136	13.9	82	5	6	11	20	25	25	50-69	497	8.1	50	3	4	7	9	13	21
85 +	71	14.4	98	4	7	12	18	28	39	70 +	12	5.0							
SUBTOTAL	**1373**	**10.3**	**80**	**3**	**5**	**8**	**12**	**19**	**25**		**1194**	**7.5**	**36**	**3**	**4**	**6**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	320	6.6	20	2	4	6	8	11	12	0-17	265	4.6	13	1	2	3	8	11	11
70-74	263	8.7	38	3	5	6	8	20	21	18-34	735	4.9	15	2	3	4	6	9	11
75-79	259	7.2	35	3	4	6	8	11	13	35-49	650	6.1	22	2	3	5	7	11	15
80-84	106	9.5	19	5	6	8	12	17	18	50-69	636	7.0	20	3	4	6	10	14	15
85 +	94	17.7	562	3	6	12	15	84	84	70 +	16	11.3	25						
SUBTOTAL	**1041**	**8.6**	**86**	**3**	**4**	**7**	**10**	**16**	**20**		**2302**	**5.9**	**19**	**2**	**3**	**5**	**8**	**11**	**14**
GRAND TOTAL	**2414**	**9.6**	**83**	**3**	**5**	**7**	**12**	**18**	**23**		**3496**	**6.4**	**25**	**2**	**3**	**5**	**8**	**11**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	5.6	22							0-17	10	3.0							
18-34	16	14.9	90							18-34	90	5.0	7	2	2	5	8	9	9
35-49	73	9.7	13	5	6	11	13	13	14	35-49	51	3.4	1						
50-69	47	11.5	163							50-69	55	7.9	23	2	4	7	10	18	18
70 +	0									70 +	10	38.0							
SUBTOTAL	**175**	**9.8**	**68**	**2**	**3**	**6**	**13**	**22**	**34**		**216**	**6.8**	**60**	**2**	**3**	**4**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	104	6.7	32	2	2	7	9	13	21	0-17	45	4.5	3	2	3	4	6	7	7
18-34	153	6.3	25	2	3	4	10	17	17	18-34	214	5.5	18	2	3	5	7	11	14
35-49	96	7.2	11	4	4	7	10	14	14	35-49	69	5.4	11	3	3	4	6	12	12
50-69	49	8.4	21	4	4	10	10	18	18	50-69	49	6.2	9	3	4	5	9	12	12
70 +	0									70 +	10	8.0							
SUBTOTAL	**401**	**6.9**	**23**	**2**	**3**	**5**	**10**	**14**	**18**		**387**	**5.5**	**14**	**2**	**3**	**5**	**7**	**9**	**12**
GRAND TOTAL	**577**	**7.8**	**38**	**2**	**3**	**6**	**10**	**16**	**21**		**603**	**6.0**	**31**	**2**	**3**	**4**	**7**	**10**	**14**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	978	10.5	256	3	4	6	10	16	24	0-17	0								
70-74	833	9.8	109	3	4	7	9	24	30	18-34	385	5.3	27	1	2	4	6	9	18
75-79	713	9.3	91	3	5	7	10	14	21	35-49	518	6.7	28	2	3	5	9	13	17
80-84	654	8.1	49	3	4	7	10	14	16	50-69	974	6.8	22	2	4	5	8	14	16
85 +	511	10.8	139	3	5	7	11	24	32	70 +	43	10.9	7						
SUBTOTAL	**3689**	**9.7**	**139**	**3**	**4**	**7**	**10**	**17**	**27**		**1919**	**6.6**	**25**	**2**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3689**	**9.7**	**139**	**3**	**4**	**7**	**10**	**17**	**27**		**1919**	**6.6**	**25**	**2**	**3**	**5**	**8**	**13**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	132	9.4	120	3	4	6	11	15	45	18-34	145	5.5	24	1	2	4	8	11	20
35-49	118	8.4	95	2	2	4	8	30	31	35-49	29	3.5	2						
50-69	86	11.2	182	3	4	7	9	47	47	50-69	65	6.1	17	2	3	5	8	14	14
70 +	0									70 +	6	7.0							
SUBTOTAL	**336**	**9.5**	**127**	**2**	**3**	**6**	**9**	**30**	**45**		**244**	**5.5**	**20**	**1**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**336**	**9.5**	**127**	**2**	**3**	**6**	**9**	**30**	**45**		**244**	**5.5**	**20**	**1**	**2**	**4**	**7**	**11**	**14**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	204	6.1	18	2	3	4	9	11	15	0-17	0								
70-74	281	6.1	10	3	4	5	8	10	12	18-34	464	3.9	7	1	2	3	5	8	10
75-79	187	6.4	21	3	4	4	7	10	18	35-49	275	5.5	24	2	3	4	6	8	15
80-84	114	5.7	13	2	4	5	7	10	16	50-69	464	5.6	12	2	3	5	7	9	11
85 +	191	7.2	15	4	4	6	9	12	14	70 +	26	7.9	1						
SUBTOTAL	**978**	**6.3**	**15**	**3**	**4**	**5**	**8**	**11**	**16**		**1230**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**978**	**6.3**	**15**	**3**	**4**	**5**	**8**	**11**	**16**		**1230**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	39	2.8	2							18-34	120	5.5	36	1	2	5	6	7	24
35-49	10	14.0								35-49	81	6.0	20	1	3	5	9	15	15
50-69	16	5.8	9							50-69	22	6.2	8						
70 +	10	6.0								70 +	0								
SUBTOTAL	**75**	**5.4**	**17**	**2**	**2**	**5**	**8**	**14**	**14**		**224**	**5.8**	**27**	**1**	**3**	**5**	**7**	**10**	**15**
GRAND TOTAL	**75**	**5.4**	**17**	**2**	**2**	**5**	**8**	**14**	**14**		**224**	**5.8**	**27**	**1**	**3**	**5**	**7**	**10**	**15**

DRG 421: Viral Illness Age > 17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	678	7.2	84	2	3	4	8	15	21	0-17	0								
70-74	438	5.6	15	2	3	4	7	11	14	18-34	1440	5.3	23	2	2	4	6	11	15
75-79	503	6.8	32	3	4	5	8	11	15	35-49	915	8.0	128	2	3	5	8	15	23
80-84	316	7.6	64	3	4	5	9	19	43	50-69	617	5.7	15	2	3	5	7	12	14
85 +	210	10.0	90	2	5	6	11	24	38	70 +	43	15.7	452						
SUBTOTAL	2145	7.1	57	2	3	5	8	14	19		3015	6.4	62	2	3	4	7	12	16
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	224	4.9	11	2	3	4	7	11	13	0-17	0								
70-74	236	4.1	7	1	2	4	5	8	10	18-34	2015	3.3	5	1	2	3	4	6	8
75-79	118	6.8	54	3	4	5	6	10	27	35-49	621	3.9	8	1	2	3	5	7	10
80-84	134	4.9	10	3	3	3	6	11	11	50-69	597	4.1	7	1	2	3	5	8	9
85 +	171	6.4	51	2	3	5	7	12	13	70 +	39	2.4	2						
SUBTOTAL	884	5.2	24	2	3	4	6	10	12		3271	3.5	6	1	2	3	4	6	8
GRAND TOTAL	3029	6.6	48	2	3	5	8	12	18		6287	4.9	35	1	2	3	5	9	13

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	355	12.3	257	2	4	6	15	25	26	18-34	379	4.3	11	2	2	3	5	9	12
35-49	204	11.1	56	2	4	11	16	19	25	35-49	61	7.2	26	1	3	8	11	15	18
50-69	77	6.3	15	2	3	6	7	14	14	50-69	126	5.5	11	3	3	4	9	11	11
70 +	0									70 +	12	5.0							
SUBTOTAL	636	11.2	166	2	4	7	14	23	26		578	4.9	13	1	3	4	6	11	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	226	3.1	5	1	2	2	4	5	7	18-34	599	3.6	7	1	2	3	5	7	9
35-49	41	3.3	2	1	2	4	4	5	5	35-49	108	4.2	11	2	2	3	5	7	13
50-69	39	4.5	3							50-69	102	3.4	2	1	2	3	5	6	6
70 +	10	6.0								70 +	0								
SUBTOTAL	316	3.4	5	1	2	3	5	6	7		809	3.6	7	1	2	3	5	7	9
GRAND TOTAL	951	8.6	126	1	3	5	12	19	24		1387	4.2	10	1	2	3	5	9	11

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	2878	3.3	5	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										2878	3.3	5	1	2	3	4	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	7180	2.8	2	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										7180	2.8	2	1	2	3	4	5	6
GRAND TOTAL	0										10059	2.9	3	1	2	3	4	5	6

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	807	3.7	8	1	2	3	5	6	8	0-17	587	3.6	6	1	2	3	5	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	807	3.7	8	1	2	3	5	6	8		587	3.6	6	1	2	3	5	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1923	3.1	3	1	2	3	4	5	6	0-17	1530	3.1	3	1	2	3	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1923	3.1	3	1	2	3	4	5	6		1530	3.1	3	1	2	3	4	6	7
GRAND TOTAL	2730	3.3	4	1	2	3	4	6	6		2117	3.2	4	1	2	3	4	6	7

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	255	13.0	172	3	5	7	18	28	34	0-17	124	12.1	259	3	3	5	11	19	63
70-74	108	14.1	126	5	7	8	19	30	40	18-34	503	9.3	75	3	3	7	12	20	25
75-79	120	10.6	35	4	6	9	15	20	22	35-49	705	18.1	336	1	4	12	24	37	61
80-84	45	14.6	86	4	7	10	26	27	27	50-69	418	12.5	120	3	5	8	16	32	38
85 +	81	15.5	115	4	8	12	19	40	40	70 +	0								
SUBTOTAL	**609**	**13.2**	**125**	**4**	**6**	**9**	**18**	**27**	**35**		**1750**	**13.8**	**218**	**2**	**4**	**8**	**18**	**32**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	139	8.4	17	3	5	8	14	14	14	0-17	479	4.9	18	1	2	3	7	12	14
70-74	61	8.5	28	3	3	7	13	16	16	18-34	550	5.5	20	1	2	4	7	13	16
75-79	51	9.0	35	2	3	14	15	15	15	35-49	338	4.8	18	1	1	3	6	12	14
80-84	26	11.2	15							50-69	194	4.7	21	1	1	2	7	14	15
85 +	29	5.6	9							70 +	10	7.0							
SUBTOTAL	**306**	**8.5**	**23**	**3**	**4**	**8**	**14**	**15**	**15**		**1571**	**5.1**	**19**	**1**	**2**	**3**	**7**	**13**	**14**
GRAND TOTAL	**915**	**11.6**	**96**	**3**	**5**	**9**	**15**	**23**	**30**		**3321**	**9.7**	**143**	**1**	**3**	**6**	**12**	**21**	**33**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	73	9.7	125	3	3	6	7	37	37	0-17	16	6.6							
18-34	261	22.4	396	3	5	16	50	62	99 +	18-34	159	19.0	214	5	8	14	27	39	61
35-49	379	17.7	384	1	6	12	25	60	89	35-49	94	23.7	381	8	10	12	36	61	61
50-69	67	8.3	21	5	5	6	11	18	18	50-69	43	41.5	1025						
70 +	0									70 +	10	11.0							
SUBTOTAL	**781**	**17.7**	**353**	**1**	**5**	**12**	**25**	**59**	**89**		**322**	**22.5**	**421**	**6**	**8**	**12**	**33**	**53**	**61**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	8.1	19							0-17	134	5.4	17	1	2	4	8	13	13
18-34	6	8.0								18-34	185	6.9	40	2	3	5	10	13	29
35-49	57	11.0	18	5	6	14	14	16	16	35-49	67	4.4	18	1	2	3	4	14	14
50-69	6	3.0								50-69	18	3.3	2						
70 +	0									70 +	10	3.0							
SUBTOTAL	**98**	**9.5**	**21**	**3**	**5**	**9**	**14**	**15**	**16**		**416**	**5.8**	**27**	**2**	**2**	**4**	**7**	**13**	**13**
RAND TOTAL	**878**	**16.8**	**323**	**2**	**5**	**11**	**24**	**57**	**71**		**738**	**13.1**	**267**	**2**	**4**	**7**	**13**	**36**	**53**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	139	31.5	565	6	18	34	38	99 +	99 +	0-17	10	7.0							
70-74	116	30.2	370	9	13	29	58	59	99 +	18-34	39	9.0	72						
75-79	79	22.9	300	2	12	25	45	99 +	99 +	35-49	69	13.6	195	2	3	11	12	24	54
80-84	120	43.3	835	11	19	44	94	99 +	99 +	50-69	88	24.7	267	1	15	21	32	57	57
85 +	71	26.4	128	12	19	22	38	41	46	70 +	16	63.5	1761						
SUBTOTAL	**526**	**31.9**	**528**	**7**	**16**	**30**	**58**	**99 +**	**99 +**		**222**	**20.5**	**489**	**2**	**4**	**12**	**26**	**54**	**57**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	126	23.2	411	2	12	20	28	35	62	0-17	37	9.3	71						
70-74	84	13.9	137	< 1	4	9	29	31	99 +	18-34	110	14.2	122	2	5	10	21	30	35
75-79	41	15.4	206	1	1	12	31	34	34	35-49	106	27.8	443	2	20	23	29	69	88
80-84	49	15.7	137	1	3	19	27	99 +	99 +	50-69	108	16.4	289	3	3	9	25	52	58
85 +	22	20.5	155							70 +	0								
SUBTOTAL	**322**	**18.5**	**269**	**1**	**3**	**19**	**29**	**34**	**99 +**		**361**	**18.3**	**301**	**1**	**4**	**16**	**25**	**35**	**56**
GRAND TOTAL	**848**	**26.8**	**472**	**3**	**12**	**27**	**41**	**97**	**99 +**		**583**	**19.2**	**373**	**2**	**4**	**15**	**25**	**40**	**57**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	25.0								18-34	12	6.0	17						
35-49	39	37.0	1416							35-49	20	72.5	581						
50-69	10	15.0								50-69	29	18.9	241						
70 +	0									70 +	0								
SUBTOTAL	**55**	**31.6**	**1066**	**5**	**15**	**19**	**25**	**98**	**98**		**61**	**34.2**	**1071**	**3**	**7**	**25**	**49**	**96**	**96**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	1.6								0-17	0								
18-34	6	39.0								18-34	29	26.8	231						
35-49	6	23.0								35-49	0								
50-69	6	10.0								50-69	22	9.1	55						
70 +	10	24.0								70 +	0								
SUBTOTAL	**45**	**15.9**	**177**	**2**	**6**	**24**	**99 +**	**99 +**	**99 +**		**51**	**19.0**	**229**	**2**	**9**	**17**	**36**	**45**	**45**
GRAND TOTAL	**100**	**24.5**	**723**	**2**	**10**	**24**	**97**	**99 +**	**99 +**		**112**	**27.3**	**741**	**2**	**7**	**17**	**39**	**49**	**96**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	505	7.6	65	2	2	4	9	18	26
70-74	328	8.1	57	3	4	7	10	18	22
75-79	454	10.2	201	2	3	5	9	26	30
80-84	322	11.4	310	2	3	6	11	21	40
85 +	428	10.4	72	3	4	7	14	24	32
SUBTOTAL	**2037**	**9.4**	**136**	**2**	**3**	**6**	**11**	**21**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	452	10.4	129	1	2	7	13	29	38
70-74	222	9.0	133	2	3	5	10	19	40
75-79	165	12.1	467	2	3	4	12	21	93
80-84	226	4.7	21	1	2	3	5	10	15
85 +	151	8.1	41	2	3	7	10	17	21
SUBTOTAL	**1216**	**9.0**	**150**	**1**	**2**	**5**	**10**	**20**	**36**
GRAND TOTAL	**3253**	**9.3**	**141**	**2**	**3**	**6**	**11**	**20**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	81	2.6	7	< 1	1	1	3	9	9
18-34	267	8.2	43	1	3	6	14	18	18
35-49	316	9.1	93	1	2	5	11	27	32
50-69	310	7.7	50	1	3	6	9	15	26
70 +	35	6.6	18						
	1008	**7.8**	**60**	**1**	**2**	**5**	**10**	**18**	**27**
0-17	283	8.1	236	1	2	2	5	18	58
18-34	727	7.3	67	1	2	4	9	19	26
35-49	739	5.3	38	1	1	3	6	14	21
50-69	540	5.3	23	1	2	3	7	14	16
70 +	18	3.3	3						
	2308	**6.3**	**69**	**1**	**2**	**3**	**7**	**14**	**22**
	3316	**6.7**	**67**	**1**	**2**	**4**	**8**	**17**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	32.7	1004						
18-34	104	8.4	33	2	4	8	11	19	21
35-49	67	5.0	16	< 1	2	4	7	13	13
50-69	22	[illegible]	1						
70 +	0								
SUBTOTAL	**224**	**10.2**	**236**	**2**	**3**	**5**	**11**	**18**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	171	13.3	337	1	1	5	18	35	73
18-34	253	9.1	106	1	2	5	12	27	33
35-49	100	5.5	40	1	2	3	6	9	28
50-69	73	8.0	34	3	5	6	9	10	26
70 +	0								
SUBTOTAL	**597**	**9.6**	**159**	**1**	**2**	**6**	**10**	**27**	**33**
GRAND TOTAL	**821**	**9.7**	**180**	**1**	**2**	**5**	**10**	**26**	**33**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.0							
18-34	149	6.8	30	1	1	5	12	13	13
35-49	88	6.3	39	2	2	4	7	21	21
50-69	41	5.1	8	3	3	4	6	11	11
70 +	22	4.5	1						
	316	**6.0**	**28**	**1**	**2**	**4**	**10**	**13**	**19**
0-17	49	4.8	23	< 1	< 1	3	8	13	13
18-34	289	9.1	170	1	2	4	12	24	42
35-49	114	7.9	50	1	2	6	16	19	21
50-69	110	3.7	5	1	3	3	4	7	9
70 +	6	10.0							
	568	**7.5**	**104**	**1**	**2**	**3**	**8**	**21**	**24**
	884	**6.9**	**77**	**1**	**2**	**4**	**8**	**16**	**22**

DRG 426: Depressive Neuroses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	638	13.2	186	2	5	9	17	25	34
70-74	185	10.2	56	2	4	8	14	20	20
75-79	224	9.3	48	3	4	6	12	22	26
80-84	130	11.8	104	3	4	7	17	30	35
85 +	110	14.5	155	3	6	13	21	39	42
SUBTOTAL	**1287**	**12.1**	**135**	**3**	**5**	**8**	**15**	**23**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	576	12.2	194	2	4	8	15	27	34
70-74	230	13.9	298	2	4	9	18	25	31
75-79	244	9.8	71	2	4	8	11	16	32
80-84	143	13.2	143	3	4	11	16	38	41
85 +	108	8.8	22	2	4	10	14	14	16
SUBTOTAL	**1302**	**11.9**	**171**	**2**	**4**	**8**	**15**	**27**	**35**
GRAND TOTAL	**2589**	**12.0**	**153**	**2**	**4**	**8**	**15**	**25**	**34**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	163	30.3	925	3	7	20	74	99 +	99 +
18-34	1575	15.9	103	3	6	17	21	29	33
35-49	1080	13.8	81	3	6	13	21	24	26
50-69	465	13.2	224	1	4	7	21	26	28
70 +	39	11.0	50						
	3321	**15.5**	**165**	**3**	**5**	**14**	**21**	**28**	**35**
0-17	1281	18.5	441	2	5	11	25	58	80
18-34	2304	8.9	75	1	3	6	13	21	27
35-49	1615	9.7	111	1	3	6	13	22	29
50-69	589	10.2	67	2	4	8	15	23	29
70 +	6	4.0							
	5796	**11.4**	**179**	**1**	**3**	**7**	**14**	**26**	**36**
	9117	**12.8**	**178**	**2**	**4**	**9**	**20**	**28**	**35**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	122	29.7	576	10	14	16	48	56	87
18-34	878	15.2	127	3	5	14	21	28	37
35-49	428	15.2	103	4	6	14	22	30	33
50-69	141	12.4	81	4	4	11	12	28	33
70 +	6	12.0							
SUBTOTAL	**1575**	**16.1**	**166**	**3**	**6**	**14**	**21**	**29**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	540	23.3	614	3	6	15	36	86	99 +
18-34	1300	10.4	113	2	3	7	14	23	32
35-49	652	13.2	277	2	4	9	17	22	47
50-69	171	14.8	91	4	7	12	21	32	32
70 +	6	8.0							
SUBTOTAL	**2669**	**14.0**	**276**	**2**	**4**	**9**	**18**	**32**	**48**
GRAND TOTAL	**4244**	**14.8**	**237**	**2**	**4**	**10**	**21**	**31**	**44**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	4.0	8						
18-34	909	7.1	29	1	3	6	10	14	16
35-49	253	13.6	108	2	5	11	21	27	38
50-69	86	19.3	560	4	5	8	24	79	79
70 +	6	12.0							
	1281	**9.2**	**93**	**1**	**3**	**7**	**12**	**19**	**24**
0-17	230	16.9	458	1	3	8	22	36	56
18-34	1383	9.9	141	1	3	6	11	24	37
35-49	391	7.6	42	1	3	5	11	19	20
50-69	128	15.4	517	1	4	5	21	31	65
70 +	22	6.2	4						
	2155	**10.5**	**185**	**1**	**3**	**6**	**12**	**24**	**36**
	3437	**10.0**	**151**	**1**	**3**	**6**	**12**	**22**	**31**

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	291	10.9	149	3	4	7	13	20	22	0-17	226	24.6	521	3	5	17	39	59	62
70-74	39	18.7	120							18-34	405	14.1	166	1	2	9	22	33	39
75-79	16	18.9	30							35-49	275	9.6	65	2	4	6	15	21	28
80-84	22	13.8	25							50-69	102	8.8	77	1	3	7	13	23	32
85 +	6	5.0								70 +	6	5.0							
SUBTOTAL	**375**	**12.1**	**139**	**3**	**4**	**10**	**15**	**23**	**23**		**1015**	**14.6**	**240**	**2**	**4**	**8**	**21**	**33**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	428	19.0	458	2	5	12	21	60	84	0-17	1239	16.8	328	2	5	14	23	32	87
70-74	79	20.3	216	1	5	22	35	42	42	18-34	1027	10.1	125	1	2	6	14	27	32
75-79	69	13.1	128	2	3	13	17	34	34	35-49	703	10.7	185	1	3	6	15	26	34
80-84	71	17.3	95	6	10	16	19	38	38	50-69	293	8.1	44	2	3	7	11	17	26
85 +	24	8.3	60							70 +	6	4.0							
SUBTOTAL	**672**	**18.0**	**349**	**2**	**5**	**13**	**21**	**41**	**66**		**3268**	**12.6**	**219**	**2**	**3**	**7**	**17**	**28**	**37**
GRAND TOTAL	**1047**	**15.9**	**281**	**2**	**5**	**12**	**19**	**38**	**60**		**4282**	**13.1**	**225**	**2**	**3**	**7**	**19**	**29**	**44**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	69	22.5	329	8	10	18	25	63	63	0-17	22	7.1	18						
18-34	412	7.8	80	1	3	5	7	18	20	18-34	356	7.7	76	1	2	4	11	26	29
35-49	116	8.5	46	2	3	6	13	20	24	35-49	126	10.0	57	2	3	7	17	22	22
50-69	45	17.5	198	6	7	11	19	42	42	50-69	24	4.3	6						
70 +	0									70 +	0								
SUBTOTAL	**642**	**10.2**	**132**	**2**	**3**	**6**	**14**	**22**	**25**		**530**	**8.1**	**67**	**1**	**2**	**5**	**13**	**23**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	475	22.8	380	3	8	17	32	50	63	0-17	194	12.4	238	1	4	8	15	48	85
18-34	738	11.7	244	2	3	5	14	34	49	18-34	509	7.9	57	1	3	6	9	20	28
35-49	153	11.3	60	3	4	9	15	21	30	35-49	218	10.5	274	1	4	6	9	21	39
50-69	57	13.6	89	2	7	10	27	28	28	50-69	24	2.5	1						
70 +	6	9.0								70 +	0								
SUBTOTAL	**1428**	**15.4**	**290**	**2**	**4**	**10**	**20**	**40**	**59**		**945**	**9.3**	**147**	**1**	**3**	**6**	**10**	**21**	**32**
GRAND TOTAL	**2070**	**13.8**	**247**	**2**	**4**	**8**	**18**	**34**	**50**		**1475**	**8.8**	**118**	**1**	**3**	**6**	**11**	**22**	**30**

DRG 428: Disorders of Personality & Impulse Control

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	120	9.6	61	3	4	6	15	17	30	0-17	165	35.5	822	3	6	33	63	76	82
70-74	33	7.2	10							18-34	287	20.6	379	2	7	15	28	57	72
75-79	0									35-49	145	10.0	99	3	4	6	13	27	39
80-84	6	27.0								50-69	18	33.3	1468						
85 +	0									70 +	0								
SUBTOTAL	**159**	**9.8**	**61**	**3**	**4**	**7**	**13**	**25**	**30**		**615**	**22.5**	**548**	**3**	**4**	**13**	**33**	**67**	**72**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	238	12.8	271	1	4	8	13	33	61	0-17	295	21.3	320	3	5	20	37	49	68
70-74	37	3.2	9							18-34	776	21.7	227	3	9	20	36	46	99 +
75-79	0									35-49	224	10.3	75	2	4	7	13	22	27
80-84	6	6.0								50-69	53	4.8	3	2	5	5	5	8	8
85 +	0									70 +	0								
SUBTOTAL	**281**	**11.4**	**242**	**1**	**2**	**7**	**12**	**28**	**61**		**1349**	**19.1**	**239**	**2**	**6**	**15**	**33**	**43**	**65**
GRAND TOTAL	**440**	**10.8**	**177**	**2**	**4**	**7**	**13**	**27**	**33**		**1964**	**20.1**	**338**	**2**	**6**	**14**	**33**	**49**	**72**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	25.3	169							0-17	6	10.0							
18-34	147	19.4	209	6	8	14	22	47	53	18-34	120	10.4	140	2	5	7	9	25	45
35-49	104	8.1	72	2	3	4	12	20	30	35-49	49	29.4	805	4	9	25	26	82	82
50-69	0									50-69	10	7.0							
70 +	0									70 +	0								
SUBTOTAL	**267**	**15.4**	**188**	**3**	**4**	**12**	**22**	**35**	**47**		**185**	**15.2**	**373**	**2**	**5**	**7**	**13**	**45**	**82**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	73	20.5	239	2	12	16	41	41	46	0-17	47	18.5	269						
18-34	542	12.8	288	1	4	7	14	33	46	18-34	289	7.9	137	1	2	5	9	14	21
35-49	92	10.1	159	1	6	7	7	45	45	35-49	98	17.7	309	1	1	13	24	48	49
50-69	12	22.5	120							50-69	37	23.6	280						
70 +	0									70 +	0								
SUBTOTAL	**719**	**13.4**	**271**	**1**	**4**	**7**	**14**	**41**	**46**		**471**	**12.2**	**228**	**1**	**2**	**5**	**14**	**42**	**46**
GRAND TOTAL	**986**	**13.9**	**249**	**2**	**4**	**8**	**17**	**39**	**46**		**656**	**13.1**	**270**	**1**	**3**	**7**	**14**	**42**	**46**

DRG 429: Organic Disturbances & Mental Retardation

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	599	14.9	149	4	7	11	22	49	99 +	0-17	47	24.7	663						
70-74	562	20.1	365	5	8	12	28	51	77	18-34	108	13.5	209	4	4	8	14	28	62
75-79	1147	22.8	378	5	8	16	33	49	78	35-49	37	30.8	518						
80-84	1133	20.4	275	5	10	17	32	65	99 +	50-69	185	20.3	440	1	4	15	35	65	75
85 +	1379	18.9	355	5	7	13	24	58	93	70 +	69	17.4	188	8	10	15	18	49	49
SUBTOTAL	**4820**	**19.8**	**322**	**5**	**8**	**14**	**29**	**54**	**91**		**446**	**19.5**	**394**	**3**	**6**	**12**	**28**	**62**	**65**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	354	18.2	407	2	4	14	23	47	85	0-17	63	1.7	1	1	1	2	3	99 +	99 +
70-74	432	23.8	402	5	8	17	38	62	66	18-34	77	10.7	132	1	2	8	15	18	44
75-79	740	15.2	212	3	6	10	20	38	45	35-49	53	5.1	15	1	2	4	9	11	11
80-84	858	16.9	271	3	7	11	20	44	55	50-69	167	11.5	98	2	4	10	14	27	31
85 +	739	19.8	360	3	7	14	27	41	55	70 +	43	8.1	41	1	2	7	17	99 +	99 +
SUBTOTAL	**3123**	**18.3**	**319**	**3**	**7**	**12**	**24**	**43**	**62**		**403**	**8.6**	**85**	**1**	**2**	**6**	**13**	**26**	**44**
GRAND TOTAL	**7943**	**19.2**	**322**	**4**	**7**	**14**	**27**	**50**	**77**		**850**	**14.3**	**277**	**1**	**3**	**9**	**17**	**38**	**65**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	20	3.0	1							0-17	33	12.8	299						
18-34	108	23.4	574	7	9	18	28	30	93	18-34	33	12.9	152						
35-49	26	20.8	267							35-49	49	12.3	89	3	4	8	14	29	29
50-69	59	20.2	279	4	13	20	21	69	99 +	50-69	47	32.8	1326	4	8	22	98	99 +	99 +
70 +	84	22.2	489	4	6	18	39	74	99 +	70 +	73	14.4	100	4	8	15	30	99 +	99 +
SUBTOTAL	**298**	**20.8**	**446**	**4**	**7**	**18**	**28**	**89**	**99 +**		**234**	**17.2**	**433**	**1**	**4**	**10**	**30**	**98**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	11.0	86							0-17	6	7.0							
18-34	108	12.8	133	2	6	10	14	31	42	18-34	6	2.0							
35-49	6	10.0								35-49	0								
50-69	59	21.1	407	3	5	15	44	58	64	50-69	49	7.0	9	2	5	8	9	12	12
70 +	63	15.4	110	5	13	15	18	43	99 +	70 +	69	8.9	62	3	3	5	13	13	30
SUBTOTAL	**265**	**15.0**	**191**	**4**	**5**	**10**	**17**	**43**	**44**		**130**	**7.8**	**38**	**2**	**3**	**6**	**12**	**13**	**15**
GRAND TOTAL	**562**	**18.1**	**334**	**4**	**6**	**14**	**21**	**64**	**93**		**365**	**13.8**	**312**	**2**	**4**	**9**	**17**	**34**	**98**

DRG 430: Psychoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4629	20.4	249	5	9	17	29	42	65
70-74	1705	24.4	359	6	11	20	33	48	73
75-79	1410	21.7	317	5	9	18	30	43	77
80-84	1015	20.3	181	7	10	18	29	41	74
85 +	735	23.5	286	4	9	20	32	49	56
SUBTOTAL	**9494**	**21.5**	**277**	**5**	**10**	**18**	**30**	**45**	**67**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10953	20.4	227	5	9	17	28	41	52
70-74	2584	22.3	235	5	11	20	29	43	54
75-79	2160	23.4	229	6	12	20	31	44	54
80-84	1312	21.7	221	6	11	19	27	43	53
85 +	666	16.5	141	4	7	14	22	35	41
SUBTOTAL	**17674**	**21.0**	**227**	**5**	**10**	**18**	**28**	**42**	**53**
GRAND TOTAL	**27169**	**21.2**	**244**	**5**	**10**	**18**	**29**	**42**	**56**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	202	20.4	432	4	6	15	26	50	91
18-34	2317	20.0	307	4	7	15	27	44	63
35-49	2649	17.3	179	4	8	14	24	34	45
50-69	2443	18.8	167	5	8	17	26	35	45
70 +	73	22.8	232	5	18	19	21	56	56
	7684	**18.7**	**222**	**4**	**8**	**15**	**26**	**38**	**51**
0-17	1481	21.2	298	3	9	19	28	58	84
18-34	8671	17.6	191	4	8	14	23	36	47
35-49	8647	17.4	189	4	8	14	22	35	44
50-69	5319	18.0	160	4	9	15	23	33	43
70 +	143	19.0	128	5	8	21	24	35	35
	24261	**17.8**	**190**	**4**	**8**	**15**	**23**	**36**	**47**
	31944	**18.0**	**198**	**4**	**8**	**15**	**24**	**36**	**49**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	33	20.9	111						
18-34	1907	18.8	248	4	8	14	25	42	53
35-49	1418	20.3	216	5	9	16	29	44	49
50-69	960	22.1	271	5	9	18	32	46	56
70 +	92	29.2	294	17	19	23	42	86	99 +
SUBTOTAL	**4409**	**20.2**	**246**	**4**	**9**	**16**	**29**	**44**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	505	26.5	360	5	13	23	42	65	99 +
18-34	5544	20.3	270	4	8	16	28	45	56
35-49	3549	19.2	209	5	9	16	26	36	51
50-69	1732	22.7	337	5	11	18	28	48	77
70 +	139	21.3	130	9	11	17	27	35	49
SUBTOTAL	**11469**	**20.6**	**266**	**5**	**9**	**17**	**28**	**44**	**57**
GRAND TOTAL	**15878**	**20.5**	**260**	**4**	**9**	**17**	**28**	**44**	**57**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	27.7	838						
18-34	1387	17.9	247	3	8	15	24	35	46
35-49	660	16.7	194	3	7	14	21	35	38
50-69	393	16.9	259	4	6	13	22	33	53
70 +	26	14.1	188						
	2514	**17.6**	**247**	**3**	**7**	**14**	**22**	**35**	**46**
0-17	324	18.3	242	3	7	14	26	55	60
18-34	3506	16.1	170	3	6	13	22	35	43
35-49	2190	16.1	224	3	7	11	21	36	48
50-69	886	20.0	179	5	11	17	26	35	40
70 +	79	17.1	116	3	11	17	22	34	40
	6985	**16.7**	**193**	**3**	**7**	**13**	**22**	**35**	**47**
	9499	**17.0**	**207**	**3**	**7**	**14**	**22**	**35**	**46**

DRG 431: Childhood Mental Disorders

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	20	5.5	13						
70-74	0								
75-79	16	6.6	12						
80-84	0								
85 +	0								
SUBTOTAL	**37**	**6.0**	**13**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	49	6.4	10	1	4	7	10	10	10
70-74	6	4.0							
75-79	0								
80-84	6	20.0							
85 +	0								
SUBTOTAL	**61**	**7.5**	**26**	**2**	**4**	**7**	**10**	**15**	**20**
GRAND TOTAL	**98**	**6.9**	**21**	**2**	**4**	**6**	**10**	**11**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	218	18.1	358	4	9	14	20	32	34
18-34	6	20.0							
35-49	0								
50-69	0								
70 +	0								
	224	**18.2**	**349**	**4**	**9**	**14**	**20**	**32**	**34**
0-17	1117	21.7	365	2	7	19	30	56	59
18-34	26	18.2	35						
35-49	12	8.5	33						
50-69	0								
70 +	0								
	1155	**21.5**	**356**	**2**	**7**	**18**	**30**	**56**	**59**
	1379	**21.0**	**356**	**3**	**7**	**18**	**28**	**53**	**59**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	167	25.8	771	1	4	13	39	98	99 +
18-34	10	12.0							
35-49	12	3.5	7						
50-69	6	3.0							
70 +	0								
SUBTOTAL	**196**	**23.0**	**708**	**1**	**4**	**12**	**33**	**79**	**99**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	860	23.3	584	2	6	17	27	82	90
18-34	29	2.2	2						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**888**	**22.6**	**579**	**2**	**5**	**16**	**27**	**73**	**90**
GRAND TOTAL	**1084**	**22.7**	**602**	**2**	**4**	**15**	**29**	**71**	**92**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	33.6	922						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	22	**33.6**	**922**						
0-17	238	22.9	485	1	3	18	35	58	61
18-34	49	19.7	144	< 1	7	24	30	31	31
35-49	0								
50-69	0								
70 +	0								
	287	**22.4**	**428**	**1**	**3**	**20**	**30**	**58**	**61**
	310	**23.2**	**469**	**1**	**4**	**20**	**31**	**58**	**66**

DRG 432: Other Mental Disorder Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	12.1	42							0-17	161	44.0	594	1	43	57	62	99 +	99 +
70-74	20	4.0	9							18-34	185	34.1	265	3	28	35	44	69	97
75-79	20	4.0								35-49	31	14.7	106						
80-84	20	6.0	26							50-69	10	1.0							
85 +	0									70 +	6	4.0							
SUBTOTAL	**77**	**6.2**	**28**	**1**	**1**	**4**	**11**	**17**	**17**		**393**	**35.3**	**486**	**2**	**25**	**38**	**57**	**69**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	22	5.1	15							0-17	222	25.7	256	6	11	25	38	48	50
70-74	10	44.0								18-34	477	32.8	273	6	25	31	43	58	64
75-79	0									35-49	100	22.4	248	2	6	23	33	47	51
80-84	0									50-69	29	1.7	1						
85 +	0									70 +	0								
SUBTOTAL	**33**	**17.3**	**346**								**827**	**28.6**	**297**	**3**	**15**	**30**	**38**	**48**	**58**
GRAND TOTAL	**110**	**9.5**	**145**	**1**	**4**	**4**	**11**	**17**	**44**		**1221**	**30.7**	**368**	**2**	**17**	**31**	**45**	**61**	**69**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	8.0								0-17	0								
18-34	31	21.0	201							18-34	22	23.1	103						
35-49	0									35-49	6	14.0							
50-69	0									50-69	6	1.0							
70 +	0									70 +	0								
SUBTOTAL	**41**	**17.8**	**182**								**35**	**17.6**	**142**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	37	14.8	221							0-17	10	45.0							
18-34	69	44.2	1240	4	17	53	99	99 +	99 +	18-34	35	10.5	112						
35-49	0									35-49	0								
50-69	0									50-69	6	2.0							
70 +	0									70 +	6	2.0							
SUBTOTAL	**106**	**34.0**	**1080**	**2**	**4**	**27**	**86**	**99**	**99 +**		**57**	**14.8**	**280**	**1**	**2**	**5**	**26**	**45**	**45**
GRAND TOTAL	**147**	**29.5**	**881**	**2**	**4**	**27**	**53**	**99 +**	**99 +**		**92**	**15.9**	**228**	**1**	**2**	**11**	**26**	**45**	**45**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2697	9.9	100	2	4	7	12	21	28
70-74	750	9.1	67	2	4	6	12	25	32
75-79	485	11.9	134	3	4	8	13	28	31
80-84	277	13.2	183	3	5	11	15	41	67
85 +	234	16.2	519	2	4	8	16	42	92
SUBTOTAL	**4443**	**10.5**	**128**	**2**	**4**	**7**	**13**	**24**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4443**	**10.5**	**128**	**2**	**4**	**7**	**13**	**24**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	151	5.8	107	< 1	1	1	4	28	35
18-34	2343	8.1	43	3	5	7	8	15	23
35-49	3085	7.7	43	3	5	6	8	14	19
50-69	2821	8.4	59	3	4	6	9	15	25
70 +	29	10.1	96						
	8428	**8.0**	**50**	**3**	**5**	**6**	**8**	**15**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	8428	**8.0**	**50**	**3**	**5**	**6**	**8**	**15**	**23**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	67	31.6	596	1	15	27	49	78	78
18-34	2535	9.7	81	3	5	7	10	24	28
35-49	2965	10.8	81	4	6	7	14	25	28
50-69	1196	12.1	149	3	5	8	15	27	32
70 +	0								
SUBTOTAL	**6763**	**10.9**	**103**	**3**	**5**	**7**	**13**	**26**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6763**	**10.9**	**103**	**3**	**5**	**7**	**13**	**26**	**28**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	2.6	5	< 1	1	2	3	7	7
18-34	1430	6.6	39	1	3	5	7	14	21
35-49	1762	6.8	27	2	4	6	8	12	16
50-69	827	9.2	137	2	4	6	10	18	23
70 +	33	8.4	23						
	4103	**7.2**	**54**	**2**	**3**	**6**	**8**	**14**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4103	**7.2**	**54**	**2**	**3**	**6**	**8**	**14**	**21**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2400	8.3	47	2	4	6	10	20	25	0-17	1569	9.6	153	1	1	3	20	28	33
70-74	501	8.0	42	1	4	6	12	19	22	18-34	12536	8.7	60	2	4	5	11	22	28
75-79	318	12.1	185	3	5	8	13	18	45	35-49	9723	7.7	49	3	4	5	7	18	27
80-84	169	9.7	99	3	4	6	14	40	99 +	50-69	3767	7.3	41	3	4	5	7	15	24
85 +	96	11.6	141	1	4	8	14	42	99 +	70 +	118	7.2	26	3	4	5	8	16	20
SUBTOTAL	**3483**	**8.8**	**66**	**2**	**4**	**6**	**11**	**21**	**26**		**27713**	**8.2**	**59**	**2**	**4**	**5**	**8**	**21**	**28**
GRAND TOTAL	**3483**	**8.8**	**66**	**2**	**4**	**6**	**11**	**21**	**26**		**27713**	**8.2**	**59**	**2**	**4**	**5**	**8**	**21**	**28**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	611	18.9	218	1	5	20	28	36	44	0-17	328	7.6	129	1	1	2	6	28	39
18-34	10870	12.7	98	3	5	7	21	28	28	18-34	9831	7.4	51	2	3	5	7	19	28
35-49	5934	11.9	92	3	5	7	21	28	28	35-49	4845	6.6	40	2	4	5	6	12	20
50-69	1461	11.5	89	3	5	7	20	26	28	50-69	1255	6.4	33	1	3	5	7	11	21
70 +	16	10.1	90							70 +	16	6.6							
SUBTOTAL	**18892**	**12.5**	**101**	**3**	**5**	**7**	**21**	**28**	**28**		**16275**	**7.1**	**48**	**2**	**3**	**5**	**7**	**14**	**27**
GRAND TOTAL	**18892**	**12.5**	**101**	**3**	**5**	**7**	**21**	**28**	**28**		**16275**	**7.1**	**48**	**2**	**3**	**5**	**7**	**14**	**27**

The patient records used in these tables represent discharges prior to the addition of new procedure codes (10/1/89) necessary to group to this DRG.

DRG 439: Skin Grafts for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	42.0	399							0-17	6	23.0							
70-74	26	38.6	322							18-34	33	23.4	74						
75-79	18	20.7	2							35-49	57	22.8	490	1	4	19	30	65	65
80-84	16	12.0	16							50-69	94	22.3	254	2	8	22	40	46	46
85 +	12	5.0	4							70 +	10	7.0							
SUBTOTAL	**90**	**26.1**	**362**	**7**	**17**	**21**	**57**	**99 +**	**99 +**		**200**	**21.8**	**281**	**2**	**8**	**21**	**35**	**46**	**72**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	55	2.1	10	< 1	< 1	1	1	11	11	0-17	110	7.2	52	1	2	4	10	17	24
70-74	33	7.1	10							18-34	108	5.2	16	1	2	4	7	12	15
75-79	22	7.4	17							35-49	88	7.9	102	1	2	3	7	32	32
80-84	0									50-69	67	10.7	50	1	3	10	15	22	22
85 +	0									70 +	0								
SUBTOTAL	**110**	**4.6**	**18**	**< 1**	**1**	**1**	**9**	**11**	**11**		**373**	**7.4**	**56**	**1**	**2**	**4**	**10**	**17**	**24**
GRAND TOTAL	**200**	**14.3**	**286**	**1**	**1**	**9**	**21**	**59**	**99 +**		**573**	**12.5**	**181**	**1**	**3**	**7**	**20**	**32**	**46**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	31	20.3	28							18-34	37	22.8	238						
35-49	20	3.5	7							35-49	0								
50-69	10	27.0								50-69	10	18.0							
70 +	0									70 +	0								
SUBTOTAL	**61**	**15.8**	**99**	**1**	**6**	**18**	**24**	**27**	**27**		**47**	**21.8**	**189**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	12	3.5	2						
18-34	10	5.0								18-34	53	5.2	23	1	1	3	7	14	14
35-49	6	18.0								35-49	20	5.5	2						
50-69	10	10.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**26**	**9.9**	**25**								**86**	**5.0**	**16**	**1**	**2**	**4**	**7**	**14**	**14**
GRAND TOTAL	**88**	**14.0**	**83**	**1**	**6**	**13**	**24**	**27**	**27**		**132**	**10.9**	**141**	**1**	**3**	**7**	**18**	**27**	**27**

DRG 440: Wound Debridements for Injuries

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	367	26.5	537	5	11	19	41	62	99	0-17	130	7.6	54	2	3	4	10	16	17
70-74	155	34.5	703	9	15	30	66	99 +	99 +	18-34	191	15.8	200	1	4	11	26	43	46
75-79	277	32.6	448	10	17	30	43	55	88	35-49	134	15.1	149	3	4	17	25	46	99 +
80-84	120	15.4	155	2	5	12	28	34	40	50-69	314	17.4	162	4	8	17	26	40	74
85 +	104	33.2	695	11	13	24	67	92	99 +	70 +	16	19.6							
SUBTOTAL	**1023**	**28.7**	**541**	**6**	**12**	**23**	**43**	**67**	**99**		**786**	**15.0**	**159**	**2**	**4**	**11**	**24**	**36**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	161	12.6	147	2	5	10	14	33	35	0-17	363	4.0	12	1	2	3	5	8	12
70-74	179	9.8	81	1	2	9	13	25	32	18-34	552	5.3	32	1	2	3	6	10	19
75-79	57	10.9	109	1	4	8	10	32	32	35-49	401	7.1	50	1	2	4	11	17	22
80-84	33	18.6	276							50-69	361	6.1	53	1	2	4	7	13	14
85 +	37	13.2	157							70 +	10	22.0							
SUBTOTAL	**467**	**11.8**	**131**	**1**	**4**	**8**	**13**	**32**	**33**		**1687**	**5.7**	**39**	**1**	**2**	**3**	**7**	**14**	**18**
GRAND TOTAL	**1490**	**23.4**	**474**	**3**	**8**	**16**	**34**	**62**	**92**		**2473**	**8.7**	**96**	**1**	**2**	**5**	**12**	**24**	**31**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	41	12.8	34							0-17	16	11.4	12						
18-34	53	28.0	467	5	5	25	36	65	65	18-34	61	13.2	94	4	6	13	33	99 +	99 +
35-49	43	13.6	66							35-49	33	32.9	832						
50-69	65	19.0	442	4	6	8	31	40	73	50-69	26	19.0	39						
70 +	10	21.0								70 +	16	52.5	899						
SUBTOTAL	**212**	**19.0**	**303**	**5**	**6**	**13**	**27**	**36**	**65**		**153**	**22.4**	**479**	**5**	**8**	**14**	**33**	**75**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	51	4.8	15	1	2	2	9	11	11	0-17	118	6.5	119	1	1	2	4	29	36
18-34	63	7.3	23	2	3	6	11	16	16	18-34	312	5.3	42	1	2	3	5	12	25
35-49	6	2.0								35-49	114	8.7	124	1	3	7	7	22	41
50-69	51	21.4	200							50-69	43	8.1	12						
70 +	0									70 +	0								
SUBTOTAL	**171**	**10.6**	**124**	**2**	**2**	**7**	**11**	**37**	**38**		**587**	**6.4**	**73**	**1**	**2**	**3**	**7**	**13**	**29**
GRAND TOTAL	**383**	**15.3**	**240**	**2**	**5**	**9**	**20**	**36**	**38**		**740**	**9.7**	**198**	**1**	**2**	**4**	**12**	**29**	**41**

DRG 441: Hand Procedures for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29	2.6	1							0-17	20	5.5	2						
70-74	0									18-34	39	10.4	113						
75-79	0									35-49	55	3.4	6	1	1	2	4	8	8
80-84	10	3.0								50-69	26	4.5	4						
85 +	0									70 +	0								
SUBTOTAL	**39**	**2.7**	**1**								**141**	**5.8**	**43**	**1**	**2**	**4**	**7**	**12**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	86	1.9	1	1	1	2	3	4	4	0-17	242	3.3	7	1	1	2	4	7	8
70-74	26	1.8	1							18-34	314	4.1	6	1	2	4	6	7	9
75-79	12	1.5								35-49	167	2.4	4	1	1	2	3	6	8
80-84	20	12.5	76							50-69	167	2.0	2	1	1	2	2	4	7
85 +	0									70 +	0								
SUBTOTAL	**145**	**3.4**	**25**	**1**	**1**	**2**	**3**	**4**	**21**		**890**	**3.2**	**6**	**1**	**1**	**2**	**5**	**7**	**8**
GRAND TOTAL	**183**	**3.2**	**20**	**1**	**1**	**2**	**3**	**4**	**21**		**1031**	**3.5**	**12**	**1**	**1**	**2**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	39	4.8	10							18-34	20	12.0	26						
35-49	6	3.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**45**	**4.5**	**9**	**1**	**3**	**4**	**7**	**10**	**10**		**20**	**12.0**	**26**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	1.2								0-17	75	4.1	15	< 1	1	3	8	12	12
18-34	37	3.8	5							18-34	263	2.8	6	1	1	2	4	7	9
35-49	0									35-49	45	1.5	1	1	1	1	1	3	3
50-69	20	2.5								50-69	43	1.5	1						
70 +	0									70 +	0								
SUBTOTAL	**86**	**2.6**	**3**	**1**	**1**	**2**	**3**	**7**	**7**		**426**	**2.8**	**7**	**1**	**1**	**2**	**3**	**7**	**9**
GRAND TOTAL	**130**	**3.3**	**6**	**1**	**1**	**3**	**3**	**7**	**7**		**446**	**3.2**	**12**	**1**	**1**	**2**	**3**	**8**	**9**

DRG 442: Other O.R. Procedures for Injuries w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4713	9.0	125	1	2	5	11	21	27
70-74	1807	12.5	183	1	3	8	16	30	46
75-79	1280	11.3	179	1	3	7	14	25	38
80-84	766	13.1	274	1	4	8	15	33	58
85+	607	12.8	181	2	4	8	15	32	45
SUBTOTAL	**9174**	**10.6**	**163**	**1**	**3**	**7**	**14**	**24**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9174**	**10.6**	**163**	**1**	**3**	**7**	**14**	**24**	**38**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	234	11.2	185	1	2	7	17	36	69
18-34	670	7.9	96	1	2	4	9	22	35
35-49	1113	10.1	158	1	2	5	13	25	36
50-69	1926	12.9	167	2	4	9	18	31	44
70+	110	17.2	572	1	3	10	14	85	97
	4053	**11.3**	**169**	**1**	**2**	**7**	**15**	**29**	**42**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4053	**11.3**	**169**	**1**	**2**	**7**	**15**	**29**	**42**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	51	18.0	457	1	4	13	58	99+	99+
18-34	224	12.0	340	1	2	6	10	31	62
35-49	196	9.0	112	2	3	6	8	21	42
50-69	338	15.9	224	3	4	8	21	41	45
70+	51	24.4	667						
SUBTOTAL	**860**	**13.9**	**283**	**2**	**3**	**7**	**18**	**43**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**860**	**13.9**	**283**	**2**	**3**	**7**	**18**	**43**	**58**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	17.4	193	3	7	13	32	45	45
18-34	169	15.6	543	1	2	9	13	31	94
35-49	79	4.4	18	1	2	3	5	15	99+
50-69	143	13.0	116	3	6	11	18	20	20
70+	33	16.3	8						
	479	**13.2**	**268**	**2**	**3**	**10**	**16**	**31**	**56**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	479	**13.2**	**268**	**2**	**3**	**10**	**16**	**31**	**56**

DRG 443: Other O.R. Procedures for Injuries w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1235	5.8	31	1	2	4	8	14	17	0-17	992	2.3	6	1	1	1	2	5	7
70-74	644	5.8	44	1	2	3	8	12	16	18-34	1966	2.5	7	1	1	1	3	6	7
75-79	681	5.2	20	1	2	3	7	14	15	35-49	1522	3.0	10	1	1	2	3	7	11
80-84	344	7.0	39	1	2	5	10	15	21	50-69	1820	5.6	38	1	1	3	7	14	19
85 +	236	6.0	29	1	2	4	8	15	18	70 +	55	10.1	24	1	4	12	14	14	14
SUBTOTAL	**3140**	**5.8**	**32**	**1**	**2**	**4**	**8**	**14**	**16**		**6355**	**3.5**	**19**	**1**	**1**	**2**	**4**	**8**	**12**
GRAND TOTAL	**3140**	**5.8**	**32**	**1**	**2**	**4**	**8**	**14**	**16**		**6355**	**3.5**	**19**	**1**	**1**	**2**	**4**	**8**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	167	3.7	30	1	1	2	4	6	24	0-17	108	7.9	152	1	1	2	8	14	44
18-34	240	3.4	11	1	1	2	4	11	11	18-34	544	3.9	14	1	1	3	4	9	14
35-49	126	7.6	38	1	3	6	9	15	22	35-49	204	4.2	13	1	1	3	7	10	13
50-69	157	3.4	7	1	1	3	5	9	9	50-69	71	5.7	11	1	4	6	9	11	99 +
70 +	10	7.0								70 +	22	4.0	15						
SUBTOTAL	**701**	**4.3**	**22**	**1**	**1**	**3**	**6**	**11**	**15**		**949**	**4.6**	**31**	**1**	**1**	**3**	**6**	**10**	**14**
GRAND TOTAL	**701**	**4.3**	**22**	**1**	**1**	**3**	**6**	**11**	**15**		**949**	**4.6**	**31**	**1**	**1**	**3**	**6**	**10**	**14**

DRG 444: Multiple Trauma Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	234	7.3	32	2	3	6	10	12	19
70-74	128	8.5	74	2	4	5	10	19	34
75-79	128	6.9	14	2	4	7	9	13	14
80-84	128	15.0	446	3	3	8	14	49	54
85 +	161	9.7	77	2	4	8	12	18	38
SUBTOTAL	**780**	**9.2**	**120**	**2**	**4**	**6**	**11**	**16**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**780**	**9.2**	**120**	**2**	**4**	**6**	**11**	**16**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	446	3.4	5	1	2	3	5	8	8
35-49	302	3.1	4	1	2	3	4	6	8
50-69	285	6.2	17	1	4	5	8	11	16
70 +	18	5.0	2						
	1051	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1051	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	161	5.1	20	2	3	4	6	10	20
35-49	75	5.0	14	2	2	3	6	7	16
50-69	57	6.8	58	2	3	4	7	26	28
70 +	0								
SUBTOTAL	**293**	**5.4**	**26**	**2**	**3**	**4**	**6**	**10**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**293**	**5.4**	**26**	**2**	**3**	**4**	**6**	**10**	**20**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	344	4.3	7	2	2	4	6	9	10
35-49	94	4.2	5	1	3	4	5	9	9
50-69	96	11.2	126	2	7	8	13	42	42
70 +	12	7.0	27						
	546	**5.5**	**35**	**2**	**2**	**4**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	546	**5.5**	**35**	**2**	**2**	**4**	**7**	**10**	**12**

DRG 445: Multiple Trauma Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	224	4.4	18	2	2	3	5	7	9	0-17	0								
70-74	90	5.7	37	1	2	4	8	10	26	18-34	1161	2.9	5	1	1	3	4	5	8
75-79	84	6.7	66	2	2	3	6	26	26	35-49	676	2.8	3	1	2	2	4	5	7
80-84	73	5.5	13	2	2	5	8	10	12	50-69	503	4.3	23	1	2	3	5	9	11
85 +	155	5.6	20	2	3	4	6	12	20	70 +	22	12.2	44						
SUBTOTAL	**625**	**5.3**	**27**	**2**	**2**	**4**	**6**	**10**	**20**		**2363**	**3.3**	**10**	**1**	**2**	**2**	**4**	**7**	**8**
GRAND TOTAL	**625**	**5.3**	**27**	**2**	**2**	**4**	**6**	**10**	**20**		**2363**	**3.3**	**10**	**1**	**2**	**2**	**4**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	196	2.9	3	1	2	3	4	4	7	18-34	966	3.0	8	1	1	2	4	6	7
35-49	49	3.5	2	1	3	3	5	5	5	35-49	242	3.2	7	1	1	2	4	6	7
50-69	41	3.0	3							50-69	149	2.9	4	1	1	2	5	6	7
70 +	0									70 +	29	10.9	248						
SUBTOTAL	**285**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**5**		**1385**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**285**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**5**		**1385**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 446: Multiple Trauma Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	210	3.7	18	1	2	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	210	**3.7**	**18**	**1**	**2**	**2**	**4**	**7**	**8**
0-17	837	2.7	6	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	837	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	1047	**2.9**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	4.2	4	< 1	2	5	5	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**45**	**4.2**	**4**	**< 1**	**2**	**5**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	277	2.6	3	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**277**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**322**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	2.1	2	1	1	2	2	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	73	**2.1**	**2**	**1**	**1**	**2**	**2**	**5**	**5**
0-17	269	2.5	3	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	269	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	342	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**

DRG 447: Allergic Reactions Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	75	3.6	38	1	1	2	3	3	24	0-17	0								
70-74	81	4.7	11	2	2	4	5	11	11	18-34	96	4.0	11	< 1	1	3	6	12	12
75-79	37	2.5	2	1	1	2	4	4	4	35-49	155	2.3	3	1	1	2	3	5	7
80-84	69	4.9	9	1	3	3	8	9	9	50-69	136	5.2	25	1	2	5	5	12	20
85 +	53	8.1	24	3	4	8	10	19	19	70 +	0								
SUBTOTAL	**316**	**4.8**	**21**	**1**	**2**	**3**	**6**	**10**	**11**		**387**	**3.7**	**14**	**< 1**	**1**	**2**	**5**	**7**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	157	2.6	4	1	1	2	4	6	7	0-17	0								
70-74	67	1.6	1	< 1	1	1	2	3	3	18-34	330	2.3	3	1	1	2	3	4	6
75-79	41	1.3	1	1	1	1	1	3	3	35-49	314	2.1	2	< 1	1	2	3	4	4
80-84	43	3.3	11							50-69	244	1.9	2	< 1	1	1	3	4	4
85 +	18	3.3								70 +	10	1.0							
SUBTOTAL	**326**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**7**		**898**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**642**	**3.5**	**14**	**1**	**1**	**2**	**4**	**9**	**10**		**1285**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	16	4.5	4							18-34	6	2.0							
35-49	12	2.5								35-49	10	9.0							
50-69	16	4.9	6							50-69	10	3.0							
70 +	0									70 +	0								
SUBTOTAL	**45**	**4.1**	**5**	**2**	**2**	**3**	**6**	**8**	**8**		**26**	**5.1**	**10**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	20	2.0	1							18-34	100	1.5	1	1	1	1	2	3	3
35-49	12	1.5								35-49	69	1.3		1	1	1	2	2	2
50-69	33	2.4	2							50-69	26	3.4	5						
70 +	0									70 +	10	1.0							
SUBTOTAL	**65**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**		**206**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**110**	**2.9**	**4**	**1**	**1**	**3**	**3**	**6**	**8**		**232**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**6**

DRG 448: Allergic Reactions Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	57	2.8	4	1	2	2	3	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**57**	**2.8**	**4**	**1**	**2**	**2**	**3**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	198	2.5	2	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**198**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**0**										**255**	**2.6**	**2**	**1**	**2**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	4.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**10**	**4.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12	1.5								0-17	61	2.9	2	1	2	3	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**12**	**1.5**									**61**	**2.9**	**2**	**1**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**22**	**2.6**	**2**								**61**	**2.9**	**2**	**1**	**2**	**3**	**3**	**5**	**6**

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1884	6.6	49	1	2	4	8	15	21
70-74	1037	6.9	34	2	3	5	9	13	22
75-79	1080	9.7	114	2	3	7	11	21	36
80-84	796	9.8	75	3	4	8	11	18	31
85 +	935	9.6	86	2	4	8	12	19	26
SUBTOTAL	**5732**	**8.2**	**70**	**2**	**3**	**6**	**10**	**18**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5732**	**8.2**	**70**	**2**	**3**	**6**	**10**	**18**	**26**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1929	3.4	18	1	1	2	4	7	12
35-49	1377	4.5	36	1	1	2	5	11	15
50-69	1076	5.4	38	1	2	4	7	11	12
70 +	49	7.1	69	1	2	4	4	23	23
	4431	**4.3**	**30**	**1**	**1**	**2**	**5**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4431	**4.3**	**30**	**1**	**1**	**2**	**5**	**9**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1349	4.3	42	1	1	2	4	9	17
35-49	768	6.0	84	1	1	3	6	15	19
50-69	326	6.6	38	1	2	5	7	18	22
70 +	24	13.8	49						
SUBTOTAL	**2467**	**5.2**	**56**	**1**	**1**	**3**	**5**	**13**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2467**	**5.2**	**56**	**1**	**1**	**3**	**5**	**13**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1893	3.0	14	1	1	2	3	6	9
35-49	829	4.2	32	1	1	2	4	8	15
50-69	344	4.2	33	1	2	3	4	8	10
70 +	47	7.1	5						
	3113	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3113	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	825	4.3	61	1	1	2	5	7	15	0-17	0								
70-74	369	4.5	25	1	2	3	5	14	20	18-34	3821	2.8	17	< 1	1	1	3	5	8
75-79	253	6.6	96	1	2	3	7	9	38	35-49	1872	2.6	14	1	1	2	3	5	6
80-84	214	4.6	9	2	3	4	5	9	10	50-69	815	3.7	21	1	1	2	4	9	17
85 +	153	3.6	7	1	1	3	4	8	8	70 +	0								
SUBTOTAL	**1813**	**4.6**	**48**	**1**	**1**	**3**	**5**	**9**	**15**		**6508**	**2.9**	**17**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1813**	**4.6**	**48**	**1**	**1**	**3**	**5**	**9**	**15**		**6508**	**2.9**	**17**	**< 1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1597	2.6	12	1	1	2	3	4	7	18-34	3059	2.4	9	< 1	1	1	3	4	7
35-49	597	3.1	32	1	1	2	3	5	7	35-49	943	3.0	14	1	1	2	3	6	11
50-69	151	4.0	11	1	1	3	5	9	13	50-69	183	4.0	17	1	2	2	4	13	16
70 +	20	2.5								70 +	22	4.7	4						
SUBTOTAL	**2365**	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**8**		**4208**	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**2365**	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**8**		**4208**	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**5**	**8**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	652	3.6	19	1	1	2	3	9	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**652**	**3.6**	**19**	**1**	**1**	**2**	**3**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	3.0								0-17	4054	2.1	9	< 1	1	1	2	3	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**3.0**									**4054**	**2.1**	**9**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**6**	**3.0**									**4705**	**2.3**	**11**	**< 1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	187	3.5	21	1	1	3	3	4	22	0-17	216	5.3	174	1	2	2	3	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**187**	**3.5**	**21**	**1**	**1**	**3**	**3**	**4**	**22**		**216**	**5.3**	**174**	**1**	**2**	**2**	**3**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1717	2.9	16	1	1	1	3	6	11	0-17	1681	2.2	11	1	1	1	2	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1717**	**2.9**	**16**	**1**	**1**	**1**	**3**	**6**	**11**		**1681**	**2.2**	**11**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1905**	**2.9**	**17**	**1**	**1**	**1**	**3**	**6**	**11**		**1897**	**2.6**	**31**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 452: Complications of Treatment w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2034	7.3	65	1	3	5	9	15	22	0-17	300	6.1	24	1	2	4	10	15	15
70-74	958	6.6	45	1	3	4	7	13	23	18-34	473	6.6	50	1	2	3	8	16	21
75-79	689	7.1	64	1	3	5	9	15	20	35-49	1011	7.5	50	1	2	5	10	17	23
80-84	644	7.3	38	2	3	5	9	16	19	50-69	1386	6.6	54	1	2	4	8	14	22
85 +	542	10.6	232	2	3	6	10	22	35	70 +	20	7.5	7						
SUBTOTAL	**4865**	**7.5**	**77**	**1**	**3**	**5**	**9**	**16**	**22**		**3189**	**6.8**	**49**	**1**	**2**	**4**	**9**	**15**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	4865	7.5	77	1	3	5	9	16	22		3189	6.8	49	1	2	4	9	15	22

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	171	7.6	38	1	1	7	11	14	25	0-17	33	14.6	303						
18-34	281	9.3	163	2	3	6	10	15	32	18-34	88	5.3	23	1	2	2	5	15	15
35-49	106	6.4	39	1	2	4	8	15	22	35-49	135	4.5	33	< 1	1	1	6	10	22
50-69	106	9.8	173	1	2	5	8	26	45	50-69	181	8.4	88	1	2	4	12	24	35
70 +	20	10.0	26							70 +	73	6.1	13	3	4	5	5	13	13
SUBTOTAL	**685**	**8.5**	**111**	**1**	**2**	**6**	**10**	**15**	**25**		**509**	**6.9**	**71**	**1**	**2**	**4**	**10**	**15**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	685	8.5	111	1	2	6	10	15	25		509	6.9	71	1	2	4	10	15	24

DRG 453: Complications of Treatment w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	770	4.4	21	1	1	3	6	10	11
70-74	564	4.5	16	1	2	3	6	11	13
75-79	460	4.5	41	1	1	3	5	10	12
80-84	289	3.8	12	1	2	2	5	8	12
85 +	187	5.7	26	1	2	4	8	14	15
SUBTOTAL	**2272**	**4.5**	**23**	**1**	**1**	**3**	**6**	**10**	**13**
GRAND TOTAL	**2272**	**4.5**	**23**	**1**	**1**	**3**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	534	2.2	3	1	1	1	3	4	7
18-34	1100	2.4	5	1	1	2	3	5	6
35-49	988	2.9	9	1	1	2	3	5	9
50-69	1392	3.2	10	1	1	2	4	6	8
70 +	61	2.1	4	< 1	1	1	2	5	8
	4075	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**8**
	4075	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**8**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	145	5.8	63	1	1	3	8	11	32
18-34	132	2.2	2	1	1	2	3	4	5
35-49	147	4.5	17	1	1	2	9	10	14
50-69	141	5.5	18	1	2	3	11	12	12
70 +	0								
SUBTOTAL	**564**	**4.5**	**27**	**1**	**1**	**3**	**5**	**11**	**12**
GRAND TOTAL	**564**	**4.5**	**27**	**1**	**1**	**3**	**5**	**11**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	67	2.4	2	1	1	2	4	4	5
18-34	228	3.4	54	1	1	2	3	4	4
35-49	114	2.8	3	1	1	2	4	6	6
50-69	94	3.8	18	1	1	2	5	15	15
70 +	37	4.1	2						
	540	**3.3**	**27**	**1**	**1**	**3**	**4**	**5**	**6**
	540	**3.3**	**27**	**1**	**1**	**3**	**4**	**5**	**6**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	261	10.1	302	1	1	4	9	34	74
70-74	132	14.3	345	1	2	4	24	56	56
75-79	151	16.2	428	2	4	11	18	79	99 +
80-84	242	11.6	117	2	4	7	12	28	33
85 +	185	16.6	265	4	7	10	17	50	66
SUBTOTAL	**972**	**13.2**	**280**	**1**	**4**	**7**	**15**	**41**	**66**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**972**	**13.2**	**280**	**1**	**4**	**7**	**15**	**41**	**66**

	[illegible]UE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	102	1.8	1	1	1	1	2	4	4
18-34	145	3.0	8	< 1	1	2	4	8	11
35-49	108	8.1	168	1	2	3	9	10	47
50-69	108	4.8	5	3	3	4	7	7	10
70 +	0								
	462	**4.3**	**48**	**1**	**1**	**3**	**4**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	462	**4.3**	**48**	**1**	**1**	**3**	**4**	**9**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	98	6.1	19	1	3	4	8	14	15
18-34	35	2.5	2	1	1	3	5	99 +	99 +
35-49	22	2.1	1						
50-69	45	10.3	47	1	5	10	16	19	19
70 +	6	9.0							
SUBTOTAL	**206**	**6.0**	**27**	**1**	**3**	**4**	**9**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**206**	**6.0**	**27**	**1**	**3**	**4**	**9**	**16**	**19**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	3.1	4	1	2	2	5	6	6
18-34	110	1.6	1	< 1	1	1	2	3	4
35-49	108	4.2	21	< 1	1	2	5	7	17
50-69	45	8.0	9	3	6	7	11	12	12
70 +	31	8.0	86	1	4	5	63	99 +	99 +
	346	**4.0**	**21**	**1**	**1**	**2**	**5**	**11**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	346	**4.0**	**21**	**1**	**1**	**2**	**5**	**11**	**17**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	4.0	11							0-17	371	1.6	2	1	1	1	2	3	4
70-74	57	2.2	1	1	2	2	3	4	4	18-34	420	1.7	3	< 1	< 1	1	1	3	6
75-79	69	3.1	7	< 1	2	3	3	11	99 +	35-49	147	3.6	17	1	1	2	5	9	13
80-84	41	2.3	2	1	1	2	4	5	5	50-69	134	1.8		1	1	2	2	3	3
85 +	61	2.9	1	2	2	2	4	5	5	70 +	22	1.0							
SUBTOTAL	**267**	**2.9**	**5**	**1**	**2**	**2**	**4**	**7**	**9**		**1094**	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**267**	**2.9**	**5**	**1**	**2**	**2**	**4**	**7**	**9**		**1094**	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**3**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	644	3.0	4	< 1	1	3	4	5	8	0-17	285	2.8	8	1	1	2	3	5	8
18-34	220	1.1		< 1	< 1	< 1	1	1	1	18-34	212	1.6	1	< 1	< 1	1	2	3	5
35-49	0									35-49	55	1.6		< 1	1	1	2	3	3
50-69	22	9.5	138							50-69	39	8.6	61						
70 +	6	2.0								70 +	16	1.7	1						
SUBTOTAL	**893**	**2.7**	**8**	**< 1**	**1**	**2**	**3**	**5**	**7**		**607**	**2.6**	**11**	**< 1**	**1**	**1**	**3**	**5**	**8**
GRAND TOTAL	**893**	**2.7**	**8**	**< 1**	**1**	**2**	**3**	**5**	**7**		**607**	**2.6**	**11**	**< 1**	**1**	**1**	**3**	**5**	**8**

DRG 457: Extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	6	27.0							
85 +	0								
SUBTOTAL	**6**	**27.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**27.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**2.0**							
GRAND TOTAL	**12**	**2.0**							

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	1.0							
18-34	6	2.0							
35-49	0								
50-69	6	10.0							
70 +	0								
SUBTOTAL	**22**	**3.7**	**16**						
GRAND TOTAL	**22**	**3.7**	**16**						

DRG 458: Non-extensive Burns w/ Skin Graft

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	67	17.6	145	6	8	21	33	99 +	99 +	0-17	43	10.7	8						
70-74	33	13.9	55							18-34	16	11.4							
75-79	29	22.8	492							35-49	10	8.0							
80-84	31	27.3	124							50-69	71	18.8	164	10	11	13	24	29	53
85 +	43	26.6	153							70 +	26	15.2	146						
SUBTOTAL	**202**	**21.1**	**199**	**6**	**9**	**21**	**35**	**42**	**61**		**167**	**14.8**	**109**	**7**	**9**	**12**	**20**	**29**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	15.0								0-17	106	6.9	51	1	1	4	11	15	29
70-74	16	17.9	30							18-34	116	9.0	33	1	5	10	15	16	18
75-79	39	21.8	118							35-49	102	9.4	49	1	4	7	14	21	24
80-84	0									50-69	35	8.9	43						
85 +	6	22.0								70 +	0								
SUBTOTAL	**71**	**19.9**	**77**	**11**	**15**	**22**	**25**	**35**	**35**		**359**	**8.5**	**44**	**1**	**3**	**7**	**13**	**18**	**18**
GRAND TOTAL	**273**	**20.8**	**167**	**6**	**10**	**21**	**33**	**41**	**56**		**526**	**10.5**	**73**	**1**	**4**	**10**	**14**	**20**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	20	22.0	421							0-17	0								
18-34	10	33.0								18-34	59	16.1	199	3	6	12	21	44	44
35-49	10	52.0								35-49	47	27.4	277						
50-69	26	49.7	542							50-69	33	35.6	296						
70 +	0									70 +	0								
SUBTOTAL	**67**	**39.1**	**498**	**2**	**21**	**42**	**65**	**99 +**	**99 +**		**139**	**24.5**	**307**	**6**	**12**	**18**	**41**	**55**	**57**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	18	21.0	153							0-17	22	10.8	33						
18-34	26	9.6	10							18-34	43	17.7	49						
35-49	20	20.5	44							35-49	37	25.1	73						
50-69	0									50-69	10	62.0							
70 +	10	21.0								70 +	6	38.0							
SUBTOTAL	**75**	**16.9**	**79**	**8**	**9**	**14**	**21**	**27**	**37**		**118**	**23.6**	**229**	**9**	**11**	**22**	**31**	**38**	**62**
GRAND TOTAL	**143**	**27.4**	**399**	**5**	**13**	**21**	**42**	**72**	**99 +**		**257**	**24.1**	**271**	**6**	**12**	**18**	**35**	**55**	**57**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	14.5	100							0-17	0								
70-74	10	18.0								18-34	6	7.0							
75-79	0									35-49	22	8.0	1						
80-84	0									50-69	26	13.5	106						
85 +	0									70 +	6	4.0							
SUBTOTAL	**26**	**15.8**	**63**								**61**	**9.9**	**57**	**3**	**7**	**8**	**9**	**26**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	2.3	2							0-17	136	7.7	29	2	4	7	9	13	23
70-74	6	8.0								18-34	94	5.2	9	1	3	6	7	10	10
75-79	0									35-49	75	8.2	51	2	4	5	16	21	21
80-84	0									50-69	53	8.4	9	3	8	9	10	12	12
85 +	16	11.1	6							70 +	0								
SUBTOTAL	**41**	**6.7**	**20**	**1**	**2**	**8**	**10**	**13**	**13**		**358**	**7.3**	**27**	**2**	**4**	**7**	**9**	**13**	**21**
GRAND TOTAL	**67**	**10.3**	**57**	**2**	**2**	**8**	**18**	**22**	**22**		**420**	**7.7**	**32**	**2**	**4**	**7**	**9**	**15**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	13.0								0-17	16	8.6	12						
18-34	10	3.0								18-34	16	8.0							
35-49	20	9.5	2							35-49	18	14.3	139						
50-69	0									50-69	22	10.1	2						
70 +	0									70 +	0								
SUBTOTAL	**37**	**8.3**	**14**								**73**	**10.4**	**42**	**6**	**8**	**9**	**12**	**13**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	65	4.8	9	1	2	4	8	9	9	0-17	41	7.7	19	2	6	7	8	17	17
18-34	6	3.0								18-34	73	6.1	20	<1	2	6	8	10	18
35-49	0									35-49	6	2.0							
50-69	0									50-69	6	4.0							
70 +	0									70 +	0								
SUBTOTAL	**71**	**4.6**	**8**	**1**	**2**	**4**	**8**	**9**	**9**		**126**	**6.3**	**20**	**2**	**2**	**6**	**8**	**11**	**17**
GRAND TOTAL	**108**	**5.8**	**13**	**2**	**3**	**4**	**8**	**11**	**13**		**200**	**7.8**	**32**	**2**	**5**	**7**	**9**	**13**	**18**

DRG 460: Non-extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	92	12.0	45	4	7	11	15	20	28	0-17	77	5.3	14	2	2	3	9	13	13
70-74	114	11.4	65	5	6	9	14	26	33	18-34	45	4.7	5	< 1	3	5	7	7	7
75-79	29	9.0	35							35-49	37	10.3	74	3	4	7	12	28	28
80-84	35	14.5	137							50-69	100	6.5	22	2	3	4	9	16	18
85 +	29	8.2	12							70 +	6	3.0							
SUBTOTAL	**297**	**11.4**	**61**	**4**	**6**	**9**	**15**	**20**	**32**		**265**	**6.3**	**26**	**2**	**3**	**4**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	53	4.1	5	1	2	3	6	8	8	0-17	532	3.3	8	1	1	3	4	7	8
70-74	55	5.8	10	1	2	7	9	9	9	18-34	297	3.7	13	1	1	2	6	9	9
75-79	20	10.5								35-49	226	5.8	35	1	2	4	6	13	21
80-84	16	7.0								50-69	94	5.7	23	1	3	3	6	13	18
85 +	26	8.5	38							70 +	0								
SUBTOTAL	**171**	**6.4**	**15**	**1**	**3**	**7**	**9**	**11**	**14**		**1149**	**4.1**	**17**	**1**	**1**	**3**	**5**	**9**	**13**
GRAND TOTAL	**468**	**9.6**	**50**	**2**	**5**	**8**	**12**	**18**	**26**		**1414**	**4.5**	**19**	**1**	**2**	**3**	**6**	**9**	**13**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	49	5.1	6	2	3	5	6	9	9	0-17	20	9.5	59						
18-34	37	3.1	1							18-34	35	3.8	4						
35-49	37	11.9	96							35-49	39	4.9	7						
50-69	49	9.7	78	3	3	5	11	26	26	50-69	37	5.1	7						
70 +	0									70 +	0								
SUBTOTAL	**171**	**7.4**	**55**	**2**	**3**	**4**	**8**	**25**	**26**		**130**	**5.4**	**17**	**2**	**3**	**4**	**7**	**9**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	302	5.5	24	1	2	4	7	13	18	0-17	191	4.1	29	1	1	2	4	8	24
18-34	71	6.9	110	1	2	2	7	9	40	18-34	208	3.9	18	1	1	2	5	7	13
35-49	6	2.0								35-49	94	6.0	40	1	1	2	11	20	20
50-69	6	9.0								50-69	43	1.4	1						
70 +	0									70 +	0								
SUBTOTAL	**385**	**5.8**	**39**	**1**	**2**	**4**	**7**	**12**	**18**		**536**	**4.1**	**26**	**1**	**1**	**2**	**5**	**11**	**19**
GRAND TOTAL	**556**	**6.3**	**45**	**2**	**2**	**4**	**7**	**13**	**21**		**666**	**4.4**	**24**	**1**	**1**	**2**	**5**	**11**	**17**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	373	12.3	411	1	1	1	27	67	99 +	0-17	63	15.0	433	1	1	10	60	99 +	99 +	
70-74	283	8.4	170	1	1	2	13	43	99 +	18-34	218	3.2	42	1	1	1	4	10	99 +	
75-79	316	11.6	317	1	2	3	16	56	99 +	35-49	210	5.6	183	1	1	1	4	6	52	
80-84	179	5.7	108	1	1	2	3	23	34	50-69	401	8.3	222	1	1	3	8	47	99 +	
85 +	106	14.1	381	1	2	2	27	38	72	70 +	61	20.4	171	8	9	18	35	44	99 +	
SUBTOTAL	**1257**	**10.5**	**293**	**1**	**1**	**2**	**16**	**48**	**99 +**		**954**	**7.7**	**202**	**1**	**1**	**2**	**8**	**47**	**99 +**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	365	4.0	123	< 1	1	1	2	7	11	0-17	646	1.8	5	1	1	1	2	4	5	
70-74	320	3.1	40	1	1	1	2	6	11	18-34	1127	1.9	11	1	1	1	2	3	5	
75-79	263	3.9	43	1	1	2	3	10	20	35-49	897	1.9	4	1	1	1	2	5	5	
80-84	175	7.0	312	1	1	1	3	5	73	50-69	954	3.4	84	1	1	1	3	5	7	
85 +	122	1.4	1	1	1	1	2	3	3	70 +	10	4.0								
SUBTOTAL	**1245**	**3.9**	**101**	**1**	**1**	**1**	**3**	**5**	**11**		**3633**	**2.3**	**28**	**1**	**1**	**1**	**2**	**4**	**6**	
GRAND TOTAL	**2502**	**7.2**	**208**	**1**	**1**	**2**	**4**	**34**	**53**		**4587**	**3.4**	**69**	**1**	**1**	**1**	**3**	**6**	**12**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	53	5.8	24	1	2	9	99 +	99 +	99 +	0-17	6	3.0								
18-34	37	8.5	78	1	1	14	99 +	99 +	99 +	18-34	29	1.0								
35-49	29	1.2								35-49	20	4.0	9							
50-69	33	37.6	414							50-69	75	15.7	259	1	2	7	35	45	45	
70 +	6	44.0								70 +	39	1.0								
SUBTOTAL	**157**	**13.7**	**321**	**1**	**1**	**9**	**44**	**99 +**	**99 +**		**169**	**8.0**	**165**	**1**	**1**	**1**	**13**	**45**	**99 +**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	102	2.8	10	< 1	1	1	2	9	11	0-17	22	8.9	22							
18-34	71	1.9	2	1	1	1	2	4	5	18-34	81	2.1	2	< 1	< 1	1	3	5	5	
35-49	16	2.5	4							35-49	110	1.9	4	1	1	1	2	2	8	
50-69	37	3.7	12							50-69	55	5.3	52	1	1	2	4	20	20	
70 +	10	35.0								70 +	0									
SUBTOTAL	**236**	**4.0**	**51**	**1**	**1**	**1**	**4**	**9**	**11**		**269**	**3.2**	**19**	**1**	**1**	**1**	**3**	**8**	**13**	
GRAND TOTAL	**393**	**7.9**	**181**	**1**	**1**	**2**	**11**	**66**	**99 +**		**438**	**5.1**	**80**	**1**	**1**	**1**	**5**	**20**	**35**	

DRG 462: Rehabilitation

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1929	28.5	360	8	15	25	40	54	74	0-17	149	30.8	387	7	24	32	79	99 +	99 +
70-74	1281	28.9	398	8	15	25	38	64	73	18-34	267	24.2	364	6	10	22	34	71	99 +
75-79	1334	28.0	352	8	15	24	36	53	65	35-49	515	31.5	420	5	17	31	49	68	89
80-84	949	28.3	298	11	16	25	36	58	73	50-69	1204	31.1	298	10	19	29	41	57	74
85 +	711	28.2	234	11	18	27	39	50	59	70 +	100	31.3	131	19	23	32	44	50	99 +
SUBTOTAL	**6205**	**28.4**	**342**	**9**	**15**	**25**	**39**	**56**	**70**		**2235**	**30.4**	**337**	**9**	**18**	**29**	**43**	**68**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	699	25.0	261	10	14	22	31	48	55	0-17	88	29.5	478	3	4	30	56	96	99 +
70-74	591	24.8	236	9	13	21	34	46	58	18-34	302	24.9	297	9	13	19	35	50	64
75-79	593	27.1	284	9	15	22	35	52	69	35-49	226	24.9	285	4	16	20	30	50	56
80-84	352	24.5	247	9	14	20	31	52	62	50-69	876	27.8	325	9	14	26	36	51	58
85 +	210	18.0	132	5	9	17	26	36	40	70 +	57	16.5	25	8	14	17	17	25	25
SUBTOTAL	**2445**	**24.8**	**252**	**9**	**14**	**21**	**31**	**47**	**57**		**1549**	**26.5**	**316**	**8**	**14**	**23**	**35**	**52**	**63**
GRAND TOTAL	**8650**	**27.4**	**319**	**9**	**15**	**23**	**36**	**53**	**68**		**3783**	**28.8**	**332**	**8**	**16**	**27**	**41**	**58**	**82**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	28.8	741	6	11	58	99 +	99 +	99 +	0-17	20	32.0	464						
18-34	198	32.2	544	10	14	39	90	99 +	99 +	18-34	122	17.9	188	3	6	15	26	36	51
35-49	171	30.9	472	13	19	28	70	99 +	99 +	35-49	126	22.0	627	3	5	12	27	87	99 +
50-69	179	30.0	457	5	13	30	42	87	99 +	50-69	145	22.3	215	3	11	15	32	40	53
70 +	37	28.0	45							70 +	224	11.6	51	4	7	10	14	21	27
SUBTOTAL	**642**	**30.7**	**488**	**8**	**17**	**31**	**70**	**99 +**	**99 +**		**638**	**17.9**	**268**	**3**	**8**	**13**	**26**	**53**	**87**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	37	40.7	1055							0-17	6	25.0							
18-34	51	14.2	93	4	8	10	31	93	99 +	18-34	157	25.3	679	2	5	11	39	64	92
35-49	116	29.6	431	9	18	22	34	54	84	35-49	47	11.3	9						
50-69	31	38.7	356							50-69	141	22.9	158	5	18	19	35	39	43
70 +	10	29.0								70 +	18	13.7	2						
SUBTOTAL	**245**	**29.2**	**499**	**8**	**10**	**22**	**35**	**84**	**84**		**369**	**22.1**	**372**	**4**	**9**	**18**	**32**	**43**	**64**
GRAND TOTAL	**886**	**30.3**	**491**	**8**	**17**	**30**	**62**	**99 +**	**99 +**		**1006**	**19.4**	**310**	**3**	**8**	**14**	**27**	**51**	**64**

DRG 463: Signs & Symptoms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	469	10.2	106	1	3	7	14	21	23	0-17	43	4.8	22						
70-74	344	10.8	150	2	4	7	11	17	46	18-34	86	2.2	2	1	1	2	3	4	5
75-79	330	8.4	41	2	4	7	12	18	23	35-49	194	6.8	73	1	2	4	8	14	35
80-84	330	8.8	52	2	5	7	10	16	22	50-69	314	7.4	43	1	2	6	9	19	23
85 +	232	14.0	228	4	6	9	14	50	57	70 +	33	7.4	10						
SUBTOTAL	**1705**	**10.2**	**111**	**2**	**4**	**7**	**12**	**19**	**28**		**668**	**6.4**	**46**	**1**	**2**	**4**	**8**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1705**	**10.2**	**111**	**2**	**4**	**7**	**12**	**19**	**28**		**668**	**6.4**	**46**	**1**	**2**	**4**	**8**	**14**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	13.9	466							0-17	20	5.5	13						
18-34	53	3.1	1	2	2	3	4	5	5	18-34	26	1.8	1						
35-49	108	10.1	123	4	4	5	10	19	42	35-49	49	9.6	38	1	4	8	14	19	19
50-69	134	10.1	84	2	3	6	17	25	25	50-69	124	6.8	30	1	3	4	10	16	17
70 +	16	14.7	1							70 +	29	21.5	1326						
SUBTOTAL	**354**	**9.7**	**134**	**2**	**3**	**5**	**10**	**22**	**34**		**249**	**8.4**	**198**	**1**	**2**	**4**	**10**	**17**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**354**	**9.7**	**134**	**2**	**3**	**5**	**10**	**22**	**34**		**249**	**8.4**	**198**	**1**	**2**	**4**	**10**	**17**	**19**

DRG 464: Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	228	3.3	7	1	1	3	5	7	10	0-17	110	2.3	1	1	1	2	3	4	4
70-74	145	4.8	19	1	2	3	6	9	16	18-34	65	1.5		< 1	< 1	1	2	2	3
75-79	102	4.8	33	1	3	4	4	6	27	35-49	134	4.1	9	1	2	3	5	9	9
80-84	173	8.6	64	3	3	5	12	24	31	50-69	314	3.2	6	1	2	3	4	7	8
85 +	86	5.5	27	2	3	3	9	9	22	70 +	10	3.0							
SUBTOTAL	**733**	**5.3**	**33**	**1**	**2**	**3**	**6**	**12**	**19**		**634**	**3.1**	**5**	**1**	**1**	**3**	**4**	**7**	**8**
GRAND TOTAL	**733**	**5.3**	**33**	**1**	**2**	**3**	**6**	**12**	**19**		**634**	**3.1**	**5**	**1**	**1**	**3**	**4**	**7**	**8**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	47	3.6	8							0-17	69	2.4	3	1	1	2	3	6	6
18-34	33	4.3	11							18-34	33	2.3	1						
35-49	16	2.1	2							35-49	37	2.3	1						
50-69	16	2.0								50-69	55	2.2	1	1	1	2	3	4	4
70 +	0									70 +	10	6.0							
SUBTOTAL	**112**	**3.4**	**7**	**1**	**1**	**2**	**5**	**8**	**9**		**204**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**112**	**3.4**	**7**	**1**	**1**	**2**	**5**	**8**	**9**		**204**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	37	3.3	9							0-17	0								
70-74	26	1.8	1							18-34	0								
75-79	57	3.4	26	1	1	2	2	15	18	35-49	6	1.0							
80-84	33	1.7	3							50-69	53	2.9	17	1	1	1	2	14	14
85 +	29	7.2	134							70 +	0								
SUBTOTAL	**181**	**3.4**	**34**	**1**	**1**	**2**	**2**	**7**	**18**		**59**	**2.7**	**15**	**< 1**	**1**	**1**	**2**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	71	1.4		1	1	1	2	2	2	0-17	31	1.0							
70-74	49	1.7		1	1	2	2	2	2	18-34	10	1.0							
75-79	63	1.3		< 1	1	1	2	2	2	35-49	47	1.2							
80-84	39	1.3	1							50-69	92	1.5		< 1	< 1	1	2	2	3
85 +	22	2.9	10							70 +	10	1.0							
SUBTOTAL	**244**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**		**190**	**1.3**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**426**	**2.4**	**16**	**1**	**1**	**1**	**2**	**2**	**8**		**249**	**1.6**	**4**	**< 1**	**< 1**	**1**	**2**	**2**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	10	2.0								50-69	0								
70 +	0									70 +	6	8.0							
SUBTOTAL	**10**	**2.0**									**6**	**8.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	1.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	10	2.0							
50-69	0									50-69	18	1.0							
70 +	0									70 +	12	1.0							
SUBTOTAL	**10**	**1.0**									**41**	**1.3**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
GRAND TOTAL	**20**	**1.5**									**47**	**2.1**	**5**	**< 1**	**< 1**	**< 1**	**2**	**8**	**8**

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	106	5.7	35	1	1	2	13	14	18	0-17	102	9.5	290	< 1	< 1	1	14	25	70
70-74	122	6.4	115	1	1	2	6	17	31	18-34	65	3.3	8	1	1	2	5	9	9
75-79	110	7.9	137	1	1	4	10	17	52	35-49	88	2.3	6	1	1	1	2	9	9
80-84	79	11.8	142	1	2	6	20	34	35	50-69	167	1.6	1	< 1	1	1	2	3	4
85 +	96	9.7	138	1	1	7	13	28	40	70 +	0								
SUBTOTAL	**513**	**8.0**	**115**	**1**	**1**	**3**	**10**	**20**	**34**		**422**	**3.9**	**83**	**< 1**	**1**	**1**	**3**	**9**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	216	1.4	2	< 1	< 1	1	1	2	4	0-17	436	2.7	12	< 1	< 1	1	2	9	11
70-74	169	2.2	5	< 1	< 1	1	3	6	8	18-34	191	1.4		1	1	1	2	2	2
75-79	200	2.7	11	< 1	< 1	1	2	10	11	35-49	173	1.3		< 1	1	1	2	2	2
80-84	92	4.5	38	< 1	< 1	1	5	11	24	50-69	297	2.0	8	< 1	< 1	1	1	4	7
85 +	53	2.6	5	< 1	1	2	3	8	8	70 +	6	1.0							
SUBTOTAL	**729**	**2.4**	**11**	**< 1**	**< 1**	**1**	**2**	**5**	**10**		**1104**	**2.0**	**7**	**< 1**	**-< 1**	**1**	**2**	**4**	**9**
GRAND TOTAL	**1242**	**4.7**	**61**	**< 1**	**1**	**1**	**5**	**12**	**20**		**1526**	**2.6**	**29**	**< 1**	**< 1**	**1**	**2**	**5**	**10**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	69	10.2	126	< 1	1	3	17	26	35	0-17	33	9.4	79						
18-34	10	2.0								18-34	22	1.0							
35-49	0									35-49	0								
50-69	10	1.0								50-69	12	3.5	7						
70 +	6	10.0								70 +	49	10.8	111	1	3	7	16	32	32
SUBTOTAL	**96**	**8.3**	**103**	**< 1**	**1**	**3**	**13**	**26**	**35**		**116**	**7.7**	**84**	**< 1**	**1**	**5**	**8**	**24**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	159	7.1	62	< 1	1	3	8	21	24	0-17	92	8.5	54	1	3	6	9	21	25
18-34	10	1.0								18-34	67	1.0		< 1	< 1	1	1	1	1
35-49	10	1.0								35-49	59	1.5		1	1	1	2	3	3
50-69	10	3.0								50-69	16	1.0							
70 +	0									70 +	18	6.0	26						
SUBTOTAL	**189**	**6.2**	**56**	**< 1**	**1**	**3**	**7**	**19**	**24**		**253**	**4.2**	**33**	**< 1**	**1**	**1**	**5**	**13**	**21**
GRAND TOTAL	**285**	**6.9**	**73**	**< 1**	**1**	**3**	**8**	**21**	**26**		**369**	**5.3**	**52**	**< 1**	**1**	**2**	**6**	**21**	**23**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	263	26.0	392	10	14	21	32	75	80	0-17	0								
70-74	236	20.4	78	11	13	18	24	33	42	18-34	10	21.0							
75-79	159	24.6	194	12	15	16	32	42	64	35-49	51	16.8	53						
80-84	181	32.7	448	12	14	26	57	65	81	50-69	171	20.8	101	11	12	20	24	35	36
85 +	55	39.5	959	9	13	20	77	92	92	70 +	10	17.0							
SUBTOTAL	**894**	**26.4**	**347**	**11**	**14**	**20**	**32**	**64**	**77**		**242**	**19.8**	**85**	**11**	**13**	**17**	**23**	**31**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	124	17.5	33	9	13	16	21	25	26	0-17	0								
70-74	108	18.8	65	8	13	19	23	26	36	18-34	0								
75-79	84	19.0	22	10	16	20	22	26	26	35-49	33	16.8	3						
80-84	45	18.9	27	11	18	18	23	26	26	50-69	130	15.2	25	11	12	15	15	22	29
85 +	20	19.0								70 +	0								
SUBTOTAL	**381**	**18.4**	**37**	**10**	**13**	**19**	**23**	**26**	**26**		**163**	**15.5**	**21**	**11**	**12**	**15**	**17**	**22**	**29**
GRAND TOTAL	**1276**	**24.0**	**268**	**11**	**14**	**19**	**26**	**47**	**69**		**406**	**18.1**	**64**	**11**	**12**	**15**	**22**	**29**	**35**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	6	9.0								50-69	10	15.0							
70 +	0									70 +	6	23.0							
SUBTOTAL	**6**	**9.0**									**16**	**18.0**	**16**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	10	6.0								18-34	0								
35-49	0									35-49	0								
50-69	6	24.0								50-69	26	45.3	1250						
70 +	0									70 +	0								
SUBTOTAL	**16**	**12.7**	**81**								**26**	**45.3**	**1250**						
GRAND TOTAL	**22**	**11.7**	**61**								**43**	**34.9**	**948**						

DRG 472: Extensive Burns w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	25.0							
18-34	16	39.3	624						
35-49	0								
50-69	0								
70 +	0								
	26	**33.8**	**425**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	26	**33.8**	**425**						

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	34.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10	**34.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10	**34.0**							

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	212	23.3	365	2	9	26	33	56	75	0-17	0								
70-74	167	16.8	335	1	3	9	29	43	62	18-34	185	14.4	202	< 1	1	8	34	39	90
75-79	110	22.2	229	4	8	22	37	43	44	35-49	206	25.5	503	2	3	30	40	52	74
80-84	69	31.1	439	9	17	26	33	76	76	50-69	377	27.3	357	2	12	27	37	45	73
85 +	134	15.8	523	2	2	7	12	42	88	70 +	10	11.0							
SUBTOTAL	**693**	**20.9**	**394**	**2**	**5**	**15**	**33**	**44**	**75**		**779**	**23.5**	**383**	**2**	**5**	**26**	**36**	**45**	**73**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	53	4.5	14	< 1	1	4	7	10	10	0-17	0								
70-74	51	13.0	207	2	3	8	10	41	41	18-34	171	4.9	26	< 1	1	2	8	12	19
75-79	37	16.6	102							35-49	171	6.1	68	< 1	2	3	8	11	36
80-84	26	3.4	7							50-69	112	6.9	116	2	2	2	10	12	39
85 +	49	6.9	142	1	2	3	4	38	38	70 +	0								
SUBTOTAL	**216**	**9.0**	**125**	**1**	**2**	**4**	**8**	**29**	**38**		**454**	**5.8**	**64**	**1**	**2**	**2**	**8**	**12**	**19**
GRAND TOTAL	**909**	**18.1**	**355**	**2**	**3**	**10**	**29**	**43**	**62**		**1233**	**17.0**	**338**	**1**	**2**	**9**	**31**	**40**	**52**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	98	32.8	377	5	11	35	48	64	66	18-34	0								
35-49	10	4.0								35-49	10	53.0							
50-69	6	23.0								50-69	16	44.5	196						
70 +	20	26.5	44							70 +	26	9.8	12						
SUBTOTAL	**135**	**29.2**	**341**	**4**	**11**	**28**	**39**	**54**	**66**		**53**	**28.8**	**439**	**6**	**8**	**21**	**53**	**55**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	20	20.0	67							18-34	0								
35-49	10	1.0								35-49	6	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**31**	**13.7**	**127**								**6**	**1.0**							
GRAND TOTAL	**165**	**26.3**	**337**	**4**	**11**	**25**	**35**	**54**	**66**		**59**	**25.9**	**465**	**3**	**8**	**14**	**53**	**55**	**55**

DRG 474: Respiratory System Diagnosis with Tracheostomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	397	41.1	339	20	33	45	65	99 +	99 +	0-17	37	13.7	85							
70-74	240	49.0	502	24	41	74	99 +	99 +	99 +	18-34	69	42.6	776	5	31	53	93	99 +	99 +	
75-79	185	54.9	376	29	52	58	93	99 +	99 +	35-49	96	39.4	701	9	26	38	96	99 +	99 +	
80-84	65	42.0	349	18	35	64	99 +	99 +	99 +	50-69	336	40.1	679	9	24	44	83	99 +	99 +	
85 +	53	73.6	715	45	93	99 +	99 +	99 +	99 +	70 +	47	49.3	285	26	36	66	99 +	99 +	99 +	
SUBTOTAL	**941**	**47.8**	**477**	**25**	**35**	**57**	**99 +**	**99 +**	**99 +**		**585**	**39.4**	**673**	**9**	**25**	**44**	**83**	**99 +**	**99 +**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	20	4.0	1							0-17	10	14.0								
70-74	18	12.7	81							18-34	20	33.5	221							
75-79	10	12.0								35-49	6	1.0								
80-84	10	10.0								50-69	20	18.0	237							
85 +	0									70 +	0									
SUBTOTAL	**59**	**9.1**	**39**	**3**	**5**	**7**	**12**	**21**	**25**		**57**	**21.0**	**271**	**2**	**3**	**19**	**33**	**48**	**48**	
GRAND TOTAL	**1000**	**45.5**	**534**	**18**	**34**	**55**	**99 +**	**99 +**	**99 +**		**642**	**37.7**	**664**	**9**	**20**	**38**	**79**	**99 +**	**99 +**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	10	29.0								
18-34	43	49.9	845							18-34	31	56.3	84							
35-49	26	63.5	461							35-49	31	52.3	6							
50-69	63	58.3	439	42	43	92	99 +	99 +	99 +	50-69	53	54.6	760	24	27	51	71	98	98	
70 +	16	88.0	16							70 +	0									
SUBTOTAL	**149**	**60.1**	**624**	**42**	**45**	**71**	**92**	**99 +**	**99 +**		**124**	**52.4**	**393**	**27**	**37**	**55**	**71**	**99 +**	**99 +**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	31	18.0	92							
35-49	6	3.0								35-49	6	8.0								
50-69	0									50-69	0									
70 +	0									70 +	6	23.0								
SUBTOTAL	**6**	**3.0**									**43**	**17.3**	**83**							
GRAND TOTAL	**155**	**57.8**	**724**	**38**	**45**	**61**	**92**	**99 +**	**99 +**		**167**	**43.4**	**549**	**14**	**27**	**49**	**67**	**99 +**	**99 +**	

DRG 475: Respiratory System Diagnosis with Ventilator Support

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2638	19.6	234	7	10	15	25	37	58
70-74	1699	17.3	107	7	10	15	24	31	41
75-79	1844	19.8	233	7	9	15	25	42	48
80-84	1392	20.2	192	7	11	15	25	41	49
85 +	1002	20.4	203	8	12	17	24	40	52
SUBTOTAL	**8575**	**19.4**	**199**	**7**	**10**	**15**	**25**	**39**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	128	13.9	112	5	7	14	15	22	27
70-74	43	15.6	125						
75-79	77	11.9	26	5	8	12	14	22	22
80-84	26	7.8	5						
85 +	41	9.8	1						
SUBTOTAL	**316**	**12.6**	**74**	**5**	**8**	**11**	**15**	**22**	**28**
GRAND TOTAL	**8891**	**19.1**	**197**	**7**	**10**	**15**	**25**	**38**	**49**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	18.1	284	5	8	11	27	30	65
18-34	271	15.9	272	4	6	11	18	35	80
35-49	424	15.8	345	4	5	10	18	28	45
50-69	1605	19.0	200	6	9	16	22	42	54
70 +	90	21.2	130	6	17	19	38	82	99 +
	2506	**18.2**	**236**	**5**	**8**	**14**	**22**	**42**	**57**
0-17	84	6.3	28	1	3	5	7	17	17
18-34	53	10.4	62	2	5	8	13	30	30
35-49	84	5.5	5	3	4	6	7	10	10
50-69	81	9.8	22	1	7	12	13	14	14
70 +	6	14.0							
	308	**7.9**	**30**	**2**	**3**	**7**	**12**	**14**	**17**
	2814	**17.0**	**224**	**4**	**8**	**13**	**21**	**37**	**51**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	13.8	49	7	7	16	18	27	27
18-34	143	18.0	235	6	7	12	23	27	65
35-49	245	24.8	363	5	10	21	32	52	65
50-69	418	15.9	216	6	9	12	18	23	34
70 +	41	23.8	243						
SUBTOTAL	**923**	**18.8**	**261**	**6**	**8**	**14**	**22**	**34**	**60**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	0								
35-49	10	24.0							
50-69	0								
70 +	0								
SUBTOTAL	**16**	**15.4**	**132**						
GRAND TOTAL	**939**	**18.7**	**259**	**6**	**8**	**14**	**22**	**34**	**60**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.9	2						
18-34	102	17.5	311	3	8	10	24	46	65
35-49	143	15.9	131	5	6	14	23	40	40
50-69	363	16.9	125	7	9	14	21	33	40
70 +	77	23.6	316	7	12	17	32	35	76
	701	**17.2**	**180**	**5**	**9**	**13**	**22**	**34**	**42**
0-17	16	2.5	4						
18-34	43	7.9	14						
35-49	26	4.5	1						
50-69	0								
70 +	6	4.0							
	92	**5.7**	**12**	**1**	**4**	**5**	**6**	**13**	**13**
	793	**15.9**	**174**	**4**	**7**	**12**	**21**	**33**	**40**

Appendix 1

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** includes Alaska and Hawaii

Appendix 2

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
105	Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic or Vascular Procedures, w/ Pump
109	Other Cardiothoracic Procedures w/o Pump
110	Major Reconstructive Vascular Proc w/o Pump w/ CC
111	Major Reconstructive Vascular Proc w/o Pump w/o CC
112	Vascular Procedures except Major Reconstruction w/o Pump
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures, Age >17 w/ CC
313	Urethral Procedures, Age >17 w/o CC
314	Urethral Procedures, Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC
444	Multiple Trauma Age >17 w/ CC
445	Multiple Trauma Age >17 w/o CC
446	Multiple Trauma Age 0-17
447	Allergic Reactions Age > 17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid As Discharge Diagnosis
470	Ungroupable
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	Respiratory System Diagnosis with Tracheostomy
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis

B4465.5.3F

LOS
LENGTH OF STAY BY DRG

HKS PUBLICATIONS

United States, North Central Region, 1988-89

Healthcare Knowledge Systems
Ann Arbor, Michigan
December, 1989

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1988-89
Length of Stay by DRG and Payment Source, Northeastern Region, 1988-89
Length of Stay by DRG and Payment Source, North Central Region, 1988-89
Length of Stay by DRG and Payment Source, Southern Region, 1988-89
Length of Stay by DRG and Payment Source, Western Region, 1988-89

Length of Stay data have been published annually since 1963. In addition to Length of Stay by DRG and Payment Source, other volumes in the Cost Containment Series are:

Length of Stay by Diagnosis and Operation
Length of Stay by Psychiatric Diagnosis
(Available for the United States, Northeastern, North Central, Southern, and Western regions)

Pediatric Length of Stay by Diagnosis and Operation
Geriatric Length of Stay by Diagnosis and Operation
(Available for the United States only)

Copyright © 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Preface iv

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Database Characteristics
Projecting to the Universe

Organization of the Tables x

Explanation of the Statistics xii

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: State Inclusions by Region 469

Appendix 2: Diagnosis Related Groups 470

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The Length of Stay by DRG and Payment Source series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

These statistics provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, employers, and healthcare researchers interested in cost containment and quality of care.

1988-89 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Healthcare Knowledge Systems
Tracey Stewart, Publications Specialist, Normative Publications

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Stacey Cavanaugh, Customer Service Representative, HKS,
Robert Travis, Librarian,
Linda Vanek, Assistant Manager, Normative Publications, HKS,
Roger Wroblewski, Director, Database Research, CPHA.

INTRODUCTION

The Length of Stay by DRG and Payment Source series has been designed as a companion to the standard reference, LOS by Diagnosis and Operation, to provide length of stay data by another patient classification system. Similar to the Diagnosis and Operation series, this five volume set is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the Length of Stay by DRG and Payment Source series and the Length of Stay by Diagnosis and Operation series are primarily with the data source. Data used for the Length of Stay by DRG and Payment Source series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 570 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in the Length of Stay by DRG and Payment source represent projections rather than actual numbers.

Additionally, the Length of Stay by DRG and Payment Source series adds power by providing length of stay by the following four principal payment sources: Medicare, Medicaid, Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay by DRG and Payment Source tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay by DRG and Payment Source series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay by DRG and Payment Source series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1988. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The characteristics of all hospitals with discharge data included in the books are displayed in the table below. The hospital universe is based on facility and discharge records collected for the 1987 Annual Survey of Hospitals of the American Hospital Association (AHA).

1988-89 Length of Stay by DRG and Payment Source
Sample Hospital Characteristics

	Universe	LOS by DRG Sample
Total Number of Hospitals	5512	570
Northeastern	786	150
North Central	1609	181
Southern	2089	104
Western	1028	135
Number of Urban[1] Hospitals	2893	284
Number of High/Medium Teaching Intensity[2] Hospitals	925	122

---

[1] Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[2] The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Projecting to the Universe

To make the LOS by DRG and Payment Source sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the 570 hospitals are stratified by factors known to affect inpatient utilization. The two factors used are:

1. **Program Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

   - Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
   - Cancer Program approved by the American College of Surgeons (CP)
   - Residency approved by the American Medical Association (RES)
   - Medical School Affiliation reported by the American Medical Association (MS)
   - Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
   - Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Nonteaching Institution
- Minor Teaching Institution
- Major Teaching Institution

The statistical formula is:

$$1p = 9.9\,(JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the Length of Stay by DRG and Payment Source series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0+	Teaching Institution

---

[1] Phillip P., J., and Hai, Abdul. *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

2. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	Division
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, West, South). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1988 to June 1989 discharges from the U.S. nonfederal, short-term general hospital universe.

ORGANIZATION OF THE TABLES

The Length of Stay by DRG and Payment Source series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 1 lists the states comprising each region.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** includes Alaska and Hawaii

Length of Stay by DRG and Payment Source Patient Variables

The length of stay data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 477 DRGs in the 1988-89 LOS by DRG and Payment Source series. These DRGs are based on the sixth revision, effective October 1, 1989. Appendix 2 provides a listing of all DRGs for the sixth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence , Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468, 476, 477	Unrelated Operating Room Procedures
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable

In the 1988-89 LOS by DRG and Payment Source series a table is not created for the excluded DRGs listed above. Additionally, new procedure codes were added 10/1/89 for grouping to DRGs 436 and 437 (Alcohol and Drug Dependence with Rehab and with Rehab and Detox). The patient records used in this book represent

discharges prior to the addition of these new codes, and therefore do not contain the procedure codes anticipated to group to these DRGs. As a result, no patient records have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources.

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1989.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates without a birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the LOS by DRG and Payment Source series is drawn from patient discharges from 570 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.*

Since the LOS by DRG and Payment Source series is drawn from discharges that have been projected to the universe of U.S. hospitals, one actual patient discharge represents multiple projected patients. The average projection factor is 10.5.

If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay.

Variance

The variance is a measure of the spread of the data around the average. For the LOS by DRG and Payment Source tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th. 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+. Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups. The Grand Total represents the total number of projected patients in the DRG and Payment Source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay by DRG and Payment Source series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population.

For this reason, the LOS by DRG and Payment Source series share most applications of the present LOS by Diagnosis and Operation and the Psychiatric LOS series. Among them:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay by DRG and Payment Source regional or national volumes:

Step 1: Consult Appendix 2 of the appropriate Length of Stay by DRG and Payment Source book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the Length of Stay by DRG and Payment Source book.

Step 3: Depending on the purpose of the review, find the appropriate table category:

Payment Source
Complication/Comorbidity Status
Age Group

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

The differences between the Length of Stay by DRG and Payment Source and the other LOS series make it an important new contribution to the array of quantitative measures that assist healthcare professionals in evaluating cost containment and quality assurance programs for institutions or special populations.

While the LOS by Diagnosis and Operation series offers a diagnosis and procedure-specific profile of inpatient utilization, and the Psychiatric LOS series provides the same for a special population, the LOS by DRG and Payment Source series describes the impact of financing mechanisms through highlighting the four payment source categories. Simultaneously, it takes into account other patient attributes, such as complication and comorbidity status, that may affect length of stay, thereby reporting DRG length of stay patterns in U.S. nonfederal, short-term general hospitals.

Finally, increasing concern about costs and quality care, paired with the need for more sophisticated and accountable performance measures to conduct these cost and quality reviews, make the Length of Stay by DRG and Payment Source tables an accessible, convenient, and essential tool for the healthcare industry.

DRG Length of Stay Tables

Length of Stay by DRG and Payment Source

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4114	20.9	306	6	9	15	26	54	66
70-74	2483	21.5	323	6	10	16	29	47	78
75-79	1971	21.3	242	7	9	18	29	46	56
80-84	1292	23.3	315	7	12	19	30	55	80
85 +	571	23.8	324	8	13	20	26	54	68
SUBTOTAL	**10431**	**21.6**	**300**	**6**	**9**	**17**	**29**	**52**	**69**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2490	10.6	39	4	7	9	14	19	25
70-74	1578	11.0	86	5	7	9	12	17	22
75-79	1301	12.4	99	5	6	9	14	28	38
80-84	570	11.5	39	5	7	10	14	21	26
85 +	319	11.1	35	6	7	9	14	16	27
SUBTOTAL	**6258**	**11.2**	**64**	**5**	**7**	**9**	**13**	**20**	**27**
GRAND TOTAL	**16689**	**17.7**	**237**	**5**	**8**	**13**	**22**	**39**	**59**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group

(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

All DRGS

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	448755	8.7	74	2	4	6	11	17	24	0-17	176313	6.2	80	1	2	3	6	13	23
70-74	316367	8.8	64	2	4	7	11	17	23	18-34	173768	6.0	53	1	2	4	6	12	20
75-79	290428	9.1	65	3	4	7	11	17	24	35-49	199818	6.9	55	2	3	5	8	14	21
80-84	231045	9.1	57	3	4	7	11	17	23	50-69	383384	7.7	61	2	3	6	9	15	22
85 +	220335	9.1	52	3	5	7	11	17	22	70 +	23625	8.7	69	2	4	6	11	17	23
SUBTOTAL	**1506929**	**8.9**	**64**	**2**	**4**	**7**	**11**	**17**	**23**		**956907**	**7.0**	**63**	**2**	**3**	**5**	**8**	**14**	**21**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	268453	6.3	46	1	2	4	8	13	19	0-17	818902	3.5	28	1	2	2	4	5	8
70-74	173084	5.6	27	1	2	4	7	11	14	18-34	826263	3.9	27	1	2	3	4	6	13
75-79	141009	5.9	27	1	3	4	8	11	15	35-49	473776	4.7	30	1	2	3	5	9	15
80-84	96347	6.1	27	2	3	5	8	12	15	50-69	438832	4.7	22	1	2	3	6	9	12
85 +	76235	6.2	25	2	3	5	8	12	14	70 +	14174	4.9	18	1	2	4	7	10	12
SUBTOTAL	**755128**	**6.0**	**34**	**1**	**3**	**4**	**8**	**12**	**16**		**2571946**	**4.1**	**27**	**1**	**2**	**3**	**4**	**7**	**12**
GRAND TOTAL	**2262057**	**8.0**	**56**	**2**	**3**	**6**	**10**	**16**	**21**		**3528853**	**4.9**	**39**	**1**	**2**	**3**	**5**	**10**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	90883	6.9	97	2	2	4	7	15	28	0-17	51978	5.9	78	1	2	3	6	12	21
18-34	92478	6.7	71	2	2	4	7	14	23	18-34	64879	5.5	48	1	2	4	6	11	17
35-49	51423	8.2	71	2	3	6	10	17	25	35-49	47030	6.6	54	1	3	5	8	14	20
50-69	58608	8.8	75	2	4	6	11	18	26	50-69	67890	7.3	55	2	3	5	9	15	21
70 +	4212	9.4	57	3	4	8	12	18	23	70 +	38168	7.4	51	2	3	6	9	14	19
SUBTOTAL	**297604**	**7.5**	**80**	**2**	**3**	**5**	**9**	**16**	**25**		**269945**	**6.5**	**58**	**1**	**2**	**4**	**8**	**13**	**20**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	355018	3.6	27	1	2	2	4	6	9	0-17	290961	2.9	12	1	2	2	3	5	7
18-34	267972	4.1	34	1	2	2	4	7	13	18-34	274550	3.5	21	1	2	2	4	6	10
35-49	54896	6.1	49	1	2	4	7	13	21	35-49	102711	4.2	23	1	2	3	5	8	12
50-69	28926	6.4	47	1	3	4	7	13	19	50-69	77331	4.4	23	1	2	3	5	9	12
70 +	2046	6.3	22	2	3	5	8	12	15	70 +	29845	4.8	27	1	2	3	6	9	12
SUBTOTAL	**708857**	**4.1**	**33**	**1**	**2**	**3**	**4**	**7**	**12**		**775398**	**3.5**	**19**	**1**	**2**	**2**	**4**	**6**	**10**
GRAND TOTAL	**1006461**	**5.1**	**49**	**1**	**2**	**3**	**5**	**10**	**17**		**1045342**	**4.3**	**30**	**1**	**2**	**3**	**5**	**9**	**13**

North Central Region, July 1988 - June 1989

DRG 1: Craniotomy Age >17 except for Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	973	20.7	314	6	9	14	29	54	83	0-17	0								
70-74	740	20.6	284	6	10	16	28	40	64	18-34	528	14.5	194	3	6	9	18	35	44
75-79	530	22.1	188	8	13	19	30	42	49	35-49	1025	19.2	278	7	8	13	25	45	61
80-84	295	19.7	152	8	12	17	24	35	40	50-69	1580	20.1	286	6	9	14	27	52	78
85 +	164	21.5	168	9	12	18	26	34	51	70 +	31	34.7	189						
SUBTOTAL	**2701**	**20.9**	**255**	**7**	**10**	**16**	**27**	**45**	**62**		**3164**	**19.0**	**273**	**5**	**8**	**13**	**26**	**48**	**67**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	606	10.3	32	5	6	9	14	19	22	0-17	0								
70-74	350	10.5	42	5	6	9	12	17	18	18-34	861	8.4	45	3	5	7	10	16	18
75-79	374	12.0	64	4	7	9	16	23	25	35-49	1056	9.5	72	4	6	8	10	15	19
80-84	218	11.8	28	6	8	11	14	20	21	50-69	1452	10.5	48	5	7	9	12	17	23
85 +	109	12.5	48	6	7	13	15	26	27	70 +	32	6.8	11						
SUBTOTAL	**1656**	**11.1**	**43**	**5**	**7**	**9**	**14**	**20**	**23**		**3401**	**9.7**	**55**	**4**	**6**	**8**	**11**	**16**	**20**
GRAND TOTAL	**4358**	**17.2**	**197**	**6**	**8**	**13**	**21**	**35**	**50**		**6565**	**14.2**	**182**	**5**	**7**	**10**	**17**	**33**	**49**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	264	14.5	237	3	6	11	15	29	48	18-34	101	11.2	84	2	6	8	15	22	34
35-49	171	22.1	454	10	11	15	21	35	80	35-49	187	22.6	329	5	8	17	31	59	62
50-69	171	24.9	258	8	13	21	35	49	55	50-69	234	20.0	262	5	9	15	25	44	57
70 +	8	18.0								70 +	118	12.5	26	7	9	12	15	20	24
SUBTOTAL	**613**	**19.6**	**320**	**6**	**9**	**13**	**22**	**48**	**59**		**640**	**18.0**	**230**	**5**	**8**	**13**	**24**	**45**	**57**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	194	7.8	20	2	5	7	12	14	15	18-34	179	10.9	33	4	5	11	14	15	22
35-49	186	10.6	86	5	6	8	12	15	23	35-49	163	9.3	17	5	6	8	12	15	17
50-69	62	13.8	14	7	11	14	16	20	20	50-69	241	11.6	80	4	6	9	13	23	38
70 +	0									70 +	102	9.5	26	4	6	8	12	18	20
SUBTOTAL	**443**	**9.8**	**51**	**3**	**6**	**8**	**13**	**15**	**20**		**685**	**10.6**	**45**	**4**	**6**	**9**	**14**	**18**	**22**
GRAND TOTAL	**1056**	**15.5**	**230**	**5**	**7**	**11**	**17**	**32**	**49**		**1325**	**14.1**	**148**	**4**	**6**	**10**	**16**	**31**	**45**

DRG 2: Craniotomy for Trauma Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	132	27.3	502	5	8	22	36	66	81	0-17	0								
70-74	78	20.1	168	7	8	19	22	43	48	18-34	320	24.9	207	8	15	24	33	47	54
75-79	86	17.0	38	7	14	18	22	25	99 +	35-49	125	23.5	294	6	8	18	32	60	64
80-84	70	24.9	142	6	20	21	27	50	50	50-69	148	21.0	372	4	6	11	33	60	63
85 +	109	17.1	44	11	13	16	22	23	34	70 +	16	18.0	52						
SUBTOTAL	**475**	**21.6**	**224**	**7**	**12**	**19**	**25**	**48**	**55**		**608**	**23.5**	**263**	**6**	**10**	**21**	**33**	**53**	**60**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	70	10.6	74	5	5	7	10	33	33	0-17	0								
70-74	70	12.0	85	2	6	6	23	27	27	18-34	226	12.7	98	3	5	9	17	34	37
75-79	39	10.4	20							35-49	70	12.7	186	2	5	8	13	48	48
80-84	55	13.6	28	6	7	16	19	20	20	50-69	109	8.1	23	5	5	7	9	10	24
85 +	54	9.6	12	5	5	9	14	14	14	70 +	16	17.0	10						
SUBTOTAL	**288**	**11.3**	**50**	**5**	**6**	**9**	**15**	**23**	**27**		**421**	**11.6**	**95**	**3**	**5**	**9**	**14**	**22**	**37**
GRAND TOTAL	**763**	**17.7**	**183**	**5**	**7**	**15**	**22**	**36**	**50**		**1029**	**18.7**	**228**	**4**	**7**	**14**	**26**	**39**	**55**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	85	25.4	217	8	9	28	40	46	99 +	18-34	101	23.8	166	8	15	24	32	51	99 +
35-49	46	39.3	316	18	24	39	64	99 +	99 +	35-49	62	20.1	156	5	9	27	33	99 +	99 +
50-69	31	22.8	53							50-69	31	32.1	299						
70 +	0									70 +	16	26.3	449						
SUBTOTAL	**163**	**28.9**	**257**	**9**	**18**	**28**	**46**	**64**	**99 +**		**210**	**24.2**	**214**	**6**	**11**	**27**	**34**	**54**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	39	12.8	57							18-34	133	9.0	42	4	6	7	9	16	31
35-49	8	6.0								35-49	31	11.5	21						
50-69	0									50-69	8	6.0							
70 +	0									70 +	8	20.0							
SUBTOTAL	**47**	**11.6**	**54**	**4**	**6**	**14**	**15**	**25**	**25**		**179**	**9.8**	**40**	**5**	**6**	**8**	**14**	**17**	**20**
GRAND TOTAL	**209**	**25.0**	**263**	**6**	**12**	**24**	**39**	**63**	**99 +**		**390**	**17.6**	**185**	**5**	**7**	**14**	**29**	**45**	**55**

DRG 3: Craniotomy Age 0-17

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	2664	10.0	188	2	3	5	12	28	60
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2664**	**10.0**	**188**	**2**	**3**	**5**	**12**	**28**	**60**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	4283	5.4	39	1	2	4	6	11	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**4283**	**5.4**	**39**	**1**	**2**	**4**	**6**	**11**	**15**
GRAND TOTAL	**0**										**6946**	**7.2**	**101**	**2**	**2**	**4**	**8**	**15**	**27**

TYPE OF PATIENT	MEDICAID										NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1255	12.4	226	2	4	7	17	35	74	0-17	596	15.0	345	2	4	11	19	46	99
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1255**	**12.4**	**226**	**2**	**4**	**7**	**17**	**35**	**74**		**596**	**15.0**	**345**	**2**	**4**	**11**	**19**	**46**	**99**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1618	5.7	45	2	3	4	6	10	13	0-17	860	5.7	42	2	2	4	7	11	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1618**	**5.7**	**45**	**2**	**3**	**4**	**6**	**10**	**13**		**860**	**5.7**	**42**	**2**	**2**	**4**	**7**	**11**	**12**
GRAND TOTAL	**2873**	**8.6**	**135**	**2**	**3**	**5**	**9**	**21**	**35**		**1456**	**9.5**	**187**	**2**	**3**	**5**	**11**	**28**	**41**

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	256	17.1	246	6	8	12	24	28	35
70-74	179	19.2	94	7	10	19	27	33	33
75-79	125	24.5	425	5	12	22	29	39	93
80-84	70	20.1	241	3	5	19	35	48	48
85 +	31	17.3	11						
SUBTOTAL	**662**	**19.4**	**233**	**5**	**9**	**18**	**26**	**34**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	155	7.7	18	3	5	8	9	14	18
70-74	62	5.6	12	3	3	4	8	13	13
75-79	23	7.0	1						
80-84	31	8.6	54						
85 +	0								
SUBTOTAL	**272**	**7.3**	**20**	**2**	**3**	**7**	**9**	**13**	**18**
GRAND TOTAL	**934**	**15.9**	**201**	**3**	**7**	**11**	**22**	**33**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	433	10.8	114	4	6	8	12	20	36
18-34	202	15.6	83	4	8	14	21	30	36
35-49	296	11.4	118	2	4	8	14	32	37
50-69	381	14.0	138	3	5	12	17	29	43
70 +	8	23.0							
	1321	**12.7**	**120**	**3**	**5**	**9**	**15**	**27**	**36**
0-17	952	7.5	24	3	4	7	8	14	18
18-34	366	5.5	23	2	2	3	8	13	15
35-49	638	5.1	15	2	3	4	7	10	13
50-69	483	8.0	35	3	4	6	11	15	21
70 +	0								
	2439	**6.7**	**25**	**2**	**3**	**6**	**8**	**13**	**18**
	3760	**8.8**	**67**	**2**	**4**	**7**	**11**	**18**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	108	8.6	18	5	6	7	12	19	99 +
18-34	109	19.6	66	10	12	17	28	32	32
35-49	39	14.8	150						
50-69	8	18.0							
70 +	0								
SUBTOTAL	**263**	**14.4**	**81**	**6**	**7**	**12**	**19**	**32**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	271	9.9	58	4	6	8	11	16	24
18-34	85	9.0	21	3	4	9	13	14	17
35-49	63	5.2	6	2	3	5	7	9	9
50-69	8	9.0							
70 +	0								
SUBTOTAL	**427**	**9.0**	**44**	**3**	**6**	**8**	**10**	**16**	**17**
GRAND TOTAL	**690**	**11.1**	**65**	**4**	**6**	**9**	**14**	**23**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	23.8	499	4	8	12	59	99 +	99 +
18-34	23	23.3	165						
35-49	46	6.5	30	1	4	5	6	18	18
50-69	31	15.3	58						
70 +	16	17.6	32						
	163	**16.6**	**236**	**4**	**5**	**13**	**26**	**59**	**99 +**
0-17	139	7.0	7	4	5	8	9	11	13
18-34	94	7.1	36	2	3	5	8	19	20
35-49	78	9.0	30	4	4	8	14	18	20
50-69	62	5.9	18	1	2	6	7	15	15
70 +	23	11.3	4						
	396	**7.5**	**22**	**2**	**4**	**6**	**9**	**14**	**19**
	559	**10.1**	**101**	**3**	**5**	**8**	**13**	**20**	**50**

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2251	8.2	54	3	4	6	9	16	24
70-74	2174	9.3	63	3	4	7	10	19	26
75-79	1735	8.6	46	3	4	7	11	15	20
80-84	1047	9.9	43	4	5	8	12	17	24
85 +	204	12.1	61	4	5	11	14	27	28
SUBTOTAL	**7411**	**8.9**	**54**	**3**	**4**	**7**	**11**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2685	5.5	10	3	4	4	6	10	13
70-74	2637	5.6	18	3	4	4	6	9	13
75-79	1716	5.3	8	3	4	4	6	9	11
80-84	812	6.3	20	3	4	5	7	11	14
85 +	196	7.1	22	3	4	6	9	11	19
SUBTOTAL	**8047**	**5.6**	**14**	**3**	**4**	**5**	**6**	**10**	**12**
GRAND TOTAL	**15458**	**7.2**	**36**	**3**	**4**	**5**	**8**	**13**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	2.5	2						
18-34	23	8.3	31						
35-49	179	7.2	32	2	4	6	9	11	14
50-69	1850	7.4	46	3	4	5	9	14	18
70 +	94	7.3	41	3	4	5	9	13	26
	2162	**7.4**	**44**	**3**	**4**	**5**	**9**	**14**	**18**
0-17	8	1.0							
18-34	8	2.0							
35-49	305	4.6	5	2	3	4	6	8	10
50-69	2964	4.7	6	3	3	4	5	8	10
70 +	101	5.4	3	4	4	5	7	8	8
	3386	**4.7**	**6**	**2**	**3**	**4**	**5**	**8**	**10**
	5547	**5.8**	**23**	**3**	**3**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	9.0	38						
18-34	8	7.0							
35-49	23	8.0							
50-69	196	8.9	64	3	4	6	7	18	22
70 +	16	8.0	4						
SUBTOTAL	**258**	**8.7**	**51**	**3**	**5**	**7**	**8**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.5							
18-34	23	1.7	1						
35-49	23	5.3	4						
50-69	94	5.3	2	4	4	6	7	7	7
70 +	23	4.7	2						
SUBTOTAL	**180**	**4.4**	**4**	**1**	**3**	**4**	**6**	**7**	**7**
GRAND TOTAL	**437**	**6.9**	**36**	**3**	**4**	**6**	**7**	**15**	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	39	6.0	16						
35-49	55	16.7	127	4	5	16	22	39	39
50-69	266	6.1	15	2	3	5	8	11	13
70 +	141	8.4	52	3	3	5	11	24	25
	501	**7.9**	**48**	**2**	**4**	**5**	**10**	**18**	**22**
0-17	0								
18-34	23	3.3	7						
35-49	47	4.0	1	2	4	4	4	6	6
50-69	546	4.4	6	2	3	4	5	8	11
70 +	330	4.3	5	2	3	4	5	7	8
	946	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**10**
	1447	**5.5**	**23**	**2**	**3**	**4**	**6**	**11**	**13**

DRG 6: Carpal Tunnel Release

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	55	3.4	3	1	2	3	5	6	6	0-17	0								
70-74	8	3.0								18-34	8	1.0							
75-79	0									35-49	55	1.8	1	1	1	1	3	4	4
80-84	8	1.0								50-69	16	1.0							
85 +	8	1.0								70 +	0								
SUBTOTAL	**78**	**2.9**	**3**	**1**	**1**	**3**	**4**	**6**	**6**		**78**	**1.6**	**1**	**1**	**1**	**1**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	47	2.7	4	1	1	2	3	7	7	0-17	15	1.0							
70-74	70	2.2	6	1	1	1	2	9	9	18-34	63	1.5	1	1	1	1	1	3	3
75-79	40	3.2	12							35-49	211	2.2	5	1	1	1	2	7	8
80-84	8	3.0								50-69	164	2.0	2	1	1	1	3	3	5
85 +	23	1.3								70 +	0								
SUBTOTAL	**188**	**2.5**	**6**	**1**	**1**	**2**	**3**	**7**	**9**		**454**	**2.0**	**3**	**1**	**1**	**1**	**2**	**3**	**7**
GRAND TOTAL	**266**	**2.6**	**5**	**1**	**1**	**2**	**3**	**6**	**9**		**532**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	15	3.0								50-69	0								
70 +	0									70 +	8	1.0							
SUBTOTAL	**15**	**3.0**									**8**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	1.0							
18-34	0									18-34	32	1.0							
35-49	23	2.0	2							35-49	16	7.5	2						
50-69	8	7.0								50-69	8	1.0							
70 +	0									70 +	16	1.0							
SUBTOTAL	**31**	**3.2**	**6**								**79**	**2.3**	**7**	**< 1**	**< 1**	**1**	**1**	**8**	**9**
GRAND TOTAL	**47**	**3.2**	**4**	**1**	**1**	**3**	**4**	**7**	**7**		**87**	**2.2**	**7**	**< 1**	**< 1**	**1**	**1**	**6**	**9**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	446	13.6	266	2	3	8	15	48	54
70-74	297	14.2	183	3	6	11	21	53	93
75-79	226	10.8	97	1	3	9	12	26	27
80-84	94	14.5	175	5	6	10	21	22	54
85 +	125	12.8	109	3	5	8	20	30	36
SUBTOTAL	**1187**	**13.2**	**190**	**2**	**4**	**8**	**17**	**37**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1187**	**13.2**	**190**	**2**	**4**	**8**	**17**	**37**	**53**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	171	20.5	616	1	2	13	26	62	79
18-34	290	8.2	66	2	3	6	10	17	20
35-49	335	9.7	119	1	3	7	13	21	31
50-69	343	9.5	60	1	3	7	14	21	22
70 +	31	17.0	225						
	1169	**11.0**	**181**	**1**	**3**	**7**	**14**	**22**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1169	**11.0**	**181**	**1**	**3**	**7**	**14**	**22**	**33**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	8.0	47						
18-34	55	14.0	141	2	4	8	21	37	37
35-49	31	13.2	96						
50-69	70	21.5	260	6	10	13	30	50	50
70 +	8	10.0							
SUBTOTAL	**187**	**15.8**	**182**	**2**	**6**	**13**	**21**	**37**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**187**	**15.8**	**182**	**2**	**6**	**13**	**21**	**37**	**47**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	86	6.4	60	1	2	3	6	14	28
35-49	39	21.1	481	4	11	14	64	99 +	99 +
50-69	23	22.3	597						
70 +	31	5.8	12						
	188	**11.2**	**252**	**2**	**3**	**6**	**11**	**56**	**64**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	188	**11.2**	**252**	**2**	**3**	**6**	**11**	**56**	**64**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50 69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	311	4.5	24	1	2	3	5	9	17	0-17	762	3.2	8	1	1	2	4	8	10
70-74	242	4.1	52	1	1	2	5	8	9	18-34	1076	3.3	13	1	1	2	4	6	8
75-79	86	5.0	19	1	2	3	8	11	15	35-49	810	3.5	16	1	1	2	4	7	10
80-84	77	5.7	44	1	2	2	9	19	20	50-69	919	3.3	11	1	1	2	5	7	9
85 +	39	3.2	10							70 +	8	2.0							
SUBTOTAL	**756**	**4.5**	**34**	**1**	**1**	**2**	**5**	**9**	**16**		**3575**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**756**	**4.5**	**34**	**1**	**1**	**2**	**5**	**9**	**16**		**3575**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	256	4.1	34	1	1	2	4	8	14	0-17	109	4.4	19	1	1	3	6	12	15
18-34	202	3.4	17	1	1	2	3	7	12	18-34	219	1.9	1	< 1	1	2	3	4	5
35-49	86	4.0	17	< 1	1	2	5	10	14	35-49	141	2.0	2	< 1	1	2	2	4	7
50-69	31	10.0	61							50-69	102	2.7	3	< 1	1	3	4	4	6
70 +	0									70 +	31	6.2	32						
SUBTOTAL	**575**	**4.1**	**29**	**1**	**1**	**2**	**4**	**9**	**14**		**602**	**2.8**	**8**	**< 1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**575**	**4.1**	**29**	**1**	**1**	**2**	**4**	**9**	**14**		**602**	**2.8**	**8**	**< 1**	**1**	**2**	**3**	**6**	**9**

DRG 9: Spinal Disorders & Injuries

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	86	8.6	41	3	3	6	13	17	23	0-17	8	3.0							
70-74	47	11.7	42	6	6	10	16	23	23	18-34	39	9.0	117						
75-79	15	23.5	327							35-49	39	8.0	52						
80-84	15	6.0	10							50-69	55	12.0	198	3	5	8	8	46	46
85 +	8	3.0								70 +	8	14.0							
SUBTOTAL	**172**	**10.3**	**82**	**3**	**4**	**6**	**13**	**23**	**23**		**148**	**9.8**	**122**	**2**	**3**	**6**	**8**	**30**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	6.5	2							0-17	132	8.8	114	1	3	3	7	31	34
70-74	24	9.9	42							18-34	109	2.5	2	1	2	2	3	4	6
75-79	24	1.7								35-49	62	8.5	31	1	4	7	13	18	18
80-84	16	6.5	13							50-69	55	6.1	20	2	3	4	12	14	14
85 +	0									70 +	16	5.5	7						
SUBTOTAL	**78**	**6.1**	**26**	**1**	**2**	**5**	**8**	**14**	**19**		**375**	**6.4**	**56**	**1**	**2**	**3**	**7**	**18**	**25**
GRAND TOTAL	**250**	**9.0**	**68**	**2**	**3**	**6**	**13**	**19**	**23**		**523**	**7.3**	**77**	**1**	**2**	**4**	**8**	**18**	**30**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	6.5	2							0-17	0								
18-34	16	6.5	13							18-34	32	7.5	26						
35-49	8	3.0								35-49	0								
50-69	8	6.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**47**	**5.9**	**7**	**3**	**3**	**6**	**8**	**10**	**10**		**32**	**7.5**	**26**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	4.7	28							0-17	16	1.0							
18-34	32	7.2	5							18-34	55	10.4	279	1	2	3	7	51	51
35-49	8	3.0								35-49	31	3.5	7						
50-69	0									50-69	23	2.0	1						
70 +	0									70 +	0								
SUBTOTAL	**63**	**5.7**	**15**	**1**	**3**	**5**	**10**	**12**	**12**		**125**	**6.0**	**140**	**1**	**1**	**3**	**7**	**8**	**51**
GRAND TOTAL	**109**	**5.8**	**12**	**1**	**3**	**5**	**9**	**10**	**12**		**157**	**6.3**	**117**	**1**	**1**	**3**	**7**	**13**	**38**

North Central Region, July 1988 - June 1989

DRG 10: Nervous System Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1149	9.4	66	3	4	7	12	19	27
70-74	798	9.3	43	2	5	8	12	20	23
75-79	446	12.4	95	3	5	10	18	24	31
80-84	235	12.3	72	3	5	10	18	26	27
85 +	125	7.1	8	4	5	7	8	10	15
SUBTOTAL	**2753**	**10.0**	**64**	**3**	**4**	**8**	**13**	**22**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2753**	**10.0**	**64**	**3**	**4**	**8**	**13**	**22**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	333	6.3	73	1	2	3	7	13	21
18-34	241	7.8	190	1	2	3	5	21	42
35-49	531	8.0	39	2	4	7	10	18	23
50-69	1689	9.5	74	3	4	7	11	22	27
70 +	55	7.4	10	4	4	6	12	12	12
	2849	**8.6**	**77**	**2**	**4**	**6**	**10**	**20**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2849	**8.6**	**77**	**2**	**4**	**6**	**10**	**20**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	124	9.1	95	1	4	6	10	28	38
18-34	55	14.1	413	1	4	6	13	63	63
35-49	133	8.8	52	3	5	6	9	23	26
50-69	149	9.7	69	3	4	7	11	26	31
70 +	8	4.0							
SUBTOTAL	**468**	**9.7**	**112**	**2**	**4**	**6**	**11**	**25**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**468**	**9.7**	**112**	**2**	**4**	**6**	**11**	**25**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	6.1	12	2	3	5	8	12	12
18-34	55	4.3	14	< 1	2	2	7	12	12
35-49	165	8.3	36	1	2	8	12	16	19
50-69	251	6.3	22	2	2	5	9	12	15
70 +	181	10.5	277	2	3	5	11	15	23
	722	**7.6**	**91**	**2**	**2**	**5**	**11**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	722	**7.6**	**91**	**2**	**2**	**5**	**11**	**14**	**19**

DRG 11: Nervous System Neoplasms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	343	6.0	43	1	2	4	8	11	15	0-17	488	3.6	30	1	1	2	4	7	9
70-74	180	5.3	8	2	3	5	8	10	10	18-34	202	3.3	12	1	1	2	4	8	11
75-79	172	7.0	47	1	2	5	8	13	17	35-49	412	4.4	19	1	1	3	5	10	12
80-84	102	6.4	14	3	4	5	8	13	14	50-69	771	5.1	20	1	2	4	7	12	15
85 +	55	6.9	6	3	5	7	9	11	11	70 +	16	11.0	17						
SUBTOTAL	**852**	**6.2**	**31**	**1**	**3**	**5**	**8**	**11**	**14**		**1888**	**4.4**	**22**	**1**	**1**	**3**	**6**	**10**	**12**
GRAND TOTAL	**852**	**6.2**	**31**	**1**	**3**	**5**	**8**	**11**	**14**		**1888**	**4.4**	**22**	**1**	**1**	**3**	**6**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	62	2.6	2	1	2	2	2	5	5	0-17	132	3.1	9	< 1	1	2	3	11	11
18-34	55	5.7	29	1	2	5	6	18	18	18-34	15	4.0							
35-49	47	5.0	17	1	2	3	9	12	12	35-49	23	6.3	10						
50-69	8	8.0								50-69	118	3.4	3	1	2	3	5	5	7
70 +	0									70 +	23	3.3	7						
SUBTOTAL	**171**	**4.5**	**17**	**1**	**2**	**3**	**6**	**9**	**12**		**312**	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**171**	**4.5**	**17**	**1**	**2**	**3**	**6**	**9**	**12**		**312**	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 12: Degenerative Nervous System Disorders

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	688	11.2	155	3	4	7	13	22	28	0-17	155	5.7	41	2	2	4	7	11	24
70-74	633	10.5	122	3	4	7	14	24	30	18-34	62	4.4	4	2	3	4	7	7	7
75-79	737	8.4	53	3	5	7	10	13	17	35-49	141	8.6	58	2	3	6	12	22	30
80-84	619	10.3	93	3	4	8	12	22	27	50-69	242	8.3	70	2	3	5	10	18	20
85 +	502	7.7	23	3	5	7	10	12	15	70 +	40	5.2	4						
SUBTOTAL	**3178**	**9.7**	**93**	**3**	**4**	**7**	**11**	**19**	**27**		**640**	**7.2**	**52**	**2**	**3**	**5**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	586	6.6	24	2	3	5	9	14	18	0-17	365	3.1	9	1	1	2	4	7	9
70-74	486	6.9	35	2	3	5	10	14	21	18-34	218	5.3	22	2	2	4	7	12	17
75-79	588	6.7	36	2	3	5	8	12	14	35-49	257	6.4	57	1	1	4	8	13	30
80-84	399	7.0	51	2	3	5	8	15	27	50-69	447	4.9	20	1	2	3	7	10	12
85 +	242	9.0	77	2	3	7	11	17	34	70 +	39	5.8	9						
SUBTOTAL	**2301**	**7.0**	**40**	**2**	**3**	**5**	**9**	**14**	**19**		**1325**	**4.8**	**25**	**1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**5478**	**8.6**	**73**	**2**	**4**	**6**	**10**	**16**	**23**		**1966**	**5.6**	**35**	**1**	**2**	**4**	**7**	**12**	**18**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	85	5.1	9	2	3	4	6	10	12	0-17	39	3.0	5						
18-34	78	21.8	501	3	6	10	50	58	62	18-34	70	9.6	145	1	3	5	10	42	42
35-49	62	7.1	34	< 1	2	5	10	19	19	35-49	31	27.4	1756						
50-69	54	14.3	96	6	7	9	18	36	36	50-69	62	8.5	46	4	4	7	12	99 +	99 +
70 +	0									70 +	173	10.4	186	3	4	8	10	14	15
SUBTOTAL	**280**	**12.0**	**215**	**2**	**4**	**7**	**13**	**36**	**54**		**376**	**10.6**	**292**	**2**	**3**	**6**	**10**	**25**	**70**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	163	3.2	8	1	1	2	3	7	9	0-17	46	4.2	7	< 1	2	3	6	9	9
18-34	102	4.3	5	3	3	3	6	8	9	18-34	32	3.5	15						
35-49	63	4.6	15	1	2	4	8	12	12	35-49	32	6.0	4						
50-69	31	3.8	4							50-69	63	8.6	47	1	2	8	13	21	21
70 +	0									70 +	150	10.4	251	1	1	6	10	23	70
SUBTOTAL	**358**	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**10**		**322**	**8.1**	**135**	**1**	**2**	**6**	**10**	**14**	**22**
GRAND TOTAL	**638**	**7.4**	**115**	**1**	**2**	**4**	**8**	**14**	**29**		**698**	**9.4**	**221**	**1**	**3**	**6**	**10**	**15**	**42**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	554	9.6	33	4	5	9	12	16	19	0-17	31	15.0	191						
70-74	23	6.0	9							18-34	179	8.1	25	2	3	7	11	15	15
75-79	8	2.0								35-49	689	10.3	84	3	6	9	11	18	25
80-84	0									50-69	234	7.7	19	3	4	7	10	16	16
85 +	0									70 +	0								
SUBTOTAL	**585**	**9.4**	**33**	**4**	**5**	**9**	**11**	**16**	**19**		**1133**	**9.5**	**66**	**3**	**5**	**8**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	508	8.8	76	3	5	8	10	13	15	0-17	194	3.8	6	1	2	3	5	8	9
70-74	62	7.0	34	2	3	5	9	20	20	18-34	719	6.6	18	2	4	6	8	12	15
75-79	15	9.5	13							35-49	1615	7.2	45	2	4	6	9	12	15
80-84	0									50-69	445	7.1	11	3	5	7	9	11	13
85 +	8	13.0								70 +	0								
SUBTOTAL	**594**	**8.7**	**69**	**2**	**5**	**7**	**11**	**13**	**15**		**2973**	**6.9**	**31**	**2**	**4**	**6**	**9**	**11**	**15**
GRAND TOTAL	**1179**	**9.0**	**51**	**3**	**5**	**8**	**11**	**14**	**18**		**4106**	**7.6**	**42**	**2**	**4**	**6**	**9**	**13**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	2.0								0-17	15	2.0	1						
18-34	102	8.3	7	5	6	8	11	12	12	18-34	39	10.2	22						
35-49	117	7.8	21	3	4	8	9	13	20	35-49	102	8.6	52	2	3	8	12	14	28
50-69	31	10.8	15							50-69	39	3.8	11						
70 +	0									70 +	8	2.0							
SUBTOTAL	**258**	**8.2**	**16**	**3**	**5**	**8**	**11**	**13**	**15**		**203**	**7.2**	**40**	**1**	**2**	**6**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	6.4	11							0-17	23	1.7							
18-34	179	7.2	15	4	4	6	10	12	16	18-34	125	8.2	30	4	5	7	9	12	27
35-49	78	8.2	39	1	4	6	13	18	19	35-49	188	7.8	17	4	5	7	10	16	16
50-69	46	8.0	5	4	6	9	9	11	11	50-69	47	5.1	11	2	3	4	8	11	11
70 +	0									70 +	0								
SUBTOTAL	**343**	**7.4**	**19**	**3**	**4**	**6**	**10**	**13**	**18**		**383**	**7.2**	**22**	**2**	**4**	**6**	**8**	**13**	**16**
GRAND TOTAL	**601**	**7.8**	**18**	**3**	**5**	**7**	**10**	**13**	**18**		**587**	**7.2**	**28**	**2**	**3**	**6**	**10**	**13**	**17**

DRG 14: Specific Cerebrovascular Disorders except TIA

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8149	10.2	66	4	5	8	12	19	24	0-17	78	5.7	42	< 1	1	3	8	17	23
70-74	8545	10.2	52	4	6	8	13	20	24	18-34	265	12.1	88	3	5	10	17	27	33
75-79	9067	10.6	64	4	6	8	13	20	25	35-49	869	10.0	87	2	4	7	13	23	28
80-84	9136	10.9	68	4	6	9	13	20	25	50-69	5374	10.7	90	3	5	8	13	22	28
85 +	9626	11.0	65	4	6	9	14	20	26	70 +	683	10.3	47	4	6	8	13	18	28
SUBTOTAL	**44521**	**10.6**	**63**	**4**	**6**	**8**	**13**	**20**	**25**		**7270**	**10.6**	**85**	**3**	**5**	**8**	**13**	**22**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4362	7.4	28	3	4	6	9	14	16	0-17	85	7.1	33	1	2	6	13	16	17
70-74	3847	7.1	28	3	4	6	9	12	15	18-34	383	6.8	21	3	4	5	9	13	17
75-79	4221	7.8	36	3	4	6	9	14	19	35-49	962	6.7	57	1	3	6	9	12	14
80-84	3911	7.8	29	3	4	7	9	14	17	50-69	3753	7.3	59	2	3	5	8	13	20
85 +	3733	7.5	25	3	5	7	9	13	15	70 +	360	7.1	13	3	5	6	8	13	16
SUBTOTAL	**20074**	**7.5**	**29**	**3**	**4**	**6**	**9**	**13**	**16**		**5544**	**7.1**	**52**	**2**	**3**	**6**	**8**	**13**	**17**
GRAND TOTAL	**64595**	**9.6**	**55**	**3**	**5**	**8**	**12**	**18**	**23**		**12813**	**9.1**	**74**	**3**	**4**	**7**	**11**	**18**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	12.4	67							0-17	0								
18-34	117	6.8	15	3	4	5	9	13	16	18-34	47	13.6	160	1	7	8	18	39	39
35-49	337	8.9	42	4	5	7	13	17	21	35-49	258	14.9	159	4	6	13	18	29	48
50-69	1042	11.5	63	4	6	9	14	22	27	50-69	1354	11.4	93	3	6	9	14	23	37
70 +	134	9.1	11	4	7	10	12	13	14	70 +	1250	9.2	41	3	5	8	12	17	22
SUBTOTAL	**1668**	**10.5**	**54**	**4**	**5**	**9**	**13**	**21**	**25**		**2908**	**10.8**	**80**	**3**	**5**	**8**	**14**	**20**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	10.0								0-17	15	7.5							
18-34	31	4.5	2							18-34	86	7.9	66	2	3	4	8	22	27
35-49	157	6.9	11	3	5	7	9	11	14	35-49	344	6.3	17	1	4	5	8	13	15
50-69	401	6.2	9	2	4	6	8	10	12	50-69	997	7.4	52	2	4	5	8	12	20
70 +	102	8.3	14	4	5	8	10	12	17	70 +	871	6.2	12	2	4	6	8	11	13
SUBTOTAL	**698**	**6.6**	**11**	**2**	**4**	**6**	**8**	**11**	**12**		**2314**	**6.8**	**32**	**2**	**4**	**5**	**8**	**12**	**15**
GRAND TOTAL	**2366**	**9.3**	**44**	**4**	**5**	**8**	**12**	**17**	**23**		**5222**	**9.0**	**63**	**2**	**4**	**7**	**11**	**17**	**23**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3791	5.4	18	2	3	4	7	10	12
70-74	4166	5.5	16	2	3	5	7	10	12
75-79	5069	5.7	28	2	3	5	7	11	14
80-84	4405	5.9	17	2	3	5	7	10	13
85 +	4558	6.0	17	2	3	5	7	11	14
SUBTOTAL	**21990**	**5.7**	**19**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3505	3.9	10	1	2	3	5	8	9
70-74	3647	3.9	8	1	2	3	5	7	8
75-79	3371	4.1	10	1	2	4	5	7	9
80-84	2972	4.2	7	2	2	4	5	8	10
85 +	2808	4.5	8	2	3	4	6	8	10
SUBTOTAL	**16303**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**38293**	**5.0**	**16**	**2**	**3**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	6.0	17						
18-34	102	3.3	3	1	2	3	4	6	7
35-49	384	4.7	6	2	3	4	6	9	10
50-69	3021	4.7	15	2	2	4	6	9	11
70 +	323	5.3	9	3	3	5	6	10	11
	3846	**4.8**	**14**	**2**	**2**	**4**	**6**	**9**	**11**
0-17	8	1.0							
18-34	203	2.9	2	1	2	3	4	6	6
35-49	988	3.2	7	1	1	3	4	6	8
50-69	4195	3.2	5	1	2	3	4	6	8
70 +	354	3.3	4	1	2	3	4	6	7
	5748	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
	9594	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	47	5.5	33	2	3	3	4	18	18
35-49	125	4.8	29	1	2	3	6	8	24
50-69	525	5.8	33	2	3	5	7	10	11
70 +	55	5.7	9	3	3	5	7	12	12
SUBTOTAL	**752**	**5.6**	**30**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	39	5.4	8						
35-49	157	3.7	5	1	2	4	5	6	8
50-69	306	4.7	12	1	3	3	6	9	11
70 +	39	2.8	5						
SUBTOTAL	**542**	**4.3**	**10**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**1294**	**5.1**	**22**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	1.0							
35-49	118	4.0	6	1	2	4	5	7	10
50-69	385	3.8	7	1	2	3	5	8	9
70 +	487	4.7	11	1	2	4	6	9	11
	1006	**4.2**	**9**	**1**	**2**	**4**	**5**	**9**	**10**
0-17	0								
18-34	31	2.5	1						
35-49	219	3.4	8	1	2	3	4	5	6
50-69	674	3.1	6	1	2	2	4	6	7
70 +	629	2.8	3	1	1	2	4	6	6
	1554	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**7**
	2560	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	518	7.9	39	2	4	6	11	16	21
70-74	416	8.7	58	2	4	6	12	17	19
75-79	762	7.4	27	2	4	6	9	15	22
80-84	527	7.6	31	2	4	7	10	13	17
85 +	607	7.5	22	3	4	6	10	14	18
SUBTOTAL	**2830**	**7.7**	**34**	**3**	**4**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2830**	**7.7**	**34**	**3**	**4**	**6**	**10**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	148	8.2	201	1	2	3	7	16	65
18-34	78	6.3	56	1	2	4	7	17	28
35-49	55	3.1	2	1	2	3	5	5	5
50-69	330	6.6	36	2	3	5	9	10	17
70 +	23	17.7	291						
	634	**7.0**	**88**	**1**	**3**	**4**	**7**	**14**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	634	**7.0**	**88**	**1**	**3**	**4**	**7**	**14**	**27**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	54	7.1	16	2	4	6	10	15	15
18-34	47	5.0	4	1	4	5	7	7	7
35-49	39	6.0	21						
50-69	55	8.2	24	3	4	8	8	19	19
70 +	16	12.9	52						
SUBTOTAL	**211**	**7.2**	**23**	**2**	**4**	**6**	**8**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**211**	**7.2**	**23**	**2**	**4**	**6**	**8**	**15**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	12.5	118						
18-34	16	7.0	4						
35-49	8	4.0							
50-69	32	4.0	3						
70 +	78	5.5	22	2	2	4	5	15	15
	149	**6.0**	**30**	**2**	**3**	**4**	**7**	**15**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	149	**6.0**	**30**	**2**	**3**	**4**	**7**	**15**	**23**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	220	5.2	40	1	2	4	6	10	10	0-17	257	3.1	9	1	2	2	3	5	8
70-74	258	4.2	13	1	2	3	4	10	12	18-34	101	3.5	21	1	1	2	2	10	17
75-79	290	5.7	15	1	3	5	7	10	14	35-49	125	2.7	4	1	1	2	3	6	8
80-84	220	5.7	18	2	3	4	7	11	13	50-69	282	4.1	7	1	2	4	6	8	10
85 +	228	6.2	15	3	4	5	8	12	12	70 +	8	5.0							
SUBTOTAL	**1216**	**5.4**	**20**	**1**	**3**	**4**	**7**	**10**	**13**		**773**	**3.5**	**9**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**1216**	**5.4**	**20**	**1**	**3**	**4**	**7**	**10**	**13**		**773**	**3.5**	**9**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	85	4.4	11	1	1	3	8	10	10	0-17	54	6.0	25	2	2	3	13	14	14
18-34	39	1.8	3							18-34	8	9.0							
35-49	23	4.3	11							35-49	16	1.0							
50-69	24	5.4	11							50-69	39	6.4	9						
70 +	8	9.0								70 +	47	12.8	296	1	2	7	9	50	50
SUBTOTAL	**179**	**4.2**	**11**	**1**	**1**	**3**	**8**	**9**	**10**		**164**	**7.7**	**107**	**1**	**2**	**6**	**9**	**13**	**20**
GRAND TOTAL	**179**	**4.2**	**11**	**1**	**1**	**3**	**8**	**9**	**10**		**164**	**7.7**	**107**	**1**	**2**	**6**	**9**	**13**	**20**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1275	7.2	33	2	3	6	9	15	22	0-17	101	7.5	85	1	2	3	7	14	36
70-74	775	7.2	36	2	3	6	9	14	23	18-34	304	8.1	107	2	3	5	8	27	32
75-79	532	7.7	22	3	5	7	9	15	15	35-49	516	6.5	28	1	3	5	8	12	21
80-84	353	8.0	39	3	4	5	10	19	21	50-69	823	7.0	63	2	3	5	8	15	22
85 +	290	9.0	42	3	5	8	10	17	23	70 +	31	7.7	114						
SUBTOTAL	**3225**	**7.5**	**33**	**2**	**4**	**6**	**10**	**15**	**21**		**1776**	**7.1**	**63**	**2**	**3**	**5**	**8**	**15**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3225**	**7.5**	**33**	**2**	**4**	**6**	**10**	**15**	**21**		**1776**	**7.1**	**63**	**2**	**3**	**5**	**8**	**15**	**24**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	15.2	246							0-17	8	3.0							
18-34	133	4.8	14	1	2	3	5	11	14	18-34	70	4.6	16	1	1	3	6	14	14
35-49	197	11.0	134	2	4	9	13	20	23	35-49	110	7.3	26	2	3	5	10	15	17
50-69	290	8.2	28	2	4	8	9	15	21	50-69	102	5.1	16	2	2	3	7	11	14
70 +	8	7.0								70 +	79	6.0	14	1	2	6	10	11	11
SUBTOTAL	**650**	**8.6**	**70**	**2**	**3**	**7**	**11**	**15**	**21**		**369**	**5.8**	**19**	**1**	**2**	**4**	**9**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**650**	**8.6**	**70**	**2**	**3**	**7**	**11**	**15**	**21**		**369**	**5.8**	**19**	**1**	**2**	**4**	**9**	**14**	**15**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	955	5.0	29	1	2	4	7	10	12	0-17	366	7.5	102	1	2	4	8	17	25
70-74	680	4.2	10	1	2	3	6	8	11	18-34	861	4.4	15	1	2	4	6	8	11
75-79	406	5.8	19	2	3	5	8	9	16	35-49	1629	3.8	29	1	1	3	5	8	9
80-84	204	7.1	47	2	3	4	8	17	24	50-69	1590	4.3	17	1	1	3	6	10	13
85 +	141	5.2	19	1	1	3	9	11	15	70 +	16	8.5	13						
SUBTOTAL	**2386**	**5.1**	**23**	**1**	**2**	**4**	**7**	**10**	**13**		**4462**	**4.4**	**29**	**1**	**1**	**3**	**6**	**9**	**13**
GRAND TOTAL	**2386**	**5.1**	**23**	**1**	**2**	**4**	**7**	**10**	**13**		**4462**	**4.4**	**29**	**1**	**1**	**3**	**6**	**9**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	86	6.8	47	1	1	3	13	16	21	0-17	85	5.3	21	1	2	4	10	10	16
18-34	165	3.8	9	1	2	3	5	8	11	18-34	290	4.9	69	1	1	2	4	11	17
35-49	134	6.1	49	1	1	4	5	21	22	35-49	267	3.5	6	1	1	3	4	6	8
50-69	133	4.2	9	1	2	3	6	9	12	50-69	236	3.1	7	1	1	2	4	8	8
70 +	8	2.0								70 +	79	4.2	9	1	2	3	6	9	11
SUBTOTAL	**525**	**5.0**	**27**	**1**	**1**	**3**	**6**	**12**	**19**		**956**	**4.0**	**27**	**1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**525**	**5.0**	**27**	**1**	**1**	**3**	**6**	**12**	**19**		**956**	**4.0**	**27**	**1**	**1**	**3**	**5**	**8**	**11**

DRG 20: Nervous System Infection except Viral Meningitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	250	11.9	71	3	6	11	16	20	26	0-17	964	11.1	58	3	8	10	14	17	21
70-74	109	14.8	123	3	4	11	23	32	38	18-34	180	9.3	94	2	3	6	13	16	22
75-79	195	11.5	81	4	6	8	13	27	32	35-49	179	13.5	48	4	9	14	18	22	26
80-84	86	13.5	57	5	9	11	19	25	28	50-69	203	17.7	121	6	9	15	25	32	34
85 +	86	14.4	125	4	5	7	24	30	35	70 +	8	10.0							
SUBTOTAL	**727**	**12.7**	**87**	**3**	**6**	**10**	**17**	**26**	**32**		**1535**	**12.0**	**75**	**3**	**7**	**11**	**15**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	7.4	17	3	4	6	12	13	14	0-17	1488	8.6	29	2	4	10	11	15	16
70-74	86	10.4	38	3	4	12	15	16	23	18-34	415	6.3	19	2	3	5	9	13	15
75-79	117	8.2	38	4	4	5	9	22	23	35-49	266	6.5	19	1	3	6	9	13	17
80-84	70	9.3	33	< 1	4	10	11	19	19	50-69	289	8.4	38	1	2	8	12	14	25
85 +	24	4.0	6							70 +	0								
SUBTOTAL	**399**	**8.4**	**32**	**3**	**4**	**7**	**12**	**16**	**22**		**2458**	**8.0**	**28**	**2**	**3**	**8**	**11**	**14**	**16**
GRAND TOTAL	**1127**	**11.2**	**72**	**3**	**5**	**9**	**15**	**23**	**28**		**3992**	**9.5**	**50**	**2**	**4**	**10**	**12**	**16**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	545	11.1	45	4	9	11	14	16	20	0-17	380	11.9	59	7	9	11	12	15	20
18-34	78	13.1	58	4	7	12	17	24	30	18-34	55	6.0	17	1	2	4	11	11	11
35-49	15	5.5	2							35-49	16	23.9	68						
50-69	39	13.6	14							50-69	47	10.9	31	3	6	11	16	18	18
70 +	0									70 +	8	59.0							
SUBTOTAL	**677**	**11.4**	**45**	**4**	**8**	**11**	**14**	**17**	**20**		**505**	**12.3**	**94**	**4**	**9**	**11**	**13**	**18**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	784	8.4	16	3	4	10	11	13	14	0-17	643	8.8	17	3	6	10	11	14	14
18-34	70	6.5	19	1	3	5	9	14	14	18-34	86	7.1	49	1	2	6	9	9	27
35-49	31	16.7	346							35-49	78	4.6	7	2	3	4	7	9	10
50-69	15	7.0	27							50-69	31	12.8	45						
70 +	0									70 +	16	2.5							
SUBTOTAL	**901**	**8.5**	**30**	**2**	**4**	**10**	**11**	**13**	**14**		**854**	**8.3**	**23**	**2**	**3**	**9**	**11**	**14**	**15**
GRAND TOTAL	**1578**	**9.7**	**38**	**3**	**5**	**10**	**12**	**14**	**17**		**1359**	**9.8**	**53**	**3**	**6**	**10**	**11**	**14**	**19**

DRG 21: Viral Meningitis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	47	15.3	250	3	5	10	15	49	49	0-17	319	3.6	5	2	2	3	4	6	9
70-74	0									18-34	235	6.3	23	3	3	6	8	10	28
75-79	8	6.0								35-49	117	6.8	51	3	3	4	7	12	31
80-84	0									50-69	31	6.0	4						
85 +	8	13.0								70 +	0								
SUBTOTAL	**63**	**13.8**	**196**	**3**	**5**	**13**	**15**	**49**	**49**		**701**	**5.1**	**20**	**2**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	31	4.0	1							0-17	1371	3.6	5	2	2	3	4	6	9
70-74	8	12.0								18-34	774	3.6	3	2	2	3	5	6	6
75-79	8	5.0								35-49	211	4.0	5	2	2	4	5	8	9
80-84	16	6.9	27							50-69	78	5.1	9	2	3	4	6	11	12
85 +	0									70 +	0								
SUBTOTAL	**62**	**5.9**	**14**	**2**	**3**	**5**	**7**	**12**	**12**		**2434**	**3.7**	**5**	**2**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**125**	**9.9**	**120**	**3**	**4**	**6**	**13**	**15**	**49**		**3135**	**4.0**	**9**	**2**	**2**	**3**	**5**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	179	3.5	3	1	2	3	5	6	6	0-17	163	5.3	24	2	3	4	5	10	14
18-34	39	4.2	3							18-34	94	6.4	47	2	2	4	6	17	25
35-49	15	6.5								35-49	15	10.0	10						
50-69	8	8.0								50-69	8	6.0							
70 +	0									70 +	8	11.0							
SUBTOTAL	**241**	**3.9**	**4**	**2**	**2**	**4**	**6**	**6**	**7**		**288**	**6.1**	**31**	**2**	**3**	**4**	**6**	**13**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	855	3.8	5	2	3	3	4	6	8	0-17	815	3.2	3	2	2	3	4	5	6
18-34	78	4.6	9	1	3	4	6	10	12	18-34	290	4.3	11	1	2	3	5	8	15
35-49	24	4.4	3							35-49	47	4.6	7	2	3	4	6	10	10
50-69	0									50-69	8	3.0							
70 +	0									70 +	0								
SUBTOTAL	**956**	**3.9**	**6**	**2**	**3**	**3**	**4**	**6**	**8**		**1160**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1197**	**3.9**	**5**	**2**	**3**	**3**	**4**	**6**	**8**		**1448**	**4.1**	**11**	**2**	**2**	**3**	**4**	**7**	**10**

DRG 22: Hypertensive Encephalopathy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	527	6.0	20	2	3	5	7	12	17	0-17	8	5.0							
70-74	331	6.0	22	2	3	4	6	13	16	18-34	31	7.0	4						
75-79	346	7.2	24	2	4	6	9	14	18	35-49	228	6.2	34	2	3	5	6	11	18
80-84	284	6.6	49	2	3	4	8	17	19	50-69	481	6.6	41	2	3	5	8	13	17
85 +	205	5.7	14	2	3	4	9	13	13	70 +	47	5.5	7	1	4	5	8	9	9
SUBTOTAL	**1693**	**6.3**	**25**	**2**	**3**	**5**	**8**	**13**	**18**		**795**	**6.4**	**35**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	252	3.7	6	1	2	3	4	8	10	0-17	0								
70-74	158	4.5	4	2	3	4	6	7	9	18-34	63	2.6	1	1	2	3	3	4	4
75-79	166	4.5	6	2	3	4	6	8	9	35-49	298	3.0	2	1	2	3	4	5	6
80-84	95	4.7	7	2	3	4	6	8	11	50-69	410	3.6	5	1	2	3	5	7	8
85 +	71	2.8	3	1	2	2	4	7	7	70 +	24	2.7	1						
SUBTOTAL	**741**	**4.1**	**6**	**2**	**2**	**4**	**5**	**8**	**10**		**795**	**3.3**	**3**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**2434**	**5.6**	**20**	**2**	**3**	**4**	**7**	**11**	**15**		**1590**	**4.9**	**22**	**1**	**2**	**4**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	5.0	1							0-17	0								
18-34	55	4.3	14	1	3	3	4	13	13	18-34	16	8.0	10						
35-49	79	8.8	33	2	6	7	11	19	20	35-49	103	4.4	4	1	4	4	6	7	7
50-69	55	6.7	5	4	5	6	8	11	11	50-69	134	5.3	12	2	2	4	8	11	13
70 +	8	2.0								70 +	16	3.5	2						
SUBTOTAL	**212**	**6.6**	**21**	**2**	**3**	**6**	**8**	**13**	**18**		**268**	**5.0**	**9**	**2**	**3**	**4**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	16	2.0	1							18-34	8	1.0							
35-49	71	2.4	1	1	2	2	3	4	4	35-49	55	2.6	3	1	1	2	4	6	6
50-69	32	3.3	1							50-69	71	2.8	2	1	2	2	4	6	6
70 +	16	6.0	4							70 +	16	2.5	2						
SUBTOTAL	**134**	**3.0**	**3**	**1**	**2**	**3**	**3**	**5**	**8**		**150**	**2.6**	**3**	**1**	**1**	**2**	**4**	**6**	**6**
GRAND TOTAL	**345**	**5.2**	**17**	**2**	**3**	**4**	**7**	**11**	**13**		**418**	**4.1**	**8**	**1**	**2**	**4**	**6**	**8**	**11**

DRG 23: Nontraumatic Stupor & Coma

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	149	3.2	4	1	1	3	5	6	7	0-17	78	2.3	2	<1	1	2	3	5	6
70-74	110	5.4	11	2	2	4	9	10	10	18-34	24	5.0	11						
75-79	63	5.6	10	2	3	5	7	12	12	35-49	39	4.0	4						
80-84	118	6.1	7	3	4	5	8	10	11	50-69	94	4.9	9	2	3	4	6	8	12
85 +	95	8.0	22	3	4	6	11	14	18	70 +	0								
SUBTOTAL	**535**	**5.4**	**13**	**2**	**3**	**5**	**8**	**10**	**12**		**235**	**3.9**	**7**	**1**	**2**	**3**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	47	5.0	11	2	3	4	5	12	12	0-17	86	1.6		1	1	2	2	2	3
70-74	16	5.0								18-34	54	2.0	2	1	1	2	2	5	5
75-79	55	3.6	3	1	2	3	5	6	6	35-49	55	2.3	1	1	1	2	3	4	4
80-84	31	2.7	1							50-69	16	3.5							
85 +	87	4.5	5	2	3	4	6	6	9	70 +	0								
SUBTOTAL	**236**	**4.2**	**5**	**2**	**3**	**4**	**5**	**6**	**9**		**211**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**771**	**5.0**	**11**	**2**	**3**	**4**	**6**	**10**	**12**		**446**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	3.5	7							0-17	8	1.0							
18-34	16	2.5	2							18-34	16	2.0							
35-49	39	2.8	2							35-49	16	9.0							
50-69	39	4.4	6							50-69	0								
70 +	0									70 +	31	6.5	20						
SUBTOTAL	**110**	**3.4**	**5**	**1**	**1**	**4**	**5**	**7**	**7**		**70**	**5.4**	**17**	**1**	**2**	**4**	**9**	**14**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	55	2.8	6	1	2	2	2	9	9	0-17	54	1.4		<1	1	1	2	2	2
18-34	8	1.0								18-34	16	2.0	1						
35-49	0									35-49	24	3.0	8						
50-69	16	9.5								50-69	0								
70 +	0									70 +	16	4.0	1						
SUBTOTAL	**78**	**4.0**	**13**	**1**	**2**	**2**	**9**	**10**	**10**		**109**	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**188**	**3.7**	**8**	**1**	**2**	**2**	**5**	**9**	**9**		**180**	**3.5**	**11**	**1**	**1**	**2**	**5**	**9**	**9**

DRG 24: Seizure & Headache Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5246	6.8	49	2	3	5	8	13	18	0-17	0								
70-74	2175	7.0	34	2	3	5	8	14	19	18-34	2766	5.9	23	2	3	5	8	11	16
75-79	1695	7.5	53	2	4	5	9	13	18	35-49	3470	6.0	26	2	3	5	8	11	15
80-84	1305	7.2	30	2	4	6	9	13	16	50-69	3025	5.5	23	2	3	4	7	10	14
85 +	1129	7.0	23	2	4	6	8	14	18	70 +	94	5.7	6	3	4	5	7	8	11
SUBTOTAL	**11551**	**7.0**	**42**	**2**	**3**	**5**	**8**	**13**	**18**		**9355**	**5.8**	**24**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11551**	**7.0**	**42**	**2**	**3**	**5**	**8**	**13**	**18**		**9355**	**5.8**	**24**	**2**	**3**	**5**	**7**	**11**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1346	5.1	25	2	2	3	5	12	17	18-34	951	4.4	22	1	2	3	5	7	16
35-49	1207	6.4	87	2	3	4	7	11	19	35-49	880	5.0	40	1	2	3	5	9	13
50-69	824	6.2	25	2	3	4	8	14	17	50-69	852	4.7	10	1	3	4	6	9	11
70 +	39	8.6	55							70 +	290	5.7	17	2	2	5	7	11	15
SUBTOTAL	**3417**	**5.8**	**48**	**2**	**2**	**4**	**7**	**12**	**17**		**2973**	**4.8**	**23**	**1**	**2**	**4**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3417**	**5.8**	**48**	**2**	**2**	**4**	**7**	**12**	**17**		**2973**	**4.8**	**23**	**1**	**2**	**4**	**6**	**9**	**14**

DRG 25: Seizure & Headache Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3333	4.0	8	1	2	3	5	8	9
70-74	947	4.8	10	2	3	4	6	9	13
75-79	1022	3.7	4	1	2	3	5	7	9
80-84	651	4.1	11	1	2	3	5	7	9
85 +	470	5.1	14	2	3	4	6	11	14
SUBTOTAL	6424	4.2	8	1	2	3	5	8	9
GRAND TOTAL	6424	4.2	8	1	2	3	5	8	9

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	7101	3.7	11	1	2	3	4	7	10
35-49	6071	4.1	14	1	2	3	5	8	11
50-69	3054	3.8	8	1	2	3	5	7	9
70 +	94	3.2	5	1	2	3	4	4	10
	16320	3.8	12	1	2	3	5	7	10
	16320	3.8	12	1	2	3	5	7	10

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2642	3.7	8	1	2	3	5	7	8
35-49	1122	3.8	8	1	2	3	5	7	9
50-69	409	3.8	6	1	2	3	5	7	10
70 +	32	3.5	3						
SUBTOTAL	4204	3.7	8	1	2	3	5	7	9
GRAND TOTAL	4204	3.7	8	1	2	3	5	7	9

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2104	2.8	5	1	1	2	3	6	7
35-49	1217	3.2	7	1	1	2	4	6	8
50-69	729	3.1	6	1	1	2	4	7	8
70 +	219	3.1	5	1	1	2	4	7	7
	4269	3.0	6	1	1	2	4	6	8
	4269	3.0	6	1	1	2	4	6	8

DRG 26: Seizure & Headache Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	54	6.1	23	1	2	4	10	15	15
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	54	6.1	23	1	2	4	10	15	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	1.5							
GRAND TOTAL	70	5.1	21	1	2	3	8	15	15

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3203	4.1	30	1	2	3	4	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3203	4.1	30	1	2	3	4	8	11
0-17	14061	3.2	13	1	1	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	14061	3.2	13	1	1	2	4	6	8
	17264	3.3	16	1	1	2	4	7	9

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1777	4.2	13	1	2	3	5	8	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1777	4.2	13	1	2	3	5	8	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7093	3.3	10	1	2	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	7093	3.3	10	1	2	2	4	6	8
GRAND TOTAL	8870	3.5	11	1	2	3	4	7	9

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1027	4.6	67	1	2	3	4	8	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1027	4.6	67	1	2	3	4	8	15
0-17	4698	2.7	5	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4698	2.7	5	1	1	2	3	5	7
	5725	3.0	17	1	1	2	3	6	7

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	55	24.8	777	3	6	14	38	87	87
70-74	39	20.9	339						
75-79	8	6.0							
80-84	47	17.9	110	3	14	17	19	38	38
85 +	31	16.6	338						
SUBTOTAL	**180**	**19.9**	**411**	**3**	**6**	**14**	**36**	**48**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	54	6.6	72	2	2	3	5	27	27
70-74	47	5.3	17	2	3	4	6	14	14
75-79	16	2.5	2						
80-84	8	2.0							
85 +	16	2.0	1						
SUBTOTAL	**141**	**4.9**	**37**	**1**	**2**	**3**	**5**	**14**	**27**
GRAND TOTAL	**321**	**13.3**	**302**	**2**	**3**	**6**	**16**	**38**	**48**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	163	11.1	89	1	3	11	15	21	30
18-34	194	14.0	215	1	4	7	22	36	38
35-49	78	15.6	371	3	5	7	14	51	66
50-69	62	18.6	367	1	4	11	32	52	52
70 +	8	1.0							
	506	**13.7**	**220**	**1**	**4**	**8**	**16**	**37**	**49**
0-17	313	5.4	56	1	1	2	7	19	21
18-34	252	5.3	43	1	1	2	8	14	20
35-49	85	4.0	17	2	2	2	4	7	16
50-69	78	5.5	13	1	3	4	8	12	13
70 +	8	2.0							
	736	**5.2**	**42**	**1**	**1**	**3**	**7**	**14**	**20**
	1241	**8.6**	**132**	**1**	**2**	**4**	**11**	**21**	**36**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	36.8	718						
18-34	54	6.6	50	1	1	5	7	23	23
35-49	39	12.3	168						
50-69	16	6.0	17						
70 +	0								
SUBTOTAL	**148**	**15.9**	**409**	**1**	**2**	**7**	**23**	**52**	**79**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	5.9	56	1	1	2	9	21	21
18-34	47	2.7	2	< 1	1	3	3	5	5
35-49	24	3.3	2						
50-69	0								
70 +	0								
SUBTOTAL	**117**	**4.1**	**25**	**1**	**1**	**3**	**5**	**9**	**21**
GRAND TOTAL	**265**	**10.7**	**274**	**1**	**2**	**4**	**10**	**24**	**52**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	85	16.5	124	2	7	13	29	32	33
18-34	148	11.5	201	1	2	5	16	44	51
35-49	78	7.6	184	1	2	3	4	27	48
50-69	0								
70 +	0								
	312	**11.9**	**185**	**1**	**3**	**7**	**21**	**33**	**47**
0-17	179	2.8	6	1	1	2	3	5	9
18-34	148	3.5	9	1	1	2	5	10	12
35-49	55	2.9	1	1	2	3	4	4	4
50-69	8	2.0							
70 +	0								
	390	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**10**
	702	**7.0**	**105**	**1**	**2**	**3**	**7**	**22**	**32**

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	313	6.0	30	1	2	4	9	14	18
70-74	196	7.9	82	1	2	5	10	15	27
75-79	291	8.4	41	1	4	7	11	19	21
80-84	330	10.0	93	1	4	7	13	20	30
85 +	385	8.3	26	2	4	8	11	15	19
SUBTOTAL	1516	8.2	53	1	3	6	10	17	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1516	8.2	53	1	3	6	10	17	20

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	901	3.9	15	1	1	2	5	8	10
35-49	423	4.9	18	1	2	3	7	11	13
50-69	360	6.2	28	1	2	5	8	13	14
70 +	95	4.7	13	1	2	4	7	11	12
	1779	4.6	19	1	2	3	6	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1779	4.6	19	1	2	3	6	10	13

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	196	5.8	37	1	1	3	9	13	21
35-49	125	5.3	19	1	2	4	8	12	18
50-69	71	5.2	25	1	2	3	9	16	16
70 +	0								
SUBTOTAL	392	5.5	29	1	1	3	8	13	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	392	5.5	29	1	1	3	8	13	18

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	455	6.7	141	1	1	3	5	14	34
35-49	236	6.5	98	1	2	3	7	21	29
50-69	118	10.0	139	1	3	6	14	18	49
70 +	71	6.1	31	1	3	4	6	18	18
	879	7.0	121	1	2	3	7	17	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	879	7.0	121	1	2	3	7	17	33

DRG 29: Traumatic Stupor & Coma, Coma < 1 Hr Age > 17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	243	4.7	9	1	2	4	6	9	11
70-74	141	7.2	117	1	2	5	7	16	49
75-79	236	4.5	21	1	2	3	5	12	15
80-84	173	5.3	25	1	2	4	6	12	14
85 +	196	4.5	14	1	2	4	5	10	14
SUBTOTAL	**990**	**5.1**	**32**	**1**	**2**	**4**	**6**	**10**	**14**
GRAND TOTAL	**990**	**5.1**	**32**	**1**	**2**	**4**	**6**	**10**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1853	2.9	11	1	1	2	4	6	8
35-49	698	2.9	6	1	1	2	4	6	8
50-69	574	3.5	23	1	1	2	4	5	10
70 +	133	2.8	5	< 1	1	2	4	4	10
	3257	**3.0**	**12**	**1**	**1**	**2**	**4**	**6**	**8**
	3257	**3.0**	**12**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	352	3.0	8	1	1	2	4	5	6
35-49	95	2.4	1	1	2	2	3	4	4
50-69	39	2.0	1						
70 +	0								
SUBTOTAL	**486**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**486**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	940	2.5	5	1	1	2	3	6	7
35-49	251	2.5	6	1	1	2	3	6	7
50-69	141	3.8	13	1	1	3	5	10	12
70 +	39	2.8	1						
	1371	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**9**
	1371	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**1.0**							
GRAND TOTAL	**16**	**1.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	810	4.4	33	1	1	2	6	9	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	810	**4.4**	**33**	**1**	**1**	**2**	**6**	**9**	**14**
0-17	6264	1.9	3	1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6264	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
	7074	**2.2**	**8**	**1**	**1**	**1**	**2**	**4**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	272	6.8	82	1	1	3	9	17	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**272**	**6.8**	**82**	**1**	**1**	**3**	**9**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2280	2.0	3	1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2280**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**2552**	**2.6**	**14**	**1**	**1**	**1**	**3**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	335	5.6	59	1	1	2	6	19	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	335	**5.6**	**59**	**1**	**1**	**2**	**6**	**19**	**24**
0-17	2809	1.8	4	1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2809	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
	3144	**2.2**	**11**	**1**	**1**	**1**	**2**	**4**	**7**

DRG 31: Concussion Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	290	5.2	80	1	2	3	6	10	12	0-17	0								
70-74	166	5.5	25	1	1	3	11	13	15	18-34	662	3.1	8	1	1	2	5	7	10
75-79	189	6.3	22	2	3	5	9	12	17	35-49	386	4.4	16	1	2	3	7	11	13
80-84	189	5.1	15	1	2	4	7	10	10	50-69	307	4.3	18	1	2	3	6	11	12
85 +	158	5.8	21	2	3	5	8	9	16	70 +	55	2.4	3	1	1	2	4	6	6
SUBTOTAL	**991**	**5.5**	**38**	**1**	**2**	**4**	**7**	**11**	**14**		**1410**	**3.7**	**12**	**1**	**1**	**2**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**991**	**5.5**	**38**	**1**	**2**	**4**	**7**	**11**	**14**		**1410**	**3.7**	**12**	**1**	**1**	**2**	**5**	**9**	**11**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	141	1.6	1	1	1	1	2	3	3	18-34	595	2.3	3	1	1	2	3	5	7
35-49	87	2.6	3	1	1	2	3	6	6	35-49	164	3.3	7	1	1	2	5	7	9
50-69	23	2.3	1							50-69	78	3.9	2	2	3	4	4	7	7
70 +	8	7.0								70 +	23	6.3	2						
SUBTOTAL	**259**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**6**		**861**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**259**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**6**		**861**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 32: Concussion Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	307	2.9	6	1	1	2	4	5	7
70-74	196	2.5	3	1	1	2	3	6	6
75-79	181	3.7	13	1	1	3	4	9	10
80-84	204	3.7	9	1	2	3	4	7	9
85+	158	3.3	3	1	2	3	4	6	7
SUBTOTAL	**1046**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**1046**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	2794	1.9	2	<1	1	1	2	4	5
35-49	1165	2.5	4	1	1	2	3	5	7
50-69	542	2.7	5	1	1	2	3	5	7
70+	110	3.3	7	1	1	2	5	7	9
SUBTOTAL	**4611**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**4611**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	377	1.8	2	<1	1	1	2	3	4
35-49	102	2.9	2	1	2	3	4	5	5
50-69	16	1.0							
70+	16	2.0	1						
SUBTOTAL	**511**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**511**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	1277	2.1	3	1	1	2	3	4	5
35-49	408	2.5	4	1	1	2	3	5	6
50-69	141	2.1	2	1	1	2	3	4	6
70+	39	4.6	16						
SUBTOTAL	**1865**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1865**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 33: Concussion Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	5.0								0-17	439	2.4	5	< 1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**5.0**									**439**	**2.4**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	4999	1.5	7	1	1	1	2	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**4999**	**1.5**	**7**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**8**	**5.0**									**5437**	**1.6**	**6**	**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	55	3.1	2	1	2	4	4	5	5	0-17	118	2.5	3	1	1	2	3	4	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**55**	**3.1**	**2**	**1**	**2**	**4**	**4**	**5**	**5**		**118**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1229	1.6	1	1	1	1	2	3	4	0-17	1359	1.3		< 1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1229**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**1359**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1284**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**1477**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**3**	**3**

DRG 34: Other Disorders of Nervous System w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	742	9.1	84	2	3	6	12	18	32
70-74	431	9.2	76	2	4	6	11	21	26
75-79	431	8.3	44	2	4	6	11	19	23
80-84	313	9.6	64	3	5	6	12	24	29
85 +	156	7.7	26	3	5	6	10	14	21
SUBTOTAL	**2074**	**8.9**	**67**	**2**	**4**	**6**	**11**	**19**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2074**	**8.9**	**67**	**2**	**4**	**6**	**11**	**19**	**26**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	497	7.0	192	1	2	4	7	10	13
18-34	265	9.1	349	1	1	2	6	25	75
35-49	335	8.5	116	2	4	5	8	15	29
50-69	500	7.7	74	1	2	5	9	16	24
70 +	31	9.3	22						
	1628	**7.9**	**163**	**1**	**2**	**4**	**8**	**15**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1628	**7.9**	**163**	**1**	**2**	**4**	**8**	**15**	**29**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	217	4.5	21	1	2	3	5	17	17
18-34	218	6.3	40	1	2	4	9	12	25
35-49	109	6.5	47	2	2	5	7	29	99 +
50-69	109	3.9	5	1	2	4	5	7	8
70 +	8	6.0							
SUBTOTAL	**661**	**5.3**	**30**	**1**	**2**	**4**	**7**	**13**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**661**	**5.3**	**30**	**1**	**2**	**4**	**7**	**13**	**25**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	6.1	33	1	2	4	10	15	19
18-34	78	5.5	34	1	1	2	6	17	17
35-49	110	4.5	14	1	1	3	8	11	11
50-69	141	9.4	136	1	2	6	12	16	52
70 +	55	5.6	6	3	4	5	6	11	11
	476	**6.5**	**60**	**1**	**2**	**4**	**10**	**15**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	476	**6.5**	**60**	**1**	**2**	**4**	**10**	**15**	**17**

DRG 35: Other Disorders of Nervous System w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	304	4.0	12	1	2	3	6	8	14	0-17	1303	3.5	91	1	1	2	3	6	7
70-74	219	4.4	13	1	2	3	6	11	12	18-34	601	3.5	33	1	1	2	4	7	9
75-79	211	5.8	28	1	2	4	9	13	18	35-49	804	2.9	7	1	1	2	4	6	9
80-84	85	6.4	17	2	2	6	9	13	14	50-69	524	4.1	27	1	1	3	5	9	11
85 +	55	5.6	7	2	2	6	8	9	9	70 +	16	6.0	4						
SUBTOTAL	**874**	**4.9**	**17**	**1**	**2**	**3**	**7**	**11**	**13**		**3248**	**3.4**	**49**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**874**	**4.9**	**17**	**1**	**2**	**3**	**7**	**11**	**13**		**3248**	**3.4**	**49**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	512	4.0	67	1	1	2	4	7	7	0-17	357	4.0	47	1	1	2	4	7	11
18-34	140	2.8	3	1	1	3	4	5	5	18-34	195	3.4	7	1	1	2	5	8	9
35-49	54	1.7	1	1	1	2	2	3	3	35-49	148	1.7	1	1	1	1	2	4	4
50-69	31	10.5	66							50-69	71	4.8	37	1	1	2	3	19	19
70 +	0									70 +	79	4.8	10	1	2	4	7	10	11
SUBTOTAL	**738**	**3.9**	**52**	**1**	**1**	**3**	**4**	**6**	**9**		**849**	**3.6**	**27**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**738**	**3.9**	**52**	**1**	**1**	**3**	**4**	**6**	**9**		**849**	**3.6**	**27**	**1**	**1**	**2**	**4**	**7**	**11**

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	442	3.6	8	1	1	3	5	8	10	0-17	85	3.1	2	2	2	3	4	5	6
70-74	163	3.3	4	2	2	3	4	7	8	18-34	101	3.3	7	1	2	3	4	6	11
75-79	93	3.0	5	1	1	2	4	5	9	35-49	109	2.9	5	1	1	3	4	4	10
80-84	62	3.8	1	2	3	4	4	5	5	50-69	365	3.7	23	1	2	2	4	6	7
85 +	54	3.6	5	2	2	3	4	9	9	70 +	31	2.5	1						
SUBTOTAL	**814**	**3.5**	**6**	**1**	**2**	**3**	**4**	**7**	**9**		**690**	**3.4**	**14**	**1**	**2**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	996	2.6	3	1	1	2	3	5	5	0-17	488	1.9	1	1	1	2	2	3	4
70-74	552	2.6	3	1	1	2	3	4	6	18-34	460	2.3	2	1	1	2	3	4	5
75-79	475	2.5	1	1	2	2	3	5	5	35-49	677	2.8	4	1	1	2	4	5	6
80-84	164	2.5	2	1	1	2	3	5	5	50-69	1658	2.1	1	1	1	2	3	3	4
85 +	132	2.8	5	1	1	2	4	5	10	70 +	39	2.4	1						
SUBTOTAL	**2319**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**5**		**3321**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3133**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**4012**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	7.0	10							0-17	31	3.5	2						
18-34	23	2.0	1							18-34	31	3.0	4						
35-49	85	3.5	14	2	2	2	3	4	15	35-49	31	3.2	2						
50-69	31	12.5	152							50-69	78	4.2	5	1	3	4	6	7	7
70 +	0									70 +	16	3.0	1						
SUBTOTAL	**155**	**5.4**	**53**	**2**	**2**	**3**	**4**	**15**	**29**		**187**	**3.6**	**4**	**1**	**1**	**4**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	201	2.2	2	1	1	2	2	4	5	0-17	163	1.9	1	1	1	2	2	3	4
18-34	148	2.6	2	1	1	2	4	5	6	18-34	141	2.2	3	1	1	1	3	4	7
35-49	85	2.9	2	1	2	3	3	4	6	35-49	109	3.5	9	1	1	3	5	6	13
50-69	62	2.7	2	1	2	3	3	6	6	50-69	173	1.9	2	1	1	1	2	4	5
70 +	15	5.0								70 +	166	1.6	1	1	1	1	2	3	3
SUBTOTAL	**512**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**6**		**752**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**667**	**3.2**	**15**	**1**	**2**	**2**	**3**	**5**	**6**		**939**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 37: Orbital Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	117	3.8	7	1	1	3	6	8	9	0-17	93	5.0	46	1	1	2	7	7	26
70-74	70	3.8	5	1	3	3	4	9	9	18-34	141	3.7	11	1	1	3	4	10	12
75-79	62	14.7	822	1	2	4	7	89	89	35-49	55	2.0	1	< 1	1	2	3	3	3
80-84	54	4.7	5	1	3	6	7	7	7	50-69	139	5.6	30	1	2	3	7	16	20
85 +	86	6.8	21	3	3	6	10	13	17	70 +	8	13.0							
SUBTOTAL	**389**	**6.3**	**153**	**1**	**2**	**4**	**7**	**9**	**13**		**436**	**4.5**	**26**	**1**	**1**	**3**	**6**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	179	3.0	9	1	1	2	4	5	7	0-17	318	2.9	5	1	1	2	4	6	7
70-74	109	2.1	1	1	1	2	3	3	3	18-34	412	3.0	15	1	1	2	3	6	12
75-79	86	2.4	5	1	1	2	2	4	9	35-49	257	2.6	5	1	1	2	3	6	7
80-84	62	6.3	128	1	1	2	4	36	36	50-69	148	3.5	3	1	2	3	5	6	8
85 +	55	3.3	6	1	1	2	6	8	8	70 +	8	2.0							
SUBTOTAL	**491**	**3.2**	**23**	**1**	**1**	**2**	**3**	**5**	**8**		**1143**	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**880**	**4.6**	**83**	**1**	**1**	**3**	**5**	**8**	**10**		**1579**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	8.0								0-17	23	4.7	3						
18-34	47	3.5	3	2	2	3	4	7	7	18-34	86	4.4	4	1	3	5	6	7	7
35-49	31	4.8	21							35-49	31	5.7	6						
50-69	15	6.0	10							50-69	16	3.0	4						
70 +	0									70 +	0								
SUBTOTAL	**101**	**4.6**	**11**	**1**	**2**	**3**	**7**	**9**	**12**		**156**	**4.5**	**5**	**1**	**3**	**4**	**7**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	178	4.3	12	1	2	3	6	8	12	0-17	93	3.4	9	1	1	2	5	9	9
18-34	124	2.3	5	1	1	2	2	5	10	18-34	86	2.7	5	1	1	2	3	4	9
35-49	78	3.9	8	2	2	3	4	10	11	35-49	63	6.4	32	1	2	6	7	20	20
50-69	47	4.7	6	2	2	4	8	8	8	50-69	47	6.4	48	1	2	2	6	21	21
70 +	0									70 +	24	1.0							
SUBTOTAL	**427**	**3.7**	**9**	**1**	**2**	**2**	**5**	**8**	**11**		**312**	**4.1**	**21**	**1**	**1**	**2**	**6**	**9**	**19**
GRAND TOTAL	**528**	**3.9**	**10**	**1**	**2**	**3**	**5**	**8**	**11**		**468**	**4.2**	**15**	**1**	**1**	**3**	**6**	**8**	**9**

DRG 38: Primary Iris Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23	3.7	2							0-17	8	1.0							
70-74	23	2.3								18-34	0								
75-79	31	3.5	2							35-49	23	1.0							
80-84	47	3.3	16	1	1	2	3	12	12	50-69	8	2.0							
85 +	16	3.5								70 +	0								
SUBTOTAL	**140**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**12**		**39**	**1.2**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	23	1.7								0-17	31	1.0							
70-74	47	2.7	1	2	2	3	3	4	4	18-34	31	1.8	1						
75-79	54	3.0	6	1	2	2	3	9	9	35-49	23	1.0							
80-84	23	1.7								50-69	101	3.0	6	1	1	2	3	7	9
85 +	31	2.5	1							70 +	0								
SUBTOTAL	**179**	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**4**		**186**	**2.2**	**4**	**1**	**1**	**1**	**2**	**6**	**7**
GRAND TOTAL	**319**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**8**		**225**	**2.0**	**4**	**1**	**1**	**1**	**2**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	16	1.5								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	8	1.0							
70 +	0									70 +	0								
SUBTOTAL	**16**	**1.5**									**8**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	15	1.5							
70 +	0									70 +	8	1.0							
SUBTOTAL	**8**	**1.0**									**23**	**1.3**							
GRAND TOTAL	**23**	**1.3**									**31**	**1.2**							

DRG 39: Lens Procedures with or without Vitrectomy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	296	2.3	4	1	1	2	2	6	8	0-17	8	1.0							
70-74	202	1.7	2	1	1	1	2	3	3	18-34	8	4.0							
75-79	226	2.0	6	1	1	1	2	6	13	35-49	31	2.5	4						
80-84	195	2.3	5	1	1	2	2	4	5	50-69	195	2.8	11	1	1	1	2	9	11
85 +	210	2.0	2	1	1	2	2	4	5	70 +	16	1.5							
SUBTOTAL	**1129**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**7**		**258**	**2.6**	**9**	**1**	**1**	**1**	**2**	**6**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	399	1.5	3	< 1	< 1	1	2	2	4	0-17	333	1.7	8	1	1	1	2	2	2
70-74	550	1.3	1	< 1	< 1	< 1	1	2	4	18-34	94	2.2	1	1	1	2	3	3	5
75-79	768	1.4	1	< 1	< 1	1	2	2	3	35-49	117	1.3		< 1	< 1	1	2	2	2
80-84	651	1.4	1	< 1	< 1	< 1	1	2	3	50-69	393	1.4	2	< 1	< 1	1	1	2	4
85 +	605	1.4	1	< 1	< 1	1	1	2	5	70 +	47	1.0		< 1	< 1	< 1	1	1	1
SUBTOTAL	**2973**	**1.4**	**1**	**< 1**	**< 1**	**1**	**2**	**2**	**3**		**984**	**1.5**	**4**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**4102**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**1241**	**1.8**	**5**	**< 1**	**1**	**1**	**2**	**3**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	3.0								0-17	23	1.0							
18-34	16	1.5								18-34	8	7.0							
35-49	15	3.0	1							35-49	8	2.0							
50-69	23	3.3	7							50-69	24	1.0							
70 +	0									70 +	24	1.0							
SUBTOTAL	**62**	**2.7**	**3**	**1**	**1**	**2**	**4**	**7**	**7**		**86**	**1.6**	**3**	**1**	**1**	**1**	**1**	**2**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	132	1.8	1	1	1	1	2	3	5	0-17	62	2.4	9	1	1	1	2	10	10
18-34	39	2.8	2							18-34	8	1.0							
35-49	23	2.3	2							35-49	32	1.0							
50-69	23	3.0	1							50-69	182	1.1		< 1	< 1	< 1	1	1	2
70 +	16	2.5								70 +	428	1.0		< 1	< 1	< 1	< 1	< 1	1
SUBTOTAL	**233**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**5**		**711**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
GRAND TOTAL	**295**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**797**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

DRG 40: Extraocular Procedures except Orbit Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	62	6.9	21	1	3	7	10	15	15	0-17	0								
70-74	85	4.6	19	1	1	3	7	8	16	18-34	102	3.1	8	1	2	2	3	6	12
75-79	78	4.5	42	1	1	2	2	18	20	35-49	47	3.8	7	1	2	4	5	9	9
80-84	63	1.5	2	1	1	1	1	5	5	50-69	62	2.8	5	1	1	2	4	8	8
85 +	85	4.3	9	2	2	3	8	9	10	70 +	8	1.0							
SUBTOTAL	**373**	**4.4**	**21**	**1**	**1**	**2**	**7**	**10**	**15**		**218**	**3.1**	**7**	**1**	**1**	**2**	**4**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	132	1.4	1	1	1	1	1	3	4	0-17	0								
70-74	116	3.5	10	1	1	2	5	9	10	18-34	211	2.0	3	1	1	1	2	5	5
75-79	139	3.2	11	1	1	2	3	11	12	35-49	265	1.6	2	< 1	1	1	2	2	6
80-84	86	3.6	12	1	1	2	5	7	13	50-69	241	1.7	1	1	1	1	2	3	5
85 +	93	7.1	184	1	1	2	7	9	51	70 +	0								
SUBTOTAL	**566**	**3.6**	**40**	**1**	**1**	**2**	**3**	**8**	**11**		**717**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**940**	**3.9**	**32**	**1**	**1**	**2**	**4**	**10**	**13**		**935**	**2.1**	**3**	**1**	**1**	**1**	**2**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	16	4.0	10							18-34	94	3.0	5	< 1	1	2	5	6	8
35-49	15	6.5								35-49	8	4.0							
50-69	8	10.0								50-69	8	4.0							
70 +	0									70 +	24	1.7	1						
SUBTOTAL	**39**	**6.2**	**9**								**133**	**2.9**	**4**	**< 1**	**1**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	31	3.5	6							18-34	156	2.6	5	1	1	2	3	6	8
35-49	23	1.7	1							35-49	110	1.3		1	1	1	1	2	3
50-69	15	2.5	2							50-69	94	1.7		1	1	2	2	2	3
70 +	8	2.0								70 +	32	2.0	3						
SUBTOTAL	**78**	**2.6**	**4**	**< 1**	**1**	**2**	**4**	**6**	**6**		**392**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**117**	**3.8**	**8**	**1**	**1**	**3**	**6**	**7**	**10**		**525**	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**6**

DRG 41: Extraocular Procedures except Orbit Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	116	3.0	8	1	1	2	3	9	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**116**	**3.0**	**8**	**1**	**1**	**2**	**3**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1104	1.7	5	< 1	1	1	1	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1104**	**1.7**	**5**	**< 1**	**1**	**1**	**1**	**3**	**6**
GRAND TOTAL	**0**										**1220**	**1.8**	**5**	**< 1**	**1**	**1**	**1**	**4**	**6**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	1.0								0-17	15	2.5	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**15**	**1.0**									**15**	**2.5**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	412	1.4	1	< 1	1	1	2	2	4	0-17	281	1.6	1	< 1	< 1	1	1	3	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**412**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**4**		**281**	**1.6**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**5**
GRAND TOTAL	**427**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**4**		**296**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**4**	**5**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	644	3.2	4	2	2	3	4	6	7	0-17	55	3.3	1	2	2	4	4	4	4
70-74	566	3.7	13	1	2	3	4	8	10	18-34	117	3.5	4	1	2	4	5	7	7
75-79	604	4.1	22	2	2	3	4	8	11	35-49	163	2.8	1	1	2	3	3	4	5
80-84	519	3.4	3	2	2	3	4	6	8	50-69	465	3.4	5	2	2	3	4	6	8
85 +	342	3.5	6	1	2	3	5	7	9	70 +	31	2.8	2						
SUBTOTAL	**2674**	**3.6**	**10**	**2**	**2**	**3**	**4**	**7**	**9**		**830**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1390	2.6	3	1	2	2	3	4	5	0-17	677	2.7	5	1	1	2	4	5	6
70-74	1390	2.5	4	1	2	2	3	4	5	18-34	716	2.4	15	1	1	1	3	4	5
75-79	1667	2.4	2	1	2	2	3	4	4	35-49	761	2.2	2	1	1	2	3	5	5
80-84	1110	2.8	3	1	2	2	3	4	6	50-69	1328	2.1	2	1	1	2	3	4	4
85 +	708	2.7	4	1	2	2	3	5	7	70 +	70	1.4		< 1	1	1	2	2	2
SUBTOTAL	**6264**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**		**3551**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**8938**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**7**		**4382**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	6.5	8	3	5	6	7	12	12	0-17	8	2.0							
18-34	93	4.1	7	2	2	3	6	7	10	18-34	39	4.6	8						
35-49	46	3.8	5	1	2	4	4	8	8	35-49	39	2.8	5						
50-69	108	4.9	15	2	2	3	7	13	14	50-69	47	4.8	13	1	2	4	9	10	10
70 +	0									70 +	31	2.5	1						
SUBTOTAL	**294**	**4.7**	**10**	**2**	**2**	**4**	**7**	**10**	**13**		**163**	**3.7**	**8**	**1**	**2**	**2**	**5**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	248	2.8	5	1	1	2	3	6	9	0-17	210	3.6	6	1	2	3	4	8	10
18-34	155	2.0	1	1	1	2	3	3	4	18-34	93	3.2	4	1	1	2	5	6	6
35-49	62	2.0	2	1	1	2	3	5	5	35-49	86	3.2	5	1	1	3	5	6	8
50-69	155	2.7	2	1	2	3	3	5	6	50-69	86	1.9	1	1	1	1	3	4	4
70 +	0									70 +	190	1.5	1	< 1	1	1	2	2	3
SUBTOTAL	**621**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**665**	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**6**
GRAND TOTAL	**915**	**3.2**	**7**	**1**	**2**	**2**	**4**	**7**	**9**		**828**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 43: Hyphema

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	3.0								0-17	15	6.5	2						
70-74	0									18-34	24	2.3	4						
75-79	8	1.0								35-49	16	9.4	22						
80-84	8	3.0								50-69	24	6.3	6						
85 +	8	9.0								70 +	0								
SUBTOTAL	**32**	**4.0**	**9**								**79**	**5.8**	**14**	**1**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	15	4.0	1							0-17	508	4.0	4	2	3	4	5	6	7
70-74	0									18-34	242	3.4	3	1	2	3	5	5	7
75-79	8	2.0								35-49	78	2.7	2	1	2	3	4	5	5
80-84	0									50-69	71	2.4	2	1	1	3	3	5	5
85 +	8	3.0								70 +	0								
SUBTOTAL	**31**	**3.2**	**1**								**899**	**3.6**	**3**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**63**	**3.6**	**5**	**1**	**2**	**3**	**4**	**9**	**9**		**978**	**3.8**	**5**	**1**	**2**	**4**	**5**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	5.0	1							0-17	8	10.0							
18-34	16	3.0								18-34	16	4.0	1						
35-49	0									35-49	8	3.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**31**	**4.0**	**2**								**31**	**5.2**	**8**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	156	3.7	3	< 1	2	4	5	6	7	0-17	171	4.3	5	1	2	4	5	8	9
18-34	24	2.7	3							18-34	109	3.6	2	2	2	3	5	5	6
35-49	0									35-49	23	4.7							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**179**	**3.6**	**3**	**< 1**	**2**	**4**	**5**	**6**	**6**		**303**	**4.0**	**4**	**1**	**2**	**4**	**5**	**6**	**9**
GRAND TOTAL	**211**	**3.6**	**3**	**< 1**	**2**	**4**	**5**	**6**	**6**		**335**	**4.2**	**4**	**2**	**3**	**4**	**5**	**6**	**9**

DRG 44: Acute Major Eye Infections

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	62	5.2	13	2	2	3	8	13	13	0-17	319	3.7	4	2	2	3	4	7	9
70-74	55	5.0	3	2	4	5	7	7	7	18-34	23	3.7	1						
75-79	93	6.8	14	3	4	7	9	9	17	35-49	55	7.6	13	4	5	5	13	13	13
80-84	39	5.6	2							50-69	55	6.4	4	4	5	5	9	9	9
85 +	39	4.2	4							70 +	0								
SUBTOTAL	**288**	**5.6**	**10**	**2**	**3**	**5**	**7**	**9**	**13**		**452**	**4.5**	**7**	**2**	**3**	**4**	**5**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	110	5.4	3	4	4	4	7	8	8	0-17	1848	3.2	3	2	2	3	4	6	7
70-74	78	6.3	11	1	4	6	9	11	11	18-34	164	4.5	12	2	3	4	5	7	11
75-79	54	7.8	26	2	2	8	13	16	16	35-49	171	4.5	23	2	2	3	4	6	10
80-84	70	6.6	10	1	6	7	8	12	12	50-69	133	4.5	3	2	3	4	6	7	7
85 +	78	6.5	12	2	3	7	9	12	12	70 +	8	5.0							
SUBTOTAL	**390**	**6.4**	**11**	**2**	**4**	**7**	**8**	**11**	**12**		**2324**	**3.5**	**5**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**677**	**6.0**	**11**	**2**	**4**	**6**	**8**	**10**	**12**		**2776**	**3.7**	**6**	**2**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	163	5.4	8	3	3	4	7	10	11	0-17	94	3.3	1	2	2	3	4	4	6
18-34	31	6.5	2							18-34	16	3.0	1						
35-49	16	8.0	27							35-49	16	3.5	2						
50-69	15	4.5	7							50-69	0								
70 +	0									70 +	8	4.0							
SUBTOTAL	**226**	**5.7**	**9**	**2**	**3**	**5**	**7**	**11**	**11**		**133**	**3.4**	**1**	**2**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	770	3.6	3	2	3	3	4	6	7	0-17	592	3.3	3	2	2	3	4	5	7
18-34	109	4.3	4	2	2	5	6	6	8	18-34	46	6.2	12	1	3	5	9	10	10
35-49	24	5.3	2							35-49	23	3.7							
50-69	8	8.0								50-69	0								
70 +	0									70 +	8	2.0							
SUBTOTAL	**911**	**3.8**	**3**	**2**	**3**	**3**	**5**	**6**	**8**		**669**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**1136**	**4.1**	**5**	**2**	**3**	**3**	**5**	**7**	**9**		**802**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**8**

DRG 45: Neurological Eye Disorders

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	235	3.9	6	1	2	3	5	8	8	0-17	39	2.2	1						
70-74	149	5.0	11	2	3	4	6	11	13	18-34	101	3.0	2	1	2	3	4	5	5
75-79	79	3.9	7	1	2	3	6	8	9	35-49	132	4.6	8	1	3	4	6	10	11
80-84	70	5.0	9	1	2	6	6	11	11	50-69	156	3.5	3	1	2	4	5	7	7
85 +	32	7.8	19							70 +	8	10.0							
SUBTOTAL	**564**	**4.5**	**9**	**2**	**2**	**4**	**6**	**8**	**11**		**436**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	86	3.1	4	1	1	3	5	6	7	0-17	109	2.7	3	1	1	2	4	6	6
70-74	71	4.6	8	1	2	4	7	10	10	18-34	210	3.5	5	1	1	3	5	6	7
75-79	55	4.0	3	2	2	5	6	6	6	35-49	241	3.4	4	1	2	3	5	6	6
80-84	71	2.7	3	1	1	2	3	6	6	50-69	360	3.6	5	1	2	3	5	6	7
85 +	0									70 +	0								
SUBTOTAL	**282**	**3.5**	**5**	**1**	**2**	**3**	**5**	**7**	**7**		**919**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**845**	**4.2**	**8**	**1**	**2**	**3**	**6**	**8**	**10**		**1356**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	1.5								0-17	0								
18-34	23	5.0	3							18-34	47	4.5	1	3	4	4	5	6	6
35-49	15	4.0	1							35-49	16	7.5	32						
50-69	23	7.0	9							50-69	24	6.3	3						
70 +	0									70 +	8	3.0							
SUBTOTAL	**78**	**4.7**	**7**	**1**	**3**	**4**	**7**	**9**	**10**		**94**	**5.3**	**8**	**3**	**3**	**5**	**6**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	2.0	1							0-17	0								
18-34	55	3.4	5	1	2	3	5	8	8	18-34	39	1.4	1						
35-49	47	3.8	2	2	3	4	5	5	5	35-49	39	3.8	7						
50-69	0									50-69	32	2.5	7						
70 +	0									70 +	8	1.0							
SUBTOTAL	**117**	**3.4**	**3**	**1**	**2**	**3**	**5**	**5**	**8**		**118**	**2.5**	**5**	**< 1**	**1**	**1**	**4**	**7**	**8**
GRAND TOTAL	**194**	**3.9**	**5**	**1**	**2**	**3**	**5**	**8**	**8**		**212**	**3.7**	**9**	**< 1**	**1**	**3**	**5**	**8**	**8**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	204	4.2	11	1	2	4	5	8	9	0-17	0								
70-74	164	4.1	7	<1	2	3	5	8	9	18-34	94	3.4	9	1	1	3	4	5	12
75-79	156	5.1	11	1	2	5	6	10	13	35-49	110	5.2	31	1	1	3	6	13	21
80-84	117	6.8	25	2	4	4	9	13	21	50-69	211	4.6	11	1	2	4	7	9	11
85 +	110	6.4	20	1	2	6	11	12	14	70 +	8	2.0							
SUBTOTAL	**750**	**5.1**	**15**	**1**	**2**	**4**	**7**	**11**	**13**		**422**	**4.4**	**16**	**1**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**750**	**5.1**	**15**	**1**	**2**	**4**	**7**	**11**	**13**		**422**	**4.4**	**16**	**1**	**2**	**4**	**6**	**9**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	70	3.0	1	2	2	3	4	5	5	18-34	141	2.7	4	<1	1	2	3	6	9
35-49	24	4.0	8							35-49	55	4.0	12	1	1	3	7	11	11
50-69	70	2.8	2	1	1	3	3	6	6	50-69	16	2.0							
70 +	8	2.0								70 +	8	7.0							
SUBTOTAL	**172**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**220**	**3.1**	**7**	**<1**	**1**	**2**	**3**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**172**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**220**	**3.1**	**7**	**<1**	**1**	**2**	**3**	**7**	**9**

DRG 47: Other Disorders of the Eye Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	211	2.9	5	1	1	3	3	6	7	0-17	0								
70-74	141	3.2	5	1	1	3	4	7	9	18-34	203	2.5	3	1	1	2	3	5	6
75-79	148	3.4	9	1	1	2	6	9	10	35-49	164	3.9	8	1	2	3	5	9	10
80-84	109	2.6	1	1	2	2	4	4	4	50-69	266	2.9	4	1	1	2	4	6	8
85 +	94	3.7	8	1	1	3	6	8	10	70 +	31	2.0	1						
SUBTOTAL	**703**	**3.1**	**6**	**1**	**1**	**3**	**4**	**7**	**9**		**664**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**703**	**3.1**	**6**	**1**	**1**	**3**	**4**	**7**	**9**		**664**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	39	2.8	2							18-34	188	2.5	3	1	1	2	4	6	6
35-49	15	5.5	7							35-49	39	4.6	12						
50-69	23	5.7								50-69	31	3.3	5						
70 +	0									70 +	16	1.0							
SUBTOTAL	**78**	**4.2**	**4**	**1**	**2**	**4**	**6**	**7**	**8**		**273**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**78**	**4.2**	**4**	**1**	**2**	**4**	**6**	**7**	**8**		**273**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 48: Other Disorders of the Eye Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	12.0								0-17	195	3.2	4	1	2	3	5	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**12.0**									**195**	**3.2**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	889	2.9	5	1	1	2	3	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**889**	**2.9**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**8**	**12.0**									**1084**	**2.9**	**4**	**1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	171	5.1	13	1	2	5	7	11	11	0-17	101	2.7	2	1	2	3	3	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**171**	**5.1**	**13**	**1**	**2**	**5**	**7**	**11**	**11**		**101**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	551	3.2	6	1	1	3	4	7	8	0-17	612	3.2	4	1	2	3	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**551**	**3.2**	**6**	**1**	**1**	**3**	**4**	**7**	**8**		**612**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**722**	**3.6**	**8**	**1**	**1**	**3**	**5**	**7**	**10**		**713**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 49: Major Head & Neck Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	554	16.8	195	4	8	13	20	36	49	0-17	8	4.0							
70-74	319	19.0	285	5	10	13	24	35	58	18-34	23	11.0	40						
75-79	163	20.2	162	6	13	17	26	36	41	35-49	249	11.4	44	2	6	12	16	19	23
80-84	102	10.2	31	5	7	9	10	18	23	50-69	974	14.7	119	4	9	12	17	28	34
85 +	23	23.7	560							70 +	23	8.7	24						
SUBTOTAL	**1161**	**17.4**	**214**	**4**	**9**	**13**	**20**	**36**	**56**		**1277**	**13.8**	**103**	**4**	**8**	**12**	**16**	**27**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	304	8.8	48	1	2	7	14	17	21	0-17	116	1.9	2	1	1	2	2	3	6
70-74	132	6.9	21	1	3	6	10	13	16	18-34	125	3.2	8	1	1	2	4	9	10
75-79	94	9.9	33	3	6	9	13	14	25	35-49	240	6.8	43	1	1	4	11	16	20
80-84	39	5.8	14							50-69	445	6.9	24	2	3	6	10	13	16
85 +	39	10.2	200							70 +	0								
SUBTOTAL	**608**	**8.4**	**48**	**1**	**3**	**7**	**11**	**16**	**21**		**926**	**5.8**	**28**	**1**	**2**	**3**	**10**	**13**	**16**
GRAND TOTAL	**1769**	**14.3**	**175**	**3**	**6**	**11**	**17**	**32**	**38**		**2203**	**10.4**	**87**	**1**	**3**	**9**	**14**	**23**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	15	1.0							
18-34	23	15.3	36							18-34	15	13.5	118						
35-49	140	18.4	86	8	12	16	25	36	40	35-49	46	10.5	25	3	8	9	14	19	19
50-69	264	22.0	146	10	13	18	29	37	49	50-69	86	15.5	75	8	9	13	19	27	37
70 +	8	52.0								70 +	24	9.0	15						
SUBTOTAL	**435**	**21.0**	**140**	**10**	**12**	**18**	**27**	**37**	**49**		**187**	**12.1**	**69**	**3**	**8**	**11**	**14**	**24**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	15	1.0								0-17	47	2.2	1	1	1	2	3	4	4
18-34	39	8.2	19							18-34	0								
35-49	16	9.0	4							35-49	39	7.6	14						
50-69	70	13.3	55	2	10	12	15	30	30	50-69	86	6.9	19	2	2	8	11	13	14
70 +	8	2.0								70 +	23	3.0	3						
SUBTOTAL	**147**	**9.6**	**49**	**1**	**3**	**10**	**12**	**19**	**30**		**195**	**5.5**	**17**	**1**	**2**	**4**	**8**	**12**	**13**
GRAND TOTAL	**582**	**18.1**	**141**	**7**	**10**	**15**	**25**	**36**	**47**		**382**	**8.7**	**53**	**1**	**3**	**8**	**13**	**19**	**24**

DRG 50: Sialoadenectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	164	3.3	9	1	2	2	4	10	11	0-17	31	6.7	80						
70-74	110	3.3	5	1	2	3	5	7	8	18-34	8	1.0							
75-79	55	3.3	7	1	1	2	4	9	9	35-49	39	2.8							
80-84	24	4.3	4							50-69	164	2.7	3	1	1	2	3	4	6
85 +	24	3.3	4							70 +	0								
SUBTOTAL	**376**	**3.4**	**7**	**1**	**2**	**2**	**4**	**8**	**10**		**242**	**3.2**	**14**	**1**	**1**	**3**	**3**	**4**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	423	1.9	1	1	1	2	2	3	4	0-17	171	1.9	2	1	1	1	2	5	5
70-74	391	1.9	1	1	1	2	2	3	4	18-34	532	1.7	1	1	1	1	2	3	3
75-79	156	2.0	2	1	1	2	2	3	6	35-49	913	1.7	1	1	1	1	2	3	3
80-84	71	2.2	1	1	2	2	2	4	4	50-69	916	1.9	1	1	1	2	2	3	3
85 +	24	6.3	16							70 +	8	3.0							
SUBTOTAL	**1064**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**4**		**2541**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**1440**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**7**		**2783**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	5.0	17							0-17	0								
18-34	16	1.0								18-34	0								
35-49	0									35-49	16	2.0	1						
50-69	23	4.3	7							50-69	8	1.0							
70 +	8	13.0								70 +	8	5.0							
SUBTOTAL	**62**	**4.7**	**19**	**1**	**1**	**3**	**9**	**13**	**13**		**32**	**2.5**	**3**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	1.8	1							0-17	23	1.7	1						
18-34	86	2.0	1	1	1	2	2	3	5	18-34	141	1.3		1	1	1	2	2	2
35-49	46	3.5	5	1	2	3	6	7	7	35-49	118	1.8	1	1	1	1	3	3	3
50-69	23	1.3								50-69	164	1.5		1	1	1	2	2	3
70 +	0									70 +	16	2.5	2						
SUBTOTAL	**187**	**2.2**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**462**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**249**	**2.9**	**8**	**1**	**1**	**2**	**3**	**7**	**9**		**494**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	47	4.0	25	1	1	2	3	15	15
70-74	24	1.0							
75-79	23	3.6	4						
80-84	0								
85+	0								
SUBTOTAL	**94**	**3.1**	**15**	**1**	**1**	**2**	**4**	**6**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	1.2		<1	1	1	1	2	2
70-74	31	2.0	1						
75-79	0								
80-84	16	2.0	1						
85+	0								
SUBTOTAL	**94**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**188**	**2.4**	**8**	**1**	**1**	**1**	**3**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	16	2.0							
35-49	0								
50-69	0								
70+	0								
	23	**2.0**							
0-17	47	1.3		1	1	1	2	2	2
18-34	47	1.5	1	1	1	1	2	3	3
35-49	94	2.9	10	<1	1	2	3	7	12
50-69	180	1.7	1	1	1	2	2	3	3
70+	0								
	368	**2.0**	**3**	**1**	**1**	**1**	**2**	**3**	**3**
	391	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**3**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	8	1.0							
70+	0								
SUBTOTAL	**8**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**8**	**2.0**							
GRAND TOTAL	**16**	**1.5**							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	16	7.5							
70+	0								
	16	**7.5**							
0-17	39	1.4							
18-34	0								
35-49	8	1.0							
50-69	23	3.0							
70+	16	1.0							
	86	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**
	101	**2.6**	**5**	**1**	**1**	**2**	**3**	**7**	**8**

DRG 52: Cleft Lip & Palate Repair

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	194	3.8	12	1	2	3	4	5	11
70-74	0									18-34	8	10.0							
75-79	0									35-49	16	5.0	1						
80-84	0									50-69	8	1.0							
85 +	0									70 +	0								
SUBTOTAL	**8**	**2.0**									**225**	**4.0**	**12**	**1**	**2**	**3**	**4**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	15	2.0	1							0-17	4160	2.2	3	1	1	2	3	4	5
70-74	8	2.0								18-34	124	2.2	2	1	1	2	3	4	6
75-79	0									35-49	140	2.2	2	1	1	2	3	4	7
80-84	0									50-69	47	3.0	3	1	1	2	4	6	6
85 +	0									70 +	0								
SUBTOTAL	**23**	**2.0**	**1**								**4471**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**31**	**2.0**	**1**								**4695**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	139	7.3	79	3	4	5	8	43	99 +	0-17	47	3.3	3	1	3	3	3	7	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	8	5.0							
70 +	0									70 +	0								
SUBTOTAL	**139**	**7.3**	**79**	**3**	**4**	**5**	**8**	**43**	**99 +**		**55**	**3.6**	**3**	**1**	**3**	**3**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1378	2.6	4	1	1	2	3	5	6	0-17	945	3.0	2	1	2	3	4	5	5
18-34	47	1.8	1	1	1	2	2	4	4	18-34	31	3.8	6						
35-49	8	5.0								35-49	24	2.0	1						
50-69	0									50-69	16	1.5							
70 +	0									70 +	0								
SUBTOTAL	**1433**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**1016**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**1572**	**3.0**	**12**	**1**	**1**	**2**	**4**	**6**	**7**		**1070**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 53: Sinus & Mastoid Procedures Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	267	2.9	7	1	1	2	3	8	8	0-17	0								
70-74	109	5.8	25	1	2	4	7	12	19	18-34	195	6.2	39	1	1	5	8	20	21
75-79	63	4.1	38	1	1	2	4	20	20	35-49	218	4.8	33	1	1	2	7	12	14
80-84	55	14.4	359	1	1	4	36	51	51	50-69	329	5.9	89	1	1	3	6	12	14
85 +	23	8.0	19							70 +	8	2.0							
SUBTOTAL	**517**	**5.1**	**64**	**1**	**1**	**2**	**5**	**12**	**19**		**750**	**5.6**	**59**	**1**	**1**	**3**	**7**	**12**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	899	2.2	4	1	1	1	3	5	8	0-17	0								
70-74	437	1.9	3	1	1	1	2	4	6	18-34	2325	1.7	4	1	1	1	1	3	5
75-79	210	2.6	9	1	1	1	2	8	9	35-49	2747	1.6	2	1	1	1	2	3	4
80-84	117	2.3	4	1	1	1	3	6	7	50-69	2321	1.7	2	1	1	1	2	3	4
85 +	31	3.3	6							70 +	55	2.1	3	1	1	2	2	6	6
SUBTOTAL	**1694**	**2.2**	**5**	**1**	**1**	**1**	**2**	**5**	**7**		**7448**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2211**	**2.9**	**20**	**1**	**1**	**1**	**3**	**6**	**9**		**8198**	**2.0**	**9**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	55	8.2	24	1	3	9	13	15	15	18-34	15	4.0	1						
35-49	62	6.5	31	1	2	6	10	18	18	35-49	39	3.2	2						
50-69	15	2.0	1							50-69	31	2.8	4						
70 +	0									70 +	8	5.0							
SUBTOTAL	**133**	**6.7**	**28**	**1**	**2**	**5**	**11**	**15**	**18**		**93**	**3.3**	**3**	**1**	**2**	**3**	**5**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	382	1.7	1	1	1	1	2	4	5	18-34	438	1.3	1	1	1	1	1	2	3
35-49	195	1.5	1	1	1	1	2	3	3	35-49	440	1.9	3	1	1	1	2	4	5
50-69	24	2.3	4							50-69	290	1.5	1	1	1	1	2	3	4
70 +	0									70 +	55	1.3		1	1	1	2	2	2
SUBTOTAL	**600**	**1.6**	**1**	**1**	**1**	**1**	**2**	**4**	**5**		**1223**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**733**	**2.6**	**10**	**1**	**1**	**1**	**3**	**5**	**11**		**1316**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	271	6.3	122	1	1	4	9	11	67
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**271**	**6.3**	**122**	**1**	**1**	**4**	**9**	**11**	**67**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	2354	1.7	5	1	1	1	1	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**2354**	**1.7**	**5**	**1**	**1**	**1**	**1**	**3**	**6**
GRAND TOTAL	**8**	**1.0**									**2625**	**2.1**	**19**	**1**	**1**	**1**	**1**	**5**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	18.9	574	1	5	10	16	71	71	0-17	46	5.8	24	1	1	7	11	13	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**47**	**18.9**	**574**	**1**	**5**	**10**	**16**	**71**	**71**		**46**	**5.8**	**24**	**1**	**1**	**7**	**11**	**13**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	444	2.5	16	1	1	1	2	6	13	0-17	389	1.9	12	1	1	1	1	2	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**444**	**2.5**	**16**	**1**	**1**	**1**	**2**	**6**	**13**		**389**	**1.9**	**12**	**1**	**1**	**1**	**1**	**2**	**8**
GRAND TOTAL	**490**	**4.1**	**91**	**1**	**1**	**1**	**2**	**10**	**16**		**436**	**2.3**	**15**	**1**	**1**	**1**	**1**	**7**	**11**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	195	2.1	2	1	1	2	3	4	5
70-74	109	3.9	13	1	1	3	5	7	15
75-79	94	3.8	7	1	2	4	5	8	9
80-84	16	15.1	129						
85 +	16	2.5							
SUBTOTAL	**428**	**3.4**	**16**	**1**	**1**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	631	1.5	1	1	1	1	1	3	4
70-74	319	1.9	3	1	1	1	2	5	6
75-79	194	1.8	1	1	1	1	2	4	4
80-84	31	1.8	2						
85 +	31	2.0	2						
SUBTOTAL	**1206**	**1.7**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1635**	**2.1**	**6**	**1**	**1**	**1**	**3**	**4**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	226	6.0	54	1	1	3	8	22	27
18-34	196	3.0	15	1	1	1	3	8	15
35-49	297	3.0	22	1	1	2	3	4	9
50-69	336	4.1	18	1	1	2	5	10	15
70 +	0								
	1055	**4.0**	**28**	**1**	**1**	**2**	**4**	**10**	**16**
0-17	3178	1.6	4	1	1	1	1	3	5
18-34	3500	1.5	2	1	1	1	1	2	3
35-49	3178	1.5	1	1	1	1	1	3	4
50-69	2388	1.8	12	1	1	1	2	3	4
70 +	8	2.0							
	12251	**1.6**	**4**	**1**	**1**	**1**	**1**	**3**	**4**
	13307	**1.8**	**7**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	93	11.0	134	1	3	7	17	23	42
18-34	47	6.7	34	1	2	4	13	16	16
35-49	62	5.5	12	1	2	6	7	12	12
50-69	16	6.5	7						
70 +	0								
SUBTOTAL	**218**	**8.2**	**74**	**1**	**2**	**6**	**12**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	954	3.2	39	1	1	1	3	6	13
18-34	250	1.5	1	1	1	1	2	3	4
35-49	93	1.7	5	1	1	1	1	2	9
50-69	55	2.0	3	1	1	1	2	6	6
70 +	0								
SUBTOTAL	**1351**	**2.8**	**28**	**1**	**1**	**1**	**2**	**6**	**11**
GRAND TOTAL	**1569**	**3.5**	**38**	**1**	**1**	**1**	**3**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	85	14.7	234	2	2	11	19	33	53
18-34	78	4.3	7	1	2	4	6	9	9
35-49	39	3.2	6						
50-69	0								
70 +	16	2.5	2						
	218	**8.0**	**123**	**1**	**2**	**4**	**9**	**19**	**33**
0-17	660	1.9	7	1	1	1	1	3	6
18-34	580	1.3	1	1	1	1	1	2	4
35-49	415	1.4	2	1	1	1	1	2	4
50-69	258	1.2		1	1	1	1	2	3
70 +	32	1.5	1						
	1945	**1.5**	**3**	**1**	**1**	**1**	**1**	**2**	**4**
	2163	**2.2**	**19**	**1**	**1**	**1**	**1**	**4**	**7**

DRG 56: Rhinoplasty

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	55	2.3	1	1	1	2	4	4	4	0-17	0								
70-74	23	1.7								18-34	78	1.9	2	1	1	2	2	4	5
75-79	16	18.9	129							35-49	55	1.4	1	1	1	1	1	4	4
80-84	8	5.0								50-69	39	5.6	7						
85+	8	4.0								70+	0								
SUBTOTAL	**110**	**4.8**	**52**	**1**	**2**	**2**	**4**	**8**	**30**		**172**	**2.6**	**5**	**1**	**1**	**1**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	141	1.8	3	1	1	1	2	5	7	0-17	475	1.2		1	1	1	1	2	2
70-74	86	1.9	3	1	1	1	2	4	7	18-34	1157	1.3	1	1	1	1	1	2	3
75-79	71	2.2	7	1	1	1	1	9	9	35-49	862	1.4	1	1	1	1	1	2	3
80-84	31	2.5	4							50-69	392	1.4	1	1	1	1	1	2	4
85+	0									70+	0								
SUBTOTAL	**328**	**2.0**	**4**	**1**	**1**	**1**	**2**	**5**	**7**		**2886**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**438**	**2.7**	**17**	**1**	**1**	**1**	**3**	**6**	**8**		**3058**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	16	1.0								18-34	16	2.0	1						
35-49	8	1.0								35-49	16	1.0							
50-69	0									50-69	0								
70+	0									70+	8	7.0							
SUBTOTAL	**24**	**1.0**									**39**	**2.6**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	93	1.3		1	1	1	2	2	2	0-17	133	1.8	1	1	1	1	3	3	4
18-34	78	1.1		1	1	1	1	2	2	18-34	266	1.1		1	1	1	1	2	2
35-49	71	1.5	1	1	1	1	2	4	4	35-49	251	1.1		1	1	1	1	1	2
50-69	8	2.0								50-69	78	1.7	1	< 1	1	1	2	4	5
70+	0									70+	8	1.0							
SUBTOTAL	**250**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**		**736**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**273**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**		**775**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	78	9.4	60	1	3	7	13	22	27	0-17	0								
70-74	16	3.0	4							18-34	189	2.7	4	1	1	2	4	5	6
75-79	0									35-49	94	7.9	148	2	3	3	8	12	47
80-84	0									50-69	78	5.2	21	1	2	3	8	14	16
85 +	0									70 +	0								
SUBTOTAL	**94**	**8.3**	**56**	**1**	**2**	**6**	**11**	**18**	**27**		**360**	**4.6**	**50**	**1**	**1**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	71	2.5	7	1	1	2	2	10	10	0-17	0								
70-74	47	2.0	2	1	1	1	2	5	5	18-34	948	2.1	2	1	1	2	3	4	6
75-79	8	5.0								35-49	523	2.5	2	1	1	2	3	4	5
80-84	16	7.0	4							50-69	234	3.3	13	1	1	2	4	5	7
85 +	8	14.0								70 +	0								
SUBTOTAL	**149**	**3.6**	**13**	**1**	**1**	**2**	**5**	**10**	**14**		**1705**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**243**	**5.4**	**35**	**1**	**1**	**3**	**8**	**13**	**18**		**2065**	**2.8**	**13**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	32	4.8	2							18-34	95	2.3	1	1	1	2	3	4	5
35-49	0									35-49	0								
50-69	0									50-69	16	4.0							
70 +	0									70 +	0								
SUBTOTAL	**32**	**4.8**	**2**								**110**	**2.6**	**2**	**1**	**2**	**2**	**4**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	78	1.6	1	1	1	1	2	3	3	18-34	330	2.7	3	1	1	2	3	4	5
35-49	39	4.6	9							35-49	78	2.4	3	< 1	1	2	4	6	6
50-69	24	7.4	32							50-69	47	3.9	22	1	1	2	4	14	14
70 +	8	1.0								70 +	0								
SUBTOTAL	**149**	**3.3**	**12**	**1**	**1**	**2**	**4**	**8**	**15**		**456**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**181**	**3.5**	**11**	**1**	**1**	**2**	**5**	**8**	**8**		**566**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	507	2.7	11	1	1	1	3	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										507	2.7	11	1	1	1	3	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	6608	1.2	1	1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	8	1.0									6608	1.2	1	1	1	1	1	2	3
GRAND TOTAL	8	1.0									7114	1.4	2	1	1	1	1	2	3

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	163	3.4	6	1	1	2	6	7	8	0-17	117	2.9	5	1	1	2	5	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	163	3.4	6	1	1	2	6	7	8		117	2.9	5	1	1	2	5	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1333	1.6	3	1	1	1	1	3	4	0-17	1583	1.4	2	1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1333	1.6	3	1	1	1	1	3	4		1583	1.4	2	1	1	1	1	2	3
GRAND TOTAL	1496	1.8	4	1	1	1	2	3	6		1700	1.5	2	1	1	1	1	2	4

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	0								
70-74	16	3.5	7							18-34	259	2.4	4	1	1	2	3	5	8
75-79	8	17.0								35-49	39	3.8	6						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	31	6.4	41								298	2.6	4	1	1	2	3	7	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	23	2.3	1							0-17	0								
70-74	15	13.0	154							18-34	4515	1.1		1	1	1	1	1	2
75-79	8	3.0								35-49	548	1.2		1	1	1	1	2	3
80-84	0									50-69	78	1.3	1	1	1	1	1	3	4
85 +	0									70 +	0								
SUBTOTAL	47	6.0	74	1	1	3	3	25	25		5141	1.2		1	1	1	1	1	2
GRAND TOTAL	78	6.2	60	1	1	3	6	22	25		5439	1.2	1	1	1	1	1	2	2

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	47	2.0	1	1	1	2	3	3	3	18-34	47	1.7	1	1	1	2	2	3	3
35-49	0									35-49	16	1.5							
50-69	0									50-69	8	1.0							
70 +	0									70 +	0								
SUBTOTAL	47	2.0	1	1	1	2	3	3	3		71	1.6		1	1	1	2	3	3
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	283	1.4	2	1	1	1	1	2	6	18-34	1109	1.1		1	1	1	1	1	2
35-49	31	1.3								35-49	87	1.5	2	1	1	1	1	3	5
50-69	0									50-69	8	8.0							
70 +	0									70 +	8	1.0							
SUBTOTAL	314	1.4	2	1	1	1	1	2	5		1211	1.2	1	1	1	1	1	1	2
GRAND TOTAL	361	1.5	1	1	1	1	1	3	3		1282	1.2	1	1	1	1	1	2	2

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	789	2.1	4	1	1	1	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**789**	**2.1**	**4**	**1**	**1**	**1**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	23836	1.1	1	1	1	1	1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**23836**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**0**										**24625**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	179	4.7	26	1	1	2	8	15	16	0-17	140	1.9	5	1	1	1	1	7	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**179**	**4.7**	**26**	**1**	**1**	**2**	**8**	**15**	**16**		**140**	**1.9**	**5**	**1**	**1**	**1**	**1**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3700	1.3	2	1	1	1	1	2	2	0-17	6304	1.0		1	1	1	1	1	1
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3700**	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**2**		**6304**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**3878**	**1.4**	**4**	**1**	**1**	**1**	**1**	**2**	**3**		**6444**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**

DRG 61: Myringotomy w/ Tube Insertion Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23	9.3	46							0-17	0								
70-74	16	22.5	406							18-34	16	4.0							
75-79	0									35-49	16	3.5	7						
80-84	0									50-69	8	1.0							
85 +	0									70 +	0								
SUBTOTAL	**39**	**14.7**	**228**								**39**	**3.2**	**4**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	101	1.3	1	1	1	1	1	2	4	0-17	0								
70-74	70	1.1		< 1	1	1	1	2	2	18-34	163	1.2		1	1	1	1	2	2
75-79	31	2.0	2							35-49	326	1.4	2	1	1	1	1	2	3
80-84	15	1.0								50-69	210	1.4	1	1	1	1	1	3	4
85 +	0									70 +	16	1.0							
SUBTOTAL	**217**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**4**		**715**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**256**	**3.4**	**58**	**1**	**1**	**1**	**2**	**4**	**18**		**754**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	8	24.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**8**	**24.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	85	1.2		1	1	1	1	2	2	18-34	70	1.0		< 1	1	1	1	1	1
35-49	23	1.0								35-49	55	1.4	1	1	1	1	1	4	4
50-69	0									50-69	62	1.0		< 1	1	1	1	1	1
70 +	0									70 +	15	1.0							
SUBTOTAL	**109**	**1.1**		**1**	**1**	**1**	**1**	**2**	**2**		**202**	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**109**	**1.1**		**1**	**1**	**1**	**1**	**2**	**2**		**210**	**2.0**	**19**	**1**	**1**	**1**	**1**	**1**	**4**

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	194	5.3	27	1	1	3	8	15	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	8	2.0									194	5.3	27	1	1	3	8	15	15
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1056	2.4	6	1	1	1	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										1056	2.4	6	1	1	1	3	5	7
GRAND TOTAL	8	2.0									1250	2.8	10	1	1	1	4	6	8

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	117	3.9	8	1	2	2	7	8	9	0-17	8	3.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	117	3.9	8	1	2	2	7	8	9		8	3.0							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	490	3.1	9	1	1	2	4	7	9	0-17	303	1.9	4	< 1	1	1	2	4	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	490	3.1	9	1	1	2	4	7	9		303	1.9	4	< 1	1	1	2	4	8
GRAND TOTAL	607	3.2	9	1	1	2	5	7	9		311	1.9	4	< 1	1	1	2	4	7

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	273	8.9	39	2	3	7	16	17	19		0-17	250	4.9	19	2	2	3	7	10	13
70-74	140	10.9	74	3	4	7	15	29	31		18-34	674	4.8	24	1	2	3	6	9	14
75-79	140	7.5	31	1	3	6	10	18	19		35-49	493	5.0	13	1	3	4	8	11	12
80-84	31	3.8	6								50-69	367	7.6	122	1	2	4	10	23	27
85 +	110	10.4	93	2	4	7	13	27	36		70 +	23	6.7	6						
SUBTOTAL	**694**	**9.0**	**54**	**2**	**3**	**7**	**14**	**19**	**23**			**1807**	**5.5**	**41**	**1**	**2**	**3**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	257	2.5	2	1	2	2	3	4	7		0-17	3201	2.5	4	1	1	2	3	4	5
70-74	187	4.1	33	1	1	2	4	6	18		18-34	5692	2.4	2	1	2	2	3	4	5
75-79	148	3.7	7	1	2	3	5	8	10		35-49	2987	2.5	2	1	2	2	3	4	5
80-84	94	3.3	3	2	2	3	4	5	8		50-69	1433	2.5	5	1	1	2	3	5	7
85 +	47	4.0	5	1	2	4	6	7	7		70 +	16	6.0	1						
SUBTOTAL	**733**	**3.4**	**12**	**1**	**2**	**2**	**4**	**7**	**8**			**13329**	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1428**	**6.1**	**40**	**1**	**2**	**4**	**7**	**16**	**19**			**15136**	**2.8**	**8**	**1**	**2**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	47	14.1	178	2	2	8	27	37	37		0-17	78	11.5	126	2	4	9	12	30	41
18-34	179	8.3	57	3	3	5	11	18	18		18-34	306	4.6	10	1	2	4	7	8	12
35-49	86	8.5	67	3	4	5	9	21	29		35-49	109	5.3	10	3	3	4	6	8	15
50-69	70	12.9	74	1	6	15	18	28	28		50-69	78	8.0	80	1	3	5	8	22	33
70 +	0										70 +	39	8.2	19						
SUBTOTAL	**382**	**9.9**	**82**	**2**	**3**	**7**	**15**	**27**	**29**			**610**	**6.3**	**40**	**1**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	373	3.4	7	1	2	3	4	7	9		0-17	493	2.4	2	1	1	2	3	4	5
18-34	398	3.1	6	1	2	3	4	7	8		18-34	1433	2.4	4	1	1	2	3	4	5
35-49	132	3.2	7	1	2	2	4	5	12		35-49	485	2.0	1	1	1	2	3	3	4
50-69	39	3.0	7								50-69	149	2.4	8	< 1	1	1	2	5	13
70 +	0										70 +	16	5.5	22						
SUBTOTAL	**942**	**3.3**	**6**	**1**	**2**	**3**	**4**	**7**	**9**			**2576**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1323**	**5.2**	**37**	**1**	**2**	**3**	**5**	**12**	**18**			**3187**	**3.1**	**13**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 64: Ear, Nose, Mouth & Throat Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	296	9.0	55	2	3	7	12	20	28	0-17	85	6.1	52	2	2	4	7	9	28
70-74	187	12.6	184	3	6	9	14	20	31	18-34	8	7.0							
75-79	109	10.2	108	1	2	7	19	23	37	35-49	78	7.1	10	2	4	8	9	11	11
80-84	39	8.0	36							50-69	281	11.1	109	2	3	9	15	27	39
85 +	55	5.7	15	1	2	5	10	12	12	70 +	0								
SUBTOTAL	**687**	**9.8**	**98**	**2**	**3**	**7**	**12**	**20**	**28**		**452**	**9.4**	**84**	**2**	**3**	**7**	**11**	**18**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	101	3.8	6	1	2	3	6	7	8	0-17	31	2.3	1						
70-74	62	7.1	18	1	6	8	10	14	14	18-34	15	2.5	2						
75-79	24	2.7	2							35-49	55	7.3	29	1	2	6	14	16	16
80-84	0									50-69	211	5.2	19	1	1	5	6	12	15
85 +	32	2.7	4							70 +	8	3.0							
SUBTOTAL	**218**	**4.5**	**12**	**1**	**1**	**3**	**7**	**9**	**11**		**320**	**5.1**	**19**	**1**	**2**	**4**	**6**	**13**	**15**
GRAND TOTAL	**905**	**8.5**	**82**	**1**	**3**	**7**	**11**	**18**	**26**		**772**	**7.6**	**62**	**1**	**2**	**5**	**10**	**16**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	8.0	38							0-17	8	8.0							
18-34	0									18-34	15	4.0	4						
35-49	62	12.9	132	2	4	6	25	31	31	35-49	39	3.8	12						
50-69	178	14.2	187	4	5	8	19	36	38	50-69	63	11.0	150	1	5	7	11	42	42
70 +	0									70 +	16	2.0	1						
SUBTOTAL	**256**	**13.5**	**167**	**2**	**5**	**7**	**19**	**33**	**38**		**141**	**7.1**	**84**	**1**	**2**	**5**	**8**	**12**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	2.0								0-17	0								
18-34	8	7.0								18-34	8	1.0							
35-49	24	3.0	1							35-49	15	1.5							
50-69	101	9.5	133	2	3	5	9	27	42	50-69	39	3.2	9						
70 +	0									70 +	16	4.5	13						
SUBTOTAL	**140**	**7.9**	**104**	**2**	**3**	**4**	**7**	**27**	**42**		**78**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**9**	**9**
GRAND TOTAL	**397**	**11.5**	**151**	**2**	**3**	**6**	**15**	**32**	**38**		**219**	**5.6**	**61**	**1**	**1**	**3**	**8**	**10**	**12**

DRG 65: Dysequilibrium

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	951	4.1	6	2	2	3	6	8	9
70-74	858	4.3	7	2	2	3	6	8	9
75-79	874	4.6	13	2	2	4	6	8	10
80-84	802	4.2	11	2	2	3	5	7	11
85+	471	4.4	6	2	3	4	6	8	9
SUBTOTAL	**3956**	**4.3**	**9**	**2**	**2**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1384	3.5	8	1	2	3	5	6	7
70-74	850	3.2	3	1	2	3	4	6	7
75-79	919	3.3	8	1	2	3	4	6	8
80-84	645	3.9	6	2	2	3	5	7	8
85+	275	3.5	4	2	2	3	5	6	8
SUBTOTAL	**4073**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**8029**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	7.4	32						
18-34	157	3.6	3	2	2	4	5	6	7
35-49	480	4.1	7	1	2	3	6	8	10
50-69	1070	3.5	6	1	2	3	5	6	7
70+	86	4.1	2	2	3	4	5	6	7
	1809	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	141	3.1	5	1	2	2	5	6	10
18-34	496	2.5	2	1	1	2	3	4	5
35-49	1180	2.7	3	1	2	2	3	5	6
50-69	2311	2.8	4	1	2	2	3	5	6
70+	95	2.2	2	1	1	2	3	4	5
	4222	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	6032	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	5.0							
35-49	39	5.6	4						
50-69	94	3.3	2	2	2	3	5	5	5
70+	16	5.5	2						
SUBTOTAL	**157**	**4.2**	**3**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	3.0	1						
18-34	70	8.9	234	2	3	4	5	52	52
35-49	78	4.6	6	< 1	2	5	7	8	8
50-69	87	3.2	2	2	2	3	5	5	5
70+	8	2.0							
SUBTOTAL	**259**	**5.1**	**71**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**416**	**4.8**	**46**	**2**	**2**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	55	3.7	7	2	2	3	3	10	10
35-49	55	2.6	3	< 1	1	2	4	5	5
50-69	149	3.4	7	1	2	2	5	6	12
70+	166	2.4	4	< 1	1	2	3	3	7
	425	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**9**
0-17	23	2.3	2						
18-34	157	2.1	1	1	1	2	2	4	5
35-49	267	2.6	2	1	1	2	4	5	6
50-69	369	2.4	2	1	1	2	3	5	5
70+	267	2.4	3	1	1	2	3	4	8
	1083	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	1509	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	393	3.6	4	1	2	3	5	6	7
70-74	274	5.0	8	2	3	4	7	9	10
75-79	322	4.4	11	1	2	4	5	9	12
80-84	189	4.8	7	2	3	4	7	8	11
85 +	188	4.7	9	2	3	4	7	10	10
SUBTOTAL	**1366**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	314	3.0	5	1	2	3	3	6	8
70-74	252	3.6	4	1	2	3	5	6	7
75-79	259	3.5	5	1	2	3	4	7	8
80-84	173	2.4	1	1	2	2	3	4	4
85 +	150	3.3	3	1	2	3	5	6	7
SUBTOTAL	**1147**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2513**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	3.5	2	1	2	4	5	5	5
18-34	55	2.4	2	< 1	1	2	4	5	5
35-49	126	3.4	3	1	2	3	4	6	8
50-69	370	4.3	23	1	2	3	6	7	10
70 +	24	2.0	2						
	652	**3.8**	**14**	**1**	**2**	**3**	**5**	**6**	**7**
0-17	23	1.7	1						
18-34	188	3.1	3	1	2	3	4	6	7
35-49	407	3.2	3	1	2	3	4	5	7
50-69	534	3.2	3	1	2	3	4	6	7
70 +	8	4.0							
	1161	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
	1812	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	3.1	4	1	1	3	5	6	6
18-34	0								
35-49	63	9.7	104	2	3	6	10	35	35
50-69	31	4.0	10						
70 +	0								
SUBTOTAL	**141**	**6.2**	**59**	**1**	**2**	**4**	**7**	**11**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.5							
18-34	32	2.5	1						
35-49	15	1.5							
50-69	16	4.0	1						
70 +	0								
SUBTOTAL	**79**	**2.6**	**1**	**1**	**2**	**3**	**3**	**5**	**5**
GRAND TOTAL	**220**	**4.9**	**41**	**1**	**2**	**3**	**5**	**10**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	2.3	2						
18-34	8	2.0							
35-49	70	9.6	373	1	2	3	4	64	64
50-69	78	2.7	3	1	1	2	4	6	7
70 +	31	4.5	7						
	211	**5.2**	**136**	**1**	**2**	**2**	**4**	**7**	**8**
0-17	16	3.0	4						
18-34	39	2.8	2						
35-49	78	2.5	2	1	1	2	3	5	5
50-69	196	3.5	2	2	2	3	5	5	6
70 +	32	1.5	1						
	360	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**5**
	571	**3.8**	**53**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 67: Epiglottitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	24	13.0	20							0-17	94	5.2	5	3	4	5	7	8	10
70-74	8	9.0								18-34	15	5.0	4						
75-79	8	25.0								35-49	78	4.5	5	2	3	3	7	8	9
80-84	0									50-69	24	4.0	1						
85 +	8	2.0								70 +	0								
SUBTOTAL	**47**	**12.5**	**57**	**2**	**9**	**10**	**19**	**25**	**25**		**211**	**4.8**	**5**	**3**	**3**	**4**	**7**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	3.4	2							0-17	273	4.8	11	1	3	5	6	7	8
70-74	24	6.4	23							18-34	95	2.3	1	1	1	2	3	3	4
75-79	0									35-49	79	3.6	2	2	3	3	4	6	7
80-84	0									50-69	63	4.0	3	2	2	4	5	7	7
85 +	8	6.0								70 +	0								
SUBTOTAL	**71**	**4.7**	**11**	**2**	**3**	**3**	**5**	**13**	**13**		**509**	**4.1**	**8**	**1**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**118**	**7.8**	**44**	**2**	**3**	**5**	**11**	**19**	**25**		**720**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	8.7	49	3	5	6	10	26	26	0-17	54	5.1	2	4	4	5	5	8	8
18-34	8	9.0								18-34	16	5.0	4						
35-49	8	3.0								35-49	15	4.0	1						
50-69	0									50-69	8	5.0							
70 +	0									70 +	0								
SUBTOTAL	**78**	**8.2**	**42**	**3**	**5**	**6**	**9**	**21**	**26**		**93**	**4.9**	**2**	**3**	**4**	**5**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	71	3.9	6	1	2	4	5	9	9	0-17	85	5.0	2	3	4	5	6	7	8
18-34	47	3.7	2	2	3	4	4	6	6	18-34	94	3.3	2	2	2	3	5	5	6
35-49	8	3.0								35-49	70	2.7	2	1	2	3	3	5	5
50-69	8	2.0								50-69	24	6.7	37						
70 +	0									70 +	0								
SUBTOTAL	**133**	**3.6**	**4**	**1**	**2**	**3**	**5**	**6**	**9**		**273**	**4.0**	**7**	**2**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**211**	**5.3**	**23**	**2**	**3**	**4**	**6**	**9**	**11**		**366**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

DRG 68: Otitis Media & URI Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	918	4.4	6	2	3	4	6	8	9
70-74	574	5.9	25	2	3	5	7	11	13
75-79	583	5.6	15	2	3	4	8	11	14
80-84	503	5.5	15	3	3	5	7	8	11
85 +	497	6.7	40	2	3	6	8	11	14
SUBTOTAL	**3074**	**5.5**	**19**	**2**	**3**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3074**	**5.5**	**19**	**2**	**3**	**4**	**7**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1946	3.4	5	2	2	3	4	5	7
35-49	923	3.7	6	2	2	3	4	7	9
50-69	802	4.8	6	2	3	4	6	8	9
70 +	31	5.3	5						
	3702	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3702	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	573	3.3	3	1	2	3	4	6	7
35-49	180	4.8	32	1	2	4	5	8	9
50-69	133	7.3	33	1	3	5	10	20	20
70 +	8	14.0							
SUBTOTAL	**895**	**4.3**	**16**	**1**	**2**	**3**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**895**	**4.3**	**16**	**1**	**2**	**3**	**5**	**7**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	471	3.1	8	1	2	3	3	5	6
35-49	173	4.1	9	2	2	4	5	6	7
50-69	221	4.2	7	1	2	3	7	8	9
70 +	87	3.7	2	2	2	4	5	6	6
	951	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	951	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 69: Otitis Media & URI Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	417	3.7	5	1	2	4	5	6	8
70-74	142	5.0	17	2	2	4	5	15	16
75-79	196	4.1	6	1	2	3	6	8	8
80-84	134	4.7	6	1	3	5	6	8	10
85 +	118	4.5	7	1	2	4	6	9	10
SUBTOTAL	**1008**	**4.2**	**7**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**1008**	**4.2**	**7**	**1**	**2**	**4**	**5**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2918	2.9	3	1	2	3	4	5	6
35-49	1470	3.2	4	1	2	3	4	6	7
50-69	874	3.5	5	1	2	3	5	6	8
70 +	24	4.0	2						
	5286	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
	5286	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	669	3.7	25	1	2	3	4	5	8
35-49	111	3.6	3	2	3	3	4	5	9
50-69	78	3.6	3	1	2	3	5	7	7
70 +	0								
SUBTOTAL	**858**	**3.7**	**20**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**858**	**3.7**	**20**	**1**	**2**	**3**	**4**	**6**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	857	2.7	1	1	2	3	3	4	5
35-49	298	3.1	5	1	2	2	4	5	7
50-69	94	3.3	4	1	2	3	4	7	8
70 +	32	3.5	3						
	1281	**2.8**	**3**	**1**	**2**	**3**	**3**	**5**	**5**
	1281	**2.8**	**3**	**1**	**2**	**3**	**3**	**5**	**5**

DRG 70: Otitis Media & URI Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	39	3.0	5							0-17	5906	3.0	4	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**39**	**3.0**	**5**								**5906**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	24	2.7	2							0-17	9767	2.8	4	1	2	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**24**	**2.7**	**2**								**9767**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**63**	**2.9**	**3**	**1**	**1**	**2**	**4**	**7**	**7**		**15672**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3619	3.5	10	1	2	3	4	6	7	0-17	1711	2.9	5	1	2	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3619**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**7**		**1711**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6490	2.9	3	1	2	2	3	5	6	0-17	3753	2.6	3	1	2	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6490**	**2.9**	**3**	**1**	**2**	**2**	**3**	**5**	**6**		**3753**	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**10109**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**		**5464**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	729	3.5	21	1	2	2	3	6	8
70-74	8	13.0								18-34	8	8.0							
75-79	0									35-49	16	4.5	2						
80-84	0									50-69	8	4.0							
85 +	0									70 +	0								
SUBTOTAL	**8**	**13.0**									**760**	**3.6**	**20**	**1**	**2**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	1.5								0-17	6457	2.1	2	1	1	2	3	4	5
70-74	8	6.0								18-34	23	1.7	1						
75-79	8	3.0								35-49	23	3.0	2						
80-84	0									50-69	31	7.8	62						
85 +	0									70 +	0								
SUBTOTAL	**32**	**3.0**	**4**								**6535**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**39**	**5.0**	**19**								**7295**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	38	4.6	20	1	2	3	6	9	13	0-17	187	3.5	7	1	2	3	5	7	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**383**	**4.6**	**20**	**1**	**2**	**3**	**6**	**9**	**13**		**187**	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2066	2.6	3	1	1	2	3	5	6	0-17	1793	2.1	2	1	1	2	2	4	5
18-34	16	4.0	1							18-34	8	3.0							
35-49	0									35-49	8	4.0							
50-69	8	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2090**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**1809**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**2473**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**		**1995**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 72: Nasal Trauma & Deformity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	8	4.0								0-17	47	2.2	2	< 1	1	2	2	5	5
70-74	8	2.0								18-34	110	2.4	2	1	1	2	3	5	6
75-79	16	3.0	4							35-49	24	2.3	2						
80-84	24	7.9	26							50-69	24	3.3	2						
85 +	47	4.5	3	1	4	5	6	6	6	70 +	8	2.0							
SUBTOTAL	**102**	**4.8**	**11**	**1**	**4**	**5**	**5**	**6**	**15**		**212**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	47	2.3	1	1	2	2	3	4	4	0-17	109	1.4	1	< 1	1	1	1	2	5
70-74	31	5.0	6							18-34	102	6.6	226	1	1	2	3	6	58
75-79	24	1.7								35-49	118	2.6	9	< 1	1	1	3	5	13
80-84	16	2.5	2							50-69	32	2.7	2						
85 +	24	4.6	3							70 +	24	3.7	3						
SUBTOTAL	**142**	**3.2**	**4**	**1**	**2**	**3**	**4**	**7**	**7**		**385**	**3.4**	**67**	**< 1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**244**	**3.9**	**8**	**1**	**2**	**4**	**5**	**6**	**7**		**597**	**3.0**	**44**	**< 1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	8	4.0								0-17	16	1.5							
18-34	24	1.3								18-34	55	3.9	8	1	2	3	7	9	9
35-49	15	2.5								35-49	8	1.0							
50-69	8	1.0								50-69	0								
70 +	0									70 +	16	1.5							
SUBTOTAL	**55**	**2.0**	**1**	**< 1**	**1**	**2**	**3**	**4**	**4**		**94**	**2.8**	**6**	**1**	**1**	**2**	**3**	**7**	**9**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	23	1.7	1							0-17	39	2.0	2						
18-34	23	2.0	1							18-34	39	2.2	2						
35-49	16	1.0								35-49	16	1.5							
50-69	0									50-69	8	4.0							
70 +	0									70 +	0								
SUBTOTAL	**62**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**		**102**	**2.1**	**2**	**< 1**	**1**	**2**	**2**	**5**	**5**
GRAND TOTAL	**117**	**1.8**	**1**	**< 1**	**1**	**1**	**3**	**3**	**4**		**196**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	236	6.6	44	1	2	5	9	13	20	0-17	0								
70-74	188	9.0	53	2	3	6	11	17	28	18-34	274	4.6	16	1	3	4	6	8	10
75-79	188	6.7	31	2	3	6	8	12	16	35-49	172	5.5	13	2	3	5	6	9	11
80-84	102	13.1	187	2	3	8	19	37	42	50-69	337	4.4	6	1	3	4	6	8	8
85 +	251	9.7	82	3	4	7	11	24	31	70 +	8	1.0							
SUBTOTAL	**966**	**8.6**	**72**	**2**	**3**	**6**	**10**	**19**	**28**		**792**	**4.7**	**11**	**1**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	173	4.6	9	1	2	4	7	8	10	0-17	0								
70-74	101	4.3	5	1	2	4	6	7	8	18-34	556	3.7	8	1	2	3	5	6	8
75-79	157	3.5	7	1	1	3	6	8	9	35-49	401	2.8	4	1	1	2	4	5	7
80-84	63	3.5	12	1	1	3	4	12	12	50-69	455	2.9	4	1	1	3	4	5	7
85 +	63	4.5	7	1	2	4	7	8	8	70 +	8	2.0							
SUBTOTAL	**557**	**4.1**	**8**	**1**	**2**	**3**	**7**	**8**	**9**		**1419**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1523**	**7.0**	**53**	**1**	**2**	**5**	**8**	**14**	**27**		**2211**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	78	7.7	34	2	3	5	10	19	19	18-34	55	2.9	2	< 1	1	3	4	5	5
35-49	71	4.7	7	1	3	4	7	8	8	35-49	62	2.8	2	1	2	2	4	5	5
50-69	31	3.0	1							50-69	47	4.1	9	< 1	2	3	5	10	10
70 +	8	3.0								70 +	55	5.4	44	1	1	4	5	21	21
SUBTOTAL	**188**	**5.6**	**20**	**2**	**3**	**4**	**7**	**10**	**18**		**220**	**3.8**	**15**	**1**	**1**	**3**	**5**	**5**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	78	4.3	8	1	3	3	6	9	9	18-34	172	3.8	12	1	1	3	4	7	7
35-49	47	2.5	3	1	2	2	2	6	6	35-49	71	3.3	2	< 1	2	3	5	5	5
50-69	16	2.5	2							50-69	86	2.8	2	1	1	3	4	4	5
70 +	0									70 +	16	7.5	2						
SUBTOTAL	**141**	**3.5**	**6**	**1**	**2**	**3**	**5**	**9**	**9**		**345**	**3.6**	**8**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**329**	**4.7**	**15**	**1**	**2**	**3**	**6**	**9**	**10**		**565**	**3.7**	**11**	**1**	**2**	**3**	**5**	**6**	**9**

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	412	6.2	72	1	2	3	6	16	29	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**412**	**6.2**	**72**	**1**	**2**	**3**	**6**	**16**	**29**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	2180	2.5	6	< 1	1	2	3	5	6	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**2180**	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**5**	**6**	
GRAND TOTAL	**0**										**2593**	**3.1**	**18**	**1**	**1**	**2**	**3**	**6**	**8**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	194	6.4	54	1	2	5	8	21	35	0-17	179	4.4	67	1	1	2	3	6	13	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**194**	**6.4**	**54**	**1**	**2**	**5**	**8**	**21**	**35**		**179**	**4.4**	**67**	**1**	**1**	**2**	**3**	**6**	**13**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	1332	3.3	30	1	1	2	4	7	8	0-17	740	2.6	6	1	1	2	3	6	7	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**1332**	**3.3**	**30**	**1**	**1**	**2**	**4**	**7**	**8**		**740**	**2.6**	**6**	**1**	**1**	**2**	**3**	**6**	**7**	
GRAND TOTAL	**1526**	**3.7**	**34**	**1**	**1**	**2**	**4**	**7**	**10**		**919**	**3.0**	**19**	**1**	**1**	**2**	**3**	**6**	**8**	

DRG 75: Major Chest Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2248	13.5	99	6	8	10	15	24	33	0-17	435	12.9	132	4	5	10	19	35	55
70-74	1485	14.4	69	7	9	12	17	28	32	18-34	469	13.9	109	4	7	11	17	28	31
75-79	719	14.9	98	7	8	11	20	29	38	35-49	891	12.8	87	5	7	10	15	24	28
80-84	313	15.1	102	7	9	11	20	24	35	50-69	3470	12.1	59	6	8	10	14	22	27
85 +	55	21.2	115	9	15	16	32	42	42	70 +	109	15.3	31	8	12	14	18	24	29
SUBTOTAL	**4821**	**14.2**	**91**	**7**	**8**	**11**	**17**	**27**	**34**		**5375**	**12.5**	**74**	**5**	**7**	**10**	**15**	**24**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	485	10.2	27	5	7	9	12	16	21	0-17	814	4.6	13	2	3	4	5	7	9
70-74	437	8.9	20	5	7	8	10	14	16	18-34	594	7.6	15	4	5	7	10	13	15
75-79	265	10.2	48	6	7	8	11	14	19	35-49	625	8.7	42	5	5	7	8	16	26
80-84	110	11.3	44	6	7	9	11	26	26	50-69	1647	8.4	20	5	6	7	10	14	18
85 +	39	9.4	1							70 +	31	7.8	5						
SUBTOTAL	**1336**	**9.9**	**30**	**5**	**7**	**9**	**11**	**15**	**21**		**3711**	**7.5**	**24**	**3**	**5**	**6**	**9**	**13**	**17**
GRAND TOTAL	**6156**	**13.2**	**81**	**6**	**8**	**10**	**15**	**24**	**32**		**9087**	**10.4**	**59**	**4**	**6**	**8**	**12**	**19**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	147	14.4	144	5	8	10	17	48	84	0-17	62	16.9	104	3	8	15	25	34	34
18-34	140	8.2	7	5	6	8	11	14	99 +	18-34	125	11.1	31	6	7	9	15	20	23
35-49	116	18.8	200	5	8	14	36	40	51	35-49	306	10.2	113	5	6	7	11	16	20
50-69	219	16.8	82	7	11	15	19	30	34	50-69	672	11.9	85	4	7	8	14	25	29
70 +	0									70 +	243	10.9	40	5	8	9	14	19	24
SUBTOTAL	**623**	**14.7**	**116**	**6**	**8**	**12**	**17**	**36**	**46**		**1408**	**11.5**	**81**	**5**	**7**	**8**	**14**	**22**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	170	9.4	85	1	3	5	13	21	30	0-17	139	6.3	13	3	4	6	7	12	17
18-34	133	8.1	19	4	5	6	8	16	19	18-34	235	7.4	9	4	5	7	9	11	13
35-49	70	7.7	5	5	6	7	8	13	13	35-49	211	6.8	9	3	5	6	7	11	12
50-69	86	9.2	5	7	8	9	9	11	15	50-69	273	6.6	7	4	5	7	8	10	11
70 +	0									70 +	86	9.1	39	4	5	6	12	17	25
SUBTOTAL	**459**	**8.7**	**39**	**3**	**5**	**7**	**9**	**18**	**21**		**945**	**7.0**	**12**	**4**	**5**	**6**	**8**	**11**	**14**
GRAND TOTAL	**1082**	**12.1**	**92**	**4**	**6**	**9**	**15**	**28**	**36**		**2353**	**9.7**	**58**	**4**	**6**	**7**	**11**	**19**	**24**

DRG 76: Other Resp System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2090	13.3	105	4	7	11	17	26	36
70-74	1553	12.9	85	3	7	11	15	26	30
75-79	1232	14.6	141	4	8	12	18	26	44
80-84	739	15.7	107	5	8	14	21	28	34
85 +	487	17.3	168	5	10	14	21	28	44
SUBTOTAL	**6100**	**14.1**	**114**	**4**	**7**	**12**	**18**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	6100	14.1	114	4	7	12	18	27	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	209	9.7	47	2	5	9	13	20	27
18-34	367	12.1	102	3	5	9	16	28	30
35-49	697	11.6	113	2	4	9	14	24	36
50-69	2491	12.2	102	3	6	10	16	23	29
70 +	86	14.2	111	6	7	12	20	27	40
	3851	**12.0**	**102**	**2**	**6**	**9**	**15**	**23**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3851	12.0	102	2	6	9	15	23	29

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	85	11.3	126	2	2	9	16	24	40
18-34	141	17.7	441	3	6	9	20	67	76
35-49	140	15.1	125	2	7	12	18	35	43
50-69	227	15.5	118	2	8	13	21	31	38
70 +	16	7.5	13						
SUBTOTAL	**609**	**15.1**	**197**	**2**	**6**	**11**	**18**	**35**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	609	15.1	197	2	6	11	18	35	43

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	8.7	14						
18-34	110	16.6	182	6	7	12	20	33	55
35-49	180	10.1	110	1	3	6	15	26	34
50-69	346	9.5	55	1	4	8	13	21	23
70 +	180	9.2	63	1	1	9	13	22	27
	840	**10.5**	**90**	**1**	**4**	**9**	**13**	**23**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	840	10.5	90	1	4	9	13	23	28

DRG 77: Other Resp System O.R. Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	360	6.8	44	1	2	5	10	14	20	0-17	302	3.8	12	1	1	2	4	10	12	
70-74	219	7.0	27	1	2	8	11	14	17	18-34	204	3.6	16	1	1	2	4	10	13	
75-79	180	6.6	42	1	2	3	11	13	15	35-49	345	5.9	26	1	2	4	8	14	15	
80-84	101	9.6	56	1	4	7	13	22	25	50-69	649	7.0	37	1	2	6	11	15	17	
85 +	39	18.3	471							70 +	0									
SUBTOTAL	**900**	**7.6**	**65**	**1**	**2**	**6**	**11**	**14**	**22**		**1501**	**5.7**	**29**	**1**	**1**	**3**	**8**	**14**	**16**	
GRAND TOTAL	**900**	**7.6**	**65**	**1**	**2**	**6**	**11**	**14**	**22**		**1501**	**5.7**	**29**	**1**	**1**	**3**	**8**	**14**	**16**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	201	3.5	7	1	2	3	4	8	8	0-17	62	3.4	2	2	2	3	4	6	6	
18-34	62	3.4	25	< 1	1	1	4	16	16	18-34	39	5.2	31							
35-49	47	7.0	67	1	1	3	9	24	24	35-49	78	7.5	50	1	3	5	10	21	22	
50-69	8	14.0								50-69	94	7.4	70	1	2	5	10	12	32	
70 +	0									70 +	47	5.2	19	1	1	5	11	11	11	
SUBTOTAL	**319**	**4.3**	**23**	**1**	**1**	**3**	**5**	**11**	**15**		**321**	**6.1**	**42**	**1**	**2**	**4**	**7**	**13**	**20**	
GRAND TOTAL	**319**	**4.3**	**23**	**1**	**1**	**3**	**5**	**11**	**15**		**321**	**6.1**	**42**	**1**	**2**	**4**	**7**	**13**	**20**	

DRG 78: Pulmonary Embolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1481	10.7	30	6	8	9	12	18	23
70-74	1084	11.9	37	7	8	10	14	18	23
75-79	1091	13.1	60	7	8	11	15	22	29
80-84	659	11.6	17	7	9	11	14	17	18
85 +	628	11.6	30	7	8	11	13	17	21
SUBTOTAL	**4944**	**11.7**	**37**	**7**	**8**	**10**	**14**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	385	8.1	8	5	7	8	9	12	13
70-74	432	8.6	12	5	6	8	11	13	15
75-79	338	10.2	11	6	8	10	12	15	16
80-84	236	8.4	17	3	6	8	10	13	13
85 +	157	9.2	14	4	6	9	12	14	16
SUBTOTAL	**1548**	**8.9**	**12**	**5**	**7**	**8**	**11**	**13**	**15**
GRAND TOTAL	**6491**	**11.0**	**33**	**6**	**8**	**10**	**13**	**18**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	8	12.0							
18-34	220	9.1	33	6	6	8	10	13	14
35-49	526	9.8	19	4	7	10	12	14	15
50-69	1294	10.3	15	6	8	10	12	15	18
70 +	55	12.3	10	8	9	12	14	18	18
SUBTOTAL	**2102**	**10.1**	**18**	**6**	**7**	**10**	**12**	**15**	**18**
2.PATIENTS W/OUT CCs									
0-17	47	7.3	1	6	6	7	8	9	9
18-34	251	7.6	13	4	6	7	9	10	12
35-49	518	7.8	7	4	6	8	9	11	11
50-69	808	7.9	8	5	6	8	10	11	13
70 +	23	8.0	3						
SUBTOTAL	**1647**	**7.8**	**8**	**4**	**6**	**8**	**10**	**11**	**12**
GRAND TOTAL	**3749**	**9.1**	**15**	**5**	**7**	**9**	**11**	**13**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	4.0	2						
18-34	62	8.9	7	5	7	8	10	15	15
35-49	94	9.4	18	4	6	9	12	13	19
50-69	172	11.0	23	6	7	11	13	18	19
70 +	23	12.3	2						
SUBTOTAL	**376**	**9.9**	**20**	**4**	**7**	**9**	**12**	**17**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	165	8.5	9	6	7	8	11	12	13
35-49	32	12.3	13						
50-69	16	8.0	17						
70 +	8	14.0							
SUBTOTAL	**220**	**9.2**	**12**	**4**	**7**	**9**	**12**	**14**	**15**
GRAND TOTAL	**595**	**9.7**	**17**	**4**	**7**	**9**	**12**	**15**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	8	6.0							
18-34	71	11.3	49	3	6	9	13	26	26
35-49	86	9.3	25	6	6	7	13	16	21
50-69	196	11.5	19	7	8	10	14	19	21
70 +	148	10.4	23	6	7	8	14	20	22
SUBTOTAL	**509**	**10.7**	**26**	**6**	**7**	**9**	**14**	**20**	**21**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	125	7.1	12	3	5	7	8	13	14
35-49	126	6.9	2	5	6	7	8	9	9
50-69	102	10.8	43	6	7	9	10	25	25
70 +	47	6.8	7	3	4	7	9	10	10
SUBTOTAL	**400**	**8.0**	**19**	**4**	**6**	**7**	**9**	**12**	**15**
GRAND TOTAL	**908**	**9.5**	**25**	**5**	**7**	**8**	**11**	**16**	**21**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3697	11.8	66	4	6	10	15	22	30
70-74	2931	12.5	58	5	7	11	15	21	28
75-79	3370	13.3	94	5	7	11	17	24	30
80-84	3073	12.2	70	5	7	10	15	22	28
85 +	4724	11.7	52	5	7	10	15	21	27
SUBTOTAL	**17795**	**12.2**	**68**	**5**	**7**	**10**	**15**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17795**	**12.2**	**68**	**5**	**7**	**10**	**15**	**22**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	909	12.4	57	3	6	12	15	23	24
35-49	836	11.5	69	3	6	9	15	21	29
50-69	1506	11.7	64	5	7	10	14	23	29
70 +	149	12.3	87	5	7	10	13	35	38
	3400	**11.9**	**64**	**4**	**6**	**10**	**15**	**23**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3400	**11.9**	**64**	**4**	**6**	**10**	**15**	**23**	**29**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	754	12.1	47	4	7	11	15	23	28
35-49	420	13.7	218	4	6	10	15	24	32
50-69	470	14.3	146	5	7	9	17	33	45
70 +	47	13.6	94	4	7	9	20	32	32
SUBTOTAL	**1692**	**13.2**	**119**	**5**	**7**	**10**	**15**	**24**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1692**	**13.2**	**119**	**5**	**7**	**10**	**15**	**24**	**32**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	164	11.2	46	5	6	9	15	21	26
35-49	297	10.9	35	4	7	10	13	21	23
50-69	376	12.1	99	3	5	9	17	25	35
70 +	259	11.2	75	5	6	8	14	20	35
	1097	**11.4**	**68**	**4**	**6**	**9**	**15**	**22**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1097	**11.4**	**68**	**4**	**6**	**9**	**15**	**22**	**26**

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	471	8.1	30	3	5	7	10	15	22	0-17	0								
70-74	251	7.7	21	4	5	6	10	12	15	18-34	275	10.1	78	3	4	7	13	20	23
75-79	386	9.0	28	3	5	7	12	16	22	35-49	283	7.4	24	3	4	6	9	14	22
80-84	299	6.8	9	4	5	6	8	11	13	50-69	385	7.5	70	3	4	6	8	10	23
85 +	480	7.4	27	2	4	6	9	14	16	70 +	16	8.0	1						
SUBTOTAL	**1888**	**7.9**	**25**	**3**	**5**	**6**	**10**	**14**	**17**		**958**	**8.2**	**59**	**3**	**4**	**6**	**9**	**18**	**22**
GRAND TOTAL	**1888**	**7.9**	**25**	**3**	**5**	**6**	**10**	**14**	**17**		**958**	**8.2**	**59**	**3**	**4**	**6**	**9**	**18**	**22**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	117	6.1	15	2	3	5	10	13	14	18-34	180	5.8	13	2	3	5	7	12	13
35-49	70	10.9	37	3	6	13	14	23	23	35-49	94	8.6	22	3	5	8	12	13	19
50-69	62	7.6	5	4	6	8	10	11	11	50-69	71	11.5	125	2	5	9	18	70	99 +
70 +	0									70 +	78	10.0	9	6	8	9	13	14	15
SUBTOTAL	**250**	**7.9**	**22**	**3**	**4**	**7**	**11**	**14**	**14**		**423**	**8.2**	**38**	**3**	**4**	**7**	**12**	**14**	**19**
GRAND TOTAL	**250**	**7.9**	**22**	**3**	**4**	**7**	**11**	**14**	**14**		**423**	**8.2**	**38**	**3**	**4**	**7**	**12**	**14**	**19**

DRG 81: Respiratory Infections & Inflammations Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	15.0								0-17	1225	10.6	32	4	6	10	14	17	19
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**15.0**									**1225**	**10.6**	**32**	**4**	**6**	**10**	**14**	**17**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	579	5.8	17	2	3	5	8	11	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**579**	**5.8**	**17**	**2**	**3**	**5**	**8**	**11**	**15**
GRAND TOTAL	**8**	**15.0**									**1804**	**9.0**	**32**	**2**	**4**	**8**	**14**	**16**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	739	9.5	29	3	5	9	14	15	19	0-17	132	8.9	35	2	4	8	14	17	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**739**	**9.5**	**29**	**3**	**5**	**9**	**14**	**15**	**19**		**132**	**8.9**	**35**	**2**	**4**	**8**	**14**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	413	4.4	20	1	2	3	5	7	13	0-17	179	4.9	20	< 1	2	3	8	14	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**413**	**4.4**	**20**	**1**	**2**	**3**	**5**	**7**	**13**		**179**	**4.9**	**20**	**< 1**	**2**	**3**	**8**	**14**	**14**
GRAND TOTAL	**1153**	**7.7**	**32**	**2**	**3**	**5**	**12**	**14**	**17**		**311**	**6.6**	**30**	**1**	**2**	**5**	**10**	**15**	**17**

DRG 82: Respiratory Neoplasms

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3636	10.2	72	3	5	8	13	20	26	0-17	46	5.0	2	3	4	5	7	7	7
70-74	2785	10.2	74	3	5	8	13	21	26	18-34	39	8.4	44						
75-79	2075	10.4	69	4	5	8	13	22	27	35-49	857	6.9	23	2	3	6	9	13	15
80-84	1248	8.7	38	3	4	7	12	16	21	50-69	4329	8.7	42	2	4	7	11	17	23
85 +	596	11.0	52	3	5	9	15	23	26	70 +	181	8.1	46	2	3	5	11	19	22
SUBTOTAL	**10340**	**10.1**	**67**	**3**	**5**	**8**	**13**	**21**	**26**		**5452**	**8.4**	**39**	**2**	**4**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	485	6.6	27	2	3	5	9	15	18	0-17	62	2.4	1	1	2	2	3	4	4
70-74	375	6.1	22	2	3	5	8	12	17	18-34	39	2.2	1						
75-79	337	7.3	31	2	3	6	9	13	18	35-49	164	6.0	50	1	3	4	7	8	17
80-84	195	7.1	45	1	3	6	8	13	17	50-69	1017	5.0	19	1	2	4	6	11	14
85 +	133	6.9	27	2	3	5	9	18	20	70 +	23	4.0	9						
SUBTOTAL	**1526**	**6.7**	**29**	**2**	**3**	**5**	**8**	**13**	**18**		**1305**	**4.9**	**22**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**11865**	**9.7**	**63**	**3**	**4**	**8**	**12**	**19**	**24**		**6757**	**7.7**	**38**	**2**	**3**	**6**	**10**	**15**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	2.5	2							0-17	0								
18-34	47	8.6	44	1	4	6	13	21	21	18-34	15	5.0	4						
35-49	195	10.8	42	3	6	10	14	24	25	35-49	219	8.0	35	2	4	6	11	15	22
50-69	656	9.7	57	3	5	7	12	19	29	50-69	760	9.7	80	2	4	7	13	18	27
70 +	23	7.0	15							70 +	338	7.0	44	2	3	5	9	14	17
SUBTOTAL	**952**	**9.6**	**53**	**3**	**5**	**7**	**12**	**19**	**26**		**1332**	**8.7**	**64**	**2**	**4**	**6**	**11**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	9.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	16	4.0	4						
50-69	109	9.3	141	1	1	6	11	21	47	50-69	157	5.1	14	1	2	5	8	10	14
70 +	8	2.0								70 +	78	6.2	15	1	3	6	8	12	15
SUBTOTAL	**140**	**8.9**	**112**	**1**	**2**	**6**	**9**	**21**	**47**		**251**	**5.4**	**14**	**1**	**2**	**5**	**8**	**9**	**15**
GRAND TOTAL	**1093**	**9.5**	**60**	**2**	**4**	**7**	**12**	**21**	**27**		**1583**	**8.2**	**58**	**2**	**3**	**6**	**10**	**17**	**22**

DRG 83: Major Chest Trauma w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	457	6.6	19	2	3	6	9	12	18	0-17	55	2.1	1	1	1	2	3	4	4
70-74	362	8.2	69	3	4	6	10	15	16	18-34	370	4.1	8	1	2	3	6	7	11
75-79	363	6.9	11	2	5	7	10	12	12	35-49	455	5.0	10	1	3	4	7	10	11
80-84	322	8.7	47	3	5	7	10	13	19	50-69	683	7.0	30	2	3	6	9	14	17
85 +	441	8.1	31	3	4	7	11	16	19	70 +	362	8.0	23	2	4	7	11	14	15
SUBTOTAL	1945	7.6	35	2	4	6	10	13	17		1924	6.0	21	1	3	5	8	12	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	1945	7.6	35	2	4	6	10	13	17		1924	6.0	21	1	3	5	8	12	14

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	4.0	1							0-17	8	5.0							
18-34	39	5.4	6							18-34	126	4.4	10	1	1	4	8	8	10
35-49	31	3.3	1							35-49	102	7.7	45	3	4	5	6	19	25
50-69	47	7.7	17	3	3	7	13	13	13	50-69	133	6.4	19	2	3	5	10	14	16
70 +	8	10.0								70 +	94	7.3	29	1	2	6	11	14	19
SUBTOTAL	142	5.8	12	3	3	4	7	13	13		463	6.3	26	1	2	5	8	14	19
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	142	5.8	12	3	3	4	7	13	13		463	6.3	26	1	2	5	8	14	19

DRG 84: Major Chest Trauma w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	125	4.1	6	1	2	3	6	7	9	0-17	47	1.2		< 1	1	1	1	2	2
70-74	87	5.1	9	1	3	5	6	8	12	18-34	291	2.3	2	1	1	2	3	5	6
75-79	118	3.6	1	2	3	4	4	5	6	35-49	400	3.0	4	1	1	3	4	5	7
80-84	142	3.1	2	2	2	3	4	5	6	50-69	409	3.4	6	1	2	3	4	6	8
85 +	188	4.0	5	1	2	4	5	6	8	70 +	149	3.0	1	2	2	3	3	5	5
SUBTOTAL	**660**	**3.9**	**5**	**1**	**2**	**3**	**5**	**6**	**8**		**1296**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**660**	**3.9**	**5**	**1**	**2**	**3**	**5**	**6**	**8**		**1296**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	6.0	33							0-17	16	1.0							
18-34	31	3.5	2							18-34	79	2.3	1	1	1	2	3	4	4
35-49	16	5.5	13							35-49	94	2.9	3	1	1	3	5	5	6
50-69	31	3.5	1							50-69	86	2.5	2	1	1	2	4	4	4
70 +	8	18.0								70 +	31	3.2	3						
SUBTOTAL	**109**	**5.3**	**23**	**2**	**2**	**3**	**6**	**14**	**18**		**306**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**109**	**5.3**	**23**	**2**	**2**	**3**	**6**	**14**	**18**		**306**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 85: Pleural Effusion w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	894	7.7	26	2	4	6	11	15	17
70-74	597	7.5	20	3	5	6	11	14	15
75-79	590	8.3	43	3	4	6	12	17	20
80-84	527	7.9	25	2	4	7	11	14	18
85 +	747	9.6	47	3	5	8	11	19	22
SUBTOTAL	**3355**	**8.3**	**33**	**3**	**4**	**7**	**11**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	3355	8.3	33	3	4	7	11	15	18

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	11.8	76	3	5	9	17	28	28
18-34	117	6.7	49	1	3	4	9	12	30
35-49	250	7.8	63	2	3	5	11	15	21
50-69	781	8.5	35	3	5	7	11	18	22
70 +	39	7.6	17						
	1234	**8.3**	**44**	**2**	**4**	**6**	**11**	**18**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1234	8.3	44	2	4	6	11	18	22

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	31.3	1860						
18-34	24	16.4	193						
35-49	24	6.7	2						
50-69	94	6.8	25	3	4	5	7	17	18
70 +	24	9.7	94						
SUBTOTAL	**188**	**11.4**	**334**	**2**	**4**	**5**	**11**	**23**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	188	11.4	334	2	4	5	11	23	35

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	3.0	4						
18-34	31	4.0	10						
35-49	31	15.0	26						
50-69	196	7.3	19	2	4	7	11	15	16
70 +	78	6.8	30	2	4	5	8	15	22
	352	**7.4**	**27**	**2**	**4**	**6**	**9**	**16**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	352	7.4	27	2	4	6	9	16	16

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	172	7.5	34	3	4	6	10	13	14
70-74	94	3.1	1	2	2	3	4	4	4
75-79	78	3.7	9	< 1	2	3	3	10	10
80-84	55	7.0	29	2	3	5	9	19	19
85 +	95	7.3	18	2	3	8	10	11	15
SUBTOTAL	**494**	**6.0**	**24**	**2**	**3**	**4**	**9**	**11**	**14**
GRAND TOTAL	**494**	**6.0**	**24**	**2**	**3**	**4**	**9**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	31	5.5	11						
35-49	164	4.3	8	1	2	3	6	8	9
50-69	219	4.1	4	1	3	4	5	7	7
70 +	8	3.0							
SUBTOTAL	**430**	**4.2**	**6**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**430**	**4.2**	**6**	**1**	**2**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	8.1	36	1	3	6	15	17	17
18-34	8	20.0							
35-49	8	5.0							
50-69	23	10.6	48						
70 +	0								
SUBTOTAL	**86**	**9.6**	**45**	**3**	**4**	**7**	**17**	**20**	**20**
GRAND TOTAL	**86**	**9.6**	**45**	**3**	**4**	**7**	**17**	**20**	**20**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	6.0							
18-34	31	4.7	2						
35-49	23	5.7	2						
50-69	47	2.2	3	1	1	2	2	6	6
70 +	15	1.5							
SUBTOTAL	**132**	**3.8**	**5**	**1**	**2**	**4**	**6**	**7**	**7**
GRAND TOTAL	**132**	**3.8**	**5**	**1**	**2**	**4**	**6**	**7**	**7**

DRG 87: Pulmonary Edema & Respiratory Failure

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4943	8.4	40	3	5	7	10	15	19	0-17	109	8.3	41	2	3	7	11	17	24
70-74	2632	8.5	32	3	5	7	10	14	19	18-34	70	6.1	28	1	2	3	11	16	16
75-79	1966	9.3	50	3	5	7	12	16	20	35-49	281	8.3	32	2	5	7	11	16	23
80-84	1398	8.7	26	3	5	8	11	16	19	50-69	2189	7.8	29	3	5	7	10	14	18
85 +	943	8.2	21	3	5	7	11	14	17	70 +	141	7.2	20	2	3	8	10	13	18
SUBTOTAL	**11883**	**8.6**	**37**	**3**	**5**	**7**	**11**	**15**	**19**		**2791**	**7.8**	**29**	**3**	**4**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	379	6.4	25	2	3	5	8	15	17	0-17	78	5.4	13	1	2	5	6	12	14
70-74	228	4.7	7	2	3	4	6	9	10	18-34	71	2.9	3	1	2	2	4	6	6
75-79	181	5.6	4	4	4	5	7	9	10	35-49	78	5.4	2	3	4	5	6	8	8
80-84	165	4.9	9	2	3	4	6	7	12	50-69	283	4.1	4	2	3	4	5	7	8
85 +	165	7.0	12	3	5	7	8	11	14	70 +	16	4.5							
SUBTOTAL	**1118**	**5.8**	**14**	**2**	**3**	**5**	**7**	**10**	**13**		**526**	**4.4**	**5**	**2**	**3**	**4**	**6**	**7**	**8**
GRAND TOTAL	**13001**	**8.4**	**36**	**3**	**5**	**7**	**11**	**15**	**19**		**3317**	**7.2**	**27**	**2**	**4**	**6**	**9**	**14**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	12.2	158	1	3	20	99 +	99 +	99 +	0-17	24	8.3	18						
18-34	125	8.5	46	2	4	7	10	17	29	18-34	16	5.5							
35-49	180	8.4	41	3	4	6	11	18	20	35-49	79	6.8	17	2	3	6	10	13	16
50-69	559	9.2	49	4	5	7	12	15	27	50-69	494	6.0	15	2	3	5	8	12	14
70 +	31	5.8	2							70 +	268	5.5	11	1	3	5	7	11	12
SUBTOTAL	**933**	**9.0**	**50**	**4**	**5**	**7**	**11**	**18**	**29**		**881**	**6.0**	**14**	**2**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	4.2	12							0-17	15	2.5	2						
18-34	15	3.0	1							18-34	23	5.7	4						
35-49	32	4.5	1							35-49	16	2.0	1						
50-69	63	4.3	1	3	4	4	5	6	6	50-69	47	3.8	4	1	2	4	5	7	7
70 +	0									70 +	31	4.8	1						
SUBTOTAL	**141**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**10**		**133**	**4.0**	**4**	**1**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**1074**	**8.3**	**47**	**3**	**4**	**6**	**10**	**17**	**28**		**1013**	**5.7**	**13**	**2**	**3**	**5**	**7**	**11**	**14**

DRG 88: Chronic Obstructive Pulmonary Disease

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3992	7.4	30	3	4	6	9	13	17	0-17	101	8.4	77	2	3	6	10	18	34
70-74	2654	7.4	21	3	4	6	9	13	16	18-34	140	6.2	18	2	2	5	10	13	14
75-79	2326	7.7	25	3	4	7	10	14	18	35-49	305	5.3	11	2	3	5	7	11	13
80-84	1286	7.2	20	3	4	6	9	13	16	50-69	2182	6.9	20	3	4	6	8	12	15
85 +	588	6.9	18	3	4	6	9	12	13	70 +	118	10.0	110	3	4	5	10	33	38
SUBTOTAL	**10845**	**7.4**	**25**	**3**	**4**	**6**	**9**	**13**	**17**		**2846**	**6.9**	**26**	**2**	**4**	**6**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2932	6.0	17	2	3	5	8	11	14	0-17	132	4.4	19	1	2	3	4	11	19
70-74	1517	5.7	9	3	4	5	7	11	12	18-34	55	5.0	9	3	3	4	5	12	12
75-79	1124	5.6	14	2	3	5	7	10	13	35-49	377	6.1	17	3	3	5	8	13	17
80-84	699	5.5	12	2	3	4	7	11	13	50-69	2270	5.4	13	2	3	4	7	10	12
85 +	329	6.1	18	2	3	6	8	10	14	70 +	94	4.1	18	1	2	3	5	6	17
SUBTOTAL	**6602**	**5.8**	**14**	**2**	**3**	**5**	**7**	**11**	**13**		**2928**	**5.4**	**14**	**2**	**3**	**4**	**7**	**10**	**13**
GRAND TOTAL	**17448**	**6.8**	**22**	**3**	**4**	**6**	**8**	**12**	**15**		**5774**	**6.1**	**20**	**2**	**3**	**5**	**8**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	78	8.2	40	1	3	7	13	18	22	0-17	8	9.0							
18-34	39	9.4	4							18-34	23	3.3	3						
35-49	172	5.7	6	3	4	5	7	9	10	35-49	87	6.6	16	2	3	7	9	10	15
50-69	770	6.5	18	3	4	5	7	12	15	50-69	586	6.8	31	2	3	5	8	13	19
70 +	31	8.0	10							70 +	345	6.0	8	3	4	5	8	11	11
SUBTOTAL	**1090**	**6.6**	**18**	**3**	**4**	**6**	**8**	**12**	**15**		**1049**	**6.4**	**22**	**2**	**4**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	2.8	1							0-17	16	8.0	10						
18-34	39	5.4	6							18-34	8	2.0							
35-49	157	4.8	5	2	3	4	6	8	9	35-49	103	4.5	2	3	4	4	5	7	7
50-69	519	5.2	10	2	3	5	7	9	12	50-69	511	4.1	5	1	3	4	6	7	8
70 +	24	5.4	3							70 +	274	4.8	11	1	2	4	7	9	12
SUBTOTAL	**770**	**5.0**	**8**	**2**	**3**	**4**	**7**	**9**	**11**		**911**	**4.4**	**7**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1860**	**6.0**	**14**	**2**	**4**	**5**	**7**	**11**	**12**		**1960**	**5.5**	**16**	**2**	**3**	**4**	**7**	**9**	**12**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	15363	7.9	25	4	5	7	10	14	16
70-74	12375	8.1	26	4	5	7	10	14	17
75-79	13731	8.8	34	4	5	7	11	15	19
80-84	13044	9.1	33	4	5	8	11	16	20
85 +	16924	9.5	39	4	6	8	11	16	20
SUBTOTAL	**71438**	**8.7**	**32**	**4**	**5**	**7**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**71438**	**8.7**	**32**	**4**	**5**	**7**	**11**	**15**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	3095	5.9	15	2	3	5	7	11	14
35-49	4205	6.6	26	3	4	5	8	11	15
50-69	10581	7.4	19	3	4	7	9	13	16
70 +	904	8.1	30	4	4	6	10	15	17
SUBTOTAL	**18785**	**7.0**	**21**	**3**	**4**	**6**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**18785**	**7.0**	**21**	**3**	**4**	**6**	**9**	**12**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1655	6.9	33	3	4	5	9	12	16
35-49	1414	6.8	17	3	4	6	9	12	15
50-69	2133	8.0	30	3	5	6	10	14	18
70 +	266	8.4	16	3	5	8	10	14	16
SUBTOTAL	**5468**	**7.4**	**27**	**3**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5468**	**7.4**	**27**	**3**	**4**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	1113	5.7	11	2	3	5	7	11	13
35-49	1012	7.2	20	3	4	6	10	14	16
50-69	2103	6.7	22	3	4	5	8	12	15
70 +	1911	7.2	31	3	4	6	9	12	15
SUBTOTAL	**6139**	**6.7**	**23**	**3**	**4**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6139**	**6.7**	**23**	**3**	**4**	**5**	**8**	**12**	**15**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3033	6.2	12	3	4	5	7	10	13	0-17	0								
70-74	2607	6.0	13	3	4	5	7	10	13	18-34	4177	4.2	5	2	3	4	5	7	8
75-79	2505	6.6	14	3	4	6	8	11	13	35-49	4650	5.0	9	2	3	4	6	8	10
80-84	2209	6.5	14	3	4	6	8	11	13	50-69	4997	5.4	9	2	3	5	7	9	11
85 +	2675	6.8	13	3	4	6	8	11	14	70 +	275	5.5	9	3	4	5	6	10	15
SUBTOTAL	**13030**	**6.4**	**13**	**3**	**4**	**6**	**8**	**11**	**13**		**14099**	**4.9**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**13030**	**6.4**	**13**	**3**	**4**	**6**	**8**	**11**	**13**		**14099**	**4.9**	**8**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1312	4.4	6	2	3	4	5	7	8	18-34	1660	4.0	4	2	3	4	5	6	8
35-49	786	4.7	7	2	3	4	6	7	10	35-49	929	4.5	10	2	3	4	5	8	10
50-69	362	5.6	9	3	3	5	7	10	11	50-69	928	4.7	9	2	3	4	6	8	10
70 +	39	6.2	9							70 +	462	6.0	20	2	3	5	7	12	14
SUBTOTAL	**2500**	**4.7**	**7**	**2**	**3**	**4**	**6**	**8**	**10**		**3978**	**4.5**	**9**	**2**	**3**	**4**	**5**	**8**	**9**
GRAND TOTAL	**2500**	**4.7**	**7**	**2**	**3**	**4**	**6**	**8**	**10**		**3978**	**4.5**	**9**	**2**	**3**	**4**	**5**	**8**	**9**

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	133	5.6	7	2	4	5	7	11	11
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**133**	**5.6**	**7**	**2**	**4**	**5**	**7**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	3.9	2	2	3	4	5	5	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**102**	**3.9**	**2**	**2**	**3**	**4**	**5**	**5**	**7**
GRAND TOTAL	**236**	**4.9**	**5**	**2**	**3**	**5**	**6**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	9531	4.3	14	2	2	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9531	**4.3**	**14**	**2**	**2**	**3**	**5**	**8**	**11**
0-17	22472	3.5	4	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	22472	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
	32002	**3.7**	**7**	**2**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	7041	4.7	18	2	3	4	6	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**7041**	**4.7**	**18**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16466	3.9	4	2	3	3	5	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**16466**	**3.9**	**4**	**2**	**3**	**3**	**5**	**6**	**8**
GRAND TOTAL	**23507**	**4.1**	**9**	**2**	**3**	**4**	**5**	**7**	**8**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2934	4.2	11	2	2	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2934	**4.2**	**11**	**2**	**2**	**3**	**5**	**8**	**11**
0-17	7077	3.4	4	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7077	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
	10011	**3.6**	**6**	**2**	**2**	**3**	**4**	**6**	**8**

North Central Region, July 1988 - June 1989

DRG 92: Interstitial Lung Disease w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	540	9.2	70	3	5	7	10	19	20	0-17	102	4.3	5	2	3	4	4	9	9
70-74	400	6.6	10	3	5	6	9	11	14	18-34	164	6.7	19	3	3	6	8	10	13
75-79	282	9.7	41	3	5	8	12	21	25	35-49	227	6.6	31	1	3	5	9	16	17
80-84	259	8.0	29	3	4	6	11	16	20	50-69	376	7.3	28	2	4	6	8	16	20
85 +	267	7.8	22	3	4	6	11	14	18	70 +	39	3.8	3						
SUBTOTAL	**1749**	**8.3**	**39**	**3**	**5**	**7**	**10**	**15**	**20**		**907**	**6.5**	**24**	**2**	**3**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1749**	**8.3**	**39**	**3**	**5**	**7**	**10**	**15**	**20**		**907**	**6.5**	**24**	**2**	**3**	**5**	**8**	**13**	**18**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	9.0	50	1	3	6	18	19	19	0-17	23	4.0	6						
18-34	125	7.8	22	3	4	6	12	16	17	18-34	39	5.2	11						
35-49	109	6.1	15	2	3	5	8	14	14	35-49	39	3.8	1						
50-69	71	7.3	19	3	4	5	13	14	14	50-69	102	6.9	23	2	4	5	9	13	19
70 +	16	10.9	38							70 +	48	4.5	7	2	3	4	5	10	10
SUBTOTAL	**367**	**7.5**	**24**	**3**	**4**	**6**	**12**	**16**	**17**		**251**	**5.4**	**15**	**2**	**3**	**4**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**367**	**7.5**	**24**	**3**	**4**	**6**	**12**	**16**	**17**		**251**	**5.4**	**15**	**2**	**3**	**4**	**8**	**10**	**13**

DRG 93: Interstitial Lung Disease w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	3.7	4	1	2	4	4	7	8	0-17	133	4.5	6	2	3	4	5	8	12
70-74	117	5.4	28	2	2	3	8	10	22	18-34	125	5.4	15	1	3	4	9	12	12
75-79	8	4.0								35-49	197	5.1	14	1	3	5	6	9	11
80-84	55	6.4	15	2	4	6	7	15	15	50-69	173	4.7	6	2	3	4	5	9	9
85 +	48	7.7	7	5	5	7	11	11	11	70 +	8	8.0							
SUBTOTAL	**329**	**5.3**	**16**	**2**	**2**	**4**	**7**	**10**	**12**		**636**	**5.0**	**11**	**2**	**3**	**4**	**7**	**9**	**11**
GRAND TOTAL	**329**	**5.3**	**16**	**2**	**2**	**4**	**7**	**10**	**12**		**636**	**5.0**	**11**	**2**	**3**	**4**	**7**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	126	3.7	4	1	2	3	5	6	9	0-17	70	3.1	2	< 1	3	3	4	5	5
18-34	47	3.9	4	2	2	3	6	7	7	18-34	31	3.5	3						
35-49	0									35-49	16	4.5	2						
50-69	15	7.0	1							50-69	39	4.8	3						
70 +	0									70 +	0								
SUBTOTAL	**188**	**4.0**	**4**	**2**	**3**	**3**	**5**	**7**	**8**		**157**	**3.8**	**3**	**< 1**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**188**	**4.0**	**4**	**2**	**3**	**3**	**5**	**7**	**8**		**157**	**3.8**	**3**	**< 1**	**3**	**4**	**5**	**6**	**7**

DRG 94: Pneumothorax w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	501	8.6	58	2	4	7	10	18	25	0-17	211	6.8	41	1	2	4	10	19	21
70-74	488	8.4	50	2	4	7	11	14	21	18-34	658	5.7	49	2	3	5	6	8	10
75-79	448	9.3	42	3	5	7	12	18	25	35-49	471	7.5	43	3	4	6	9	14	20
80-84	228	9.7	41	4	5	7	13	20	27	50-69	737	7.8	40	2	3	6	11	16	20
85 +	197	8.3	24	3	5	7	11	16	18	70 +	125	11.4	30	5	7	10	14	19	23
SUBTOTAL	**1861**	**8.8**	**46**	**3**	**4**	**7**	**11**	**17**	**25**		**2203**	**7.2**	**44**	**2**	**4**	**5**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1861**	**8.8**	**46**	**3**	**4**	**7**	**11**	**17**	**25**		**2203**	**7.2**	**44**	**2**	**4**	**5**	**9**	**14**	**18**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	4.0	2							0-17	47	5.5	13	3	3	4	7	13	13
18-34	195	6.6	52	1	3	5	7	12	15	18-34	322	6.1	13	3	4	5	7	11	13
35-49	63	10.6	50	4	6	7	15	23	23	35-49	125	6.5	6	3	5	6	7	10	13
50-69	86	8.2	14	5	6	7	12	13	16	50-69	157	7.7	34	2	3	6	10	18	21
70 +	8	6.0								70 +	23	5.0	3						
SUBTOTAL	**383**	**7.4**	**41**	**2**	**4**	**6**	**8**	**15**	**22**		**674**	**6.5**	**17**	**3**	**4**	**6**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**383**	**7.4**	**41**	**2**	**4**	**6**	**8**	**15**	**22**		**674**	**6.5**	**17**	**3**	**4**	**6**	**7**	**12**	**16**

DRG 95: Pneumothorax w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	134	6.3	17	3	4	5	8	15	17	0-17	414	4.3	10	1	2	3	5	9	12
70-74	55	4.7	9	2	2	5	6	11	11	18-34	2042	4.0	6	1	2	3	5	7	9
75-79	63	6.2	14	2	3	5	7	12	12	35-49	558	4.1	9	1	2	4	5	7	11
80-84	55	5.3	15	1	2	4	10	12	12	50-69	347	6.1	19	2	4	5	7	11	13
85 +	55	7.4	9	3	6	7	10	13	13	70 +	8	3.0							
SUBTOTAL	**362**	**6.1**	**14**	**2**	**3**	**5**	**8**	**12**	**13**		**3369**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**11**
GRAND TOTAL	**362**	**6.1**	**14**	**2**	**3**	**5**	**8**	**12**	**13**		**3369**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	63	3.5	5	1	2	3	5	7	7	0-17	172	4.0	8	2	2	3	6	9	10
18-34	517	4.5	8	2	3	4	5	9	10	18-34	1123	4.3	8	1	2	4	6	8	10
35-49	55	4.6	6	1	3	4	6	9	9	35-49	235	5.1	14	2	3	4	6	11	14
50-69	39	4.4	6							50-69	32	3.5	1						
70 +	0									70 +	15	3.5	2						
SUBTOTAL	**673**	**4.4**	**8**	**2**	**3**	**4**	**6**	**8**	**9**		**1577**	**4.3**	**9**	**1**	**2**	**4**	**6**	**9**	**10**
GRAND TOTAL	**673**	**4.4**	**8**	**2**	**3**	**4**	**6**	**8**	**9**		**1577**	**4.3**	**9**	**1**	**2**	**4**	**6**	**9**	**10**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16491	6.7	19	3	4	6	8	11	14	0-17	0								
70-74	10763	6.5	16	3	4	6	8	11	14	18-34	2772	5.0	16	2	3	4	6	10	14
75-79	8435	6.8	20	3	4	6	8	12	15	35-49	4427	5.3	13	2	3	4	6	9	11
80-84	5964	6.9	18	3	4	6	8	11	14	50-69	10272	6.0	14	3	4	5	8	10	13
85+	4148	7.0	18	3	4	6	9	12	15	70+	764	6.4	14	3	4	5	8	12	15
SUBTOTAL	**45801**	**6.7**	**18**	**3**	**4**	**6**	**8**	**12**	**14**		**18235**	**5.7**	**14**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**45801**	**6.7**	**18**	**3**	**4**	**6**	**8**	**12**	**14**		**18235**	**5.7**	**14**	**2**	**3**	**5**	**7**	**10**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1459	4.8	13	2	3	4	6	9	11	18-34	736	4.2	9	1	2	3	5	8	11
35-49	2016	5.5	20	2	3	4	7	9	13	35-49	1027	4.4	7	2	3	4	6	8	10
50-69	2634	6.1	14	3	4	5	7	10	14	50-69	1918	4.8	7	2	3	4	6	8	10
70+	180	5.2	8	2	3	5	6	9	11	70+	733	4.9	7	2	3	4	6	8	10
SUBTOTAL	**6289**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**13**		**4414**	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6289**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**13**		**4414**	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 97: Bronchitis & Asthma Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4065	5.1	10	2	3	5	6	9	11	0-17	0								
70-74	2507	5.2	9	2	3	5	7	8	11	18-34	7407	3.4	4	1	2	3	4	6	7
75-79	1810	5.1	8	2	3	5	7	8	10	35-49	7667	4.0	6	2	3	4	5	7	8
80-84	1203	5.7	9	2	4	5	7	10	11	50-69	6938	4.6	8	2	3	4	6	8	10
85 +	889	5.5	11	2	3	5	7	9	11	70 +	213	4.6	6	2	3	4	6	8	10
SUBTOTAL	**10473**	**5.2**	**9**	**2**	**3**	**5**	**7**	**9**	**11**		**22225**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**10473**	**5.2**	**9**	**2**	**3**	**5**	**7**	**9**	**11**		**22225**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2857	3.5	3	1	2	3	4	6	7	18-34	2794	3.1	5	1	2	3	4	6	7
35-49	2147	4.0	5	2	3	4	5	7	8	35-49	1741	3.9	6	1	2	3	5	7	9
50-69	1035	5.4	12	2	3	5	7	9	12	50-69	1105	4.0	6	1	2	4	6	7	8
70 +	63	4.6	2	3	3	5	5	8	8	70 +	315	4.1	6	1	2	3	6	8	9
SUBTOTAL	**6102**	**4.0**	**6**	**2**	**3**	**4**	**5**	**7**	**8**		**5956**	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**6102**	**4.0**	**6**	**2**	**3**	**4**	**5**	**7**	**8**		**5956**	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 98: Bronchitis & Asthma Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	55	4.4	7	2	2	4	6	10	10	0-17	11731	4.0	13	2	2	3	5	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**55**	**4.4**	**7**	**2**	**2**	**4**	**6**	**10**	**10**		**11731**	**4.0**	**13**	**2**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	2.5	1	2	2	2	3	4	4	0-17	52124	2.8	3	1	2	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**63**	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**4**		**52124**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**118**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**10**		**63855**	**3.0**	**5**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8231	4.5	13	2	3	4	5	8	11	0-17	3917	3.7	8	1	2	3	4	7	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**8231**	**4.5**	**13**	**2**	**3**	**4**	**5**	**8**	**11**		**3917**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	37334	3.2	3	1	2	3	4	5	6	0-17	22963	2.6	3	1	2	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**37334**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**22963**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**45565**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**26881**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 99: Respiratory Signs & Symptoms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4576	6.3	29	2	3	5	8	12	15	0-17	865	4.9	17	1	2	3	6	10	14
70-74	2752	6.1	20	2	3	5	8	10	13	18-34	447	5.9	59	1	2	3	6	14	17
75-79	2257	6.6	26	2	3	5	8	12	17	35-49	1337	3.7	8	1	2	3	5	8	9
80-84	1504	6.4	24	2	3	5	8	11	14	50-69	3309	5.1	16	1	2	4	7	9	13
85 +	1023	6.9	29	2	3	6	8	13	22	70 +	244	5.4	8	2	4	5	7	8	11
SUBTOTAL	**12112**	**6.4**	**26**	**2**	**3**	**5**	**8**	**12**	**15**		**6202**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12112**	**6.4**	**26**	**2**	**3**	**5**	**8**	**12**	**15**		**6202**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	733	5.1	14	1	2	4	7	10	12	0-17	233	4.1	6	2	3	3	5	7	9
18-34	173	4.8	16	1	1	4	8	10	10	18-34	134	3.1	12	1	1	2	2	10	13
35-49	488	3.9	7	1	2	3	4	7	9	35-49	314	3.8	10	1	2	3	5	7	9
50-69	730	6.6	29	2	3	5	8	14	17	50-69	636	4.7	17	1	2	3	6	11	16
70 +	24	8.4	11							70 +	156	4.1	7	1	2	4	5	8	10
SUBTOTAL	**2147**	**5.3**	**19**	**1**	**2**	**4**	**7**	**10**	**15**		**1473**	**4.2**	**12**	**1**	**2**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2147**	**5.3**	**19**	**1**	**2**	**4**	**7**	**10**	**15**		**1473**	**4.2**	**12**	**1**	**2**	**3**	**5**	**9**	**12**

DRG 100: Respiratory Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1476	3.0	5	1	1	2	4	6	7	0-17	2492	3.0	9	1	1	2	3	6	8
70-74	833	3.2	11	1	2	3	4	5	6	18-34	1236	2.4	3	1	1	2	3	5	5
75-79	605	3.7	8	1	2	3	4	8	11	35-49	3210	2.3	4	1	1	2	3	4	5
80-84	268	4.7	25	1	2	3	6	9	11	50-69	2924	2.6	4	1	1	2	3	5	7
85 +	251	3.9	11	1	2	3	6	9	11	70 +	78	3.4	8	< 1	2	3	3	9	10
SUBTOTAL	**3434**	**3.4**	**9**	**1**	**2**	**2**	**4**	**6**	**8**		**9940**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3434**	**3.4**	**9**	**1**	**2**	**2**	**4**	**6**	**8**		**9940**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2207	3.5	13	1	2	3	4	6	8	0-17	1268	2.8	4	1	1	2	4	5	6
18-34	189	2.5	3	1	1	2	3	6	6	18-34	244	1.8	1	1	1	2	2	3	4
35-49	237	2.5	2	1	1	2	3	5	6	35-49	842	2.2	2	1	1	2	3	4	5
50-69	268	2.9	3	1	2	3	4	6	6	50-69	723	2.5	3	1	1	2	3	5	6
70 +	16	3.0	1							70 +	251	1.9	2	1	1	1	3	4	4
SUBTOTAL	**2916**	**3.3**	**10**	**1**	**2**	**3**	**4**	**6**	**7**		**3327**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2916**	**3.3**	**10**	**1**	**2**	**3**	**4**	**6**	**7**		**3327**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 101: Other Respiratory System Diagnoses w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1306	6.0	22	1	3	5	8	12	15
70-74	895	6.3	17	2	3	5	9	11	14
75-79	895	6.0	12	2	3	5	9	11	12
80-84	573	6.4	16	2	3	6	8	11	14
85 +	581	5.9	11	3	3	5	8	11	13
SUBTOTAL	**4251**	**6.1**	**16**	**2**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4251**	**6.1**	**16**	**2**	**3**	**5**	**8**	**11**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	707	5.3	22	1	2	3	8	14	15
18-34	510	5.7	29	1	3	4	7	11	20
35-49	651	5.4	13	2	3	5	7	10	12
50-69	1216	6.5	29	2	3	5	9	13	17
70 +	197	7.3	33	2	3	6	9	15	17
	3281	**6.0**	**25**	**1**	**2**	**5**	**8**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3281	**6.0**	**25**	**1**	**2**	**5**	**8**	**12**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	482	6.1	22	1	3	5	8	13	16
18-34	180	9.4	153	2	3	5	8	25	31
35-49	109	5.6	10	2	3	6	8	9	13
50-69	126	7.8	24	1	4	7	11	15	18
70 +	8	6.0							
SUBTOTAL	**906**	**6.9**	**49**	**1**	**3**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**906**	**6.9**	**49**	**1**	**3**	**5**	**8**	**14**	**18**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	249	5.3	20	2	2	4	6	12	14
18-34	173	4.0	9	1	2	4	5	7	8
35-49	219	4.2	10	1	1	4	5	7	8
50-69	212	5.8	18	2	3	4	7	13	15
70 +	86	4.1	6	1	2	4	7	8	8
	939	**4.8**	**15**	**1**	**2**	**4**	**6**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	939	**4.8**	**15**	**1**	**2**	**4**	**6**	**10**	**14**

DRG 102: Other Respiratory System Diagnoses w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	306	3.5	7	1	1	3	5	7	8
70-74	298	3.3	6	1	1	3	4	6	9
75-79	259	3.9	5	1	2	3	5	7	8
80-84	166	4.3	17	1	2	3	5	13	14
85 +	196	4.9	17	1	2	4	6	9	11
SUBTOTAL	**1225**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**11**
GRAND TOTAL	**1225**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1734	2.6	14	1	1	2	3	5	7
18-34	471	3.0	4	1	2	2	4	6	8
35-49	636	3.1	8	1	1	2	4	6	9
50-69	701	3.2	7	1	1	2	5	7	8
70 +	47	4.3	3	2	3	4	5	7	7
	3589	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**8**
	3589	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	747	2.7	6	1	1	2	3	5	9
18-34	86	4.0	9	1	2	4	5	6	12
35-49	78	2.9	4	1	2	2	3	7	7
50-69	39	2.8	2						
70 +	0								
SUBTOTAL	**951**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**951**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	490	2.9	18	1	1	1	3	5	8
18-34	227	2.8	9	1	1	2	3	4	7
35-49	189	3.5	5	1	2	3	5	7	9
50-69	125	2.5	2	1	1	2	3	4	7
70 +	8	1.0							
	1040	**2.9**	**12**	**1**	**1**	**2**	**3**	**6**	**8**
	1040	**2.9**	**12**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 103: Heart Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	77	34.7	654	18	19	26	71	95	99+	0-17	15	28.0	274						
70-74	0									18-34	8	18.0							
75-79	0									35-49	85	39.1	791	12	15	37	70	96	99+
80-84	0									50-69	101	30.2	217	17	21	30	45	99+	99+
85+	0									70+	0								
SUBTOTAL	**77**	**34.7**	**654**	**18**	**19**	**26**	**71**	**95**	**99+**		**209**	**33.2**	**472**	**14**	**18**	**30**	**68**	**99+**	**99+**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	9.0								0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	31	18.3	5						
85+	0									70+	0								
SUBTOTAL	**8**	**9.0**									**31**	**18.3**	**5**						
GRAND TOTAL	**85**	**32.4**	**649**	**12**	**18**	**26**	**71**	**95**	**99+**		**240**	**31.3**	**437**	**14**	**18**	**27**	**68**	**99+**	**99+**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	25.0								0-17	0								
18-34	8	12.0								18-34	8	64.0							
35-49	0									35-49	23	37.7	123						
50-69	0									50-69	46	29.2	272	9	15	26	47	51	51
70+	0									70+	0								
SUBTOTAL	**15**	**18.5**	**45**								**77**	**35.2**	**306**	**11**	**17**	**36**	**51**	**60**	**64**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	8	16.0							
70+	0									70+	0								
SUBTOTAL	**0**										**8**	**16.0**							
GRAND TOTAL	**15**	**18.5**	**45**								**85**	**33.5**	**308**	**15**	**16**	**30**	**51**	**53**	**64**

DRG 104: Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	668	25.3	217	11	15	22	30	53	61	0-17	70	12.7	98	5	5	7	21	32	32
70-74	591	26.1	246	14	16	21	32	48	66	18-34	23	19.7	2						
75-79	458	23.4	149	13	15	20	29	39	44	35-49	271	19.7	151	9	11	14	25	42	51
80-84	101	26.4	334	13	15	20	28	41	82	50-69	1002	23.5	278	11	14	17	26	42	63
85+	23	17.7	47							70+	23	20.0	15						
SUBTOTAL	**1840**	**25.1**	**215**	**12**	**15**	**21**	**29**	**45**	**57**		**1389**	**22.1**	**242**	**10**	**13**	**17**	**25**	**40**	**59**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	85	16.3	55	10	10	12	23	27	31	0-17	46	4.2	9	1	1	4	6	9	9
70-74	85	15.3	20	10	11	15	18	20	25	18-34	16	10.0	1						
75-79	47	16.7	22	10	13	17	20	23	23	35-49	70	17.0	66	9	13	13	21	37	37
80-84	24	15.7	41							50-69	78	14.4	15	9	12	14	16	21	23
85+	0									70+	0								
SUBTOTAL	**241**	**15.9**	**35**	**10**	**11**	**14**	**20**	**24**	**27**		**210**	**12.7**	**53**	**2**	**9**	**13**	**15**	**21**	**23**
GRAND TOTAL	**2081**	**24.0**	**203**	**12**	**15**	**20**	**28**	**42**	**55**		**1599**	**20.9**	**227**	**9**	**12**	**16**	**25**	**36**	**51**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	17.7	177							0-17	23	13.0	76						
18-34	39	17.2	24							18-34	23	26.9	326						
35-49	31	28.0	177							35-49	47	19.5	127	10	15	16	17	44	44
50-69	62	29.1	298	13	16	21	38	67	67	50-69	171	22.7	148	9	15	21	29	32	44
70+	0									70+	39	20.0	78						
SUBTOTAL	**155**	**24.2**	**215**	**10**	**16**	**20**	**35**	**46**	**60**		**304**	**21.5**	**151**	**9**	**13**	**19**	**28**	**42**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	12.0								0-17	15	17.0	17						
18-34	0									18-34	8	8.0							
35-49	0									35-49	8	11.0							
50-69	0									50-69	8	42.0							
70+	0									70+	0								
SUBTOTAL	**8**	**12.0**									**39**	**18.9**	**154**						
GRAND TOTAL	**163**	**23.6**	**212**	**10**	**13**	**19**	**29**	**41**	**53**		**343**	**21.2**	**152**	**9**	**11**	**19**	**28**	**42**	**44**

DRG 105: Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1110	16.1	136	8	9	12	18	32	39	0-17	410	9.4	22	5	6	7	12	17	20
70-74	939	15.2	87	9	10	12	16	26	40	18-34	108	10.6	13	7	8	10	11	17	18
75-79	582	16.0	104	8	10	13	18	29	40	35-49	496	11.0	30	8	8	9	12	14	21
80-84	155	15.0	135	9	10	12	17	63	99+	50-69	1520	14.0	107	8	9	10	14	24	35
85+	31	15.0	115							70+	46	19.2	274	9	10	12	19	55	55
SUBTOTAL	**2817**	**15.7**	**113**	**8**	**10**	**12**	**17**	**30**	**39**		**2582**	**12.6**	**82**	**7**	**8**	**10**	**13**	**20**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	194	10.6	15	8	8	10	11	13	18	0-17	209	6.3	3	4	5	6	8	9	9
70-74	139	10.3	8	8	8	10	11	16	18	18-34	93	8.0	15	6	7	7	11	11	18
75-79	78	11.0	6	8	9	11	13	15	16	35-49	186	9.2	6	8	8	8	9	12	15
80-84	15	15.5	32							50-69	388	9.5	5	7	8	9	10	13	15
85+	16	12.5								70+	8	8.0							
SUBTOTAL	**442**	**10.8**	**12**	**8**	**8**	**10**	**12**	**16**	**18**		**884**	**8.5**	**8**	**5**	**7**	**8**	**10**	**12**	**15**
GRAND TOTAL	**3259**	**15.0**	**102**	**8**	**9**	**12**	**16**	**28**	**38**		**3465**	**11.6**	**66**	**7**	**8**	**9**	**12**	**18**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	139	9.3	13	6	7	9	10	18	99+	0-17	139	8.4	27	5	5	7	9	27	99+
18-34	155	20.2	203	8	10	15	34	47	70	18-34	93	9.5	13	7	7	8	12	13	19
35-49	70	26.4	368	8	11	19	30	62	62	35-49	70	22.4	379	7	10	16	18	60	60
50-69	62	22.0	664	6	7	9	48	80	80	50-69	227	14.0	199	7	8	10	15	20	27
70+	0									70+	32	21.1	151						
SUBTOTAL	**426**	**17.9**	**273**	**7**	**8**	**10**	**27**	**53**	**80**		**561**	**13.3**	**167**	**6**	**7**	**10**	**15**	**24**	**56**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	77	6.4	1	5	6	7	7	8	8	0-17	93	7.0	3	6	6	7	8	10	11
18-34	23	10.0	9							18-34	31	11.0	22						
35-49	15	16.0	52							35-49	39	8.8	5						
50-69	31	10.5	16							50-69	70	8.9	6	5	8	8	10	13	13
70+	0									70+	16	10.0							
SUBTOTAL	**147**	**8.8**	**20**	**5**	**6**	**7**	**10**	**17**	**23**		**249**	**8.5**	**8**	**6**	**7**	**8**	**10**	**12**	**13**
GRAND TOTAL	**573**	**15.6**	**224**	**6**	**7**	**10**	**17**	**45**	**62**		**810**	**11.8**	**123**	**6**	**7**	**9**	**12**	**19**	**27**

DRG 106: Coronary Bypass w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3489	16.5	97	9	11	14	19	26	32
70-74	2766	16.4	63	9	11	15	19	25	32
75-79	1849	18.6	81	11	13	16	21	30	38
80-84	388	19.3	175	10	13	16	21	31	33
85+	70	25.2	48	17	21	22	28	38	38
SUBTOTAL	**8562**	**17.1**	**87**	**10**	**12**	**15**	**20**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1041	12.8	13	9	10	12	15	17	19
70-74	817	14.4	37	9	11	13	16	20	24
75-79	357	13.8	33	9	11	12	15	19	19
80-84	101	17.5	25	11	13	18	20	22	29
85+	16	16.5	13						
SUBTOTAL	**2331**	**13.7**	**26**	**9**	**11**	**13**	**15**	**19**	**23**
GRAND TOTAL	**10893**	**16.4**	**76**	**9**	**11**	**14**	**19**	**25**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	39	12.6	21						
35-49	1228	12.4	32	7	9	11	14	18	20
50-69	4809	13.8	51	8	10	12	15	21	26
70+	163	14.5	12	11	11	15	17	19	20
	6239	**13.6**	**46**	**8**	**10**	**12**	**15**	**20**	**24**
0-17	0								
18-34	39	10.2	10						
35-49	808	10.8	10	7	8	11	13	15	16
50-69	2711	11.2	11	8	9	11	13	15	17
70+	15	11.0	10						
	3573	**11.1**	**11**	**7**	**9**	**11**	**13**	**15**	**17**
	9813	**12.7**	**35**	**8**	**9**	**11**	**14**	**18**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	78	18.6	51	12	13	20	28	30	99+
50-69	194	18.9	115	8	13	16	19	38	43
70+	0								
SUBTOTAL	**271**	**18.8**	**97**	**8**	**13**	**18**	**23**	**38**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	31	11.8	8						
50-69	31	12.0	9						
70+	0								
SUBTOTAL	**62**	**11.9**	**8**	**7**	**11**	**13**	**14**	**14**	**14**
GRAND TOTAL	**333**	**17.5**	**87**	**7**	**13**	**15**	**20**	**36**	**43**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	195	13.0	23	9	9	12	15	19	19
50-69	757	13.2	44	8	9	11	15	20	23
70+	205	16.9	105	9	11	13	21	26	27
	1157	**13.8**	**53**	**8**	**10**	**12**	**16**	**21**	**26**
0-17	0								
18-34	0								
35-49	125	10.4	12	7	8	10	13	15	19
50-69	422	10.7	8	7	8	11	13	14	15
70+	71	10.7	10	8	9	10	10	19	19
	617	**10.6**	**9**	**7**	**8**	**10**	**13**	**15**	**16**
	1774	**12.7**	**40**	**8**	**9**	**11**	**14**	**19**	**22**

DRG 107: Coronary Bypass w/o Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4269	11.2	50	7	8	9	12	17	22
70-74	3096	11.6	41	8	8	10	13	17	23
75-79	1466	12.6	63	8	9	10	14	20	27
80-84	287	14.1	51	8	9	12	17	24	27
85+	54	14.6	26	7	12	15	16	25	25
SUBTOTAL	**9172**	**11.7**	**49**	**7**	**8**	**10**	**13**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1182	8.9	4	7	8	8	10	11	14
70-74	808	9.3	6	7	8	8	10	12	15
75-79	295	10.7	21	7	8	9	11	18	23
80-84	85	10.6	17	7	8	9	12	13	22
85+	0								
SUBTOTAL	**2371**	**9.3**	**8**	**7**	**8**	**9**	**10**	**12**	**14**
GRAND TOTAL	**11543**	**11.2**	**42**	**7**	**8**	**9**	**12**	**17**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	7.0	3						
35-49	1598	8.8	14	6	7	8	9	11	14
50-69	7043	10.0	29	7	8	9	10	14	17
70+	202	11.2	34	7	8	9	12	18	24
	8866	**9.8**	**26**	**7**	**8**	**8**	**10**	**14**	**17**
0-17	0								
18-34	39	7.2							
35-49	784	7.5	2	6	7	7	8	9	10
50-69	2901	8.8	9	7	7	8	9	11	14
70+	39	8.6	1						
	3763	**8.5**	**8**	**7**	**7**	**8**	**9**	**11**	**13**
	12629	**9.4**	**21**	**7**	**7**	**8**	**10**	**13**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0	—							
18-34	23	10.7	4						
35-49	186	9.0	12	6	8	8	9	10	11
50-69	528	11.8	61	7	8	9	13	17	24
70+	23	21.0	75						
SUBTOTAL	**760**	**11.3**	**52**	**7**	**8**	**9**	**11**	**17**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	9.0							
35-49	70	9.6	60	5	7	7	8	31	31
50-69	85	8.5	5	6	7	8	9	11	14
70+	0								
SUBTOTAL	**163**	**9.0**	**29**	**6**	**7**	**8**	**9**	**12**	**19**
GRAND TOTAL	**923**	**10.9**	**48**	**7**	**8**	**9**	**11**	**17**	**27**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	139	10.7	28	7	8	8	10	23	25
50-69	789	10.2	31	7	7	8	10	15	23
70+	110	10.9	36	7	8	9	13	14	31
	1038	**10.3**	**31**	**7**	**8**	**8**	**11**	**16**	**24**
0-17	0								
18-34	0								
35-49	101	7.3	2	6	6	7	9	9	9
50-69	352	8.8	5	7	7	8	9	11	13
70+	39	8.4	1						
	493	**8.4**	**5**	**7**	**7**	**8**	**9**	**10**	**11**
	1531	**9.7**	**23**	**7**	**7**	**8**	**10**	**13**	**18**

DRG 108: Other Cardiothoracic or Vascular Procedures, w/ Pump

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2175	16.5	99	8	10	13	19	30	40	0-17	1811	13.6	114	6	7	10	16	28	43
70-74	1500	19.2	158	9	11	15	22	38	50	18-34	193	12.2	82	6	7	9	12	27	34
75-79	777	18.5	131	9	13	15	22	36	41	35-49	613	12.2	91	7	8	10	12	16	33
80-84	171	23.6	326	8	10	22	26	40	56	50-69	2557	14.3	52	8	9	13	17	24	31
85 +	31	20.5	25							70 +	54	19.1	55	11	14	16	25	34	34
SUBTOTAL	**4655**	**18.0**	**133**	**8**	**10**	**15**	**21**	**35**	**45**		**5229**	**13.8**	**80**	**7**	**8**	**11**	**17**	**25**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	451	11.9	25	8	8	11	14	18	23	0-17	1703	6.7	11	4	5	6	7	9	13
70-74	233	12.4	12	8	9	13	14	16	18	18-34	140	7.1	2	6	6	7	8	9	11
75-79	117	13.2	18	9	10	11	17	20	21	35-49	296	10.0	12	7	7	9	12	14	18
80-84	23	13.7	21							50-69	903	12.0	63	8	8	10	13	17	21
85 +	8	35.0								70 +	31	15.3	48						
SUBTOTAL	**833**	**12.5**	**25**	**8**	**9**	**11**	**14**	**19**	**22**		**3072**	**8.7**	**33**	**5**	**6**	**7**	**10**	**13**	**17**
GRAND TOTAL	**5488**	**17.1**	**121**	**8**	**10**	**14**	**20**	**31**	**43**		**8301**	**11.9**	**69**	**5**	**7**	**9**	**14**	**21**	**29**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	619	15.2	144	6	7	10	19	31	44	0-17	565	11.9	69	5	7	9	13	27	31
18-34	31	26.4	345							18-34	23	17.1	78						
35-49	78	8.9	4	7	7	9	11	12	12	35-49	101	11.4	25	6	8	11	12	17	25
50-69	242	18.4	132	9	10	15	23	31	41	50-69	546	13.5	48	8	9	11	15	25	30
70 +	0									70 +	157	17.2	41	9	13	16	19	29	31
SUBTOTAL	**970**	**15.8**	**145**	**7**	**8**	**11**	**21**	**31**	**41**		**1393**	**13.2**	**57**	**6**	**8**	**11**	**16**	**26**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	488	9.0	69	4	5	6	10	17	20	0-17	488	7.1	21	4	5	6	7	11	16
18-34	23	6.3								18-34	15	7.5							
35-49	15	8.5	2							35-49	55	10.0	32	6	6	8	11	23	23
50-69	15	10.0	1							50-69	78	11.1	19	8	8	10	12	18	23
70 +	0									70 +	8	18.0							
SUBTOTAL	**542**	**8.9**	**63**	**4**	**5**	**7**	**10**	**17**	**19**		**644**	**8.0**	**24**	**5**	**5**	**6**	**8**	**13**	**19**
GRAND TOTAL	**1511**	**13.4**	**126**	**5**	**7**	**9**	**16**	**29**	**38**		**2037**	**11.6**	**53**	**5**	**7**	**9**	**14**	**23**	**29**

DRG 109: Other Cardiothoracic Procedures w/o Pump

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	396	13.6	66	4	7	12	20	27	29
70-74	311	18.5	264	5	8	15	24	41	74
75-79	288	13.9	108	3	6	12	20	30	36
80-84	256	13.9	116	4	5	13	20	25	30
85 +	194	11.0	65	3	5	9	14	24	27
SUBTOTAL	**1445**	**14.4**	**131**	**3**	**7**	**12**	**20**	**29**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	125	7.7	14	2	5	7	11	13	15
70-74	55	10.6	10	3	10	12	12	13	13
75-79	70	6.8	28	1	2	6	11	16	16
80-84	70	5.8	5	3	4	6	7	9	9
85 +	23	6.0	1						
SUBTOTAL	**342**	**7.5**	**16**	**2**	**4**	**7**	**11**	**13**	**13**
GRAND TOTAL	**1787**	**13.1**	**116**	**3**	**6**	**10**	**18**	**27**	**34**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	743	9.0	62	3	5	7	14	24	99 +
18-34	117	7.7	12	4	6	7	9	14	16
35-49	249	10.6	85	5	5	8	13	19	24
50-69	576	13.7	72	5	8	12	18	24	28
70 +	31	12.1	51						
	1716	**10.8**	**70**	**4**	**6**	**8**	**15**	**24**	**35**
0-17	1099	5.0	10	2	3	4	6	9	11
18-34	62	4.5	11	1	2	3	8	10	10
35-49	124	4.2	6	2	3	3	6	7	11
50-69	258	5.7	15	1	3	5	8	11	14
70 +	0								
	1543	**5.0**	**11**	**2**	**3**	**4**	**6**	**10**	**11**
	3259	**8.1**	**50**	**2**	**4**	**6**	**10**	**17**	**24**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	402	12.5	130	4	6	8	17	35	99 +
18-34	16	24.2	471						
35-49	39	17.6	171						
50-69	70	17.7	149	1	9	14	27	40	40
70 +	8	8.0							
SUBTOTAL	**534**	**13.8**	**150**	**3**	**7**	**9**	**22**	**36**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	379	6.2	24	2	4	5	6	15	17
18-34	15	10.0	52						
35-49	8	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**402**	**6.3**	**26**	**2**	**4**	**5**	**7**	**15**	**17**
GRAND TOTAL	**937**	**10.6**	**110**	**3**	**4**	**7**	**13**	**29**	**40**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	217	12.4	186	4	5	8	13	35	47
18-34	39	6.0	8						
35-49	46	18.7	540	7	7	9	10	70	70
50-69	78	12.4	63	4	5	12	21	25	27
70 +	16	11.5							
	396	**12.4**	**185**	**4**	**5**	**9**	**13**	**26**	**47**
0-17	286	4.9	8	1	4	4	5	7	12
18-34	31	5.8	5						
35-49	8	10.0							
50-69	55	7.7	26	1	2	10	11	16	16
70 +	8	3.0							
	388	**5.4**	**11**	**1**	**4**	**5**	**7**	**10**	**12**
	784	**9.0**	**111**	**3**	**4**	**6**	**10**	**15**	**27**

North Central Region, July 1988 - June 1989

DRG 110: Major Reconstructive Vascular Proc w/o Pump w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5991	14.7	137	6	8	11	17	28	39	0-17	163	7.7	10	5	6	7	7	13	15
70-74	4662	14.8	118	6	8	11	17	27	38	18-34	62	12.6	99	3	5	10	15	36	36
75-79	3423	15.1	105	7	9	12	18	28	38	35-49	516	12.0	106	5	7	9	12	28	35
80-84	1787	16.9	115	7	10	14	21	29	38	50-69	4412	13.1	118	6	8	10	14	24	33
85 +	1010	17.9	129	7	10	15	22	33	46	70 +	266	11.6	31	6	8	10	15	22	23
SUBTOTAL	**16872**	**15.2**	**123**	**6**	**8**	**12**	**18**	**28**	**38**		**5418**	**12.7**	**110**	**6**	**7**	**10**	**14**	**22**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16872**	**15.2**	**123**	**6**	**8**	**12**	**18**	**28**	**38**		**5418**	**12.7**	**110**	**6**	**7**	**10**	**14**	**22**	**33**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	46	8.0	2	7	7	8	8	11	11	0-17	31	6.5	11						
18-34	31	9.3	24							18-34	0								
35-49	132	18.4	132	8	10	13	27	31	51	35-49	133	12.7	103	5	6	9	14	28	45
50-69	430	15.0	174	7	8	11	18	21	57	50-69	680	12.0	104	4	7	9	15	19	30
70 +	16	16.0	10							70 +	447	13.3	70	5	8	10	17	21	36
SUBTOTAL	**656**	**14.9**	**149**	**7**	**8**	**11**	**18**	**29**	**33**		**1291**	**12.4**	**91**	**5**	**7**	**10**	**15**	**21**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**656**	**14.9**	**149**	**7**	**8**	**11**	**18**	**29**	**33**		**1291**	**12.4**	**91**	**5**	**7**	**10**	**15**	**21**	**34**

DRG 111: Major Reconstructive Vascular Proc w/o Pump w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2035	8.4	16	4	6	8	10	13	16
70-74	1687	8.9	16	4	7	8	11	14	17
75-79	1039	9.0	12	5	7	9	11	13	15
80-84	538	10.0	27	5	7	9	11	19	22
85 +	265	9.9	16	5	7	9	13	17	18
SUBTOTAL	**5564**	**8.9**	**16**	**5**	**7**	**8**	**10**	**13**	**17**
GRAND TOTAL	**5564**	**8.9**	**16**	**5**	**7**	**8**	**10**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	139	5.3	1	4	4	5	6	7	7
18-34	55	6.3	3	3	5	7	8	8	8
35-49	358	7.5	13	4	5	8	9	11	13
50-69	3062	7.3	9	4	5	7	9	11	12
70 +	62	9.5	11	4	6	10	12	14	14
SUBTOTAL	**3677**	**7.3**	**9**	**4**	**5**	**7**	**9**	**11**	**12**
GRAND TOTAL	**3677**	**7.3**	**9**	**4**	**5**	**7**	**9**	**11**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	54	5.6	1	5	5	5	6	7	7
18-34	0								
35-49	118	8.1	30	4	5	7	9	15	25
50-69	101	11.0	84	4	6	9	11	17	40
70 +	0								
SUBTOTAL	**273**	**8.7**	**48**	**4**	**5**	**6**	**10**	**15**	**25**
GRAND TOTAL	**273**	**8.7**	**48**	**4**	**5**	**6**	**10**	**15**	**25**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	6.6	5						
18-34	23	4.3	1						
35-49	94	6.4	13	4	4	5	8	8	17
50-69	359	7.3	11	4	5	7	10	12	13
70 +	172	8.4	10	5	6	8	11	12	14
SUBTOTAL	**687**	**7.3**	**11**	**4**	**5**	**7**	**9**	**12**	**14**
GRAND TOTAL	**687**	**7.3**	**11**	**4**	**5**	**7**	**9**	**12**	**14**

DRG 112: Vascular Procedures except Major Reconstruction w/o Pump

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7968	7.0	56	1	2	5	9	14	19	0-17	193	5.7	24	1	2	3	7	12	16
70-74	5314	7.3	60	2	3	5	9	15	23	18-34	303	6.5	39	1	2	3	10	15	23
75-79	3532	7.8	61	2	3	6	10	16	21	35-49	2844	4.8	20	1	2	3	7	10	13
80-84	1505	9.1	48	2	4	7	13	18	24	50-69	11092	5.3	34	1	2	3	7	11	14
85 +	750	10.1	61	3	5	8	13	20	28	70 +	164	5.9	35	1	2	4	7	9	22
SUBTOTAL	**19070**	**7.5**	**58**	**2**	**3**	**5**	**10**	**16**	**21**		**14596**	**5.2**	**31**	**1**	**2**	**3**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6387	4.5	14	1	2	3	6	9	11	0-17	379	2.2	2	1	1	2	2	4	6
70-74	3733	4.4	13	1	2	3	6	8	11	18-34	527	3.6	8	2	2	3	4	8	10
75-79	2132	4.8	15	1	2	4	7	10	11	35-49	5621	4.0	8	1	2	3	6	8	9
80-84	871	5.2	17	1	2	4	8	11	14	50-69	14649	3.7	8	1	2	3	5	8	9
85 +	382	6.2	35	1	2	5	8	13	18	70 +	225	3.6	6	1	2	3	4	8	8
SUBTOTAL	**13505**	**4.6**	**15**	**1**	**2**	**3**	**6**	**9**	**12**		**21401**	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**32575**	**6.3**	**42**	**1**	**2**	**4**	**8**	**13**	**18**		**35997**	**4.3**	**18**	**1**	**2**	**3**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	3.8	6							0-17	31	3.5	7						
18-34	70	15.2	156	4	6	7	20	42	42	18-34	85	6.4	27	2	2	5	8	8	21
35-49	287	9.5	102	1	2	7	14	20	42	35-49	638	5.1	22	1	2	3	6	11	15
50-69	444	6.3	29	1	2	4	10	16	19	50-69	1744	4.4	20	1	2	3	6	10	13
70 +	54	4.6	5	2	2	4	7	8	8	70 +	259	7.7	89	1	2	4	10	14	39
SUBTOTAL	**886**	**7.9**	**68**	**1**	**2**	**6**	**10**	**19**	**22**		**2757**	**4.9**	**28**	**1**	**2**	**3**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	77	2.5	3	1	1	2	3	6	6	0-17	101	3.8	9	1	2	4	4	5	13
18-34	132	5.5	23	1	2	4	8	10	20	18-34	78	4.4	8	2	2	4	5	10	10
35-49	210	4.9	19	2	2	3	8	11	15	35-49	950	4.8	21	1	2	4	6	9	12
50-69	460	5.4	19	1	2	4	8	11	12	50-69	2132	3.8	9	1	2	3	6	8	10
70 +	23	3.0	3							70 +	391	3.6	12	1	1	2	5	8	10
SUBTOTAL	**902**	**5.0**	**18**	**1**	**2**	**3**	**7**	**10**	**12**		**3652**	**4.1**	**12**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**1788**	**6.4**	**45**	**1**	**2**	**4**	**9**	**14**	**19**		**6409**	**4.4**	**19**	**1**	**2**	**3**	**6**	**9**	**12**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1509	19.7	235	8	10	15	23	37	48
70-74	1072	17.7	110	7	10	16	22	30	38
75-79	940	15.3	99	7	9	13	19	23	37
80-84	918	14.6	80	6	8	12	18	28	34
85 +	1272	12.6	53	5	7	11	17	22	27
SUBTOTAL	**5710**	**16.2**	**131**	**6**	**9**	**13**	**20**	**29**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	86	10.5	21	5	8	10	14	14	21
70-74	55	10.1	71	3	5	7	14	29	29
75-79	78	9.3	55	3	5	8	10	22	30
80-84	94	10.1	34	4	5	9	15	20	21
85 +	110	8.8	11	4	7	8	11	14	15
SUBTOTAL	**424**	**9.7**	**34**	**4**	**6**	**8**	**11**	**16**	**21**
GRAND TOTAL	**6133**	**15.7**	**127**	**6**	**8**	**13**	**20**	**28**	**36**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	14.6	45						
35-49	157	20.4	206	7	11	16	23	45	58
50-69	501	20.7	180	6	10	17	28	41	48
70 +	55	24.2	312	9	11	17	36	62	62
	735	**20.7**	**193**	**7**	**10**	**17**	**25**	**41**	**53**
0-17	0								
18-34	8	21.0							
35-49	23	16.7	24						
50-69	101	11.0	33	4	8	9	13	16	27
70 +	8	9.0							
	140	**12.4**	**37**	**4**	**9**	**10**	**16**	**21**	**27**
	875	**19.4**	**177**	**7**	**9**	**16**	**24**	**40**	**50**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	8.0							
50-69	220	25.5	357	4	14	21	33	44	68
70 +	24	14.9	144						
SUBTOTAL	**251**	**23.9**	**343**	**4**	**11**	**20**	**32**	**43**	**68**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	15	9.5	7						
50-69	0								
70 +	0								
SUBTOTAL	**15**	**9.5**	**7**						
GRAND TOTAL	**267**	**23.1**	**335**	**4**	**10**	**19**	**31**	**43**	**68**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	39	16.6	84						
50-69	110	19.6	118	8	13	18	23	33	47
70 +	141	9.5	38	3	6	8	12	18	27
	290	**14.3**	**96**	**5**	**7**	**12**	**19**	**31**	**33**
0-17	0								
18-34	0								
35-49	15	5.0	1						
50-69	15	11.0	17						
70 +	8	4.0							
	39	**7.2**	**17**						
	329	**13.4**	**92**	**4**	**6**	**10**	**18**	**27**	**32**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	618	15.0	160	3	8	12	18	32	36	0-17	0								
70-74	321	14.6	132	6	8	11	16	29	43	18-34	15	1.0							
75-79	259	13.3	111	3	6	10	17	29	32	35-49	102	15.3	90	6	9	12	17	34	35
80-84	133	9.8	11	6	8	10	10	17	17	50-69	289	15.5	141	3	7	14	21	28	37
85 +	141	11.4	66	3	6	8	16	23	32	70 +	23	10.6	32						
SUBTOTAL	**1472**	**13.8**	**125**	**3**	**7**	**11**	**17**	**29**	**34**		**429**	**14.7**	**126**	**3**	**7**	**13**	**21**	**28**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	8.0	11	3	4	9	11	12	12	0-17	0								
70-74	39	4.4	6							18-34	0								
75-79	23	9.8	124							35-49	8	8.0							
80-84	31	4.2	4							50-69	86	5.6	9	2	3	5	9	9	11
85 +	39	12.7	123							70 +	0								
SUBTOTAL	**195**	**7.8**	**53**	**2**	**3**	**5**	**9**	**17**	**25**		**93**	**5.8**	**9**	**2**	**3**	**5**	**9**	**9**	**11**
GRAND TOTAL	**1668**	**13.1**	**120**	**3**	**7**	**10**	**16**	**28**	**33**		**523**	**13.1**	**116**	**3**	**6**	**9**	**17**	**27**	**34**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	23	8.7	3							18-34	8	1.0							
35-49	63	8.9	16	3	5	9	11	16	16	35-49	15	15.5	118						
50-69	86	12.6	54	7	8	14	21	28	99 +	50-69	126	12.3	70	3	5	10	18	24	30
70 +	8	10.0								70 +	39	6.8	12						
SUBTOTAL	**180**	**10.7**	**35**	**5**	**7**	**10**	**14**	**23**	**28**		**188**	**10.9**	**69**	**3**	**4**	**9**	**15**	**24**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	10.0							
18-34	8	13.0								18-34	16	11.9	38						
35-49	8	2.0								35-49	8	16.0							
50-69	0									50-69	23	9.3	35						
70 +	0									70 +	0								
SUBTOTAL	**16**	**7.6**	**32**								**55**	**11.1**	**31**	**3**	**6**	**10**	**17**	**18**	**18**
GRAND TOTAL	**196**	**10.4**	**35**	**3**	**7**	**10**	**14**	**23**	**28**		**242**	**11.0**	**60**	**3**	**5**	**9**	**16**	**24**	**26**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	78	13.5	61	5	7	12	16	27	29	0-17	0								
70-74	109	15.1	92	7	8	10	17	30	38	18-34	0								
75-79	157	13.4	79	5	9	12	14	25	37	35-49	0								
80-84	102	11.3	16	6	8	10	15	16	18	50-69	32	11.7	6						
85+	179	10.1	45	4	6	8	13	14	18	70+	8	14.0							
SUBTOTAL	**626**	**12.4**	**62**	**5**	**7**	**10**	**15**	**26**	**34**		**39**	**12.2**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	16	16.0	1							18-34	0								
75-79	23	12.0	64							35-49	0								
80-84	8	6.0								50-69	0								
85+	24	11.0	9							70+	0								
SUBTOTAL	**71**	**11.9**	**32**	**1**	**7**	**14**	**16**	**19**	**19**		**0**								
GRAND TOTAL	**696**	**12.4**	**59**	**5**	**7**	**11**	**15**	**19**	**30**		**39**	**12.2**	**6**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	8	9.0								50-69	8	2.0							
70+	15	23.0	38							70+	8	11.0							
SUBTOTAL	**23**	**18.3**	**71**								**15**	**6.5**	**22**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**23**	**18.3**	**71**								**15**	**6.5**	**22**						

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1178	8.8	42	2	4	8	11	18	24
70-74	1595	9.7	82	3	5	7	12	19	25
75-79	1939	8.6	35	3	4	7	11	17	20
80-84	1832	8.5	33	3	5	7	11	15	18
85 +	1857	8.8	41	3	4	8	12	16	19
SUBTOTAL	**8401**	**8.9**	**46**	**3**	**4**	**7**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	617	5.3	16	2	3	4	6	10	14
70-74	921	4.8	7	2	3	4	6	9	10
75-79	875	4.6	10	2	3	4	6	9	12
80-84	806	5.2	10	2	3	4	7	10	11
85 +	853	5.7	22	2	3	4	7	11	13
SUBTOTAL	**4072**	**5.1**	**13**	**2**	**3**	**4**	**6**	**10**	**12**
GRAND TOTAL	**12473**	**7.6**	**38**	**2**	**4**	**6**	**10**	**15**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	4.5							
18-34	39	8.2	2						
35-49	133	10.4	140	3	5	6	9	20	54
50-69	803	7.6	52	2	4	6	9	14	18
70 +	109	7.1	29	4	4	5	7	18	21
	1100	**7.9**	**59**	**2**	**4**	**6**	**9**	**15**	**20**
0-17	62	3.8	13	2	2	3	3	13	13
18-34	101	3.0	1	2	2	3	3	4	5
35-49	62	4.6	30	1	1	3	6	18	18
50-69	546	4.8	13	1	2	4	6	10	13
70 +	148	7.6	43	2	4	5	7	19	30
	920	**5.0**	**19**	**1**	**2**	**4**	**6**	**11**	**16**
	2020	**6.6**	**43**	**2**	**3**	**5**	**8**	**12**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	7.0							
18-34	8	29.0							
35-49	62	9.9	38	3	4	8	15	20	20
50-69	125	10.1	31	5	6	9	11	20	25
70 +	16	17.6	118						
SUBTOTAL	**218**	**11.1**	**53**	**4**	**6**	**9**	**13**	**25**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	4.5							
18-34	0								
35-49	0								
50-69	31	5.0	5						
70 +	0								
SUBTOTAL	**47**	**4.8**	**3**	**2**	**4**	**5**	**5**	**8**	**8**
GRAND TOTAL	**265**	**10.0**	**50**	**4**	**5**	**8**	**11**	**20**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	1.7							
18-34	0								
35-49	55	9.2	16	3	6	9	13	16	16
50-69	86	5.0	11	2	2	5	7	8	13
70 +	157	6.2	20	1	3	5	8	13	15
	320	**6.1**	**19**	**1**	**2**	**5**	**8**	**13**	**15**
0-17	15	4.5	13						
18-34	8	2.0							
35-49	15	7.0	27						
50-69	141	3.5	6	1	2	3	4	7	10
70 +	181	4.0	9	1	2	3	7	9	9
	360	**3.9**	**9**	**1**	**2**	**3**	**6**	**9**	**10**
	681	**4.9**	**15**	**1**	**2**	**4**	**7**	**11**	**13**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	6.8	53						
70-74	78	9.8	84	2	3	8	14	28	34
75-79	148	7.2	57	1	2	4	9	22	31
80-84	140	4.9	21	2	2	3	5	16	18
85 +	78	4.2	5	1	2	4	6	8	8
SUBTOTAL	**483**	**6.4**	**46**	**1**	**2**	**4**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	2.3	2						
70-74	31	2.3							
75-79	47	4.3	3	2	3	4	5	7	7
80-84	15	2.5							
85 +	78	3.1	8	1	1	2	4	8	11
SUBTOTAL	**203**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**686**	**5.4**	**36**	**1**	**2**	**3**	**7**	**12**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	4.3	2						
18-34	0								
35-49	23	4.7	15						
50-69	78	5.5	18	1	3	4	9	13	15
70 +	0								
	125	**5.1**	**14**	**1**	**3**	**3**	**7**	**10**	**15**
0-17	31	2.5	1						
18-34	15	5.0	1						
35-49	0								
50-69	125	2.9	4	< 1	2	2	4	6	8
70 +	8	1.0							
	179	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**6**
	304	**3.8**	**9**	**1**	**2**	**3**	**5**	**9**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	15	3.0							
35-49	0								
50-69	8	1.0							
70 +	8	19.0							
SUBTOTAL	**31**	**6.5**	**55**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**31**	**6.5**	**55**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	0								
35-49	8	11.0							
50-69	31	6.0	12						
70 +	16	2.5							
	62	**5.4**	**13**	**2**	**3**	**4**	**9**	**12**	**12**
0-17	8	4.0							
18-34	23	3.7	3						
35-49	8	2.0							
50-69	15	5.5	22						
70 +	31	2.2	1						
	85	**3.4**	**6**	**1**	**2**	**2**	**4**	**6**	**10**
	148	**4.2**	**10**	**1**	**2**	**3**	**4**	**11**	**12**

DRG 118: Cardiac Pacemaker Device Replacement

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	210	4.9	20	1	2	3	7	11	13	0-17	54	6.3	48	1	2	3	9	22	22
70-74	125	7.1	50	1	2	4	10	18	27	18-34	15	2.5							
75-79	227	6.6	39	1	2	3	11	17	20	35-49	8	5.0							
80-84	227	5.3	29	1	2	3	8	13	19	50-69	86	7.5	18	2	4	7	10	14	15
85 +	212	5.2	37	1	1	3	7	13	13	70 +	8	5.0							
SUBTOTAL	**1001**	**5.7**	**34**	**1**	**2**	**3**	**9**	**14**	**19**		**171**	**6.4**	**26**	**2**	**3**	**5**	**9**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	141	2.7	4	1	1	2	3	7	7	0-17	77	2.3	1	1	2	2	2	4	5
70-74	94	2.6	3	1	1	2	4	5	7	18-34	15	2.5	2						
75-79	180	2.2	2	1	1	2	3	4	5	35-49	32	5.5	9						
80-84	165	2.6	4	1	1	2	3	3	8	50-69	93	3.7	7	1	2	3	7	8	8
85 +	267	2.4	5	1	1	2	3	5	9	70 +	0								
SUBTOTAL	**846**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**218**	**3.4**	**6**	**1**	**2**	**2**	**5**	**8**	**8**
GRAND TOTAL	**1847**	**4.2**	**23**	**1**	**1**	**2**	**5**	**10**	**14**		**389**	**4.7**	**17**	**1**	**2**	**3**	**7**	**10**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	5.5	7							0-17	0								
18-34	15	4.0	1							18-34	8	1.0							
35-49	0									35-49	0								
50-69	0									50-69	8	5.0							
70 +	0									70 +	55	2.4	3	1	1	1	5	5	5
SUBTOTAL	**31**	**4.8**	**4**								**71**	**2.6**	**3**	**1**	**1**	**1**	**5**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	8	2.0								18-34	0								
35-49	0									35-49	8	5.0							
50-69	16	22.5	291							50-69	24	1.3							
70 +	0									70 +	47	1.8	2	1	1	1	2	5	5
SUBTOTAL	**24**	**15.8**	**288**								**78**	**2.0**	**2**	**1**	**1**	**1**	**2**	**5**	**5**
GRAND TOTAL	**55**	**9.5**	**154**	**2**	**3**	**5**	**8**	**39**	**39**		**149**	**2.3**	**3**	**1**	**1**	**1**	**5**	**5**	**5**

DRG 119: Vein Ligation & Stripping

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	173	7.5	77	2	2	4	8	16	29
70-74	31	8.0	7						
75-79	55	9.1	16	4	4	10	13	15	15
80-84	47	9.8	49	4	5	7	15	23	23
85 +	8	15.0							
SUBTOTAL	**313**	**8.4**	**55**	**2**	**3**	**6**	**11**	**16**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	290	2.2	2	1	1	1	3	4	6
70-74	242	4.2	55	1	2	2	3	7	11
75-79	70	3.0	7	1	1	2	3	9	9
80-84	39	2.6	3						
85 +	16	4.5	13						
SUBTOTAL	**656**	**3.1**	**23**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**969**	**4.8**	**39**	**1**	**1**	**3**	**5**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	62	1.7	1	1	1	2	2	3	3
35-49	140	4.1	15	1	1	2	5	9	16
50-69	266	4.3	16	1	1	3	6	12	14
70 +	16	2.5							
	493	**3.8**	**14**	**1**	**1**	**2**	**5**	**9**	**13**
0-17	47	1.5	1	< 1	< 1	1	2	3	3
18-34	1215	1.7	1	1	1	1	2	3	4
35-49	1950	1.8	2	1	1	1	2	3	4
50-69	1308	2.3	5	1	1	2	3	4	6
70 +	8	1.0							
	4528	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
	5020	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	1.0							
18-34	8	2.0							
35-49	23	6.3	26						
50-69	16	4.0	4						
70 +	0								
SUBTOTAL	**55**	**4.3**	**16**	**< 1**	**1**	**2**	**6**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	2.0	1						
18-34	102	1.5		1	1	1	2	2	3
35-49	79	1.8	1	1	1	2	2	3	4
50-69	54	2.0	1	1	1	2	3	3	3
70 +	8	3.0							
SUBTOTAL	**258**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**313**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

NO INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	6.6	22						
35-49	8	1.0							
50-69	31	3.5	9						
70 +	8	2.0							
	63	**3.8**	**13**	**1**	**1**	**2**	**6**	**11**	**11**
0-17	23	2.0	1						
18-34	220	1.2		1	1	1	1	2	2
35-49	422	1.4		< 1	1	1	2	2	3
50-69	273	1.2		1	1	1	1	2	2
70 +	32	1.5							
	970	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**
	1032	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

North Central Region, July 1988 - June 1989

DRG 120: Other Circulatory System O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1258	14.0	164	2	5	11	18	29	43	0-17	23	17.3	245						
70-74	697	18.3	250	2	7	14	24	44	53	18-34	78	6.6	29	1	2	5	9	16	17
75-79	477	16.7	249	2	7	13	20	43	56	35-49	211	13.7	149	3	5	10	19	46	46
80-84	345	14.4	110	3	8	14	16	29	43	50-69	625	15.1	102	4	8	14	19	30	37
85 +	306	15.9	93	4	7	17	25	30	32	70 +	23	8.6	4						
SUBTOTAL	**3082**	**15.6**	**186**	**2**	**7**	**13**	**20**	**33**	**49**		**960**	**14.0**	**113**	**3**	**6**	**11**	**19**	**31**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	188	11.7	117	2	5	9	19	25	26	0-17	23	7.0	1						
70-74	125	7.2	26	2	4	6	11	15	20	18-34	55	7.9	9	3	5	8	10	12	12
75-79	79	15.6	133	1	7	15	22	32	42	35-49	93	13.3	272	3	4	9	15	23	64
80-84	118	15.4	170	3	4	10	22	35	49	50-69	148	10.2	78	3	4	7	18	22	36
85 +	78	8.8	101	1	2	6	8	28	35	70 +	16	9.0	4						
SUBTOTAL	**587**	**11.6**	**118**	**2**	**4**	**8**	**18**	**25**	**35**		**335**	**10.4**	**116**	**3**	**4**	**8**	**12**	**21**	**23**
GRAND TOTAL	**3669**	**15.0**	**178**	**2**	**6**	**12**	**20**	**32**	**45**		**1295**	**13.1**	**116**	**3**	**6**	**10**	**18**	**29**	**38**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	3.5								0-17	0								
18-34	54	6.7	18	2	2	8	9	14	14	18-34	23	5.3	3						
35-49	102	13.5	66	5	7	12	19	24	29	35-49	55	13.1	94	2	5	10	17	33	33
50-69	125	21.0	306	5	9	17	29	66	99 +	50-69	109	19.9	257	3	8	13	28	46	57
70 +	15	10.5	13							70 +	95	18.0	175	4	8	14	28	37	43
SUBTOTAL	**312**	**14.7**	**182**	**3**	**6**	**11**	**21**	**44**	**66**		**281**	**16.8**	**193**	**3**	**6**	**12**	**27**	**37**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	15	5.5	2							0-17	0								
18-34	16	7.5	32							18-34	8	4.0							
35-49	31	6.6	40							35-49	8	21.0							
50-69	23	7.3	11							50-69	32	7.5	13						
70 +	0									70 +	32	8.5	17						
SUBTOTAL	**86**	**6.8**	**24**	**2**	**3**	**5**	**11**	**13**	**17**		**78**	**8.9**	**29**	**3**	**4**	**8**	**13**	**18**	**21**
GRAND TOTAL	**397**	**13.0**	**158**	**3**	**5**	**9**	**17**	**29**	**66**		**360**	**15.0**	**168**	**3**	**5**	**11**	**21**	**34**	**43**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3545	9.9	27	5	7	9	11	15	18	0-17	0								
70-74	4033	10.6	34	6	7	9	13	17	20	18-34	23	14.3	71						
75-79	4395	10.7	32	6	7	9	12	17	22	35-49	471	8.1	16	1	6	8	10	12	14
80-84	4112	10.6	28	6	7	9	13	16	21	50-69	2809	9.6	29	5	7	8	11	16	19
85 +	3475	10.7	40	5	7	9	12	17	21	70 +	362	8.4	22	3	5	8	10	16	17
SUBTOTAL	**19560**	**10.5**	**32**	**6**	**7**	**9**	**12**	**17**	**21**		**3665**	**9.3**	**28**	**5**	**7**	**8**	**11**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	94	6.7	8	4	5	6	9	10	12	0-17	0								
70-74	63	7.5	11	1	6	7	9	13	13	18-34	0								
75-79	110	6.6	4	4	5	7	8	9	10	35-49	8	7.0							
80-84	94	7.4	6	5	5	7	10	11	12	50-69	141	7.6	19	2	5	7	9	15	18
85 +	71	8.9	24	3	6	8	11	20	20	70 +	8	6.0							
SUBTOTAL	**432**	**7.3**	**10**	**4**	**5**	**7**	**9**	**11**	**13**		**157**	**7.5**	**17**	**2**	**5**	**7**	**9**	**15**	**17**
GRAND TOTAL	**19992**	**10.4**	**32**	**6**	**7**	**9**	**12**	**17**	**21**		**3823**	**9.3**	**27**	**5**	**6**	**8**	**11**	**15**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	7.0							
35-49	188	10.3	51	5	6	8	12	27	36	35-49	149	8.2	15	3	5	8	12	14	15
50-69	352	10.1	19	4	8	10	12	15	18	50-69	543	10.3	56	5	7	9	12	15	20
70 +	55	11.3	40	6	8	9	11	26	26	70 +	524	9.6	23	5	7	8	11	16	19
SUBTOTAL	**596**	**10.3**	**31**	**5**	**7**	**10**	**12**	**16**	**26**		**1224**	**9.7**	**37**	**5**	**7**	**8**	**12**	**15**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	8	5.0								18-34	0								
35-49	16	8.5	2							35-49	8	6.0							
50-69	8	14.0								50-69	31	9.3	2						
70 +	0									70 +	39	6.6	2						
SUBTOTAL	**32**	**9.0**	**12**								**79**	**7.6**	**4**	**5**	**6**	**7**	**9**	**10**	**11**
GRAND TOTAL	**627**	**10.2**	**30**	**5**	**7**	**10**	**12**	**16**	**26**		**1303**	**9.6**	**35**	**5**	**7**	**8**	**11**	**15**	**19**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2141	7.8	11	4	6	7	9	12	14	0-17	0								
70-74	1917	8.3	17	5	6	7	10	13	15	18-34	47	6.6	19	2	3	6	8	15	15
75-79	1604	8.4	11	5	6	8	10	12	14	35-49	596	6.7	11	3	5	7	8	10	12
80-84	1211	8.8	20	5	6	8	10	14	15	50-69	2189	7.2	8	3	5	7	9	11	12
85 +	966	8.4	20	4	6	8	10	13	17	70 +	141	7.6	7	4	6	8	10	11	12
SUBTOTAL	**7839**	**8.3**	**15**	**4**	**6**	**8**	**10**	**12**	**15**		**2972**	**7.1**	**9**	**3**	**5**	**7**	**9**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2778	7.1	9	4	5	7	9	11	12	0-17	0								
70-74	2250	7.2	8	3	6	7	9	11	12	18-34	86	5.7	7	4	4	5	7	10	11
75-79	2212	7.6	10	4	6	7	9	11	14	35-49	1867	6.2	7	2	4	6	8	10	11
80-84	1501	7.9	13	4	6	8	10	11	13	50-69	4588	6.5	7	3	5	7	8	10	11
85 +	958	7.7	10	4	6	8	9	11	13	70 +	274	6.6	11	3	4	7	8	9	15
SUBTOTAL	**9699**	**7.4**	**10**	**4**	**6**	**7**	**9**	**11**	**13**		**6816**	**6.4**	**8**	**3**	**5**	**7**	**8**	**10**	**11**
GRAND TOTAL	**17538**	**7.8**	**12**	**4**	**6**	**7**	**9**	**12**	**14**		**9788**	**6.6**	**8**	**3**	**5**	**7**	**8**	**10**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	24	8.7								18-34	31	3.5	3						
35-49	134	7.2	7	4	6	6	9	12	13	35-49	173	5.1	8	1	2	6	7	9	9
50-69	276	8.9	38	4	6	8	10	12	14	50-69	518	7.6	10	4	5	8	9	12	13
70 +	0									70 +	305	10.2	136	5	6	8	10	16	22
SUBTOTAL	**433**	**8.4**	**27**	**4**	**6**	**8**	**10**	**12**	**13**		**1027**	**7.8**	**50**	**3**	**5**	**7**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	39	5.6	6							18-34	16	9.0	4						
35-49	228	6.9	9	2	6	7	8	11	13	35-49	456	5.6	5	1	5	6	7	8	9
50-69	244	7.5	11	3	5	7	9	10	13	50-69	1117	6.5	8	3	5	6	8	10	11
70 +	16	7.0	1							70 +	439	6.6	5	3	5	7	8	9	10
SUBTOTAL	**528**	**7.1**	**10**	**3**	**6**	**7**	**9**	**10**	**13**		**2027**	**6.3**	**7**	**3**	**5**	**6**	**8**	**9**	**11**
GRAND TOTAL	**961**	**7.7**	**18**	**4**	**6**	**7**	**9**	**12**	**13**		**3055**	**6.8**	**22**	**3**	**5**	**7**	**8**	**10**	**12**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6128	7.2	39	1	3	6	9	14	18
70-74	3968	7.3	55	1	3	6	10	14	19
75-79	2393	7.7	32	2	4	7	10	14	19
80-84	849	7.5	24	2	4	7	10	14	17
85 +	367	8.8	30	2	5	7	12	16	19
SUBTOTAL	**13705**	**7.4**	**41**	**1**	**3**	**6**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2815	4.4	11	1	2	4	6	8	11
70-74	1934	4.1	8	1	2	4	6	8	10
75-79	1069	5.1	11	1	2	5	7	9	12
80-84	491	6.1	17	1	3	6	9	12	14
85 +	70	7.0	24	1	4	5	11	16	16
SUBTOTAL	**6377**	**4.6**	**11**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**20082**	**6.5**	**34**	**1**	**3**	**5**	**9**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	325	3.3	11	1	1	2	6	7	8
18-34	264	7.9	47	1	1	6	14	20	24
35-49	1863	6.1	20	1	2	6	8	12	14
50-69	6684	6.3	30	1	3	5	8	12	16
70 +	226	7.1	21	1	4	7	10	14	14
	9362	**6.3**	**28**	**1**	**2**	**5**	**8**	**12**	**15**
0-17	77	3.3	5	1	2	3	3	8	8
18-34	125	2.7	1	2	2	2	3	4	5
35-49	1754	4.0	28	1	2	3	5	7	8
50-69	4701	3.9	8	1	2	3	5	8	9
70 +	94	5.2	20	2	2	4	7	9	18
	6751	**3.9**	**13**	**1**	**2**	**3**	**5**	**7**	**9**
	16112	**5.3**	**23**	**1**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	108	5.3	26	1	2	3	9	10	20
18-34	54	7.1	26	2	4	6	7	19	19
35-49	319	6.5	18	2	3	6	8	13	15
50-69	622	7.6	36	2	4	6	9	15	20
70 +	15	5.0	1						
SUBTOTAL	**1119**	**7.0**	**29**	**2**	**4**	**6**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	54	5.0	18	1	1	3	7	14	14
18-34	15	3.5	7						
35-49	163	3.8	5	1	2	3	6	7	8
50-69	265	5.0	11	1	2	5	7	9	13
70 +	23	6.3	4						
SUBTOTAL	**522**	**4.6**	**10**	**1**	**2**	**4**	**7**	**8**	**9**
GRAND TOTAL	**1641**	**6.3**	**24**	**1**	**3**	**5**	**8**	**13**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	85	4.9	11	2	2	4	8	10	10
18-34	70	10.2	75	2	3	6	17	29	29
35-49	359	6.4	19	1	3	6	8	11	15
50-69	1327	5.8	19	1	2	5	9	12	15
70 +	213	7.3	24	2	4	5	10	14	17
	2053	**6.2**	**22**	**1**	**2**	**5**	**9**	**12**	**16**
0-17	8	1.0							
18-34	16	6.0	10						
35-49	328	3.9	7	1	1	4	6	8	9
50-69	690	4.4	7	1	2	4	6	8	9
70 +	119	4.2	9	1	1	4	6	9	11
	1160	**4.2**	**7**	**1**	**2**	**4**	**6**	**8**	**9**
	3214	**5.5**	**18**	**1**	**2**	**4**	**7**	**11**	**14**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5572	4.2	19	1	1	2	6	10	13	0-17	1509	1.7	1	< 1	1	1	2	2	3
70-74	3586	4.2	17	1	1	2	6	10	13	18-34	366	3.8	31	1	1	2	4	7	13
75-79	2052	4.4	23	1	1	2	6	10	15	35-49	2518	3.6	12	1	1	2	6	8	9
80-84	537	5.1	22	1	1	4	8	11	15	50-69	8127	3.4	12	1	1	2	5	8	10
85 +	93	5.3	29	1	1	3	8	9	20	70 +	124	3.3	6	1	1	2	5	7	9
SUBTOTAL	**11839**	**4.3**	**19**	**1**	**1**	**2**	**6**	**10**	**13**		**12645**	**3.2**	**12**	**1**	**1**	**2**	**4**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8111	2.9	8	1	1	2	4	7	9	0-17	2422	1.6	1	< 1	1	1	2	2	3
70-74	5039	2.8	9	1	1	2	3	7	9	18-34	881	2.6	4	1	1	2	3	6	7
75-79	2737	3.1	11	1	1	2	4	8	10	35-49	9250	2.9	7	1	1	2	4	7	9
80-84	567	4.2	13	1	1	3	6	11	12	50-69	20540	2.7	7	1	1	1	3	7	8
85 +	132	4.6	9	2	2	3	8	9	10	70 +	288	3.4	10	1	1	2	5	9	10
SUBTOTAL	**16586**	**2.9**	**9**	**1**	**1**	**2**	**4**	**7**	**9**		**33381**	**2.7**	**7**	**1**	**1**	**1**	**3**	**7**	**8**
GRAND TOTAL	**28425**	**3.5**	**14**	**1**	**1**	**2**	**5**	**8**	**11**		**46026**	**2.8**	**8**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	519	1.9	2	1	1	2	2	3	4	0-17	294	2.3	8	< 1	< 1	1	2	6	9
18-34	109	4.4	6	2	2	4	7	7	8	18-34	70	5.3	12	< 1	2	5	7	11	11
35-49	280	3.7	11	1	1	3	6	8	11	35-49	453	3.4	10	< 1	1	2	5	8	10
50-69	616	4.8	13	1	1	3	8	11	12	50-69	1275	3.6	20	< 1	1	2	5	8	9
70 +	8	6.0								70 +	196	4.3	11	< 1	1	4	7	8	9
SUBTOTAL	**1532**	**3.6**	**10**	**1**	**1**	**2**	**5**	**8**	**11**		**2288**	**3.5**	**16**	**< 1**	**1**	**2**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	720	1.8	2	1	1	2	2	3	3	0-17	488	1.3	1	< 1	< 1	1	1	2	2
18-34	163	2.0	4	< 1	1	1	2	6	7	18-34	218	3.2	6	< 1	1	3	4	6	8
35-49	507	3.4	7	1	1	2	5	7	8	35-49	1552	3.2	9	< 1	1	2	4	8	9
50-69	615	3.1	9	1	1	2	4	8	10	50-69	3798	2.7	7	< 1	1	1	4	7	9
70 +	23	1.3								70 +	337	2.8	9	< 1	1	1	3	6	10
SUBTOTAL	**2028**	**2.6**	**6**	**1**	**1**	**2**	**3**	**6**	**8**		**6392**	**2.7**	**7**	**< 1**	**1**	**1**	**4**	**7**	**9**
GRAND TOTAL	**3559**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**9**		**8680**	**2.9**	**10**	**< 1**	**1**	**1**	**4**	**7**	**9**

DRG 126: Acute & Subacute Endocarditis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	164	18.3	221	6	8	13	23	42	51
70-74	180	23.6	93	12	17	21	30	41	43
75-79	156	29.7	446	12	15	24	46	52	80
80-84	86	22.1	99	13	18	18	34	35	40
85 +	117	23.4	140	12	15	20	30	33	58
SUBTOTAL	**703**	**23.5**	**224**	**9**	**14**	**20**	**30**	**44**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	14.5	7						
70-74	8	5.0							
75-79	16	12.4	45						
80-84	16	23.2	471						
85 +	16	17.0	17						
SUBTOTAL	**71**	**15.5**	**143**	**2**	**6**	**13**	**19**	**44**	**44**
GRAND TOTAL	**774**	**22.8**	**222**	**7**	**13**	**19**	**30**	**44**	**51**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	24.2	51						
18-34	117	23.9	144	6	14	27	32	42	43
35-49	78	22.4	127	10	15	17	34	41	41
50-69	149	17.9	111	5	14	16	18	40	40
70 +	8	17.0							
	390	**21.2**	**123**	**7**	**14**	**17**	**28**	**40**	**41**
0-17	16	30.9	154						
18-34	31	12.5	46						
35-49	16	14.8	181						
50-69	47	22.0	137	7	13	20	28	43	43
70 +	0								
	109	**19.6**	**155**	**5**	**7**	**18**	**28**	**43**	**43**
	500	**20.8**	**130**	**6**	**14**	**17**	**28**	**40**	**42**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	30.0							
18-34	125	26.6	100	11	19	28	34	43	44
35-49	47	25.7	139	8	12	30	34	40	40
50-69	15	11.0	52						
70 +	8	23.0							
SUBTOTAL	**210**	**25.4**	**111**	**10**	**17**	**28**	**33**	**40**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	28.5	7						
18-34	0								
35-49	8	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**23**	**20.0**	**155**						
GRAND TOTAL	**233**	**24.8**	**118**	**9**	**17**	**27**	**32**	**39**	**43**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	85	16.4	77	7	8	13	28	28	29
35-49	31	20.0	139						
50-69	39	14.5	92						
70 +	0								
	156	**16.7**	**95**	**4**	**8**	**14**	**28**	**30**	**31**
0-17	0								
18-34	16	7.0	4						
35-49	15	8.5	2						
50-69	16	20.5	13						
70 +	0								
	47	**12.0**	**44**	**5**	**7**	**9**	**17**	**24**	**24**
	203	**15.6**	**87**	**4**	**7**	**13**	**24**	**30**	**30**

DRG 127: Heart Failure & Shock

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	22304	7.6	29	3	4	6	9	13	17	0-17	194	6.6	72	2	2	4	6	15	21
70-74	20427	7.8	30	3	4	6	10	14	18	18-34	289	6.1	49	2	2	5	6	11	17
75-79	20699	8.0	35	3	4	6	9	14	18	35-49	1560	6.4	23	2	3	5	8	12	15
80-84	20284	8.0	32	3	4	7	10	14	19	50-69	11821	7.1	31	3	4	6	8	12	17
85 +	21427	8.2	36	3	5	7	10	15	18	70 +	1692	7.2	30	2	4	6	8	12	18
SUBTOTAL	**105141**	**7.9**	**32**	**3**	**4**	**6**	**10**	**14**	**18**		**15555**	**7.0**	**31**	**3**	**4**	**6**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3646	5.9	23	2	3	5	7	11	14	0-17	78	4.1	2	2	3	4	5	6	7
70-74	3757	5.5	10	2	3	5	7	10	12	18-34	55	4.1	2	1	3	5	5	6	6
75-79	4143	5.6	14	3	3	5	7	9	11	35-49	337	4.7	5	2	3	5	6	7	9
80-84	4226	6.1	19	2	3	5	7	11	13	50-69	2474	4.6	7	2	3	4	6	8	10
85 +	4892	5.8	14	2	3	5	7	10	12	70 +	417	4.4	5	2	3	4	5	7	10
SUBTOTAL	**20664**	**5.8**	**16**	**2**	**3**	**5**	**7**	**10**	**12**		**3361**	**4.6**	**6**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**125805**	**7.6**	**30**	**3**	**4**	**6**	**9**	**14**	**17**		**18916**	**6.6**	**27**	**2**	**4**	**5**	**8**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	170	6.0	18	2	4	5	8	9	12	0-17	101	6.2	21	2	3	4	9	12	17
18-34	172	5.8	15	2	3	5	7	11	12	18-34	140	4.2	4	1	3	4	5	7	9
35-49	1204	7.7	30	3	4	6	9	14	19	35-49	652	6.5	18	2	4	6	8	12	16
50-69	3424	7.3	28	3	4	6	9	13	18	50-69	2587	5.9	21	2	3	5	7	11	13
70 +	399	7.9	33	2	3	7	10	14	23	70 +	2913	6.2	21	2	3	5	8	12	15
SUBTOTAL	**5369**	**7.3**	**28**	**3**	**4**	**6**	**9**	**13**	**18**		**6393**	**6.1**	**20**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	78	4.7	20	< 1	2	4	5	11	17	0-17	0								
18-34	47	3.7	3	1	2	3	5	6	6	18-34	15	7.5	2						
35-49	213	4.2	5	2	3	3	6	8	8	35-49	157	4.9	22	1	2	4	6	8	18
50-69	714	5.3	11	2	3	4	6	10	13	50-69	580	5.0	9	2	3	4	7	8	10
70 +	63	5.2	2	3	4	5	6	8	8	70 +	910	4.8	13	1	3	4	6	10	11
SUBTOTAL	**1114**	**5.0**	**10**	**2**	**3**	**4**	**6**	**9**	**13**		**1663**	**4.9**	**12**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**6484**	**6.9**	**26**	**2**	**4**	**6**	**9**	**13**	**18**		**8055**	**5.8**	**19**	**2**	**3**	**5**	**7**	**11**	**14**

DRG 128: Deep Vein Thrombophlebitis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1143	8.5	17	4	6	8	10	14	16
70-74	946	8.8	16	5	6	8	10	15	17
75-79	804	9.1	15	5	7	8	11	14	16
80-84	536	9.8	35	5	7	8	11	16	21
85 +	653	10.1	23	5	7	9	13	17	18
SUBTOTAL	**4081**	**9.1**	**20**	**4**	**6**	**8**	**11**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1072	7.5	16	3	6	7	9	12	14
70-74	828	7.1	9	4	5	7	8	11	13
75-79	630	7.2	8	4	6	7.	9	11	12
80-84	472	7.7	9	4	6	8	10	12	13
85 +	442	8.0	9	5	6	7	10	13	14
SUBTOTAL	**3443**	**7.4**	**11**	**4**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**7524**	**8.3**	**16**	**4**	**6**	**8**	**10**	**13**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	14.5	60						
18-34	197	7.2	11	2	6	7	9	12	13
35-49	425	7.0	8	3	5	7	9	11	12
50-69	1424	9.2	24	5	6	8	11	15	18
70 +	16	6.5							
	2077	**8.6**	**21**	**4**	**6**	**8**	**10**	**13**	**17**
0-17	0								
18-34	740	6.7	10	2	5	7	9	11	12
35-49	1363	6.5	15	3	4	6	8	10	13
50-69	1890	6.9	9	3	5	7	9	10	12
70 +	32	6.8	15						
	4025	**6.7**	**11**	**3**	**5**	**7**	**9**	**10**	**12**
	6102	**7.4**	**15**	**3**	**5**	**7**	**9**	**11**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	9.0							
18-34	142	7.7	13	4	5	7	9	16	17
35-49	213	8.6	17	3	6	8	11	16	16
50-69	134	7.9	11	3	6	8	9	13	14
70 +	0								
SUBTOTAL	**496**	**8.2**	**14**	**4**	**5**	**8**	**10**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	10.0	46						
18-34	197	6.4	9	3	5	6	7	9	12
35-49	118	7.3	16	3	4	7	10	13	16
50-69	95	6.6	17	1	4	5	10	13	14
70 +	0								
SUBTOTAL	**433**	**6.9**	**15**	**3**	**4**	**6**	**9**	**13**	**16**
GRAND TOTAL	**929**	**7.6**	**15**	**3**	**5**	**7**	**9**	**13**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	87	7.1	13	1	5	7	9	11	13
35-49	126	7.5	9	3	5	8	10	13	13
50-69	235	8.2	12	4	6	7	10	13	15
70 +	47	7.8	5	4	7	8	9	11	11
	494	**7.8**	**11**	**4**	**6**	**7**	**10**	**12**	**13**
0-17	8	5.0							
18-34	158	5.8	6	3	4	6	7	9	10
35-49	219	6.6	9	2	5	6	8	12	12
50-69	228	6.4	7	3	5	7	7	10	11
70 +	55	6.6	8	2	4	8	8	11	11
	669	**6.3**	**8**	**3**	**5**	**6**	**8**	**10**	**11**
	1163	**6.9**	**10**	**3**	**5**	**7**	**9**	**11**	**12**

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	79	23.6	616	2	8	12	41	66	83
70-74	63	11.4	29	6	7	9	16	21	21
75-79	55	17.3	112	9	10	13	22	41	41
80-84	103	8.8	28	3	6	7	13	16	20
85 +	24	6.3	1						
SUBTOTAL	323	14.2	221	4	7	9	15	22	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	5.0							
70-74	0								
75-79	8	9.0							
80-84	8	2.0							
85 +	8	4.0							
SUBTOTAL	31	5.0	7						
GRAND TOTAL	354	13.4	209	3	6	9	14	22	41

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	5.0	4						
35-49	39	12.2	87						
50-69	39	17.5	149						
70 +	8	2.0							
	102	12.3	117	2	4	8	12	31	32
0-17	0								
18-34	0								
35-49	8	2.0							
50-69	16	10.5	2						
70 +	8	3.0							
	32	6.5	18						
	133	10.9	99	2	3	8	12	31	32

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	54.0							
35-49	0								
50-69	23	18.3	39						
70 +	8	1.0							
SUBTOTAL	39	22.0	332						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	18.0	17						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	15	18.0	17						
GRAND TOTAL	54	20.9	243	1	14	14	27	54	54

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	4.0							
50-69	8	23.0							
70 +	0								
	16	13.4	96						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	8	2.0							
	8	2.0							
	23	9.6	93						

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4179	7.8	53	2	4	7	9	14	19	0-17	47	12.2	73	1	7	11	15	28	28
70-74	3195	8.0	38	2	4	7	10	15	18	18-34	517	7.6	38	2	3	6	9	14	22
75-79	2881	8.4	39	2	4	7	11	14	21	35-49	1463	8.1	30	2	5	7	10	14	16
80-84	2389	8.5	37	2	5	7	10	16	20	50-69	3467	6.9	25	1	3	7	9	12	15
85 +	2072	8.6	36	3	5	8	11	15	17	70 +	204	5.9	20	1	2	5	9	11	15
SUBTOTAL	**14716**	**8.2**	**42**	**2**	**4**	**7**	**10**	**15**	**19**		**5698**	**7.3**	**28**	**1**	**4**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**14716**	**8.2**	**42**	**2**	**4**	**7**	**10**	**15**	**19**		**5698**	**7.3**	**28**	**1**	**4**	**7**	**9**	**13**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	6.0	4							0-17	39	5.6	23						
18-34	352	7.4	17	2	4	8	10	13	14	18-34	219	6.8	11	2	4	7	9	11	12
35-49	445	7.9	21	1	5	8	10	15	17	35-49	336	6.0	12	1	3	6	8	10	12
50-69	470	7.5	26	1	4	7	10	15	18	50-69	635	6.9	30	2	4	6	9	12	15
70 +	8	16.0								70 +	447	7.7	125	1	4	6	8	10	14
SUBTOTAL	**1291**	**7.7**	**22**	**1**	**4**	**7**	**10**	**14**	**17**		**1677**	**6.9**	**49**	**1**	**4**	**6**	**9**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1291**	**7.7**	**22**	**1**	**4**	**7**	**10**	**14**	**17**		**1677**	**6.9**	**49**	**1**	**4**	**6**	**9**	**11**	**14**

DRG 131: Peripheral Vascular Disorders w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2743	5.2	15	1	2	5	8	10	13
70-74	1938	5.5	29	1	2	5	8	10	11
75-79	1707	5.5	14	1	2	5	8	10	12
80-84	1161	5.8	12	1	3	6	8	10	12
85 +	862	6.6	21	2	3	6	8	13	18
SUBTOTAL	**8411**	**5.6**	**18**	**1**	**2**	**5**	**8**	**10**	**13**
GRAND TOTAL	**8411**	**5.6**	**18**	**1**	**2**	**5**	**8**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	226	4.7	13	1	1	5	7	10	11
18-34	1199	6.6	14	2	4	6	9	11	13
35-49	2508	6.1	18	1	3	6	8	10	12
50-69	4439	5.4	15	1	2	6	8	10	12
70 +	117	4.3	11	1	1	4	7	7	13
	8489	**5.7**	**16**	**1**	**2**	**6**	**8**	**10**	**12**
	8489	**5.7**	**16**	**1**	**2**	**6**	**8**	**10**	**12**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	2.2	4						
18-34	330	7.1	24	2	3	7	9	12	20
35-49	353	5.1	13	1	2	5	7	10	11
50-69	329	5.7	23	1	2	5	8	13	15
70 +	32	3.8	7						
SUBTOTAL	**1083**	**5.7**	**20**	**1**	**2**	**5**	**8**	**12**	**14**
GRAND TOTAL	**1083**	**5.7**	**20**	**1**	**2**	**5**	**8**	**12**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	62	6.6	8	1	6	7	7	12	12
18-34	399	6.6	16	2	3	7	9	10	13
35-49	542	5.6	9	1	4	6	8	9	10
50-69	769	5.3	17	1	2	5	8	10	11
70 +	415	4.4	14	1	1	4	6	8	10
	2187	**5.5**	**15**	**1**	**2**	**5**	**8**	**10**	**11**
	2187	**5.5**	**15**	**1**	**2**	**5**	**8**	**10**	**11**

DRG 132: Atherosclerosis w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	947	4.7	12	1	3	4	6	9	11
70-74	611	5.2	20	2	3	4	7	10	13
75-79	681	5.3	26	2	2	4	6	11	13
80-84	478	7.4	37	3	4	6	9	16	22
85 +	393	5.4	12	2	2	5	8	10	13
SUBTOTAL	**3110**	**5.4**	**21**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3110**	**5.4**	**21**	**2**	**3**	**4**	**7**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	3.0	1						
18-34	16	2.0							
35-49	258	3.0	8	1	2	3	4	4	7
50-69	994	3.7	9	1	2	3	4	8	10
70 +	47	5.8	5	3	4	5	7	10	10
	1329	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1329	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	4.0							
18-34	32	3.0	2						
35-49	86	5.6	9	3	3	5	6	9	13
50-69	218	5.2	26	1	3	4	6	8	12
70 +	8	8.0							
SUBTOTAL	**359**	**5.1**	**18**	**2**	**3**	**4**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**359**	**5.1**	**18**	**2**	**3**	**4**	**6**	**8**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	6.0							
35-49	86	3.9	12	1	1	2	6	7	13
50-69	219	3.1	4	1	2	2	4	6	7
70 +	95	4.4	11	2	2	3	5	7	14
	408	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	408	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 133: Atherosclerosis w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	606	4.1	14	1	1	3	5.	10	14
70-74	384	2.8	2	1	2	2	4	5	6
75-79	283	3.6	3	2	2	3	4	6	7
80-84	172	4.0	11	2	2	3	5	7	7
85 +	173	5.4	8	2	3	5	6	10	11
SUBTOTAL	**1617**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**1617**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	15	1.5							
18-34	24	2.0							
35-49	455	4.0	51	1	2	3	4	7	8
50-69	1003	3.0	6	1	1	2	4	6	7
70 +	8	2.0							
	1505	**3.3**	**19**	**1**	**1**	**2**	**4**	**6**	**7**
	1505	**3.3**	**19**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	2.3	2						
18-34	8	4.0							
35-49	31	4.0	9						
50-69	47	5.0	2	2	5	5	6	7	7
70 +	0								
SUBTOTAL	**109**	**4.1**	**5**	**2**	**2**	**4**	**5**	**7**	**9**
GRAND TOTAL	**109**	**4.1**	**5**	**2**	**2**	**4**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	55	3.9	2	2	3	4	5	6	6
50-69	133	2.3	2	< 1	1	2	3	4	6
70 +	79	3.6	7	2	2	3	3	9	11
	266	**3.0**	**4**	**1**	**2**	**3**	**3**	**5**	**6**
	266	**3.0**	**4**	**1**	**2**	**3**	**3**	**5**	**6**

DRG 134: Hypertension

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1853	6.0	21	2	3	5	8	11	14	0-17	70	8.9	42	1	6	7	11	25	25
70-74	1126	5.5	13	2	3	5	7	10	13	18-34	164	5.1	26	2	3	3	6	8	14
75-79	738	6.1	20	2	3	5	8	12	16	35-49	865	4.5	10	1	2	4	6	10	10
80-84	747	6.1	22	2	3	5	8	12	14	50-69	1721	4.7	9	2	3	4	6	8	10
85 +	473	6.7	32	2	3	5	8	12	17	70 +	55	3.6	4	2	2	3	4	8	8
SUBTOTAL	**4937**	**6.0**	**20**	**2**	**3**	**5**	**8**	**11**	**14**		**2875**	**4.8**	**12**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1279	4.3	17	1	2	3	5	8	10	0-17	117	3.8	9	1	2	2	6	8	12
70-74	613	3.5	4	1	2	3	4	6	7	18-34	290	3.1	6	1	1	3	4	6	11
75-79	646	3.9	5	2	2	4	4	7	8	35-49	1487	3.2	3	1	2	3	4	6	7
80-84	465	4.0	7	1	2	3	5	9	9	50-69	2178	3.7	8	1	2	3	4	7	10
85 +	268	4.7	14	2	2	3	5	8	15	70 +	71	9.6	124	2	3	4	11	37	37
SUBTOTAL	**3270**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**9**		**4143**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**8208**	**5.2**	**17**	**2**	**3**	**4**	**6**	**10**	**13**		**7018**	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	7.6	61	3	3	4	11	27	27	0-17	8	4.0							
18-34	62	4.6	7	2	2	4	7	9	9	18-34	142	4.6	10	1	2	5	7	9	12
35-49	321	5.6	16	2	3	5	6	11	12	35-49	314	6.3	40	2	3	4	7	14	23
50-69	408	6.2	23	2	4	5	7	11	14	50-69	370	5.8	48	2	3	4	7	11	13
70 +	31	12.4	180							70 +	118	4.6	15	1	2	3	5	12	15
SUBTOTAL	**885**	**6.2**	**29**	**2**	**3**	**5**	**7**	**11**	**14**		**952**	**5.6**	**36**	**1**	**2**	**4**	**7**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	47	3.0	3	1	2	3	4	6	6	0-17	62	3.8	10	1	2	3	6	11	11
18-34	118	3.1	1	2	2	3	4	5	5	18-34	95	9.7	410	3	3	4	6	6	77
35-49	369	4.2	6	1	2	4	6	8	9	35-49	456	3.8	10	1	2	3	5	7	10
50-69	329	4.5	7	2	2	4	6	8	10	50-69	448	3.5	5	1	2	3	4	7	9
70 +	8	3.0								70 +	86	3.6	5	1	1	4	5	6	8
SUBTOTAL	**871**	**4.1**	**6**	**2**	**2**	**4**	**6**	**7**	**9**		**1147**	**4.2**	**43**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1755**	**5.2**	**19**	**2**	**3**	**4**	**6**	**10**	**11**		**2099**	**4.8**	**40**	**1**	**2**	**3**	**6**	**9**	**13**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	251	5.6	19	2	3	4	8	11	18	0-17	0									
70-74	236	6.2	22	2	3	5	8	13	18	18-34	94	4.4	9	1	3	4	6	8	12	
75-79	227	7.9	20	2	4	8	11	15	17	35-49	204	5.0	35	1	2	3	5	11	12	
80-84	197	7.0	34	2	4	6	8	12	19	50-69	234	3.8	8	1	2	3	5	8	12	
85 +	274	5.7	14	3	4	5	6	9	12	70 +	24	3.0	1							
SUBTOTAL	**1184**	**6.4**	**22**	**2**	**3**	**5**	**8**	**12**	**18**		**555**	**4.3**	**18**	**1**	**2**	**3**	**5**	**8**	**12**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**1184**	**6.4**	**22**	**2**	**3**	**5**	**8**	**12**	**18**		**555**	**4.3**	**18**	**1**	**2**	**3**	**5**	**8**	**12**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	32	4.5	12							18-34	23	2.3								
35-49	62	5.1	9	< 1	3	4	7	11	11	35-49	16	2.0	1							
50-69	86	4.9	4	2	3	5	7	7	8	50-69	70	6.1	23	2	3	4	5	17	17	
70 +	0									70 +	31	6.0	4							
SUBTOTAL	**180**	**4.9**	**7**	**2**	**3**	**5**	**7**	**8**	**10**		**141**	**5.0**	**15**	**2**	**3**	**4**	**5**	**12**	**17**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**180**	**4.9**	**7**	**2**	**3**	**5**	**7**	**8**	**10**		**141**	**5.0**	**15**	**2**	**3**	**4**	**5**	**12**	**17**	

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	117	3.9	8	1	2	3	6	6	12
70-74	47	3.2	4	1	2	3	3	7	7
75-79	79	6.2	46	1	2	3	4	19	20
80-84	32	3.5							
85 +	39	2.2	1						
SUBTOTAL	**313**	**4.1**	**17**	**1**	**2**	**3**	**4**	**7**	**17**
GRAND TOTAL	**313**	**4.1**	**17**	**1**	**2**	**3**	**4**	**7**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	322	2.5	3	1	2	2	3	4	6
35-49	331	3.2	6	1	1	3	4	6	10
50-69	243	2.8	3	1	1	2	4	5	6
70 +	0								
	896	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**7**
	896	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	86	1.8	1	< 1	1	1	3	3	4
35-49	47	3.5	1	2	2	4	4	5	5
50-69	15	5.0	1						
70 +	0								
SUBTOTAL	**148**	**2.7**	**2**	**< 1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**148**	**2.7**	**2**	**< 1**	**1**	**2**	**4**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	47	1.5	1	1	1	1	2	3	3
35-49	55	2.3	1	1	2	2	3	4	4
50-69	31	2.3	1						
70 +	8	2.0							
	140	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
	140	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	372	4.0	18	< 1	1	2	5	8	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										372	4.0	18	< 1	1	2	5	8	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	443	3.7	48	< 1	1	2	4	8	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										443	3.7	48	< 1	1	2	4	8	10
GRAND TOTAL	0										814	3.8	35	< 1	1	2	4	8	10

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	240	4.5	22	1	2	2	6	11	12	0-17	124	4.0	8	1	2	3	5	10	99 +
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	240	4.5	22	1	2	2	6	11	12		124	4.0	8	1	2	3	5	10	99 +
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	225	3.1	11	< 1	1	1	4	8	9	0-17	132	2.7	4	< 1	1	2	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	225	3.1	11	< 1	1	1	4	8	9		132	2.7	4	< 1	1	2	4	6	8
GRAND TOTAL	465	3.8	17	< 1	1	2	6	9	12		256	3.3	7	1	1	3	5	8	10

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9515	5.1	21	2	3	4	6	9	12
70-74	8834	5.7	22	2	3	4	7	11	14
75-79	8828	6.1	22	2	3	5	8	11	15
80-84	7138	6.3	19	2	3	5	8	11	15
85 +	6308	6.3	21	2	3	5	8	11	16
SUBTOTAL	**40623**	**5.9**	**21**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**40623**	**5.9**	**21**	**2**	**3**	**5**	**7**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	280	3.5	4	1	2	3	5	7	7
18-34	683	3.1	4	1	1	3	4	6	7
35-49	1986	3.7	13	1	2	3	4	7	10
50-69	7158	4.6	18	1	2	4	6	8	11
70 +	754	5.1	15	2	2	4	6	11	14
	10860	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10860	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	125	8.6	135	2	2	5	9	16	51
18-34	265	3.9	15	1	1	3	5	6	12
35-49	432	5.3	16	2	3	4	7	11	12
50-69	995	5.3	17	2	3	4	6	10	13
70 +	126	6.4	37	3	4	5	7	8	29
SUBTOTAL	**1942**	**5.4**	**26**	**2**	**3**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1942**	**5.4**	**26**	**2**	**3**	**4**	**6**	**10**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	4.1	11	1	2	2	7	11	11
18-34	275	2.2	3	1	1	2	3	5	6
35-49	509	2.8	2	1	2	2	3	5	5
50-69	1155	3.8	11	1	2	3	5	8	11
70 +	1116	5.0	15	2	3	4	6	9	13
	3117	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3117	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5512	3.7	8	1	2	3	5	7	9	0-17	900	2.6	9	1	1	2	3	5	6
70-74	4586	3.6	7	1	2	3	4	7	9	18-34	1728	2.2	2	1	1	2	3	4	5
75-79	4414	4.3	11	1	2	3	5	8	10	35-49	4172	2.6	3	1	1	2	3	5	6
80-84	3256	4.2	8	2	2	4	5	7	9	50-69	8898	3.0	5	1	2	2	4	6	7
85 +	2509	4.6	8	2	2	4	6	8	10	70 +	362	4.9	14	2	2	4	6	9	10
SUBTOTAL	**20277**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**16061**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**20277**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**16061**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	288	3.2	5	1	1	3	5	7	8	0-17	186	3.1	7	1	1	2	4	6	7
18-34	274	2.3	2	1	1	2	3	4	5	18-34	572	2.0	2	1	1	2	2	3	5
35-49	243	4.1	23	1	2	3	4	8	11	35-49	794	2.2	2	1	1	2	3	5	5
50-69	438	4.0	7	2	2	3	5	7	11	50-69	1309	2.5	3	1	1	2	3	4	6
70 +	87	6.3	10	3	4	5	11	11	11	70 +	777	2.7	4	1	1	2	3	5	6
SUBTOTAL	**1331**	**3.6**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**3638**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1331**	**3.6**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**3638**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13988	4.8	12	2	3	4	6	8	11	0-17	8	4.0							
70-74	10335	4.9	10	2	3	4	6	9	11	18-34	307	2.8	3	1	2	2	3	6	7
75-79	10427	5.2	12	2	3	4	6	9	12	35-49	3011	3.8	9	2	2	3	5	7	8
80-84	8618	5.2	14	2	3	4	6	9	12	50-69	9728	4.1	6	2	2	3	5	7	9
85 +	6637	5.6	16	2	3	4	7	10	13	70 +	761	4.8	12	2	3	4	6	10	12
SUBTOTAL	**50004**	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**12**		**13815**	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12916	3.6	5	2	2	3	5	6	7	0-17	0								
70-74	8943	3.6	4	2	2	3	4	6	7	18-34	811	2.6	2	1	2	2	3	4	5
75-79	8407	3.9	5	2	2	3	5	7	8	35-49	7976	2.9	3	1	2	3	4	5	6
80-84	5742	3.9	6	2	2	3	5	7	8	50-69	16533	3.1	3	1	2	3	4	5	6
85 +	3987	3.9	6	2	2	3	5	7	8	70 +	620	3.5	5	1	2	3	4	6	8
SUBTOTAL	**39995**	**3.7**	**5**	**2**	**2**	**3**	**5**	**6**	**8**		**25940**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**89998**	**4.5**	**10**	**2**	**3**	**4**	**5**	**8**	**10**		**39755**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	141	3.0	3	1	2	3	4	6	7	18-34	102	2.8	4	< 1	1	2	3	5	8
35-49	1021	4.0	5	2	2	3	5	7	9	35-49	613	4.2	10	1	2	3	5	9	11
50-69	2499	4.9	10	2	3	4	6	8	10	50-69	1692	3.7	6	1	2	3	5	7	8
70 +	157	6.6	13	2	3	6	9	11	13	70 +	927	3.8	11	2	2	3	4	6	8
SUBTOTAL	**3819**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**10**		**3334**	**3.8**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	228	3.4	5	1	2	3	4	6	7	18-34	126	2.0	2	1	1	2	3	4	6
35-49	1378	3.8	4	2	2	4	5	7	8	35-49	1493	2.7	2	1	2	2	3	4	6
50-69	2105	3.8	5	1	2	3	5	7	8	50-69	2730	2.7	3	1	1	2	3	5	6
70 +	173	4.3	9	2	2	3	5	10	10	70 +	1224	2.8	4	1	2	2	3	5	6
SUBTOTAL	**3884**	**3.8**	**5**	**2**	**2**	**3**	**5**	**7**	**8**		**5573**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**7704**	**4.2**	**7**	**2**	**2**	**4**	**5**	**8**	**9**		**8907**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 141: Syncope & Collapse w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3099	4.7	10	2	3	4	6	9	11
70-74	3131	4.6	10	2	2	4	6	9	12
75-79	3260	5.1	11	2	3	4	6	9	12
80-84	3424	5.5	17	2	3	5	7	10	12
85 +	3196	5.8	22	2	3	5	7	11	15
SUBTOTAL	**16110**	**5.1**	**14**	**2**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16110**	**5.1**	**14**	**2**	**3**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	259	2.9	4	1	1	2	4	6	7
18-34	558	3.5	13	1	2	2	4	6	9
35-49	1006	3.3	6	1	2	3	4	6	7
50-69	2346	4.1	10	1	2	3	5	8	11
70 +	392	5.8	84	2	3	4	6	10	12
	4561	**3.9**	**16**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4561	**3.9**	**16**	**1**	**2**	**3**	**5**	**7**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	71	2.9	2	1	2	3	3	5	5
18-34	251	3.2	3	1	2	3	4	5	6
35-49	133	4.4	12	1	2	4	5	10	14
50-69	386	5.2	19	2	3	4	6	10	16
70 +	55	5.9	21	2	2	4	10	15	15
SUBTOTAL	**896**	**4.4**	**13**	**2**	**2**	**3**	**5**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**896**	**4.4**	**13**	**2**	**2**	**3**	**5**	**9**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	1.7		< 1	1	2	2	3	3
18-34	204	2.9	4	1	1	3	4	6	6
35-49	173	3.4	6	1	2	3	4	7	8
50-69	557	4.2	15	1	2	3	5	7	10
70 +	457	3.5	7	1	2	3	4	6	8
	1453	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1453	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 142: Syncope & Collapse w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1799	3.4	5	1	2	3	4	7	8	0-17	743	2.4	2	1	1	2	3	4	5
70-74	1996	3.5	4	2	2	3	4	6	7	18-34	1067	2.4	3	1	1	2	3	4	5
75-79	2083	3.8	6	1	2	3	5	7	9	35-49	2106	2.6	3	1	1	2	3	5	6
80-84	1782	3.6	5	1	2	3	5	7	7	50-69	3161	2.8	4	1	2	2	4	5	6
85 +	1486	4.3	8	2	2	3	6	8	9	70 +	188	5.2	26	2	3	4	6	11	11
SUBTOTAL	**9146**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**7265**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**9146**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**7265**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	160	2.3	1	1	1	2	3	4	4	0-17	118	2.1	1	1	2	2	3	3	4
18-34	219	3.0	4	1	2	2	4	6	7	18-34	338	2.4	1	1	1	2	3	4	4
35-49	189	3.4	8	1	2	3	4	5	5	35-49	338	2.3	1	1	1	2	3	4	4
50-69	204	4.6	12	1	2	4	6	10	11	50-69	637	2.7	11	1	1	2	3	4	6
70 +	63	4.0	4	2	2	3	5	8	8	70 +	480	2.3	3	1	1	2	3	4	5
SUBTOTAL	**854**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**9**		**1910**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**854**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**9**		**1910**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 143: Chest Pain

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4109	3.6	8	1	2	3	4	7	9
70-74	2334	3.7	20	1	2	3	4	6	7
75-79	1988	3.8	7	1	2	3	5	6	10
80-84	1140	4.2	8	2	2	4	5	7	9
85 +	872	3.9	8	2	2	3	5	7	10
SUBTOTAL	**10442**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5007	3.0	4	1	2	3	4	5	6
70-74	2913	2.8	3	1	2	2	3	5	6
75-79	2001	3.1	3	1	2	3	4	5	7
80-84	1114	3.2	5	1	2	2	4	7	9
85 +	739	3.9	31	1	2	3	4	7	9
SUBTOTAL	**11773**	**3.0**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**22215**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	2.5	2	< 1	1	2	4	4	4
18-34	897	2.9	12	1	2	2	3	5	6
35-49	3615	2.9	4	1	2	2	4	5	7
50-69	5178	3.3	7	1	2	3	4	6	7
70 +	141	3.8	3	2	2	4	5	7	8
	9879	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**
0-17	109	2.9	2	1	2	3	4	5	5
18-34	2956	2.2	2	1	1	2	3	4	5
35-49	13209	2.3	2	1	1	2	3	4	5
50-69	12020	2.4	2	1	1	2	3	4	5
70 +	259	2.9	2	1	2	3	4	5	5
	28553	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	38433	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	1.8	1						
18-34	384	3.0	6	1	1	2	4	6	7
35-49	801	3.2	4	1	2	3	4	6	6
50-69	808	3.8	7	1	2	3	5	7	10
70 +	31	6.0	10						
SUBTOTAL	**2054**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	24	2.3							
18-34	620	2.2	1	1	1	2	3	4	5
35-49	1090	2.8	4	1	1	2	4	5	6
50-69	782	3.2	5	1	2	2	4	5	8
70 +	39	2.8	1						
SUBTOTAL	**2556**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4610**	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	1.5	1						
18-34	440	2.2	2	1	1	2	3	4	5
35-49	936	2.6	3	1	1	2	3	5	6
50-69	1334	2.7	3	1	2	2	3	5	6
70 +	314	2.6	2	1	1	2	3	5	6
	3055	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	16	1.5							
18-34	872	2.2	2	1	1	2	3	4	5
35-49	2867	2.0	2	1	1	2	2	4	5
50-69	2925	2.0	2	1	1	2	3	4	4
70 +	634	1.9	1	1	1	1	2	3	4
	7313	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
	10367	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 144: Other Circulatory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3293	7.2	36	2	4	6	9	14	17
70-74	2104	7.5	34	3	4	6	9	14	19
75-79	1818	6.9	24	2	3	6	9	12	16
80-84	1116	7.3	25	2	3	6	10	14	18
85 +	779	7.2	33	2	3	6	9	14	18
SUBTOTAL	**9110**	**7.2**	**32**	**2**	**4**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9110**	**7.2**	**32**	**2**	**4**	**6**	**9**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	334	4.9	18	1	2	3	7	13	14
18-34	540	4.7	12	1	2	4	5	9	13
35-49	1002	5.7	22	2	3	4	7	12	16
50-69	2826	6.3	39	2	3	5	8	12	16
70 +	156	6.6	8	3	5	7	8	10	12
	4858	**5.9**	**31**	**2**	**3**	**4**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4858	**5.9**	**31**	**2**	**3**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	170	5.8	19	1	2	4	8	14	15
18-34	210	5.3	18	2	3	4	7	9	18
35-49	282	5.6	17	2	3	4	7	12	14
50-69	416	7.4	53	2	3	5	9	14	22
70 +	8	7.0							
SUBTOTAL	**1086**	**6.3**	**32**	**2**	**3**	**4**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1086**	**6.3**	**32**	**2**	**3**	**4**	**8**	**13**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	4.4	4	2	3	4	6	9	9
18-34	172	3.9	28	1	2	3	3	6	8
35-49	328	4.4	6	2	2	4	6	8	9
50-69	486	6.6	51	2	3	4	7	12	19
70 +	187	6.6	70	2	2	4	8	13	13
	1236	**5.5**	**37**	**2**	**2**	**4**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1236	**5.5**	**37**	**2**	**2**	**4**	**6**	**10**	**13**

DRG 145: Other Circulatory System Diagnoses w/o CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	744	4.3	16	1	2	3	5	8	12
70-74	354	4.9	17	1	2	3	6	10	11
75-79	260	4.9	26	1	2	4	5	7	16
80-84	197	3.5	4	1	2	4	5	7	7
85 +	150	4.4	9	2	2	3	6	10	13
SUBTOTAL	**1704**	**4.4**	**16**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**1704**	**4.4**	**16**	**1**	**2**	**3**	**5**	**9**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	435	3.5	6	1	1	3	5	8	9
18-34	651	3.4	8	1	2	2	4	7	9
35-49	1082	3.4	4	1	2	3	4	6	8
50-69	1360	3.8	7	1	2	3	5	7	9
70 +	47	2.5	2	1	1	2	4	4	4
	3576	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
	3576	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	170	3.6	8	1	1	3	5	8	9
18-34	125	2.8	2	1	2	2	4	5	6
35-49	78	5.4	18	2	2	4	6	14	14
50-69	118	6.0	40	1	2	3	6	17	24
70 +	8	1.0							
SUBTOTAL	**499**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**13**
GRAND TOTAL	**499**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**13**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	116	4.0	15	< 1	1	2	6	12	14
18-34	251	2.7	3	1	2	2	4	5	6
35-49	188	2.7	3	1	1	2	3	5	5
50-69	188	2.9	3	1	1	3	4	6	6
70 +	78	4.0	6	2	2	3	5	9	10
	822	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	822	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 146: Rectal Resection w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	439	16.3	197	8	9	13	17	22	45	0-17	39	14.4	26						
70-74	424	13.4	29	9	10	11	15	20	25	18-34	23	8.3	7						
75-79	338	14.3	66	8	10	11	17	26	35	35-49	125	12.0	100	6	8	9	12	29	45
80-84	227	14.2	34	8	10	14	17	21	26	50-69	587	11.7	26	8	9	10	13	17	20
85+	165	14.6	30	9	10	14	16	24	25	70+	31	11.0	18						
SUBTOTAL	**1592**	**14.6**	**85**	**8**	**10**	**13**	**16**	**23**	**27**		**805**	**11.8**	**37**	**8**	**8**	**10**	**13**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1592**	**14.6**	**85**	**8**	**10**	**13**	**16**	**23**	**27**		**805**	**11.8**	**37**	**8**	**8**	**10**	**13**	**17**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	13.8	22							0-17	15	9.5	7						
18-34	0									18-34	8	54.0							
35-49	16	8.0	1							35-49	15	17.5	77						
50-69	31	19.4	103							50-69	102	11.8	63	6	8	9	12	22	35
70+	8	10.0								70+	55	9.9	7	7	7	9	13	14	14
SUBTOTAL	**94**	**14.4**	**60**	8	9	14	17	21	36		**195**	**13.2**	**114**	**7**	**8**	**9**	**13**	**26**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**94**	**14.4**	**60**	**8**	**9**	**14**	**17**	**21**	**36**		**195**	**13.2**	**114**	**7**	**8**	**9**	**13**	**26**	**35**

DRG 147: Rectal Resection w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	196	9.7	7	7	8	10	11	13	13
70-74	212	10.5	19	7	8	9	12	15	23
75-79	165	10.9	13	8	9	9	12	15	19
80-84	63	10.0	8	5	8	10	12	14	14
85+	31	4.3	8						
SUBTOTAL	**667**	**10.0**	**14**	**7**	**8**	**9**	**11**	**15**	**16**
GRAND TOTAL	**667**	**10.0**	**14**	**7**	**8**	**9**	**11**	**15**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	279	8.7	20	4	7	8	10	13	23
18-34	8	6.0							
35-49	118	7.9	3	6	7	8	9	10	10
50-69	399	9.3	10	7	8	9	11	12	16
70+	15	11.0	1						
	818	**8.9**	**12**	**6**	**7**	**8**	**10**	**12**	**16**
	818	**8.9**	**12**	**6**	**7**	**8**	**10**	**12**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	116	7.8	11	5	7	7	8	10	18
18-34	23	9.3	4						
35-49	0								
50-69	15	8.0	10						
70+	0								
SUBTOTAL	**155**	**8.1**	**10**	**5**	**7**	**8**	**9**	**12**	**16**
GRAND TOTAL	**155**	**8.1**	**10**	**5**	**7**	**8**	**9**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	70	8.2	5	5	7	8	9	13	13
18-34	8	7.0							
35-49	32	8.5	12						
50-69	86	6.6	7	4	4	8	8	9	10
70+	47	11.3	13	9	9	9	11	19	19
	242	**8.3**	**10**	**5**	**7**	**8**	**9**	**12**	**14**
	242	**8.3**	**10**	**5**	**7**	**8**	**9**	**12**	**14**

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6950	15.5	135	7	9	12	17	27	42
70-74	6536	15.9	116	8	9	13	19	27	36
75-79	6041	16.0	112	8	10	13	19	28	36
80-84	4495	16.0	80	8	10	13	19	27	33
85 +	3557	17.3	98	9	11	15	20	30	38
SUBTOTAL	**27579**	**16.0**	**112**	**8**	**10**	**13**	**19**	**28**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**27579**	**16.0**	**112**	**8**	**10**	**13**	**19**	**28**	**36**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	934	14.4	148	5	6	10	16	34	49
18-34	1555	12.9	73	6	7	10	15	24	32
35-49	3094	13.2	81	6	8	10	15	24	31
50-69	8228	13.8	90	7	8	11	16	24	34
70 +	518	16.6	142	8	9	13	19	28	40
	14330	**13.7**	**92**	**7**	**8**	**10**	**16**	**25**	**34**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14330	**13.7**	**92**	**7**	**8**	**10**	**16**	**25**	**34**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	311	15.1	145	7	8	12	18	43	99 +
18-34	389	15.2	144	6	8	10	16	36	43
35-49	375	17.2	175	6	9	13	23	34	45
50-69	587	16.7	102	8	10	14	20	32	40
70 +	47	12.3	13	9	10	11	15	19	19
SUBTOTAL	**1709**	**16.1**	**134**	**7**	**9**	**12**	**20**	**35**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1709**	**16.1**	**134**	**7**	**9**	**12**	**20**	**35**	**45**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	240	13.7	173	5	7	10	17	34	66
18-34	533	10.4	34	5	7	10	12	18	22
35-49	541	11.1	39	6	7	9	12	19	27
50-69	1395	14.2	128	6	8	11	15	28	35
70 +	847	14.0	96	7	9	11	16	25	27
	3556	**13.1**	**98**	**6**	**8**	**10**	**14**	**25**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3556	**13.1**	**98**	**6**	**8**	**10**	**14**	**25**	**31**

DRG 149: Major Small & Large Bowel Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2078	9.8	19	6	7	9	11	14	17	0-17	1366	7.5	37	3	4	7	9	12	15
70-74	1781	9.6	14	7	8	9	10	13	16	18-34	1415	7.5	14	3	5	7	9	12	14
75-79	1385	10.1	13	7	8	9	12	15	17	35-49	2006	8.6	14	5	7	8	10	13	16
80-84	934	10.1	16	6	8	9	12	15	18	50-69	4083	9.2	18	6	7	8	10	13	15
85 +	425	11.8	27	7	8	11	14	18	23	70 +	63	9.5	7	7	7	8	12	13	13
SUBTOTAL	**6602**	**10.0**	**17**	**7**	**8**	**9**	**11**	**15**	**18**		**8933**	**8.5**	**20**	**4**	**6**	**8**	**10**	**13**	**15**
GRAND TOTAL	**6602**	**10.0**	**17**	**7**	**8**	**9**	**11**	**15**	**18**		**8933**	**8.5**	**20**	**4**	**6**	**8**	**10**	**13**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	427	8.4	66	3	4	6	9	13	29	0-17	474	6.8	19	3	3	6	9	14	16
18-34	274	7.7	17	3	4	7	10	14	16	18-34	407	7.3	11	4	5	7	9	11	15
35-49	94	9.3	12	6	7	9	12	12	18	35-49	431	7.9	12	5	6	7	9	10	13
50-69	118	8.5	14	4	5	8	12	15	15	50-69	728	8.8	25	6	7	8	9	13	19
70 +	8	9.0								70 +	431	8.9	10	6	7	8	9	12	15
SUBTOTAL	**920**	**8.3**	**39**	**3**	**5**	**7**	**10**	**14**	**17**		**2471**	**8.1**	**17**	**4**	**6**	**8**	**9**	**13**	**16**
GRAND TOTAL	**920**	**8.3**	**39**	**3**	**5**	**7**	**10**	**14**	**17**		**2471**	**8.1**	**17**	**4**	**6**	**8**	**9**	**13**	**16**

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1158	12.1	51	5	8	11	15	19	23	0-17	202	14.5	187	6	7	10	11	40	43
70-74	831	13.3	66	6	8	11	16	23	31	18-34	424	9.5	44	4	6	8	12	19	25
75-79	887	13.4	49	6	9	11	16	22	29	35-49	863	10.5	36	4	6	9	13	20	22
80-84	551	14.9	82	7	9	12	18	27	33	50-69	1026	11.3	72	4	7	9	13	18	27
85 +	589	15.6	82	7	10	14	19	25	31	70 +	47	10.8	19	6	7	9	15	18	18
SUBTOTAL	**4016**	**13.5**	**64**	**7**	**8**	**12**	**16**	**23**	**29**		**2562**	**11.0**	**65**	**4**	**6**	**9**	**13**	**20**	**25**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4016**	**13.5**	**64**	**7**	**8**	**12**	**16**	**23**	**29**		**2562**	**11.0**	**65**	**4**	**6**	**9**	**13**	**20**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	54	12.3	17	5	9	12	16	18	18	0-17	39	9.6	17						
18-34	125	12.3	90	4	6	11	13	31	35	18-34	189	8.8	41	4	5	6	11	17	25
35-49	102	9.7	21	3	6	10	13	15	17	35-49	125	10.8	32	6	7	9	13	20	26
50-69	157	10.1	44	3	5	9	14	16	26	50-69	180	9.3	36	4	5	7	12	17	24
70 +	8	8.0								70 +	78	13.7	45	6	9	12	17	24	30
SUBTOTAL	**446**	**10.9**	**49**	**4**	**6**	**10**	**14**	**17**	**31**		**611**	**10.0**	**39**	**4**	**6**	**8**	**13**	**18**	**25**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**446**	**10.9**	**49**	**4**	**6**	**10**	**14**	**17**	**31**		**611**	**10.0**	**39**	**4**	**6**	**8**	**13**	**18**	**25**

DRG 151: Peritoneal Adhesiolysis w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	534	7.1	18	2	4	6	9	13	14
70-74	470	7.4	15	3	4	7	10	12	15
75-79	298	8.9	26	3	6	8	11	15	22
80-84	227	9.4	15	5	7	9	11	16	19
85 +	94	9.5	2	8	8	10	10	10	13
SUBTOTAL	**1624**	**8.0**	**18**	**3**	**5**	**8**	**10**	**13**	**15**
GRAND TOTAL	**1624**	**8.0**	**18**	**3**	**5**	**8**	**10**	**13**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	358	7.4	28	2	4	6	8	19	20
18-34	840	6.3	18	3	4	6	8	11	15
35-49	1398	6.7	17	3	4	6	8	12	16
50-69	1218	7.1	20	3	4	6	9	12	16
70 +	32	9.5	23						
	3846	**6.8**	**19**	**3**	**4**	**6**	**8**	**12**	**16**
	3846	**6.8**	**19**	**3**	**4**	**6**	**8**	**12**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	85	7.0	5	5	5	6	8	9	13
18-34	275	5.9	11	2	4	5	8	11	12
35-49	220	7.4	16	3	4	6	11	14	14
50-69	86	8.2	13	5	5	8	11	12	16
70 +	8	15.0							
SUBTOTAL	**674**	**6.9**	**14**	**3**	**4**	**6**	**9**	**12**	**14**
GRAND TOTAL	**674**	**6.9**	**14**	**3**	**4**	**6**	**9**	**12**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	179	7.2	11	4	5	7	9	12	14
18-34	220	6.9	13	3	4	8	9	12	12
35-49	181	6.9	22	3	4	6	8	11	17
50-69	188	7.2	20	2	5	6	10	14	14
70 +	71	9.7	65	2	4	9	11	30	30
	838	**7.3**	**21**	**3**	**4**	**6**	**9**	**12**	**15**
	838	**7.3**	**21**	**3**	**4**	**6**	**9**	**12**	**15**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	337	8.5	27	3	5	7	10	17	19
70-74	336	9.6	69	3	5	8	12	14	28
75-79	290	9.1	40	3	5	7	11	18	27
80-84	219	9.8	70	4	6	8	10	16	24
85 +	203	9.2	57	3	5	7	12	14	19
SUBTOTAL	**1387**	**9.2**	**51**	**3**	**5**	**8**	**11**	**16**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1387**	**9.2**	**51**	**3**	**5**	**8**	**11**	**16**	**24**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	132	7.2	16	2	5	7	8	10	20
18-34	94	8.0	26	3	3	6	12	15	18
35-49	133	8.4	22	2	5	8	12	14	19
50-69	392	10.0	146	3	5	7	10	16	30
70 +	31	9.2	50						
	781	**9.0**	**86**	**3**	**5**	**7**	**10**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	781	**9.0**	**86**	**3**	**5**	**7**	**10**	**15**	**20**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	6.8	1						
18-34	39	10.2	16						
35-49	39	12.0	23						
50-69	62	9.6	10	4	8	9	10	14	14
70 +	0								
SUBTOTAL	**172**	**9.8**	**15**	**6**	**7**	**9**	**12**	**17**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**172**	**9.8**	**15**	**6**	**7**	**9**	**12**	**17**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	8.7	12						
18-34	16	4.5	13						
35-49	47	9.9	18	5	7	8	14	17	17
50-69	55	13.8	217	2	3	10	13	48	48
70 +	32	13.0	13						
	172	**11.0**	**86**	**3**	**7**	**9**	**13**	**17**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	172	**11.0**	**86**	**3**	**7**	**9**	**13**	**17**	**18**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	243	7.0	5	4	6	8	8	10	10	0-17	566	6.4	10	3	5	6	8	10	12
70-74	243	6.8	11	3	4	7	8	10	12	18-34	250	6.3	23	2	4	5	8	9	10
75-79	149	9.1	15	3	6	9	13	14	15	35-49	353	6.1	8	2	4	6	8	10	11
80-84	119	9.1	68	2	4	7	10	15	37	50-69	423	6.4	10	2	4	6	8	9	13
85 +	31	5.5	4							70 +	32	5.5	3						
SUBTOTAL	**786**	**7.6**	**19**	**3**	**5**	**7**	**9**	**11**	**14**		**1624**	**6.3**	**11**	**2**	**4**	**6**	**8**	**9**	**12**
GRAND TOTAL	**786**	**7.6**	**19**	**3**	**5**	**7**	**9**	**11**	**14**		**1624**	**6.3**	**11**	**2**	**4**	**6**	**8**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	139	6.4	10	1	6	7	9	11	12	0-17	85	5.6	3	3	4	6	7	8	8
18-34	70	6.9	2	6	6	6	7	10	10	18-34	86	5.6	17	3	4	4	7	7	18
35-49	16	7.0	1							35-49	94	5.2	6	2	4	5	7	9	9
50-69	23	7.0	1							50-69	94	4.3	7	2	2	3	7	7	9
70 +	0									70 +	23	10.0	26						
SUBTOTAL	**249**	**6.6**	**6**	**2**	**6**	**7**	**8**	**9**	**11**		**383**	**5.5**	**11**	**2**	**4**	**5**	**7**	**9**	**9**
GRAND TOTAL	**249**	**6.6**	**6**	**2**	**6**	**7**	**8**	**9**	**11**		**383**	**5.5**	**11**	**2**	**4**	**5**	**7**	**9**	**9**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3059	15.9	206	5	7	11	19	35	43
70-74	2114	16.6	157	5	8	13	20	34	45
75-79	2349	16.9	175	5	8	12	22	35	50
80-84	1546	16.9	238	5	9	12	20	30	47
85 +	1231	16.3	99	6	9	15	21	29	35
SUBTOTAL	**10300**	**16.5**	**181**	**5**	**8**	**12**	**20**	**33**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10300**	**16.5**	**181**	**5**	**8**	**12**	**20**	**33**	**45**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	729	8.9	49	3	5	6	11	18	20
35-49	1999	11.2	89	4	6	8	13	22	30
50-69	3481	14.1	125	5	7	11	17	29	42
70 +	110	12.8	123	4	6	10	15	24	47
	6320	**12.6**	**108**	**4**	**6**	**10**	**15**	**26**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6320	**12.6**	**108**	**4**	**6**	**10**	**15**	**26**	**35**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	243	17.8	308	5	7	12	24	37	78
35-49	437	15.0	219	5	6	10	20	34	48
50-69	329	13.2	65	5	9	11	17	21	23
70 +	15	13.0	27						
SUBTOTAL	**1025**	**15.1**	**190**	**5**	**7**	**11**	**19**	**32**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1025**	**15.1**	**190**	**5**	**7**	**11**	**19**	**32**	**44**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	267	11.4	53	5	6	9	18	25	29
35-49	494	11.1	68	4	6	9	12	23	28
50-69	618	13.2	158	3	7	10	15	24	37
70 +	354	11.3	67	5	6	9	12	21	25
	1733	**11.9**	**99**	**4**	**6**	**9**	**15**	**24**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1733	**11.9**	**99**	**4**	**6**	**9**	**15**	**24**	**30**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	740	8.0	20	3	5	7	10	14	16	0-17	0								
70-74	454	9.7	28	4	6	9	11	18	23	18-34	729	6.6	7	4	5	6	8	9	13
75-79	438	8.0	15	4	5	8	10	14	16	35-49	1732	7.1	9	4	5	7	8	10	12
80-84	228	9.1	31	3	5	8	12	18	18	50-69	1683	8.4	37	4	5	7	10	14	19
85 +	70	13.5	95	3	6	13	16	37	37	70 +	39	9.4	6						
SUBTOTAL	**1930**	**8.7**	**26**	**3**	**5**	**8**	**11**	**15**	**18**		**4183**	**7.5**	**21**	**4**	**5**	**7**	**9**	**12**	**15**
GRAND TOTAL	**1930**	**8.7**	**26**	**3**	**5**	**8**	**11**	**15**	**18**		**4183**	**7.5**	**21**	**4**	**5**	**7**	**9**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	148	6.6	5	3	5	7	8	9	12	18-34	125	7.6	40	4	4	6	7	18	28
35-49	236	7.5	15	4	5	7	8	11	16	35-49	251	6.4	7	4	5	6	8	10	11
50-69	86	8.6	18	5	5	9	12	14	16	50-69	243	7.3	20	3	4	6	8	10	19
70 +	0									70 +	101	7.0	15	3	4	7	10	12	15
SUBTOTAL	**470**	**7.4**	**13**	**4**	**5**	**7**	**8**	**12**	**15**		**721**	**7.0**	**18**	**3**	**5**	**6**	**8**	**11**	**15**
GRAND TOTAL	**470**	**7.4**	**13**	**4**	**5**	**7**	**8**	**12**	**15**		**721**	**7.0**	**18**	**3**	**5**	**6**	**8**	**11**	**15**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	11.0	4						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**11.0**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16**	**11.0**	**4**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1040	10.2	128	3	4	7	14	23	49
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1040	**10.2**	**128**	**3**	**4**	**7**	**14**	**23**	**49**
0-17	2796	4.7	25	2	2	3	5	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2796	**4.7**	**25**	**2**	**2**	**3**	**5**	**9**	**13**
	3836	**6.2**	**59**	**2**	**3**	**4**	**7**	**14**	**21**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	542	13.5	92	3	6	12	21	26	50
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**542**	**13.5**	**92**	**3**	**6**	**12**	**21**	**26**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1111	5.5	21	2	3	4	7	10	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1111**	**5.5**	**21**	**2**	**3**	**4**	**7**	**10**	**14**
GRAND TOTAL	**1653**	**8.1**	**58**	**2**	**3**	**5**	**11**	**20**	**25**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	303	11.9	181	3	4	7	11	40	44
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	303	**11.9**	**181**	**3**	**4**	**7**	**11**	**40**	**44**
0-17	846	4.0	12	2	2	3	4	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	846	**4.0**	**12**	**2**	**2**	**3**	**4**	**8**	**10**
	1149	**6.1**	**69**	**2**	**2**	**4**	**6**	**11**	**20**

DRG 157: Anal & Stomal Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1153	5.8	31	2	3	4	7	11	13
70-74	754	7.3	44	2	4	6	9	13	19
75-79	854	7.8	42	2	3	6	10	16	21
80-84	509	7.5	24	2	4	7	9	15	17
85 +	416	8.9	58	3	4	6	12	18	22
SUBTOTAL	**3685**	**7.1**	**39**	**2**	**3**	**5**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3685**	**7.1**	**39**	**2**	**3**	**5**	**9**	**15**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	148	4.5	10	1	2	5	6	8	15
18-34	532	4.4	27	1	2	3	5	8	11
35-49	949	4.7	21	1	2	3	6	9	13
50-69	1419	4.9	16	1	2	4	7	9	13
70 +	39	5.4	22						
	3087	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3087	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	62	5.9	6	1	4	6	7	10	10
18-34	157	5.8	33	2	2	4	6	12	22
35-49	173	7.0	43	2	3	5	8	14	24
50-69	141	4.5	7	1	3	4	6	9	11
70 +	8	26.0							
SUBTOTAL	**540**	**6.1**	**33**	**2**	**3**	**4**	**7**	**12**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**540**	**6.1**	**33**	**2**	**3**	**4**	**7**	**12**	**24**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	4.7	8	2	3	4	6	11	11
18-34	156	5.3	17	1	2	5	8	11	14
35-49	196	5.6	28	1	2	4	6	14	18
50-69	156	4.6	7	1	2	4	7	9	9
70 +	78	7.2	48	2	4	5	7	19	27
	640	**5.4**	**21**	**1**	**3**	**4**	**7**	**10**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	640	**5.4**	**21**	**1**	**3**	**4**	**7**	**10**	**15**

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1476	3.2	6	1	2	3	4	6	8	0-17	814	3.8	9	1	1	3	5	8	10
70-74	714	3.2	5	1	2	3	4	6	7	18-34	2822	2.5	2	1	1	2	3	4	5
75-79	557	3.6	7	1	2	3	5	7	8	35-49	5123	2.6	3	1	1	2	3	4	6
80-84	314	4.7	8	1	2	4	6	10	10	50-69	4198	2.7	3	1	2	2	3	5	6
85 +	267	3.8	6	1	2	3	5	7	7	70 +	39	4.4	9						
SUBTOTAL	**3328**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**8**		**12997**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3328**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**8**		**12997**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	256	3.2	9	1	1	2	4	7	12	0-17	139	2.9	3	1	1	3	5	5	6
18-34	541	2.8	3	1	2	2	4	5	6	18-34	792	2.8	3	1	2	2	3	5	6
35-49	260	3.2	3	2	2	3	4	6	7	35-49	901	2.5	3	1	1	2	3	4	5
50-69	110	4.6	13	2	2	3	6	7	16	50-69	688	2.1	1	1	1	2	3	4	4
70 +	8	2.0								70 +	63	2.5	2	1	1	3	4	4	4
SUBTOTAL	**1175**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**2584**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1175**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**2584**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1503	5.5	17	2	3	5	7	10	14
70-74	862	6.4	23	2	3	6	8	11	13
75-79	557	7.1	30	2	3	5	9	15	21
80-84	408	6.5	18	2	4	6	8	12	16
85 +	197	8.7	36	4	4	8	10	14	15
SUBTOTAL	**3527**	**6.3**	**23**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3527**	**6.3**	**23**	**2**	**3**	**5**	**8**	**12**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	181	4.3	6	1	2	4	6	8	8
35-49	471	5.3	11	2	3	5	7	8	10
50-69	1072	5.3	28	1	2	4	6	10	12
70 +	71	5.0	10	2	2	5	5	12	12
	1795	**5.2**	**21**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1795	**5.2**	**21**	**2**	**3**	**4**	**6**	**9**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	31	3.7	2						
35-49	188	6.4	15	2	3	5	8	11	14
50-69	165	7.0	16	4	5	6	8	14	16
70 +	8	6.0							
SUBTOTAL	**391**	**6.4**	**15**	**2**	**4**	**5**	**8**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**391**	**6.4**	**15**	**2**	**4**	**5**	**8**	**14**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	3.0	1						
35-49	117	4.4	6	1	2	4	5	8	10
50-69	203	5.2	13	2	3	5	7	10	10
70 +	71	3.4	4	1	1	4	5	6	6
	414	**4.6**	**9**	**1**	**3**	**4**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	414	**4.6**	**9**	**1**	**3**	**4**	**5**	**8**	**10**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1333	3.5	6	1	2	3	4	6	8
70-74	901	3.3	4	1	2	3	4	6	7
75-79	672	4.3	10	2	2	3	6	8	10
80-84	337	3.2	3	1	2	3	4	6	6
85 +	149	3.8	4	2	3	3	4	7	11
SUBTOTAL	**3393**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**3393**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	933	2.5	2	1	1	2	3	5	6
35-49	2651	2.6	3	1	1	2	3	5	6
50-69	2918	3.2	5	1	1	3	4	6	8
70 +	47	4.0	3	1	3	4	6	6	6
SUBTOTAL	**6549**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**6549**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	259	2.5	2	1	1	3	3	4	5
35-49	346	3.7	5	1	2	3	5	6	9
50-69	189	3.3	3	1	2	3	4	5	6
70 +	8	6.0							
SUBTOTAL	**801**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**801**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	267	2.9	8	1	1	2	3	7	9
35-49	494	2.6	4	1	1	2	3	4	6
50-69	682	2.5	3	1	1	2	3	5	6
70 +	181	3.1	2	1	2	3	4	5	5
SUBTOTAL	**1624**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**1624**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

North Central Region, July 1988 - June 1989

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1491	3.7	11	1	1	3	4	8	10
70-74	1463	4.2	23	1	2	3	5	9	13
75-79	1533	3.9	12	1	2	3	5	8	11
80-84	1114	5.5	72	1	2	4	6	11	14
85 +	904	6.4	36	1	2	4	9	16	18
SUBTOTAL	**6505**	**4.5**	**29**	**1**	**2**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6505**	**4.5**	**29**	**1**	**2**	**3**	**5**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	188	2.4	3	1	1	2	3	5	6
35-49	439	2.6	4	1	1	2	3	6	8
50-69	1467	2.7	7	1	1	2	3	5	8
70 +	102	3.6	10	1	1	2	5	9	11
	2197	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2197	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**8**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	23	2.0							
35-49	31	2.7	4						
50-69	102	3.0	3	1	1	3	5	5	6
70 +	15	4.0							
SUBTOTAL	**172**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**172**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	71	2.3	4	1	1	2	2	8	8
35-49	94	3.9	22	1	2	2	4	8	18
50-69	188	3.0	7	1	1	2	4	5	7
70 +	188	2.6	3	1	1	3	3	4	5
	541	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	541	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2747	2.1	2	1	1	2	2	4	5
70-74	2644	2.1	3	1	1	2	2	4	5
75-79	1875	2.1	2	1	1	2	2	4	5
80-84	1287	2.6	5	1	1	2	3	5	7
85 +	698	3.1	8	1	1	2	4	6	8
SUBTOTAL	**9251**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**9251**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2594	1.6	1	1	1	1	2	3	3
35-49	4180	1.6	1	1	1	1	2	3	3
50-69	6403	1.6	1	1	1	1	2	3	3
70 +	205	1.5	1	1	1	1	2	2	4
	13381	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	13381	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	251	1.5		1	1	1	2	2	3
35-49	102	1.8	1	1	1	2	2	2	5
50-69	133	2.4	4	1	1	2	3	7	8
70 +	15	1.5							
SUBTOTAL	**502**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**502**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	567	1.6	2	1	1	1	2	3	4
35-49	622	1.4	1	1	1	1	2	2	3
50-69	1185	1.5	1	1	1	1	2	3	4
70 +	589	1.4	1	1	1	1	1	2	3
	2963	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**4**
	2963	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

DRG 163: Hernia Procedures Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	15	3.0	1							0-17	388	2.9	18	1	1	2	3	5	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**15**	**3.0**	**1**								**388**	**2.9**	**18**	**1**	**1**	**2**	**3**	**5**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3841	1.4	1	1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3841**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**15**	**3.0**	**1**								**4228**	**1.5**	**3**	**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	279	4.3	48	1	1	2	5	9	25	0-17	85	2.5	3	1	1	2	3	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**279**	**4.3**	**48**	**1**	**1**	**2**	**5**	**9**	**25**		**85**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2050	1.7	7	1	1	1	2	3	4	0-17	1642	1.4	2	< 1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2050**	**1.7**	**7**	**1**	**1**	**1**	**2**	**3**	**4**		**1642**	**1.4**	**2**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**2330**	**2.0**	**13**	**1**	**1**	**1**	**2**	**3**	**6**		**1727**	**1.4**	**2**	**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	472	12.0	27	7	8	11	15	20	23	0-17	705	9.6	21	6	7	9	11	14	22
70-74	259	11.8	32	7	8	11	12	21	25	18-34	439	8.0	15	3	6	7	10	13	14
75-79	244	10.8	23	6	7	9	15	19	20	35-49	360	9.9	30	4	6	9	12	21	21
80-84	63	10.6	49	5	6	8	11	28	28	50-69	566	10.7	29	5	7	9	14	18	22
85 +	118	11.1	21	6	7	12	15	17	18	70 +	0								
SUBTOTAL	**1156**	**11.6**	**28**	**6**	**8**	**10**	**14**	**19**	**23**		**2071**	**9.6**	**24**	**5**	**6**	**9**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1156**	**11.6**	**28**	**6**	**8**	**10**	**14**	**19**	**23**		**2071**	**9.6**	**24**	**5**	**6**	**9**	**11**	**17**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	235	11.1	29	5	7	10	13	22	23	0-17	266	10.2	40	4	6	9	12	19	27
18-34	63	9.0	15	4	7	8	11	17	17	18-34	195	9.2	23	5	6	9	10	15	16
35-49	71	12.3	78	5	7	10	11	36	36	35-49	118	8.4	18	3	4	9	11	12	19
50-69	24	10.0	15							50-69	110	11.5	43	6	7	9	14	21	27
70 +	0									70 +	8	11.0							
SUBTOTAL	**392**	**10.9**	**36**	**5**	**7**	**10**	**13**	**18**	**23**		**697**	**9.8**	**32**	**4**	**6**	**9**	**12**	**19**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**392**	**10.9**	**36**	**5**	**7**	**10**	**13**	**18**	**23**		**697**	**9.8**	**32**	**4**	**6**	**9**	**12**	**19**	**21**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	228	7.4	12	4	5	7	9	13	15
70-74	181	8.3	12	5	6	7	10	13	16
75-79	102	7.8	3	6	7	8	9	9	10
80-84	55	11.7	7	7	9	12	14	14	14
85 +	24	9.3	10						
SUBTOTAL	**589**	**8.2**	**11**	**4**	**6**	**8**	**10**	**13**	**15**
GRAND TOTAL	**589**	**8.2**	**11**	**4**	**6**	**8**	**10**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2887	6.2	8	3	4	6	7	10	11
18-34	1976	5.6	6	3	4	5	7	9	10
35-49	1068	6.2	8	3	5	6	7	10	11
50-69	1044	6.9	11	4	5	6	8	11	13
70 +	8	6.0							
	6983	**6.1**	**8**	**3**	**4**	**6**	**7**	**10**	**11**
	6983	**6.1**	**8**	**3**	**4**	**6**	**7**	**10**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	633	6.6	11	3	5	6	8	9	12
18-34	219	6.6	10	3	5	6	8	12	12
35-49	40	9.2	22						
50-69	71	8.1	8	5	6	7	8	14	14
70 +	0								
SUBTOTAL	**963**	**6.8**	**11**	**3**	**5**	**6**	**8**	**11**	**13**
GRAND TOTAL	**963**	**6.8**	**11**	**3**	**5**	**6**	**8**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1101	6.1	7	3	4	6	7	9	10
18-34	731	5.8	5	3	4	5	7	9	10
35-49	376	5.6	5	3	4	6	7	8	9
50-69	204	6.5	12	2	4	6	8	11	12
70 +	23	5.3	4						
	2436	**6.0**	**7**	**3**	**4**	**6**	**7**	**9**	**10**
	2436	**6.0**	**7**	**3**	**4**	**6**	**7**	**9**	**10**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	267	6.5	17	3	3	5	9	10	18
70-74	173	7.2	13	4	5	6	9	11	13
75-79	55	10.0	29	4	5	10	13	21	21
80-84	47	15.0	62	6	8	14	21	27	27
85 +	8	14.0							
SUBTOTAL	549	7.9	27	3	4	6	10	17	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	549	7.9	27	3	4	6	10	17	19

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	887	4.8	9	2	3	4	6	8	10
18-34	1296	4.6	7	3	3	4	5	7	8
35-49	525	6.3	11	3	4	5	8	10	12
50-69	330	6.3	10	3	4	6	8	10	12
70 +	0								
	3038	5.1	9	3	3	4	6	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3038	5.1	9	3	3	4	6	8	10

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	235	4.9	5	3	3	4	6	8	9
18-34	213	5.5	9	3	3	4	7	11	12
35-49	94	5.1	8	2	3	4	6	10	11
50-69	16	5.0	1						
70 +	0								
SUBTOTAL	558	5.1	7	3	3	4	6	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	558	5.1	7	3	3	4	6	9	11

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	235	4.2	4	2	3	4	5	7	8
18-34	352	4.6	4	3	3	4	5	8	9
35-49	157	4.8	7	2	3	5	6	8	11
50-69	79	6.8	15	2	4	6	8	13	15
70 +	32	7.5	7						
	853	4.8	6	2	3	4	6	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	853	4.8	6	2	3	4	6	8	10

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	470	4.7	5	2	3	4	6	8	9	0-17	11948	2.9	2	2	2	3	3	4	5
70-74	110	4.5	2	2	3	5	6	6	7	18-34	12057	3.1	2	2	2	3	4	5	5
75-79	71	6.0	2	3	5	6	7	9	9	35-49	3898	3.5	4	2	2	3	4	5	7
80-84	32	6.3	3							50-69	1486	4.1	4	2	3	4	5	6	7
85 +	16	6.5	2							70 +	24	2.7							
SUBTOTAL	**698**	**4.9**	**5**	**2**	**3**	**5**	**6**	**8**	**9**		**29413**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**698**	**4.9**	**5**	**2**	**3**	**5**	**6**	**8**	**9**		**29413**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1890	3.2	2	2	2	3	4	5	6	0-17	3297	2.7	1	1	2	3	3	4	5
18-34	1430	3.4	2	2	2	3	4	5	6	18-34	5110	2.8	2	2	2	3	3	4	5
35-49	180	3.8	2	2	3	4	4	5	6	35-49	1022	3.0	2	2	2	3	4	5	5
50-69	39	5.4	1							50-69	290	3.0	1	2	2	3	3	5	5
70 +	0									70 +	31	4.8	2						
SUBTOTAL	**3540**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**9751**	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**3540**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**9751**	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	140	7.6	121	1	3	4	9	50	99 +
70-74	86	6.1	36	1	1	4	7	12	22
75-79	110	5.5	44	1	1	4	7	13	26
80-84	39	4.4	9						
85 +	55	6.9	28	< 1	2	7	8	18	18
SUBTOTAL	**430**	**6.4**	**63**	**1**	**1**	**4**	**7**	**17**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**430**	**6.4**	**63**	**1**	**1**	**4**	**7**	**17**	**26**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	101	2.5	1	1	2	2	3	4	5
18-34	118	5.8	11	2	2	7	9	9	12
35-49	141	5.1	11	1	2	4	8	11	13
50-69	266	6.3	51	1	2	3	10	14	17
70 +	0								
	625	**5.3**	**28**	**1**	**2**	**3**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	625	**5.3**	**28**	**1**	**2**	**3**	**8**	**12**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	6.2	12						
18-34	31	6.0	16						
35-49	62	6.5	25	1	2	6	9	16	16
50-69	62	7.1	39	1	3	5	10	21	21
70 +	0								
SUBTOTAL	**195**	**6.6**	**25**	**1**	**2**	**6**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**195**	**6.6**	**25**	**1**	**2**	**6**	**9**	**12**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	3.0	8						
18-34	31	7.8	7						
35-49	23	7.4	42						
50-69	16	5.5	7						
70 +	39	3.0	9						
	134	**5.2**	**18**	**1**	**1**	**5**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	134	**5.2**	**18**	**1**	**1**	**5**	**7**	**12**	**16**

DRG 169: Mouth Procedures w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	203	3.7	28	1	1	2	4	8	16
70-74	133	2.0	1	1	1	2	3	4	5
75-79	85	3.3	5	1	2	2	4	5	9
80-84	78	2.4	3	1	1	2	3	6	6
85 +	47	1.3		1	1	1	2	2	2
SUBTOTAL	**546**	**2.8**	**13**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**546**	**2.8**	**13**	**1**	**1**	**2**	**3**	**5**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	902	2.0	3	1	1	2	2	3	6
18-34	266	2.9	6	1	1	2	4	8	8
35-49	374	2.6	17	1	1	1	3	4	6
50-69	374	2.0	2	1	1	2	2	4	5
70 +	0								
SUBTOTAL	**1916**	**2.2**	**6**	**1**	**1**	**2**	**2**	**4**	**7**
GRAND TOTAL	**1916**	**2.2**	**6**	**1**	**1**	**2**	**2**	**4**	**7**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	86	3.3	21	1	1	1	3	6	17
18-34	62	6.0	54	1	1	3	11	22	22
35-49	16	4.5	7						
50-69	47	5.2	12	1	1	5	7	11	11
70 +	15	5.5	7						
SUBTOTAL	**226**	**4.6**	**27**	**1**	**1**	**2**	**6**	**14**	**17**
GRAND TOTAL	**226**	**4.6**	**27**	**1**	**1**	**2**	**6**	**14**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	194	1.7	1	1	1	1	2	3	4
18-34	102	6.1	107	1	2	3	5	7	41
35-49	47	3.5	4	1	2	3	5	7	7
50-69	87	2.9	21	1	1	1	2	3	17
70 +	8	1.0							
SUBTOTAL	**438**	**3.1**	**33**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**438**	**3.1**	**33**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 170: Other Digestive System O.R. Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	804	17.6	242	5	7	13	24	36	48	0-17	210	8.2	70	2	4	6	10	21	45
70-74	602	18.3	237	4	7	15	22	36	49	18-34	267	9.9	168	2	4	6	9	17	41
75-79	501	15.1	82	6	9	13	20	27	37	35-49	453	12.9	104	4	6	11	16	28	36
80-84	392	13.4	172	5	7	10	15	23	30	50-69	837	12.2	120	4	6	10	14	21	35
85 +	109	14.1	55	5	8	14	19	25	30	70 +	32	15.8	47						
SUBTOTAL	**2408**	**16.4**	**190**	**5**	**7**	**13**	**20**	**35**	**40**		**1799**	**11.6**	**118**	**3**	**5**	**9**	**14**	**22**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2408**	**16.4**	**190**	**5**	**7**	**13**	**20**	**35**	**40**		**1799**	**11.6**	**118**	**3**	**5**	**9**	**14**	**22**	**36**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	55	19.9	756	5	6	7	19	86	86	0-17	47	5.1	8	1	2	5	8	8	8
18-34	109	14.1	259	3	4	11	14	24	67	18-34	173	10.5	182	3	4	6	11	18	30
35-49	94	9.0	55	3	4	6	11	18	29	35-49	125	11.2	150	1	4	8	14	18	53
50-69	86	15.0	138	5	6	13	20	23	47	50-69	227	12.9	214	4	5	8	13	25	62
70 +	8	18.0								70 +	71	11.2	57	2	3	10	18	22	22
SUBTOTAL	**352**	**13.9**	**257**	**3**	**5**	**10**	**16**	**24**	**47**		**643**	**11.2**	**163**	**2**	**4**	**8**	**13**	**20**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**352**	**13.9**	**257**	**3**	**5**	**10**	**16**	**24**	**47**		**643**	**11.2**	**163**	**2**	**4**	**8**	**13**	**20**	**38**

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	219	6.4	9	4	4	6	7	12	14	0-17	486	4.8	29	1	2	3	6	8	10
70-74	102	6.9	21	2	3	6	10	13	17	18-34	747	4.7	29	1	2	3	6	9	11
75-79	63	6.4	12	1	4	6	8	13	13	35-49	329	6.3	14	1	4	6	9	10	11
80-84	31	9.5	55							50-69	384	6.9	25	1	4	6	9	12	15
85 +	55	8.3	11	4	5	9	11	14	14	70 +	0								
SUBTOTAL	**470**	**6.9**	**16**	**3**	**4**	**6**	**9**	**13**	**14**		**1946**	**5.4**	**27**	**1**	**2**	**4**	**7**	**10**	**12**
GRAND TOTAL	**470**	**6.9**	**16**	**3**	**4**	**6**	**9**	**13**	**14**		**1946**	**5.4**	**27**	**1**	**2**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	78	6.5	38	2	3	4	7	17	24	0-17	140	3.8	7	1	2	3	5	9	11
18-34	189	4.0	5	1	3	4	5	6	8	18-34	235	5.3	49	1	1	3	6	17	21
35-49	63	5.0	3	3	4	5	6	9	9	35-49	86	5.1	11	2	3	4	8	8	13
50-69	8	9.0								50-69	86	5.4	11	3	3	5	6	7	15
70 +	0									70 +	16	9.5							
SUBTOTAL	**338**	**4.9**	**13**	**2**	**3**	**4**	**6**	**8**	**9**		**563**	**5.0**	**27**	**1**	**2**	**4**	**6**	**9**	**15**
GRAND TOTAL	**338**	**4.9**	**13**	**2**	**3**	**4**	**6**	**8**	**9**		**563**	**5.0**	**27**	**1**	**2**	**4**	**6**	**9**	**15**

DRG 172: Digestive Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1215	10.9	137	3	5	7	13	21	31
70-74	1188	10.8	59	3	5	9	16	20	27
75-79	971	9.8	93	2	4	7	12	21	26
80-84	1043	9.7	37	3	5	8	13	19	22
85 +	707	9.3	51	2	5	7	12	19	24
SUBTOTAL	**5124**	**10.2**	**79**	**3**	**5**	**8**	**13**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5124**	**10.2**	**79**	**3**	**5**	**8**	**13**	**20**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	39	5.4	12						
18-34	70	5.3	16	1	2	5	7	13	13
35-49	383	9.4	50	2	4	8	11	19	21
50-69	1423	9.4	94	2	4	7	11	20	31
70 +	47	16.2	102	5	7	13	26	32	32
SUBTOTAL	**1962**	**9.3**	**83**	**2**	**4**	**7**	**11**	**20**	**31**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1962**	**9.3**	**83**	**2**	**4**	**7**	**11**	**20**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	31.0	616						
18-34	31	9.8	3						
35-49	101	12.9	66	4	6	12	19	24	28
50-69	319	9.8	58	2	4	8	13	20	25
70 +	8	15.0							
SUBTOTAL	**475**	**11.2**	**87**	**3**	**5**	**9**	**15**	**23**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**475**	**11.2**	**87**	**3**	**5**	**9**	**15**	**23**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	23	2.3	1						
18-34	0								
35-49	62	7.1	36	< 1	1	6	11	19	19
50-69	367	8.9	48	2	3	7	12	18	22
70 +	126	7.5	28	2	4	6	11	15	21
SUBTOTAL	**578**	**8.2**	**42**	**1**	**3**	**6**	**12**	**18**	**21**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**578**	**8.2**	**42**	**1**	**3**	**6**	**12**	**18**	**21**

DRG 173: Digestive Malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	180	5.0	31	< 1	1	4	7	10	13	0-17	8	1.0							
70-74	204	5.7	24	1	1	4	9	12	17	18-34	16	7.9	38						
75-79	180	6.6	24	2	3	5	10	12	16	35-49	117	7.3	46	2	3	3	10	20	25
80-84	141	5.7	20	1	2	4	10	14	16	50-69	375	7.1	42	1	2	5	9	21	22
85 +	86	5.7	10	2	3	6	7	11	11	70 +	47	3.5	6	1	2	3	5	8	8
SUBTOTAL	**792**	**5.8**	**23**	**1**	**2**	**4**	**9**	**12**	**16**		**563**	**6.8**	**40**	**1**	**2**	**5**	**9**	**18**	**22**
GRAND TOTAL	**792**	**5.8**	**23**	**1**	**2**	**4**	**9**	**12**	**16**		**563**	**6.8**	**40**	**1**	**2**	**5**	**9**	**18**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	23	3.0	2						
18-34	16	6.0	4							18-34	15	4.0	10						
35-49	24	17.3	400							35-49	47	2.8	3	1	2	2	3	6	6
50-69	47	4.0	9	1	2	4	5	10	10	50-69	55	4.0	16	1	1	3	5	13	13
70 +	23	7.0	5							70 +	47	4.8	5	2	4	4	5	9	9
SUBTOTAL	**109**	**7.8**	**116**	**2**	**3**	**4**	**8**	**10**	**45**		**188**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**109**	**7.8**	**116**	**2**	**3**	**4**	**8**	**10**	**45**		**188**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 174: G.I. Hemorrhage w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7246	6.3	25	3	4	5	7	11	14	0-17	493	3.3	4	2	2	3	4	6	7
70-74	6345	6.4	20	3	4	5	8	11	15	18-34	1426	4.3	11	2	2	3	5	8	10
75-79	6329	7.1	31	3	4	6	8	13	17	35-49	2590	4.4	9	2	3	4	5	7	9
80-84	5707	7.2	27	3	4	6	9	13	16	50-69	5759	5.3	13	2	3	4	6	9	11
85 +	7196	7.5	28	3	4	6	9	13	17	70 +	510	5.7	16	2	3	5	7	11	13
SUBTOTAL	**32823**	**6.9**	**27**	**3**	**4**	**6**	**8**	**12**	**16**		**10778**	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**32823**	**6.9**	**27**	**3**	**4**	**6**	**8**	**12**	**16**		**10778**	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	202	3.8	4	2	2	4	4	6	6	0-17	86	3.1	11	1	2	2	2	5	13
18-34	540	5.0	17	2	3	4	6	9	11	18-34	541	3.9	7	1	2	3	5	7	8
35-49	840	5.9	14	2	3	5	7	11	15	35-49	886	5.1	26	2	3	4	6	7	14
50-69	886	7.1	20	3	4	6	9	14	16	50-69	1203	4.6	6	2	3	4	6	8	9
70 +	78	7.6	9	3	6	7	10	11	11	70 +	974	5.3	17	2	3	4	6	10	13
SUBTOTAL	**2547**	**6.0**	**17**	**2**	**3**	**5**	**7**	**11**	**15**		**3690**	**4.7**	**14**	**2**	**3**	**4**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2547**	**6.0**	**17**	**2**	**3**	**5**	**7**	**11**	**15**		**3690**	**4.7**	**14**	**2**	**3**	**4**	**6**	**8**	**12**

DRG 175: G.I. Hemorrhage w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1467	4.3	9	2	3	4	5	7	10	0-17	608	2.8	5	1	1	2	4	5	5
70-74	1485	4.6	20	2	3	4	5	8	9	18-34	1122	2.8	3	1	2	2	4	5	6
75-79	1406	4.8	11	2	3	4	6	8	11	35-49	2041	3.5	7	1	2	3	4	6	7
80-84	1234	5.3	10	2	3	5	6	8	10	50-69	2821	4.0	7	2	3	3	5	6	9
85 +	1238	5.2	7	2	3	5	7	8	10	70 +	141	3.5	4	1	2	3	4	6	9
SUBTOTAL	**6830**	**4.8**	**12**	**2**	**3**	**4**	**6**	**8**	**10**		**6735**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**6830**	**4.8**	**12**	**2**	**3**	**4**	**6**	**8**	**10**		**6735**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	296	3.0	13	1	2	2	3	4	14	0-17	155	1.9	1	1	1	2	2	3	4
18-34	284	2.7	2	1	2	2	3	5	6	18-34	542	3.3	4	1	2	3	4	6	7
35-49	205	4.4	6	2	3	4	5	8	9	35-49	408	3.3	3	2	2	3	4	6	7
50-69	205	6.2	17	2	3	5	9	12	14	50-69	683	3.3	3	1	2	3	4	6	6
70 +	24	4.3								70 +	455	3.4	2	2	2	3	4	5	6
SUBTOTAL	**1013**	**3.9**	**11**	**1**	**2**	**3**	**4**	**8**	**11**		**2244**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**1013**	**3.9**	**11**	**1**	**2**	**3**	**4**	**8**	**11**		**2244**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	556	7.7	40	3	4	6	9	13	17	0-17	8	4.0							
70-74	361	7.8	37	3	4	6	9	12	16	18-34	156	4.6	9	1	2	4	6	10	11
75-79	361	9.3	69	3	5	6	12	17	26	35-49	258	7.5	33	2	3	6	11	15	20
80-84	306	7.6	36	3	4	6	9	14	20	50-69	400	6.4	27	2	3	5	7	12	15
85 +	322	10.2	58	4	5	8	14	16	20	70 +	16	6.9	27						
SUBTOTAL	**1906**	**8.4**	**48**	**3**	**4**	**6**	**10**	**15**	**18**		**838**	**6.4**	**26**	**2**	**3**	**5**	**8**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	196	5.2	11	2	3	4	6	10	13	0-17	23	3.0	2						
70-74	134	3.2	5	< 1	2	3	4	5	10	18-34	102	5.1	7	3	4	4	5	9	11
75-79	102	5.8	11	3	3	4	8	10	14	35-49	258	5.6	15	2	3	4	6	11	14
80-84	55	5.4	5	3	3	5	8	9	9	50-69	259	4.6	4	2	3	5	6	7	9
85 +	71	4.2	1	2	4	4	5	6	6	70 +	16	5.5							
SUBTOTAL	**558**	**4.7**	**3**	**2**	**3**	**4**	**5**	**9**	**10**		**658**	**5.0**	**9**	**2**	**3**	**4**	**6**	**10**	**11**
GRAND TOTAL	**2463**	**7.6**	**41**	**3**	**4**	**6**	**9**	**14**	**17**		**1496**	**5.8**	**19**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	4.0								0-17	0								
18-34	32	4.8	6							18-34	47	3.7	3	2	2	3	6	6	6
35-49	55	6.2	4	3	4	6	8	9	9	35-49	62	5.0	14	1	2	4	8	13	13
50-69	78	9.6	105	2	5	7	9	28	39	50-69	133	6.8	67	2	4	6	6	7	39
70 +	8	4.0								70 +	55	5.7	2	4	4	6	7	8	8
SUBTOTAL	**181**	**7.2**	**52**	**3**	**4**	**5**	**8**	**9**	**13**		**298**	**5.7**	**35**	**2**	**3**	**5**	**6**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	8	3.0							
18-34	31	2.5	1							18-34	31	5.3	23						
35-49	31	7.3	13							35-49	47	5.0	5	2	3	5	7	8	8
50-69	31	5.8	19							50-69	31	5.5	6						
70 +	0									70 +	8	3.0							
SUBTOTAL	**101**	**4.8**	**15**	**1**	**2**	**4**	**6**	**11**	**13**		**125**	**5.0**	**10**	**2**	**3**	**5**	**7**	**9**	**13**
GRAND TOTAL	**282**	**6.4**	**40**	**2**	**3**	**5**	**8**	**11**	**13**		**423**	**5.5**	**27**	**2**	**3**	**5**	**6**	**8**	**13**

DRG 177: Uncomplicated Peptic Ulcer w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1278	5.7	22	2	3	4	7	11	12	0-17	70	6.8	16	2	4	7	8	16	16
70-74	943	6.0	15	3	4	5	7	10	13	18-34	394	5.2	75	1	2	4	6	8	10
75-79	927	6.5	23	2	4	6	8	10	14	35-49	882	4.9	13	2	2	4	6	9	11
80-84	684	6.8	21	3	4	5	8	13	16	50-69	1400	4.7	8	2	3	4	6	9	10
85 +	605	8.1	39	3	4	6	9	17	22	70 +	63	3.1	1	1	2	3	4	5	5
SUBTOTAL	**4438**	**6.4**	**23**	**3**	**4**	**5**	**8**	**11**	**15**		**2809**	**4.9**	**19**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4438**	**6.4**	**23**	**3**	**4**	**5**	**8**	**11**	**15**		**2809**	**4.9**	**19**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	5.0	13							0-17	23	3.0	2						
18-34	158	5.0	8	2	3	4	6	11	11	18-34	157	3.2	3	2	2	3	4	5	7
35-49	157	5.8	10	3	4	5	7	12	12	35-49	259	5.2	30	2	3	4	6	8	9
50-69	173	7.2	23	3	4	6	9	11	14	50-69	219	4.7	8	2	3	4	6	8	9
70 +	15	6.0	1							70 +	165	5.1	6	3	3	4	7	8	10
SUBTOTAL	**527**	**6.0**	**14**	**3**	**3**	**5**	**7**	**11**	**12**		**824**	**4.6**	**14**	**2**	**3**	**4**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**527**	**6.0**	**14**	**3**	**3**	**5**	**7**	**11**	**12**		**824**	**4.6**	**14**	**2**	**3**	**4**	**5**	**8**	**9**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	622	4.3	4	2	3	4	5	7	8	0-17	110	3.5	4	2	2	3	4	5	8
70-74	368	4.7	7	2	2	4	6	9	10	18-34	805	3.4	4	1	2	3	4	6	7
75-79	314	4.3	4	2	3	4	6	6	9	35-49	1520	3.6	5	2	2	3	4	6	8
80-84	386	5.3	7	2	3	5	6	8	10	50-69	1266	4.1	5	2	3	4	5	7	8
85 +	166	4.7	3	3	4	4	6	6	8	70 +	24	5.0	5						
SUBTOTAL	1856	4.6	5	2	3	4	6	8	9		3725	3.8	5	2	2	3	5	6	8
GRAND TOTAL	1856	4.6	5	2	3	4	6	8	9		3725	3.8	5	2	2	3	5	6	8

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	32	6.3	11							0-17	55	3.1	1	2	2	3	4	5	5
18-34	284	3.7	4	2	2	3	4	7	9	18-34	339	3.6	6	1	2	3	5	6	7
35-49	166	3.8	2	2	3	4	4	6	7	35-49	282	3.4	5	1	2	3	4	7	8
50-69	118	4.6	6	2	3	4	7	7	10	50-69	236	3.5	4	2	2	3	4	7	7
70 +	8	3.0								70 +	55	4.0	4	3	3	3	4	9	9
SUBTOTAL	607	4.0	5	2	2	4	5	7	9		967	3.5	5	1	2	3	5	6	8
GRAND TOTAL	607	4.0	5	2	2	4	5	7	9		967	3.5	5	1	2	3	5	6	8

DRG 179: Inflammatory Bowel Disease

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	637	9.2	55	3	4	7	13	19	21	0-17	288	8.0	39	2	5	6	9	17	27
70-74	322	11.6	95	3	4	10	14	22	24	18-34	1234	7.8	47	3	4	6	10	15	22
75-79	227	10.3	38	4	5	8	12	18	21	35-49	848	7.6	24	2	4	6	10	13	18
80-84	141	11.0	79	5	5	10	12	28	39	50-69	696	8.8	26	3	5	8	12	18	18
85 +	197	12.9	66	6	8	11	16	21	33	70 +	23	17.2	82						
SUBTOTAL	**1522**	**10.5**	**66**	**3**	**5**	**8**	**14**	**19**	**24**		**3089**	**8.1**	**36**	**3**	**4**	**6**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	250	6.6	16	2	5	6	7	13	15	0-17	584	5.3	12	2	3	5	7	10	13
70-74	102	5.8	8	2	4	6	8	8	12	18-34	1268	5.6	14	2	3	5	7	10	14
75-79	70	7.2	26	3	4	6	7	21	21	35-49	664	6.4	22	2	4	5	8	13	14
80-84	47	7.2	13	1	4	8	10	11	11	50-69	438	6.8	22	3	4	5	9	11	15
85 +	16	11.5	2							70 +	16	5.0	1						
SUBTOTAL	**485**	**6.7**	**16**	**2**	**4**	**6**	**8**	**12**	**14**		**2970**	**5.9**	**17**	**2**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**2008**	**9.6**	**57**	**3**	**5**	**7**	**13**	**18**	**21**		**6059**	**7.0**	**28**	**2**	**4**	**5**	**9**	**13**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	13.1	159	3	3	7	24	39	39	0-17	39	6.0	18						
18-34	304	9.0	124	2	5	6	8	14	41	18-34	258	8.7	107	3	4	5	7	20	34
35-49	70	7.4	12	1	6	7	9	13	13	35-49	109	9.0	61	2	3	7	16	19	29
50-69	63	9.6	115	3	4	5	9	37	37	50-69	87	8.0	28	2	4	6	13	16	17
70 +	8	7.0								70 +	24	8.4	4						
SUBTOTAL	**499**	**9.3**	**111**	**3**	**5**	**7**	**9**	**14**	**37**		**517**	**8.4**	**73**	**2**	**4**	**6**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	78	4.5	5	2	3	4	7	8	8	0-17	109	4.4	7	1	2	4	7	9	9
18-34	251	4.9	17	2	3	4	6	9	10	18-34	362	4.8	13	2	3	4	6	10	10
35-49	39	6.4	1							35-49	166	4.9	8	2	3	4	6	10	10
50-69	8	15.0								50-69	31	6.0	12						
70 +	0									70 +	0								
SUBTOTAL	**376**	**5.2**	**14**	**2**	**3**	**4**	**7**	**9**	**10**		**667**	**4.8**	**11**	**2**	**3**	**4**	**6**	**10**	**10**
GRAND TOTAL	**875**	**7.5**	**73**	**2**	**3**	**6**	**8**	**12**	**23**		**1184**	**6.4**	**41**	**2**	**3**	**5**	**7**	**12**	**17**

DRG 180: G.I. Obstruction w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3171	7.1	36	2	4	5	9	14	17
70-74	2654	7.3	34	3	4	6	9	13	17
75-79	2695	7.5	27	3	4	6	9	13	18
80-84	2510	7.2	18	3	4	6	10	13	15
85 +	2790	8.1	29	3	4	7	11	15	19
SUBTOTAL	**13820**	**7.4**	**29**	**3**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13820**	**7.4**	**29**	**3**	**4**	**6**	**9**	**13**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	297	3.6	6	1	2	3	4	7	9
18-34	399	5.2	17	1	2	4	6	11	13
35-49	1065	5.6	14	2	3	5	7	11	14
50-69	1865	6.8	48	2	3	5	8	14	17
70 +	157	10.2	186	2	4	5	10	43	49
	3783	**6.2**	**39**	**2**	**3**	**5**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3783	**6.2**	**39**	**2**	**3**	**5**	**7**	**12**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	148	3.6	5	2	2	2	6	7	8
18-34	243	7.8	65	2	3	5	9	13	25
35-49	267	6.4	18	2	3	5	8	14	17
50-69	533	7.0	24	2	4	5	10	13	17
70 +	8	13.0							
SUBTOTAL	**1199**	**6.6**	**30**	**2**	**3**	**5**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1199**	**6.6**	**30**	**2**	**3**	**5**	**9**	**13**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	2.4	1	1	1	3	3	4	4
18-34	126	5.5	30	1	2	4	6	11	24
35-49	93	4 2	7	2	2	3	6	7	11
50-69	345	5.9	17	1	4	5	7	10	15
70 +	386	5.5	14	2	3	5	7	9	14
	1005	**5.4**	**17**	**2**	**3**	**4**	**7**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1005	**5.4**	**17**	**2**	**3**	**4**	**7**	**9**	**14**

DRG 181: G.I. Obstruction w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1555	4.7	8	2	3	4	6	8	10	0-17	1287	2.6	7	1	1	2	3	5	6
70-74	1443	4.4	7	2	3	4	6	8	9	18-34	941	3.5	6	1	2	3	5	6	7
75-79	1281	4.7	14	2	3	4	6	8	10	35-49	1976	4.1	9	2	2	3	5	7	10
80-84	1029	5.2	10	2	3	4	7	9	12	50-69	2509	4.1	6	2	2	4	5	7	8
85 +	1070	5.8	23	2	3	5	7	11	13	70 +	79	2.8	2	1	1	3	4	5	6
SUBTOTAL	**6378**	**4.9**	**12**	**2**	**3**	**4**	**6**	**9**	**11**		**6791**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**6378**	**4.9**	**12**	**2**	**3**	**4**	**6**	**9**	**11**		**6791**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	475	2.6	3	1	1	2	3	5	6	0-17	334	2.2	2	1	1	2	3	4	5
18-34	221	6.0	55	2	3	4	5	13	22	18-34	462	3.5	7	1	2	3	4	6	9
35-49	236	5.1	14	2	3	5	6	7	8	35-49	532	3.1	4	1	2	2	5	6	6
50-69	251	4.0	9	1	2	3	5	7	8	50-69	494	4.1	8	2	2	3	5	8	9
70 +	23	7.3								70 +	283	3.9	10	1	2	3	4	9	10
SUBTOTAL	**1206**	**4.1**	**18**	**1**	**2**	**3**	**5**	**7**	**8**		**2105**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1206**	**4.1**	**18**	**1**	**2**	**3**	**5**	**7**	**8**		**2105**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	15405	5.5	19	2	3	4	7	10	14	0-17	0								
70-74	10484	5.7	24	2	3	5	7	10	14	18-34	10644	3.4	8	1	2	3	4	6	8
75-79	11212	6.3	28	2	3	5	7	11	14	35-49	11022	4.2	12	1	2	3	5	8	10
80-84	9415	6.4	24	2	3	5	8	11	15	50-69	14391	4.8	13	2	3	4	6	9	11
85 +	9058	6.4	27	2	3	5	8	11	15	70 +	755	6.2	26	2	3	5	7	12	18
SUBTOTAL	**55574**	**6.0**	**24**	**2**	**3**	**5**	**7**	**11**	**14**		**36812**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	55574	6.0	24	2	3	5	7	11	14		36812	4.2	12	1	2	3	5	8	10

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	3067	4.0	12	1	2	3	5	7	9	18-34	3112	3.3	17	1	2	2	4	6	8
35-49	2423	5.0	17	1	2	4	6	10	12	35-49	2137	4.2	15	1	2	3	5	8	10
50-69	2395	5.8	20	2	3	5	7	11	15	50-69	2246	4.2	10	2	2	3	5	7	10
70 +	134	7.3	14	3	4	6	9	15	15	70 +	1344	4.5	10	1	3	4	5	7	9
SUBTOTAL	**8019**	**4.9**	**17**	**2**	**2**	**4**	**6**	**9**	**12**		**8838**	**3.9**	**14**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	8019	4.9	17	2	2	4	6	9	12		8838	3.9	14	1	2	3	5	7	9

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6489	4.1	8	1	2	3	5	8	9
70-74	4425	4.3	9	1	2	4	5	8	9
75-79	3829	4.1	7	1	2	4	5	8	9
80-84	2916	4.4	10	1	2	4	6	8	10
85 +	2082	5.0	12	2	3	5	6	8	10
SUBTOTAL	**19741**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**19741**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	16131	2.6	4	1	1	2	3	5	6
35-49	14659	3.3	6	1	2	3	4	6	7
50-69	13412	3.5	6	1	2	3	5	6	8
70 +	479	3.4	3	1	2	3	5	6	7
	44681	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	44681	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3454	2.9	6	1	1	2	4	5	7
35-49	1907	3.9	9	1	2	3	5	7	9
50-69	967	4.3	5	2	3	4	6	7	9
70 +	71	4.7	5	< 1	3	4	6	9	9
SUBTOTAL	**6398**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**6398**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5306	2.5	4	1	1	2	3	5	6
35-49	2969	2.9	4	1	1	2	4	6	7
50-69	2351	3.2	5	1	1	3	4	6	8
70 +	839	3.5	11	1	2	3	4	7	8
	11466	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	11466	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	86	4.5	11	1	2	3	8	8	11	0-17	23123	2.9	8	1	2	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**86**	**4.5**	**11**	**1**	**2**	**3**	**8**	**8**	**11**		**23123**	**2.9**	**8**	**1**	**2**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	31	3.0	4							0-17	22371	2.6	7	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**31**	**3.0**	**4**								**22371**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**117**	**4.1**	**9**	**1**	**2**	**3**	**6**	**8**	**11**		**45494**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10363	3.6	11	1	2	3	4	6	8	0-17	6231	3.1	9	1	2	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10363**	**3.6**	**11**	**1**	**2**	**3**	**4**	**6**	**8**		**6231**	**3.1**	**9**	**1**	**2**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10996	3.0	6	1	2	2	4	5	7	0-17	7338	2.7	8	1	1	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10996**	**3.0**	**6**	**1**	**2**	**2**	**4**	**5**	**7**		**7338**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**21359**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**7**		**13569**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	235	7.1	56	2	3	5	8	17	20
70-74	70	8.0	7	2	7	8	10	11	11
75-79	125	5.4	10	1	3	6	7	10	13
80-84	95	6.9	29	2	3	5	9	11	21
85+	55	6.9	21	2	3	4	11	15	15
SUBTOTAL	**581**	**6.8**	**33**	**2**	**3**	**5**	**9**	**11**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	118	4.4	12	1	3	4	4	9	15
70-74	23	7.0	9						
75-79	47	7.5	86	2	3	4	5	28	28
80-84	47	4.5	5	2	3	4	7	8	8
85+	16	2.5							
SUBTOTAL	**250**	**5.1**	**25**	**2**	**3**	**4**	**6**	**9**	**15**
GRAND TOTAL	**831**	**6.3**	**31**	**2**	**3**	**4**	**8**	**11**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	361	3.8	14	1	2	3	5	8	15
35-49	243	5.2	18	1	2	4	7	10	16
50-69	204	5.0	15	1	2	4	7	9	12
70+	16	11.0	1						
	824	**4.6**	**16**	**1**	**2**	**3**	**6**	**10**	**15**
0-17	0								
18-34	551	2.4	2	1	1	2	3	4	5
35-49	196	2.9	3	1	1	3	4	6	6
50-69	212	3.0	3	1	2	3	4	6	7
70+	8	1.0							
	966	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**6**
	1789	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	94	5.1	7	3	3	4	8	10	99+
35-49	86	6.8	25	2	2	5	11	12	17
50-69	16	8.0	4						
70+	0								
SUBTOTAL	**195**	**6.1**	**16**	**2**	**3**	**5**	**10**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	250	3.8	9	1	2	3	5	8	11
35-49	86	4.0	5	1	1	4	6	6	7
50-69	8	3.0							
70+	0								
SUBTOTAL	**344**	**3.8**	**8**	**1**	**2**	**3**	**6**	**8**	**9**
GRAND TOTAL	**539**	**4.6**	**12**	**1**	**2**	**4**	**6**	**10**	**12**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	181	3.7	6	2	2	3	6	7	7
35-49	102	3.5	7	1	2	3	4	5	11
50-69	86	7.3	16	1	4	8	10	11	14
70+	8	5.0							
	376	**4.5**	**10**	**1**	**2**	**4**	**6**	**10**	**11**
0-17	0								
18-34	517	2.3	3	1	1	2	3	5	6
35-49	118	3.9	7	1	2	3	5	9	10
50-69	31	1.8	1						
70+	8	1.0							
	674	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	1050	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	3.0								0-17	901	3.8	11	1	2	3	4	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**901**	**3.8**	**11**	**1**	**2**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	992	2.6	3	1	1	2	3	5	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**992**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**8**	**3.0**									**1893**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	578	3.5	5	1	2	3	5	6	7	0-17	351	3.1	6	1	2	3	4	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**578**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**7**		**351**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	648	3.2	4	1	2	3	4	6	7	0-17	428	3.4	23	1	1	2	4	6	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**648**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**428**	**3.4**	**23**	**1**	**1**	**2**	**4**	**6**	**10**
GRAND TOTAL	**1226**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**779**	**3.3**	**16**	**1**	**2**	**2**	**4**	**6**	**7**

DRG 187: Dental Extractions & Restorations

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	116	4.1	7	1	1	3	7	8	9	0-17	171	2.2	6	1	1	2	2	3	4
70-74	0									18-34	117	2.4	3	1	1	2	4	4	7
75-79	23	4.3	7							35-49	39	3.6	6						
80-84	8	4.0								50-69	47	3.5	5	1	2	3	4	8	8
85 +	16	1.5								70 +	0								
SUBTOTAL	**163**	**3.8**	**7**	**1**	**2**	**3**	**5**	**8**	**9**		**374**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	3.5	11	1	1	2	5	11	11	0-17	304	1.6	1	< 1	1	1	2	3	3
70-74	16	4.0	1							18-34	149	2.0	3	1	1	1	3	5	7
75-79	8	1.0								35-49	55	1.7		1	1	2	2	3	3
80-84	39	1.6								50-69	70	1.6		< 1	1	1	2	3	3
85 +	0									70 +	0								
SUBTOTAL	**126**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**11**		**578**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**289**	**3.4**	**7**	**1**	**1**	**2**	**5**	**8**	**9**		**951**	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	132	2.8	5	1	2	2	3	7	10	0-17	23	2.3	4						
18-34	23	3.0	1							18-34	39	3.0	2						
35-49	16	2.0								35-49	16	1.5							
50-69	31	6.3	17							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**202**	**3.3**	**8**	**1**	**2**	**2**	**4**	**8**	**10**		**78**	**2.5**	**2**	**< 1**	**1**	**2**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	163	2.2	5	1	1	2	2	4	8	0-17	31	1.3							
18-34	94	1.9		1	2	2	2	2	3	18-34	79	1.3		< 1	1	1	2	2	2
35-49	0									35-49	16	4.5	2						
50-69	16	1.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**273**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**6**		**126**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**474**	**2.6**	**5**	**1**	**1**	**2**	**2**	**5**	**9**		**204**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**5**	**5**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2562	7.0	40	2	3	5	8	14	19	0-17	0								
70-74	1363	6.8	36	2	3	5	9	15	19	18-34	910	4.3	15	1	2	3	5	9	13
75-79	1326	7.7	80	2	4	5	9	14	16	35-49	996	6.1	26	1	3	4	8	14	18
80-84	1162	7.8	37	2	4	6	9	15	23	50-69	1644	7.2	78	1	3	5	8	14	21
85 +	1256	7.8	56	2	3	5	11	15	19	70 +	109	13.7	146	3	5	8	21	37	40
SUBTOTAL	**7668**	**7.3**	**48**	**2**	**3**	**5**	**9**	**15**	**19**		**3659**	**6.4**	**53**	**1**	**2**	**4**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7668**	**7.3**	**48**	**2**	**3**	**5**	**9**	**15**	**19**		**3659**	**6.4**	**53**	**1**	**2**	**4**	**8**	**14**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	405	4.8	15	1	2	3	7	9	12	18-34	196	4.4	12	1	2	3	6	9	10
35-49	257	5.8	28	2	2	3	7	12	21	35-49	219	7.0	45	1	3	4	8	20	22
50-69	243	5.9	12	2	3	5	8	10	14	50-69	298	5.1	13	1	2	5	8	10	11
70 +	39	6.0	8							70 +	180	5.9	19	2	3	5	8	13	13
SUBTOTAL	**945**	**5.4**	**18**	**2**	**2**	**4**	**7**	**11**	**14**		**894**	**5.6**	**23**	**1**	**2**	**4**	**8**	**11**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**945**	**5.4**	**18**	**2**	**2**	**4**	**7**	**11**	**14**		**894**	**5.6**	**23**	**1**	**2**	**4**	**8**	**11**	**17**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	738	4.5	19	1	2	3	5	10	16	0-17	0								
70-74	424	4.3	12	1	1	3	6	8	11	18-34	1790	3.1	7	1	1	2	4	7	8
75-79	479	3.5	12	1	2	2	4	7	9	35-49	1312	3.3	12	1	1	3	4	6	9
80-84	329	3.7	10	1	2	3	5	8	10	50-69	1068	3.5	16	1	1	2	4	8	11
85 +	290	4.1	14	1	2	3	5	9	13	70 +	32	2.0	1						
SUBTOTAL	**2259**	**4.1**	**14**	**1**	**2**	**3**	**5**	**9**	**11**		**4201**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**2259**	**4.1**	**14**	**1**	**2**	**3**	**5**	**9**	**11**		**4201**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	464	3.3	6	1	2	2	4	8	8	18-34	652	2.5	7	< 1	1	2	3	4	6
35-49	180	3.1	5	1	1	3	4	5	7	35-49	352	3.1	7	< 1	1	3	4	6	8
50-69	141	3.9	8	< 1	1	4	6	7	12	50-69	228	4.0	11	1	2	3	5	8	13
70 +	0									70 +	149	2.7	3	1	1	3	4	5	6
SUBTOTAL	**785**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**8**		**1381**	**2.9**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**785**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**8**		**1381**	**2.9**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**

DRG 190: Other Digestive System Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	178	5.0	17	2	2	4	6	8	12	0-17	837	3.3	11	1	1	2	4	7	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**178**	**5.0**	**17**	**2**	**2**	**4**	**6**	**8**	**12**		**837**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	2.0								0-17	4118	2.0	3	< 1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**2.0**									**4118**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**186**	**4.9**	**16**	**2**	**2**	**4**	**6**	**8**	**12**		**4955**	**2.2**	**5**	**< 1**	**1**	**1**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	593	6.2	54	1	2	4	7	12	15	0-17	156	3.6	8	1	2	2	5	9	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**593**	**6.2**	**54**	**1**	**2**	**4**	**7**	**12**	**15**		**156**	**3.6**	**8**	**1**	**2**	**2**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1654	2.1	6	< 1	1	1	2	4	6	0-17	1160	1.6	2	< 1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1654**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**		**1160**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2247**	**3.2**	**22**	**1**	**1**	**2**	**3**	**7**	**10**		**1316**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	664	18.6	192	8	10	14	24	42	54	0-17	141	17.0	110	< 1	9	12	27	28	38
70-74	484	21.6	197	8	11	18	32	42	55	18-34	359	17.2	146	7	8	12	27	36	43
75-79	337	19.3	182	7	10	14	26	36	45	35-49	570	18.0	163	6	9	14	22	45	51
80-84	149	19.0	166	8	10	13	24	39	59	50-69	930	18.5	168	7	10	16	23	40	56
85 +	95	12.3	52	5	6	11	19	22	25	70 +	62	15.3	118	3	6	10	25	34	34
SUBTOTAL	**1728**	**19.2**	**186**	**7**	**10**	**14**	**25**	**40**	**54**		**2062**	**17.9**	**157**	**6**	**9**	**15**	**24**	**38**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1728**	**19.2**	**186**	**7**	**10**	**14**	**25**	**40**	**54**		**2062**	**17.9**	**157**	**6**	**9**	**15**	**24**	**38**	**52**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	27.9	268	5	20	31	59	99 +	99 +	0-17	8	9.0							
18-34	195	16.8	163	6	8	11	25	44	52	18-34	164	16.7	389	6	7	8	16	34	53
35-49	109	19.9	47	9	13	22	24	26	31	35-49	118	11.1	52	4	5	10	15	18	31
50-69	164	23.2	345	9	13	20	26	60	88	50-69	126	11.3	34	5	6	11	16	25	99 +
70 +	8	36.0								70 +	24	10.3	21						
SUBTOTAL	**529**	**20.8**	**219**	**7**	**9**	**21**	**26**	**52**	**99 +**		**438**	**13.2**	**177**	**5**	**7**	**9**	**15**	**31**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**529**	**20.8**	**219**	**7**	**9**	**21**	**26**	**52**	**99 +**		**438**	**13.2**	**177**	**5**	**7**	**9**	**15**	**31**	**40**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	109	15.1	119	5	8	10	19	36	39	0-17	70	8.8	11	4	6	8	12	14	14
70-74	78	14.9	170	5	8	10	15	36	51	18-34	125	8.4	6	5	8	8	10	10	15
75-79	47	13.0	55	3	9	11	18	26	26	35-49	250	10.0	45	4	6	8	13	18	19
80-84	62	13.8	74	4	7	12	17	32	32	50-69	258	11.0	62	4	6	8	12	21	32
85+	32	5.7	18							70+	8	15.0							
SUBTOTAL	**328**	**13.6**	**110**	**4**	**8**	**10**	**15**	**28**	**37**		**711**	**10.0**	**41**	**4**	**6**	**8**	**12**	**18**	**21**
GRAND TOTAL	**328**	**13.6**	**110**	**4**	**8**	**10**	**15**	**28**	**37**		**711**	**10.0**	**41**	**4**	**6**	**8**	**12**	**18**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	4.0								0-17	15	7.5							
18-34	32	7.0	4							18-34	31	11.3	41						
35-49	31	8.7	39							35-49	31	6.0	7						
50-69	8	10.0								50-69	63	8.8	52	3	4	6	10	26	26
70+	8	8.0								70+	16	21.3	291						
SUBTOTAL	**94**	**7.4**	**17**	**4**	**4**	**7**	**9**	**10**	**19**		**156**	**9.9**	**75**	**3**	**5**	**7**	**10**	**25**	**34**
GRAND TOTAL	**94**	**7.4**	**17**	**4**	**4**	**7**	**9**	**10**	**19**		**156**	**9.9**	**75**	**3**	**5**	**7**	**10**	**25**	**34**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	597	15.9	134	7	9	13	19	29	33	0-17	54	20.4	152	7	11	19	21	48	48
70-74	692	15.6	130	6	9	12	21	27	37	18-34	149	9.5	18	4	7	9	13	17	18
75-79	730	15.3	48	7	9	14	18	25	28	35-49	212	11.5	45	5	6	11	16	20	25
80-84	573	15.3	47	9	11	13	18	25	30	50-69	759	13.3	67	6	8	12	15	23	38
85 +	486	16.3	63	9	12	15	19	23	28	70 +	78	17.9	76	7	11	16	25	31	33
SUBTOTAL	**3077**	**15.7**	**86**	**8**	**10**	**13**	**19**	**26**	**32**		**1252**	**13.1**	**67**	**6**	**7**	**11**	**16**	**23**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3077**	**15.7**	**86**	**8**	**10**	**13**	**19**	**26**	**32**		**1252**	**13.1**	**67**	**6**	**7**	**11**	**16**	**23**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	18.0								0-17	8	8.0							
18-34	86	7.4	22	4	4	6	8	15	18	18-34	16	5.5	2						
35-49	47	12.5	20	7	7	11	16	18	18	35-49	86	11.3	42	4	6	11	14	16	28
50-69	63	22.8	130	5	12	25	32	39	39	50-69	94	9.2	15	4	7	8	12	13	17
70 +	0									70 +	71	12.8	22	8	10	12	13	25	25
SUBTOTAL	**204**	**13.7**	**97**	**4**	**6**	**11**	**18**	**30**	**34**		**274**	**10.6**	**28**	**4**	**7**	**10**	**13**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**204**	**13.7**	**97**	**4**	**6**	**11**	**18**	**30**	**34**		**274**	**10.6**	**28**	**4**	**7**	**10**	**13**	**16**	**25**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	211	10.4	34	5	6	9	13	23	23
70-74	158	11.5	15	7	9	11	15	17	19
75-79	117	9.6	12	5	7	9	12	14	19
80-84	71	13.7	72	3	9	13	14	35	35
85 +	87	9.5	5	7	7	9	11	13	13
SUBTOTAL	**644**	**10.8**	**27**	**5**	**7**	**9**	**13**	**16**	**20**
GRAND TOTAL	**644**	**10.8**	**27**	**5**	**7**	**9**	**13**	**16**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	77	12.1	20	6	9	12	16	19	19
18-34	165	5.8	6	3	4	5	7	9	11
35-49	204	8.3	27	4	5	7	9	14	15
50-69	267	9.9	54	3	6	8	11	18	23
70 +	0								
	712	**8.7**	**35**	**4**	**5**	**7**	**11**	**16**	**19**
	712	**8.7**	**35**	**4**	**5**	**7**	**11**	**16**	**19**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	62	14.1	28	7	10	13	18	23	23
18-34	24	5.7	1						
35-49	47	8.8	15	5	5	8	12	15	15
50-69	15	8.0	1						
70 +	0								
SUBTOTAL	**148**	**10.5**	**27**	**5**	**6**	**9**	**14**	**21**	**23**
GRAND TOTAL	**148**	**10.5**	**27**	**5**	**6**	**9**	**14**	**21**	**23**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	31	9.0	1						
35-49	23	5.3	39						
50-69	47	5.4	7	1	3	6	7	9	9
70 +	16	11.5	7						
	117	**7.1**	**17**	**1**	**3**	**8**	**9**	**14**	**14**
	117	**7.1**	**17**	**1**	**3**	**8**	**9**	**14**	**14**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1053	10.7	35	5	7	9	13	17	24	0-17	32	7.7	11						
70-74	998	11.5	35	6	7	10	14	18	21	18-34	747	7.0	7	4	5	7	9	10	11
75-79	990	11.8	52	6	8	10	13	18	23	35-49	1022	7.5	15	4	5	7	9	11	12
80-84	824	12.5	39	7	8	11	15	20	22	50-69	1507	9.5	33	5	6	8	11	14	19
85 +	558	15.3	48	10	11	13	17	24	29	70 +	63	11.3	45	4	9	10	11	28	28
SUBTOTAL	**4424**	**12.0**	**43**	**6**	**8**	**11**	**14**	**19**	**23**		**3370**	**8.4**	**23**	**5**	**6**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4424**	**12.0**	**43**	**6**	**8**	**11**	**14**	**19**	**23**		**3370**	**8.4**	**23**	**5**	**6**	**7**	**9**	**13**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	11.7	11							0-17	8	7.0							
18-34	298	8.0	9	5	6	7	10	13	14	18-34	399	7.7	11	4	5	7	9	11	14
35-49	95	8.9	13	5	6	8	11	14	16	35-49	282	8.2	15	4	5	8	10	15	17
50-69	118	9.4	38	4	5	7	11	19	27	50-69	251	8.1	7	5	6	8	9	11	14
70 +	15	13.5	13							70 +	110	7.4	13	4	4	7	10	10	17
SUBTOTAL	**550**	**8.8**	**18**	**5**	**6**	**7**	**11**	**14**	**17**		**1050**	**7.9**	**12**	**4**	**5**	**8**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**550**	**8.8**	**18**	**5**	**6**	**7**	**11**	**14**	**17**		**1050**	**7.9**	**12**	**4**	**5**	**8**	**9**	**12**	**16**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	314	7.8	12	5	5	7	9	13	16	0-17	24	6.9	34						
70-74	181	8.4	17	5	5	8	10	13	16	18-34	622	6.1	4	4	5	6	7	9	10
75-79	165	9.7	23	4	7	9	12	14	17	35-49	409	6.1	5	4	4	6	8	9	10
80-84	94	9.5	27	5	6	8	11	12	25	50-69	665	6.7	8	4	5	6	8	10	11
85 +	78	10.5	14	5	7	10	13	16	17	70 +	32	6.7							
SUBTOTAL	**831**	**8.8**	**18**	**5**	**6**	**8**	**11**	**14**	**17**		**1751**	**6.4**	**6**	**4**	**5**	**6**	**8**	**9**	**11**
GRAND TOTAL	**831**	**8.8**	**18**	**5**	**6**	**8**	**11**	**14**	**17**		**1751**	**6.4**	**6**	**4**	**5**	**6**	**8**	**9**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	8.0							
18-34	126	5.5	2	4	4	5	6	8	9	18-34	179	6.3	4	4	5	6	8	9	9
35-49	16	4.5								35-49	71	4.9	3	2	4	5	6	8	8
50-69	23	11.3	31							50-69	87	6.7	14	3	4	6	9	12	15
70 +	8	24.0								70 +	8	5.0							
SUBTOTAL	**173**	**7.0**	**23**	**4**	**5**	**5**	**7**	**9**	**19**		**353**	**6.1**	**7**	**3**	**5**	**6**	**7**	**9**	**12**
GRAND TOTAL	**173**	**7.0**	**23**	**4**	**5**	**5**	**7**	**9**	**19**		**353**	**6.1**	**7**	**3**	**5**	**6**	**7**	**9**	**12**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5715	8.8	42	4	5	7	10	15	20	0-17	55	9.1	78	3	3	7	9	30	30
70-74	3535	8.9	28	4	5	8	11	16	20	18-34	4162	5.5	27	3	4	4	6	9	11
75-79	2695	9.9	32	5	6	8	12	18	21	35-49	6450	5.7	12	3	4	5	7	10	12
80-84	1609	10.7	34	5	6	10	13	17	23	50-69	8264	6.7	18	3	4	5	8	11	14
85 +	958	11.7	39	6	7	10	15	20	24	70 +	298	8.5	17	4	5	9	9	15	17
SUBTOTAL	**14513**	**9.4**	**36**	**4**	**6**	**8**	**12**	**17**	**21**		**19229**	**6.2**	**19**	**3**	**4**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**14513**	**9.4**	**36**	**4**	**6**	**8**	**12**	**17**	**21**		**19229**	**6.2**	**19**	**3**	**4**	**5**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	6.1	11	3	3	6	8	13	13	0-17	31	11.7	39						
18-34	1114	6.5	24	3	4	5	8	11	13	18-34	1033	5.6	38	3	3	4	6	8	9
35-49	738	6.9	18	3	4	6	9	12	15	35-49	1293	5.2	7	3	3	4	7	9	10
50-69	635	8.7	44	4	5	7	9	16	27	50-69	1452	6.2	16	3	4	5	8	11	14
70 +	31	17.2	122							70 +	478	7.3	12	4	5	6	8	13	15
SUBTOTAL	**2572**	**7.3**	**30**	**3**	**4**	**6**	**8**	**12**	**16**		**4288**	**5.9**	**19**	**3**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2572**	**7.3**	**30**	**3**	**4**	**6**	**8**	**12**	**16**		**4288**	**5.9**	**19**	**3**	**3**	**5**	**7**	**10**	**13**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4995	5.3	6	3	4	5	6	8	10	0-17	305	4.1	4	2	3	4	4	7	7
70-74	2757	5.8	7	3	4	5	7	9	11	18-34	11000	4.2	3	3	3	4	5	6	7
75-79	1639	6.3	9	3	4	5	7	10	13	35-49	14638	4.4	3	3	3	4	5	7	8
80-84	716	6.7	7	4	4	6	8	11	12	50-69	13215	4.8	4	3	4	4	6	8	9
85 +	329	9.2	20	5	6	8	12	14	18	70 +	181	5.9	9	3	3	5	8	9	10
SUBTOTAL	**10436**	**5.8**	**8**	**3**	**4**	**5**	**7**	**9**	**11**		**39339**	**4.5**	**4**	**3**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**10436**	**5.8**	**8**	**3**	**4**	**5**	**7**	**9**	**11**		**39339**	**4.5**	**4**	**3**	**3**	**4**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	110	3.9	2	2	3	4	5	6	7	0-17	39	5.2	7						
18-34	3405	4.6	4	3	3	4	5	7	8	18-34	2948	4.1	4	2	3	4	5	6	7
35-49	1203	5.0	4	3	4	5	6	7	9	35-49	2619	4.0	3	2	3	4	5	6	7
50-69	502	5.4	12	3	4	5	6	8	10	50-69	2266	4.3	4	3	3	4	5	7	8
70 +	16	13.5								70 +	375	4.5	4	3	3	4	6	8	8
SUBTOTAL	**5235**	**4.8**	**5**	**3**	**3**	**4**	**6**	**7**	**8**		**8248**	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**5235**	**4.8**	**5**	**3**	**3**	**4**	**6**	**7**	**8**		**8248**	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**8**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	165	16.4	110	6	8	13	24	33	38
70-74	181	13.0	40	6	9	12	16	24	25
75-79	55	22.4	179	7	14	18	40	45	45
80-84	63	11.6	20	5	8	12	14	20	20
85 +	47	8.9	39	4	4	8	9	22	22
SUBTOTAL	**510**	**14.6**	**87**	**5**	**8**	**12**	**18**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15	6.5	7						
70-74	55	7.0	38	1	2	5	8	21	21
75-79	23	12.7	31						
80-84	8	7.0							
85 +	0								
SUBTOTAL	**101**	**8.2**	**34**	**2**	**5**	**7**	**9**	**20**	**21**
GRAND TOTAL	**611**	**13.5**	**84**	**5**	**7**	**11**	**18**	**27**	**37**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	15.8	39						
18-34	23	29.9	383						
35-49	78	11.7	31	6	7	10	17	21	21
50-69	211	15.3	182	4	7	10	18	41	44
70 +	0								
	343	**15.5**	**165**	**5**	**8**	**11**	**19**	**32**	**44**
0-17	8	4.0							
18-34	0								
35-49	31	6.0	11						
50-69	39	6.0	2						
70 +	0								
	78	**5.8**	**5**	**3**	**4**	**6**	**6**	**9**	**11**
	421	**13.7**	**149**	**4**	**6**	**10**	**15**	**29**	**44**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	5.0							
50-69	24	10.3							
70 +	8	17.0							
SUBTOTAL	**39**	**10.6**	**15**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	8	1.0							
70 +	0								
SUBTOTAL	**8**	**1.0**							
GRAND TOTAL	**47**	**9.0**	**25**	**1**	**5**	**10**	**11**	**17**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	5.0							
18-34	0								
35-49	8	45.0							
50-69	39	11.8	36						
70 +	8	12.0							
	63	**15.2**	**157**	**5**	**7**	**11**	**18**	**45**	**45**
0-17	8	5.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8	**5.0**							
	71	**14.1**	**150**	**5**	**7**	**10**	**12**	**45**	**45**

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	78	10.6	23	6	8	9	11	19	23
70-74	102	21.2	465	6	8	16	24	37	90
75-79	63	15.0	60	6	9	13	21	29	29
80-84	24	12.0	26						
85 +	55	14.9	33	8	12	12	17	27	27
SUBTOTAL	**322**	**15.6**	**188**	**6**	**8**	**12**	**17**	**24**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	9.3	48	4	4	4	19	19	19
70-74	23	4.7							
75-79	8	1.0							
80-84	8	7.0							
85 +	0								
SUBTOTAL	**86**	**7.1**	**34**	**4**	**4**	**5**	**7**	**19**	**19**
GRAND TOTAL	**408**	**13.8**	**168**	**5**	**6**	**10**	**17**	**24**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	15.4	87						
18-34	70	14.2	76	4	7	14	21	30	30
35-49	133	8.4	27	3	5	7	10	18	21
50-69	118	13.0	86	5	5	11	20	24	39
70 +	16	27.2	541						
	376	**12.4**	**96**	**4**	**5**	**9**	**18**	**24**	**30**
0-17	23	5.0	6						
18-34	86	6.2	17	3	3	5	11	12	14
35-49	102	4.9	11	1	2	4	7	10	12
50-69	102	5.7	18	1	2	5	7	14	15
70 +	0								
	313	**5.5**	**15**	**1**	**3**	**5**	**7**	**12**	**14**
	689	**9.3**	**71**	**2**	**4**	**6**	**12**	**21**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	30.0							
18-34	70	17.1	167	5	7	10	26	40	40
35-49	16	10.5							
50-69	39	19.7	130						
70 +	0								
SUBTOTAL	**133**	**17.8**	**142**	**5**	**8**	**15**	**30**	**40**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	3.4	2						
18-34	16	5.0	1						
35-49	0								
50-69	0								
70 +	8	7.0							
SUBTOTAL	**62**	**4.2**	**3**	**1**	**3**	**4**	**6**	**7**	**7**
GRAND TOTAL	**195**	**13.5**	**138**	**4**	**5**	**10**	**23**	**39**	**40**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	11.0							
18-34	8	7.0							
35-49	8	9.0							
50-69	16	12.5	45						
70 +	0								
	39	**10.4**	**22**						
0-17	16	10.0	17						
18-34	24	7.7	16						
35-49	32	9.0	35						
50-69	8	9.0							
70 +	8	1.0							
	86	**8.1**	**25**	**3**	**4**	**6**	**13**	**14**	**17**
	126	**8.8**	**25**	**3**	**4**	**8**	**13**	**17**	**19**

North Central Region, July 1988 - June 1989

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	470	10.3	131	2	4	7	10	20	43	0-17	16	5.0							
70-74	180	13.1	80	6	7	10	17	26	31	18-34	63	15.9	294	5	5	6	35	47	47
75-79	132	9.3	55	2	5	8	10	28	28	35-49	289	10.7	135	3	4	8	12	21	41
80-84	70	10.0	40	1	4	10	16	21	21	50-69	578	9.4	69	3	4	7	12	21	27
85 +	8	14.0								70 +	39	11.0	76						
SUBTOTAL	**860**	**10.7**	**102**	**3**	**5**	**8**	**12**	**21**	**31**		**985**	**10.2**	**105**	**3**	**4**	**7**	**12**	**22**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	4.2	31							0-17	8	1.0							
70-74	15	5.0	17							18-34	15	9.5	7						
75-79	0									35-49	16	5.5	7						
80-84	8	10.0								50-69	47	4.5	12	1	1	3	9	9	9
85 +	0									70 +	0								
SUBTOTAL	**62**	**5.2**	**27**	**1**	**1**	**3**	**10**	**15**	**15**		**85**	**5.3**	**14**	**1**	**1**	**5**	**9**	**9**	**12**
GRAND TOTAL	**923**	**10.4**	**99**	**2**	**5**	**8**	**11**	**21**	**31**		**1070**	**9.8**	**99**	**2**	**4**	**7**	**11**	**21**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	4.3								0-17	8	4.0							
18-34	15	5.0	1							18-34	47	9.1	127	1	2	4	10	33	33
35-49	195	7.0	19	2	3	6	10	16	18	35-49	125	8.7	25	2	5	9	11	16	20
50-69	55	20.2	507	4	7	14	17	74	74	50-69	133	4.5	11	1	3	3	5	12	12
70 +	0									70 +	16	7.5	13						
SUBTOTAL	**288**	**9.2**	**137**	**3**	**4**	**6**	**12**	**17**	**74**		**329**	**6.9**	**36**	**2**	**3**	**4**	**10**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	15	1.0								18-34	0								
35-49	15	7.0	1							35-49	16	5.0	4						
50-69	8	1.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**39**	**3.4**	**9**								**16**	**5.0**	**4**						
GRAND TOTAL	**327**	**8.5**	**125**	**2**	**4**	**6**	**10**	**17**	**18**		**345**	**6.8**	**35**	**2**	**3**	**4**	**10**	**12**	**16**

DRG 202: Cirrhosis & Alcoholic Hepatitis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1193	8.9	37	3	5	7	12	18	23
70-74	480	9.6	30	3	6	9	11	15	22
75-79	345	9.3	38	2	5	8	13	17	22
80-84	117	10.2	37	3	4	11	15	20	20
85 +	79	13.5	108	3	7	11	14	32	38
SUBTOTAL	**2214**	**9.4**	**39**	**3**	**5**	**8**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	3.6	7	1	1	4	5	9	9
70-74	71	6.1	27	< 1	4	4	7	19	19
75-79	47	6.8	20	3	4	5	8	16	16
80-84	23	9.3	50						
85 +	0								
SUBTOTAL	**204**	**5.9**	**25**	**1**	**3**	**4**	**8**	**16**	**18**
GRAND TOTAL	**2418**	**9.1**	**39**	**3**	**5**	**8**	**12**	**18**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	6.0							
18-34	156	9.1	48	3	4	7	14	21	25
35-49	885	7.9	35	3	4	6	10	16	22
50-69	1370	9.3	52	3	4	8	12	17	25
70 +	24	8.7	67						
	2451	**8.8**	**46**	**3**	**4**	**7**	**11**	**17**	**23**
0-17	8	5.0							
18-34	32	3.8							
35-49	141	3.7	16	1	1	3	4	11	17
50-69	149	3.9	7	1	1	4	6	8	8
70 +	0								
	330	**3.8**	**10**	**1**	**1**	**4**	**4**	**8**	**8**
	2781	**8.2**	**44**	**2**	**4**	**6**	**10**	**16**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	3.3	2						
18-34	219	7.8	52	1	3	5	10	15	26
35-49	586	8.1	39	3	4	7	10	14	19
50-69	376	8.9	50	1	5	7	10	18	23
70 +	8	8.0							
SUBTOTAL	**1219**	**8.2**	**44**	**2**	**4**	**7**	**10**	**15**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	23	5.0	11						
35-49	39	3.6	13						
50-69	16	3.0	1						
70 +	0								
SUBTOTAL	**86**	**3.7**	**10**	**< 1**	**1**	**2**	**5**	**9**	**10**
GRAND TOTAL	**1306**	**7.9**	**43**	**2**	**4**	**6**	**10**	**15**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	204	6.4	18	3	3	5	8	14	15
35-49	385	9.4	66	2	4	7	11	22	30
50-69	425	9.2	45	2	4	8	12	16	28
70 +	16	12.6	22						
	1030	**8.8**	**49**	**2**	**4**	**7**	**11**	**17**	**27**
0-17	0								
18-34	23	2.3	1						
35-49	79	5.0	13	< 1	1	5	7	10	11
50-69	39	2.0	4						
70 +	8	11.0							
	150	**4.1**	**12**	**< 1**	**1**	**3**	**6**	**11**	**11**
	1179	**8.2**	**46**	**2**	**4**	**6**	**10**	**17**	**23**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1024	10.5	78	3	5	8	14	18	30	0-17	39	4.4	5						
70-74	820	10.6	88	2	4	7	15	24	27	18-34	85	10.2	55	2	4	10	14	15	28
75-79	760	9.0	32	3	4	9	12	16	18	35-49	366	7.8	70	3	3	5	8	19	21
80-84	556	9.4	38	3	4	9	13	18	19	50-69	1274	8.2	49	2	4	6	10	16	22
85 +	430	11.0	88	4	6	9	14	20	21	70 +	47	8.0	44	1	4	6	11	21	21
SUBTOTAL	**3590**	**10.1**	**66**	**3**	**4**	**8**	**14**	**19**	**25**		**1811**	**8.1**	**53**	**2**	**4**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	242	5.7	38	1	2	4	6	11	15	0-17	39	3.8	4						
70-74	298	6.7	34	1	1	5	10	16	18	18-34	23	7.3	9						
75-79	187	8.6	69	2	4	5	10	22	27	35-49	171	5.6	13	1	3	6	8	9	12
80-84	133	6.9	22	1	2	7	10	14	16	50-69	421	5.2	20	1	2	4	7	9	15
85 +	125	5.8	30	1	1	5	8	14	22	70 +	23	3.7	4						
SUBTOTAL	**985**	**6.7**	**40**	**1**	**2**	**5**	**9**	**15**	**19**		**678**	**5.3**	**16**	**1**	**2**	**5**	**7**	**9**	**12**
GRAND TOTAL	**4576**	**9.4**	**62**	**2**	**4**	**7**	**13**	**18**	**24**		**2488**	**7.4**	**45**	**2**	**3**	**5**	**9**	**15**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	22.3	784							0-17	0								
18-34	31	9.8	15							18-34	15	5.5	13						
35-49	78	9.7	131	2	4	7	8	30	43	35-49	124	7.7	60	1	2	6	10	18	32
50-69	148	8.9	53	3	5	7	11	16	36	50-69	234	9.5	43	4	5	8	12	19	20
70 +	0									70 +	181	6.9	26	2	4	5	8	16	17
SUBTOTAL	**280**	**10.3**	**141**	**3**	**5**	**7**	**11**	**16**	**43**		**555**	**8.1**	**42**	**2**	**4**	**7**	**10**	**18**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	8	2.0							
35-49	16	3.0	4							35-49	39	8.4	24						
50-69	16	7.5								50-69	133	8.0	53	1	3	5	14	18	27
70 +	0									70 +	63	5.2	8	2	3	4	8	10	10
SUBTOTAL	**32**	**5.3**	**7**								**243**	**7.2**	**37**	**2**	**3**	**5**	**10**	**16**	**18**
GRAND TOTAL	**312**	**9.8**	**130**	**3**	**5**	**7**	**11**	**16**	**41**		**798**	**7.8**	**40**	**2**	**3**	**6**	**10**	**17**	**20**

DRG 204: Disorders of Pancreas except Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2237	8.6	42	3	5	7	10	15	22	0-17	109	5.6	13	2	3	5	7	11	15
70-74	952	8.7	45	3	4	7	10	16	22	18-34	1177	6.5	33	3	3	5	8	12	16
75-79	983	9.0	51	3	5	7	11	15	26	35-49	2617	7.1	31	3	4	6	8	13	17
80-84	700	7.6	28	3	5	7	9	12	15	50-69	2074	8.0	46	3	4	6	9	14	23
85 +	732	8.6	35	3	5	7	11	15	18	70 +	32	8.5	11						
SUBTOTAL	**5603**	**8.5**	**42**	**3**	**5**	**7**	**10**	**15**	**22**		**6009**	**7.3**	**37**	**3**	**4**	**6**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1021	6.3	57	2	3	5	7	11	14	0-17	78	4.3	3	2	3	4	6	7	7
70-74	581	5.6	15	2	3	5	7	10	14	18-34	1255	5.0	12	2	3	4	6	10	13
75-79	386	5.3	6	2	4	5	7	10	10	35-49	2050	5.8	25	3	3	5	7	10	12
80-84	282	6.3	11	3	4	5	8	11	15	50-69	1546	5.8	16	2	3	5	7	9	11
85 +	204	6.4	19	2	4	6	8	13	13	70 +	62	4.8	8	1	2	4	7	10	10
SUBTOTAL	**2475**	**6.0**	**31**	**2**	**3**	**5**	**7**	**10**	**13**		**4991**	**5.6**	**18**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**8078**	**7.8**	**40**	**3**	**4**	**6**	**9**	**13**	**18**		**11000**	**6.5**	**29**	**3**	**4**	**5**	**8**	**11**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	2.0								0-17	15	4.5							
18-34	1114	6.8	36	2	4	5	8	11	18	18-34	902	6.2	17	2	3	5	8	11	15
35-49	1245	7.2	23	3	4	6	8	13	17	35-49	1100	6.6	21	3	4	5	8	13	16
50-69	516	8.3	49	3	4	6	10	18	23	50-69	392	7.4	27	3	4	6	9	17	19
70 +	16	19.5	7							70 +	118	8.0	14	3	6	8	10	14	16
SUBTOTAL	**2898**	**7.3**	**33**	**3**	**4**	**6**	**9**	**13**	**20**		**2527**	**6.6**	**20**	**3**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	6.0	10							0-17	31	7.5	8						
18-34	485	5.1	11	2	3	5	6	8	12	18-34	739	5.0	16	2	3	4	6	8	12
35-49	463	6.6	34	2	3	5	7	11	16	35-49	638	5.6	11	2	3	5	7	10	12
50-69	180	5.5	21	1	2	5	7	10	11	50-69	219	4.9	11	2	2	4	7	10	11
70 +	0									70 +	39	5.0	4						
SUBTOTAL	**1144**	**5.8**	**23**	**2**	**3**	**5**	**7**	**10**	**14**		**1667**	**5.2**	**13**	**2**	**3**	**4**	**7**	**9**	**11**
GRAND TOTAL	**4042**	**6.9**	**31**	**2**	**4**	**5**	**8**	**13**	**18**		**4194**	**6.1**	**18**	**2**	**3**	**5**	**8**	**11**	**15**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1458	8.6	44	3	4	7	11	19	22
70-74	721	8.4	59	2	4	7	11	15	18
75-79	527	8.6	54	3	4	6	11	15	23
80-84	322	10.2	75	3	6	7	10	18	31
85 +	196	10.2	47	3	6	9	11	22	22
SUBTOTAL	**3223**	**8.8**	**53**	**3**	**4**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3223**	**8.8**	**53**	**3**	**4**	**7**	**11**	**17**	**22**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	375	4.6	9	2	2	4	6	8	11
18-34	477	6.3	30	2	3	5	8	11	14
35-49	860	8.2	94	2	3	6	9	20	23
50-69	1200	7.6	52	2	3	5	9	16	21
70 +	62	8.0	26	< 1	4	7	13	15	15
	2974	**7.2**	**56**	**2**	**3**	**5**	**8**	**14**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2974	**7.2**	**56**	**2**	**3**	**5**	**8**	**14**	**21**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	132	7.5	55	1	2	5	10	13	32
18-34	344	7.8	36	2	4	6	9	14	17
35-49	430	8.3	38	2	4	6	11	17	19
50-69	361	8.9	36	3	5	7	11	17	21
70 +	16	13.4	96						
SUBTOTAL	**1282**	**8.3**	**40**	**2**	**4**	**7**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1282**	**8.3**	**40**	**2**	**4**	**7**	**11**	**16**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	6.9	88	2	2	3	7	24	36
18-34	345	6.1	20	2	3	5	8	12	14
35-49	243	9.3	74	2	4	7	10	18	32
50-69	164	7.9	42	2	3	6	10	16	21
70 +	31	8.2	16						
	908	**7.5**	**49**	**2**	**3**	**6**	**10**	**15**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	908	**7.5**	**49**	**2**	**3**	**6**	**10**	**15**	**24**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	345	6.2	28	1	2	5	8	13	17	0-17	624	3.2	6	1	2	2	4	7	9
70-74	188	4.9	15	1	3	4	6	10	15	18-34	894	4.8	15	1	2	4	6	10	12
75-79	133	6.4	42	2	3	5	7	13	30	35-49	777	4.5	19	1	1	4	6	9	10
80-84	55	5.0	10	1	1	5	8	10	10	50-69	721	4.3	14	1	1	3	6	9	12
85 +	24	3.7	6							70 +	0								
SUBTOTAL	**744**	**5.8**	**26**	**1**	**2**	**4**	**7**	**13**	**16**		**3016**	**4.3**	**14**	**1**	**1**	**3**	**6**	**9**	**11**
GRAND TOTAL	**744**	**5.8**	**26**	**1**	**2**	**4**	**7**	**13**	**16**		**3016**	**4.3**	**14**	**1**	**1**	**3**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	381	4.2	13	1	2	3	6	8	12	0-17	234	3.4	6	1	1	3	5	7	9
18-34	220	3.9	7	1	1	4	6	7	10	18-34	417	5.3	21	1	2	4	6	12	14
35-49	71	4.8	14	< 1	3	4	5	14	14	35-49	149	4.3	24	1	1	3	5	7	23
50-69	16	6.5	13							50-69	102	3.7	9	1	1	3	6	7	11
70 +	0									70 +	31	4.5	4						
SUBTOTAL	**687**	**4.2**	**11**	**1**	**2**	**4**	**6**	**9**	**11**		**934**	**4.4**	**16**	**1**	**2**	**3**	**6**	**9**	**13**
GRAND TOTAL	**687**	**4.2**	**11**	**1**	**2**	**4**	**6**	**9**	**11**		**934**	**4.4**	**16**	**1**	**2**	**3**	**6**	**9**	**13**

DRG 207: Disorders of the Biliary Tract w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1610	6.3	34	2	3	5	8	11	13
70-74	1501	6.6	23	2	3	5	8	13	17
75-79	1288	6.7	22	3	4	5	8	12	16
80-84	1360	8.0	30	3	4	7	10	16	19
85 +	1571	7.9	24	3	4	7	10	14	18
SUBTOTAL	**7330**	**7.1**	**27**	**2**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7330**	**7.1**	**27**	**2**	**4**	**6**	**9**	**13**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	155	7.0	34	2	2	5	10	20	21
18-34	385	4.8	9	2	3	4	7	8	11
35-49	966	4.7	23	2	2	3	6	8	12
50-69	1908	5.3	25	2	3	4	6	11	13
70 +	78	6.9	18	2	3	8	8	14	14
	3493	**5.2**	**23**	**2**	**3**	**4**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3493	**5.2**	**23**	**2**	**3**	**4**	**6**	**10**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	101	5.5	24	2	2	3	6	16	16
18-34	402	5.1	14	1	2	4	7	11	13
35-49	212	5.4	11	1	3	4	7	11	13
50-69	221	5.4	9	3	4	5	6	8	13
70 +	39	5.0	14						
SUBTOTAL	**974**	**5.3**	**13**	**2**	**3**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**974**	**5.3**	**13**	**2**	**3**	**4**	**7**	**11**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	63	2.6	2	< 1	1	2	4	5	5
35-49	267	4.1	8	1	2	3	5	8	11
50-69	361	4.5	12	1	3	4	6	8	9
70 +	204	4.3	4	3	3	4	5	6	7
	903	**4.2**	**8**	**1**	**3**	**4**	**5**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	903	**4.2**	**8**	**1**	**3**	**4**	**5**	**8**	**9**

DRG 208: Disorders of the Biliary Tract w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1211	3.9	11	1	2	3	5	8	9
70-74	771	3.7	6	1	2	3	5	7	9
75-79	747	4.2	5	2	3	4	5	7	9
80-84	488	4.6	8	2	3	4	6	9	10
85 +	464	5.0	10	2	3	4	7	8	9
SUBTOTAL	**3680**	**4.2**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**3680**	**4.2**	**8**	**1**	**2**	**3**	**5**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	350	5.2	19	2	2	4	6	11	15
18-34	1509	2.7	5	1	1	2	3	5	6
35-49	2481	2.9	4	1	1	2	4	6	7
50-69	2681	3.0	4	1	1	3	4	6	7
70 +	102	3.3	5	1	2	2	4	5	9
	7123	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	7123	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	93	3.5	12	< 1	1	2	4	5	14
18-34	606	2.9	3	1	2	3	4	5	6
35-49	259	3.1	5	1	1	3	4	5	7
50-69	110	3.4	6	1	1	3	4	7	9
70 +	0								
SUBTOTAL	**1069**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**7**
GRAND TOTAL	**1069**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	31	4.0	10						
18-34	637	2.6	3	1	1	2	3	5	6
35-49	480	3.2	6	1	2	3	4	6	8
50-69	463	2.9	4	1	1	2	4	6	7
70 +	118	3.7	11	1	1	2	7	8	12
	1730	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
	1730	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 209: Major Joint & Limb Reattachment Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	7331	11.7	38	7	8	10	13	18	22	0-17	101	5.3	5	4	4	4	5	8	12	
70-74	7334	11.5	21	7	9	11	13	17	19	18-34	179	8.6	9	5	6	7	11	13	13	
75-79	7364	12.3	41	7	9	11	14	20	25	35-49	788	9.2	18	5	7	8	10	14	18	
80-84	5765	12.7	38	7	9	11	15	20	24	50-69	5031	10.2	23	6	8	9	12	15	18	
85 +	4946	12.7	36	7	9	11	15	19	24	70 +	705	11.4	31	7	8	10	12	18	21	
SUBTOTAL	**32740**	**12.1**	**35**	**7**	**9**	**11**	**14**	**18**	**23**		**6805**	**10.1**	**24**	**6**	**7**	**9**	**12**	**15**	**18**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	9956	9.4	8	6	7	9	11	13	14	0-17	279	4.9	8	2	3	4	6	8	10	
70-74	10012	9.8	14	6	8	9	11	13	15	18-34	522	7.1	10	2	5	7	9	11	13	
75-79	7789	10.1	11	7	8	10	12	14	15	35-49	1850	7.9	9	5	6	8	9	11	13	
80-84	4723	10.3	14	7	8	10	12	14	16	50-69	11392	8.7	9	6	7	8	10	12	13	
85 +	2950	10.4	13	6	8	10	12	15	16	70 +	718	9.0	8	6	7	9	11	13	15	
SUBTOTAL	**35429**	**9.9**	**12**	**6**	**8**	**9**	**11**	**14**	**15**		**14761**	**8.5**	**9**	**5**	**7**	**8**	**10**	**12**	**13**	
GRAND TOTAL	**68170**	**11.0**	**24**	**7**	**8**	**10**	**12**	**16**	**19**		**21566**	**9.0**	**14**	**5**	**7**	**9**	**10**	**13**	**15**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	46	5.7	4	4	4	5	8	9	9	0-17	15	3.0								
18-34	70	9.4	10	3	8	10	11	15	15	18-34	23	13.0	15							
35-49	109	11.6	46	7	7	9	12	21	31	35-49	102	9.1	7	6	7	9	10	13	14	
50-69	329	12.2	42	6	8	10	15	21	26	50-69	745	10.3	27	6	7	9	11	16	19	
70 +	78	13.9	12	11	11	12	16	20	22	70 +	1159	10.3	17	6	8	9	12	16	18	
SUBTOTAL	**634**	**11.5**	**36**	**6**	**8**	**10**	**13**	**21**	**24**		**2044**	**10.2**	**20**	**6**	**8**	**9**	**12**	**15**	**18**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	54	4.7	14	1	2	4	5	13	13	0-17	23	3.3	1							
18-34	172	6.5	8	3	5	6	10	11	11	18-34	133	6.5	4	2	6	7	8	9	9	
35-49	156	8.9	11	6	7	8	10	14	17	35-49	211	6.9	8	2	5	8	9	11	11	
50-69	321	8.2	5	6	7	8	10	11	12	50-69	1589	8.0	5	5	7	8	9	11	12	
70 +	62	9.6	4	6	8	9	11	12	12	70 +	1725	8.1	9	6	7	8	9	10	12	
SUBTOTAL	**765**	**7.8**	**9**	**4**	**6**	**8**	**10**	**12**	**13**		**3681**	**7.9**	**8**	**5**	**7**	**8**	**9**	**10**	**11**	
GRAND TOTAL	**1399**	**9.5**	**25**	**5**	**6**	**9**	**11**	**15**	**21**		**5725**	**8.7**	**13**	**6**	**7**	**8**	**10**	**12**	**15**	

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2402	13.3	94	6	8	11	14	23	32	0-17	0								
70-74	2337	13.2	63	6	9	11	15	21	26	18-34	791	13.5	98	5	7	11	16	27	32
75-79	3426	13.6	68	7	9	11	15	22	28	35-49	445	16.5	176	5	8	11	21	39	46
80-84	4609	12.5	46	7	9	11	15	20	24	50-69	1090	14.4	84	7	9	11	16	27	41
85 +	7093	12.2	34	7	9	11	14	19	23	70 +	345	15.0	143	8	11	13	16	22	25
SUBTOTAL	**19866**	**12.7**	**54**	**7**	**9**	**11**	**15**	**20**	**25**		**2672**	**14.6**	**112**	**6**	**9**	**11**	**17**	**27**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**19866**	**12.7**	**54**	**7**	**9**	**11**	**15**	**20**	**25**		**2672**	**14.6**	**112**	**6**	**9**	**11**	**17**	**27**	**40**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	289	15.4	220	4	7	10	17	34	60	18-34	313	12.7	97	5	7	10	15	23	44
35-49	94	9.1	11	5	7	8	10	13	16	35-49	94	13.4	45	6	7	14	19	21	27
50-69	251	13.8	48	6	9	12	20	26	28	50-69	431	12.4	51	6	7	10	14	23	26
70 +	86	12.0	28	6	8	10	15	21	22	70 +	817	10.7	26	6	7	9	13	16	22
SUBTOTAL	**720**	**13.6**	**114**	**5**	**8**	**11**	**15**	**25**	**29**		**1655**	**11.6**	**48**	**6**	**7**	**10**	**14**	**20**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**720**	**13.6**	**114**	**5**	**8**	**11**	**15**	**25**	**29**		**1655**	**11.6**	**48**	**6**	**7**	**10**	**14**	**20**	**26**

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1028	9.2	21	5	6	8	11	15	18
70-74	1199	10.0	14	6	8	9	12	15	16
75-79	1875	10.6	41	6	8	10	12	15	17
80-84	2189	10.0	13	6	7	10	12	14	17
85 +	3308	9.7	16	5	7	9	12	14	17
SUBTOTAL	**9599**	**9.9**	**21**	**5**	**7**	**9**	**12**	**15**	**17**
GRAND TOTAL	**9599**	**9.9**	**21**	**5**	**7**	**9**	**12**	**15**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	1197	7.7	43	3	4	6	9	12	16
35-49	801	7.9	36	3	5	6	9	15	20
50-69	1168	8.3	18	4	6	8	10	13	15
70 +	235	10.0	16	5	8	10	12	14	19
	3401	**8.1**	**31**	**3**	**5**	**7**	**10**	**13**	**16**
	3401	**8.1**	**31**	**3**	**5**	**7**	**10**	**13**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	133	7.8	60	3	5	6	7	12	37
35-49	101	8.4	24	2	4	9	10	16	18
50-69	86	8.2	15	5	5	6	12	14	15
70 +	39	10.6	18						
SUBTOTAL	**360**	**8.3**	**35**	**3**	**5**	**6**	**11**	**15**	**17**
GRAND TOTAL	**360**	**8.3**	**35**	**3**	**5**	**6**	**11**	**15**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	416	7.5	14	3	5	7	10	13	15
35-49	165	7.0	6	5	6	7	8	9	11
50-69	368	8.7	14	5	6	8	11	14	14
70 +	635	8.4	27	5	6	7	9	12	14
	1584	**8.1**	**19**	**4**	**6**	**7**	**9**	**13**	**14**
	1584	**8.1**	**19**	**4**	**6**	**7**	**9**	**13**	**14**

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23	40.7	878							0-17	941	10.1	125	2	3	6	14	26	35
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**23**	**40.7**	**878**								**941**	**10.1**	**125**	**2**	**3**	**6**	**14**	**26**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	23	7.4	24							0-17	4347	6.5	71	1	2	4	7	16	24
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**23**	**7.4**	**24**								**4347**	**6.5**	**71**	**1**	**2**	**4**	**7**	**16**	**24**
GRAND TOTAL	**47**	**24.0**	**722**	**3**	**5**	**12**	**31**	**80**	**80**		**5288**	**7.2**	**82**	**1**	**2**	**4**	**8**	**18**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	427	12.4	221	2	4	5	16	31	41	0-17	163	8.8	42	3	4	6	15	18	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**427**	**12.4**	**221**	**2**	**4**	**5**	**16**	**31**	**41**		**163**	**8.8**	**42**	**3**	**4**	**6**	**15**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1282	7.8	107	1	3	4	8	20	24	0-17	887	7.3	75	1	2	4	10	18	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1282**	**7.8**	**107**	**1**	**3**	**4**	**8**	**20**	**24**		**887**	**7.3**	**75**	**1**	**2**	**4**	**10**	**18**	**22**
GRAND TOTAL	**1709**	**8.9**	**140**	**1**	**3**	**5**	**10**	**23**	**35**		**1050**	**7.6**	**70**	**1**	**2**	**4**	**10**	**18**	**22**

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	438	15.7	125	6	9	12	19	29	40	0-17	39	6.6	27						
70-74	180	14.3	233	2	6	10	14	23	54	18-34	24	8.0	5						
75-79	118	15.5	77	6	9	14	18	30	38	35-49	32	13.3	99						
80-84	47	19.6	421	4	7	9	27	62	62	50-69	164	8.8	46	2	6	8	10	12	20
85 +	181	16.1	94	5	8	16	24	27	37	70 +	0								
SUBTOTAL	**963**	**15.7**	**148**	**5**	**8**	**12**	**18**	**29**	**40**		**258**	**9.0**	**49**	**2**	**5**	**8**	**10**	**16**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	133	8.1	56	1	2	6	12	24	26	0-17	108	3.8	8	1	2	3	4	5	13
70-74	39	16.5	176							18-34	47	3.7	2	2	2	4	5	5	5
75-79	62	9.8	101	1	2	6	13	32	32	35-49	70	4.1	6	1	2	4	6	8	8
80-84	24	3.7	2							50-69	70	9.7	14	3	7	9	13	15	15
85 +	47	9.0	39	2	4	7	15	19	19	70 +	0								
SUBTOTAL	**305**	**9.3**	**83**	**2**	**3**	**6**	**12**	**24**	**32**		**295**	**5.2**	**14**	**1**	**3**	**4**	**7**	**13**	**13**
GRAND TOTAL	**1268**	**14.1**	**140**	**3**	**6**	**11**	**18**	**28**	**38**		**553**	**7.0**	**34**	**2**	**3**	**5**	**9**	**13**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	14.5	7							0-17	0								
18-34	31	11.0	25							18-34	8	6.0							
35-49	23	16.3	1							35-49	15	15.0							
50-69	102	15.7	167	6	7	10	23	39	44	50-69	47	13.2	90	3	9	11	12	33	33
70 +	0									70 +	24	3.7	2						
SUBTOTAL	**172**	**14.8**	**107**	**6**	**7**	**12**	**17**	**27**	**39**		**94**	**10.5**	**66**	**3**	**4**	**9**	**12**	**15**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	62	4.9	15	1	2	4	7	13	13	0-17	8	2.0							
18-34	0									18-34	8	10.0							
35-49	0									35-49	16	5.5	7						
50-69	16	9.9	27							50-69	16	8.0	38						
70 +	0									70 +	16	3.5							
SUBTOTAL	**78**	**5.9**	**21**	**1**	**2**	**5**	**7**	**14**	**15**		**63**	**5.7**	**17**	**2**	**2**	**4**	**9**	**14**	**14**
GRAND TOTAL	**250**	**12.1**	**97**	**2**	**6**	**10**	**17**	**23**	**39**		**157**	**8.6**	**52**	**2**	**3**	**6**	**11**	**15**	**25**

DRG 214: Back & Neck Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2621	11.2	80	4	6	9	13	21	27	0-17	759	13.5	77	7	8	11	17	24	42
70-74	1842	11.9	51	5	7	10	15	22	26	18-34	819	8.5	38	4	5	7	10	17	19
75-79	1434	12.6	93	6	7	11	14	22	28	35-49	2679	7.8	31	3	4	6	9	14	19
80-84	631	14.0	65	7	8	11	17	26	32	50-69	3563	8.7	59	3	5	7	10	15	22
85 +	117	14.0	31	7	9	15	17	23	24	70 +	86	12.3	26	8	8	12	16	19	23
SUBTOTAL	**6646**	**12.0**	**73**	**5**	**7**	**10**	**14**	**22**	**28**		**7906**	**8.9**	**51**	**3**	**5**	**7**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6646**	**12.0**	**73**	**5**	**7**	**10**	**14**	**22**	**28**		**7906**	**8.9**	**51**	**3**	**5**	**7**	**10**	**16**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	279	15.4	125	7	8	10	22	35	41	0-17	101	16.5	117	9	10	11	16	38	39
18-34	233	13.8	231	4	5	8	15	37	62	18-34	180	6.3	10	3	4	5	9	11	12
35-49	265	10.5	27	5	6	10	16	17	17	35-49	367	9.2	66	3	4	7	9	22	24
50-69	171	14.8	139	4	8	10	20	35	41	50-69	407	9.9	94	4	5	7	11	18	31
70 +	0									70 +	172	10.5	18	6	7	9	15	16	17
SUBTOTAL	**948**	**13.5**	**130**	**5**	**7**	**10**	**16**	**28**	**41**		**1226**	**9.8**	**70**	**3**	**5**	**7**	**11**	**18**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**948**	**13.5**	**130**	**5**	**7**	**10**	**16**	**28**	**41**		**1226**	**9.8**	**70**	**3**	**5**	**7**	**11**	**18**	**28**

DRG 215: Back & Neck Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4122	7.1	16	3	4	6	9	12	15
70-74	2571	7.6	19	4	5	6	9	13	16
75-79	1715	8.7	27	4	5	7	10	15	21
80-84	623	10.0	25	5	7	9	12	17	20
85 +	156	7.6	7	5	6	8	9	11	15
SUBTOTAL	**9187**	**7.7**	**20**	**3**	**5**	**7**	**9**	**14**	**16**
GRAND TOTAL	**9187**	**7.7**	**20**	**3**	**5**	**7**	**9**	**14**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1464	8.0	19	3	6	8	9	12	15
18-34	9020	4.8	11	2	3	4	6	8	10
35-49	18611	4.8	10	2	3	4	6	8	11
50-69	13108	5.5	13	2	3	5	7	9	12
70 +	101	7.5	15	4	5	7	8	14	16
	42304	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**11**
	42304	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	317	9.4	30	4	6	8	11	17	22
18-34	671	5.7	20	2	3	5	7	10	14
35-49	764	5.9	14	3	3	5	7	9	12
50-69	249	6.7	8	4	5	6	8	11	13
70 +	8	12.0							
SUBTOTAL	**2010**	**6.5**	**20**	**3**	**4**	**6**	**8**	**11**	**14**
GRAND TOTAL	**2010**	**6.5**	**20**	**3**	**4**	**6**	**8**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	241	7.2	11	3	6	6	9	12	13
18-34	1555	5.1	11	2	3	4	6	10	12
35-49	2674	4.9	12	2	3	4	6	8	12
50-69	1662	5.9	15	3	4	5	7	11	14
70 +	298	6.9	12	4	4	6	8	12	16
	6430	**5.4**	**13**	**2**	**3**	**4**	**7**	**10**	**13**
	6430	**5.4**	**13**	**2**	**3**	**4**	**7**	**10**	**13**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	234	19.5	284	3	9	14	23	45	62	0-17	62	10.5	83	3	5	9	11	33	33
70-74	172	14.0	96	3	5	11	23	27	29	18-34	78	10.3	70	2	3	8	15	23	31
75-79	156	13.1	116	3	6	10	16	25	38	35-49	94	15.2	140	6	7	10	22	31	43
80-84	78	22.1	211	11	13	16	28	50	59	50-69	242	11.3	110	1	3	8	17	21	41
85 +	31	24.7	665							70 +	0								
SUBTOTAL	**672**	**17.1**	**218**	**4**	**8**	**13**	**21**	**36**	**50**		**477**	**11.8**	**108**	**2**	**5**	**9**	**16**	**30**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	164	7.3	56	1	2	5	8	21	24	0-17	442	4.6	22	1	1	2	8	13	15
70-74	125	7.1	25	1	3	8	12	14	15	18-34	140	4.0	82	1	1	2	2	5	41
75-79	94	12.3	141	1	3	11	18	20	44	35-49	196	3.1	15	1	1	2	3	9	10
80-84	39	6.2	21							50-69	250	8.1	85	1	2	5	11	22	23
85 +	8	21.0								70 +	8	2.0							
SUBTOTAL	**431**	**8.5**	**68**	**1**	**2**	**6**	**13**	**20**	**23**		**1036**	**5.0**	**47**	**1**	**1**	**2**	**6**	**12**	**17**
GRAND TOTAL	**1102**	**13.8**	**177**	**2**	**5**	**10**	**18**	**28**	**44**		**1513**	**7.2**	**76**	**1**	**1**	**3**	**10**	**17**	**23**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	11.3	63							0-17	0								
18-34	23	9.7	52							18-34	0								
35-49	16	3.0	4							35-49	16	17.5	2						
50-69	15	33.5	2							50-69	24	16.7	79						
70 +	0									70 +	32	9.5	49						
SUBTOTAL	**78**	**13.6**	**144**	**1**	**2**	**11**	**21**	**34**	**35**		**71**	**13.7**	**62**	**3**	**7**	**15**	**19**	**28**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	109	9.2	76	1	2	5	15	23	27	0-17	109	6.4	47	1	1	3	10	15	26
18-34	39	1.6	1							18-34	32	2.8	4						
35-49	8	2.0								35-49	31	3.7	23						
50-69	8	30.0								50-69	39	3.0	3						
70 +	0									70 +	16	14.5	32						
SUBTOTAL	**163**	**8.1**	**87**	**1**	**2**	**3**	**11**	**23**	**28**		**227**	**5.5**	**38**	**1**	**1**	**3**	**8**	**15**	**20**
GRAND TOTAL	**241**	**9.8**	**111**	**1**	**2**	**4**	**19**	**28**	**32**		**297**	**7.4**	**55**	**1**	**1**	**5**	**10**	**20**	**26**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	931	22.3	237	5	10	19	33	45	54
70-74	493	17.6	174	4	8	14	24	38	46
75-79	305	25.5	400	6	9	19	35	62	70
80-84	306	23.6	167	6	13	25	34	42	51
85 +	320	21.0	228	5	10	19	30	44	53
SUBTOTAL	**2354**	**21.7**	**240**	**5**	**9**	**19**	**31**	**45**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	265	12.3	106	1	1	11	21	26	31
70-74	118	7.2	25	2	4	5	13	15	16
75-79	101	10.4	94	1	5	7	15	21	36
80-84	94	10.7	102	2	2	8	14	29	32
85 +	79	9.8	22	3	8	9	13	16	19
SUBTOTAL	**657**	**10.6**	**82**	**1**	**3**	**9**	**15**	**26**	**29**
GRAND TOTAL	**3011**	**19.3**	**227**	**3**	**8**	**15**	**29**	**42**	**53**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	413	14.1	227	1	4	9	19	44	52
18-34	650	16.3	255	2	5	12	21	37	53
35-49	439	18.2	313	3	7	13	27	43	76
50-69	586	20.2	295	5	9	17	27	49	86
70 +	47	21.5	191	8	13	14	38	43	43
	2136	**17.5**	**276**	**3**	**6**	**13**	**25**	**44**	**57**
0-17	1155	6.2	94	1	2	3	7	14	20
18-34	1252	6.5	56	1	2	4	8	15	22
35-49	704	5.2	54	1	2	3	6	10	15
50-69	728	7.8	79	1	2	4	10	22	24
70 +	16	7.0							
	3855	**6.4**	**72**	**1**	**2**	**4**	**8**	**14**	**22**
	5990	**10.3**	**173**	**1**	**2**	**6**	**13**	**27**	**39**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	28.1	218	16	19	28	52	54	99 +
18-34	204	22.1	350	3	9	16	38	39	62
35-49	164	17.9	137	9	10	16	22	31	42
50-69	133	16.8	134	5	10	14	23	33	47
70 +	0								
SUBTOTAL	**578**	**20.5**	**235**	**4**	**10**	**17**	**30**	**40**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	443	7.3	40	1	2	5	12	15	19
18-34	196	8.2	106	1	2	5	10	19	36
35-49	63	6.3	21	2	3	5	8	17	17
50-69	16	6.0	4						
70 +	8	8.0							
SUBTOTAL	**725**	**7.4**	**55**	**1**	**2**	**5**	**10**	**15**	**19**
GRAND TOTAL	**1303**	**13.2**	**177**	**2**	**4**	**10**	**17**	**33**	**40**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	13.7	103	5	5	7	29	29	29
18-34	228	11.1	85	3	6	8	12	21	31
35-49	102	20.6	202	5	11	18	27	44	51
50-69	126	12.5	108	2	4	11	18	27	41
70 +	39	24.8	107						
	550	**14.4**	**135**	**3**	**6**	**11**	**19**	**31**	**41**
0-17	327	6.5	73	1	1	3	8	14	23
18-34	697	6.5	46	1	2	3	10	14	20
35-49	205	6.1	35	1	1	5	9	15	21
50-69	118	7.9	36	1	5	6	12	19	22
70 +	24	4.0	19						
	1371	**6.5**	**50**	**1**	**2**	**4**	**10**	**14**	**22**
	1921	**8.8**	**87**	**1**	**2**	**5**	**12**	**21**	**29**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1256	8.6	37	3	5	7	11	15	20	0-17	0								
70-74	769	8.2	34	4	5	7	10	14	19	18-34	783	8.0	49	3	4	6	10	17	21
75-79	543	9.3	39	4	5	8	11	18	21	35-49	896	8.8	93	3	4	7	10	15	18
80-84	462	10.4	44	3	6	9	13	19	25	50-69	1405	8.3	100	2	4	6	9	16	21
85 +	315	9.4	28	4	5	9	11	16	19	70 +	133	13.7	214	4	4	8	15	43	52
SUBTOTAL	**3344**	**8.9**	**37**	**3**	**5**	**7**	**11**	**17**	**20**		**3217**	**8.6**	**91**	**3**	**4**	**6**	**9**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3344**	**8.9**	**37**	**3**	**5**	**7**	**11**	**17**	**20**		**3217**	**8.6**	**91**	**3**	**4**	**6**	**9**	**16**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	242	7.4	23	3	4	7	10	14	19	18-34	322	8.0	60	3	5	6	9	13	18
35-49	149	11.9	193	4	5	6	13	45	56	35-49	259	9.0	96	3	4	6	10	21	24
50-69	134	7.8	13	2	5	7	11	13	14	50-69	425	6.7	22	3	4	5	7	13	19
70 +	0									70 +	71	6.4	5	2	6	7	8	9	9
SUBTOTAL	**525**	**8.8**	**72**	**3**	**4**	**7**	**10**	**15**	**19**		**1077**	**7.7**	**51**	**3**	**4**	**6**	**8**	**13**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**525**	**8.8**	**72**	**3**	**4**	**7**	**10**	**15**	**19**		**1077**	**7.7**	**51**	**3**	**4**	**6**	**8**	**13**	**21**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1937	4.9	11	2	3	4	6	9	11
70-74	1256	5.4	14	2	3	4	6	10	12
75-79	762	5.6	11	2	3	5	7	10	12
80-84	502	6.9	17	2	4	6	9	12	16
85 +	338	6.4	11	3	4	6	8	10	10
SUBTOTAL	**4794**	**5.5**	**13**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**4794**	**5.5**	**13**	**2**	**3**	**5**	**7**	**10**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6156	3.7	14	1	2	3	4	7	9
35-49	5596	3.9	7	1	2	3	5	7	9
50-69	5827	4.3	7	2	3	4	5	7	8
70 +	156	7.0	15	2	3	7	10	12	14
	17736	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
	17736	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1028	3.9	6	1	2	3	5	7	9
35-49	478	5.0	18	2	3	4	6	8	16
50-69	259	5.4	11	2	3	5	7	8	9
70 +	8	8.0							
SUBTOTAL	**1773**	**4.4**	**10**	**2**	**3**	**4**	**5**	**8**	**9**
GRAND TOTAL	**1773**	**4.4**	**10**	**2**	**3**	**4**	**5**	**8**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2526	3.8	10	1	2	3	5	7	9
35-49	1593	3.8	7	1	2	3	5	7	9
50-69	1161	4.1	5	2	3	4	5	7	9
70 +	226	5.4	4	3	4	5	7	8	10
	5507	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
	5507	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	8.0								0-17	444	5.6	44	2	2	4	7	13	33
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**8.0**									**444**	**5.6**	**44**	**2**	**2**	**4**	**7**	**13**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	3.0								0-17	5951	3.3	28	1	1	2	3	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**5951**	**3.3**	**28**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**16**	**5.5**	**7**								**6395**	**3.5**	**29**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	132	5.4	17	1	3	5	6	12	18	0-17	101	7.2	61	1	1	4	8	22	26
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**132**	**5.4**	**17**	**1**	**3**	**5**	**6**	**12**	**18**		**101**	**7.2**	**61**	**1**	**1**	**4**	**8**	**22**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1388	3.6	34	1	1	3	4	6	8	0-17	1607	2.7	6	1	1	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1388**	**3.6**	**34**	**1**	**1**	**3**	**4**	**6**	**8**		**1607**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1520**	**3.7**	**33**	**1**	**2**	**3**	**4**	**6**	**8**		**1709**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 221: Knee Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	438	8.5	44	2	4	7	11	18	22	0-17	163	5.3	49	1	2	3	4	11	23
70-74	306	8.0	51	1	3	6	11	15	32	18-34	415	6.0	72	2	2	4	7	11	14
75-79	117	9.5	19	6	6	8	13	17	18	35-49	195	6.2	161	1	1	3	6	8	9
80-84	134	11.0	58	3	6	9	18	28	99 +	50-69	353	9.6	204	2	3	6	11	17	31
85 +	39	11.8	30							70 +	24	7.7	21						
SUBTOTAL	**1034**	**8.9**	**45**	**2**	**4**	**7**	**12**	**18**	**23**		**1150**	**7.1**	**126**	**1**	**2**	**4**	**7**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1034**	**8.9**	**45**	**2**	**4**	**7**	**12**	**18**	**23**		**1150**	**7.1**	**126**	**1**	**2**	**4**	**7**	**14**	**19**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	11.0	20							0-17	16	3.0							
18-34	55	8.9	187	2	3	4	4	42	42	18-34	78	4.5	7	1	3	4	7	9	10
35-49	47	4.3	3	1	4	5	6	6	6	35-49	24	12.2	144						
50-69	47	3.5	4	< 1	2	3	4	7	7	50-69	39	3.0	3						
70 +	0									70 +	24	16.0	58						
SUBTOTAL	**173**	**6.4**	**72**	**2**	**3**	**4**	**6**	**9**	**17**		**180**	**6.6**	**51**	**2**	**3**	**4**	**7**	**14**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**173**	**6.4**	**72**	**2**	**3**	**4**	**6**	**9**	**17**		**180**	**6.6**	**51**	**2**	**3**	**4**	**7**	**14**	**26**

DRG 222: Knee Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	848	4.8	14	1	2	4	6	9	11
70-74	706	5.4	15	1	2	5	8	10	10
75-79	464	6.0	14	1	2	6	9	11	12
80-84	180	5.3	13	1	2	5	7	8	9
85 +	94	6.6	16	2	3	6	9	11	15
SUBTOTAL	**2292**	**5.3**	**15**	**1**	**2**	**5**	**8**	**10**	**11**
GRAND TOTAL	**2292**	**5.3**	**15**	**1**	**2**	**5**	**8**	**10**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3975	2.7	2	1	2	2	3	4	5
18-34	8431	2.7	3	1	2	2	3	4	5
35-49	2884	2.9	10	< 1	1	2	3	5	6
50-69	1665	3.7	9	< 1	1	3	5	9	10
70 +	24	7.0	1						
	16979	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**
	16979	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	250	6.2	94	1	2	3	5	13	22
18-34	541	3.1	4	< 1	2	3	4	5	6
35-49	118	3.5	8	1	2	3	4	6	13
50-69	40	3.4	4						
70 +	0								
SUBTOTAL	**948**	**3.9**	**30**	**1**	**2**	**3**	**4**	**6**	**11**
GRAND TOTAL	**948**	**3.9**	**30**	**1**	[illegible]	**3**	**4**	**6**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	633	3.0	7	1	2	2	3	4	10
18-34	1676	2.9	3	1	2	3	3	4	6
35-49	518	2.7	4	< 1	< 1	2	4	5	7
50-69	282	4.6	38	< 1	1	2	6	8	24
70 +	102	4.4	11	< 1	1	4	7	9	11
	3211	**3.1**	**8**	**< 1**	**1**	**3**	**3**	**5**	**8**
	3211	**3.1**	**8**	**< 1**	**1**	**3**	**3**	**5**	**8**

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	526	4.6	24	2	2	3	5	9	12	0-17	94	7.0	67	2	2	4	8	22	27
70-74	416	5.3	26	2	3	4	6	9	19	18-34	259	4.4	12	2	3	3	4	9	13
75-79	268	5.8	25	2	2	4	7	13	14	35-49	408	3.4	5	1	2	3	4	6	6
80-84	197	6.6	40	2	3	5	6	17	21	50-69	479	4.2	16	1	2	3	5	7	10
85 +	55	8.7	32	2	5	7	11	21	21	70 +	39	7.8	13						
SUBTOTAL	**1461**	**5.4**	**28**	**2**	**3**	**4**	**6**	**11**	**17**		**1278**	**4.3**	**16**	**2**	**2**	**3**	**5**	**7**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	855	3.0	3	1	2	3	4	5	6	0-17	218	3.0	13	1	1	2	2	6	14
70-74	471	3.5	4	1	2	3	4	6	8	18-34	761	1.9	1	1	1	2	2	3	4
75-79	180	3.7	8	2	2	3	4	5	5	35-49	1575	2.1	2	1	1	2	3	4	4
80-84	78	3.0	1	1	2	3	4	5	5	50-69	2328	2.4	1	1	2	2	3	4	5
85 +	47	4.7	2	3	3	5	6	6	6	70 +	55	3.4	2	2	2	3	4	6	6
SUBTOTAL	**1632**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**		**4936**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**3093**	**4.3**	**16**	**2**	**2**	**3**	**5**	**7**	**12**		**6214**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	5.3	11							0-17	8	14.0							
18-34	62	12.7	168	2	4	7	19	41	41	18-34	86	5.9	27	2	2	4	7	14	18
35-49	0									35-49	79	2.8	2	1	2	2	4	5	5
50-69	47	10.8	216	1	3	5	8	43	43	50-69	157	3.1	6	1	2	3	4	5	9
70 +	0									70 +	55	7.1	60	2	2	4	10	25	25
SUBTOTAL	**132**	**10.7**	**162**	**2**	**3**	**5**	**10**	**41**	**43**		**385**	**4.5**	**22**	**1**	**2**	**3**	**4**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	2.5								0-17	62	3.1	18	< 1	1	2	3	14	14
18-34	39	2.0	1							18-34	283	1.8	1	1	1	2	2	3	4
35-49	63	2.9	5	1	1	3	3	8	8	35-49	267	2.0	1	1	1	2	3	3	3
50-69	86	2.8	2	1	2	3	3	4	6	50-69	338	2.3	1	1	2	2	3	4	4
70 +	0									70 +	47	2.8		2	2	3	3	4	4
SUBTOTAL	**220**	**2.6**	**2**	**1**	**2**	**3**	**3**	**4**	**6**		**997**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**352**	**5.7**	**78**	**1**	**2**	**3**	**4**	**10**	**26**		**1381**	**2.8**	**9**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 224: Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	941	2.8	3	1	2	2	3	5	5	0-17	2201	2.4	10	1	1	2	3	4	5
70-74	642	3.3	6	1	2	3	4	5	7	18-34	2578	2.2	2	1	1	2	3	4	4
75-79	501	3.8	6	1	2	3	5	8	9	35-49	1842	2.4	2	1	1	2	3	4	5
80-84	234	4.2	7	2	2	4	5	9	10	50-69	2295	2.5	3	1	2	2	3	4	5
85 +	118	3.0	5	1	1	2	4	6	9	70 +	62	4.8	12	2	2	3	9	11	11
SUBTOTAL	**2436**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**8978**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2436**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**8978**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	305	2.8	8	1	1	2	3	6	6	0-17	586	2.1	2	1	1	2	3	4	5
18-34	251	2.5	4	1	1	2	3	4	8	18-34	878	2.3	3	1	1	2	3	4	5
35-49	133	4.4	18	1	2	3	6	10	18	35-49	456	1.8	1	1	1	2	2	3	4
50-69	71	3.7	12	1	2	3	4	13	13	50-69	369	2.1	2	1	1	2	2	3	4
70 +	0									70 +	70	1.8		1	1	2	2	3	3
SUBTOTAL	**759**	**3.1**	**9**	**1**	**1**	**2**	**3**	**6**	**9**		**2359**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**5**
GRAND TOTAL	**759**	**3.1**	**9**	**1**	**1**	**2**	**3**	**6**	**9**		**2359**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**5**

DRG 225: Foot Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	282	8.1	73	1	2	4	12	17	28	0-17	171	6.7	86	2	2	3	7	15	21
70-74	196	6.6	35	2	3	4	9	14	18	18-34	172	5.2	12	3	3	4	7	9	13
75-79	156	10.1	155	1	3	6	12	19	43	35-49	244	6.4	70	1	2	4	7	12	19
80-84	63	7.8	51	1	3	5	9	25	25	50-69	354	7.2	45	1	2	5	10	18	19
85 +	55	10.3	24	5	7	8	12	21	21	70 +	8	5.0							
SUBTOTAL	**753**	**8.2**	**76**	**2**	**3**	**5**	**11**	**17**	**25**		**948**	**6.5**	**52**	**2**	**2**	**4**	**7**	**15**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1253	3.0	7	1	1	2	3	5	8	0-17	2849	2.2	4	1	1	2	2	4	5
70-74	767	2.6	3	1	1	2	3	5	6	18-34	2198	2.2	4	1	1	2	3	4	5
75-79	408	3.4	9	1	2	2	4	7	11	35-49	2879	2.3	3	1	1	2	3	4	5
80-84	102	4.8	39	1	2	3	4	8	25	50-69	3334	2.2	2	1	1	2	3	4	5
85 +	111	4.9	22	1	2	3	7	13	17	70 +	55	7.0	92	1	2	3	7	30	30
SUBTOTAL	**2641**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**		**11314**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3394**	**4.2**	**28**	**1**	**2**	**3**	**4**	**9**	**13**		**12263**	**2.6**	**9**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	70	3.0	3	1	2	3	4	7	7	0-17	31	2.5	3						
18-34	8	3.0								18-34	31	5.0	29						
35-49	55	15.8	316	1	2	11	26	54	54	35-49	39	10.8	24						
50-69	32	17.8	202							50-69	118	5.1	19	2	2	3	8	12	17
70 +	0									70 +	8	17.0							
SUBTOTAL	**164**	**10.1**	**190**	**1**	**2**	**4**	**12**	**26**	**44**		**228**	**6.1**	**29**	**1**	**2**	**3**	**9**	**16**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	752	3.1	16	1	2	2	3	5	6	0-17	482	2.5	7	1	1	2	3	4	7
18-34	165	3.1	10	1	1	2	4	4	8	18-34	550	2.6	5	1	1	2	3	5	6
35-49	118	3.7	13	1	2	2	4	6	16	35-49	504	2.2	4	1	1	2	2	4	8
50-69	71	3.3	5	1	2	3	4	9	9	50-69	589	2.2	2	1	1	2	3	4	5
70 +	0									70 +	125	2.3	2	1	1	2	3	5	5
SUBTOTAL	**1105**	**3.2**	**14**	**1**	**2**	**2**	**4**	**5**	**7**		**2251**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1269**	**4.1**	**42**	**1**	**2**	**2**	**4**	**6**	**16**		**2479**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 226: Soft Tissue Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	617	7.4	41	2	3	6	9	15	20	0-17	937	4.2	21	1	2	3	4	11	16
70-74	266	7.9	125	1	2	4	9	15	26	18-34	250	5.9	45	1	2	3	8	15	21
75-79	188	8.0	88	2	3	5	11	14	16	35-49	359	9.0	141	1	2	4	10	27	31
80-84	125	11.9	65	4	5	9	16	17	36	50-6	453	5.2	17	2	2	4	8	10	13
85 +	125	6.7	22	2	3	5	9	17	17	70 +	31	3.5	1						
SUBTOTAL	**1321**	**8.0**	**66**	**2**	**3**	**6**	**10**	**16**	**20**		**2030**	**5.5**	**47**	**1**	**2**	**3**	**6**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1321**	**8.0**	**66**	**2**	**3**	**6**	**10**	**16**	**20**		**2030**	**5.5**	**47**	**1**	**2**	**3**	**6**	**13**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	294	3.6	25	1	2	3	4	5	10	0-17	101	4.7	15	2	3	3	5	9	16
18-34	109	3.3	7	1	1	2	6	8	8	18-34	78	3.8	13	< 1	1	2	6	10	13
35-49	55	8.7	49	2	2	6	16	22	22	35-49	47	8.6	12	3	7	9	11	14	14
50-69	39	3.4	8							50-69	47	6.1	51	2	2	3	4	22	22
70 +	8	26.0								70 +	39	5.6	14						
SUBTOTAL	**505**	**4.4**	**32**	**1**	**2**	**3**	**5**	**8**	**16**		**313**	**5.4**	**22**	**1**	**2**	**3**	**7**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**505**	**4.4**	**32**	**1**	**2**	**3**	**5**	**8**	**16**		**313**	**5.4**	**22**	**1**	**2**	**3**	**7**	**13**	**15**

DRG 227: Soft Tissue Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1087	3.3	6	1	2	3	4	7	8	0-17	3805	2.3	4	1	1	2	3	4	6
70-74	698	3.5	6	1	2	3	4	7	9	18-34	2343	2.5	3	1	1	2	3	5	6
75-79	431	3.8	10	1	2	3	5	8	12	35-49	2633	2.4	4	1	1	2	3	4	6
80-84	180	3.9	16	1	1	4	5	5	10	50-69	2540	2.8	6	1	1	2	3	5	7
85 +	39	6.6	38							70 +	47	4.2	2	2	4	4	5	6	6
SUBTOTAL	**2435**	**3.5**	**8**	**1**	**2**	**3**	**4**	**7**	**9**		**11369**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2435**	**3.5**	**8**	**1**	**2**	**3**	**4**	**7**	**9**		**11369**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1427	2.8	20	1	1	2	3	5	6	0-17	629	2.6	12	1	1	2	3	4	7
18-34	289	3.0	4	1	2	2	4	7	8	18-34	736	2.4	3	1	1	2	3	5	6
35-49	125	3.0	3	1	2	3	3	6	8	35-49	660	2.6	8	1	1	2	3	6	8
50-69	62	4.1	3	2	3	5	6	7	7	50-69	424	1.9	3	1	1	1	2	3	6
70 +	8	4.0								70 +	110	2.4	3	< 1	1	2	3	5	7
SUBTOTAL	**1911**	**2.9**	**16**	**1**	**1**	**2**	**3**	**5**	**7**		**2560**	**2.4**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1911**	**2.9**	**16**	**1**	**1**	**2**	**3**	**5**	**7**		**2560**	**2.4**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	305	4.1	15	1	2	3	4	7	18	0-17	55	2.6	3	1	1	2	4	6	6
70-74	156	4.5	13	2	2	3	5	9	14	18-34	101	3.2	4	1	2	3	4	6	8
75-79	62	5.5	31	2	3	3	9	19	19	35-49	187	4.2	14	2	2	3	5	9	10
80-84	39	4.4	13							50-69	288	4.2	29	1	2	3	4	8	12
85 +	23	6.3	17							70 +	8	1.0							
SUBTOTAL	587	4.4	16	2	2	3	4	9	17		639	3.9	19	1	2	3	4	8	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	499	3.2	3	1	2	3	4	5	7	0-17	194	1.7	1	1	1	1	2	3	3
70-74	242	4.0	6	2	2	3	5	7	8	18-34	179	2.3	6	1	1	2	3	3	4
75-79	109	4.0	3	2	2	4	5	7	7	35-49	460	2.8	3	1	2	2	4	5	6
80-84	39	3.6	6							50-69	865	2.7	4	1	2	2	3	5	6
85 +	0									70 +	0								
SUBTOTAL	889	3.5	4	1	2	3	5	6	7		1697	2.6	4	1	1	2	3	4	6
GRAND TOTAL	1476	3.9	9	1	2	3	4	7	9		2336	2.9	8	1	1	2	3	5	7

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	3.0	5							0-17	15	1.0							
18-34	93	5.4	96	1	1	1	5	8	37	18-34	78	4.0	9	1	2	3	4	10	10
35-49	23	2.3								35-49	86	3.7	9	1	1	3	6	9	9
50-69	16	3.0	4							50-69	24	3.3	2						
70 +	0									70 +	16	1.5							
SUBTOTAL	156	4.3	60	< 1	1	2	5	7	25		219	3.4	8	1	1	2	5	9	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	46	2.7	3	1	2	2	3	6	6	0-17	47	4.0	26	1	1	2	4	15	15
18-34	8	1.0								18-34	62	2.1	3	1	1	1	3	6	6
35-49	16	14.6	32							35-49	63	3.1	10	< 1	1	1	7	9	9
50-69	23	2.7								50-69	78	2.3	5	1	1	1	3	7	8
70 +	0									70 +	8	1.0							
SUBTOTAL	93	4.5	27	1	2	3	6	9	20		258	2.7	10	1	1	1	3	8	9
GRAND TOTAL	249	4.4	48	1	1	2	5	8	20		478	3.0	9	1	1	2	4	9	9

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	445	2.4	8	1	1	2	3	4	6
70-74	235	3.0	9	1	1	2	3	5	12
75-79	165	2.0	2	1	1	2	2	4	6
80-84	47	4.6	30	1	1	1	9	15	15
85 +	16	3.0	4						
SUBTOTAL	**907**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**907**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1114	1.6	2	1	1	1	2	3	4
18-34	1517	2.2	3	1	1	2	3	5	7
35-49	1084	2.5	5	1	1	2	3	5	9
50-69	930	2.2	3	1	1	2	3	4	6
70 +	23	2.3	2						
	4668	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
	4668	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	382	1.8	3	1	1	1	2	3	3
18-34	281	1.7	1	1	1	1	2	3	3
35-49	86	2.8	5	1	1	2	3	6	8
50-69	47	5.4	57	1	2	2	3	22	22
70 +	0								
SUBTOTAL	**795**	**2.1**	**7**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**795**	**2.1**	**7**	**1**	**1**	**1**	**2**	**3**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	428	1.7	3	< 1	1	1	2	3	4
18-34	612	2.3	8	< 1	1	1	2	4	8
35-49	188	2.9	9	1	1	2	4	8	10
50-69	156	2.1	4	< 1	1	1	2	6	7
70 +	24	1.0							
	1407	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**7**
	1407	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**7**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	102	7.9	85	1	2	4	8	19	35
70-74	47	18.3	467	2	2	5	44	53	53
75-79	71	7.6	30	2	4	6	8	19	19
80-84	47	5.7	25	1	2	5	5	16	16
85 +	39	12.1	102						
SUBTOTAL	**305**	**9.6**	**139**	**2**	**3**	**5**	**12**	**31**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	109	2.6	4	1	1	2	3	4	9
70-74	47	3.3	6	< 1	1	2	6	7	7
75-79	78	3.8	5	1	2	3	5	8	8
80-84	63	5.5	76	1	1	2	4	28	28
85 +	55	5.4	18	1	2	4	9	14	14
SUBTOTAL	**352**	**3.9**	**21**	**1**	**2**	**3**	**4**	**8**	**9**
GRAND TOTAL	**657**	**6.6**	**83**	**1**	**2**	**4**	**7**	**15**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	6.4	88	1	2	2	6	18	37
18-34	63	9.8	141	2	2	4	13	39	39
35-49	55	15.4	399	2	2	3	46	47	47
50-69	39	6.0	51						
70 +	8	34.0							
	289	**9.5**	**178**	**1**	**2**	**3**	**12**	**37**	**46**
0-17	1610	3.1	27	1	1	1	3	6	14
18-34	726	1.6	1	1	1	1	2	3	4
35-49	321	2.0	2	< 1	1	2	2	3	4
50-69	243	2.0	3	1	1	1	2	5	5
70 +	16	5.5	22						
	2916	**2.5**	**16**	**1**	**1**	**1**	**2**	**4**	**7**
	3205	**3.2**	**35**	**1**	**1**	**2**	**2**	**5**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	54	7.2	98	1	1	2	15	28	28
18-34	8	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**62**	**6.4**	**90**	**1**	**1**	**2**	**15**	**28**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	218	3.0	13	1	1	2	3	6	14
18-34	70	1.9	2	1	1	1	2	5	5
35-49	39	2.2	1						
50-69	8	2.0							
70 +	0								
SUBTOTAL	**334**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**397**	**3.3**	**23**	**1**	**1**	**2**	**3**	**6**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	1.2							
18-34	23	9.1	89						
35-49	31	3.5	3						
50-69	8	2.0							
70 +	0								
	94	**4.0**	**32**	**1**	**1**	**2**	**5**	**5**	**22**
0-17	234	3.1	29	1	1	1	2	6	20
18-34	220	3.1	58	< 1	1	1	2	3	4
35-49	39	1.4							
50-69	47	2.5	1	1	1	3	3	4	4
70 +	24	6.4	49						
	564	**3.0**	**37**	**1**	**1**	**1**	**2**	**4**	**16**
	658	**3.2**	**36**	**1**	**1**	**1**	**3**	**4**	**16**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	282	6.2	41	1	2	4	8	12	23	0-17	116	6.8	34	1	3	5	8	15	24
70-74	171	6.0	45	1	2	4	5	16	24	18-34	251	4.1	12	1	2	3	5	9	11
75-79	141	8.0	29	2	4	6	10	19	19	35-49	218	4.8	29	1	2	2	6	12	17
80-84	71	14.7	141	5	6	10	18	43	43	50-69	281	9.2	115	2	3	5	11	20	45
85 +	8	24.0								70 +	16	8.0	17						
SUBTOTAL	**672**	**7.6**	**59**	**1**	**3**	**5**	**10**	**19**	**24**		**882**	**6.3**	**56**	**1**	**2**	**4**	**8**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	579	3.6	16	1	2	2	4	7	11	0-17	1884	2.9	14	1	1	1	3	7	11
70-74	305	3.5	15	1	1	2	4	8	10	18-34	2260	2.1	3	1	1	2	3	4	5
75-79	165	3.8	5	1	2	3	5	6	9	35-49	1711	2.6	5	1	1	2	3	5	8
80-84	78	2.9	8	1	1	2	3	8	10	50-69	1468	2.9	10	1	1	2	3	5	7
85 +	39	5.4	11							70 +	16	17.5	256						
SUBTOTAL	**1166**	**3.6**	**14**	**1**	**2**	**2**	**4**	**7**	**10**		**7340**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1838**	**5.1**	**34**	**1**	**2**	**3**	**6**	**11**	**18**		**8221**	**3.0**	**15**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	11.0	69	2	4	9	19	26	26	0-17	24	2.0	2						
18-34	47	7.6	32	2	3	5	12	18	18	18-34	62	4.0	13	1	2	3	4	13	13
35-49	15	5.5	13							35-49	39	4.2	2						
50-69	39	3.6	1							50-69	47	5.0	8	1	3	3	7	9	9
70 +	8	10.0								70 +	8	18.0							
SUBTOTAL	**163**	**7.7**	**42**	**2**	**3**	**5**	**10**	**18**	**21**		**180**	**4.6**	**16**	**1**	**2**	**3**	**7**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	412	4.0	43	1	1	2	4	10	14	0-17	375	3.8	38	< 1	1	1	4	8	20
18-34	251	3.0	8	1	1	2	3	4	8	18-34	683	2.3	9	< 1	1	2	3	4	5
35-49	78	2.5	4	1	1	2	3	7	8	35-49	306	2.2	4	< 1	1	1	3	4	8
50-69	62	5.5	30	1	2	3	10	18	18	50-69	252	2.0	2	1	1	2	2	4	5
70 +	0									70 +	47	4.7	8	1	2	4	7	9	9
SUBTOTAL	**803**	**3.6**	**28**	**1**	**1**	**2**	**4**	**8**	**14**		**1664**	**2.6**	**14**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**966**	**4.3**	**32**	**1**	**1**	**2**	**4**	**10**	**17**		**1845**	**2.8**	**14**	**< 1**	**1**	**2**	**3**	**5**	**8**

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	13.0	17							0-17	8	2.0							
70-74	0									18-34	0								
75-79	0									35-49	16	8.0	1						
80-84	0									50-69	16	4.5	7						
85+	0									70+	0								
SUBTOTAL	**16**	**13.0**	**17**								**39**	**5.4**	**8**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	55	5.4	13	1	2	5	10	10	10	0-17	188	4.2	43	1	1	2	4	9	14
70-74	23	2.0	2							18-34	274	1.9	3	< 1	1	2	2	3	5
75-79	16	5.0	1							35-49	172	2.5	6	< 1	1	2	3	4	5
80-84	0									50-69	110	2.6	2	1	1	3	4	4	5
85+	8	26.0								70+	0								
SUBTOTAL	**102**	**6.2**	**43**	**1**	**2**	**4**	**8**	**10**	**26**		**744**	**2.7**	**14**	**< 1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**118**	**7.1**	**45**	**1**	**2**	**5**	**10**	**17**	**26**		**783**	**2.9**	**14**	**< 1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	2.0							
35-49	15	20.5	118							35-49	0								
50-69	0									50-69	8	1.0							
70+	0									70+	0								
SUBTOTAL	**15**	**20.5**	**118**								**16**	**1.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	3.4	4							0-17	55	2.6	4	< 1	< 1	2	5	6	6
18-34	63	1.7		< 1	1	2	2	3	3	18-34	94	2.7	6	1	1	2	3	4	10
35-49	16	1.5								35-49	8	1.0							
50-69	8	3.0								50-69	8	3.0							
70+	0									70+	0								
SUBTOTAL	**125**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**6**		**165**	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**140**	**4.3**	**47**	**1**	**1**	**2**	**3**	**10**	**31**		**180**	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	329	10.1	74	3	4	8	13	19	22	0-17	372	8.1	52	3	4	6	9	19	27
70-74	329	9.7	65	2	5	8	14	22	24	18-34	242	9.6	84	2	3	8	11	18	19
75-79	211	11.2	38	4	7	9	15	20	24	35-49	274	7.8	39	1	4	7	11	15	18
80-84	149	8.9	18	2	5	10	12	15	16	50-69	531	10.3	70	3	5	7	15	23	25
85 +	126	9.9	16	6	7	9	12	17	20	70 +	63	13.0	143	4	6	8	14	43	43
SUBTOTAL	**1144**	**10.0**	**52**	**3**	**5**	**9**	**13**	**19**	**23**		**1483**	**9.3**	**67**	**2**	**4**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1144**	**10.0**	**52**	**3**	**5**	**9**	**13**	**19**	**23**		**1483**	**9.3**	**67**	**2**	**4**	**7**	**11**	**18**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	124	7.3	15	2	4	7	10	12	15	0-17	54	17.4	697	2	4	9	12	81	81
18-34	47	7.7	4	5	7	7	9	11	11	18-34	117	12.1	103	4	4	8	18	30	32
35-49	54	14.2	181	2	3	6	30	38	38	35-49	31	11.3	26						
50-69	47	11.9	184	3	3	10	10	41	41	50-69	62	11.5	53	2	5	7	19	23	23
70 +	0									70 +	24	18.4	146						
SUBTOTAL	**273**	**9.6**	**82**	**3**	**4**	**7**	**11**	**16**	**38**		**289**	**13.4**	**203**	**4**	**5**	**9**	**16**	**30**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**273**	**9.6**	**82**	**3**	**4**	**7**	**11**	**16**	**38**		**289**	**13.4**	**203**	**4**	**5**	**9**	**16**	**30**	**35**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	476	5.0	18	1	3	4	6	11	15	0-17	1855	3.5	5	1	2	3	5	6	8
70-74	235	4.9	14	1	2	4	7	9	10	18-34	1289	3.1	7	1	1	2	4	6	7
75-79	165	5.8	16	1	3	5	9	12	13	35-49	1267	4.0	24	1	2	2	4	8	13
80-84	149	5.8	11	1	3	6	9	11	12	50-69	829	4.1	13	1	2	3	5	7	10
85 +	78	9.1	32	1	6	8	15	17	18	70 +	31	4.8	3						
SUBTOTAL	**1104**	**5.5**	**18**	**1**	**3**	**4**	**7**	**12**	**15**		**5270**	**3.6**	**12**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**1104**	**5.5**	**18**	**1**	**3**	**4**	**7**	**12**	**15**		**5270**	**3.6**	**12**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	473	3.8	5	1	2	3	5	6	8	0-17	513	5.3	24	2	3	4	6	11	16
18-34	117	4.0	6	1	2	4	6	7	9	18-34	376	2.8	4	1	2	2	4	6	6
35-49	39	5.0	17							35-49	220	2.6	4	1	1	2	3	6	7
50-69	24	3.3	2							50-69	125	3.4	5	1	2	3	5	6	8
70 +	8	5.0								70 +	55	3.7	4	1	1	4	6	6	6
SUBTOTAL	**660**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**1288**	**3.9**	**14**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**660**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**1288**	**3.9**	**14**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 235: Fractures of Femur

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	133	7.8	22	3	5	6	9	17	21	0-17	235	16.6	188	1	4	16	27	36	45
70-74	78	22.7	644	4	6	11	32	68	86	18-34	15	2.0	1						
75-79	157	13.4	199	2	4	7	23	41	46	35-49	39	8.6	74						
80-84	156	11.4	118	3	5	9	15	28	57	50-69	31	8.8	27						
85+	298	12.3	140	3	5	8	12	35	41	70+	24	11.0	5						
SUBTOTAL	822	12.6	189	3	5	8	13	35	45		345	13.9	156	1	4	10	25	34	45
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	47	16.2	382	1	2	7	24	56	56	0-17	2079	11.5	131	1	2	6	21	26	31
70-74	39	12.2	68	4	6	12	27	99+	99+	18-34	94	9.7	200	2	2	5	10	13	55
75-79	125	8.8	79	2	5	6	9	17	40	35-49	39	14.5	175						
80-84	55	5.3	16	1	2	3	10	11	11	50-69	110	10.1	163	1	3	4	8	31	41
85+	275	6.6	46	1	3	5	10	16	37	70+	16	6.0	10						
SUBTOTAL	542	8.2	89	1	3	6	10	20	40		2338	11.4	135	1	2	6	20	27	33
GRAND TOTAL	1364	10.9	154	2	4	7	12	32	45		2682	11.7	139	1	2	6	21	28	34

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	148	13.9	130	3	4	14	22	25	49	0-17	102	15.9	113	3	6	18	24	32	33
18-34	23	4.3	2							18-34	0								
35-49	16	5.0								35-49	16	12.5	32						
50-69	8	11.0								50-69	16	36.5	32						
70+	8	12.0								70+	47	9.9	103	3	4	6	10	32	32
SUBTOTAL	202	11.9	109	3	4	8	17	24	25		180	15.9	143	3	5	10	27	32	33
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	880	11.1	111	1	2	7	19	27	30	0-17	946	12.7	116	1	3	12	21	28	29
18-34	16	16.0	10							18-34	8	4.0							
35-49	0									35-49	8	1.0							
50-69	32	12.0	141							50-69	16	2.5	2						
70+	0									70+	31	25.7	513						
SUBTOTAL	927	11.2	111	1	2	7	19	27	32		1008	12.8	133	1	3	10	21	28	30
GRAND TOTAL	1130	11.4	110	2	3	7	19	26	30		1189	13.3	136	1	3	10	21	28	33

DRG 236: Fractures of Hip & Pelvis

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	588	10.0	79	3	5	8	12	16	29
70-74	572	9.0	41	3	5	8	11	17	20
75-79	770	9.3	41	4	6	8	11	17	20
80-84	1138	9.0	49	3	5	8	11	16	18
85 +	1822	9.3	41	3	5	8	11	17	23
SUBTOTAL	**4890**	**9.3**	**47**	**3**	**5**	**8**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	377	6.6	22	2	4	6	8	13	16
70-74	464	7.2	32	2	4	7	9	13	15
75-79	612	6.7	46	2	3	5	9	12	15
80-84	910	7.0	27	2	3	6	9	13	18
85 +	1185	7.6	31	3	4	6	9	13	16
SUBTOTAL	**3548**	**7.1**	**32**	**2**	**4**	**6**	**9**	**13**	**16**
GRAND TOTAL	**8438**	**8.4**	**42**	**3**	**4**	**7**	**10**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	249	8.5	60	2	4	7	11	14	17
18-34	314	10.1	59	2	5	9	13	18	25
35-49	259	11.7	61	4	7	9	16	21	34
50-69	408	12.2	131	4	6	9	14	21	47
70 +	157	10.5	27	5	6	10	13	20	22
	1388	**10.8**	**79**	**4**	**5**	**9**	**14**	**19**	**28**
0-17	508	5.4	41	1	2	3	5	13	18
18-34	385	7.3	62	1	3	5	7	16	32
35-49	172	6.5	30	3	3	5	7	12	15
50-69	305	6.2	17	2	3	5	8	12	17
70 +	55	5.7	14	1	1	5	9	12	12
	1426	**6.2**	**40**	**1**	**3**	**4**	**7**	**13**	**18**
	2813	**8.5**	**64**	**2**	**4**	**6**	**11**	**17**	**22**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	62	6.1	25	1	3	5	8	18	18
18-34	95	12.0	243	2	3	8	13	14	62
35-49	55	6.6	11	1	3	7	10	11	11
50-69	79	7.9	13	3	5	7	10	13	14
70 +	8	2.0							
SUBTOTAL	**298**	**8.4**	**94**	**2**	**3**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	226	9.9	117	2	3	6	10	25	30
18-34	71	5.3	13	1	3	5	5	13	13
35-49	15	6.0	4						
50-69	8	4.0							
70 +	31	7.5	11						
SUBTOTAL	**352**	**8.4**	**83**	**2**	**3**	**5**	**10**	**21**	**25**
GRAND TOTAL	**650**	**8.4**	**88**	**2**	**3**	**6**	**10**	**15**	**22**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	13.8	170	1	3	8	24	39	39
18-34	165	9.1	149	3	3	5	9	13	32
35-49	79	11.6	32	6	8	10	14	21	26
50-69	95	11.9	206	2	3	5	16	34	47
70 +	212	9.2	239	2	5	6	8	11	17
	613	**10.3**	**178**	**2**	**4**	**6**	**10**	**26**	**39**
0-17	164	6.6	70	1	3	4	7	9	25
18-34	205	6.6	36	2	3	5	9	12	18
35-49	110	12.1	202	2	4	6	11	41	47
50-69	109	4.9	7	3	3	4	7	9	11
70 +	189	8.7	72	2	5	6	12	16	44
	777	**7.6**	**76**	**2**	**3**	**5**	**9**	**16**	**39**
	1390	**8.8**	**122**	**2**	**3**	**6**	**9**	**21**	**39**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	63	8.8	49	4	4	6	10	26	26	0-17	24	4.0	3						
70-74	16	6.5	7							18-34	24	7.0	36						
75-79	55	4.7	3	2	3	4	7	7	7	35-49	16	10.0							
80-84	71	9.2	36	4	5	6	9	23	23	50-69	16	3.0	1						
85 +	126	4.1	4	2	2	3	6	7	7	70 +	0								
SUBTOTAL	331	6.3	25	2	3	5	7	9	16		78	5.9	18	1	2	5	10	13	15
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	6.6	29							0-17	165	2.7	4	1	1	2	4	6	7
70-74	39	6.2	28							18-34	227	4.7	17	1	2	4	6	10	16
75-79	31	4.5	2							35-49	32	3.3							
80-84	40	3.8	6							50-69	79	5.2	48	< 1	1	3	6	15	25
85 +	95	4.3	4	2	3	4	5	7	9	70 +	0								
SUBTOTAL	244	4.9	13	2	2	4	5	8	16		502	4.0	18	1	1	3	5	7	10
GRAND TOTAL	574	5.7	20	2	3	5	7	9	16		581	4.3	18	1	2	3	5	7	15

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	23	10.3	7							18-34	8	5.0							
35-49	0									35-49	16	8.0	10						
50-69	0									50-69	0								
70 +	0									70 +	24	3.7							
SUBTOTAL	23	10.3	7								48	5.3	7	3	4	4	5	11	11
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	2.3								0-17	16	7.5	2						
18-34	24	1.7								18-34	39	3.0	3						
35-49	8	6.0								35-49	0								
50-69	0									50-69	16	3.0	4						
70 +	0									70 +	24	5.7	6						
SUBTOTAL	63	2.5	2	1	2	2	3	6	6		95	4.4	7	1	2	4	6	9	9
GRAND TOTAL	86	4.6	15	2	2	2	7	11	13		142	4.7	7	1	3	4	6	9	11

DRG 238: Osteomyelitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	462	15.3	147	3	6	13	19	35	44
70-74	187	15.8	286	2	5	11	20	37	52
75-79	172	14.9	70	6	8	12	21	28	30
80-84	149	19.1	227	4	7	15	24	49	54
85 +	133	20.6	293	6	8	11	23	53	55
SUBTOTAL	**1104**	**16.5**	**190**	**4**	**7**	**12**	**21**	**37**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	9.7	30	3	7	9	11	16	24
70-74	55	10.9	157	2	3	6	13	40	40
75-79	63	14.9	195	2	6	9	22	43	43
80-84	24	14.2	127						
85 +	47	10.3	14	7	8	8	15	16	16
SUBTOTAL	**299**	**11.5**	**96**	**3**	**6**	**8**	**13**	**30**	**40**
GRAND TOTAL	**1403**	**15.4**	**174**	**4**	**7**	**11**	**19**	**35**	**45**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	12.5	117	3	5	11	12	40	40
18-34	94	14.9	163	4	5	9	23	32	44
35-49	188	11.3	52	4	5	9	15	21	28
50-69	391	13.1	85	3	8	11	17	21	28
70 +	0								
	744	**12.8**	**90**	**4**	**7**	**10**	**17**	**22**	**32**
0-17	420	8.9	26	2	6	8	11	17	21
18-34	125	8.2	65	1	3	7	10	14	36
35-49	196	10.6	50	5	6	8	14	21	21
50-69	157	8.8	58	2	4	7	10	25	28
70 +	0								
	898	**9.2**	**43**	**2**	**5**	**7**	**11**	**20**	**21**
	1642	**10.8**	**67**	**3**	**6**	**9**	**14**	**21**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	70	12.4	23	7	9	9	15	22	22
18-34	55	14.4	59	5	5	16	21	26	26
35-49	102	13.1	163	2	4	10	17	32	47
50-69	71	14.6	69	3	11	13	20	31	31
70 +	0								
SUBTOTAL	**297**	**13.5**	**89**	**4**	**6**	**12**	**18**	**26**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	156	14.3	80	3	10	13	17	28	37
18-34	16	1.0							
35-49	8	6.0							
50-69	16	2.5							
70 +	8	10.0							
SUBTOTAL	**203**	**11.9**	**83**	**1**	**5**	**11**	**16**	**23**	**29**
GRAND TOTAL	**500**	**12.9**	**87**	**2**	**6**	**11**	**17**	**23**	**31**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	16.7	114	5	10	11	17	40	40
18-34	55	12.8	186	2	2	8	13	44	44
35-49	39	15.3	136						
50-69	23	16.0	34						
70 +	0								
	187	**15.2**	**130**	**4**	**8**	**11**	**17**	**37**	**40**
0-17	163	8.9	55	1	2	8	11	19	23
18-34	23	7.4	9						
35-49	8	7.0							
50-69	23	14.0	19						
70 +	8	14.0							
	226	**9.4**	**46**	**1**	**5**	**8**	**12**	**20**	**20**
	413	**12.0**	**92**	**2**	**5**	**10**	**16**	**24**	**37**

North Central Region, July 1988 - June 1989

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1988	10.2	58	3	5	8	14	22	26	0-17	170	7.7	48	2	3	5	9	21	22
70-74	1526	10.6	63	4	5	8	14	21	26	18-34	109	8.0	46	2	3	6	9	18	26
75-79	1631	10.5	65	3	5	8	14	20	26	35-49	453	10.6	101	3	4	8	13	20	25
80-84	1476	9.2	37	3	5	8	11	16	22	50-69	1875	9.9	76	2	4	7	14	22	27
85 +	1180	8.3	32	3	5	7	11	15	18	70 +	63	6.4	8	2	4	6	8	12	12
SUBTOTAL	**7801**	**9.9**	**53**	**3**	**5**	**8**	**13**	**19**	**24**		**2670**	**9.7**	**77**	**2**	**4**	**7**	**13**	**20**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	828	7.6	33	2	3	6	11	17	20	0-17	217	4.5	40	1	1	2	5	13	17
70-74	774	6.9	23	2	3	6	9	12	15	18-34	117	6.7	32	1	2	4	12	16	18
75-79	784	7.3	23	3	4	6	9	12	17	35-49	257	5.4	18	1	3	4	7	11	16
80-84	815	6.7	18	2	4	6	8	13	16	50-69	672	6.3	21	1	3	5	9	12	14
85 +	909	7.6	36	3	4	6	10	14	16	70 +	24	4.7	6						
SUBTOTAL	**4110**	**7.2**	**27**	**2**	**4**	**6**	**9**	**13**	**17**		**1286**	**5.8**	**25**	**1**	**2**	**4**	**8**	**13**	**16**
GRAND TOTAL	**11911**	**9.0**	**45**	**3**	**4**	**7**	**11**	**17**	**23**		**3957**	**8.4**	**63**	**2**	**3**	**6**	**11**	**18**	**23**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	8.6	127	2	4	5	6	38	38	0-17	62	13.0	180	1	2	12	23	40	40
18-34	62	11.9	87	3	5	8	18	28	28	18-34	31	7.0	24						
35-49	133	8.7	16	4	5	7	12	15	16	35-49	141	6.5	16	3	3	6	8	14	16
50-69	211	8.8	31	3	5	7	12	16	22	50-69	220	11.3	85	2	5	8	16	26	29
70 +	24	13.4	21							70 +	316	9.6	74	2	4	6	11	24	29
SUBTOTAL	**491**	**9.4**	**47**	**4**	**5**	**7**	**12**	**16**	**24**		**769**	**9.7**	**77**	**2**	**4**	**7**	**12**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	108	5.2	43	1	2	4	4	10	27	0-17	62	8.4	106	1	2	4	21	30	30
18-34	39	3.2	2							18-34	39	3.0	10						
35-49	39	8.4	66							35-49	86	8.0	42	3	3	7	12	19	21
50-69	70	8.7	46	3	3	6	12	21	21	50-69	109	7.0	41	1	4	5	6	22	22
70 +	0									70 +	213	5.9	31	2	3	4	7	13	14
SUBTOTAL	**257**	**6.4**	**45**	**1**	**3**	**4**	**7**	**19**	**24**		**510**	**6.6**	**44**	**1**	**3**	**4**	**7**	**19**	**22**
GRAND TOTAL	**748**	**8.3**	**48**	**2**	**4**	**6**	**11**	**17**	**24**		**1279**	**8.4**	**66**	**2**	**3**	**6**	**11**	**21**	**26**

DRG 240: Connective Tissue Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1006	8.0	38	2	4	7	9	14	21		0-17	287	7.1	44	1	2	5	10	20	22
70-74	510	8.6	47	3	4	6	10	19	24		18-34	847	7.0	55	2	2	4	9	16	23
75-79	485	9.5	88	2	3	7	10	22	24		35-49	731	8.1	72	2	3	6	11	18	21
80-84	266	10.0	115	3	5	7	10	20	28		50-69	664	8.3	107	3	4	6	10	13	19
85 +	118	8.2	16	3	5	7	12	14	15		70 +	8	7.0							
SUBTOTAL	**2385**	**8.6**	**58**	**2**	**4**	**7**	**10**	**16**	**22**			**2537**	**7.7**	**72**	**2**	**3**	**5**	**10**	**17**	**22**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**2385**	**8.6**	**58**	**2**	**4**	**7**	**10**	**16**	**22**			**2537**	**7.7**	**72**	**2**	**3**	**5**	**10**	**17**	**22**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	70	6.0	17	1	3	5	8	14	14		0-17	55	10.5	215	2	4	4	7	46	46
18-34	319	6.5	25	2	3	6	9	13	17		18-34	171	8.3	70	2	2	6	12	18	18
35-49	233	6.9	80	2	2	5	7	13	32		35-49	70	8.5	68	2	3	5	9	27	27
50-69	94	9.0	45	3	4	6	11	21	24		50-69	63	7.7	14	3	4	7	11	13	13
70 +	0										70 +	63	6.6	13	2	4	6	8	14	14
SUBTOTAL	**716**	**6.9**	**46**	**2**	**3**	**5**	**8**	**13**	**21**			**421**	**8.3**	**72**	**2**	**3**	**5**	**10**	**18**	**27**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**716**	**6.9**	**46**	**2**	**3**	**5**	**8**	**13**	**21**			**421**	**8.3**	**72**	**2**	**3**	**5**	**10**	**18**	**27**

DRG 241: Connective Tissue Disorders w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	577	6.0	13	2	3	5	9	12	12	0-17	1521	4.6	19	1	2	4	6	9	12
70-74	290	5.8	11	3	3	5	8	11	13	18-34	529	3.8	9	1	2	4	5	7	9
75-79	219	5.5	9	2	3	5	8	10	11	35-49	640	4.5	11	2	2	3	7	8	10
80-84	94	4.8	6	3	3	5	7	7	10	50-69	695	5.6	36	1	2	4	7	10	18
85 +	70	6.2	9	3	4	5	10	11	11	70 +	8	4.0							
SUBTOTAL	**1249**	**5.8**	**11**	**2**	**3**	**5**	**8**	**11**	**12**		**3393**	**4.6**	**20**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**1249**	**5.8**	**11**	**2**	**3**	**5**	**8**	**11**	**12**		**3393**	**4.6**	**20**	**1**	**2**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	466	5.7	14	2	3	5	8	11	13	0-17	365	4.6	13	1	2	4	6	10	11
18-34	264	3.7	9	1	2	2	5	7	8	18-34	202	3.0	5	1	2	2	4	7	7
35-49	70	6.1	22	2	2	5	8	16	16	35-49	125	4.5	6	1	2	5	7	8	8
50-69	55	9.4	21	3	4	12	14	15	15	50-69	55	3.7	7	2	2	3	3	10	10
70 +	0									70 +	32	22.8	716						
SUBTOTAL	**855**	**5.4**	**16**	**2**	**2**	**4**	**7**	**11**	**14**		**778**	**4.9**	**51**	**1**	**2**	**3**	**6**	**9**	**11**
GRAND TOTAL	**855**	**5.4**	**16**	**2**	**2**	**4**	**7**	**11**	**14**		**778**	**4.9**	**51**	**1**	**2**	**3**	**6**	**9**	**11**

DRG 242: Septic Arthritis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	132	12.7	75	4	6	11	17	25	36	0-17	86	8.4	19	3	4	7	13	14	15
70-74	70	23.9	267	5	8	26	37	51	51	18-34	78	9.1	81	1	2	6	12	25	30
75-79	86	9.7	93	3	3	5	13	16	37	35-49	94	11.7	166	3	4	7	15	21	50
80-84	70	19.4	87	7	13	20	24	39	39	50-69	63	11.7	65	3	5	10	17	27	27
85+	62	27.2	335	5	11	25	41	57	57	70+	16	22.0	180						
SUBTOTAL	**422**	**17.2**	**190**	**4**	**6**	**13**	**25**	**39**	**42**		**337**	**10.7**	**98**	**3**	**3**	**7**	**13**	**21**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	8.2	15	4	5	8	9	15	16	0-17	359	6.2	22	2	3	5	8	14	15
70-74	79	11.9	89	4	5	7	16	29	31	18-34	133	5.7	11	2	4	5	6	13	14
75-79	0									35-49	141	5.9	29	2	3	5	7	12	25
80-84	16	4.5	2							50-69	134	5.2	4	3	4	5	7	8	8
85+	39	10.8	78							70+	0								
SUBTOTAL	**236**	**9.6**	**54**	**4**	**5**	**7**	**11**	**23**	**28**		**767**	**5.9**	**18**	**2**	**3**	**5**	**7**	**12**	**14**
GRAND TOTAL	**658**	**14.5**	**154**	**4**	**6**	**9**	**19**	**37**	**41**		**1103**	**7.3**	**48**	**2**	**3**	**5**	**9**	**14**	**21**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	7.0	2							0-17	23	12.3	7						
18-34	39	12.0	21							18-34	0								
35-49	47	13.8	42	5	9	13	18	24	24	35-49	39	7.6	4						
50-69	0									50-69	8	5.0							
70+	0									70+	0								
SUBTOTAL	**117**	**11.4**	**32**	**5**	**7**	**9**	**17**	**18**	**24**		**70**	**8.9**	**11**	**5**	**6**	**9**	**10**	**16**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	195	8.6	20	3	6	8	10	15	16	0-17	187	7.6	43	2	3	6	11	14	15
18-34	78	6.7	17	2	4	4	9	14	16	18-34	63	5.9	13	3	3	6	6	15	15
35-49	24	9.0	5							35-49	31	7.0	11						
50-69	0									50-69	24	3.7							
70+	0									70+	32	7.3	36						
SUBTOTAL	**296**	**8.1**	**19**	**3**	**4**	**8**	**10**	**15**	**16**		**336**	**6.9**	**32**	**2**	**3**	**5**	**10**	**14**	**15**
GRAND TOTAL	**413**	**9.0**	**24**	**4**	**5**	**8**	**12**	**16**	**18**		**406**	**7.2**	**29**	**3**	**3**	**6**	**10**	**14**	**16**

DRG 243: Medical Back Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3624	7.2	31	2	3	6	9	13	18
70-74	2555	6.8	28	2	3	6	9	14	17
75-79	2577	7.6	29	3	4	6	10	15	18
80-84	2470	7.1	19	3	4	6	9	12	15
85 +	2129	7.4	20	3	4	6	9	13	16
SUBTOTAL	**13355**	**7.2**	**26**	**2**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5289	4.6	16	1	2	4	6	9	12
70-74	3412	4.9	16	1	2	4	6	10	13
75-79	3101	5.3	18	1	2	4	7	11	13
80-84	2120	5.5	15	1	3	5	7	10	12
85 +	1470	5.9	11	2	3	5	8	11	13
SUBTOTAL	**15393**	**5.0**	**16**	**1**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**28748**	**6.1**	**22**	**1**	**3**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	367	3.9	7	1	2	3	5	8	9
18-34	1753	4.8	16	1	2	4	6	9	11
35-49	2640	5.3	15	1	3	4	7	10	13
50-69	3541	6.6	34	1	3	5	8	12	16
70 +	322	6.3	20	2	3	5	7	11	17
	8624	**5.7**	**24**	**1**	**3**	**5**	**8**	**11**	**14**
0-17	1462	3.1	27	1	1	2	4	6	7
18-34	9640	3.8	11	1	1	3	5	8	10
35-49	16156	4.1	12	1	1	3	6	8	10
50-69	12094	4.1	13	1	1	3	6	8	11
70 +	384	3.8	7	1	2	3	5	8	9
	39735	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**10**
	48359	**4.3**	**15**	**1**	**1**	**3**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	125	5.0	49	< 1	1	2	6	20	24
18-34	369	6.1	23	2	2	4	9	14	14
35-49	449	6.8	23	2	4	6	9	11	21
50-69	448	6.6	21	1	3	6	9	12	15
70 +	47	9.3	25	2	6	8	11	18	18
SUBTOTAL	**1438**	**6.5**	**25**	**1**	**2**	**6**	**9**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	305	2.8	6	< 1	1	2	3	6	8
18-34	1464	4.3	13	1	2	3	6	8	10
35-49	1204	4.9	15	1	2	4	7	10	12
50-69	604	4.9	15	1	1	4	7	11	15
70 +	15	7.0	17						
SUBTOTAL	**3592**	**4.5**	**14**	**1**	**1**	**4**	**6**	**9**	**12**
GRAND TOTAL	**5030**	**5.1**	**18**	**1**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	2.4	5	< 1	1	1	3	8	8
18-34	628	5.4	17	1	3	4	7	11	17
35-49	510	5.9	21	2	3	5	7	13	15
50-69	541	6.9	59	1	3	5	7	14	25
70 +	455	7.4	137	1	2	4	7	10	34
	2197	**6.2**	**54**	**1**	**2**	**4**	**7**	**12**	**18**
0-17	320	2.4	3	1	1	2	3	5	6
18-34	2653	3.9	10	1	1	3	6	8	9
35-49	2862	3.8	15	1	1	3	5	8	11
50-69	1812	4.3	46	1	1	3	5	9	14
70 +	716	5.0	14	1	2	4	7	10	11
	8363	**4.0**	**20**	**1**	**1**	**3**	**5**	**8**	**10**
	10560	**4.4**	**28**	**1**	**1**	**3**	**6**	**9**	**12**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	565	5.3	24	2	2	4	7	9	13	0-17	55	2.6	2	1	1	2	4	5	5
70-74	455	5.8	35	1	2	4	8	14	22	18-34	47	5.0	4	2	3	5	7	8	8
75-79	526	6.3	24	2	3	5	8	11	12	35-49	171	4.8	8	1	3	4	6	9	9
80-84	582	6.9	27	2	4	6	8	13	14	50-69	320	4.7	16	1	2	3	7	11	13
85 +	542	6.3	15	2	4	6	8	11	13	70 +	55	5.8	18	1	3	4	10	14	14
SUBTOTAL	**2670**	**6.1**	**25**	**2**	**3**	**5**	**8**	**12**	**14**		**647**	**4.6**	**12**	**1**	**2**	**3**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2670**	**6.1**	**25**	**2**	**3**	**5**	**8**	**12**	**14**		**647**	**4.6**	**12**	**1**	**2**	**3**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	6.5	23	1	2	5	10	16	16	0-17	8	5.0							
18-34	31	4.5	5							18-34	0								
35-49	39	4.4	3							35-49	31	3.5	7						
50-69	62	7.5	41	4	4	5	8	24	24	50-69	102	5.1	64	1	2	3	3	7	32
70 +	16	9.5	7							70 +	95	6.4	44	1	2	4	7	14	25
SUBTOTAL	**211**	**6.3**	**23**	**2**	**4**	**4**	**8**	**12**	**16**		**236**	**5.4**	**47**	**1**	**2**	**3**	**5**	**13**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**211**	**6.3**	**23**	**2**	**4**	**4**	**8**	**12**	**16**		**236**	**5.4**	**47**	**1**	**2**	**3**	**5**	**13**	**25**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	392	4.0	9	1	1	3	5	8	8	0-17	497	4.5	11	1	2	3	6	9	12
70-74	322	4.6	11	1	2	4	6	9	10	18-34	156	2.3	3	1	1	2	3	5	7
75-79	369	4.6	12	2	2	3	6	9	12	35-49	235	3.5	7	1	2	3	5	7	9
80-84	376	5.1	17	2	2	4	6	10	16	50-69	510	3.4	6	< 1	1	3	5	6	9
85 +	338	4.2	7	2	2	3	5	9	10	70 +	24	9.0	11						
SUBTOTAL	**1797**	**4.5**	**11**	**1**	**2**	**4**	**6**	**9**	**10**		**1422**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**1797**	**4.5**	**11**	**1**	**2**	**4**	**6**	**9**	**10**		**1422**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	202	5.6	23	1	2	5	8	10	18	0-17	171	4.3	11	1	2	3	5	9	11
18-34	16	2.0	1							18-34	32	2.7	4						
35-49	39	3.8	2							35-49	71	2.1	1	1	2	2	2	4	4
50-69	55	5.4	16	1	2	4	7	14	14	50-69	78	4.4	15	1	2	3	5	12	15
70 +	0									70 +	71	5.8	31	< 1	2	4	14	58	99 +
SUBTOTAL	**312**	**5.2**	**19**	**1**	**2**	**4**	**7**	**10**	**17**		**422**	**4.1**	**14**	**1**	**2**	**3**	**5**	**11**	**15**
GRAND TOTAL	**312**	**5.2**	**19**	**1**	**2**	**4**	**7**	**10**	**17**		**422**	**4.1**	**14**	**1**	**2**	**3**	**5**	**11**	**15**

DRG 246: Non-specific Arthropathies

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	78	4.5	10	1	2	3	6	10	12	0-17	39	13.2	138						
70-74	39	2.4	1							18-34	31	5.3	11						
75-79	47	6.3	14	3	3	4	11	12	12	35-49	39	5.4	30						
80-84	39	8.6	32							50-69	55	4.2	14	2	2	3	4	13	13
85 +	47	8.3	24	2	3	8	12	16	16	70 +	0								
SUBTOTAL	**251**	**5.9**	**20**	**2**	**3**	**4**	**8**	**12**	**16**		**165**	**6.8**	**59**	**2**	**2**	**4**	**9**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	71	5.0	17	1	3	4	5	16	16	0-17	125	3.4	5	1	2	3	5	7	8
70-74	63	5.4	15	1	3	4	7	14	14	18-34	71	4.9	6	2	3	4	7	9	9
75-79	63	4.8	4	3	3	4	6	9	9	35-49	117	3.6	5	1	2	3	6	7	8
80-84	32	3.3	1							50-69	79	3.7	4	1	3	3	4	7	8
85 +	40	2.4								70 +	0								
SUBTOTAL	**269**	**4.4**	**10**	**2**	**3**	**4**	**5**	**8**	**14**		**391**	**3.8**	**5**	**1**	**2**	**3**	**5**	**8**	**8**
GRAND TOTAL	**519**	**5.1**	**15**	**2**	**3**	**4**	**6**	**12**	**14**		**556**	**4.7**	**23**	**1**	**2**	**3**	**6**	**8**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	15	2.5							
18-34	8	3.0								18-34	0								
35-49	32	4.3	2							35-49	24	4.3							
50-69	8	5.0								50-69	8	5.0							
70 +	0									70 +	0								
SUBTOTAL	**47**	**4.2**	**2**	**3**	**3**	**4**	**5**	**6**	**6**		**47**	**3.8**	**1**	**2**	**3**	**4**	**5**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	13.4	285							0-17	23	3.7	2						
18-34	32	7.5	19							18-34	32	3.5	3						
35-49	16	4.5	13							35-49	16	2.5							
50-69	8	2.0								50-69	24	2.0	1						
70 +	0									70 +	8	5.0							
SUBTOTAL	**87**	**8.6**	**126**	**1**	**2**	**5**	**10**	**13**	**42**		**102**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**134**	**7.0**	**86**	**1**	**3**	**5**	**8**	**13**	**42**		**149**	**3.4**	**2**	**2**	**2**	**3**	**5**	**5**	**6**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	462	5.0	19	1	2	4	6	12	16	0-17	47	4.0	4	2	3	3	4	8	8
70-74	297	4.4	13	1	2	3	5	11	13	18-34	157	5.1	21	2	2	4	7	9	17
75-79	243	6.1	29	3	3	5	7	12	14	35-49	307	4.6	22	1	2	3	5	11	16
80-84	118	4.7	9	1	2	4	7	9	11	50-69	377	4.6	18	1	2	3	7	9	11
85 +	133	6.1	19	2	3	5	8	11	19	70 +	16	4.5							
SUBTOTAL	**1254**	**5.2**	**19**	**2**	**3**	**4**	**6**	**11**	**14**		**903**	**4.6**	**19**	**1**	**2**	**3**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	611	3.0	5	1	1	2	4	7	8	0-17	506	2.8	3	1	1	2	4	4	6
70-74	422	2.9	5	1	1	2	4	5	8	18-34	903	3.1	7	1	1	2	4	6	9
75-79	322	2.9	4	1	1	2	4	7	8	35-49	1280	3.7	14	1	1	3	5	8	11
80-84	180	5.0	13	1	2	3	9	10	11	50-69	1160	3.0	9	1	1	2	4	6	8
85 +	149	4.0	17	1	2	2	6	8	19	70 +	8	1.0							
SUBTOTAL	**1684**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**9**		**3857**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**2938**	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**11**		**4760**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	3.3								0-17	31	3.5	1						
18-34	55	3.4	5	< 1	1	3	6	7	7	18-34	55	3.6	12	1	1	2	9	9	9
35-49	79	5.5	17	1	3	5	6	12	16	35-49	47	2.5	9	1	1	1	2	9	9
50-69	24	2.3	2							50-69	117	4.5	15	1	2	4	5	9	16
70 +	8	4.0								70 +	16	3.0	4						
SUBTOTAL	**196**	**4.1**	**10**	**1**	**2**	**3**	**5**	**7**	**8**		**265**	**3.7**	**11**	**1**	**1**	**2**	**5**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	93	2.8	3	1	1	2	4	5	6	0-17	178	3.7	15	1	2	2	4	6	10
18-34	87	2.8	2	< 1	1	3	4	5	5	18-34	158	2.9	3	1	2	2	4	5	7
35-49	188	3.2	10	1	1	2	4	8	9	35-49	228	3.0	20	1	1	1	3	7	9
50-69	102	4.2	14	1	2	2	6	11	11	50-69	228	3.0	7	1	1	2	4	7	10
70 +	0									70 +	102	2.0	1	1	1	2	3	4	4
SUBTOTAL	**471**	**3.3**	**8**	**1**	**1**	**2**	**4**	**8**	**11**		**894**	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**667**	**3.5**	**9**	**1**	**1**	**3**	**5**	**7**	**10**		**1159**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 248: Tendonitis, Myositis & Bursitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	282	7.7	109	2	3	4	9	13	19	0-17	70	5.4	13	1	3	4	8	12	12
70-74	134	6.3	17	2	4	5	7	14	17	18-34	149	5.6	12	2	3	4	8	12	14
75-79	158	5.6	10	3	3	5	7	10	12	35-49	282	5.8	16	2	3	5	7	11	16
80-84	110	7.0	22	3	4	5	9	13	20	50-69	385	4.7	9	1	2	4	7	9	10
85 +	102	5.0	11	3	3	4	6	9	14	70 +	8	7.0							
SUBTOTAL	**786**	**6.6**	**49**	**2**	**3**	**5**	**8**	**13**	**15**		**894**	**5.2**	**12**	**2**	**3**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	235	4.5	16	1	1	3	6	10	11	0-17	950	2.8	5	1	1	2	3	5	6
70-74	180	3.2	3	1	2	3	4	6	6	18-34	305	3.9	6	1	2	3	5	7	9
75-79	133	4.5	10	2	2	4	5	11	13	35-49	713	3.2	14	1	1	2	4	5	9
80-84	87	4.1	3	2	2	4	6	6	7	50-69	807	2.8	4	1	1	2	4	6	7
85 +	94	6.2	17	2	3	5	9	10	17	70 +	32	2.5	3						
SUBTOTAL	**728**	**4.3**	**11**	**1**	**2**	**3**	**5**	**8**	**11**		**2807**	**3.0**	**7**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**1514**	**5.5**	**32**	**2**	**3**	**4**	**6**	**11**	**14**		**3701**	**3.6**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	3.7	3							0-17	23	4.0	2						
18-34	31	2.8	1							18-34	48	7.5	66	2	2	4	7	25	25
35-49	47	7.7	7	4	5	7	11	11	11	35-49	31	3.2	2						
50-69	23	4.3	3							50-69	71	8.6	71	2	3	5	9	29	29
70 +	0									70 +	24	15.7	107						
SUBTOTAL	**125**	**5.1**	**8**	**2**	**3**	**5**	**7**	**11**	**11**		**196**	**7.8**	**67**	**2**	**2**	**5**	**8**	**25**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	203	3.0	10	1	2	2	3	5	7	0-17	171	3.3	4	2	2	3	4	6	7
18-34	39	7.1	49							18-34	78	3.4	1	2	2	3	4	5	6
35-49	55	3.0	2	1	2	3	4	5	5	35-49	150	3.3	5	1	1	3	5	7	7
50-69	0									50-69	126	3.3	6	1	1	3	5	8	9
70 +	0									70 +	55	2.6	3	< 1	1	2	4	6	6
SUBTOTAL	**297**	**3.6**	**15**	**1**	**2**	**2**	**4**	**5**	**17**		**581**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**421**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**11**		**777**	**4.4**	**24**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	70	9.1	62	1	1	7	13	23	23	0-17	31	10.8	52						
70-74	111	7.9	23	3	5	7	9	14	20	18-34	39	4.0	11						
75-79	109	7.1	20	2	3	6	11	13	16	35-49	16	2.5							
80-84	134	4.2	7	1	2	4	5	8	11	50-69	32	5.0	4						
85 +	47	4.7	11	1	2	4	6	11	11	70 +	24	2.0	2						
SUBTOTAL	471	6.5	25	1	3	5	9	13	18		141	5.2	25	1	2	4	7	8	23
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	265	3.9	12	1	1	2	6	9	10	0-17	505	3.9	39	< 1	< 1	1	4	9	13
70-74	243	3.7	7	1	1	3	6	7	9	18-34	110	3.9	25	1	1	2	4	6	21
75-79	235	3.9	5	1	2	4	5	7	8	35-49	86	6.2	52	1	1	3	10	14	25
80-84	226	3.7	5	1	2	4	5	8	8	50-69	257	3.8	6	1	2	3	6	7	9
85 +	94	5.7	12	2	3	6	7	9	14	70 +	24	3.3	3						
SUBTOTAL	1065	4.0	8	1	2	3	6	8	9		981	4.1	29	< 1	1	2	5	9	13
GRAND TOTAL	1535	4.8	15	1	2	4	6	9	13		1123	4.2	29	< 1	1	3	5	9	13

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	46	8.7	192	< 1	< 1	4	6	39	39	0-17	31	2.2	2						
18-34	8	7.0								18-34	16	5.0	1						
35-49	0									35-49	8	5.0							
50-69	24	3.0	5							50-69	8	3.0							
70 +	0									70 +	24	3.0	3						
SUBTOTAL	78	6.8	121	< 1	1	4	6	29	39		86	3.3	3	< 1	1	3	5	5	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	194	4.5	60	< 1	< 1	2	5	9	11	0-17	93	4.9	68	< 1	1	2	5	9	31
18-34	23	6.7	25							18-34	23	3.3	3						
35-49	23	8.3	49							35-49	8	2.0							
50-69	8	1.0								50-69	47	3.5	2	2	2	3	5	5	5
70 +	0									70 +	63	4.2	9	1	2	3	6	10	10
SUBTOTAL	248	5.0	55	< 1	1	2	6	11	18		234	4.2	30	1	1	3	5	9	10
GRAND TOTAL	326	5.4	71	< 1	1	2	6	11	22		320	3.9	23	< 1	1	3	5	7	9

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	173	5.5	8	2	3	5	7	10	11
70-74	236	4.6	12	1	2	3	6	11	12
75-79	197	4.3	7	2	2	4	6	7	10
80-84	126	5.6	14	1	3	5	7	12	14
85 +	212	5.2	8	2	3	5	7	9	9
SUBTOTAL	944	5.0	10	2	3	4	7	10	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	944	5.0	10	2	3	4	7	10	11

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	173	3.1	3	1	2	3	4	6	6
35-49	126	3.9	7	1	2	3	5	8	12
50-69	181	4.8	12	1	2	4	6	10	11
70 +	39	7.4	48						
	519	4.2	12	1	2	3	5	7	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	519	4.2	12	1	2	3	5	7	11

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	2.0							
35-49	47	2.8	3	1	1	2	4	5	5
50-69	8	6.0							
70 +	16	4.0	1						
SUBTOTAL	79	3.3	3	1	2	3	5	6	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	79	3.3	3	1	2	3	5	6	6

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	118	4.2	11	< 1	2	3	6	10	11
35-49	63	4.4	9	1	2	3	8	8	8
50-69	63	1.9	1	1	1	2	3	3	3
70 +	16	10.1	52						
	259	4.0	13	1	2	3	5	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	259	4.0	13	1	2	3	5	9	11

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	266	2.5	3	1	1	2	3	5	8
70-74	181	2.6	2	1	1	3	4	4	5
75-79	235	2.9	5	1	1	2	4	8	8
80-84	188	3.2	7	1	2	3	4	5	9
85 +	126	3.6	9	1	2	2	5	8	13
SUBTOTAL	**997**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**997**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	762	2.3	6	1	1	2	3	4	5
35-49	677	2.1	2	1	1	2	3	4	4
50-69	416	2.2	3	1	1	2	3	4	5
70 +	32	3.3							
	1887	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
	1887	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	94	4.0	13	1	1	3	6	10	12
35-49	31	6.0	6						
50-69	23	6.0	22						
70 +	0								
SUBTOTAL	**148**	**4.7**	**14**	**1**	**1**	**4**	**6**	**11**	**12**
GRAND TOTAL	**148**	**4.7**	**14**	**1**	**1**	**4**	**6**	**11**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	344	2.2	3	< 1	1	2	3	4	5
35-49	157	2.2	3	< 1	1	1	3	5	6
50-69	141	1.8	2	< 1	1	1	2	4	6
70 +	94	2.4	3	1	1	2	3	6	6
	737	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**
	737	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	133	2.8	4	1	1	2	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**133**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3476	1.3		1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3476**	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**3609**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	3.2	10	<1	1	1	3	10	10	0-17	39	3.4	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**47**	**3.2**	**10**	**<1**	**1**	**1**	**3**	**10**	**10**		**39**	**3.4**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	773	1.8	3	1	1	1	2	3	4	0-17	1118	1.3		<1	1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**773**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**		**1118**	**1.3**		**<1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**819**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**		**1156**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	888	6.3	18	2	3	5	8	11	13	0-17	0								
70-74	691	7.0	20	2	4	6	9	13	16	18-34	581	5.4	37	1	2	3	7	11	15
75-79	779	7.0	33	2	4	6	8	13	15	35-49	369	6.0	33	1	2	5	7	10	15
80-84	770	7.0	36	3	3	5	8	14	16	50-69	651	5.5	16	1	2	5	7	11	12
85 +	1067	6.1	17	2	3	5	8	11	13	70 +	197	9.5	71	3	4	6	12	25	28
SUBTOTAL	**4195**	**6.6**	**24**	**2**	**3**	**5**	**8**	**12**	**15**		**1798**	**6.0**	**34**	**1**	**2**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4195**	**6.6**	**24**	**2**	**3**	**5**	**8**	**12**	**15**		**1798**	**6.0**	**34**	**1**	**2**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	149	3.6	6	1	2	3	5	7	12	18-34	235	3.9	5	2	2	4	5	7	9
35-49	87	4.3	6	2	2	5	5	6	10	35-49	164	8.3	161	1	3	5	9	13	27
50-69	150	9.1	76	2	5	6	10	18	38	50-69	110	4.7	9	1	2	4	7	9	10
70 +	8	2.0								70 +	165	5.7	12	3	4	4	7	9	12
SUBTOTAL	**393**	**5.8**	**39**	**2**	**2**	**5**	**6**	**12**	**16**		**674**	**5.6**	**48**	**1**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**393**	**5.8**	**39**	**2**	**2**	**5**	**6**	**12**	**16**		**674**	**5.6**	**48**	**1**	**3**	**4**	**6**	**9**	**11**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	950	3.5	8	1	1	3	5	7	9
70-74	707	3.3	6	1	2	3	4	7	9
75-79	652	5.0	19	1	3	4	6	8	10
80-84	801	4.7	25	1	2	4	6	8	11
85 +	959	4.8	18	1	2	4	6	9	12
SUBTOTAL	**4069**	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**4069**	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1872	2.8	12	1	1	2	3	5	6
35-49	1493	2.7	4	1	1	2	4	5	6
50-69	1526	3.3	7	1	1	3	4	6	8
70 +	203	2.9	4	1	1	3	4	6	7
	5094	**2.9**	**8**	**1**	**1**	**2**	**4**	**5**	**7**
	5094	**2.9**	**8**	**1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	361	2.3	2	1	1	2	3	4	5
35-49	211	2.7	2	1	2	2	4	5	5
50-69	78	4.0	11	< 1	2	4	5	10	12
70 +	16	5.5	13						
SUBTOTAL	**667**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**667**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	909	2.5	2	1	1	2	3	4	5
35-49	533	3.0	11	< 1	1	2	4	5	8
50-69	424	2.7	2	1	2	2	4	5	5
70 +	275	6.5	151	1	2	3	5	9	49
	2142	**3.2**	**25**	**1**	**1**	**2**	**4**	**5**	**6**
	2142	**3.2**	**25**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	5.0								0-17	274	6.2	81	1	1	3	7	14	29
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**5.0**									**274**	**6.2**	**81**	**1**	**1**	**3**	**7**	**14**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	4425	2.3	8	1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**4425**	**2.3**	**8**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**16**	**3.0**	**4**								**4699**	**2.6**	**13**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	78	6.0	89	1	2	3	4	25	34	0-17	125	2.4	4	1	1	2	3	4	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**78**	**6.0**	**89**	**1**	**2**	**3**	**4**	**25**	**34**		**125**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1350	2.3	5	1	1	2	2	4	6	0-17	1676	2.1	5	< 1	1	1	2	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1350**	**2.3**	**5**	**1**	**1**	**2**	**2**	**4**	**6**		**1676**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1428**	**2.5**	**10**	**1**	**1**	**2**	**3**	**4**	**6**		**1802**	**2.2**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	516	5.8	43	1	2	4	7	14	16
70-74	290	9.2	121	1	2	5	13	24	37
75-79	260	6.5	188	1	2	3	5	8	13
80-84	181	6.2	20	3	3	4	8	11	16
85+	212	5.7	9	2	3	6	8	11	12
SUBTOTAL	**1458**	**6.6**	**78**	**2**	**3**	**4**	**7**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	400	3.8	8	1	2	3	5	7	9
70-74	204	4.1	9	1	2	3	6	10	10
75-79	181	4.4	36	1	2	3	5	6	7
80-84	142	3.6	6	1	1	3	5	8	9
85+	125	4.5	7	2	2	4	6	9	11
SUBTOTAL	**1051**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**2510**	**5.5**	**52**	**1**	**2**	**4**	**6**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	186	5.8	80	1	1	2	8	12	18
18-34	149	5.1	14	2	2	5	6	13	17
35-49	345	2.9	2	1	2	2	4	5	5
50-69	417	4.5	14	2	2	3	6	8	15
70+	8	6.0							
	1105	**4.3**	**23**	**1**	**2**	**3**	**5**	**8**	**13**
0-17	1150	3.5	27	1	1	2	3	9	12
18-34	432	2.3	3	<1	1	2	3	6	7
35-49	834	2.8	8	1	1	2	3	6	7
50-69	723	2.5	5	1	1	2	3	4	6
70+	47	2.8	4	1	1	2	3	7	7
	3186	**2.9**	**14**	**1**	**1**	**2**	**3**	**6**	**8**
	4291	**3.3**	**16**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	85	4.5	29	1	1	1	8	9	19
18-34	125	5.3	32	1	2	4	5	18	19
35-49	70	4.0	17	<1	1	2	4	12	12
50-69	63	10.0	167	1	2	5	11	42	42
70+	0								
SUBTOTAL	**343**	**5.7**	**57**	**1**	**1**	**3**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	496	5.4	56	<1	1	2	6	18	23
18-34	228	2.1	1	1	1	2	3	4	4
35-49	180	5.9	111	1	2	3	5	10	10
50-69	94	3.1	3	<1	1	3	5	6	6
70+	0								
SUBTOTAL	**998**	**4.5**	**51**	**1**	**1**	**2**	**5**	**10**	**22**
GRAND TOTAL	**1340**	**4.8**	**52**	**1**	**1**	**2**	**5**	**11**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	1.5		1	1	1	2	2	2
18-34	62	2.8	3	<1	1	2	5	6	6
35-49	70	4.1	9	1	2	3	4	10	10
50-69	63	3.5	7	<1	1	2	6	9	9
70+	55	5.7	16	2	2	3	9	13	13
	297	**3.6**	**9**	**1**	**2**	**2**	**5**	**9**	**10**
0-17	279	3.2	13	<1	1	1	4	6	15
18-34	195	3.2	8	<1	1	3	4	5	8
35-49	212	2.5	2	1	1	2	3	5	5
50-69	102	2.8	3	1	1	2	5	5	5
70+	24	1.3							
	812	**2.9**	**8**	**<1**	**1**	**2**	**4**	**5**	**6**
	1110	**3.1**	**8**	**<1**	**1**	**2**	**4**	**6**	**9**

DRG 257: Total Mastectomy for Malignancy w/ CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1834	5.2	11	3	3	4	6	8	11
70-74	1764	5.8	16	3	4	5	6	10	13
75-79	1490	5.9	13	3	4	5	7	11	13
80-84	809	6.4	12	3	4	6	7	10	13
85 +	416	5.8	7	3	4	6	7	9	11
SUBTOTAL	**6314**	**5.7**	**13**	**3**	**4**	**5**	**7**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6314**	**5.7**	**13**	**3**	**4**	**5**	**7**	**9**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	195	4.1	3	2	3	4	5	6	6
35-49	1644	4.2	4	2	3	4	5	6	7
50-69	2884	4.5	8	2	3	4	5	7	8
70 +	47	5.2	3	3	3	6	6	7	7
SUBTOTAL	**4771**	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4771**	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	23	3.3							
35-49	117	8.7	95	3	4	5	9	27	38
50-69	289	5.7	19	3	4	5	6	8	11
70 +	0								
SUBTOTAL	**429**	**6.4**	**41**	**3**	**4**	**5**	**6**	**9**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**429**	**6.4**	**41**	**3**	**4**	**5**	**6**	**9**	**27**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	63	3.1		2	3	3	3	4	4
35-49	290	3.2	2	2	2	3	4	5	6
50-69	581	3.8	5	2	3	3	5	5	9
70 +	212	3.3	1	2	2	3	4	5	5
SUBTOTAL	**1146**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1146**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 258: Total Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2383	4.2	4	2	3	4	5	6	7	0-17	0								
70-74	2039	4.0	3	2	3	4	5	6	7	18-34	336	4.2	3	2	3	4	5	6	6
75-79	1612	4.6	4	2	3	4	6	7	8	35-49	2734	3.5	3	2	3	3	4	5	6
80-84	793	4.6	4	2	3	4	6	7	8	50-69	5139	3.9	3	2	3	4	5	6	7
85 +	368	4.2	3	2	3	4	5	7	7	70 +	102	4.1	3	2	3	3	6	7	7
SUBTOTAL	**7196**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**8**		**8310**	**3.8**	**3**	**2**	**3**	**4**	**4**	**6**	**6**
GRAND TOTAL	**7196**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**8**		**8310**	**3.8**	**3**	**2**	**3**	**4**	**4**	**6**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	4.0							
18-34	24	2.7								18-34	118	3.0	1	2	2	3	4	4	6
35-49	203	4.2	2	2	4	4	5	6	7	35-49	431	3.3	3	2	2	3	4	5	6
50-69	251	5.4	15	2	4	4	6	8	10	50-69	853	3.1	1	2	2	3	4	5	5
70 +	24	6.4	3							70 +	455	2.9	1	2	2	3	3	4	5
SUBTOTAL	**501**	**4.8**	**9**	**2**	**3**	**4**	**6**	**8**	**8**		**1865**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**501**	**4.8**	**9**	**2**	**3**	**4**	**6**	**8**	**8**		**1865**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	211	5.1	14	2	3	3	6	12	13	0-17	0								
70-74	195	5.2	19	2	2	3	6	10	17	18-34	63	2.1	2	1	1	2	3	5	5
75-79	156	5.2	13	2	3	4	7	10	15	35-49	359	3.8	7	1	2	3	4	7	8
80-84	47	3.2	3	1	2	3	4	6	6	50-69	319	5.0	27	2	2	4	5	12	17
85 +	102	5.0	14	1	2	4	7	10	14	70 +	16	2.5	2						
SUBTOTAL	**710**	**5.0**	**15**	**2**	**3**	**4**	**6**	**10**	**14**		**757**	**4.2**	**15**	**1**	**2**	**3**	**4**	**7**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**710**	**5.0**	**15**	**2**	**3**	**4**	**6**	**10**	**14**		**757**	**4.2**	**15**	**1**	**2**	**3**	**4**	**7**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	3.0							
35-49	8	4.0								35-49	32	1.5							
50-69	23	13.6	180							50-69	79	3.0	6	< 1	1	2	3	7	8
70 +	0									70 +	16	4.5	7						
SUBTOTAL	**31**	**11.2**	**151**								**134**	**2.8**	**5**	**1**	**1**	**2**	**3**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**31**	**11.2**	**151**								**134**	**2.8**	**5**	**1**	**1**	**2**	**3**	**7**	**8**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	352	3.0	3	1	2	3	4	6	6
70-74	179	2.4	1	1	2	2	3	4	5
75-79	125	4.2	14	1	2	2	5	12	14
80-84	78	2.7	4	1	1	2	3	6	7
85 +	70	2.4	2	< 1	1	2	3	6	6
SUBTOTAL	**805**	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**805**	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	78	2.8	2	1	2	3	4	5	5
35-49	679	2.6	2	1	2	2	3	4	5
50-69	803	2.9	8	1	2	2	3	4	5
70 +	8	3.0							
	1568	**2.7**	**5**	**1**	**2**	**2**	**3**	**4**	**5**
	1568	**2.7**	**5**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	3.0							
35-49	39	2.8	1						
50-69	23	3.3	3						
70 +	0								
SUBTOTAL	**70**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**70**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	125	1.7	1	1	1	2	2	2	4
50-69	197	1.8		1	1	2	2	3	3
70 +	63	1.8		1	1	2	2	3	3
	385	**1.8**		**1**	**1**	**2**	**2**	**3**	**3**
	385	**1.8**		**1**	**1**	**2**	**2**	**3**	**3**

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	62	2.9	3	1	1	2	4	6	6	0-17	8	2.0							
70-74	55	7.8	91	3	3	4	5	31	31	18-34	125	2.7	3	1	2	2	3	4	8
75-79	0									35-49	273	3.7	7	1	2	3	5	6	8
80-84	8	5.0								50-69	171	3.9	3	2	3	4	5	6	6
85 +	0									70 +	0								
SUBTOTAL	**125**	**5.2**	**47**	**1**	**2**	**4**	**5**	**6**	**31**		**577**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	250	2.8	2	1	2	3	3	5	6	0-17	436	1.9	2	1	1	2	2	3	4
70-74	94	3.7	4	1	2	3	5	5	9	18-34	2075	2.1	1	1	1	2	2	3	4
75-79	47	3.3	1	2	3	3	4	5	5	35-49	2459	2.4	3	1	1	2	3	4	5
80-84	55	2.6	3	1	1	2	4	5	5	50-69	1466	2.4	2	1	1	2	3	4	5
85 +	8	1.0								70 +	8	4.0							
SUBTOTAL	**454**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**6**		**6443**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**579**	**3.4**	**13**	**1**	**2**	**3**	**4**	**5**	**6**		**7020**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	3.0								0-17	8	2.0							
18-34	39	3.4	1							18-34	31	3.0	3						
35-49	23	12.5	204							35-49	31	3.3	6						
50-69	0									50-69	8	8.0							
70 +	0									70 +	0								
SUBTOTAL	**70**	**6.4**	**86**	**2**	**3**	**3**	**4**	**32**	**32**		**78**	**3.5**	**6**	**1**	**1**	**4**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	62	1.4		1	1	1	2	2	2	0-17	126	1.4	1	1	1	1	1	3	4
18-34	288	2.1	1	1	1	2	2	4	5	18-34	591	1.5	1	1	1	1	2	2	3
35-49	109	2.3	1	1	1	2	3	3	5	35-49	501	1.7	1	1	1	1	2	3	3
50-69	39	3.4	6							50-69	329	2.1	1	1	1	2	3	3	5
70 +	0									70 +	16	2.0							
SUBTOTAL	**497**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**1562**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**568**	**2.7**	**14**	**1**	**1**	**2**	**3**	**4**	**5**		**1640**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	10.3	220	1	1	5	39	99 +	99 +
70-74	8	1.0							
75-79	8	4.0							
80-84	0								
85 +	0								
SUBTOTAL	**55**	**8.1**	**169**	**1**	**1**	**3**	**23**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	71	2.0	2	< 1	< 1	1	3	5	5
70-74	32	1.2							
75-79	32	1.8	1						
80-84	24	1.3							
85 +	24	1.3							
SUBTOTAL	**181**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**236**	**3.1**	**47**	**< 1**	**1**	**1**	**3**	**6**	**39**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	1.5							
35-49	94	3.6	9	1	1	3	6	6	11
50-69	47	3.7	12	1	2	2	4	11	11
70 +	0								
	172	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**11**
0-17	0								
18-34	71	1.6	3	< 1	< 1	1	1	6	6
35-49	244	1.9	2	< 1	1	1	2	3	5
50-69	173	1.5	1	< 1	1	1	2	3	3
70 +	8	1.0							
	496	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
	668	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	1.0							
50-69	8	3.0							
70 +	0								
SUBTOTAL	**16**	**2.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	2.7	1						
35-49	15	2.5	2						
50-69	16	2.0	1						
70 +	0								
SUBTOTAL	**63**	**2.5**	**2**	**< 1**	**< 1**	**3**	**3**	**4**	**4**
GRAND TOTAL	**78**	**2.4**	**1**	**< 1**	**1**	**3**	**3**	**4**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	4.0							
50-69	0								
70 +	0								
	8	**4.0**							
0-17	8	1.0							
18-34	47	1.5	1	< 1	1	1	2	3	3
35-49	71	1.3		< 1	< 1	< 1	1	3	3
50-69	32	1.0							
70 +	8	1.0							
	165	**1.3**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
	173	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**3**

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1572	2[illegible]	282	6	11	19	32	49	59
70-74	832	18.7	205	4	9	15	25	40	55
75-79	887	18.5	231	5	8	14	24	46	56
80-84	691	20.2	284	7	10	15	23	42	63
85 +	840	18.4	164	6	8	15	26	36	40
SUBTOTAL	**4822**	**20.3**	**243**	**6**	**9**	**16**	**28**	**43**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4822**	**20.3**	**243**	**6**	**9**	**16**	**28**	**43**	**57**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	109	18.8	275	1	4	13	34	47	50
18-34	320	20.3	232	6	10	15	25	39	50
35-49	477	20.6	420	4	6	11	31	59	75
50-69	854	17.5	177	4	9	13	23	40	49
70 +	31	15.7	74						
	1791	**18.9**	**258**	**4**	**8**	**14**	**24**	**45**	**55**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1791	**18.9**	**258**	**4**	**8**	**14**	**24**	**45**	**55**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	70	20.0	94	4	14	19	25	34	34
18-34	358	27.9	431	5	12	24	40	59	72
35-49	227	19.5	149	5	12	17	26	42	42
50-69	211	22.3	366	8	10	15	26	57	57
70 +	8	22.0							
SUBTOTAL	**874**	**23.7**	**324**	**6**	**11**	**18**	**32**	**51**	**59**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**874**	**23.7**	**324**	**6**	**11**	**18**	**32**	**51**	**59**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	10.0							
18-34	165	14.0	77	4	5	14	18	25	28
35-49	102	14.4	133	7	8	11	15	26	49
50-69	158	15.4	169	6	8	10	16	38	49
70 +	63	10.1	52	2	4	9	13	26	26
	495	**14.0**	**116**	**4**	**7**	**11**	**17**	**26**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	495	**14.0**	**116**	**4**	**7**	**11**	**17**	**26**	**37**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	468	12.8	131	1	5	9	18	27	41
70-74	226	12.0	57	3	7	9	19	24	26
75-79	274	10.0	62	2	6	7	13	24	27
80-84	141	12.9	102	4	7	9	18	31	43
85 +	196	11.4	105	3	5	8	14	22	29
SUBTOTAL	**1306**	**11.9**	**98**	**2**	**6**	**8**	**17**	**26**	**31**
GRAND TOTAL	**1306**	**11.9**	**98**	**2**	**6**	**8**	**17**	**26**	**31**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	93	9.8	76	2	5	7	15	19	33
18-34	249	12.8	122	3	5	10	17	28	40
35-49	343	10.9	84	2	5	8	16	25	29
50-69	313	9.6	33	4	6	8	15	21	22
70 +	24	9.0	13						
	1023	**10.8**	**77**	**3**	**5**	**8**	**15**	**23**	**29**
	1023	**10.8**	**77**	**3**	**5**	**8**	**15**	**23**	**29**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	86	9.7	55	3	4	9	11	14	30
18-34	86	14.0	56	4	8	13	22	22	25
35-49	94	11.3	54	5	5	7	16	24	26
50-69	8	19.0							
70 +	0								
SUBTOTAL	**274**	**11.9**	**57**	**4**	**6**	**10**	**17**	**24**	**26**
GRAND TOTAL	**274**	**11.9**	**57**	**4**	**6**	**10**	**17**	**24**	**26**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	23	4.7	10						
18-34	87	8.2	51	3	3	5	12	20	23
35-49	55	14.1	76	6	7	8	22	29	29
50-69	86	7.3	33	1	3	6	11	12	22
70 +	47	11.7	112	2	2	7	23	28	28
	299	**9.3**	**65**	**2**	**3**	**7**	**12**	**23**	**28**
	299	**9.3**	**65**	**2**	**3**	**7**	**12**	**23**	**28**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	297	10.0	88	3	4	6	15	30	33
70-74	117	10.2	71	2	3	7	17	19	32
75-79	203	14.5	403	2	4	10	16	24	64
80-84	126	7.6	19	4	4	6	10	13	20
85+	118	10.7	121	1	3	5	21	22	41
SUBTOTAL	**861**	**10.8**	**159**	**2**	**4**	**6**	**15**	**22**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**861**	**10.8**	**159**	**2**	**4**	**6**	**15**	**22**	**32**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	243	4.9	21	1	2	4	6	12	15
18-34	392	5.6	52	1	2	3	6	12	22
35-49	274	8.2	50	1	2	7	9	21	23
50-69	280	7.7	63	1	2	5	12	16	29
70+	39	16.2	246						
	1229	**6.8**	**58**	**1**	**2**	**4**	**9**	**16**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1229	**6.8**	**58**	**1**	**2**	**4**	**9**	**16**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	62	4.9	17	1	2	3	9	13	13
18-34	78	6.0	14	1	3	5	8	12	14
35-49	47	8.2	8	5	5	9	9	13	13
50-69	39	8.6	16						
70+	0								
SUBTOTAL	**226**	**6.6**	**16**	**1**	**3**	**6**	**10**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**226**	**6.6**	**16**	**1**	**3**	**6**	**10**	**13**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	6.1	15	1	4	5	7	14	14
18-34	236	5.5	40	1	2	3	7	16	21
35-49	39	8.6	77						
50-69	47	15.4	276	<1	5	7	23	49	49
70+	32	5.7	27						
	424	**7.0**	**74**	**1**	**2**	**4**	**9**	**18**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	424	**7.0**	**74**	**1**	**2**	**4**	**9**	**18**	**23**

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	390	4.5	15	1	2	4	6	10	11	0-17	1556	2.5	5	1	1	2	3	5	7
70-74	211	5.4	108	1	1	3	5	11	15	18-34	1070	3.6	9	1	2	3	4	8	9
75-79	141	4.1	8	1	2	3	6	9	11	35-49	952	4.7	31	1	1	3	6	9	14
80-84	158	3.7	18	1	1	2	6	12	15	50-69	943	3.6	12	1	2	2	5	7	9
85 +	118	4.2	14	1	1	3	8	11	11	70 +	23	2.0							
SUBTOTAL	**1017**	**4.5**	**34**	**1**	**1**	**3**	**6**	**10**	**11**		**4545**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1017**	**4.5**	**34**	**1**	**1**	**3**	**6**	**10**	**11**		**4545**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	613	3.9	21	1	1	3	5	8	12	0-17	460	2.5	4	1	1	2	3	6	7
18-34	242	5.7	18	1	2	4	8	12	16	18-34	641	3.3	8	1	1	2	4	7	8
35-49	78	8.6	97	2	3	5	6	28	35	35-49	298	3.5	12	1	1	2	4	9	12
50-69	47	10.6	141	1	2	7	10	36	36	50-69	94	3.3	4	1	1	3	4	6	7
70 +	0									70 +	24	1.3							
SUBTOTAL	**979**	**5.1**	**35**	**1**	**2**	**3**	**6**	**11**	**16**		**1516**	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**979**	**5.1**	**35**	**1**	**2**	**3**	**6**	**11**	**16**		**1516**	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 267: Perianal & Pilonidal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	8	2.0								0-17	31	2.0	2						
70-74	8	10.0								18-34	71	3.1	6	1	1	2	3	8	8
75-79	0									35-49	39	3.6	4						
80-84	0									50-69	16	2.0	1						
85 +	0									70 +	0								
SUBTOTAL	**16**	**6.0**	**17**								**157**	**2.9**	**4**	**1**	**1**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	31	1.3								0-17	274	2.1	5	1	1	2	2	3	4
70-74	0									18-34	933	1.8	2	1	1	1	2	3	5
75-79	0									35-49	228	2.0	2	1	1	1	2	4	6
80-84	0									50-69	86	1.8		1	1	2	2	2	3
85 +	0									70 +	0								
SUBTOTAL	**31**	**1.3**									**1522**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**47**	**2.8**	**11**	**1**	**1**	**2**	**2**	**10**	**10**		**1679**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	24	4.0	5							18-34	16	3.5	7						
35-49	8	4.0								35-49	8	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32**	**4.0**	**4**								**23**	**2.7**	**6**						
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	39	1.6								0-17	78	1.7	1	< 1	1	1	2	4	4
18-34	63	1.5	1	1	1	1	2	3	3	18-34	220	1.5	1	< 1	1	1	2	3	3
35-49	15	3.5	2							35-49	24	2.0	2						
50-69	0									50-69	8	3.0							
70 +	0									70 +	0								
SUBTOTAL	**117**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**5**		**329**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**149**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**6**		**352**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	24	3.0	3							0-17	86	2.5	3	1	1	2	3	6	6
70-74	15	7.5	32							18-34	156	2.9	5	1	1	2	3	7	8
75-79	16	3.5	7							35-49	94	5.8	80	1	2	3	5	7	35
80-84	8	1.0								50-69	54	3.6	8	1	1	3	7	8	8
85 +	16	1.5								70 +	0								
SUBTOTAL	**78**	**3.5**	**13**	**1**	**1**	**2**	**5**	**9**	**13**		**391**	**3.6**	**25**	**1**	**1**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	93	3.8	11	1	1	3	5	5	13	0-17	279	1.7	1	1	1	1	2	4	4
70-74	32	1.5								18-34	290	2.4	5	1	1	2	3	4	7
75-79	31	2.5	1							35-49	273	2.8	3	1	2	2	4	5	6
80-84	23	1.3								50-69	281	1.6	1	1	1	1	2	3	4
85 +	16	1.0								70 +	8	3.0							
SUBTOTAL	**195**	**2.7**	**7**	**1**	**1**	**2**	**4**	**5**	**5**		**1131**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**273**	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**13**		**1521**	**2.5**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	2.7	3							0-17	16	1.5							
18-34	8	4.0								18-34	71	3.2	4	< 1	1	3	5	7	7
35-49	8	3.0								35-49	31	3.5	1						
50-69	0									50-69	31	7.8	62						
70 +	0									70 +	0								
SUBTOTAL	**39**	**3.0**	**2**								**149**	**4.1**	**19**	**1**	**2**	**3**	**5**	**7**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	93	2.1	3	1	1	1	2	3	7	0-17	85	1.7	1	1	1	1	2	3	4
18-34	31	3.2	1							18-34	95	2.3	4	1	1	2	3	3	8
35-49	47	2.3	1	1	2	2	3	4	4	35-49	172	1.8	1	1	1	2	2	3	3
50-69	8	2.0								50-69	335	1.4		1	1	1	2	2	2
70 +	0									70 +	47	1.2		1	1	1	1	2	2
SUBTOTAL	**179**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**		**734**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**218**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**883**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	742	11.8	100	3	7	10	15	21	29
70-74	414	12.9	127	3	6	9	16	34	40
75-79	398	13.8	152	2	4	9	18	34	42
80-84	243	14.7	125	3	7	12	21	27	42
85 +	353	11.7	103	3	5	8	16	26	29
SUBTOTAL	**2150**	**12.7**	**119**	**3**	**6**	**10**	**16**	**29**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2150**	**12.7**	**119**	**3**	**6**	**10**	**16**	**29**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	4.7	13	1	3	4	6	10	15
18-34	352	7.3	77	1	2	5	7	20	27
35-49	455	7.5	133	1	3	5	8	12	24
50-69	650	11.1	172	2	4	6	14	30	37
70 +	47	16.0	187	3	5	12	21	43	43
	1629	**8.9**	**134**	**2**	**3**	**5**	**9**	**23**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1629	**8.9**	**134**	**2**	**3**	**5**	**9**	**23**	**30**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	7.8	8						
18-34	188	8.7	57	1	4	6	13	19	25
35-49	140	10.3	50	1	5	9	16	21	25
50-69	101	13.9	136	3	9	11	15	29	46
70 +	24	5.7	3						
SUBTOTAL	**492**	**10.0**	**69**	**2**	**4**	**8**	**13**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**492**	**10.0**	**69**	**2**	**4**	**8**	**13**	**20**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	6.6	7	1	5	7	7	11	11
18-34	235	6.0	64	2	2	4	7	12	13
35-49	102	9.5	47	1	4	10	15	18	23
50-69	118	7.7	33	1	2	7	14	16	18
70 +	8	2.0							
	533	**7.1**	**47**	**1**	**2**	**5**	**10**	**15**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	533	**7.1**	**47**	**1**	**2**	**5**	**10**	**15**	**18**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	593	5.4	26	1	2	4	7	13	16
70-74	297	4.6	26	1	2	2	5	10	21
75-79	196	5.2	42	1	2	3	6	10	10
80-84	141	7.8	64	2	2	5	11	24	28
85 +	148	4.7	26	1	2	3	6	11	24
SUBTOTAL	**1376**	**5.4**	**33**	**1**	**2**	**3**	**6**	**13**	**19**
GRAND TOTAL	**1376**	**5.4**	**33**	**1**	**2**	**3**	**6**	**13**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1276	2.5	6	1	1	2	3	5	7
18-34	1056	3.3	7	1	1	3	4	7	7
35-49	1089	3.4	9	1	2	3	4	7	9
50-69	984	3.7	23	1	1	3	5	7	9
70 +	8	11.0							
	4413	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**8**
	4413	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	536	3.9	25	1	1	2	5	9	11
18-34	384	4.1	12	1	2	3	6	10	11
35-49	110	4.0	4	1	2	4	5	7	8
50-69	62	3.4	4	< 1	1	4	6	6	6
70 +	0								
SUBTOTAL	**1091**	**4.0**	**17**	**1**	**1**	**2**	**5**	**8**	**11**
GRAND TOTAL	**1091**	**4.0**	**17**	**1**	[illegible]	**2**	**5**	**8**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	365	3.7	28	1	1	2	5	6	9
18-34	486	3.8	45	1	1	2	4	7	8
35-49	251	3.3	9	1	1	2	4	6	8
50-69	180	2.7	4	1	1	2	4	6	7
70 +	71	2.3	2	1	1	2	3	6	6
	1352	**3.5**	**26**	**1**	**1**	**2**	**4**	**6**	**8**
	1352	**3.5**	**26**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 271: Skin Ulcers

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1027	10.9	114	3	5	8	13	21	40
70-74	636	11.5	127	4	6	9	13	25	32
75-79	620	12.0	49	4	6	11	17	23	26
80-84	620	11.2	78	4	6	8	13	21	35
85 +	725	10.7	87	5	6	8	11	20	24
SUBTOTAL	**3627**	**11.2**	**94**	**4**	**6**	**8**	**13**	**22**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	218	7.9	44	1	4	6	10	18	23
70-74	110	10.4	33	5	7	8	12	21	22
75-79	250	6.3	25	1	2	5	9	12	15
80-84	133	9.3	46	4	6	7	9	26	28
85 +	164	12.1	198	3	4	7	13	23	39
SUBTOTAL	**876**	**8.8**	**70**	**2**	**4**	**7**	**10**	**17**	**23**
GRAND TOTAL	**4502**	**10.7**	**90**	**3**	**5**	**8**	**13**	**21**	**26**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	7.3	15						
18-34	125	8.8	46	1	3	7	17	19	20
35-49	196	7.1	16	3	5	6	8	14	14
50-69	470	10.3	70	4	6	8	12	20	35
70 +	54	8.9	23	4	4	8	10	19	19
	876	**9.2**	**51**	**3**	**5**	**7**	**11**	**18**	**20**
0-17	23	5.7	3						
18-34	62	11.7	62	4	6	7	20	26	26
35-49	16	2.5	2						
50-69	54	8.5	50	< 1	2	8	15	21	21
70 +	0								
	156	**8.8**	**52**	**2**	**4**	**7**	**15**	**21**	**24**
	1032	**9.1**	**51**	**3**	**5**	**7**	**11**	**18**	**21**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	62	8.0	10	4	5	7	11	14	14
18-34	133	11.4	109	3	5	6	14	34	40
35-49	141	11.5	159	3	4	6	10	42	47
50-69	133	12.5	112	4	6	9	16	25	46
70 +	24	4.6	3						
SUBTOTAL	**493**	**11.0**	**110**	**3**	**5**	**7**	**14**	**21**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	9.0	34						
18-34	47	8.8	26	3	5	7	15	16	16
35-49	23	5.4	7						
50-69	8	4.0							
70 +	0								
SUBTOTAL	**102**	**7.7**	**24**	**3**	**4**	**5**	**9**	**16**	**17**
GRAND TOTAL	**594**	**10.4**	**97**	**3**	**4**	**7**	**14**	**20**	**40**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	55	7.7	44	4	4	4	10	23	23
35-49	71	11.8	38	4	10	11	13	27	27
50-69	63	7.5	38	1	2	6	10	21	21
70 +	55	5.6	12	2	2	5	9	12	12
	244	**8.4**	**38**	**2**	**4**	**6**	**11**	**13**	**23**
0-17	8	2.0							
18-34	0								
35-49	32	7.0	69						
50-69	8	4.0							
70 +	39	9.5	85						
	86	**7.4**	**69**	**1**	**2**	**3**	**20**	**21**	**21**
	330	**8.1**	**46**	**2**	**3**	**5**	**11**	**21**	**21**

DRG 272: Major Skin Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	756	11.8	44	4	6	11	18	21	23	0-17	280	5.4	13	2	3	4	6	12	14
70-74	461	10.6	48	2	5	9	14	21	26	18-34	171	8.4	49	2	4	6	10	20	25
75-79	375	11.5	54	3	5	11	18	22	26	35-49	334	12.0	68	2	3	12	20	22	22
80-84	329	11.6	81	3	5	9	14	22	34	50-69	599	13.4	86	4	6	13	20	25	28
85 +	218	9.1	31	3	5	7	12	20	21	70 +	0								
SUBTOTAL	**2138**	**11.2**	**51**	**3**	**6**	**9**	**16**	**21**	**25**		**1384**	**10.8**	**72**	**2**	**4**	**8**	**17**	**22**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2138**	**11.2**	**51**	**3**	**6**	**9**	**16**	**21**	**25**		**1384**	**10.8**	**72**	**2**	**4**	**8**	**17**	**22**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	101	5.8	32	2	2	3	6	11	22	0-17	62	5.5	8	2	3	5	9	10	10
18-34	101	10.7	43	4	5	8	15	20	22	18-34	39	12.9	265						
35-49	163	18.5	110	8	13	15	26	29	39	35-49	23	4.0	2						
50-69	62	14.2	21	9	12	13	16	25	25	50-69	31	7.8	25						
70 +	8	8.0								70 +	16	8.5	13						
SUBTOTAL	**434**	**12.9**	**87**	**2**	**5**	**12**	**17**	**26**	**29**		**171**	**7.7**	**78**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**434**	**12.9**	**87**	**2**	**5**	**12**	**17**	**26**	**29**		**171**	**7.7**	**78**	**2**	**3**	**5**	**8**	**12**	**16**

DRG 273: Major Skin Disorders w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	496	13.2	61	2	6	13	19	23	24
70-74	327	9.7	56	2	3	7	16	21	24
75-79	156	9.8	33	3	5	9	15	18	20
80-84	148	11.8	48	2	7	11	16	23	24
85 +	47	8.5	12	4	6	8	10	15	15
SUBTOTAL	**1175**	**11.4**	**55**	**3**	**5**	**11**	**17**	**21**	**24**
GRAND TOTAL	**1175**	**11.4**	**55**	**3**	**5**	**11**	**17**	**21**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	777	7.6	46	1	2	4	11	17	22
18-34	404	12.2	54	2	4	14	19	21	22
35-49	591	13.1	71	3	6	15	19	21	23
50-69	731	13.8	63	3	6	14	20	23	24
70 +	16	8.1	52						
	2519	**11.4**	**65**	**2**	**3**	**11**	**18**	**22**	**23**
	2519	**11.4**	**65**	**2**	**3**	**11**	**18**	**22**	**23**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	202	5.6	31	1	2	3	7	16	16
18-34	139	12.0	43	5	9	11	13	22	33
35-49	140	15.1	78	6	9	12	20	22	44
50-69	23	14.7	50						
70 +	0								
SUBTOTAL	**505**	**10.4**	**65**	**2**	**4**	**9**	**14**	**20**	**22**
GRAND TOTAL	**505**	**10.4**	**65**	**2**	**4**	**9**	**14**	**20**	**22**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	194	3.9	15	1	2	3	4	7	9
18-34	47	4.8	10	1	2	4	8	10	10
35-49	15	12.0	129						
50-69	23	8.0	64						
70 +	24	6.0	11						
	303	**4.9**	**27**	**1**	**2**	**3**	**6**	**10**	**20**
	303	**4.9**	**27**	**1**	**2**	**3**	**6**	**10**	**20**

DRG 274: Malignant Breast Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	203	11.1	129	3	5	7	11	27	30
70-74	181	8.0	37	3	3	7	12	17	21
75-79	149	10.0	88	2	5	8	11	20	43
80-84	87	9.7	27	3	7	8	13	16	19
85 +	39	6.4	21						
SUBTOTAL	**659**	**9.5**	**76**	**3**	**4**	**7**	**12**	**20**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**659**	**9.5**	**76**	**3**	**4**	**7**	**12**	**20**	**26**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	39	8.9	42						
35-49	203	8.1	31	3	4	7	11	15	17
50-69	345	8.2	55	1	3	6	12	17	22
70 +	8	5.0							
	595	**8.1**	**45**	**2**	**4**	**6**	**11**	**17**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	595	**8.1**	**45**	**2**	**4**	**6**	**11**	**17**	**22**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	23.0							
35-49	86	13.6	271	3	3	5	21	26	58
50-69	62	7.7	57	< 1	3	5	12	25	25
70 +	0								
SUBTOTAL	**156**	**11.7**	**186**	**1**	**3**	**5**	**21**	**26**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**156**	**11.7**	**186**	**1**	**3**	**5**	**21**	**26**	**45**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	15	5.0							
50-69	23	8.3	11						
70 +	32	11.0	152						
	71	**8.8**	**76**	**3**	**5**	**5**	**6**	**32**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	71	**8.8**	**76**	**3**	**5**	**5**	**6**	**32**	**32**

DRG 275: Malignant Breast Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	2.8	2							0-17	0								
70-74	47	4.8	9	1	1	5	7	9	9	18-34	0								
75-79	16	7.6	22							35-49	71	5.1	62	1	1	3	4	27	27
80-84	23	2.3	2							50-69	78	3.9	11	1	1	4	5	10	12
85 +	0									70 +	8	5.0							
SUBTOTAL	**118**	**4.1**	**10**	**1**	**1**	**4**	**6**	**9**	**12**		**157**	**4.5**	**34**	**1**	**1**	**3**	**5**	**10**	**20**
GRAND TOTAL	**118**	**4.1**	**10**	**1**	**1**	**4**	**6**	**9**	**12**		**157**	**4.5**	**34**	**1**	**1**	**3**	**5**	**10**	**20**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	23	8.4	32							35-49	8	1.0							
50-69	8	13.0								50-69	23	1.7							
70 +	0									70 +	8	3.0							
SUBTOTAL	**31**	**9.6**	**28**								**39**	**1.8**	**1**						
GRAND TOTAL	**31**	**9.6**	**28**								**39**	**1.8**	**1**						

DRG 276: Non-malignant Breast Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	4.3	13						
70-74	24	8.3	31						
75-79	16	6.0	4						
80-84	8	6.0							
85 +	24	8.4	42						
SUBTOTAL	102	6.6	24	2	4	5	8	16	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	23	7.3	1						
70-74	16	6.0	4						
75-79	16	6.5	7						
80-84	8	1.0							
85 +	8	4.0							
SUBTOTAL	71	5.8	6	< 1	4	6	8	9	9
GRAND TOTAL	172	6.2	17	2	4	6	8	10	16

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	8	3.0							
18-34	55	3.9	16	1	1	2	4	13	13
35-49	39	3.4	1						
50-69	39	9.2	11						
70 +	0								
SUBTOTAL	141	5.2	16	1	2	4	6	13	14
2.PATIENTS W/OUT CCs									
0-17	47	3.2	3	1	2	3	4	6	6
18-34	211	3.3	1	2	2	3	4	5	5
35-49	134	5.8	21	1	3	4	9	11	19
50-69	62	2.8	4	< 1	1	2	5	6	6
70 +	0								
SUBTOTAL	455	4.0	9	1	2	3	5	7	11
GRAND TOTAL	595	4.2	11	1	2	4	5	9	12

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	23	3.0	1						
35-49	23	5.6	9						
50-69	8	5.0							
70 +	0								
SUBTOTAL	55	4.4	5	2	2	4	6	9	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	62	3.0	2	1	2	3	5	5	5
18-34	78	3.5	5	1	2	3	4	7	9
35-49	8	2.0							
50-69	0								
70 +	0								
SUBTOTAL	148	3.2	4	1	2	3	4	5	9
GRAND TOTAL	203	3.5	4	1	2	3	5	6	9

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	16	4.0							
70 +	0								
SUBTOTAL	16	4.0							
2.PATIENTS W/OUT CCs									
0-17	24	3.3	1						
18-34	78	2.9	2	1	2	3	3	5	6
35-49	39	3.8	4						
50-69	16	5.0	1						
70 +	8	3.0							
SUBTOTAL	165	3.4	2	2	2	3	4	6	6
GRAND TOTAL	180	3.4	2	2	2	3	4	6	6

DRG 277: Cellulitis Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4363	7.7	33	3	4	7	9	13	17	0-17	0								
70-74	2364	8.3	36	3	5	7	10	15	19	18-34	1184	5.5	16	2	3	4	7	11	14
75-79	1994	8.8	51	4	5	7	10	15	19	35-49	2088	6.4	19	2	4	5	8	11	14
80-84	2182	9.1	43	3	5	8	11	16	21	50-69	3415	7.3	23	3	4	6	9	12	15
85 +	2311	8.3	30	3	5	7	10	14	19	70 +	189	6.4	10	4	4	6	8	8	10
SUBTOTAL	**13214**	**8.3**	**38**	**3**	**5**	**7**	**10**	**14**	**19**		**6876**	**6.7**	**21**	**2**	**4**	**6**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	13214	8.3	38	3	5	7	10	14	19		**6876**	**6.7**	**21**	**2**	**4**	**6**	**8**	**12**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	782	6.8	28	2	3	5	8	13	15	18-34	692	5.4	18	2	3	4	6	11	14
35-49	909	7.4	20	3	4	6	9	14	17	35-49	637	7.1	27	3	4	6	9	13	17
50-69	698	8.0	28	3	5	7	10	15	20	50-69	590	7.4	21	3	4	6	9	14	19
70 +	47	8.5	9	4	5	9	11	12	12	70 +	244	7.2	30	3	4	6	9	10	23
SUBTOTAL	**2436**	7.4	**25**	3	4	6	**9**	13	17		**2163**	**6.7**	**24**	2	3	5	8	13	17
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	2436	7.4	25	3	4	6	9	13	17		**2163**	6.7	24	2	3	5	8	13	17

DRG 278: Cellulitis Age >17 w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2041	5.8	12	2	4	5	7	10	12
70-74	1116	5.9	12	2	4	5	8	10	13
75-79	1012	6.7	17	3	4	6	8	12	16
80-84	762	7.7	28	3	5	6	9	14	18
85 +	959	6.5	19	3	4	5	8	11	13
SUBTOTAL	**5889**	**6.3**	**17**	**3**	**4**	**5**	**8**	**11**	**14**
GRAND TOTAL	**5889**	**6.3**	**17**	**3**	**4**	**5**	**8**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2882	3.9	7	2	2	3	5	7	9
35-49	3272	4.8	12	2	3	4	6	8	11
50-69	3660	5.1	10	2	3	4	6	9	11
70 +	149	5.1	6	2	3	5	7	9	11
	9963	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
	9963	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1004	4.3	7	2	2	4	5	7	9
35-49	651	4.7	7	2	3	4	6	8	10
50-69	274	7.2	13	3	4	6	10	12	15
70 +	8	12.0							
SUBTOTAL	**1936**	**4.9**	**9**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**1936**	**4.9**	**9**	**2**	**3**	**4**	**6**	**9**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1272	4.0	10	1	2	3	5	7	9
35-49	707	4.3	6	2	3	4	5	8	9
50-69	715	5.0	22	2	3	4	6	8	9
70 +	165	6.2	9	4	4	6	7	9	12
	2860	**4.5**	**12**	**2**	**3**	**4**	**5**	**7**	**9**
	2860	**4.5**	**12**	**2**	**3**	**4**	**5**	**7**	**9**

DRG 279: Cellulitis Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	15	6.5	2							0-17	938	4.6	12	2	2	4	6	8	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**15**	**6.5**	**2**								**938**	**4.6**	**12**	**2**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	4.0								0-17	4269	3.6	7	2	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**4.0**									**4269**	**3.6**	**7**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**23**	**5.7**	**3**								**5207**	**3.8**	**8**	**2**	**2**	**3**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	702	5.5	16	2	3	4	7	11	14	0-17	389	3.6	5	2	2	3	4	7	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**702**	**5.5**	**16**	**2**	**3**	**4**	**7**	**11**	**14**		**389**	**3.6**	**5**	**2**	**2**	**3**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2534	3.7	7	2	2	3	4	6	8	0-17	2070	3.4	3	2	2	3	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2534**	**3.7**	**7**	**2**	**2**	**3**	**4**	**6**	**8**		**2070**	**3.4**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3236**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**10**		**2459**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	574	4.3	14	1	2	3	6	9	11	0-17	0								
70-74	520	4.8	16	1	2	4	7	11	12	18-34	1241	2.6	8	<1	1	2	3	5	8
75-79	528	5.7	28	1	3	5	8	10	11	35-49	637	3.2	13	1	1	2	4	5	8
80-84	637	5.1	12	2	2	4	7	9	12	50-69	833	5.2	38	1	2	3	6	12	17
85 +	926	6.1	19	2	3	5	7	13	15	70 +	220	4.9	8	1	3	5	6	9	11
SUBTOTAL	**3185**	**5.3**	**18**	**1**	**3**	**4**	**7**	**10**	**13**		**2932**	**3.6**	**19**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3185**	**5.3**	**18**	**1**	**3**	**4**	**7**	**10**	**13**		**2932**	**3.6**	**19**	**1**	**1**	**2**	**4**	**7**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	511	3.5	35	1	2	2	3	6	6	18-34	1248	2.9	22	<1	1	2	3	5	7
35-49	165	5.5	33	2	2	4	8	9	12	35-49	313	2.8	4	1	1	2	3	6	8
50-69	63	4.5	8	2	2	4	7	10	10	50-69	196	4.6	11	1	1	4	7	9	10
70 +	8	5.0								70 +	149	3.2	2	1	2	3	5	5	6
SUBTOTAL	**746**	**4.0**	**32**	**1**	**2**	**2**	**5**	**8**	**9**		**1907**	**3.1**	**17**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**746**	**4.0**	**32**	**1**	**2**	**2**	**5**	**8**	**9**		**1907**	**3.1**	**17**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	543	3.3	7	1	2	2	4	6	9
70-74	276	3.6	12	1	2	3	3	7	15
75-79	385	4.4	10	1	2	3	6	9	12
80-84	345	3.9	8	1	2	3	6	9	9
85+	764	4.0	6	1	2	4	6	7	8
SUBTOTAL	**2313**	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**2313**	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2828	2.0	3	<1	1	1	2	4	5
35-49	1588	2.6	4	1	1	2	3	5	6
50-69	1197	2.8	4	1	1	2	3	5	7
70+	157	2.8	3	1	2	2	3	6	7
SUBTOTAL	**5771**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**5771**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	799	2.0	3	<1	1	1	2	4	6
35-49	275	2.7	3	1	1	3	4	6	7
50-69	86	2.7	4	<1	1	2	4	4	8
70+	0								
SUBTOTAL	**1160**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1160**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2452	2.0	4	<1	1	1	2	4	5
35-49	487	2.6	11	<1	1	2	3	4	8
50-69	290	2.6	2	1	1	2	3	5	6
70+	126	3.5	13	1	1	2	4	10	14
SUBTOTAL	**3355**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3355**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**2.0**							
GRAND TOTAL	**8**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	660	2.5	3	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	660	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	2637	1.8	2	1	1	1	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2637	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**4**
	3297	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	314	2.7	4	1	1	2	4	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**314**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1186	2.3	3	1	1	2	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1186**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**1500**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	289	3.1	11	1	1	2	3	8	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	289	**3.1**	**11**	**1**	**1**	**2**	**3**	**8**	**13**
0-17	1241	1.8	3	<1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1241	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**
	1530	**2.1**	**4**	**<1**	**1**	**1**	**2**	**3**	**6**

DRG 283: Minor Skin Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	460	7.6	27	3	4	6	11	16	20	0-17	343	3.4	7	1	2	2	4	6	7
70-74	329	8.1	48	3	4	6	10	16	17	18-34	282	5.4	28	1	2	4	7	12	18
75-79	337	6.4	16	2	3	6	8	12	12	35-49	243	6.2	24	1	2	5	10	13	17
80-84	258	7.4	12	3	5	7	10	12	13	50-69	446	6.2	18	2	3	5	8	12	15
85 +	188	7.8	28	3	4	7	9	14	21	70 +	8	2.0							
SUBTOTAL	**1573**	**7.5**	**27**	**3**	**4**	**6**	**10**	**14**	**17**		**1322**	**5.3**	**20**	**1**	**2**	**4**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1573**	**7.5**	**27**	**3**	**4**	**6**	**10**	**14**	**17**		**1322**	**5.3**	**20**	**1**	**2**	**4**	**7**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	256	3.9	7	2	2	3	4	7	8	0-17	124	5.4	16	2	2	4	7	10	17
18-34	109	8.1	36	2	3	6	12	16	22	18-34	86	3.8	4	2	2	3	6	6	8
35-49	47	6.2	4	3	5	6	8	9	9	35-49	31	9.3	9						
50-69	47	7.8	43	3	3	5	10	21	21	50-69	63	5.1	7	3	3	4	6	11	11
70 +	0									70 +	32	4.0	3						
SUBTOTAL	**460**	**5.6**	**21**	**2**	**3**	**4**	**7**	**12**	**16**		**335**	**5.2**	**12**	**2**	**3**	**4**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**460**	**5.6**	**21**	**2**	**3**	**4**	**7**	**12**	**16**		**335**	**5.2**	**12**	**2**	**3**	**4**	**7**	**10**	**11**

DRG 284: Minor Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	383	4.4	15	1	1	4	6	9	11	0-17	1153	2.7	6	1	1	2	3	5	7
70-74	242	5.2	25	1	2	3	7	13	19	18-34	495	3.6	11	1	1	2	5	7	10
75-79	164	5.1	12	3	3	4	4	9	14	35-49	744	4.1	11	1	2	3	5	9	12
80-84	94	4.4	13	2	2	3	7	11	12	50-69	572	4.8	24	1	1	3	6	11	19
85 +	70	5.9	13	1	2	7	8	11	11	70 +	8	3.0							
SUBTOTAL	**953**	**4.9**	**17**	**1**	**2**	**4**	**7**	**10**	**13**		**2973**	**3.6**	**12**	**1**	**1**	**2**	**4**	**8**	**11**
GRAND TOTAL	**953**	**4.9**	**17**	**1**	**2**	**4**	**7**	**10**	**13**		**2973**	**3.6**	**12**	**1**	**1**	**2**	**4**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	631	4.2	16	1	2	3	5	9	15	0-17	421	2.6	4	1	1	2	3	5	7
18-34	140	5.8	63	1	2	3	5	13	35	18-34	179	2.3	6	1	1	2	2	4	5
35-49	78	4.7	14	1	2	3	7	11	12	35-49	125	2.8	6	1	1	2	4	6	10
50-69	31	4.8	19							50-69	62	4.5	17	< 1	1	3	6	14	14
70 +	0									70 +	15	1.0							
SUBTOTAL	**881**	**4.5**	**23**	**1**	**2**	**3**	**5**	**11**	**15**		**803**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**881**	**4.5**	**23**	**1**	**2**	**3**	**5**	**11**	**15**		**803**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	306	18.0	181	4	8	16	21	39	47	0-17	0								
70-74	212	21.2	274	5	10	18	26	33	54	18-34	31	17.7	34						
75-79	141	28.8	571	7	9	23	42	82	85	35-49	55	12.8	89	2	8	11	15	34	34
80-84	133	28.0	487	8	14	20	32	68	93	50-69	148	20.2	157	6	11	17	30	39	52
85 +	62	20.4	282	3	9	11	40	50	50	70 +	0								
SUBTOTAL	**854**	**22.3**	**341**	**7**	**10**	**17**	**27**	**48**	**64**		**234**	**18.1**	**133**	**6**	**10**	**14**	**25**	**35**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	24	20.0	81							0-17	0								
70-74	8	7.0								18-34	0								
75-79	8	14.0								35-49	31	2.2	3						
80-84	0									50-69	32	7.5	32						
85 +	0									70 +	0								
SUBTOTAL	**39**	**16.2**	**75**								**63**	**4.9**	**24**	**1**	**1**	**2**	**8**	**14**	**14**
GRAND TOTAL	**894**	**22.1**	**331**	**7**	**10**	**17**	**27**	**47**	**64**		**297**	**15.4**	**139**	**2**	**7**	**12**	**23**	**34**	**39**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	23	18.6	52							18-34	0								
35-49	8	37.0								35-49	15	20.0	38						
50-69	31	30.1	276							50-69	31	17.8	56						
70 +	0									70 +	15	8.5	7						
SUBTOTAL	**62**	**26.6**	**199**	**11**	**15**	**22**	**36**	**55**	**55**		**62**	**16.0**	**58**	**6**	**8**	**14**	**23**	**26**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	3.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	8	6.0							
50-69	0									50-69	23	7.7	10						
70 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**31**	**7.3**	**8**						
GRAND TOTAL	**70**	**24.0**	**232**	**3**	**15**	**17**	**35**	**55**	**55**		**94**	**13.1**	**58**	**6**	**6**	**11**	**15**	**26**	**26**

DRG 286: Adrenal & Pituitary Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	93	11.3	60	5	6	9	19	20	31	0-17	77	9.3	25	5	6	8	10	19	23
70-74	54	15.7	100	5	7	10	26	29	29	18-34	124	10.9	137	4	5	6	15	20	52
75-79	31	9.0	9							35-49	179	10.2	45	6	7	9	10	16	25
80-84	8	18.0								50-69	217	10.3	36	5	7	9	13	16	24
85 +	0									70 +	0								
SUBTOTAL	**186**	**12.5**	**67**	**5**	**6**	**9**	**19**	**26**	**29**		**598**	**10.3**	**58**	**5**	**6**	**8**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	54	7.9	9	5	6	6	12	13	13	0-17	93	6.3	2	5	5	6	7	9	9
70-74	47	9.7	28	6	7	8	9	21	21	18-34	163	6.0	2	5	5	6	6	8	9
75-79	16	15.5	60							35-49	194	6.9	5	5	5	6	8	10	12
80-84	8	8.0								50-69	218	7.0	5	4	5	7	8	10	12
85 +	0									70 +	0								
SUBTOTAL	**124**	**9.5**	**27**	**6**	**6**	**8**	**12**	**21**	**23**		**667**	**6.6**	**4**	**5**	**5**	**6**	**8**	**9**	**10**
GRAND TOTAL	**311**	**11.3**	**53**	**5**	**6**	**8**	**14**	**24**	**28**		**1265**	**8.4**	**33**	**5**	**5**	**7**	**9**	**13**	**18**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	12.0	22							0-17	23	6.0	1						
18-34	16	6.0	10							18-34	16	5.5							
35-49	39	12.6	13							35-49	47	8.3	14	5	6	7	10	16	16
50-69	0									50-69	23	8.0	5						
70 +	0									70 +	16	14.0	17						
SUBTOTAL	**78**	**11.1**	**21**	**5**	**8**	**10**	**15**	**17**	**18**		**125**	**8.2**	**14**	**5**	**6**	**7**	**10**	**16**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	7.0							
18-34	39	6.0	2							18-34	23	5.3	3						
35-49	0									35-49	24	6.3	2						
50-69	0									50-69	47	5.2	1	3	5	6	6	6	6
70 +	0									70 +	0								
SUBTOTAL	**39**	**6.0**	**2**								**102**	**5.6**	**2**	**3**	**5**	**6**	**6**	**7**	**8**
GRAND TOTAL	**117**	**9.4**	**20**	**4**	**7**	**8**	**14**	**17**	**18**		**227**	**7.0**	**10**	**5**	**5**	**6**	**7**	**10**	**16**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	479	16.4	209	5	8	10	21	33	41	0-17	8	37.0							
70-74	244	15.5	202	4	7	10	17	42	44	18-34	31	9.7	27						
75-79	157	16.4	118	7	9	12	18	37	43	35-49	157	11.4	43	3	7	10	16	22	23
80-84	94	14.4	39	6	9	13	20	22	24	50-69	399	12.7	165	4	4	8	13	31	44
85 +	133	19.9	384	7	11	13	19	37	90	70 +	32	27.5	176						
SUBTOTAL	**1107**	**16.5**	**202**	**6**	**8**	**11**	**21**	**35**	**44**		**626**	**13.3**	**145**	**3**	**5**	**10**	**16**	**31**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	25.0	4							0-17	0								
70-74	8	30.0								18-34	8	6.0							
75-79	8	1.0								35-49	47	6.8	37	2	3	5	6	20	20
80-84	0									50-69	39	6.4	11						
85 +	0									70 +	0								
SUBTOTAL	**32**	**20.2**	**134**								**95**	**6.6**	**23**	**2**	**3**	**5**	**8**	**11**	**20**
GRAND TOTAL	**1139**	**16.6**	**201**	**6**	**8**	**12**	**21**	**35**	**43**		**721**	**12.4**	**134**	**3**	**5**	**9**	**15**	**24**	**43**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	47	16.5	277	2	3	13	17	51	51	18-34	0								
35-49	55	15.0	249	1	7	9	15	52	52	35-49	39	10.6	42						
50-69	86	14.5	161	5	5	7	25	25	46	50-69	110	8.9	20	2	4	9	13	14	16
70 +	0									70 +	16	8.5	2						
SUBTOTAL	**187**	**15.1**	**214**	**3**	**6**	**9**	**18**	**46**	**51**		**164**	**9.3**	**24**	**3**	**4**	**9**	**13**	**16**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	8	17.0								18-34	0								
35-49	8	7.0								35-49	8	7.0							
50-69	8	7.0								50-69	8	14.0							
70 +	0									70 +	0								
SUBTOTAL	**23**	**10.3**	**23**								**16**	**10.5**	**13**						
GRAND TOTAL	**210**	**14.6**	**195**	**3**	**6**	**9**	**17**	**46**	**51**		**180**	**9.4**	**23**	**3**	**4**	**9**	**14**	**16**	**16**

DRG 288: O.R. Procedures for Obesity

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	86	19.5	550	5	5	7	35	37	84		0-17	15	7.5							
70-74	16	11.6	22								18-34	204	5.8	3	3	4	6	7	8	9
75-79	0										35-49	712	6.5	9	4	5	6	7	9	11
80-84	8	16.0									50-69	172	7.6	20	4	6	7	8	10	10
85 +	8	38.0									70 +	0								
SUBTOTAL	**117**	**19.4**	**438**	**5**	**5**	**8**	**35**	**38**	**84**			**1103**	**6.5**	**10**	**4**	**5**	**6**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	63	3.9	1	2	3	4	5	6	6		0-17	15	5.0	1						
70-74	0										18-34	809	4.7	3	3	3	5	6	7	8
75-79	0										35-49	1136	4.5	4	2	3	4	6	7	8
80-84	0										50-69	252	4.1	3	2	3	4	5	6	8
85 +	0										70 +	0								
SUBTOTAL	**63**	**3.9**	**1**	**2**	**3**	**4**	**5**	**6**	**6**			**2212**	**4.5**	**4**	**2**	**3**	**4**	**6**	**7**	**8**
GRAND TOTAL	**181**	**14.0**	**339**	**3**	**4**	**6**	**16**	**37**	**38**			**3316**	**5.2**	**7**	**3**	**3**	**5**	**6**	**8**	**9**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	15	51.5	1668								0-17	0								
18-34	78	6.2	3	3	6	6	8	8	8		18-34	15	5.0	1						
35-49	71	6.4	9	3	5	6	6	14	14		35-49	55	4.0	4	1	2	4	6	6	6
50-69	15	21.0	107								50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**180**	**11.5**	**317**	**4**	**5**	**6**	**8**	**14**	**31**			**70**	**4.2**	**3**	**1**	**3**	**4**	**6**	**6**	**6**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	95	4.3	2	3	3	4	5	6	8		18-34	93	3.6	4	1	2	4	5	5	8
35-49	109	6.4	3	4	5	6	7	9	10		35-49	164	2.5	4	1	1	1	3	5	7
50-69	32	4.7	4								50-69	31	3.0	2						
70 +	0										70 +	8	2.0							
SUBTOTAL	**235**	**5.3**	**4**	**3**	**4**	**5**	**7**	**8**	**9**			**296**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**8**
GRAND TOTAL	**415**	**8.0**	**148**	**3**	**4**	**6**	**8**	**10**	**14**			**366**	**3.1**	**4**	**1**	**1**	**3**	**5**	**6**	**6**

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	318	5.8	15	3	3	4	7	11	15	0-17	8	5.0							
70-74	94	6.9	19	4	4	5	8	14	18	18-34	15	22.5	366						
75-79	31	10.9	154							35-49	70	4.1	3	2	3	4	4	7	7
80-84	31	3.3	1							50-69	140	4.1	9	2	2	3	4	7	15
85 +	24	10.4	98							70 +	0								
SUBTOTAL	**498**	**6.4**	**30**	**3**	**4**	**4**	**7**	**13**	**18**		**233**	**5.3**	**51**	**2**	**2**	**4**	**5**	**7**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	257	3.6	4	2	2	4	4	5	10	0-17	16	7.4	22						
70-74	163	3.4	2	2	2	3	4	5	6	18-34	78	3.4	6	1	2	3	4	8	10
75-79	101	5.3	24	2	3	4	5	9	21	35-49	273	2.9	2	2	2	3	4	4	6
80-84	70	4.9	10	2	3	4	4	13	13	50-69	623	3.0	4	2	2	2	4	5	5
85 +	31	6.8	37							70 +	8	3.0							
SUBTOTAL	**623**	**4.1**	**10**	**2**	**2**	**4**	**4**	**6**	**10**		**998**	**3.1**	**4**	**2**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**1120**	**5.1**	**20**	**2**	**3**	**4**	**5**	**10**	**15**		**1230**	**3.5**	**13**	**2**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	8	17.0								35-49	0								
50-69	23	4.7	7							50-69	15	6.0	17						
70 +	0									70 +	16	3.0							
SUBTOTAL	**31**	**7.8**	**34**								**31**	**4.5**	**11**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	15	5.0	1							18-34	24	3.3							
35-49	23	10.7	25							35-49	16	2.5							
50-69	16	3.5	2							50-69	109	3.8	14	1	2	2	5	9	14
70 +	0									70 +	16	2.0							
SUBTOTAL	**55**	**7.0**	**22**	**2**	**4**	**5**	**10**	**17**	**17**		**164**	**3.4**	**9**	**1**	**2**	**2**	**3**	**7**	**10**
GRAND TOTAL	**86**	**7.3**	**27**	**2**	**4**	**5**	**10**	**17**	**17**		**195**	**3.6**	**10**	**1**	**2**	**2**	**3**	**9**	**10**

DRG 290: Thyroid Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	312	4.8	15	2	3	3	5	9	16
70-74	219	6.5	58	2	2	4	7	18	24
75-79	63	4.4	5	1	3	5	6	8	8
80-84	55	6.3	61	2	2	3	5	25	25
85+	39	8.0	40						
SUBTOTAL	**688**	**5.6**	**34**	**2**	**3**	**3**	**6**	**11**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	916	2.9	2	2	2	3	3	4	6
70-74	407	2.7	1	2	2	3	3	4	4
75-79	274	3.4	5	1	2	3	5	6	8
80-84	118	3.7	1	2	3	4	5	5	6
85+	62	5.5	16	1	2	4	8	13	13
SUBTOTAL	**1778**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2466**	**3.8**	**13**	**2**	**2**	**3**	**4**	**6**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	3.0	1						
18-34	249	3.8	7	2	2	3	5	7	9
35-49	414	3.4	3	2	2	3	4	6	7
50-69	351	3.8	3	1	3	3	5	6	7
70+	8	10.0							
	1046	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**7**
0-17	226	2.4	2	1	1	2	3	5	5
18-34	1714	2.4	2	1	2	2	3	4	5
35-49	2880	2.4	2	1	2	2	3	4	4
50-69	1902	2.6	2	1	2	2	3	4	5
70+	8	7.0							
	6730	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**4**
	7776	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	11.0							
18-34	39	5.2	17						
35-49	47	4.2		3	4	4	5	5	5
50-69	39	5.8	1						
70+	0								
SUBTOTAL	**132**	**5.3**	**8**	**2**	**4**	**5**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	297	2.3	1	1	2	2	3	3	5
35-49	149	2.7	1	1	2	3	4	4	5
50-69	94	2.4	1	1	2	2	3	4	5
70+	0								
SUBTOTAL	**548**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**680**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	87	3.7	12	2	2	2	5	8	13
35-49	86	3.6	8	1	1	2	5	8	10
50-69	71	3.3	5	1	2	3	3	9	9
70+	32	6.2	28						
	282	**3.8**	**11**	**1**	**2**	**2**	**5**	**9**	**13**
0-17	62	2.6		2	2	3	3	4	4
18-34	470	2.6	7	1	2	2	3	4	5
35-49	487	1.8	1	1	1	2	2	3	3
50-69	298	2.3	1	1	2	2	2	4	5
70+	47	1.3		1	1	1	2	2	2
	1363	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**
	1646	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 291: Thyroglossal Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	8	10.0							
70-74	8	2.0								18-34	23	2.0	1						
75-79	0									35-49	0								
80-84	8	8.0								50-69	8	1.0							
85 +	0									70 +	0								
SUBTOTAL	**16**	**5.0**	**10**								**39**	**3.4**	**12**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	459	1.3	1	1	1	1	1	2	3
70-74	8	2.0								18-34	125	1.5		1	1	1	2	2	3
75-79	0									35-49	118	1.7		1	1	2	2	3	3
80-84	0									50-69	55	1.6	1	1	1	1	2	3	3
85 +	0									70 +	0								
SUBTOTAL	**8**	**2.0**									**756**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**24**	**4.0**	**8**								**795**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**8**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	124	1.6	2	1	1	1	2	2	7	0-17	148	1.2		1	1	1	1	2	3
18-34	16	2.0	1							18-34	55	1.3		1	1	1	2	2	2
35-49	0									35-49	24	1.0							
50-69	0									50-69	8	2.0							
70 +	0									70 +	0								
SUBTOTAL	**140**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**7**		**233**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**140**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**7**		**241**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	429	16.8	188	4	8	13	21	41	53	0-17	54	25.4	698	9	10	10	29	87	87
70-74	289	14.8	212	4	6	10	19	31	36	18-34	54	14.3	58	4	6	13	22	26	26
75-79	196	17.0	177	5	7	15	23	35	37	35-49	148	13.2	178	3	4	8	17	39	52
80-84	78	15.2	96	6	6	15	19	30	39	50-69	196	11.3	63	5	7	10	15	17	18
85 +	78	12.5	30	5	8	13	16	21	23	70 +	8	12.0							
SUBTOTAL	**1071**	**15.9**	**175**	**4**	**7**	**12**	**20**	**35**	**45**		**460**	**14.0**	**190**	**3**	**7**	**10**	**16**	**28**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1071**	**15.9**	**175**	**4**	**7**	**12**	**20**	**35**	**45**		**460**	**14.0**	**190**	**3**	**7**	**10**	**16**	**28**	**44**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	27.0	331							0-17	15	16.0	10						
18-34	31	11.3	55							18-34	15	8.5	32						
35-49	16	9.0	1							35-49	23	20.2	627						
50-69	47	10.2	41	3	6	8	12	23	23	50-69	47	12.2	15	5	10	13	15	16	16
70 +	8	12.0								70 +	23	23.2	396						
SUBTOTAL	**125**	**13.5**	**130**	**3**	**6**	**10**	**19**	**37**	**42**		**125**	**15.7**	**221**	**3**	**5**	**13**	**16**	**50**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**125**	**13.5**	**130**	**3**	**6**	**10**	**19**	**37**	**42**		**125**	**15.7**	**221**	**3**	**5**	**13**	**16**	**50**	**55**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	86	8.6	53	3	5	6	11	18	27
70-74	15	7.0	1						
75-79	39	9.2	32						
80-84	24	10.0	15						
85 +	8	3.0							
SUBTOTAL	**172**	**8.5**	**38**	**3**	**5**	**7**	**9**	**18**	**20**
GRAND TOTAL	**172**	**8.5**	**38**	**3**	**5**	**7**	**9**	**18**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	101	5.2	15	1	3	4	7	12	13
18-34	31	6.2	23						
35-49	54	4.9	10	2	2	4	7	11	11
50-69	71	7.4	78	< 1	1	2	8	24	24
70 +	0								
	257	**5.8**	**33**	**1**	**2**	**4**	**7**	**13**	**22**
	257	**5.8**	**33**	**1**	**2**	**4**	**7**	**13**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3	9.0							
18-34	8	4.0							
35-49	8	17.0							
50-69	8	2.0							
70 +	0								
SUBTOTAL	**31**	**8.0**	**35**						
GRAND TOTAL	**31**	**8.0**	**35**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	15	3.0							
18-34	8	3.0							
35-49	8	3.0							
50-69	24	11.0	34						
70 +	0								
	55	**6.5**	**30**	**3**	**3**	**3**	**7**	**19**	**19**
	55	**6.5**	**30**	**3**	**3**	**3**	**7**	**19**	**19**

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	5586	7.6	40	3	4	6	9	13	17	0-17	0								
70-74	3292	8.0	39	3	4	7	10	14	18	18-34	0								
75-79	2808	7.7	17	3	5	7	9	14	16	35-49	2901	5.7	16	2	3	5	7	10	13
80-84	2153	8.4	34	3	5	7	10	15	17	50-69	4522	7.0	24	3	4	6	8	12	15
85 +	1208	8.7	41	3	4	7	10	19	22	70 +	204	6.8	16	3	4	5	8	11	14
SUBTOTAL	**15046**	**7.9**	**35**	**3**	**4**	**7**	**10**	**14**	**17**		**7628**	**6.5**	**21**	**3**	**4**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	3524	5.8	15	3	3	5	7	10	12	0-17	0								
70-74	1991	5.8	15	2	3	5	7	10	14	18-34	0								
75-79	1565	5.9	18	2	4	5	7	9	12	35-49	3491	4.5	8	2	3	4	6	8	9
80-84	921	6.8	48	2	4	5	8	11	16	50-69	4837	5.0	10	2	3	4	6	8	10
85 +	386	5.4	12	3	3	5	6	9	12	70 +	110	3.9	5	1	1	5	6	7	7
SUBTOTAL	**8387**	**5.9**	**19**	**3**	**3**	**5**	**7**	**10**	**13**		**8439**	**4.8**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**23433**	**7.2**	**30**	**3**	**4**	**6**	**9**	**13**	**16**		**16066**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	1286	7.9	44	3	4	6	9	15	22	35-49	980	5.7	15	2	3	5	7	9	14
50-69	1382	7.8	32	3	4	6	9	16	18	50-69	982	6.6	22	3	4	5	8	11	15
70 +	55	8.1	24	4	4	5	11	18	18	70 +	219	6.1	14	2	4	5	7	13	15
SUBTOTAL	**2723**	**7.8**	**38**	**3**	**4**	**6**	**9**	**16**	**20**		**2180**	**6.1**	**18**	**2**	**4**	**5**	**7**	**10**	**15**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	890	5.5	19	2	3	5	7	8	10	35-49	838	4.3	14	1	2	3	5	8	11
50-69	921	6.1	27	2	3	5	8	10	12	50-69	950	4.7	7	2	3	4	6	8	11
70 +	39	6.6	13							70 +	86	4.2	8	1	3	4	5	5	12
SUBTOTAL	**1850**	**5.8**	**23**	**2**	**3**	**5**	**7**	**10**	**12**		**1874**	**4.5**	**10**	**1**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**4573**	**7.0**	**33**	**3**	**4**	**5**	**8**	**13**	**18**		**4054**	**5.4**	**15**	**2**	**3**	**5**	**7**	**10**	**12**

DRG 295: Diabetes Age 0-35

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	471	7.5	86	1	3	4	9	14	32	0-17	1752	3.9	7	1	2	3	5	7	9
70-74	0									18-34	2405	5.0	19	2	3	4	6	9	10
75-79	0									35-49	102	6.9	57	2	4	5	6	8	32
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**471**	**7.5**	**86**	**1**	**3**	**4**	**9**	**14**	**32**		**4258**	**4.6**	**15**	**2**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	339	4.2	11	1	2	3	6	10	12	0-17	5916	4.1	5	2	2	4	5	7	8
70-74	0									18-34	3464	4.0	7	2	2	3	5	7	8
75-79	0									35-49	164	4.4	7	2	2	4	6	8	9
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**339**	**4.2**	**11**	**1**	**2**	**3**	**6**	**10**	**12**		**9544**	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**810**	**6.1**	**57**	**1**	**2**	**4**	**8**	**12**	**17**		**13802**	**4.2**	**9**	**2**	**2**	**4**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	724	4.1	7	2	3	3	5	7	8	0-17	437	3.6	8	1	2	3	5	7	9
18-34	1614	5.3	16	2	3	4	7	9	11	18-34	1215	4.7	8	2	3	4	6	8	9
35-49	70	6.3	9	1	5	7	8	11	11	35-49	110	4.6	8	3	3	4	5	5	14
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2408**	**5.0**	**13**	**2**	**3**	**4**	**6**	**8**	**11**		**1762**	**4.4**	**8**	**2**	**2**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1657	4.2	6	2	3	3	5	8	9	0-17	1712	3.9	5	1	2	3	6	7	8
18-34	1789	4.5	8	2	3	4	6	8	9	18-34	1629	3.6	8	2	2	3	5	6	8
35-49	94	8.2	14	3	5	8	11	13	14	35-49	118	3.3	5	1	1	2	6	7	7
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**3540**	**4.4**	**8**	**2**	**3**	**4**	**6**	**8**	**10**		**3459**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**5948**	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**		**5221**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11026	7.4	54	2	3	6	9	14	19
70-74	7836	7.5	33	3	4	6	9	15	19
75-79	8275	7.7	43	2	4	6	10	14	18
80-84	8280	8.2	52	3	4	6	10	15	20
85 +	10517	8.4	40	3	4	7	10	16	21
SUBTOTAL	**45935**	**7.8**	**45**	**2**	**4**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**45935**	**7.8**	**45**	**2**	**4**	**6**	**10**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2047	6.7	54	2	2	4	9	15	21
35-49	2502	6.2	38	2	3	4	8	12	16
50-69	6185	7.1	46	2	3	5	8	14	21
70 +	667	7.3	51	2	3	6	9	15	21
	11401	**6.8**	**46**	**2**	**3**	**5**	**8**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11401	**6.8**	**46**	**2**	**3**	**5**	**8**	**14**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1242	8.4	149	2	2	4	10	16	29
35-49	978	6.5	44	2	3	5	7	13	15
50-69	1730	7.9	58	2	3	5	10	17	22
70 +	157	6.5	17	1	3	6	9	13	14
SUBTOTAL	**4107**	**7.7**	**81**	**2**	**3**	**5**	**9**	**15**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4107**	**7.7**	**81**	**2**	**3**	**5**	**9**	**15**	**22**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	556	5.9	49	1	2	3	7	15	21
35-49	392	7.6	101	2	2	4	8	18	26
50-69	1263	5.3	15	2	3	4	7	10	13
70 +	958	6.5	20	2	4	5	8	13	15
	3169	**6.1**	**34**	**2**	**3**	**4**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3169	**6.1**	**34**	**2**	**3**	**4**	**7**	**12**	**16**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2849	5.2	17	2	3	4	7	10	13
70-74	2237	4.5	9	2	3	4	6	9	11
75-79	2631	5.1	14	2	3	4	6	10	12
80-84	2594	5.4	13	2	3	5	7	9	12
85 +	3244	5.3	15	2	3	4	7	9	13
SUBTOTAL	**13556**	**5.1**	**14**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**13556**	**5.1**	**14**	**2**	**3**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2665	4.4	36	1	2	3	4	10	14
35-49	1898	3.6	9	1	2	3	4	6	9
50-69	2334	4.1	9	1	2	3	5	7	9
70 +	181	4.1	5	2	2	3	6	6	9
	7077	**4.1**	**19**	**1**	**2**	**3**	**5**	**7**	**12**
	7077	**4.1**	**19**	**1**	**2**	**3**	**5**	**7**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	973	4.0	12	1	2	3	5	9	11
35-49	346	3.3	6	1	2	3	4	7	8
50-69	454	4.5	19	1	2	3	5	11	13
70 +	87	7.4	21	3	3	7	11	14	16
SUBTOTAL	**1859**	**4.2**	**14**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**1859**	**4.2**	**14**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	722	3.3	12	1	2	2	3	8	10
35-49	353	3.8	7	1	2	3	5	8	10
50-69	525	3.6	8	1	2	3	5	7	11
70 +	620	3.7	8	1	2	3	4	6	11
	2220	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**10**
	2220	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**10**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	93	3.9	8	1	2	3	7	7	10	0-17	3585	5.5	34	1	2	3	7	12	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**93**	**3.9**	**8**	**1**	**2**	**3**	**7**	**7**	**10**		**3585**	**5.5**	**34**	**1**	**2**	**3**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	4.8	11							0-17	12069	3.2	13	1	2	2	3	6	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**39**	**4.8**	**11**								**12069**	**3.2**	**13**	**1**	**2**	**2**	**3**	**6**	**10**
GRAND TOTAL	**133**	**4.1**	**9**	**1**	**2**	**3**	**7**	**10**	**10**		**15654**	**3.7**	**19**	**1**	**2**	**2**	**4**	**8**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2684	7.3	85	2	3	5	8	15	20	0-17	1136	6.6	82	1	2	4	8	13	21
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2684**	**7.3**	**85**	**2**	**3**	**5**	**8**	**15**	**20**		**1136**	**6.6**	**82**	**1**	**2**	**4**	**8**	**13**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7328	4.8	28	1	2	3	5	10	14	0-17	3618	3.4	14	1	2	2	4	7	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7328**	**4.8**	**28**	**1**	**2**	**3**	**5**	**10**	**14**		**3618**	**3.4**	**14**	**1**	**2**	**2**	**4**	**7**	**10**
GRAND TOTAL	**10012**	**5.5**	**45**	**1**	**2**	**3**	**6**	**11**	**15**		**4754**	**4.2**	**32**	**1**	**2**	**3**	**4**	**8**	**12**

DRG 299: Inborn Errors of Metabolism

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	156	10.3	94	1	4	6	14	19	33
70-74	16	9.5							
75-79	222	3.2	10	2	2	2	2	9	9
80-84	0								
85 +	0								
SUBTOTAL	**393**	**6.2**	**55**	**2**	**2**	**2**	**9**	**17**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	10.7	74	2	5	8	12	26	29
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**78**	**10.7**	**74**	**2**	**5**	**8**	**12**	**26**	**29**
GRAND TOTAL	**471**	**7.0**	**61**	**2**	**2**	**3**	**10**	**17**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	194	6.5	27	2	3	6	8	14	18
18-34	23	4.0	8						
35-49	117	9.2	32	4	6	8	12	14	27
50-69	47	5.7	4	4	5	5	5	10	10
70 +	8	21.0							
	390	**7.3**	**30**	**2**	**3**	**6**	**8**	**14**	**21**
0-17	465	4.1	8	1	2	3	7	8	9
18-34	47	2.5	2	1	1	2	4	5	5
35-49	110	4.7	23	< 1	1	3	4	14	17
50-69	39	3.2	9						
70 +	0								
	661	**4.0**	**11**	**1**	**2**	**3**	**6**	**8**	**9**
	1050	**5.2**	**20**	**1**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	85	5.0	7	2	2	5	7	9	9
18-34	15	2.5	2						
35-49	8	7.0							
50-69	0								
70 +	0								
SUBTOTAL	**108**	**4.8**	**7**	**1**	**2**	**5**	**7**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	2.1	1	< 1	1	2	3	4	4
18-34	16	6.5							
35-49	16	4.0							
50-69	47	11.2	14	3	11	13	13	14	14
70 +	0								
SUBTOTAL	**149**	**5.7**	**21**	**1**	**2**	**4**	**11**	**13**	**14**
GRAND TOTAL	**257**	**5.3**	**15**	**1**	**2**	**4**	**7**	**13**	**13**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	6.3	22	2	2	5	9	14	14
18-34	31	18.5	147						
35-49	31	6.8	14						
50-69	8	5.0							
70 +	0								
	116	**9.6**	**80**	**2**	**2**	**8**	**12**	**28**	**32**
0-17	108	4.5	11	1	2	4	5	6	15
18-34	124	6.1	12	3	3	5	7	13	13
35-49	93	4.0	16	1	1	3	4	12	13
50-69	8	2.0							
70 +	15	3.5							
	348	**4.8**	**13**	**1**	**2**	**4**	**6**	**12**	**13**
	465	**6.0**	**34**	**2**	**2**	**4**	**7**	**13**	**15**

DRG 300: Endocrine Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	642	8.3	50	3	4	6	9	16	27
70-74	493	9.7	63	3	4	7	12	21	28
75-79	572	9.5	68	3	4	8	11	17	26
80-84	400	9.7	45	3	4	7	13	20	23
85 +	243	8.6	26	3	5	7	12	16	20
SUBTOTAL	**2350**	**9.2**	**54**	**3**	**4**	**7**	**11**	**18**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2350**	**9.2**	**54**	**3**	**4**	**7**	**11**	**18**	**26**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	349	7.7	79	2	3	5	8	18	22
18-34	203	3.8	7	1	2	3	6	8	9
35-49	406	5.3	10	2	3	4	6	11	12
50-69	610	8.0	54	2	3	6	10	16	20
70 +	39	10.0	9						
	1607	**6.8**	**44**	**2**	**3**	**5**	**8**	**14**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1607	**6.8**	**44**	**2**	**3**	**5**	**8**	**14**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	139	5.9	27	2	2	4	8	14	21
18-34	94	3.5	4	< 1	2	3	5	6	8
35-49	70	8.6	14	5	6	7	12	16	16
50-69	78	7.4	14	3	4	7	10	14	16
70 +	0								
SUBTOTAL	**382**	**6.1**	**19**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**382**	**6.1**	**19**	**2**	**3**	**5**	**8**	**12**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	5.0	7						
18-34	79	3.6	4	1	2	3	5	7	8
35-49	70	5.4	13	1	3	5	6	13	13
50-69	125	7.2	66	1	3	5	9	14	36
70 +	63	4.9	3	3	3	4	6	9	9
	376	**5.5**	**28**	**1**	**3**	**4**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	376	**5.5**	**28**	**1**	**3**	**4**	**6**	**10**	**13**

DRG 301: Endocrine Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	297	5.8	39	2	3	4	7	11	13
70-74	172	4.1	9	1	2	4	5	8	10
75-79	148	6.8	36	1	2	5	13	15	23
80-84	78	4.9	7	1	2	5	7	9	9
85 +	55	6.9	23	1	2	7	10	16	16
SUBTOTAL	**751**	**5.6**	**28**	**1**	**2**	**4**	**8**	**12**	**13**
GRAND TOTAL	**751**	**5.6**	**28**	**1**	**2**	**4**	**8**	**12**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	558	2.5	7	1	1	2	3	4	7
18-34	461	3.3	7	1	1	2	4	7	10
35-49	477	4.3	17	1	2	3	5	11	13
50-69	399	4.0	6	1	2	3	6	7	10
70 +	8	5.0							
	1902	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**10**
	1902	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	217	3.2	9	1	1	2	4	6	9
18-34	94	3.3	5	2	2	3	4	5	10
35-49	47	6.0	6	3	3	6	9	9	9
50-69	46	3.2	3	< 1	1	3	4	6	6
70 +	0								
SUBTOTAL	**405**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**405**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	201	2.1	1	< 1	1	2	3	4	4
18-34	203	2.6	3	1	1	2	4	5	5
35-49	117	4.1	6	1	2	5	6	6	10
50-69	47	3.0	4	1	1	3	5	6	6
70 +	8	15.0							
	576	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**6**
	576	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	851	17.2	97	8	10	14	22	31	34	0-17	54	20.7	268	6	7	17	22	58	58
70-74	8	10.0								18-34	46	12.3	61	7	7	9	16	28	28
75-79	0									35-49	62	14.1	25	8	9	13	21	23	23
80-84	0									50-69	23	17.7	29						
85 +	0									70 +	0								
SUBTOTAL	**859**	**17.1**	**96**	**8**	**10**	**14**	**22**	**31**	**34**		**186**	**16.0**	**115**	**7**	**8**	**14**	**21**	**24**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	147	11.5	20	7	8	10	15	20	21	0-17	85	10.7	13	7	8	8	14	16	17
70-74	0									18-34	8	8.0							
75-79	0									35-49	23	8.0	3						
80-84	0									50-69	15	9.5	2						
85 +	0									70 +	0								
SUBTOTAL	**147**	**11.5**	**20**	**7**	**8**	**10**	**15**	**20**	**21**		**132**	**9.9**	**10**	**7**	**8**	**8**	**12**	**16**	**17**
GRAND TOTAL	**1006**	**16.3**	**89**	**8**	**10**	**14**	**20**	**31**	**33**		**317**	**13.5**	**81**	**7**	**8**	**11**	**16**	**23**	**26**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	21.0								0-17	8	17.0							
18-34	46	16.8	140	7	9	10	29	37	37	18-34	15	9.0	4						
35-49	8	16.0								35-49	23	16.3	26						
50-69	8	8.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**70**	**16.2**	**103**	**7**	**9**	**10**	**21**	**37**	**37**		**46**	**14.0**	**27**	**7**	**11**	**15**	**17**	**23**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	15	15.5	60							0-17	15	11.0	1						
18-34	0									18-34	8	21.0							
35-49	8	7.0								35-49	8	9.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**23**	**12.7**	**56**								**31**	**13.0**	**23**						
GRAND TOTAL	**93**	**15.3**	**93**	**7**	**8**	**10**	**23**	**29**	**37**		**77**	**13.6**	**25**	**8**	**10**	**12**	**17**	**22**	**23**

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1002	13.4	71	7	8	11	16	23	27
70-74	750	13.9	62	7	9	12	16	24	30
75-79	570	15.0	115	7	8	12	17	24	43
80-84	266	14.9	64	8	10	13	16	27	30
85 +	141	14.0	39	7	11	13	17	23	30
SUBTOTAL	**2729**	**14.1**	**75**	**7**	**9**	**12**	**16**	**24**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	415	8.9	14	5	7	9	11	14	16
70-74	336	10.1	42	5	7	8	12	14	18
75-79	180	10.6	13	8	8	10	12	14	15
80-84	125	8.7	19	1	7	9	12	14	17
85 +	55	7.0	25	1	3	6	10	17	17
SUBTOTAL	**1111**	**9.4**	**24**	**5**	**7**	**9**	**11**	**14**	**17**
GRAND TOTAL	**3840**	**12.7**	**65**	**6**	**8**	**11**	**15**	**22**	**27**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	18.0	137	6	8	16	25	42	42
18-34	47	8.3	2	7	7	8	10	10	10
35-49	250	9.2	38	5	6	8	10	12	18
50-69	1173	12.0	52	6	7	9	15	24	28
70 +	63	9.9	8	5	8	10	12	14	14
	1586	**11.6**	**52**	**6**	**7**	**9**	**13**	**21**	**28**
0-17	170	8.2	6	6	6	7	11	11	12
18-34	54	3.6	9	1	1	2	7	9	9
35-49	283	7.3	3	5	6	7	8	10	11
50-69	822	8.6	16	5	6	8	10	12	15
70 +	8	22.0							
	1337	**8.1**	**14**	**5**	**6**	**7**	**10**	**12**	**14**
	2922	**10.0**	**38**	**5**	**7**	**8**	**11**	**18**	**25**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	11.5	2						
18-34	0								
35-49	62	13.0	166	5	6	9	13	46	46
50-69	93	11.2	30	7	8	10	13	15	27
70 +	0								
SUBTOTAL	**171**	**11.9**	**77**	**6**	**7**	**9**	**13**	**15**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	8.5							
18-34	0								
35-49	16	11.5	13						
50-69	15	10.0	4						
70 +	8	27.0							
SUBTOTAL	**55**	**12.5**	**43**	**8**	**8**	**9**	**15**	**27**	**27**
GRAND TOTAL	**226**	**12.0**	**68**	**6**	**8**	**9**	**13**	**27**	**27**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	10.0							
18-34	15	15.0	87						
35-49	55	9.0	14	5	7	7	13	16	16
50-69	134	7.6	8	4	6	7	10	12	13
70 +	78	11.6	15	7	8	11	14	17	18
	291	**9.4**	**19**	**5**	**7**	**8**	**12**	**16**	**18**
0-17	54	10.7	23	3	6	13	15	17	17
18-34	0								
35-49	55	6.6	1	5	6	7	7	8	8
50-69	148	7.5	5	5	6	7	9	11	12
70 +	39	5.4	11						
	296	**7.7**	**11**	**4**	**6**	**7**	**9**	**13**	**15**
	587	**8.5**	**16**	**5**	**6**	**7**	**11**	**13**	**17**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1646	12.1	104	4	6	9	15	23	30	0-17	1272	8.1	48	3	4	7	9	14	17
70-74	696	14.2	215	4	7	9	16	25	50	18-34	728	7.7	42	3	4	6	9	13	19
75-79	462	13.7	92	4	6	11	19	28	31	35-49	806	7.9	38	3	4	6	10	14	22
80-84	320	14.2	182	3	6	12	16	27	32	50-69	1212	9.1	50	2	4	7	13	18	21
85 +	71	15.6	57	4	12	13	18	32	32	70 +	71	9.2	38	1	4	9	11	22	22
SUBTOTAL	**3194**	**13.1**	**134**	**4**	**6**	**10**	**16**	**24**	**32**		**4088**	**8.3**	**46**	**3**	**4**	**7**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3194**	**13.1**	**134**	**4**	**6**	**10**	**16**	**24**	**32**		**4088**	**8.3**	**46**	**3**	**4**	**7**	**10**	**16**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	395	9.1	41	4	5	7	12	16	18	0-17	271	7.8	20	3	4	7	10	12	16
18-34	194	10.8	59	4	6	7	13	23	28	18-34	218	9.4	52	2	5	7	13	21	24
35-49	125	9.1	8	6	7	9	11	14	15	35-49	117	7.1	13	3	4	6	9	14	14
50-69	125	14.7	121	5	6	13	20	46	99 +	50-69	227	9.9	94	3	5	8	12	19	24
70 +	8	8.0								70 +	118	9.7	20	4	7	9	12	16	20
SUBTOTAL	**846**	**10.3**	**55**	**4**	**6**	**8**	**13**	**19**	**28**		**951**	**8.8**	**45**	**3**	**5**	**8**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**846**	**10.3**	**55**	**4**	**6**	**8**	**13**	**19**	**28**		**951**	**8.8**	**45**	**3**	**5**	**8**	**11**	**16**	**21**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	639	6.7	21	1	4	6	8	11	15
70-74	274	7.2	20	3	4	6	9	12	17
75-79	235	6.0	23	1	2	5	7	13	15
80-84	125	6.9	30	2	3	5	9	11	24
85 +	62	8.9	135	1	3	4	13	38	38
SUBTOTAL	**1335**	**6.8**	**28**	**2**	**4**	**6**	**8**	**12**	**17**
GRAND TOTAL	**1335**	**6.8**	**28**	**2**	**4**	**6**	**8**	**12**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3226	5.1	7	2	3	5	7	8	10
18-34	1117	5.0	8	2	3	5	6	9	11
35-49	1329	5.0	12	1	2	4	7	9	11
50-69	1275	5.6	35	1	2	5	7	10	12
70 +	8	6.0							
	6955	**5.2**	**13**	**2**	**3**	**5**	**7**	**9**	**11**
	6955	**5.2**	**13**	**2**	**3**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	628	6.0	18	2	4	5	7	10	14
18-34	164	6.0	5	3	5	6	7	8	10
35-49	140	4.8	13	1	2	4	7	9	16
50-69	85	6.8	32	3	3	5	8	10	23
70 +	0								
SUBTOTAL	**1018**	**5.9**	**17**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**1018**	**5.9**	**17**	**2**	**3**	**5**	**7**	**10**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	860	5.0	7	3	3	4	6	8	10
18-34	367	4.9	7	2	3	5	6	8	11
35-49	250	5.3	8	1	3	6	7	8	9
50-69	305	4.8	16	1	2	4	6	8	17
70 +	86	5.9	34	1	2	3	9	11	21
	1868	**5.0**	**10**	**2**	**3**	**5**	**6**	**8**	**11**
	1868	**5.0**	**10**	**2**	**3**	**5**	**6**	**8**	**11**

DRG 306: Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	637	6.6	12	3	4	6	9	11	13	0-17	0								
70-74	676	7.9	30	2	4	6	12	16	20	18-34	0								
75-79	762	8.9	46	3	4	7	11	19	24	35-49	16	3.0							
80-84	676	8.3	30	3	4	6	12	15	18	50-69	463	7.0	37	2	3	5	9	14	18
85 +	472	9.7	59	4	5	7	14	18	26	70 +	31	8.7	27						
SUBTOTAL	**3222**	**8.2**	**36**	**3**	**4**	**6**	**11**	**16**	**21**		**510**	**7.0**	**36**	**2**	**3**	**5**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3222**	**8.2**	**36**	**3**	**4**	**6**	**11**	**16**	**21**		**510**	**7.0**	**36**	**2**	**3**	**5**	**9**	**14**	**17**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	8	1.0							
50-69	31	8.3	13							50-69	39	6.4	12						
70 +	0									70 +	23	4.7	6						
SUBTOTAL	**31**	**8.3**	**13**								**70**	**5.2**	**11**	**1**	**3**	**4**	**6**	**13**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**31**	**8.3**	**13**								**70**	**5.2**	**11**	**1**	**3**	**4**	**6**	**13**	**13**

DRG 307: Prostatectomy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	527	4.1	4	2	3	4	5	6	7	0-17	0								
70-74	433	3.5	2	2	3	3	4	5	6	18-34	8	4.0							
75-79	447	4.1	4	2	3	4	5	7	9	35-49	31	2.5	1						
80-84	299	4.6	6	2	3	4	5	9	11	50-69	543	4.0	5	2	3	4	4	6	8
85 +	126	5.6	6	3	3	6	7	10	10	70 +	39	2.4	1						
SUBTOTAL	**1831**	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**9**		**622**	**3.8**	**5**	**2**	**2**	**4**	**4**	**6**	**8**
GRAND TOTAL	**1831**	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**9**		**622**	**3.8**	**5**	**2**	**2**	**4**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	8	9.0							
50-69	15	2.5								50-69	70	3.9	2	2	3	3	5	6	6
70 +	0									70 +	94	4.3	2	2	4	4	6	6	6
SUBTOTAL	**15**	**2.5**									**173**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**6**
GRAND TOTAL	**15**	**2.5**									**173**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**6**

DRG 308: Minor Bladder Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	836	9.0	108	1	3	6	11	19	25
70-74	503	8.3	40	2	3	7	12	16	18
75-79	547	9.9	103	1	3	7	13	21	40
80-84	622	7.8	41	2	4	7	10	14	19
85 +	465	10.7	153	3	4	7	13	22	31
SUBTOTAL	**2973**	**9.1**	**89**	**2**	**3**	**7**	**11**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2973**	**9.1**	**89**	**2**	**3**	**7**	**11**	**18**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	356	10.7	70	3	5	9	13	25	29
18-34	125	5.4	16	1	2	4	9	12	15
35-49	164	12.2	148	1	6	9	13	20	45
50-69	423	7.4	58	2	2	5	10	12	18
70 +	71	11.6	214	1	2	5	17	47	47
	1138	**9.1**	**85**	**2**	**3**	**7**	**11**	**19**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1138	**9.1**	**85**	**2**	**3**	**7**	**11**	**19**	**27**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	62	5.6	7	2	3	5	7	11	11
18-34	117	7.5	36	2	3	5	13	13	24
35-49	47	12.9	205	3	3	8	11	44	44
50-69	24	9.0	22						
70 +	15	18.0	309						
SUBTOTAL	**264**	**8.8**	**83**	**2**	**3**	**6**	**11**	**14**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**264**	**8.8**	**83**	**2**	**3**	**6**	**11**	**14**	**35**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	5.2	9	1	2	6	7	9	9
18-34	54	7.8	25	2	3	9	11	16	16
35-49	16	16.7	225						
50-69	55	15.9	499	3	5	8	12	70	70
70 +	47	7.1	39	2	2	5	8	20	20
	242	**9.3**	**160**	**2**	**3**	**7**	**9**	**18**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	242	**9.3**	**160**	**2**	**3**	**7**	**9**	**18**	**31**

DRG 309: Minor Bladder Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	455	4.3	14	1	1	3	6	10	11	0-17	318	4.4	7	1	2	5	6	8	9
70-74	361	4.9	18	1	2	4	7	10	13	18-34	234	4.6	7	2	3	5	6	9	10
75-79	370	4.3	10	1	2	4	5	9	10	35-49	344	4.0	8	1	2	3	5	9	10
80-84	251	4.1	9	1	3	3	5	9	9	50-69	572	3.8	8	1	2	3	5	8	9
85 +	157	3.7	9	1	2	3	5	7	11	70 +	24	1.7	1						
SUBTOTAL	**1593**	**4.4**	**13**	**1**	**2**	**3**	**6**	**9**	**11**		**1492**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**1593**	**4.4**	**13**	**1**	**2**	**3**	**6**	**9**	**11**		**1492**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	101	6.5	63	1	2	3	8	21	27	0-17	70	5.3	17	1	3	4	6	14	14
18-34	31	6.5	13							18-34	8	7.0							
35-49	16	3.5	7							35-49	47	3.7	9	1	1	2	6	9	9
50-69	31	3.8	5							50-69	71	2.9	1	1	2	3	3	5	5
70 +	8	6.0								70 +	63	5.5	15	1	3	5	7	14	14
SUBTOTAL	**186**	**5.8**	**39**	**1**	**2**	**4**	**8**	**10**	**21**		**258**	**4.4**	**11**	**1**	**2**	**3**	**6**	**9**	**14**
GRAND TOTAL	**186**	**5.8**	**39**	**1**	**2**	**4**	**8**	**10**	**21**		**258**	**4.4**	**11**	**1**	**2**	**3**	**6**	**9**	**14**

DRG 310: Transurethral Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1773	4.2	10	1	2	3	5	8	11	0-17	71	5.4	9	2	4	4	7	12	12
70-74	1348	5.7	40	1	2	3	7	12	18	18-34	717	3.6	5	1	2	3	4	6	8
75-79	1411	5.5	28	1	2	4	7	11	15	35-49	1328	4.2	21	1	2	3	5	8	10
80-84	1308	6.1	41	2	3	5	8	11	15	50-69	1916	4.2	12	1	2	3	5	9	11
85 +	1214	6.6	30	2	3	5	8	13	17	70 +	126	6.9	38	1	2	5	11	18	20
SUBTOTAL	**7054**	**5.5**	**29**	**1**	**2**	**4**	**7**	**11**	**15**		**4157**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7054**	**5.5**	**29**	**1**	**2**	**4**	**7**	**11**	**15**		**4157**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	2.0								0-17	8	6.0							
18-34	118	3.5	4	2	2	3	5	7	8	18-34	173	3.8	6	1	2	3	6	7	7
35-49	55	5.1	4	2	3	5	8	8	8	35-49	234	3.8	6	1	2	3	5	8	9
50-69	78	4.5	8	1	2	2	8	8	8	50-69	345	3.2	5	1	2	3	4	7	9
70 +	0									70 +	188	4.9	27	1	2	3	5	14	19
SUBTOTAL	**259**	**4.1**	**6**	**2**	**2**	**3**	**5**	**8**	**8**		**949**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**259**	**4.1**	**6**	**2**	**2**	**3**	**5**	**8**	**8**		**949**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 311: Transurethral Procedures w/o CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1818	2.7	3	1	1	2	4	5	6
70-74	1691	2.9	5	1	1	2	4	5	6
75-79	1215	2.8	6	1	1	2	4	5	7
80-84	878	3.3	6	1	2	3	4	6	8
85 +	549	3.1	5	1	2	3	3	6	8
SUBTOTAL	**6151**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**6151**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	94	3.3	12	1	1	2	5	7	13
18-34	1613	2.6	2	1	1	2	4	5	5
35-49	3042	2.9	5	1	2	2	4	5	6
50-69	3895	2.6	4	1	1	2	3	5	6
70 +	125	2.2	1	1	1	2	3	4	4
	8769	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	8769	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	3.4	11						
18-34	196	3.2	6	1	1	3	4	5	9
35-49	149	4.0	13	1	1	2	6	10	13
50-69	31	2.5	1						
70 +	24	3.0	8						
SUBTOTAL	**424**	**3.4**	**9**	**1**	**1**	**3**	**5**	**9**	**10**
GRAND TOTAL	**424**	**3.4**	**9**	**1**	**1**	**3**	**5**	**9**	**10**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	15	3.5	2						
18-34	510	2.6	2	1	1	2	4	5	6
35-49	563	3.0	7	1	1	2	4	6	7
50-69	628	2.4	3	1	1	2	3	5	6
70 +	227	2.6	3	1	1	2	3	5	5
	1944	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	1944	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 312: Urethral Procedures, Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	228	5.3	22	1	2	5	7	10	13
70-74	172	6.1	39	1	2	5	7	15	19
75-79	117	5.0	20	1	2	3	7	9	19
80-84	142	5.6	29	1	2	4	8	13	23
85 +	110	4.7	17	1	3	4	5	8	18
SUBTOTAL	**769**	**5.4**	**26**	**1**	**2**	**4**	**7**	**11**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**769**	**5.4**	**26**	**1**	**2**	**4**	**7**	**11**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	117	3.5	16	1	1	2	4	7	17
35-49	55	6.0	42	1	1	3	10	20	20
50-69	219	3.5	6	1	1	3	5	8	8
70 +	0								
	391	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	391	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	15	5.5	7						
35-49	16	5.5	13						
50-69	8	5.0							
70 +	8	7.0							
SUBTOTAL	**47**	**5.7**	**7**	**2**	**3**	**6**	**8**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**47**	**5.7**	**7**	**2**	**3**	**6**	**8**	**9**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	24	3.3	1						
35-49	32	2.3	2						
50-69	16	2.5							
70 +	16	3.0	1						
	87	**2.7**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	87	**2.7**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

DRG 313: Urethral Procedures, Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	165	3.7	10	1	1	3	5	7	9
70-74	125	2.7	3	1	2	2	3	6	7
75-79	126	2.2	2	1	1	2	3	4	5
80-84	110	2.9	5	1	1	3	4	6	8
85 +	62	2.9	8	< 1	1	2	5	9	9
SUBTOTAL	**589**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**589**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	327	2.4	6	1	1	1	3	6	8
35-49	165	2.8	7	1	1	2	3	6	7
50-69	360	2.5	3	1	1	2	3	4	5
70 +	15	2.0	1						
	866	**2.5**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
	866	**2.5**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	47	3.2	3	1	1	3	4	6	6
35-49	24	3.7	15						
50-69	15	3.0							
70 +	0								
SUBTOTAL	**86**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**9**
GRAND TOTAL	**86**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	79	1.9	2	< 1	1	1	2	4	5
35-49	71	2.0		1	2	2	2	3	3
50-69	47	2.5	2	1	1	3	4	4	4
70 +	8	3.0							
	204	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
	204	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 314: Urethral Procedures, Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**3.0**							
GRAND TOTAL	**15**	**2.5**							

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	3.2	4	1	1	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	93	**3.2**	**4**	**1**	**1**	**3**	**4**	**6**	**7**
0-17	233	2.2	3	1	1	1	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	233	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**5**
	326	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	5.5	7						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**15**	**5.5**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	2.2	4	1	1	2	2	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**70**	**2.2**	**4**	**1**	**1**	**2**	**2**	**8**	**8**
GRAND TOTAL	**85**	**2.8**	**6**	**1**	**1**	**2**	**3**	**8**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	10.0	68						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	23	**10.0**	**68**						
0-17	102	1.8	2	< 1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	102	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**6**
	125	**3.4**	**24**	**< 1**	**1**	**2**	**4**	**7**	**21**

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1805	11.6	123	2	4	8	17	26	32	0-17	62	18.0	191	3	5	13	30	42	42
70-74	678	15.1	123	3	6	14	20	31	37	18-34	320	7.4	27	2	3	6	11	15	17
75-79	500	15.5	206	3	8	12	21	30	68	35-49	530	8.7	78	1	3	7	10	15	26
80-84	532	17.7	187	3	7	15	24	41	46	50-69	1012	10.6	113	1	3	9	14	24	35
85 +	220	16.4	87	6	9	14	22	33	34	70 +	39	11.7	77						
SUBTOTAL	**3735**	**13.9**	**146**	**2**	**5**	**11**	**20**	**29**	**39**		**1964**	**9.8**	**95**	**1**	**3**	**8**	**12**	**21**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	863	3.9	12	1	2	3	4	9	13	0-17	171	6.7	15	1	4	7	10	12	13
70-74	273	3.6	16	1	1	2	5	10	11	18-34	234	4.4	13	1	2	3	6	9	12
75-79	226	4.9	23	1	2	2	7	15	16	35-49	538	4.0	21	1	1	2	5	9	12
80-84	86	6.3	22	1	3	5	9	14	16	50-69	685	4.7	20	1	1	3	8	11	14
85 +	15	6.0								70 +	15	2.5	2						
SUBTOTAL	**1464**	**4.1**	**15**	**1**	**2**	**3**	**5**	**10**	**14**		**1643**	**4.6**	**19**	**1**	**1**	**3**	**7**	**10**	**13**
GRAND TOTAL	**5198**	**11.2**	**129**	**1**	**3**	**7**	**16**	**26**	**33**		**3606**	**7.5**	**67**	**1**	**2**	**5**	**10**	**15**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	7.2	19	2	4	6	11	14	14	0-17	8	21.0							
18-34	218	9.4	92	2	3	6	12	22	38	18-34	156	8.4	30	2	3	8	12	17	20
35-49	234	11.1	118	2	4	9	15	29	52	35-49	164	8.2	41	2	4	7	9	14	21
50-69	295	13.1	111	2	7	10	17	24	34	50-69	203	9.9	91	1	3	7	17	22	24
70 +	23	8.7	1							70 +	70	12.7	36	2	9	14	14	25	25
SUBTOTAL	**817**	**11.1**	**103**	**2**	**4**	**9**	**13**	**24**	**38**		**601**	**9.5**	**57**	**2**	**4**	**8**	**13**	**19**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	85	5.8	35	2	2	3	7	12	22	0-17	54	5.3	16	1	1	4	9	11	11
18-34	62	6.0	34	2	2	3	7	20	20	18-34	86	4.4	7	1	2	4	7	8	9
35-49	93	7.9	42	1	3	6	14	18	20	35-49	78	4.3	12	1	1	4	6	10	11
50-69	70	3.9	9	1	2	3	4	10	10	50-69	78	3.2	5	1	1	3	4	7	8
70 +	8	2.0								70 +	70	5.7	8	1	4	7	8	10	10
SUBTOTAL	**319**	**5.9**	**32**	**1**	**2**	**3**	**7**	**14**	**20**		**366**	**4.5**	**10**	**1**	**1**	**4**	**7**	**9**	**10**
GRAND TOTAL	**1135**	**9.6**	**88**	**2**	**3**	**7**	**13**	**22**	**30**		**966**	**7.6**	**45**	**1**	**3**	**6**	**10**	**17**	**20**

DRG 316: Renal Failure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1859	8.7	91	2	4	6	10	17	24	0-17	117	6.6	24	1	3	4	11	14	16
70-74	1083	9.4	36	3	6	8	12	16	23	18-34	132	6.9	73	1	2	4	9	11	38
75-79	1044	10.6	60	4	5	8	13	18	29	35-49	336	7.6	41	2	3	6	10	16	18
80-84	1053	10.0	39	4	6	8	14	18	22	50-69	859	8.2	42	3	4	6	10	17	21
85 +	1148	9.4	36	4	6	8	11	17	19	70 +	78	6.9	19	3	4	6	8	15	19
SUBTOTAL	**6187**	**9.5**	**58**	**3**	**5**	**8**	**12**	**17**	**22**		**1522**	**7.8**	**42**	**2**	**3**	**6**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	374	4.4	18	1	1	3	7	10	13	0-17	77	2.6	2	1	1	2	4	5	5
70-74	172	7.3	9	4	5	7	10	12	12	18-34	62	4.5	10	1	2	4	6	11	11
75-79	203	7.4	13	2	5	7	9	13	14	35-49	117	3.2	5	1	1	2	6	7	7
80-84	126	7.7	22	3	4	7	10	15	20	50-69	180	5.3	22	1	2	3	6	13	13
85 +	79	7.4	27	< 1	4	6	14	15	16	70 +	16	5.5	13						
SUBTOTAL	**955**	**6.3**	**19**	**1**	**3**	**6**	**9**	**12**	**14**		**453**	**4.2**	**13**	**1**	**2**	**3**	**6**	**11**	**13**
GRAND TOTAL	**7142**	**9.1**	**54**	**3**	**5**	**7**	**12**	**17**	**21**		**1974**	**7.0**	**38**	**2**	**3**	**5**	**9**	**14**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	70	7.1	29	3	4	5	7	21	21	0-17	15	7.5	7						
18-34	109	7.5	38	1	3	5	14	18	18	18-34	94	2.7	2	1	1	3	4	5	5
35-49	140	6.6	17	3	3	4	11	13	14	35-49	78	9.6	98	1	3	5	13	28	32
50-69	274	8.7	36	3	5	8	11	16	23	50-69	180	10.0	44	4	5	8	14	14	19
70 +	39	15.2	442							70 +	141	7.3	16	4	4	7	8	15	18
SUBTOTAL	**632**	**8.2**	**59**	**3**	**3**	**7**	**10**	**16**	**22**		**508**	**7.8**	**42**	**2**	**4**	**5**	**11**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	54	6.1	30	< 1	1	5	12	16	16	0-17	8	2.0							
18-34	15	2.0	1							18-34	15	2.5	2						
35-49	47	5.2	8	2	2	6	7	10	10	35-49	24	3.3	4						
50-69	39	4.4	5							50-69	24	3.3	4						
70 +	16	5.5								70 +	16	34.2	541						
SUBTOTAL	**171**	**5.0**	**14**	**1**	**2**	**5**	**6**	**10**	**12**		**86**	**8.7**	**243**	**1**	**2**	**3**	**6**	**12**	**57**
GRAND TOTAL	**803**	**7.6**	**51**	**2**	**3**	**6**	**10**	**14**	**19**		**594**	**7.9**	**71**	**2**	**3**	**5**	**11**	**14**	**24**

DRG 317: Admit for Renal Dialysis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	93	3.3	12	1	2	2	3	6	14	0-17	0								
70-74	8	2.0								18-34	0								
75-79	0									35-49	8	2.0							
80-84	8	2.0								50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**109**	**3.1**	**11**	**1**	**2**	**2**	**3**	**6**	**14**		**8**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	8	3.0								18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**0**								
GRAND TOTAL	**116**	**3.1**	**10**	**1**	**2**	**2**	**3**	**6**	**14**		**8**	**2.0**							

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	2.0								0-17	0								
18-34	15	2.0								18-34	0								
35-49	15	2.5								35-49	0								
50-69	15	4.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**54**	**2.7**	**1**	**2**	**2**	**2**	**4**	**4**	**4**		**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**54**	**2.7**	**1**	**2**	**2**	**2**	**4**	**4**	**4**		**0**								

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	375	7.3	75	1	3	4	8	14	23	0-17	23	3.0							
70-74	361	7.3	32	1	3	6	9	19	20	18-34	23	4.7	21						
75-79	266	7.3	31	2	4	5	11	14	18	35-49	93	8.4	91	2	3	5	9	17	37
80-84	211	8.9	34	2	5	7	12	17	22	50-69	430	6.6	48	2	3	4	8	16	23
85 +	189	9.5	95	2	3	6	12	29	35	70 +	47	9.1	59	1	5	7	10	25	25
SUBTOTAL	**1402**	**7.9**	**53**	**2**	**3**	**6**	**10**	**15**	**23**		**616**	**6.8**	**54**	**2**	**3**	**4**	**8**	**17**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1402**	**7.9**	**53**	**2**	**3**	**6**	**10**	**15**	**23**		**616**	**6.8**	**54**	**2**	**3**	**4**	**8**	**17**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	31	3.3	8						
18-34	16	17.5	60							18-34	8	5.0							
35-49	23	14.3	250							35-49	23	5.0	15						
50-69	39	10.2	149							50-69	70	5.0	7	1	3	5	6	9	9
70 +	8	13.0								70 +	39	4.2	9						
SUBTOTAL	**86**	**12.9**	**150**	**1**	**3**	**7**	**25**	**34**	**36**		**171**	**4.5**	**9**	**1**	**2**	**4**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**86**	**12.9**	**150**	**1**	**3**	**7**	**25**	**34**	**36**		**171**	**4.5**	**9**	**1**	**2**	**4**	**6**	**9**	**10**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	86	3.3	8	1	1	2	5	8	9	0-17	77	3.0	4	1	1	2	5	6	7
70-74	102	3.7	28	1	1	2	3	6	21	18-34	15	2.0							
75-79	86	8.9	245	2	2	3	7	11	57	35-49	118	2.7	2	1	1	2	4	5	6
80-84	32	5.5	27							50-69	157	1.9	2	1	1	1	2	4	5
85 +	32	4.8	19							70 +	8	2.0							
SUBTOTAL	**338**	**5.2**	**82**	**1**	**1**	**2**	**5**	**11**	**14**		**375**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**338**	**5.2**	**82**	**1**	**1**	**2**	**5**	**11**	**14**		**375**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	0								
18-34	8	1.0								18-34	16	5.0	10						
35-49	23	2.7	6							35-49	8	10.0							
50-69	8	2.0								50-69	32	2.0	2						
70 +	0									70 +	32	2.2	1						
SUBTOTAL	**47**	**2.0**	**3**	**< 1**	**< 1**	**1**	**2**	**6**	**6**		**87**	**3.4**	**8**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**47**	**2.0**	**3**	**< 1**	**< 1**	**1**	**2**	**6**	**6**		**87**	**3.4**	**8**	**1**	**1**	**2**	**4**	**8**	**10**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6398	7.8	30	3	4	7	9	14	17	0-17	0								
70-74	4530	8.2	33	3	4	7	10	15	18	18-34	2432	4.9	16	2	3	4	6	8	10
75-79	5437	8.3	40	3	5	7	10	15	19	35-49	1843	5.6	21	2	3	4	7	10	15
80-84	6026	8.5	38	3	5	7	10	15	21	50-69	3161	6.2	17	2	3	5	8	10	13
85 +	8386	8.5	34	4	5	7	10	15	18	70 +	353	7.9	54	3	4	6	10	13	16
SUBTOTAL	**30778**	**8.3**	**35**	**3**	**5**	**7**	**10**	**15**	**19**		**7789**	**5.7**	**20**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**30778**	**8.3**	**35**	**3**	**5**	**7**	**10**	**15**	**19**		**7789**	**5.7**	**20**	**2**	**3**	**5**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1428	5.3	16	2	3	4	7	9	13	18-34	886	4.6	13	2	3	4	5	8	13
35-49	673	6.3	19	2	3	5	8	13	14	35-49	462	4.8	6	2	3	4	6	8	10
50-69	775	7.6	21	3	4	7	10	13	17	50-69	557	5.9	15	2	3	5	7	11	13
70 +	63	11.1	63	5	6	7	14	30	30	70 +	485	6.2	16	2	4	5	8	11	14
SUBTOTAL	**2939**	**6.3**	**20**	**2**	**3**	**5**	**8**	**12**	**14**		**2390**	**5.3**	**13**	**2**	**3**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2939**	**6.3**	**20**	**2**	**3**	**5**	**8**	**12**	**14**		**2390**	**5.3**	**13**	**2**	**3**	**4**	**6**	**10**	**12**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1555	5.6	18	2	3	4	7	9	13	0-17	0								
70-74	1343	5.6	11	3	3	5	7	9	12	18-34	5058	3.7	3	2	3	3	5	6	7
75-79	1251	5.6	13	2	3	5	7	10	13	35-49	2537	4.2	5	2	3	4	5	7	8
80-84	1391	6.2	12	3	4	6	7	11	13	50-69	2367	4.4	6	2	3	4	6	7	8
85 +	1439	5.9	14	3	3	5	7	11	12	70 +	180	4.0	6	1	2	4	5	8	8
SUBTOTAL	**6979**	**5.8**	**14**	**2**	**4**	**5**	**7**	**10**	**13**		**10142**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**6979**	**5.8**	**14**	**2**	**4**	**5**	**7**	**10**	**13**		**10142**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2209	3.8	3	2	3	4	5	6	7	18-34	2066	3.6	3	2	2	3	5	6	7
35-49	535	5.1	12	2	3	4	6	9	12	35-49	502	4.4	9	2	3	4	5	7	9
50-69	245	5.1	7	3	4	5	6	7	13	50-69	362	4.3	5	2	3	4	6	8	8
70 +	16	3.5								70 +	259	4.0	3	2	3	4	5	6	7
SUBTOTAL	**3004**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**3189**	**3.8**	**4**	**2**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**3004**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**3189**	**3.8**	**4**	**2**	**2**	**4**	**5**	**6**	**7**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	31	9.0	39							0-17	1813	4.3	10	2	3	4	5	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**31**	**9.0**	**39**								**1813**	**4.3**	**10**	**2**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	15	6.5	7							0-17	5484	3.8	4	2	3	3	5	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**15**	**6.5**	**7**								**5484**	**3.8**	**4**	**2**	**3**	**3**	**5**	**6**	**7**
GRAND TOTAL	**47**	**8.2**	**29**	**3**	**4**	**5**	**9**	**19**	**19**		**7297**	**3.9**	**6**	**2**	**3**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	679	4.8	11	2	2	4	6	10	11	0-17	461	4.0	5	2	3	4	5	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**679**	**4.8**	**11**	**2**	**2**	**4**	**6**	**10**	**11**		**461**	**4.0**	**5**	**2**	**3**	**4**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2378	4.2	5	2	3	4	5	7	8	0-17	1662	3.6	5	2	2	3	5	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2378**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**		**1662**	**3.6**	**5**	**2**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**3057**	**4.3**	**6**	**2**	**3**	**4**	**5**	**8**	**10**		**2123**	**3.7**	**5**	**2**	**2**	**3**	**5**	**6**	**8**

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1910	3.5	11	1	1	3	4	7	9	0-17	258	3.2	7	1	1	2	4	8	9
70-74	1114	3.9	9	1	2	3	5	8	10	18-34	2398	2.7	6	1	1	2	3	5	7
75-79	878	4.8	20	1	2	4	6	10	16	35-49	3752	2.6	5	1	1	2	3	5	7
80-84	532	5.1	18	1	2	3	7	11	13	50-69	3418	3.2	8	1	1	2	4	6	8
85 +	220	5.4	10	2	3	5	7	9	10	70 +	78	3.1	5	1	1	3	5	7	7
SUBTOTAL	**4654**	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**11**		**9905**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	856	1.4	1	1	1	1	1	3	3	0-17	39	3.0	2						
70-74	334	1.4	1	1	1	1	1	2	4	18-34	824	1.3	1	1	1	1	1	2	4
75-79	241	1.6	1	1	1	1	2	3	5	35-49	1764	1.5	1	1	1	1	1	3	4
80-84	109	1.6	1	< 1	1	1	2	3	5	50-69	1813	1.4	1	1	1	1	1	3	4
85 +	31	1.5								70 +	8	3.0							
SUBTOTAL	**1571**	**1.5**	**1**	**1**	**1**	**1**	**1**	**3**	**4**		**4447**	**1 4**	**1**	**1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**6225**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**10**		**14351**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	46	3.5	9	1	1	2	6	9	9	0-17	78	5.1	12	1	3	4	6	11	12
18-34	431	3.4	5	1	2	3	5	7	8	18-34	746	2.4	5	1	1	2	3	5	7
35-49	274	3.7	8	1	2	3	4	6	13	35-49	730	2.6	3	1	1	2	3	5	7
50-69	250	4.2	9	1	2	4	6	8	10	50-69	495	3.2	8	1	1	2	5	6	8
70 +	24	8.7	26							70 +	39	2.8							
SUBTOTAL	**1025**	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**10**		**2088**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	2.0	1							0-17	0								
18-34	124	2.1	2	1	1	2	3	4	6	18-34	233	2.0	2	1	1	1	3	4	4
35-49	117	1.6		1	1	2	2	2	3	35-49	303	1.7	4	1	1	1	2	3	5
50-69	47	2.0	2	< 1	1	1	2	5	5	50-69	318	1.2		1	1	1	1	2	3
70 +	0									70 +	39	1.2							
SUBTOTAL	**311**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**5**		**892**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1336**	**3.3**	**7**	**1**	**2**	**2**	**4**	**7**	**9**		**2980**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1539	2.3	4	1	1	2	3	4	6
70-74	770	2.4	3	1	1	2	3	4	5
75-79	494	2.4	2	1	1	2	3	5	6
80-84	259	3.3	4	1	2	3	4	6	8
85 +	149	3.7	11	1	2	3	4	8	16
SUBTOTAL	**3212**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3212**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	546	2.1	2	1	1	2	3	4	5
18-34	6228	2.2	7	1	1	2	2	4	5
35-49	9954	2.0	2	1	1	2	2	3	4
50-69	6032	2.1	2	1	1	2	3	4	5
70 +	70	1.7	1	< 1	1	1	2	3	3
	22831	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**
	22831	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	2.0	1	< 1	1	2	3	3	3
18-34	580	2.3	2	1	1	2	3	5	5
35-49	416	2.8	4	1	1	2	4	5	8
50-69	133	2.9	4	1	2	3	4	4	9
70 +	0								
SUBTOTAL	**1176**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1176**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	133	1.5		1	1	1	2	2	3
18-34	1760	1.8	3	< 1	1	1	2	3	4
35-49	2098	1.8	2	< 1	1	1	2	3	4
50-69	1116	2.1	3	1	1	2	2	4	5
70 +	86	1.7	2	< 1	< 1	1	3	3	5
	5194	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**
	5194	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	548	4.1	10	1	2	3	5	9	13
70-74	495	5.3	13	2	3	4	7	10	11
75-79	495	5.7	38	1	2	4	6	14	18
80-84	408	6.1	17	3	4	5	7	12	14
85 +	488	5.0	14	2	3	4	6	8	12
SUBTOTAL	**2435**	**5.2**	**19**	**2**	**3**	**4**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	2435	5.2	19	2	3	4	6	11	14

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	196	3.2	7	1	1	2	4	7	8
35-49	181	3.7	7	1	1	3	5	8	9
50-69	495	4.6	16	1	2	4	6	8	11
70 +	39	2.4	1						
	911	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	911	4.0	12	1	1	3	5	8	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	39	4.8	13						
35-49	47	5.0	16	< 1	2	4	6	13	13
50-69	63	6.1	10	3	4	5	8	13	13
70 +	16	5.0	10						
SUBTOTAL	**164**	**5.4**	**13**	**2**	**3**	**4**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	164	5.4	13	2	3	4	8	10	13

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	39	5.4	13						
35-49	23	4.3	1						
50-69	47	2.2	1	< 1	1	2	3	4	4
70 +	55	5.7	8	< 1	3	6	9	9	9
	164	**4.4**	**8**	**1**	**2**	**4**	**6**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	164	4.4	8	1	2	4	6	9	10

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	368	3.2	7	1	2	2	4	6	8
70-74	291	2.8	3	1	1	2	4	5	6
75-79	384	4.1	8	1	2	3	5	8	8
80-84	244	5.7	66	2	2	4	7	8	20
85 +	212	5.6	18	1	3	5	7	13	15
SUBTOTAL	**1499**	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**1499**	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	283	2.5	3	1	1	2	3	5	6
35-49	385	2.6	4	1	1	2	3	6	7
50-69	446	2.7	3	1	1	2	3	5	7
70 +	23	2.7	2						
	1138	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	1138	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	71	3.4	5	1	2	3	4	8	8
35-49	39	3.4	4						
50-69	15	5.0	4						
70 +	8	10.0							
SUBTOTAL	**133**	**4.0**	**7**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**133**	**4.0**	**7**	**1**	**2**	**3**	**6**	**8**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	87	1.9	1	1	1	1	3	3	4
35-49	86	2.5	2	1	1	2	3	4	6
50-69	31	3.0	4						
70 +	47	2.0	1	< 1	1	2	3	3	3
	251	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
	251	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	1.0								0-17	117	1.9	3	<1	1	1	2	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**8**	**1.0**									**117**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	2.0								0-17	497	2.1	2	1	1	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**8**	**2.0**									**497**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**15**	**1.5**									**614**	**2.1**	**2**	**1**	**1**	**2**	**2**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	4.8	17	1	1	4	6	13	13	0-17	16	6.1	27						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**47**	**4.8**	**17**	**1**	**1**	**4**	**6**	**13**	**13**		**16**	**6.1**	**27**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	133	2.4	4	1	1	2	3	7	8	0-17	109	2.0	1	1	1	1	3	3	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**133**	**2.4**	**4**	**1**	**1**	**2**	**3**	**7**	**8**		**109**	**2.0**	**1**	**1**	**1**	**1**	**3**	**3**	**5**
GRAND TOTAL	**180**	**3.0**	**9**	**1**	**1**	**2**	**3**	**7**	**8**		**124**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**11**

DRG 328: Urethral Stricture Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	86	3.6	6	2	2	3	3	7	10	0-17	0								
70-74	86	4.6	5	2	3	5	7	7	8	18-34	8	2.0							
75-79	125	7.0	25	2	3	7	9	12	22	35-49	15	3.5							
80-84	79	6.3	35	1	3	5	6	15	23	50-69	86	5.0	5	2	3	5	7	8	8
85 +	149	6.4	17	1	2	5	10	13	14	70 +	0								
SUBTOTAL	**525**	**5.8**	**19**	**2**	**3**	**5**	**8**	**11**	**13**		**110**	**4.6**	**5**	**2**	**3**	**5**	**6**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**525**	**5.8**	**19**	**2**	**3**	**5**	**8**	**11**	**13**		**110**	**4.6**	**5**	**2**	**3**	**5**	**6**	**8**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	16	3.0	1							18-34	24	2.0	1						
35-49	31	2.5	3							35-49	8	7.0							
50-69	15	3.5	7							50-69	0								
70 +	0									70 +	24	7.0	5						
SUBTOTAL	**62**	**2.9**	**3**	**<1**	**1**	**3**	**5**	**6**	**6**		**55**	**4.9**	**9**	**1**	**2**	**5**	**7**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**62**	**2.9**	**3**	**<1**	**1**	**3**	**5**	**6**	**6**		**55**	**4.9**	**9**	**1**	**2**	**5**	**7**	**10**	**10**

DRG 329: Urethral Stricture Age >17 w/o CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	0								
70-74	31	1.8	2							18-34	24	3.3	2						
75-79	23	2.0								35-49	32	5.5	21						
80-84	16	3.5								50-69	39	3.0	3						
85 +	16	4.0	10							70 +	0								
SUBTOTAL	**94**	**2.4**	**3**	**1**	**1**	**2**	**4**	**4**	**7**		**94**	**3.9**	**10**	**1**	**1**	**3**	**6**	**9**	**11**
GRAND TOTAL	**94**	**2.4**	**3**	**1**	**1**	**2**	**4**	**4**	**7**		**94**	**3.9**	**10**	**1**	**1**	**3**	**6**	**9**	**11**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	8	4.0								18-34	8	3.0							
35-49	8	10.0								35-49	0								
50-69	8	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**23**	**5.4**	**12**								**8**	**3.0**							
GRAND TOTAL	**23**	**5.4**	**12**								**8**	**3.0**							

DRG 330: Urethral Stricture Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	47	3.0	2	1	1	3	4	5	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**47**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	39	3.4	13						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**39**	**3.4**	**13**						
GRAND TOTAL	**0**										**86**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	8.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**8**	**8.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	2.0								0-17	8	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**8**	**2.0**									**8**	**1.0**							
GRAND TOTAL	**8**	**2.0**									**15**	**4.5**	**13**						

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	2508	6.5	30	1	3	5	8	13	15		0-17	0								
70-74	1200	7.0	56	2	3	5	8	14	21		18-34	799	3.9	9	1	2	3	5	8	10
75-79	934	6.7	26	2	3	5	10	12	16		35-49	775	5.2	38	1	2	4	6	11	13
80-84	800	7.4	35	2	3	6	10	15	19		50-69	1260	6.0	57	1	3	4	8	11	14
85 +	692	7.4	36	2	3	5	9	16	20		70 +	86	4.2	10	2	2	3	6	10	11
SUBTOTAL	**6133**	**6.8**	**36**	**2**	**3**	**5**	**9**	**14**	**18**			**2920**	**5.1**	**38**	**1**	**2**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**6133**	**6.8**	**36**	**2**	**3**	**5**	**9**	**14**	**18**			**2920**	**5.1**	**38**	**1**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	312	6.1	28	1	3	5	7	15	19		18-34	385	4.3	10	1	2	3	6	8	11
35-49	264	5.7	17	1	2	5	8	11	14		35-49	203	5.6	21	1	2	4	9	11	16
50-69	312	10.1	78	3	4	7	15	23	25		50-69	290	5.2	19	1	2	4	7	10	12
70 +	23	5.7	18								70 +	125	5.9	36	1	3	4	7	11	27
SUBTOTAL	**912**	**7.3**	**46**	**1**	**3**	**5**	**9**	**18**	**22**			**1004**	**5.0**	**19**	**1**	**2**	**4**	**7**	**11**	**12**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**912**	**7.3**	**46**	**1**	**3**	**5**	**9**	**18**	**22**			**1004**	**5.0**	**19**	**1**	**2**	**4**	**7**	**11**	**12**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	672	4.4	18	1	1	3	6	10	12	0-17	0								
70-74	399	4.7	22	1	2	3	6	10	14	18-34	1008	2.3	3	1	1	2	3	5	5
75-79	329	5.9	63	2	2	4	6	10	12	35-49	759	3.3	10	1	1	3	4	7	10
80-84	213	4.9	10	1	2	4	7	8	12	50-69	1050	3.5	16	1	1	2	4	8	11
85 +	102	5.1	13	1	3	4	6	11	14	70 +	23	2.0	1						
SUBTOTAL	**1715**	**4.9**	**26**	**1**	**2**	**4**	**6**	**10**	**13**		**2840**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**1715**	**4.9**	**26**	**1**	**2**	**4**	**6**	**10**	**13**		**2840**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	257	3.9	6	1	2	4	6	7	8	18-34	297	2.3	3	1	1	2	3	5	7
35-49	133	4.1	7	1	2	4	5	9	10	35-49	173	2.7	5	1	1	2	3	6	7
50-69	47	9.6	87	3	4	6	8	30	30	50-69	125	2.7	6	1	1	2	3	4	11
70 +	0									70 +	39	3.2	9						
SUBTOTAL	**437**	**4.6**	**18**	**1**	**2**	**4**	**6**	**8**	**9**		**634**	**2.5**	**5**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**437**	**4.6**	**18**	**1**	**2**	**4**	**6**	**8**	**9**		**634**	**2.5**	**5**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	217	8.2	43	2	3	7	13	16	23	0-17	910	5.4	49	1	2	3	6	11	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**217**	**8.2**	**43**	**2**	**3**	**7**	**13**	**16**	**23**		**910**	**5.4**	**49**	**1**	**2**	**3**	**6**	**11**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	101	7.6	43	1	3	5	12	17	22	0-17	1928	3.2	9	1	1	2	4	6	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**101**	**7.6**	**43**	**1**	**3**	**5**	**12**	**17**	**22**		**1928**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**318**	**8.0**	**43**	**2**	**3**	**5**	**12**	**16**	**22**		**2838**	**3.9**	**23**	**1**	**1**	**2**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	404	6.9	49	1	2	5	8	15	20	0-17	226	4.7	37	1	3	3	4	9	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**404**	**6.9**	**49**	**1**	**2**	**5**	**8**	**15**	**20**		**226**	**4.7**	**37**	**1**	**3**	**3**	**4**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	691	4.8	20	1	2	4	5	10	12	0-17	489	3.1	5	1	1	2	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**691**	**4.8**	**20**	**1**	**2**	**4**	**5**	**10**	**12**		**489**	**3.1**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1095**	**5.6**	**32**	**1**	**2**	**4**	**7**	**12**	**18**		**715**	**3.6**	**16**	**1**	**1**	**3**	**4**	**6**	**9**

DRG 334: Major Male Pelvic Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	838	11.6	58	6	8	9	14	18	23
70-74	619	13.3	157	6	8	10	13	21	42
75-79	416	11.3	45	6	8	10	12	17	19
80-84	259	11.2	28	6	8	10	12	18	21
85 +	142	13.7	35	7	9	12	19	22	26
SUBTOTAL	**2274**	**12.1**	**79**	**6**	**8**	**10**	**14**	**19**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2274**	**12.1**	**79**	**6**	**8**	**10**	**14**	**19**	**24**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	6.0	10						
18-34	31	6.5							
35-49	47	8.9	9	4	7	9	10	14	14
50-69	696	10.0	24	6	7	9	11	16	22
70 +	32	10.5	6						
	821	**9.8**	**22**	**6**	**7**	**9**	**11**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	821	**9.8**	**22**	**6**	**7**	**9**	**11**	**14**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	8	19.0							
SUBTOTAL	**8**	**19.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8**	**19.0**							

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	86	9.3	22	7	7	8	15	16	18
70 +	39	7.8	5						
	125	**8.9**	**17**	**5**	**7**	**8**	**10**	**16**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	125	**8.9**	**17**	**5**	**7**	**8**	**10**	**16**	**18**

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	785	8.6	6	6	7	8	10	11	14
70-74	601	8.8	7	5	7	9	10	12	15
75-79	188	9.6	28	5	7	8	11	14	15
80-84	63	9.5	5	7	8	9	11	13	13
85 +	39	10.8	4						
SUBTOTAL	**1676**	**8.9**	**9**	**6**	**7**	**8**	**10**	**12**	**15**
GRAND TOTAL	**1676**	**8.9**	**9**	**6**	**7**	**8**	**10**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	24	3.7	6						
18-34	31	6.3							
35-49	23	6.7	1						
50-69	1008	8.2	5	6	7	8	9	11	12
70 +	55	7.7	1	6	7	7	9	9	9
	1140	**8.0**	**5**	**6**	**6**	**8**	**9**	**11**	**12**
	1140	**8.0**	**5**	**6**	**6**	**8**	**9**	**11**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.5							
18-34	0								
35-49	0								
50-69	0								
70 +	8	7.0							
SUBTOTAL	**24**	**3.3**	**7**						
GRAND TOTAL	**24**	**3.3**	**7**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	4.0							
18-34	0								
35-49	8	6.0							
50-69	109	6.9	3	5	6	7	8	8	11
70 +	62	6.7	1	6	6	7	8	8	8
	188	**6.7**	**2**	**5**	**6**	**7**	**8**	**8**	**8**
	188	**6.7**	**2**	**5**	**6**	**7**	**8**	**8**	**8**

DRG 336: Transurethral Prostatectomy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5755	5.6	20	3	4	4	6	9	12	0-17	0								
70-74	6225	5.6	13	3	4	5	6	9	13	18-34	8	17.0							
75-79	6000	6.4	27	3	4	5	7	11	15	35-49	55	4.1	2	2	3	4	5	7	7
80-84	3737	6.9	24	3	4	5	8	13	16	50-69	3948	5.0	8	3	3	4	6	8	11
85+	2441	7.7	25	3	4	6	9	14	17	70+	361	5.7	11	3	3	5	7	10	13
SUBTOTAL	**24158**	**6.2**	**22**	**3**	**4**	**5**	**7**	**11**	**14**		**4372**	**5.1**	**8**	**3**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**24158**	**6.2**	**22**	**3**	**4**	**5**	**7**	**11**	**14**		**4372**	**5.1**	**8**	**3**	**3**	**4**	**6**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	15	9.0	17							35-49	8	6.0							
50-69	149	6.8	18	3	3	5	10	16	17	50-69	581	4.2	9	2	3	3	5	7	8
70+	39	5.6	4							70+	848	5.1	9	2	3	4	7	9	11
SUBTOTAL	**204**	**6.8**	**16**	**3**	**4**	**5**	**9**	**13**	**16**		**1437**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**204**	**6.8**	**16**	**3**	**4**	**5**	**9**	**13**	**16**		**1437**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**9**

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8639	4.0	3	3	3	4	4	5	6	0-17	0								
70-74	8301	4.2	3	3	3	4	5	6	7	18-34	8	2.0							
75-79	5811	4.4	12	3	3	4	5	6	7	35-49	346	3.4	6	2	2	3	3	5	6
80-84	3314	4.5	4	3	3	4	5	7	8	50-69	9643	3.9	5	3	3	4	4	5	6
85 +	1499	4.9	4	3	4	5	6	7	9	70 +	802	3.8	5	2	3	3	4	6	7
SUBTOTAL	**27564**	**4.2**	**5**	**3**	**3**	**4**	**5**	**6**	**7**		**10798**	**3.8**	**5**	**2**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**27564**	**4.2**	**5**	**3**	**3**	**4**	**5**	**6**	**7**		**10798**	**3.8**	**5**	**2**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	8	2.0								35-49	24	2.3							
50-69	181	4.1	2	3	3	4	5	6	6	50-69	1794	3.3	2	2	3	3	4	4	5
70 +	39	3.0	2							70 +	1298	3.3	2	2	2	3	4	5	6
SUBTOTAL	**228**	**3.8**	**2**	**2**	**3**	**4**	**4**	**6**	**6**		**3115**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**228**	**3.8**	**2**	**2**	**3**	**4**	**4**	**6**	**6**		**3115**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 338: Testes Procedures, for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	259	7.6	58	1	2	6	11	17	25	0-17	23	2.7	6						
70-74	438	5.4	49	1	1	2	6	15	24	18-34	47	8.2	118	1	1	5	31	99 +	99 +
75-79	314	8.9	107	1	2	4	14	24	34	35-49	16	6.5							
80-84	298	6.4	51	1	1	3	10	16	23	50-69	219	5.5	33	1	1	4	7	13	21
85 +	204	7.8	55	1	2	4	13	18	19	70 +	32	3.8	14						
SUBTOTAL	**1513**	**7.0**	**65**	**1**	**1**	**3**	**10**	**18**	**25**		**336**	**5.6**	**41**	**1**	**1**	**4**	**7**	**13**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	148	1.9	2	1	1	1	3	5	5	0-17	15	2.0	1						
70-74	172	1.4	1	1	1	1	2	3	3	18-34	384	1.6	1	1	1	1	2	3	4
75-79	227	1.1		1	1	1	1	2	2	35-49	173	1.9	2	1	1	1	2	4	4
80-84	134	2.2	3	1	1	1	2	6	7	50-69	157	2.3	6	1	1	1	2	5	9
85 +	140	2.0	4	1	1	1	2	5	8	70 +	39	1.2							
SUBTOTAL	**822**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**5**		**768**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2335**	**5.1**	**50**	**1**	**1**	**2**	**6**	**15**	**22**		**1104**	**2.9**	**17**	**1**	**1**	**1**	**3**	**6**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	5.0								0-17	0								
18-34	16	4.5	7							18-34	0								
35-49	0									35-49	16	2.5							
50-69	8	8.0								50-69	24	3.0	5						
70 +	8	12.0								70 +	55	3.7	24	< 1	1	1	5	15	15
SUBTOTAL	**39**	**6.8**	**11**								**95**	**3.3**	**15**	**1**	**1**	**2**	**4**	**6**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	15	5.0	4							0-17	0								
18-34	24	3.0	2							18-34	87	2.0	5	1	1	1	2	2	9
35-49	8	2.0								35-49	39	2.6	5						
50-69	0									50-69	47	2.3	9	1	1	1	1	9	9
70 +	0									70 +	23	1.0							
SUBTOTAL	**47**	**3.5**	**4**	**2**	**2**	**3**	**5**	**7**	**7**		**197**	**2.1**	**6**	**1**	**1**	**1**	**2**	**7**	**9**
GRAND TOTAL	**86**	**5.0**	**10**	**2**	**2**	**5**	**7**	**8**	**12**		**291**	**2.5**	**9**	**1**	**1**	**1**	**2**	**7**	**9**

DRG 339: Testes Procedures, Non-malignancy Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	133	5.2	39	1	2	3	6	9	28	0-17	0								
70-74	110	4.7	21	1	1	2	8	11	15	18-34	63	2.0	1	<1	1	1	3	4	4
75-79	87	4.7	10	1	2	5	8	10	10	35-49	23	3.0	3						
80-84	62	6.4	18	<1	3	4	9	15	15	50-69	134	3.6	12	1	1	2	4	10	13
85+	47	7.8	9	3	5	9	10	11	11	70+	16	5.0	17						
SUBTOTAL	**439**	**5.4**	**23**	**1**	**2**	**4**	**8**	**10**	**15**		**236**	**3.2**	**9**	**1**	**1**	**2**	**4**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	258	1.6	1	1	1	1	2	3	3	0-17	0								
70-74	141	2.2	10	1	1	1	2	3	15	18-34	1004	1.7	4	1	1	1	2	3	5
75-79	134	1.9	2	1	1	1	2	3	6	35-49	518	2.2	7	1	1	1	2	5	7
80-84	63	2.6	13	1	1	1	2	12	12	50-69	558	2.1	3	1	1	1	2	4	6
85+	47	2.5	2	1	1	2	4	4	4	70+	23	1.0							
SUBTOTAL	**643**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**4**		**2103**	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1082**	**3.4**	**15**	**1**	**1**	**2**	**4**	**9**	**11**		**2339**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	23	3.0	5							18-34	16	1.5							
35-49	8	2.0								35-49	24	4.3	23						
50-69	15	5.5	7							50-69	8	6.0							
70+	0									70+	0								
SUBTOTAL	**47**	**3.6**	**6**	**<1**	**2**	**3**	**6**	**8**	**8**		**47**	**3.6**	**14**	**1**	**1**	**2**	**6**	**11**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	86	1.6		1	1	2	2	2	2	18-34	361	1.6	1	1	1	1	2	3	3
35-49	8	6.0								35-49	149	2.3	9	<1	1	1	3	5	14
50-69	24	1.3								50-69	79	1.1		<1	1	1	1	2	2
70+	0									70+	16	1.0							
SUBTOTAL	**118**	**1.9**	**1**	**1**	**1**	**2**	**2**	**2**	**6**		**605**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**165**	**2.4**	**3**	**1**	**1**	**2**	**2**	**6**	**7**		**652**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	117	3.4	9	1	1	2	5	10	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**2.0**									**117**	**3.4**	**9**	**1**	**1**	**2**	**5**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2211	1.4	1	1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2211**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**8**	**2.0**									**2328**	**1.5**	**1**	**1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	2.7	7	1	1	1	5	8	8	0-17	31	2.8	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**62**	**2.7**	**7**	**1**	**1**	**1**	**5**	**8**	**8**		**31**	**2.8**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	533	1.4	1	< 1	1	1	2	2	3	0-17	554	1.2		< 1	1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**533**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**		**554**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**595**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**		**585**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 341: Penis Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	774	5.0	32	2	2	4	6	9	13	0-17	93	3.2	10	1	1	2	6	9	10
70-74	321	5.9	20	3	3	5	7	10	12	18-34	78	5.3	8	2	2	5	7	10	10
75-79	196	7.5	28	3	4	6	7	15	18	35-49	203	3.8	3	2	2	3	5	7	7
80-84	133	8.1	35	3	4	5	12	20	22	50-69	631	4.0	8	1	2	3	5	6	9
85 +	141	8.4	38	2	4	7	11	20	21	70 +	23	4.7	3						
SUBTOTAL	**1565**	**6.1**	**31**	**2**	**3**	**4**	**7**	**13**	**18**		**1029**	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	992	3.1	3	1	2	3	4	5	6	0-17	2116	1.8	2	1	1	1	2	4	5
70-74	618	3.4	4	1	2	3	4	6	7	18-34	233	2.4	2	1	1	2	3	4	4
75-79	368	4.3	4	2	3	4	5	7	8	35-49	304	3.0	6	1	1	2	4	7	9
80-84	102	4.5	1	3	4	4	6	6	6	50-69	1571	2.9	3	1	2	3	4	5	6
85 +	94	4.2	1	3	3	4	5	5	7	70 +	47	2.5	1	1	1	3	3	4	4
SUBTOTAL	**2175**	**3.5**	**3**	**1**	**2**	**3**	**4**	**6**	**7**		**4271**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**3741**	**4.6**	**17**	**1**	**3**	**4**	**5**	**8**	**12**		**5300**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	4.8	15							0-17	39	3.0	10						
18-34	23	6.3	17							18-34	8	2.0							
35-49	23	3.3								35-49	8	5.0							
50-69	8	5.0								50-69	78	7.5	178	1	2	3	4	35	47
70 +	8	2.0								70 +	39	3.4	1						
SUBTOTAL	**93**	**4.6**	**11**	**1**	**3**	**4**	**8**	**9**	**12**		**171**	**5.2**	**87**	**1**	**2**	**3**	**4**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	519	2.1	4	1	1	1	2	5	7	0-17	496	2.1	3	1	1	1	2	4	5
18-34	54	4.6	15	1	2	3	9	12	12	18-34	47	2.3	2	< 1	1	3	4	4	4
35-49	8	5.0								35-49	79	3.5	5	1	1	5	6	6	6
50-69	8	4.0								50-69	283	2.7	2	1	1	3	4	5	5
70 +	0									70 +	47	5.0	13	1	3	5	6	12	12
SUBTOTAL	**589**	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**8**		**951**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**682**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**9**		**1123**	**2.9**	**17**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 342: Circumcision Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	47	4.6	21	<1	1	2	11	11	11	0-17	0								
70-74	24	3.7	10							18-34	8	1.0							
75-79	40	5.2	12							35-49	32	3.8	7						
80-84	16	4.5	13							50-69	24	1.0							
85 +	0									70 +	0								
SUBTOTAL	**126**	**4.6**	**15**	**1**	**1**	**2**	**8**	**11**	**11**		**63**	**2.4**	**5**	**<1**	**1**	**1**	**3**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	23	1.0								0-17	0								
70-74	8	2.0								18-34	0								
75-79	24	1.3								35-49	8	1.0							
80-84	8	1.0								50-69	8	1.0							
85 +	8	8.0								70 +	0								
SUBTOTAL	**71**	**2.0**	**5**	**1**	**1**	**1**	**2**	**8**	**8**		**15**	**1.0**							
GRAND TOTAL	**196**	**3.7**	**13**	**1**	**1**	**2**	**8**	**9**	**11**		**79**	**2.1**	**5**	**<1**	**1**	**1**	**3**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	8	1.0							
SUBTOTAL	**0**										**8**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	8	1.0							
35-49	0									35-49	0								
50-69	0									50-69	8	1.0							
70 +	0									70 +	8	10.0							
SUBTOTAL	**0**										**23**	**4.0**	**19**						
GRAND TOTAL	**0**										**31**	**3.2**	**16**						

DRG 343: Circumcision Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	16	2.0	1						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**16**	**2.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	86	1.0		< 1	< 1	1	1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**86**	**1.0**		**< 1**	**< 1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**0**										**102**	**1.2**		**< 1**	**1**	**1**	**1**	**1**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	1.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16**	**1.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	54	1.1		< 1	< 1	1	1	2	2	0-17	46	1.2		< 1	< 1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**54**	**1.1**		**< 1**	**< 1**	**1**	**1**	**2**	**2**		**46**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**70**	**1.1**		**< 1**	**1**	**1**	**1**	**2**	**2**		**46**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	110	7.0	28	2	3	5	9	16	20	0-17	0								
70-74	163	10.1	104	2	4	7	10	28	33	18-34	16	7.5	7						
75-79	86	14.7	257	5	5	8	14	29	60	35-49	8	5.0							
80-84	32	8.8	8							50-69	94	5.2	5	3	4	5	6	8	11
85 +	32	7.8	21							70 +	0								
SUBTOTAL	**422**	**10.0**	**109**	**2**	**4**	**7**	**11**	**20**	**31**		**118**	**5.5**	**6**	**3**	**4**	**5**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	78	4.0	4	2	3	3	6	7	8	0-17	0								
70-74	126	4.5	10	2	2	4	6	8	14	18-34	39	7.6	2						
75-79	110	4.8	9	1	2	4	8	9	10	35-49	8	4.0							
80-84	32	6.3	1							50-69	118	5.1	4	2	3	6	7	8	8
85 +	8	6.0								70 +	16	1.5							
SUBTOTAL	**354**	**4.7**	**8**	**2**	**2**	**4**	**6**	**8**	**9**		**180**	**5.3**	**6**	**2**	**3**	**6**	**7**	**8**	**9**
GRAND TOTAL	**776**	**7.5**	**70**	**2**	**3**	**6**	**9**	**14**	**28**		**298**	**5.4**	**6**	**2**	**4**	**5**	**7**	**9**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	14.0								0-17	0								
18-34	0									18-34	0								
35-49	8	10.0								35-49	0								
50-69	8	21.0								50-69	15	5.5							
70 +	0									70 +	24	5.7	11						
SUBTOTAL	**23**	**15.0**	**22**								**39**	**5.6**	**7**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	8	9.0								18-34	8	7.0							
35-49	0									35-49	8	6.0							
50-69	0									50-69	40	3.2	2						
70 +	0									70 +	55	1.4	1	< 1	1	1	2	3	3
SUBTOTAL	**8**	**9.0**									**110**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**31**	**13.5**	**23**								**149**	**3.5**	**6**	**1**	**1**	**3**	**6**	**8**	**8**

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	94	4.1	17	1	1	3	4	9	16	0-17	0									
70-74	32	6.3	30							18-34	24	2.7	3							
75-79	63	4.8	16	2	3	4	5	15	15	35-49	15	7.5	7							
80-84	71	6.9	18	2	3	7	10	15	15	50-69	78	6.1	14	2	2	6	8	12	14	
85 +	39	5.8	11							70 +	0									
SUBTOTAL	**299**	**5.4**	**19**	**1**	**2**	**4**	**7**	**15**	**15**		**118**	**5.6**	**13**	**2**	**2**	**5**	**8**	**10**	**14**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	47	3.2	2	1	2	3	4	5	5	0-17	23	6.3	16							
70-74	70	2.9	4	< 1	1	3	3	8	8	18-34	8	11.0								
75-79	15	8.0	27							35-49	93	3.0	4	1	2	3	3	3	9	
80-84	8	1.0								50-69	102	2.9	2	1	2	2	3	6	6	
85 +	23	1.7								70 +	0									
SUBTOTAL	**164**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**9**		**226**	**3.6**	**7**	**1**	**2**	**3**	**3**	**9**	**10**	
GRAND TOTAL	**463**	**4.6**	**16**	**1**	**2**	**3**	**5**	**11**	**15**		**344**	**4.3**	**10**	**1**	**2**	**3**	**6**	**10**	**10**	

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	8	5.0								
SUBTOTAL	**0**										**8**	**5.0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	15	4.5	13							0-17	8	1.0								
18-34	0									18-34	0									
35-49	0									35-49	8	3.0								
50-69	0									50-69	47	3.9	18	1	1	2	4	13	13	
70 +	0									70 +	8	3.0								
SUBTOTAL	**15**	**4.5**	**13**								**71**	**3.4**	**13**	**1**	**1**	**2**	**3**	**13**	**13**	
GRAND TOTAL	**15**	**4.5**	**13**								**78**	**3.5**	**12**	**1**	**1**	**3**	**4**	**10**	**13**	

DRG 346: Malignancy, Male Reproductive System, w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	352	7.7	45	2	4	6	10	14	19
70-74	328	6.8	18	2	3	6	9	11	16
75-79	439	8.2	50	2	3	6	13	17	25
80-84	377	8.0	57	2	3	6	10	17	30
85 +	266	7.3	28	2	4	5	9	16	18
SUBTOTAL	**1763**	**7.7**	**42**	**2**	**3**	**6**	**10**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1763**	**7.7**	**42**	**2**	**3**	**6**	**10**	**16**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	4.0	5						
18-34	8	1.0							
35-49	8	5.0							
50-69	227	7.7	37	1	4	6	10	15	22
70 +	70	9.1	63	2	4	5	12	24	24
	336	**7.5**	**41**	**1**	**3**	**5**	**10**	**15**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	336	**7.5**	**41**	**1**	**3**	**5**	**10**	**15**	**22**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	8.0							
35-49	0								
50-69	23	17.1	151						
70 +	0								
SUBTOTAL	**31**	**14.8**	**128**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**31**	**14.8**	**128**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	6.3	18						
18-34	0								
35-49	0								
50-69	23	7.7	1						
70 +	118	8.0	27	2	4	6	10	16	21
	164	**7.7**	**22**	**2**	**5**	**7**	**10**	**14**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	164	**7.7**	**22**	**2**	**5**	**7**	**10**	**14**	**18**

DRG 347: Malignancy, Male Reproductive System, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	70	3.0	3	1	2	3	4	6	6
70-74	79	4.4	11	< 1	1	5	6	9	12
75-79	47	5.4	32	< 1	1	3	6	17	17
80-84	24	2.0	2						
85 +	8	21.0							
SUBTOTAL	**227**	**4.5**	**22**	**< 1**	**1**	**3**	**6**	**12**	**17**
GRAND TOTAL	**227**	**4.5**	**22**	**< 1**	**1**	**3**	**6**	**12**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	15	1.0							
18-34	47	3.5	2	1	2	4	5	5	5
35-49	8	4.0							
50-69	63	1.6	1	1	1	1	3	3	3
70 +	23	3.7	10						
	157	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
	157	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	8	3.0							
70 +	0								
SUBTOTAL	**8**	**3.0**							
GRAND TOTAL	**8**	**3.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	8	8.0							
	8	**8.0**							
	8	**8.0**							

DRG 348: Benign Prostatic Hypertrophy w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	181	4.1	5	2	3	4	5	8	9
70-74	173	4.5	29	2	2	3	4	8	9
75-79	299	5.7	25	1	3	4	8	10	14
80-84	165	5.5	37	1	2	4	6	8	16
85 +	126	7.6	52	2	4	5	8	16	32
SUBTOTAL	**944**	**5.4**	**28**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**944**	**5.4**	**28**	**1**	**2**	**4**	**6**	**10**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	5.5							
50-69	126	3.3	4	2	2	3	5	6	9
70 +	16	5.5	2						
	157	**3.8**	**4**	**2**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	157	**3.8**	**4**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	15	2.0	1						
70 +	0								
SUBTOTAL	**15**	**2.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**15**	**2.0**	**1**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	0								
50-69	16	3.5	2						
70 +	15	2.5							
	39	**2.6**	**2**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	39	**2.6**	**2**						

DRG 349: Benign Prostatic Hypertrophy w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	203	3.3	5	1	1	3	4	6	6
70-74	149	2.6	2	1	2	2	4	5	6
75-79	150	2.3	1	< 1	1	2	3	4	4
80-84	86	3.5	4	2	2	3	4	5	9
85 +	32	2.5	1						
SUBTOTAL	**620**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**620**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	31	2.0	2						
50-69	283	3.0	6	1	1	2	4	6	8
70 +	0								
	314	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
	314	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	39	1.0							
70 +	0								
SUBTOTAL	**39**	**1.0**							
GRAND TOTAL	**39**	**1.0**							

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	31	1.5	1						
70 +	8	2.0							
	39	**1.6**	**1**						
	39	**1.6**	**1**						

DRG 350: Inflammation of the Male Reproductive System

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	408	6.2	13	2	4	5	8	11	13	0-17	109	5.3	22	1	2	5	6	9	20
70-74	235	5.8	16	2	3	5	7	10	11	18-34	227	4.9	5	2	3	5	6	8	10
75-79	181	8.8	92	3	4	5	10	15	27	35-49	338	5.3	6	3	4	5	6	8	10
80-84	166	6.9	50	2	3	5	7	10	17	50-69	574	5.5	10	2	4	5	6	9	11
85 +	110	6.3	7	3	4	7	8	10	11	70 +	24	7.3	24						
SUBTOTAL	**1100**	**6.7**	**33**	**2**	**4**	**5**	**8**	**11**	**15**		**1272**	**5.3**	**10**	**2**	**4**	**5**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	330	5.0	17	1	2	5	6	8	10	0-17	297	3.5	5	1	2	3	4	7	9
70-74	125	5.0	5	3	4	5	6	9	9	18-34	589	3.3	4	1	2	3	4	6	7
75-79	71	4.3	5	2	3	4	4	9	9	35-49	635	4.3	4	2	3	4	5	7	8
80-84	70	6.8	3	3	6	7	8	10	10	50-69	699	4.6	8	2	3	4	6	7	10
85 +	31	7.0	4							70 +	16	3.0	4						
SUBTOTAL	**628**	**5.2**	**11**	**2**	**3**	**5**	**7**	**9**	**10**		**2236**	**4.0**	**6**	**1**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**1728**	**6.1**	**25**	**2**	**3**	**5**	**7**	**10**	**13**		**3508**	**4.5**	**7**	**2**	**3**	**4**	**6**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	5.5								0-17	23	2.0	1						
18-34	95	4.8	7	2	2	5	7	7	10	18-34	94	3.7	6	1	2	3	6	7	9
35-49	71	6.0	10	3	4	5	7	14	14	35-49	55	6.4	9	3	4	5	9	11	11
50-69	71	4.8	10	< 1	3	4	5	12	12	50-69	78	4.5	7	2	3	4	6	9	10
70 +	0									70 +	31	5.5	2						
SUBTOTAL	**251**	**5.2**	**8**	**2**	**3**	**5**	**7**	**8**	**12**		**281**	**4.5**	**7**	**1**	**3**	**4**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	85	2.0	1	1	1	2	3	3	5	0-17	86	2.9	3	1	1	3	4	5	6
18-34	141	3.9	4	1	2	5	6	6	7	18-34	322	3.4	5	1	2	3	5	7	8
35-49	39	4.2	5							35-49	197	4.0	5	2	3	4	5	8	8
50-69	8	5.0								50-69	111	3.6	2	2	3	3	4	5	8
70 +	0									70 +	16	3.5							
SUBTOTAL	**273**	**3.4**	**4**	**1**	**1**	**3**	**5**	**6**	**7**		**731**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**525**	**4.2**	**7**	**1**	**2**	**4**	**6**	**7**	**8**		**1013**	**3.8**	**5**	**1**	**2**	**3**	**5**	**8**	**8**

DRG 351: Sterilization, Male

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	8	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										8	1.0							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	8	1.0							
70-74	0									18-34	8	1.0							
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										16	1.0							
GRAND TOTAL	0										24	1.0							

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	0										0								

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	15	2.0	1							0-17	62	2.5	5	1	1	2	4	8	8
70-74	31	1.3								18-34	47	3.1	7	1	1	2	5	8	8
75-79	16	2.5								35-49	15	2.5	2						
80-84	8	2.0								50-69	31	2.8	3						
85 +	16	3.0								70 +	0								
SUBTOTAL	**86**	**2.0**	**1**	**< 1**	**1**	**2**	**3**	**3**	**3**		**156**	**2.8**	**5**	**1**	**1**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	55	3.2	3	1	2	3	4	7	7	0-17	203	1.3		< 1	1	1	2	2	2
70-74	0									18-34	79	1.5		< 1	1	1	2	3	3
75-79	23	2.7								35-49	94	2.8	3	1	1	3	4	5	5
80-84	0									50-69	86	2.6	2	1	1	2	4	5	5
85 +	0									70 +	8	1.0							
SUBTOTAL	**78**	**3.0**	**2**	**1**	**2**	**3**	**3**	**6**	**7**		**470**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**164**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**626**	**2.1**	**3**	**1**	**1**	**1**	**3**	**5**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	5.0								0-17	15	7.5							
18-34	0									18-34	16	3.5							
35-49	16	5.6	22							35-49	15	3.5	2						
50-69	0									50-69	8	8.0							
70 +	0									70 +	0								
SUBTOTAL	**23**	**5.4**	**14**								**55**	**5.3**	**5**	**2**	**3**	**5**	**8**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	63	2.1	2	< 1	1	2	3	5	5	0-17	124	2.6	13	< 1	1	1	2	7	15
18-34	24	2.0	2							18-34	32	1.5	1						
35-49	8	1.0								35-49	0								
50-69	0									50-69	16	2.5							
70 +	0									70 +	0								
SUBTOTAL	**94**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**		**172**	**2.4**	**10**	**< 1**	**< 1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**118**	**2.7**	**6**	**< 1**	**1**	**1**	**4**	**5**	**10**		**226**	**3.1**	**10**	**< 1**	**1**	**2**	**4**	**8**	**8**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	101	11.1	20	6	7	9	16	17	18	0-17	0								
70-74	78	14.9	82	4	8	12	25	28	30	18-34	116	7.9	4	5	6	8	10	11	11
75-79	46	23.2	670	8	9	12	17	80	80	35-49	178	10.6	55	5	6	8	11	22	24
80-84	31	8.3	11							50-69	210	15.9	141	6	8	12	18	33	47
85+	46	10.7	27	5	7	9	12	21	21	70+	0								
SUBTOTAL	**302**	**13.6**	**154**	**5**	**7**	**11**	**16**	**25**	**30**		**504**	**12.2**	**90**	**6**	**7**	**9**	**13**	**24**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	78	5.9	6	3	4	5	7	10	12	0-17	0								
70-74	31	9.5	7							18-34	108	6.1	2	4	5	6	7	8	9
75-79	8	7.0								35-49	233	6.4	2	5	5	6	8	8	9
80-84	54	10.9	5	8	8	11	14	14	14	50-69	148	7.4	14	4	5	7	8	16	18
85+	15	12.0	17							70+	0								
SUBTOTAL	**186**	**8.5**	**12**	**4**	**6**	**8**	**11**	**14**	**14**		**489**	**6.7**	**6**	**5**	**5**	**6**	**8**	**9**	**10**
GRAND TOTAL	**488**	**11.6**	**106**	**5**	**7**	**9**	**14**	**17**	**25**		**992**	**9.5**	**56**	**5**	**6**	**7**	**10**	**16**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	62	8.4	9	4	5	8	11	13	13	18-34	8	17.0							
35-49	23	12.3	15							35-49	23	13.0	30						
50-69	31	12.2	42							50-69	23	17.0	105						
70+	15	13.0								70+	8	4.0							
SUBTOTAL	**132**	**10.5**	**21**	**5**	**7**	**10**	**13**	**15**	**23**		**62**	**13.8**	**67**	**3**	**5**	**14**	**21**	**26**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	23	8.0	8							18-34	8	9.0							
35-49	15	6.5								35-49	23	6.0	5						
50-69	8	8.0								50-69	70	6.1	3	4	5	5	7	9	9
70+	0									70+	8	8.0							
SUBTOTAL	**46**	**7.5**	**5**	**6**	**6**	**7**	**8**	**12**	**12**		**109**	**6.4**	**4**	**4**	**5**	**5**	**9**	**9**	**9**
GRAND TOTAL	**178**	**9.7**	**18**	**6**	**6**	**8**	**13**	**15**	**15**		**171**	**9.1**	**39**	**4**	**5**	**7**	**9**	**20**	**22**

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	626	8.1	39	4	5	6	8	13	20
70-74	438	8.8	21	5	6	7	11	17	19
75-79	439	11.1	141	5	6	7	12	21	22
80-84	196	8.7	19	6	6	7	9	11	17
85 +	71	8.1	9	4	5	9	10	12	12
SUBTOTAL	**1771**	**9.1**	**58**	**5**	**5**	**7**	**10**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1771**	**9.1**	**58**	**5**	**5**	**7**	**10**	**15**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	134	5.6	8	3	4	4	7	10	14
35-49	518	5.9	11	4	4	5	6	9	14
50-69	694	7.5	19	4	5	6	8	12	17
70 +	8	7.0							
	1354	**6.7**	**15**	**4**	**4**	**5**	**7**	**11**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1354	**6.7**	**15**	**4**	**4**	**5**	**7**	**11**	**16**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	133	5.7	6	3	4	5	7	9	11
35-49	94	7.1	8	4	5	7	9	9	15
50-69	70	11.5	31	4	7	12	16	21	21
70 +	8	9.0							
SUBTOTAL	**305**	**7.6**	**17**	**3**	**4**	**7**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**305**	**7.6**	**17**	**3**	**4**	**7**	**9**	**15**	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	6.2	6						
35-49	117	6.1	14	4	4	5	8	8	19
50-69	148	6.3	4	4	4	6	8	10	10
70 +	31	8.0	10						
	328	**6.4**	**9**	**4**	**4**	**5**	**8**	**10**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	328	**6.4**	**9**	**4**	**4**	**5**	**8**	**10**	**11**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	625	5.2	3	4	4	5	6	7	8	0-17	0								
70-74	471	5.5	2	4	4	5	6	7	9	18-34	991	3.7	1	3	3	4	4	5	5
75-79	322	6.5	15	4	5	5	6	8	17	35-49	1450	4.3	2	3	4	4	5	6	7
80-84	156	6.0	2	4	5	6	7	9	9	50-69	1565	5.3	11	4	4	5	6	7	9
85 +	47	6.2	2	4	5	6	8	8	8	70 +	8	4.0							
SUBTOTAL	**1621**	**5.7**	**5**	**4**	**4**	**5**	**6**	**8**	**9**		**4013**	**4.5**	**6**	**3**	**4**	**4**	**5**	**6**	**7**
GRAND TOTAL	**1621**	**5.7**	**5**	**4**	**4**	**5**	**6**	**8**	**9**		**4013**	**4.5**	**6**	**3**	**4**	**4**	**5**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	8.0								0-17	0								
18-34	520	3.9	1	2	3	4	4	5	6	18-34	235	3.8	3	3	3	4	4	5	6
35-49	118	4.4	3	3	3	4	6	8	8	35-49	337	4.4	2	3	4	4	5	6	7
50-69	78	5.4	1	4	5	5	6	7	7	50-69	297	4.6	1	4	4	4	5	5	6
70 +	0									70 +	118	5.1	2	4	4	5	6	7	8
SUBTOTAL	**724**	**4.2**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**986**	**4.4**	**2**	**3**	**4**	**4**	**5**	**6**	**7**
GRAND TOTAL	**724**	**4.2**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**986**	**4.4**	**2**	**3**	**4**	**4**	**5**	**6**	**7**

DRG 356: Female Reproductive System Reconstructive Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	894	5.5	5	3	4	5	6	8	9
70-74	572	6.1	11	3	4	6	7	9	10
75-79	352	5.7	15	3	4	5	7	9	10
80-84	259	6.2	10	3	4	6	8	11	12
85 +	164	5.5	8	3	4	5	7	9	11
SUBTOTAL	**2241**	**5.7**	**9**	**3**	**4**	**5**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2192	4.4	3	3	3	4	5	7	7
70-74	1743	4.6	4	3	3	4	5	7	8
75-79	1012	5.0	5	3	3	5	6	8	9
80-84	393	4.7	4	2	3	4	5	8	10
85 +	95	4.7	6	2	2	5	6	8	9
SUBTOTAL	**5434**	**4.6**	**4**	**3**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**7675**	**4.9**	**5**	**3**	**4**	**5**	**6**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	6.0							
18-34	55	3.7	1	2	3	4	4	5	5
35-49	667	5.3	5	3	4	5	7	8	8
50-69	1238	5.6	7	3	4	5	7	9	11
70 +	47	6.2	16	4	4	5	5	15	15
	2014	**5.4**	**6**	**3**	**4**	**5**	**6**	**8**	**10**
0-17	31	6.0	4						
18-34	792	4.1	5	2	3	4	5	6	7
35-49	3352	4.1	3	2	3	4	5	6	7
50-69	5687	4.2	3	2	3	4	5	6	7
70 +	102	4.2	1	3	3	4	5	5	7
	9964	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
	11979	**4.4**	**4**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	31	3.5							
35-49	78	4.7	3	2	4	5	5	8	8
50-69	55	5.0	2	4	4	5	5	8	8
70 +	16	2.5							
SUBTOTAL	**180**	**4.4**	**3**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	3.0	4						
18-34	259	3.8	3	1	3	4	5	6	7
35-49	330	4.0	2	3	3	4	5	5	7
50-69	181	5.0	2	3	4	5	6	7	8
70 +	0								
SUBTOTAL	**786**	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**965**	**4.2**	**3**	**2**	**3**	**4**	**5**	**7**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	32	4.8	7						
35-49	47	4.2	4	1	3	4	6	7	7
50-69	133	5.1	14	2	3	4	6	8	18
70 +	55	2.9	1	1	2	3	4	4	4
	267	**4.4**	**9**	**2**	**3**	**4**	**5**	**7**	**9**
0-17	0								
18-34	94	3.2	2	2	2	3	4	5	6
35-49	415	4.2	2	2	3	4	5	6	6
50-69	720	3.9	2	2	3	4	5	6	7
70 +	204	3.9	2	2	3	4	4	6	7
	1433	**3.9**	**2**	**2**	**3**	**4**	**5**	**6**	**6**
	1699	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	406	12.4	62	6	7	11	14	21	29
70-74	345	14.0	46	7	9	11	17	24	27
75-79	227	13.8	85	6	7	11	19	30	32
80-84	165	14.6	81	8	8	12	16	23	29
85 +	63	19.6	100	11	12	14	27	39	39
SUBTOTAL	**1206**	**13.8**	**69**	**6**	**8**	**11**	**16**	**25**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	5.6	6	4	4	5	5	9	13
70-74	102	6.2	3	4	4	6	8	9	9
75-79	78	7.3	4	5	5	7	9	10	11
80-84	32	7.5	4						
85 +	0								
SUBTOTAL	**322**	**6.4**	**5**	**4**	**5**	**6**	**8**	**9**	**10**
GRAND TOTAL	**1528**	**12.2**	**64**	**5**	**7**	**10**	**14**	**23**	**29**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	7.0	19						
18-34	70	6.8	6	3	5	7	8	11	11
35-49	422	9.3	30	4	6	8	10	19	23
50-69	774	11.8	61	5	7	10	14	21	27
70 +	31	14.0	44						
	1321	**10.7**	**50**	**5**	**6**	**9**	**13**	**20**	**23**
0-17	23	5.7							
18-34	173	4.2	1	3	4	4	5	5	7
35-49	462	5.6	4	4	4	5	7	8	9
50-69	422	6.8	9	4	4	6	8	12	13
70 +	8	4.0							
	1089	**5.8**	**6**	**3**	**4**	**5**	**7**	**9**	**11**
	2409	**8.5**	**36**	**4**	**5**	**7**	**10**	**15**	**21**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	23	6.3	3						
35-49	31	9.7	5						
50-69	70	14.7	99	4	7	12	17	38	38
70 +	16	22.1	107						
SUBTOTAL	**140**	**13.0**	**82**	**4**	**7**	**11**	**14**	**32**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	8.0							
18-34	55	4.4	1	3	3	4	6	6	6
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**63**	**4.9**	**3**	**3**	**3**	**5**	**6**	**8**	**8**
GRAND TOTAL	**203**	**10.5**	**72**	**4**	**5**	**8**	**12**	**23**	**32**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	4.0							
35-49	63	6.3	6	4	4	5	7	12	12
50-69	188	10.1	99	4	6	8	10	12	25
70 +	32	13.7	64						
	290	**9.5**	**77**	**4**	**5**	**7**	**10**	**12**	**27**
0-17	16	5.0	1						
18-34	55	4.1	1	2	3	5	5	5	5
35-49	86	4.8	1	4	4	5	6	6	6
50-69	63	4.5	1	3	4	4	5	7	7
70 +	15	5.0							
	236	**4.6**	**1**	**3**	**4**	**5**	**5**	**6**	**6**
	525	**7.3**	**49**	**4**	**4**	**5**	**8**	**11**	**12**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1723	6.8	17	4	4	6	7	10	13	0-17	275	5.3	9	3	3	5	6	9	9
70-74	1028	7.3	13	4	5	6	9	12	15	18-34	4818	5.1	6	3	4	5	6	8	10
75-79	673	8.4	33	4	6	7	8	16	20	35-49	12165	5.4	6	3	4	5	6	8	10
80-84	298	7.7	11	5	5	7	9	14	15	50-69	3291	5.9	9	4	4	5	7	8	11
85 +	220	10.3	23	5	7	9	13	19	21	70 +	55	10.5	54	5	6	6	14	27	27
SUBTOTAL	**3941**	**7.5**	**19**	**4**	**5**	**6**	**8**	**12**	**16**		**20603**	**5.4**	**7**	**3**	**4**	**5**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3941**	**7.5**	**19**	**4**	**5**	**6**	**8**	**12**	**16**		**20603**	**5.4**	**7**	**3**	**4**	**5**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	4.0	4							0-17	16	3.0							
18-34	1344	5.1	7	3	4	5	6	7	10	18-34	1284	5.3	14	2	3	4	6	9	11
35-49	1216	6.2	6	4	4	6	7	9	11	35-49	1982	5.1	6	3	4	5	6	7	9
50-69	212	7.5	27	4	5	6	7	18	20	50-69	540	6.2	20	4	4	5	6	11	13
70 +	16	5.5								70 +	95	5.8	3	4	5	5	6	9	10
SUBTOTAL	**2819**	**5.7**	**9**	**3**	**4**	**5**	**7**	**9**	**11**		**3915**	**5.3**	**10**	**3**	**4**	**5**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2819**	**5.7**	**9**	**3**	**4**	**5**	**7**	**9**	**11**		**3915**	**5.3**	**10**	**3**	**4**	**5**	**6**	**8**	**11**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3333	5.0	2	4	4	5	6	7	8	0-17	1254	3.8	3	2	3	4	4	6	7
70-74	1960	5.3	3	4	4	5	6	7	8	18-34	27894	3.9	2	3	3	4	4	5	6
75-79	981	5.7	3	4	4	6	7	7	8	35-49	51002	4.2	2	3	4	4	5	5	6
80-84	399	6.3	7	4	5	6	7	9	14	50-69	13242	4.6	2	3	4	4	5	6	7
85 +	71	5.0		4	5	5	5	6	6	70 +	133	4.4	1	3	4	4	5	6	7
SUBTOTAL	**6744**	**5.3**	**3**	**4**	**4**	**5**	**6**	**7**	**8**		**93526**	**4.2**	**2**	**3**	**3**	**4**	**5**	**6**	**6**
GRAND TOTAL	**6744**	**5.3**	**3**	**4**	**4**	**5**	**6**	**7**	**8**		**93526**	**4.2**	**2**	**3**	**3**	**4**	**5**	**6**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	290	4.1	4	2	3	3	5	7	8	0-17	374	3.6	2	2	3	3	5	5	6
18-34	5083	4.1	4	2	3	4	5	6	7	18-34	5567	3.7	3	2	3	4	4	5	6
35-49	2885	4.7	4	3	4	4	5	6	8	35-49	8383	3.9	2	3	3	4	4	5	6
50-69	275	5.2	3	3	4	5	6	7	9	50-69	2122	4.3	1	3	4	4	5	6	6
70 +	39	5.4	4							70 +	228	4.6	1	3	4	5	5	5	6
SUBTOTAL	**8571**	**4.4**	**4**	**3**	**3**	**4**	**5**	**6**	**7**		**16673**	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**8571**	**4.4**	**4**	**3**	**3**	**4**	**5**	**6**	**7**		**16673**	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**

DRG 360: Vagina, Cervix & Vulva Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	140	9.2	68	2	3	7	13	23	31	0-17	47	3.8	5	1	1	4	6	7	7
70-74	94	7.0	24	2	3	5	10	11	19	18-34	125	4.7	13	1	2	3	6	11	14
75-79	133	11.4	169	2	3	5	14	30	51	35-49	187	5.8	21	1	2	5	8	13	14
80-84	102	11.1	71	2	6	7	17	20	31	50-69	218	5.0	18	1	2	4	6	13	16
85 +	118	7.1	15	2	4	8	10	13	14	70 +	0								
SUBTOTAL	**586**	**9.2**	**77**	**2**	**3**	**6**	**12**	**20**	**30**		**578**	**5.1**	**17**	**1**	**2**	**4**	**6**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	125	3.4	5	1	1	3	5	7	8	0-17	187	3.2	9	1	1	2	4	7	7
70-74	78	3.5	6	1	1	4	5	7	9	18-34	518	2.4	4	1	1	2	3	4	8
75-79	93	3.6	9	1	2	3	5	6	12	35-49	571	3.0	7	1	1	2	4	5	10
80-84	55	4.6	3	2	3	4	6	8	8	50-69	430	3.0	2	1	2	3	4	5	6
85 +	39	3.2	4							70 +	0								
SUBTOTAL	**391**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**1706**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**978**	**7.0**	**56**	**1**	**2**	**4**	**9**	**15**	**21**		**2284**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	12.0								0-17	8	5.0							
18-34	71	10.2	240	< 1	1	2	5	43	43	18-34	39	4.4	10						
35-49	32	3.8	3							35-49	47	1.8	1	1	1	1	2	4	4
50-69	8	5.0								50-69	47	4.7	10	1	1	4	8	9	9
70 +	0									70 +	8	2.0							
SUBTOTAL	**118**	**8.2**	**154**	**1**	**1**	**4**	**5**	**35**	**43**		**149**	**3.6**	**8**	**1**	**1**	**2**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	86	2.7	7	1	1	2	3	7	9	0-17	109	2.8	3	< 1	1	2	4	6	7
18-34	141	2.4	4	< 1	1	1	2	6	8	18-34	180	1.7	2	< 1	< 1	1	2	4	4
35-49	15	1.0								35-49	94	1.7	1	< 1	1	1	2	3	3
50-69	24	3.0								50-69	63	1.6		< 1	1	2	2	3	3
70 +	0									70 +	23	2.0	1						
SUBTOTAL	**266**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**6**	**8**		**469**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**384**	**4.2**	**57**	**< 1**	**1**	**2**	**4**	**8**	**12**		**618**	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**6**	**7**

North Central Region, July 1988 - June 1989

DRG 361: Laparoscopy & Incisional Tubal Interruption

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	5.0							
70-74	8	10.0							
75-79	8	2.0							
80-84	0								
85 +	0								
SUBTOTAL	**24**	**5.7**	**11**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	4.5	9						
70-74	23	2.3	2						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**55**	**3.6**	**7**	**< 1**	**1**	**4**	**4**	**9**	**9**
GRAND TOTAL	**78**	**4.2**	**9**	**< 1**	**2**	**4**	**5**	**9**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	3.2	6						
18-34	401	4.5	15	1	2	4	6	9	10
35-49	141	3.4	8	1	1	2	5	7	12
50-69	24	10.9	75						
70 +	0								
	605	**4.4**	**17**	**1**	**1**	**4**	**6**	**9**	**11**
0-17	339	2.6	2	1	2	2	4	4	5
18-34	2560	3.3	6	1	1	3	4	6	8
35-49	643	2.9	5	1	1	2	4	5	7
50-69	39	4.6	7						
70 +	0								
	3581	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**8**
	4186	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	141	5.2	22	1	1	4	8	13	18
35-49	8	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**149**	**5.1**	**21**	**1**	**1**	**4**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	78	2.8	1	1	2	3	3	5	5
18-34	1016	3.3	7	1	1	3	5	7	8
35-49	55	4.0	6	< 1	2	4	7	8	8
50-69	0								
70 +	0								
SUBTOTAL	**1150**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1298**	**3.5**	**8**	**1**	**1**	**3**	**5**	**8**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	5.0	2						
18-34	156	4.0	9	1	1	4	5	8	11
35-49	16	6.1	27						
50-69	0								
70 +	8	1.0							
	211	**4.2**	**9**	**1**	**1**	**4**	**6**	**9**	**11**
0-17	40	2.4	4						
18-34	826	2.8	6	< 1	1	2	4	6	9
35-49	165	2.3	4	< 1	< 1	1	3	5	7
50-69	16	3.0	4						
70 +	0								
	1047	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**6**	**8**
	1258	**3.0**	**6**	**< 1**	**1**	**2**	**4**	**7**	**9**

DRG 362: Endoscopic Tubal Interruption

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	8	1.0								
75-79	0									35-49	23	1.0								
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**31**	**1.0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	8	3.0								0-17	0									
70-74	0									18-34	103	1.4	1	< 1	< 1	< 1	1	3	4	
75-79	0									35-49	103	1.1		< 1	< 1	< 1	< 1	< 1	2	
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**8**	**3.0**									**206**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**	
GRAND TOTAL	**8**	**3.0**									**237**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	16	1.5								18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**16**	**1.5**									**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	39	1.0								18-34	119	1.1		< 1	< 1	< 1	< 1	1	2	
35-49	0									35-49	95	1.0		< 1	< 1	< 1	< 1	< 1	< 1	
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**39**	**1.0**									**214**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	
GRAND TOTAL	**55**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**		**214**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	

DRG 363: D&C, Conization & Radio-implant, for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	172	7.9	56	2	2	4	11	17	17	0-17	0								
70-74	117	3.6	13	1	1	2	4	10	14	18-34	8	2.0							
75-79	70	3.6	3	1	2	3	5	6	6	35-49	62	2.5	1	1	2	2	3	5	5
80-84	39	7.2	4							50-69	109	2.4	2	1	2	2	2	4	7
85 +	47	7.5	10	4	5	6	10	13	13	70 +	0								
SUBTOTAL	**446**	**6.0**	**31**	**1**	**2**	**4**	**8**	**13**	**17**		**179**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	148	2.9	4	1	2	2	4	6	9	0-17	0								
70-74	194	3.5	6	2	2	3	4	5	7	18-34	126	1.3		< 1	< 1	1	1	3	3
75-79	117	4.1	9	2	2	2	7	10	10	35-49	195	2.2	1	1	2	2	3	3	3
80-84	39	3.2	3							50-69	389	2.7	2	1	2	2	3	4	5
85 +	32	2.5	1							70 +	0								
SUBTOTAL	**531**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**		**710**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**976**	**4.6**	**19**	**1**	**2**	**3**	**6**	**10**	**13**		**889**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	8	31.0								18-34	8	6.0							
35-49	31	7.5	23							35-49	24	3.0	1						
50-69	8	15.0								50-69	39	4.2	17						
70 +	8	9.0								70 +	15	2.5							
SUBTOTAL	**54**	**12.2**	**80**	**3**	**4**	**9**	**15**	**31**	**31**		**86**	**3.7**	**9**	**2**	**2**	**3**	**4**	**6**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	2.0								0-17	0								
18-34	32	3.0	9							18-34	79	1.0		< 1	< 1	< 1	1	1	1
35-49	47	3.4	12	1	2	2	2	11	11	35-49	86	2.5	2	< 1	1	2	4	4	6
50-69	31	4.3	3							50-69	63	2.5	3	1	1	2	3	7	7
70 +	0									70 +	39	1.8	1						
SUBTOTAL	**117**	**3.4**	**8**	**1**	**2**	**2**	**4**	**8**	**11**		**267**	**2.0**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**171**	**6.2**	**47**	**1**	**2**	**4**	**8**	**15**	**15**		**353**	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**

DRG 364: D&C, Conization except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	164	4.2	13	1	2	3	5	10	12
70-74	118	4.8	42	1	1	2	7	10	27
75-79	39	3.8	6						
80-84	55	5.4	5	1	4	6	7	8	8
85 +	47	7.2	18	2	2	7	11	13	13
SUBTOTAL	**423**	**4.8**	**21**	**1**	**2**	**3**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	117	2.5	6	< 1	1	1	3	6	10
70-74	79	1.9	1	< 1	< 1	1	2	4	5
75-79	39	2.6	4						
80-84	47	1.0		1	1	1	1	1	1
85 +	23	3.0	5						
SUBTOTAL	**306**	**2.2**	**4**	**< 1**	**1**	**1**	**2**	**6**	**6**
GRAND TOTAL	**729**	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	2.5	1						
18-34	157	2.5	6	1	1	2	3	7	9
35-49	440	2.0	1	1	1	2	2	4	4
50-69	213	4.1	25	1	1	2	4	10	16
70 +	0								
	841	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	39	3.4	2						
18-34	418	2.3	3	1	1	2	3	5	7
35-49	669	1.7	2	< 1	1	1	2	3	4
50-69	283	1.6	1	< 1	1	1	2	3	4
70 +	8	1.0							
	1417	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
	2258	**2.2**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	110	2.5	3	1	1	2	3	6	7
35-49	141	3.2	13	1	1	2	2	11	13
50-69	31	5.0	35						
70 +	0								
SUBTOTAL	**283**	**3.1**	**12**	**1**	**1**	**2**	**3**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	261	2.8	7	< 1	1	2	4	7	9
35-49	94	3.3	13	< 1	1	2	5	5	14
50-69	55	3.0	4	1	1	2	5	6	6
70 +	0								
SUBTOTAL	**418**	**3.0**	**8**	**< 1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**701**	**3.0**	**10**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0	1						
18-34	78	3.3	6	1	2	2	3	8	9
35-49	158	2.4	3	1	1	2	3	5	7
50-69	71	1.6	1	< 1	1	1	2	4	4
70 +	8	3.0							
	330	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
0-17	8	1.0							
18-34	190	2.8	3	< 1	1	2	4	5	6
35-49	173	1.7	1	< 1	< 1	1	2	3	3
50-69	94	1.4		< 1	< 1	1	2	2	2
70 +	16	1.0							
	480	**2.0**	**2**	**< 1**	**< 1**	**1**	**3**	**4**	**6**
	811	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**

North Central Region, July 1988 - June 1989

DRG 365: Other Female Reproductive System O.R. Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	203	9.6	34	4	6	8	12	16	21
70-74	141	13.7	80	6	8	11	15	33	38
75-79	86	16.5	184	6	8	12	27	34	49
80-84	24	24.8	241						
85 +	31	9.2	12						
SUBTOTAL	**486**	**12.7**	**97**	**5**	**7**	**10**	**13**	**27**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	126	6.1	14	2	3	5	8	13	16
70-74	102	4.9	5	3	4	4	6	7	11
75-79	39	5.0	7						
80-84	16	5.0							
85 +	31	6.2	42						
SUBTOTAL	**314**	**5.5**	**12**	**2**	**3**	**5**	**7**	**11**	**15**
GRAND TOTAL	**800**	**9.9**	**76**	**3**	**5**	**7**	**12**	**17**	**31**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.5	7						
18-34	148	6.3	16	3	4	4	8	13	19
35-49	235	6.8	17	3	4	5	9	15	16
50-69	273	9.9	90	4	4	7	12	18	28
70 +	8	8.0							
	679	**7.9**	**48**	**3**	**4**	**6**	**9**	**15**	**18**
0-17	86	5.3	9	3	3	4	7	9	12
18-34	635	4.1	3	2	3	4	5	7	8
35-49	445	4.5	4	2	3	4	6	7	7
50-69	353	4.5	3	3	3	4	5	8	8
70 +	24	4.7	2						
	1543	**4.4**	**4**	**2**	**3**	**4**	**6**	**7**	**8**
	2222	**5.5**	**20**	**2**	**3**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	7.0							
18-34	70	10.3	212	3	4	5	7	51	51
35-49	55	13.2	174	4	5	7	22	42	42
50-69	32	7.7	12						
70 +	0								
SUBTOTAL	**164**	**10.6**	**154**	**4**	**5**	**7**	**8**	**24**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	24	8.3	49						
18-34	165	5.5	22	1	2	4	7	10	17
35-49	70	7.1	35	3	4	5	5	23	23
50-69	32	8.8	23						
70 +	0								
SUBTOTAL	**290**	**6.5**	**29**	**2**	**3**	**4**	**9**	**16**	**19**
GRAND TOTAL	**454**	**8.0**	**78**	**2**	**4**	**5**	**8**	**18**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	5.8	14	2	3	5	7	13	13
35-49	32	8.7	16						
50-69	47	6.6	16	3	3	4	8	14	14
70 +	8	4.0							
	133	**6.7**	**15**	**3**	**4**	**6**	**11**	**14**	**99 +**
0-17	31	3.0	1						
18-34	150	6.3	43	2	3	5	7	14	30
35-49	55	6.6	14	3	3	5	9	14	14
50-69	40	2.8	1						
70 +	24	16.7	419						
	300	**6.4**	**67**	**2**	**3**	**4**	**6**	**14**	**31**
	432	**6.5**	**51**	**2**	**3**	**4**	**7**	**14**	**31**

DRG 366: Malignancy, Female Reproductive System w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	242	7.8	68	2	3	5	8	17	22
70-74	140	10.9	113	3	5	8	9	36	39
75-79	157	9.4	45	2	4	8	12	20	26
80-84	102	9.3	52	1	3	6	17	19	21
85 +	110	8.7	83	1	4	7	9	12	39
SUBTOTAL	**750**	**9.0**	**72**	**2**	**4**	**7**	**11**	**19**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**750**	**9.0**	**72**	**2**	**4**	**7**	**11**	**19**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	24	20.7	829						
35-49	133	7.3	50	1	3	6	7	19	28
50-69	289	7.2	26	2	4	6	9	15	22
70 +	16	2.0							
	461	**7.7**	**81**	**2**	**3**	**5**	**9**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	461	**7.7**	**81**	**2**	**3**	**5**	**9**	**17**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	54	5.6	4	2	5	6	6	9	9
18-34	16	4.0							
35-49	62	8.2	92	1	2	6	10	32	32
50-69	125	9.1	26	3	5	7	15	16	18
70 +	8	3.0							
SUBTOTAL	**265**	**7.7**	**38**	**2**	**4**	**6**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**265**	**7.7**	**38**	**2**	**4**	**6**	**9**	**15**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	4.0							
35-49	23	3.3							
50-69	78	5.3	13	1	3	3	9	11	12
70 +	23	6.6	16						
	133	**5.1**	**12**	**2**	**3**	**3**	**8**	**12**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	133	**5.1**	**12**	**2**	**3**	**3**	**8**	**12**	**12**

DRG 367: Malignancy, Female Reproductive System w/o CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	70	7.2	69	1	2	4	8	28	28	0-17	0								
70-74	101	4.5	56	1	2	2	4	6	30	18-34	39	6.2	3						
75-79	86	4.1	13	1	2	3	5	7	14	35-49	85	2.3	1	1	2	2	3	3	4
80-84	39	6.8	6							50-69	148	3.3	10	1	1	2	4	9	14
85 +	47	6.3	36	1	3	4	7	19	19	70 +	0								
SUBTOTAL	**342**	**5.5**	**41**	**1**	**2**	**4**	**7**	**13**	**19**		**272**	**3.4**	**8**	**1**	**2**	**2**	**4**	**8**	**9**
GRAND TOTAL	**342**	**5.5**	**41**	**1**	**2**	**4**	**7**	**13**	**19**		**272**	**3.4**	**8**	**1**	**2**	**2**	**4**	**8**	**9**

TYPE OF PATIENT	MEDICAID										NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	15	1.0							
18-34	23	2.3	2							18-34	16	2.5							
35-49	15	5.0								35-49	16	1.0							
50-69	47	1.8		1	1	2	2	3	3	50-69	39	1.4							
70 +	0									70 +	8	1.0							
SUBTOTAL	**85**	**2.5**	**2**	**1**	**1**	**2**	**4**	**5**	**5**		**93**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**85**	**2.5**	**2**	**1**	**1**	**2**	**4**	**5**	**5**		**93**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**3**

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	110	4.8	5	2	4	5	6	6	11
70-74	55	5.3	4	3	4	5	5	10	10
75-79	47	14.2	202	3	6	9	14	45	45
80-84	39	15.2	55						
85 +	32	10.3	46						
SUBTOTAL	282	8.5	68	3	4	6	10	16	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	6.3	4	3	5	6	8	9	9
70-74	31	5.8	9						
75-79	0								
80-84	0								
85 +	16	5.0	1						
SUBTOTAL	94	5.9	5	3	4	6	8	9	10
GRAND TOTAL	377	7.9	53	3	4	6	10	14	21

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	290	3.8	4	1	3	3	5	6	9
18-34	966	4.4	4	2	3	4	5	6	8
35-49	305	6.2	13	3	4	5	8	14	14
50-69	63	6.1	19	1	3	5	8	16	16
70 +	0								
	1625	4.7	7	2	3	4	6	8	10
0-17	1108	3.5	3	2	2	3	4	5	6
18-34	4768	3.8	3	2	3	4	5	6	7
35-49	871	4.2	4	2	3	4	5	6	8
50-69	71	5.6	9	3	3	4	7	12	12
70 +	0								
	6817	3.8	3	2	3	4	5	6	7
	8442	4.0	4	2	3	4	5	6	8

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	165	4.9	3	3	4	5	7	7	8
18-34	1329	4.5	7	2	3	4	5	8	10
35-49	102	4.5	6	1	3	4	7	7	9
50-69	16	8.5	2						
70 +	0								
SUBTOTAL	1612	4.6	6	2	3	4	6	8	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	563	3.7	2	2	3	4	5	6	6
18-34	2970	3.6	3	2	2	3	4	6	7
35-49	197	4.8	4	2	3	5	6	7	8
50-69	0								
70 +	0								
SUBTOTAL	3730	3.7	3	2	2	3	5	6	7
GRAND TOTAL	5341	4.0	4	2	3	4	5	7	8

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	3.5	4	1	2	4	5	6	6
18-34	533	4.1	4	2	3	4	5	7	7
35-49	31	3.7	1						
50-69	24	5.7	6						
70 +	0								
	775	4.0	4	2	3	4	5	7	8
0-17	452	3.6	4	2	2	3	4	5	7
18-34	2367	3.5	3	2	2	3	4	5	6
35-49	289	4.1	3	2	3	4	5	7	7
50-69	32	5.0	3						
70 +	0								
	3140	3.6	3	2	2	3	4	6	7
	3915	3.7	3	2	2	3	5	6	7

DRG 369: Menstrual & Other Female Reproductive System Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	141	3.7	15	1	2	3	3	7	16	0-17	307	2.2	2	1	1	2	2	4	5
70-74	47	7.2	85	<1	1	4	6	27	27	18-34	535	3.1	3	1	2	3	4	5	5
75-79	55	7.3	6	5	6	6	8	13	13	35-49	470	3.0	6	1	1	2	4	7	8
80-84	63	8.0	46	1	3	6	10	24	24	50-69	172	3.7	9	1	2	2	6	8	9
85+	63	5.0	5	1	4	5	6	9	9	70+	16	5.5	13						
SUBTOTAL	**368**	**5.6**	**29**	**1**	**2**	**5**	**7**	**10**	**18**		**1500**	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	165	3.5	7	1	1	3	4	8	9	0-17	1274	1.9	2	1	1	1	2	3	4
70-74	55	1.9	1	<1	1	1	3	4	4	18-34	3125	2.1	2	1	1	2	3	4	5
75-79	32	3.5	8							35-49	1302	2.5	3	1	1	2	3	5	6
80-84	32	5.8	13							50-69	228	2.7	3	<1	1	2	4	5	6
85+	16	2.0								70+	0								
SUBTOTAL	**299**	**3.3**	**7**	**1**	**1**	**2**	**4**	**8**	**10**		**5927**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**667**	**4.6**	**21**	**1**	**2**	**3**	**6**	**9**	**11**		**7428**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	3.0	4							0-17	31	2.5	2						
18-34	205	3.3	9	1	1	2	4	8	11	18-34	204	2.4	2	1	1	2	3	4	4
35-49	70	3.8	9	<1	1	3	6	9	9	35-49	158	2.6	4	<1	1	2	5	6	6
50-69	16	1.5								50-69	39	4.2	6						
70+	8	5.0								70+	8	1.0							
SUBTOTAL	**315**	**3.3**	**8**	**1**	**1**	**2**	**5**	**8**	**10**		**439**	**2.6**	**3**	**1**	**1**	**2**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	290	1.9	1	1	1	1	3	4	4	0-17	320	1.8	2	1	1	1	2	3	5
18-34	952	2.4	2	1	1	2	3	4	5	18-34	1013	1.9	2	<1	1	1	2	3	5
35-49	181	3.1	4	<1	1	3	5	6	6	35-49	282	2.4	4	<1	1	2	4	5	6
50-69	39	4.0	7							50-69	94	2.8	4	1	1	2	4	6	7
70+	0									70+	8	1.0							
SUBTOTAL	**1463**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**		**1718**	**2.0**	**2**	**<1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1777**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**2157**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 370: Cesarean Section w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	164	7.1	9	4	5	6	9	11	13	0-17	493	6.7	19	4	4	5	7	11	16
70-74	0									18-34	15879	5.6	25	4	4	5	6	7	10
75-79	0									35-49	2184	6.0	42	4	4	5	6	7	13
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**164**	**7.1**	**9**	**4**	**5**	**6**	**9**	**11**	**13**		**18557**	**5.7**	**27**	**4**	**4**	**5**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**164**	**7.1**	**9**	**4**	**5**	**6**	**9**	**11**	**13**		**18557**	**5.7**	**27**	**4**	**4**	**5**	**6**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1001	6.2	8	4	4	5	7	10	12	0-17	336	6.4	11	4	4	5	8	12	13
18-34	10280	5.8	22	3	4	5	6	9	11	18-34	5183	5.3	11	4	4	4	6	7	9
35-49	508	6.6	46	4	4	4	6	10	20	35-49	681	4.9	4	3	4	5	5	7	9
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**11789**	**5.9**	**22**	**3**	**4**	**5**	**6**	**9**	**11**		**6200**	**5.3**	**10**	**3**	**4**	**5**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11799**	**5.9**	**22**	**3**	**4**	**5**	**6**	**9**	**11**		**6200**	**5.3**	**10**	**3**	**4**	**5**	**6**	**8**	**10**

DRG 371: Cesarean Section w/o CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	267	5.1	7	4	4	4	5	8	12	0-17	1240	4.4	2	3	4	4	5	6	7
70-74	0									18-34	84372	4.2	4	3	4	4	4	5	6
75-79	0									35-49	10004	4.5	5	3	4	4	5	5	6
80-84	0									50-69	16	4.0	1						
85 +	0									70 +	0								
SUBTOTAL	**267**	**5.1**	**7**	**4**	**4**	**4**	**5**	**8**	**12**		**95633**	**4.3**	**4**	**3**	**4**	**4**	**4**	**5**	**6**
GRAND TOTAL	**267**	**5.1**	**7**	**4**	**4**	**4**	**5**	**8**	**12**		**95633**	**4.3**	**4**	**3**	**4**	**4**	**4**	**5**	**6**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1782	4.6	5	3	4	4	5	6	7	0-17	728	4.7	3	3	4	4	5	6	7
18-34	26121	4.4	9	3	4	4	5	5	6	18-34	22217	4.1	2	3	3	4	4	5	6
35-49	1088	4.7	7	3	4	4	5	6	8	35-49	2709	4.3	3	3	4	4	4	5	6
50-69	0									50-69	16	4.0							
70 +	0									70 +	0								
SUBTOTAL	**28991**	**4.4**	**9**	**3**	**4**	**4**	**5**	**5**	**6**		**25669**	**4.1**	**2**	**3**	**4**	**4**	**4**	**5**	**6**
GRAND TOTAL	**28991**	**4.4**	**9**	**3**	**4**	**4**	**5**	**5**	**6**		**25669**	**4.1**	**2**	**3**	**4**	**4**	**4**	**5**	**6**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	10.6	193						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**39**	**10.6**	**193**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	93	2.9	2	2	2	3	3	3	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**93**	**2.9**	**2**	**2**	**2**	**3**	**3**	**3**	**7**
GRAND TOTAL	**132**	**5.2**	**69**	**2**	**2**	**3**	**4**	**7**	**38**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	290	3.3	2	2	2	3	4	5	6
18-34	6458	3.2	5	2	2	3	3	5	6
35-49	672	3.0	4	2	2	2	3	5	7
50-69	0								
70 +	0								
	7420	**3.2**	**5**	**2**	**2**	**3**	**3**	**5**	**6**
0-17	587	3.2	3	2	2	3	4	5	6
18-34	15548	2.8	7	2	2	2	3	4	5
35-49	1564	2.8	3	2	2	2	3	4	5
50-69	0								
70 +	0								
	17699	**2.8**	**7**	**2**	**2**	**2**	**3**	**4**	**5**
	25119	**2.9**	**6**	**2**	**2**	**2**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	685	4.4	30	2	2	3	4	7	11
18-34	4142	3.4	8	2	2	3	4	6	9
35-49	179	3.3	3	2	2	3	4	5	8
50-69	0								
70 +	0								
SUBTOTAL	**5006**	**3.6**	**11**	**2**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	913	3.5	13	2	2	3	3	6	10
18-34	6303	2.8	3	2	2	2	3	4	6
35-49	212	2.4	1	1	2	2	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	**7428**	**2.9**	**5**	**2**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**12434**	**3.2**	**7**	**2**	**2**	**2**	**3**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	3.3	3	2	2	3	4	4	5
18-34	2062	3.4	15	2	2	3	3	5	7
35-49	210	3.1	3	2	2	3	3	5	7
50-69	0								
70 +	0								
	2474	**3.4**	**13**	**2**	**2**	**3**	**4**	**5**	**7**
0-17	359	3.4	8	2	2	2	4	6	8
18-34	5895	2.6	3	2	2	2	3	4	5
35-49	673	2.7	2	2	2	2	3	4	5
50-69	0								
70 +	0								
	6927	**2.7**	**3**	**2**	**2**	**2**	**3**	**4**	**5**
	9402	**2.9**	**6**	**2**	**2**	**2**	**3**	**4**	**6**

North Central Region, July 1988 - June 1989

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	156	9.6	459	< 1	2	2	3	48	75	0-17	453	2.6	2	2	2	2	3	4	5
70-74	0									18-34	9710	2.8	5	2	2	2	3	4	5
75-79	0									35-49	827	2.5	1	2	2	2	3	4	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**156**	**9.6**	**459**	**< 1**	**2**	**2**	**3**	**48**	**75**		**10991**	**2.8**	**5**	**2**	**2**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	713	2.2		1	2	2	3	3	3	0-17	7725	2.3	1	2	2	2	3	3	3
70-74	0									18-34	279260	2.2	1	2	2	2	3	3	3
75-79	0									35-49	22850	2.3	1	2	2	2	3	3	3
80-84	0									50-69	16	1.5							
85 +	0									70 +	0								
SUBTOTAL	**713**	**2.2**		**1**	**2**	**2**	**3**	**3**	**3**		**309850**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**869**	**3.5**	**91**	**1**	**2**	**2**	**3**	**3**	**4**		**320841**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1441	2.9	10	2	2	2	3	4	5	0-17	621	2.5	1	2	2	2	3	4	5
18-34	8772	2.7	5	2	2	2	3	4	5	18-34	4528	2.6	19	2	2	2	3	3	4
35-49	312	2.6	2	1	2	2	3	5	6	35-49	273	2.9	3	2	2	2	3	6	7
50-69	8	18.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10532**	**2.7**	**6**	**2**	**2**	**2**	**3**	**4**	**5**		**5422**	**2.6**	**16**	**2**	**2**	**2**	**3**	**3**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11386	2.4	5	2	2	2	3	3	3	0-17	5099	2.2	1	1	2	2	2	3	3
18-34	97132	2.2	2	1	2	2	2	3	3	18-34	93101	2.1	1	1	2	2	2	3	3
35-49	2489	2.1	1	1	2	2	2	3	3	35-49	7968	2.1	1	1	2	2	2	3	3
50-69	8	3.0								50-69	15	2.5	2						
70 +	0									70 +	0								
SUBTOTAL	**111015**	**2.2**	**2**	**1**	**2**	**2**	**2**	**3**	**3**		**106183**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**121547**	**2.2**	**2**	**1**	**2**	**2**	**2**	**3**	**3**		**111605**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23	2.7								0-17	24	2.7							
70-74	0									18-34	1603	3.5	6	2	2	3	4	5	7
75-79	0									35-49	289	2.9		2	2	3	3	4	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	23	2.7									1916	3.4	5	2	2	3	4	5	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	78	2.9	1	1	2	3	4	4	4	0-17	32	2.0							
70-74	0									18-34	16922	2.6	3	2	2	2	3	3	4
75-79	0									35-49	3224	2.8	3	2	2	3	3	4	4
80-84	0									50-69	8	2.0							
85 +	0									70 +	0								
SUBTOTAL	78	2.9	1	1	2	3	4	4	4		20186	2.7	3	2	2	2	3	3	4
GRAND TOTAL	102	2.8	1	2	2	3	4	4	4		22102	2.7	3	2	2	3	3	4	4

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	71	3.5	5	2	2	3	4	9	9	0-17	15	2.5							
18-34	1173	3.7	20	2	2	3	4	6	8	18-34	352	2.9	2	2	2	3	3	4	5
35-49	117	2.9	1	2	2	3	3	5	5	35-49	78	3.0	3	2	2	3	3	6	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1361	3.6	18	2	2	3	4	6	8		445	2.9	2	2	2	3	3	4	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	158	2.3	1	2	2	2	2	3	4	0-17	23	1.3							
18-34	10143	2.5	7	2	2	2	3	3	4	18-34	4397	2.4	1	2	2	2	3	3	4
35-49	682	2.6	2	2	2	2	3	3	5	35-49	1033	2.7	10	2	2	2	3	3	3
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	10984	2.5	7	2	2	2	3	3	4		5453	2.5	2	2	2	2	3	3	4
GRAND TOTAL	12345	2.6	8	2	2	2	3	3	4		5899	2.5	2	2	2	2	3	3	4

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	39	4.0	2						
75-79	0									35-49	8	9.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**47**	**4.8**	**5**	**2**	**3**	**4**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	251	2.5	1	2	2	2	3	4	4
75-79	0									35-49	24	4.7	4						
80-84	0									50-69	8	2.0							
85 +	0									70 +	0								
SUBTOTAL	**0**										**283**	**2.7**	**1**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**0**										**330**	**3.0**	**3**	**2**	**2**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	3.0								0-17	0								
18-34	8	6.0								18-34	16	1.5							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16**	**4.5**	**2**								**16**	**1.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	3.0								0-17	0								
18-34	63	2.3		1	2	2	3	3	3	18-34	39	2.2	1						
35-49	8	2.0								35-49	15	3.0	1						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**78**	**2.3**		**1**	**2**	**2**	**3**	**3**	**3**		**55**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**94**	**2.7**	**1**	**2**	**2**	**2**	**3**	**3**	**6**		**71**	**2.2**	**1**	**<1**	**2**	**2**	**3**	**4**	**4**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	8	2.0							
70-74	0									18-34	658	4.3	15	2	2	3	5	7	8
75-79	0									35-49	125	4.2	9	1	2	4	6	8	12
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**791**	**4.2**	**14**	**2**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	2.0								0-17	157	2.9	3	1	2	2	4	6	7
70-74	0									18-34	1926	2.8	4	1	2	2	3	5	7
75-79	0									35-49	250	3.5	9	1	2	3	4	6	9
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**8**	**2.0**									**2334**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**8**	**2.0**									**3125**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	2.8	1	2	2	2	4	4	4	0-17	85	2.5	1	2	2	2	3	4	5
18-34	733	3.3	5	1	2	3	4	6	9	18-34	344	3.2	14	1	2	2	4	4	5
35-49	24	5.3	4							35-49	62	3.3	4	< 1	2	2	5	7	7
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**804**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**9**		**491**	**3.1**	**10**	**1**	**2**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	125	3.4	4	1	2	3	4	7	9	0-17	94	2.1	1	1	1	2	3	3	4
18-34	1510	2.8	4	1	2	2	3	5	7	18-34	875	2.3	2	1	1	2	3	4	5
35-49	62	2.7	1	< 1	2	3	4	4	4	35-49	102	2.3	3	1	1	2	2	5	6
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1697**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**7**		**1071**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2501**	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**7**		**1562**	**2.5**	**5**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	16	2.0							
70-74	0									18-34	393	3.8	9	1	2	3	5	7	9
75-79	0									35-49	24	6.0	20						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**432**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	16	1.5							
70-74	0									18-34	666	2.5	4	1	1	2	3	5	6
75-79	0									35-49	94	2.8	4	1	1	3	4	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**775**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**0**										**1207**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	1.0								0-17	0								
18-34	234	3.3	6	1	1	3	5	7	8	18-34	140	3.8	30	< 1	1	2	3	14	23
35-49	47	3.5	6	1	2	3	5	8	8	35-49	24	2.3	4						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**289**	**3.3**	**6**	**1**	**1**	**3**	**5**	**7**	**8**		**164**	**3.6**	**27**	**1**	**1**	**2**	**3**	**5**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	55	3.1	3	1	2	3	4	7	7	0-17	0								
18-34	306	2.8	4	1	1	2	3	6	8	18-34	203	2.2	1	1	1	2	3	4	4
35-49	16	2.5	2							35-49	39	2.0	1						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**377**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**7**		**242**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**667**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**		**406**	**2.7**	**12**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 378: Ectopic Pregnancy

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	4.0								0-17	63	4.1	2	3	3	3	5	7	7
70-74	0									18-34	1859	3.9	2	2	3	4	5	5	6
75-79	0									35-49	290	4.1	2	3	3	4	4	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**4.0**									**2211**	**3.9**	**2**	**2**	**3**	**4**	**5**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	4.0								0-17	110	3.5	1	3	3	3	4	5	6
70-74	0									18-34	5285	3.3	1	2	3	3	4	4	5
75-79	0									35-49	938	3.4	2	1	3	3	4	5	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**4.0**									**6333**	**3.3**	**1**	**2**	**3**	**3**	**4**	**5**	**5**
GRAND TOTAL	**16**	**4.0**									**8544**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	3.5								0-17	8	5.0							
18-34	846	4.2	2	3	3	4	5	6	7	18-34	902	3.9	2	3	3	4	4	5	7
35-49	62	5.5	3	3	4	5	7	8	8	35-49	126	3.2	3	1	2	3	4	6	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**924**	**4.3**	**2**	**3**	**3**	**4**	**5**	**7**	**7**		**1036**	**3.8**	**2**	**2**	**3**	**4**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	63	3.6		3	3	4	4	5	5	0-17	23	3.0	2						
18-34	1779	3.8	3	2	3	4	4	5	7	18-34	2180	3.1	2	1	2	3	4	5	5
35-49	149	4.3	3	3	4	4	5	7	9	35-49	384	2.9	2	1	1	3	4	5	5
50-69	8	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1999**	**3.9**	**3**	**2**	**3**	**4**	**4**	**5**	**7**		**2587**	**3.1**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**2923**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**		**3623**	**3.3**	**2**	**1**	**3**	**3**	**4**	**5**	**6**

DRG 379: Threatened Abortion

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	3.5	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**3.5**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	86	1.7	1	< 1	< 1	1	2	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**86**	**1.7**	**1**	**< 1**	**< 1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**102**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	102	2.8	11	1	1	2	2	3	14
18-34	2480	3.7	40	1	1	2	4	7	9
35-49	133	2.3	2	1	1	2	3	5	5
50-69	0								
70 +	0								
	2715	**3.6**	**37**	**1**	**1**	**2**	**4**	**6**	**9**
0-17	415	2.1	3	< 1	1	1	3	4	6
18-34	13321	2.3	11	< 1	1	1	2	4	6
35-49	976	2.2	9	< 1	1	1	2	4	5
50-69	0								
70 +	0								
	14713	**2.3**	**11**	**< 1**	**1**	**1**	**2**	**4**	**6**
	17428	**2.5**	**15**	**< 1**	**1**	**1**	**3**	**4**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	305	3.5	23	1	2	2	3	7	11
18-34	2228	3.1	17	1	1	2	3	6	9
35-49	70	4.5	16	1	2	2	8	12	12
50-69	0								
70 +	0								
SUBTOTAL	**2603**	**3.2**	**18**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1005	1.7	1	< 1	1	1	2	3	4
18-34	7126	2.0	5	< 1	1	1	2	3	5
35-49	203	2.0	2	< 1	1	1	2	4	6
50-69	0								
70 +	0								
SUBTOTAL	**8334**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**10937**	**2.3**	**8**	**< 1**	**1**	**2**	**3**	**4**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	2.4	3	1	1	2	2	6	7
18-34	992	3.2	25	< 1	1	2	4	6	9
35-49	55	2.6	2	1	2	2	4	5	5
50-69	0								
70 +	0								
	1125	**3.1**	**22**	**< 1**	**1**	**2**	**3**	**6**	**9**
0-17	484	2.1	10	< 1	1	1	2	3	4
18-34	5387	1.8	4	< 1	1	1	2	3	5
35-49	492	3.6	44	< 1	1	2	3	7	10
50-69	0								
70 +	0								
	6363	**2.0**	**8**	**< 1**	**1**	**1**	**2**	**3**	**5**
	7489	**2.2**	**10**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 380: Abortion w/o D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	2.0	1							0-17	39	1.4							
70-74	0									18-34	148	3.0	10	< 1	1	2	4	9	14
75-79	0									35-49	32	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**2.0**	**1**								**219**	**2.4**	**8**	**< 1**	**1**	**1**	**2**	**4**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	164	1.3		< 1	1	1	1	2	3
70-74	0									18-34	2165	1.4	1	< 1	1	1	2	2	3
75-79	0									35-49	344	1.3		< 1	1	1	2	2	2
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2673**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**16**	**2.0**	**1**								**2892**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	5.0	11							0-17	31	2.5	1						
18-34	187	2.4	4	1	1	2	3	4	6	18-34	141	2.1	2	< 1	1	1	3	4	5
35-49	8	1.0								35-49	23	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**219**	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**6**	**9**		**195**	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	118	1.5	1	1	1	1	2	3	3	0-17	86	1.8	1	1	1	2	2	2	4
18-34	997	1.5	1	< 1	1	1	2	3	3	18-34	1126	1.5	1	< 1	1	1	2	3	4
35-49	62	1.5	1	< 1	1	1	2	3	3	35-49	164	1.5	1	< 1	< 1	1	2	3	3
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1177**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**		**1376**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1396**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**		**1572**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23	1.3								0-17	70	2.2	2	1	1	2	2	5	5
70-74	0									18-34	794	2.3	4	1	1	2	3	4	5
75-79	0									35-49	219	2.6	9	1	1	2	3	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**23**	**1.3**									**1083**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	1.6	2	< 1	1	1	2	5	5	0-17	480	1.4	1	< 1	1	1	2	2	4
70-74	0									18-34	6848	1.3	1	< 1	1	1	1	2	3
75-79	0									35-49	1085	1.3		< 1	1	1	1	2	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**63**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**5**	**5**		**8412**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**86**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**5**		**9495**	**1.5**	**1**	**< 1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	78	2.5	7	1	1	2	2	8	10	0-17	31	1.5							
18-34	596	2.3	3	1	1	2	3	5	6	18-34	500	2.4	7	1	1	2	3	5	6
35-49	47	3.6	7	1	2	3	4	9	9	35-49	39	1.4							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**721**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**570**	**2.3**	**6**	**1**	**1**	**2**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	283	1.4	1	< 1	< 1	1	1	3	4	0-17	235	1.6	2	< 1	< 1	1	2	4	5
18-34	2946	1.5	1	< 1	1	1	2	3	3	18-34	2882	1.4	1	< 1	1	1	1	2	3
35-49	165	1.2		< 1	1	1	1	2	2	35-49	314	1.3	2	< 1	1	1	1	2	2
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3394**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**		**3432**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**4115**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**		**4002**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 382: False Labor

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	16	2.0	1						
70-74	0									18-34	376	1.4	2	< 1	< 1	1	1	2	2
75-79	0									35-49	47	8.6	177	< 1	1	1	11	37	37
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**438**	**2.2**	**25**	**< 1**	**< 1**	**1**	**1**	**2**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	55	1.0		< 1	< 1	1	1	1	1	0-17	399	1.0		< 1	< 1	< 1	1	1	1
70-74	0									18-34	9036	1.1		< 1	< 1	< 1	1	1	2
75-79	0									35-49	664	1.1		< 1	< 1	< 1	1	1	1
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**55**	**1.0**		**< 1**	**< 1**	**1**	**1**	**1**	**1**		**10099**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**55**	**1.0**		**< 1**	**< 1**	**1**	**1**	**1**	**1**		**10537**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	71	1.2		< 1	< 1	1	1	2	2	0-17	16	1.0							
18-34	329	1.4	1	< 1	< 1	1	1	2	3	18-34	172	1.6	2	< 1	< 1	1	1	3	4
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**400**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**		**188**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	540	1.1		< 1	< 1	< 1	1	1	2	0-17	173	1.1		< 1	< 1	< 1	1	1	1
18-34	4585	1.1		< 1	< 1	< 1	1	1	1	18-34	2842	1.1		< 1	< 1	< 1	1	1	2
35-49	140	1.0		< 1	< 1	< 1	1	1	1	35-49	265	1.1		< 1	< 1	< 1	1	1	2
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5265**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**		**3279**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**5666**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**		**3467**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	156	5.4	44	1	2	4	7	11	25	0-17	635	3.9	38	1	2	3	4	6	7
70-74	0									18-34	9545	3.5	11	1	2	3	4	7	9
75-79	0									35-49	725	3.8	12	1	2	3	5	6	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**156**	**5.4**	**44**	**1**	**2**	**4**	**7**	**11**	**25**		**10904**	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	71	3.4	9	< 1	1	1	6	8	8	0-17	713	2.4	3	1	1	2	3	4	6
70-74	0									18-34	15473	2.7	5	1	1	2	3	5	6
75-79	0									35-49	1693	2.9	6	< 1	1	2	4	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**71**	**3.4**	**9**	**< 1**	**1**	**1**	**6**	**8**	**8**		**17879**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**226**	**4.8**	**34**	**1**	**1**	**3**	**6**	**10**	**12**		**28783**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	751	3.4	7	1	2	3	4	7	8	0-17	336	3.9	22	1	2	3	4	7	10
18-34	6384	3.7	16	1	2	3	4	6	9	18-34	3359	3.3	9	1	2	3	4	6	8
35-49	234	3.2	4	1	2	3	4	7	8	35-49	109	4.8	28	1	2	4	7	8	22
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7370**	**3.6**	**15**	**1**	**2**	**3**	**4**	**7**	**9**		**3804**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	841	2.6	5	< 1	1	2	3	5	7	0-17	328	2.4	2	< 1	1	2	3	5	5
18-34	6683	2.6	9	< 1	1	2	3	5	6	18-34	4658	2.5	4	< 1	1	2	3	5	6
35-49	297	3.3	4	1	2	3	4	7	7	35-49	312	2.0	2	1	1	2	3	4	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7821**	**2.7**	**9**	**< 1**	**1**	**2**	**3**	**5**	**7**		**5298**	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**15191**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**8**		**9102**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	1.0								0-17	32	4.8	18						
70-74	0									18-34	928	3.6	24	< 1	1	2	4	7	11
75-79	0									35-49	101	4.4	17	1	2	3	4	12	15
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**1061**	**3.7**	**23**	**< 1**	**1**	**2**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	62	3.1	1	< 1	2	3	4	5	5	0-17	305	2.9	16	< 1	< 1	1	3	6	18
70-74	0									18-34	9075	1.9	4	< 1	< 1	1	2	4	5
75-79	0									35-49	1106	2.2	9	< 1	1	1	2	4	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**62**	**3.1**	**1**	**< 1**	**2**	**3**	**4**	**5**	**5**		**10486**	**2.0**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**70**	**2.9**	**2**	**< 1**	**2**	**3**	**4**	**5**	**5**		**11547**	**2.1**	**6**	**< 1**	**< 1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	4.2	7	< 1	2	4	5	9	9	0-17	15	2.0							
18-34	445	3.3	7	< 1	1	3	4	7	9	18-34	336	3.5	16	< 1	1	2	5	6	7
35-49	8	2.0								35-49	55	3.3	2	1	2	3	5	5	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**500**	**3.4**	**7**	**< 1**	**1**	**3**	**5**	**7**	**9**		**407**	**3.4**	**14**	**1**	**1**	**2**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	297	1.6	3	< 1	< 1	1	1	2	7	0-17	188	2.0	4	< 1	1	1	2	6	6
18-34	3939	2.0	6	< 1	< 1	1	2	4	5	18-34	3058	1.9	4	< 1	< 1	1	2	4	6
35-49	93	1.7	2	< 1	1	1	2	4	5	35-49	227	1.5	2	< 1	< 1	1	1	3	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4330**	**1.9**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**5**		**3472**	**1.9**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**4830**	**2.1**	**6**	**< 1**	**< 1**	**1**	**2**	**4**	**6**		**3879**	**2.0**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**6**

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	333	70.8	253	56	70	92	99+	99+	99+
1000-1499	0									1000-1499	859	49.3	297	30	38	49	64	85	99+
1500-1749	0									1500-1749	434	32.3	126	21	27	31	38	43	52
1750-2499	0									1750-2499	1727	18.1	152	5	10	16	23	32	42
2500+	8	4.0								2500+	2409	7.1	43	2	3	5	9	14	18
SUBTOTAL	**8**	**4.0**									**5764**	**22.3**	**486**	**3**	**6**	**15**	**38**	**72**	**99+**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500+	0									2500+	39	8.0	1						
SUBTOTAL	**0**										**39**	**8.0**	**1**						
GRAND TOTAL	**8**	**4.0**									**5803**	**22.2**	**484**	**3**	**6**	**15**	**38**	**72**	**99+**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	240	76.4	231	66	78	99+	99+	99+	99+	1-999	108	68.4	216	54	67	94	99+	99+	99+
1000-1499	427	43.5	162	28	35	45	56	99+	99+	1000-1499	209	46.3	308	34	37	44	66	99+	99+
1500-1749	240	30.2	43	22	26	30	35	40	99+	1500-1749	101	30.7	209	17	20	25	42	56	58
1750-2499	560	18.1	123	8	11	16	25	52	99+	1750-2499	373	17.0	104	5	10	15	22	35	39
2500+	609	7.3	23	2	4	6	10	16	18	2500+	795	6.1	94	2	2	4	7	12	17
SUBTOTAL	**2076**	**28.3**	**578**	**5**	**11**	**27**	**62**	**99+**	**99+**		**1587**	**19.8**	**497**	**2**	**4**	**12**	**38**	**83**	**99+**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500+	0									2500+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2076**	**28.3**	**578**	**5**	**11**	**27**	**62**	**99+**	**99+**		**1587**	**19.8**	**497**	**2**	**4**	**12**	**38**	**83**	**99+**

DRG 387: Prematurity w/ Major Problems

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	46	73.5	324	57	61	64	99	99 +	99 +
1000-1499	15	42.5								1000-1499	240	40.2	136	26	32	38	49	60	99 +
1500-1749	0									1500-1749	504	23.8	62	13	19	23	28	36	37
1750-2499	39	11.4	32							1750-2499	2609	11.1	67	3	5	9	15	20	25
2500 +	15	6.5	7							2500 +	2646	5.8	16	2	3	5	7	11	14
SUBTOTAL	**70**	**17.2**	**208**	**4**	**8**	**9**	**21**	**43**	**43**		**6045**	**11.5**	**138**	**3**	**4**	**7**	**15**	**26**	**36**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	8	56.0							
1000-1499	0									1000-1499	77	42.9	257	25	25	44	57	63	64
1500-1749	0									1500-1749	101	23.1	51	13	17	23	28	33	34
1750-2499	8	8.0								1750-2499	498	10.1	70	3	4	7	15	20	25
2500 +	0									2500 +	538	5.8	29	2	4	4	6	9	13
SUBTOTAL	**8**	**8.0**									**1222**	**11.6**	**163**	**3**	**4**	**6**	**16**	**27**	**43**
GRAND TOTAL	**77**	**16.3**	**195**	**4**	**8**	**9**	**21**	**43**	**43**		**7267**	**11.5**	**142**	**3**	**4**	**7**	**15**	**26**	**36**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	23	69.3	49	64	65	99 +	99 +	99 +	99 +	1-999	8	80.0							
1000-1499	371	42.5	352	20	29	38	58	75	82	1000-1499	178	43.9	284	24	31	41	53	70	73
1500-1749	349	24.4	91	13	19	23	29	44	52	1500-1749	147	30.4	135	20	24	29	34	65	90
1750-2499	1954	9.8	48	3	5	8	13	19	23	1750-2499	1207	11.2	104	4	5	8	13	22	32
2500 +	789	8.0	92	2	4	5	8	14	23	2500 +	726	5.2	9	2	3	4	7	10	12
SUBTOTAL	**3487**	**14.8**	**229**	**3**	**5**	**9**	**20**	**37**	**58**		**2266**	**13.3**	**220**	**3**	**4**	**8**	**15**	**35**	**52**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	8	28.0								1000-1499	31	35.0	90						
1500-1749	93	23.6	64	15	17	23	33	35	37	1500-1749	16	15.5							
1750-2499	366	11.3	49	3	5	10	16	20	25	1750-2499	242	9.2	49	3	3	7	13	18	23
2500 +	241	7.8	28	3	4	6	10	14	18	2500 +	172	5.8	19	2	3	5	7	12	16
SUBTOTAL	**707**	**11.9**	**69**	**3**	**5**	**10**	**17**	**25**	**29**		**461**	**9.9**	**89**	**2**	**4**	**6**	**14**	**21**	**34**
GRAND TOTAL	**4194**	**14.3**	**204**	**3**	**5**	**10**	**19**	**34**	**49**		**2727**	**12.7**	**200**	**3**	**4**	**8**	**15**	**32**	**47**

DRG 388: Prematurity w/o Major Problems

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	8	34.0							
1500-1749	0									1500-1749	23	20.7	12						
1750-2499	0									1750-2499	165	7.9	17	3	5	8	10	13	15
2500 +	0									2500 +	39	4.4	8						
SUBTOTAL	**0**										**236**	**9.4**	**53**	**2**	**4**	**9**	**13**	**20**	**24**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	8	37.0							
1000-1499	0									1000-1499	47	28.8	124	8	21	34	35	40	40
1500-1749	0									1500-1749	109	19.6	44	10	15	19	25	29	32
1750-2499	23	4.0	8							1750-2499	2936	6.0	35	2	2	4	8	13	16
2500 +	24	4.6	4							2500 +	3815	3.1	3	2	2	3	4	5	6
SUBTOTAL	**47**	**4.3**	**6**	**2**	**2**	**5**	**7**	**8**	**8**		**6915**	**4.8**	**29**	**2**	**2**	**3**	**5**	**10**	**14**
GRAND TOTAL	**47**	**4.3**	**6**	**2**	**2**	**5**	**7**	**8**	**8**		**7151**	**4.9**	**30**	**2**	**2**	**3**	**5**	**10**	**15**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	8	19.0								1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	132	10.0	25	4	6	8	13	18	19	1750-2499	55	13.9	36	4	11	13	22	22	22
2500 +	31	8.5	24							2500 +	24	4.7	9						
SUBTOTAL	**172**	**10.1**	**28**	**4**	**6**	**9**	**16**	**18**	**19**		**79**	**11.1**	**46**	**2**	**5**	**11**	**14**	**22**	**22**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	8	84.0								1-999	0								
1000-1499	39	28.3	36							1000-1499	16	28.5	7						
1500-1749	117	18.7	55	10	12	19	26	27	35	1500-1749	31	13.0	9						
1750-2499	2429	6.3	33	2	2	4	8	16	19	1750-2499	1416	5.1	18	2	2	4	6	11	14
2500 +	1994	3.2	5	2	2	2	4	5	6	2500 +	1696	3.2	9	2	2	2	4	5	7
SUBTOTAL	**4587**	**5.6**	**43**	**2**	**2**	**3**	**6**	**14**	**19**		**3160**	**4.3**	**17**	**2**	**2**	**3**	**5**	**8**	**13**
GRAND TOTAL	**4758**	**5.7**	**43**	**2**	**2**	**3**	**6**	**14**	**19**		**3238**	**4.5**	**19**	**2**	**2**	**3**	**5**	**10**	**14**

DRG 389: Full Term Neonate w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	117	3.9	13	2	2	3	4	5	17
SUBTOTAL	**117**	**3.9**	**13**	**2**	**2**	**3**	**4**	**5**	**17**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	54	3.4	1	2	2	4	4	4	4
SUBTOTAL	**54**	**3.4**	**1**	**2**	**2**	**4**	**4**	**4**	**4**
GRAND TOTAL	**171**	**3.8**	**9**	**2**	**2**	**3**	**4**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	8	52.0							
1000-1499	62	35.5	108	24	28	34	38	59	59
1500-1749	54	16.3	50	7	11	15	22	30	30
1750-2499	1009	6.4	30	2	3	5	8	14	18
2500 +	22173	4.2	14	2	2	3	5	7	9
	23306	**4.4**	**19**	**2**	**2**	**3**	**5**	**8**	**10**
1-999	8	2.0							
1000-1499	8	22.0							
1500-1749	8	11.0							
1750-2499	531	5.2	9	2	3	4	6	10	11
2500 +	14132	3.9	4	2	3	4	4	5	6
	14687	**4.0**	**4**	**2**	**3**	**4**	**4**	**5**	**6**
	37993	**4.2**	**13**	**2**	**2**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	8	5.0							
1000-1499	39	45.7	475						
1500-1749	55	24.5	137	13	13	25	30	47	47
1750-2499	640	6.5	20	2	3	5	9	12	18
2500 +	9243	4.7	19	2	2	4	5	8	11
SUBTOTAL	**9984**	**5.0**	**30**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	8	12.0							
1500-1749	15	29.5	291						
1750-2499	357	5.0	10	2	4	4	5	10	11
2500 +	4567	4.3	7	2	3	4	5	6	8
SUBTOTAL	**4947**	**4.4**	**10**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**14931**	**4.8**	**23**	**2**	**2**	**4**	**5**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	15	37.5	7						
1500-1749	15	26.5	45						
1750-2499	601	6.2	18	2	3	5	8	13	15
2500 +	7150	4.1	11	2	2	3	5	7	10
	7782	**4.4**	**15**	**2**	**2**	**4**	**5**	**8**	**10**
1-999	0								
1000-1499	0								
1500-1749	8	4.0							
1750-2499	242	4.7	20	2	3	3	5	8	19
2500 +	4131	3.8	5	2	3	4	4	5	7
	4382	**3.9**	**6**	**2**	**3**	**4**	**4**	**5**	**7**
	12163	**4.2**	**11**	**2**	**2**	**4**	**5**	**7**	**10**

DRG 390: Neonate w/ Other Significant Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	8	2.0							
2500 +	233	4.2	16	2	2	3	5	7	11
SUBTOTAL	**241**	**4.2**	**16**	**2**	**2**	**3**	**5**	**7**	**11**
GRAND TOTAL	**241**	**4.2**	**16**	**2**	**2**	**3**	**5**	**7**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	70	8.0	28	2	4	7	9	18	18
2500 +	985	3.7	4	2	2	3	5	6	8
	1055	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**8**
1-999	0								
1000-1499	0								
1500-1749	55	13.0	18	6	8	14	17	18	18
1750-2499	2241	3.3	4	2	2	3	4	5	7
2500 +	48822	2.7	2	2	2	2	3	4	5
	51118	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**
	52173	**2.8**	**2**	**2**	**2**	**2**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	110	9.3	26	3	5	8	15	17	17
2500 +	760	3.1	2	2	2	3	4	5	6
SUBTOTAL	**870**	**3.9**	**10**	**2**	**2**	**3**	**5**	**6**	**10**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	8	4.0							
1000-1499	8	31.0							
1500-1749	23	13.3	3						
1750-2499	2036	3.9	10	2	2	3	4	7	10
2500 +	24842	2.9	3	2	2	2	3	5	6
SUBTOTAL	**26917**	**2.9**	**4**	**2**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**27787**	**3.0**	**4**	**2**	**2**	**2**	**4**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	23	8.3	3						
2500 +	282	3.1	3	2	2	2	4	5	7
	305	**3.5**	**5**	**2**	**2**	**3**	**5**	**7**	**9**
1-999	0								
1000-1499	0								
1500-1749	15	19.5	13						
1750-2499	1249	3.4	6	2	2	3	4	6	8
2500 +	18174	2.7	2	2	2	2	3	4	5
	19438	**2.7**	**3**	**2**	**2**	**2**	**3**	**4**	**5**
	19744	**2.8**	**3**	**2**	**2**	**2**	**3**	**4**	**5**

DRG 391: Normal Newborn

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	47	3.0	2	1	2	3	5	5	5
2500 +	1251	2.4	2	1	2	2	2	4	4
SUBTOTAL	**1298**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1298**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	8	3.0							
1000-1499	0								
1500-1749	0								
1750-2499	3806	3.1	3	2	2	3	4	5	6
2500 +	294243	2.5	1	2	2	2	3	4	4
	298056	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**4**
	298056	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	16	11.5	2						
1750-2499	2641	2.8	3	1	2	2	3	5	6
2500 +	106436	2.4	1	1	2	2	3	4	4
SUBTOTAL	**109093**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**109093**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	1828	2.7	3	1	2	2	3	4	5
2500 +	117068	2.3	1	1	2	2	2	4	4
	118896	**2.3**	**1**	**1**	**2**	**2**	**2**	**4**	**4**
	118896	**2.3**	**1**	**1**	**2**	**2**	**2**	**4**	**4**

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	125	9.4	9	6	7	8	12	14	14
70-74	118	12.6	35	6	7	11	19	21	25
75-79	39	15.4	63						
80-84	31	17.5	21						
85 +	16	19.5	45						
SUBTOTAL	**329**	**12.5**	**37**	6	7	11	14	21	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	24	8.7	2						
70-74	39	7.2	5						
75-79	8	5.0							
80-84	16	23.7	291						
85 +	0								
SUBTOTAL	**86**	**10.4**	**94**	5	5	8	10	10	40
GRAND TOTAL	**415**	**12.1**	**49**	6	7	10	14	21	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	424	11.8	84	5	6	8	14	25	33
35-49	266	13.1	174	5	6	7	17	31	43
50-69	227	13.5	84	5	6	10	18	27	36
70 +	16	11.4	32						
	932	**12.6**	**109**	**5**	**6**	**8**	**16**	**27**	**37**
0-17	0								
18-34	266	6.1	9	3	4	5	6	12	13
35-49	180	5.8	6	4	4	5	7	9	9
50-69	71	9.1	67	4	6	6	7	32	32
70 +	0								
	517	**6.4**	**17**	**4**	**4**	**5**	**7**	**10**	**13**
	1449	**10.4**	**85**	**4**	**5**	**7**	**12**	**21**	**31**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	39	14.9	175						
35-49	31	10.0	28						
50-69	16	31.2	181						
70 +	0								
SUBTOTAL	**86**	**16.1**	**176**	7	7	8	19	41	44
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	7.0	10						
35-49	8	17.0							
50-69	8	5.0							
70 +	0								
SUBTOTAL	**31**	**8.9**	**27**						
GRAND TOTAL	**117**	**14.2**	**146**	5	7	8	18	41	44

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	267	8.7	22	5	6	7	9	15	16
35-49	78	10.7	43	5	6	9	12	20	29
50-69	47	22.2	235	4	8	22	25	51	51
70 +	8	9.0							
	400	**10.7**	**69**	**5**	**6**	**8**	**12**	**21**	**29**
0-17	0								
18-34	78	6.5	8	3	4	6	7	12	12
35-49	24	6.7							
50-69	39	9.0	32						
70 +	8	6.0							
	149	**7.2**	**14**	**4**	**5**	**6**	**7**	**12**	**20**
	549	**9.8**	**56**	**4**	**6**	**7**	**11**	**18**	**25**

DRG 393: Splenectomy Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	204	9.1	46	5	6	8	9	12	30
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	204	**9.1**	**46**	**5**	**6**	**8**	**9**	**12**	**30**
0-17	327	4.9	3	3	4	5	6	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	327	**4.9**	**3**	**3**	**4**	**5**	**6**	**7**	**8**
	531	**6.5**	**23**	**3**	**4**	**6**	**8**	**9**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	71	9.6	23	5	6	7	14	19	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**71**	**9.6**	**23**	**5**	**6**	**7**	**14**	**19**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	93	4.1	1	3	4	4	5	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**93**	**4.1**	**1**	**3**	**4**	**4**	**5**	**5**	**6**
GRAND TOTAL	**164**	**6.4**	**18**	**3**	**4**	**5**	**6**	**14**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	9.3	5						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	32	**9.3**	**5**						
0-17	94	5.5	6	3	4	5	7	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	94	**5.5**	**6**	**3**	**4**	**5**	**7**	**8**	**12**
	125	**6.4**	**9**	**3**	**4**	**6**	**8**	**12**	**13**

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	163	10.2	184	2	3	7	7	24	43	0-17	101	19.9	499	4	5	12	40	84	99 +
70-74	63	10.0	73	1	3	7	15	27	27	18-34	55	5.4	9	1	3	6	8	10	10
75-79	101	12.3	125	1	2	10	19	30	33	35-49	93	18.0	318	2	2	16	34	42	55
80-84	16	14.0	154							50-69	132	10.6	62	3	5	10	16	24	32
85 +	23	6.4	14							70 +	0								
SUBTOTAL	**367**	**10.7**	**138**	**1**	**3**	**7**	**13**	**28**	**33**		**381**	**14.2**	**259**	**2**	**4**	**8**	**16**	**41**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	71	3.4	11	< 1	2	2	3	12	12	0-17	645	3.2	7	1	1	2	4	7	9
70-74	24	3.3	2							18-34	204	3.7	9	1	1	3	6	8	10
75-79	16	7.5	2							35-49	203	3.4	8	1	1	3	5	6	7
80-84	8	8.0								50-69	125	4.1	14	1	1	3	8	9	13
85 +	8	6.0								70 +	0								
SUBTOTAL	**125**	**4.4**	**9**	**1**	**2**	**3**	**6**	**9**	**12**		**1177**	**3.4**	**9**	**1**	**1**	**2**	**5**	**8**	**9**
GRAND TOTAL	**492**	**9.1**	**113**	**1**	**2**	**6**	**11**	**26**	**30**		**1558**	**6.0**	**91**	**1**	**1**	**3**	**7**	**13**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	10.3	74	2	5	7	21	26	26	0-17	23	27.7	179						
18-34	54	13.7	46	4	8	12	21	22	22	18-34	16	4.0	10						
35-49	32	7.5	17							35-49	16	12.0	17						
50-69	0									50-69	16	11.5	13						
70 +	0									70 +	16	31.6	1026						
SUBTOTAL	**148**	**11.0**	**56**	**3**	**5**	**8**	**20**	**22**	**26**		**86**	**18.3**	**342**	**1**	**7**	**11**	**29**	**43**	**63**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	295	5.2	8	1	3	5	8	9	10	0-17	163	2.6	4	1	1	2	4	6	7
18-34	32	2.5	2							18-34	39	3.4	9						
35-49	24	3.3	7							35-49	32	3.5	5						
50-69	0									50-69	16	1.5							
70 +	0									70 +	8	6.0							
SUBTOTAL	**350**	**4.8**	**8**	**1**	**3**	**5**	**6**	**9**	**10**		**257**	**2.9**	**5**	**1**	**1**	**2**	**4**	**7**	**7**
GRAND TOTAL	**498**	**6.6**	**30**	**2**	**3**	**5**	**9**	**14**	**21**		**343**	**6.7**	**133**	**1**	**1**	**3**	**7**	**15**	**29**

DRG 395: Red Blood Cell Disorders Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3677	7.6	68	2	3	5	8	15	22	0-17	0								
70-74	2098	6.4	27	2	3	5	8	12	17	18-34	879	6.0	33	1	2	4	8	12	16
75-79	2664	6.2	25	2	3	5	8	13	17	35-49	751	5.6	18	1	3	5	7	11	13
80-84	2216	6.2	19	2	3	5	8	12	14	50-69	2108	6.1	43	1	2	4	8	12	17
85 +	2272	6.0	21	2	3	5	7	11	17	70 +	189	5.5	24	2	2	4	7	9	16
SUBTOTAL	**12927**	**6.6**	**36**	**2**	**3**	**5**	**8**	**13**	**17**		**3928**	**5.9**	**35**	**1**	**2**	**5**	**8**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3162	6.0	24	2	3	4	7	11	14	0-17	0								
70-74	762	4.7	20	1	2	3	6	9	12	18-34	1850	5.7	20	2	3	5	7	10	13
75-79	659	4.4	9	1	2	4	7	8	10	35-49	774	4.8	16	1	2	4	6	9	15
80-84	715	4.3	7	1	2	4	6	7	8	50-69	972	4.3	13	1	2	3	6	8	12
85 +	762	4.5	12	1	2	4	6	10	12	70 +	48	5.2	4	2	4	5	7	8	8
SUBTOTAL	**6059**	**5.3**	**19**	**1**	**3**	**4**	**7**	**10**	**12**		**3644**	**5.1**	**17**	**1**	**2**	**4**	**7**	**9**	**13**
GRAND TOTAL	**18985**	**6.2**	**31**	**2**	**3**	**5**	**7**	**12**	**16**		**7572**	**5.6**	**27**	**1**	**2**	**4**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1555	8.9	71	3	4	7	9	16	24	18-34	242	6.5	34	2	2	6	7	12	20
35-49	584	7.7	63	2	4	6	9	12	22	35-49	274	4.8	15	1	2	4	7	8	14
50-69	478	7.2	35	2	3	5	8	15	21	50-69	510	5.8	22	1	3	5	8	10	11
70 +	55	4.0	3	2	3	4	4	8	8	70 +	313	4.6	26	1	1	3	6	8	16
SUBTOTAL	**2673**	**8.2**	**62**	**2**	**4**	**6**	**9**	**15**	**22**		**1339**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	4381	7.0	33	2	4	5	9	13	16	18-34	476	4.4	6	1	2	4	6	8	9
35-49	1149	5.5	36	2	3	4	6	8	9	35-49	204	4.2	10	1	2	4	5	11	12
50-69	218	6.1	6	3	4	6	8	9	9	50-69	181	3.1	2	1	2	3	4	6	6
70 +	8	6.0								70 +	195	3.7	15	< 1	1	2	4	8	13
SUBTOTAL	**5756**	**6.7**	**33**	**2**	**4**	**5**	**8**	**11**	**15**		**1056**	**4.0**	**8**	**1**	**2**	**4**	**5**	**8**	**9**
GRAND TOTAL	**8428**	**7.1**	**43**	**2**	**4**	**6**	**9**	**13**	**17**		**2395**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**12**

DRG 396: Red Blood Cell Disorders Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	171	1.6	4	1	1	1	1	2	4	0-17	1040	5.0	29	1	1	4	7	10	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**171**	**1.6**	**4**	**1**	**1**	**1**	**1**	**2**	**4**		**1040**	**5.0**	**29**	**1**	**1**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	4.0	2							0-17	3151	3.6	8	1	2	3	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**32**	**4.0**	**2**								**3151**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**202**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**6**		**4191**	**3.9**	**14**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	930	4.8	14	1	2	4	6	9	11	0-17	395	6.8	43	1	2	4	9	14	19
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**930**	**4.8**	**14**	**1**	**2**	**4**	**6**	**9**	**11**		**395**	**6.8**	**43**	**1**	**2**	**4**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4238	4.2	12	1	2	3	5	8	11	0-17	1201	3.9	6	1	2	3	5	8	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4238**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**11**		**1201**	**3.9**	**6**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**5168**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**11**		**1596**	**4.6**	**17**	**1**	**2**	**3**	**6**	**9**	**12**

DRG 397: Coagulation Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	572	7.7	47	2	4	5	9	13	24
70-74	517	8.2	52	2	4	7	10	18	24
75-79	298	5.4	12	1	3	5	7	10	13
80-84	204	7.5	40	2	3	6	9	18	24
85 +	227	9.1	90	2	5	7	10	15	17
SUBTOTAL	**1818**	**7.6**	**48**	**2**	**4**	**6**	**9**	**14**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	180	5.7	38	1	2	4	6	13	20
70-74	86	6.1	8	4	4	5	7	7	14
75-79	86	4.2	6	2	2	3	6	9	9
80-84	94	3.7	10	1	2	3	5	6	13
85 +	110	4.4	3	2	3	4	6	6	9
SUBTOTAL	**555**	**4.9**	**18**	**2**	**2**	**4**	**6**	**9**	**13**
GRAND TOTAL	**2373**	**7.0**	**42**	**2**	**3**	**5**	**9**	**13**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	567	4.5	68	1	1	3	4	8	12
18-34	226	5.4	22	1	3	4	6	11	19
35-49	242	4.7	15	1	2	4	6	8	12
50-69	384	5.2	18	1	2	4	7	12	16
70 +	8	12.0							
	1426	**4.9**	**38**	**1**	**2**	**4**	**6**	**9**	**12**
0-17	1741	3.0	4	1	2	3	4	5	7
18-34	320	4.0	6	1	2	3	5	8	8
35-49	258	3.9	7	1	2	4	5	7	10
50-69	290	4.3	11	2	2	3	5	9	14
70 +	24	4.0	1						
	2632	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
	4058	**3.9**	**17**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	179	4.1	7	1	2	3	6	8	9
18-34	78	9.5	56	2	4	8	12	23	29
35-49	195	6.1	31	2	2	5	8	10	13
50-69	54	13.7	297	2	4	9	10	55	55
70 +	0								
SUBTOTAL	**506**	**6.7**	**63**	**2**	**3**	**4**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	668	3.0	8	1	1	2	4	6	7
18-34	31	2.7	2						
35-49	15	6.0	4						
50-69	47	3.2	4	1	2	3	4	7	7
70 +	0								
SUBTOTAL	**762**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1268**	**4.5**	**33**	**1**	**2**	**3**	**5**	**8**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	139	4.7	14	2	2	3	6	9	17
18-34	62	3.9	7	< 1	2	3	5	10	10
35-49	78	6.1	13	2	4	5	9	12	13
50-69	86	6.8	25	2	3	4	10	14	18
70 +	55	4.1	6	2	2	3	8	8	8
	420	**5.2**	**15**	**2**	**2**	**4**	**7**	**10**	**14**
0-17	512	3.1	7	1	2	3	3	5	9
18-34	118	5.4	12	2	3	5	7	8	16
35-49	39	3.0	3						
50-69	39	5.0	5						
70 +	23	4.3							
	731	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
	1152	**4.2**	**11**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1257	9.8	75	3	4	7	13	19	29	0-17	1731	6.1	21	2	3	5	8	12	15
70-74	803	8.2	43	3	4	6	10	13	19	18-34	836	6.2	16	2	3	6	8	11	14
75-79	588	7.7	22	4	5	6	10	12	15	35-49	856	7.5	32	3	4	6	9	13	21
80-84	180	8.1	47	3	4	6	8	18	25	50-69	1454	7.5	33	3	4	6	9	13	17
85 +	291	8.1	15	4	5	8	9	13	17	70 +	23	9.4	14						
SUBTOTAL	**3119**	**8.7**	**50**	**3**	**5**	**7**	**10**	**16**	**23**		**4901**	**6.8**	**26**	**2**	**4**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3119**	**8.7**	**50**	**3**	**5**	**7**	**10**	**16**	**23**		**4901**	**6.8**	**26**	**2**	**4**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	644	6.4	31	2	3	5	8	14	22	0-17	434	7.7	57	2	4	5	9	16	29
18-34	264	11.9	128	2	5	7	19	22	61	18-34	172	7.2	111	1	2	4	8	14	20
35-49	234	12.7	132	4	5	10	16	29	37	35-49	202	7.7	80	2	3	5	8	19	20
50-69	272	5.4	11	1	3	5	8	11	11	50-69	140	5.7	14	2	3	6	7	13	14
70 +	8	8.0								70 +	95	7.3	9	5	5	6	9	12	13
SUBTOTAL	**1422**	**8.3**	**70**	**2**	**3**	**5**	**10**	**19**	**23**		**1043**	**7.3**	**61**	**2**	**3**	**5**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1422**	**8.3**	**70**	**2**	**3**	**5**	**10**	**19**	**23**		**1043**	**7.3**	**61**	**2**	**3**	**5**	**8**	**14**	**20**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	149	5.0	11	1	2	4	7	10	12	0-17	2026	4.3	7	1	2	4	6	8	9
70-74	109	7.7	18	3	5	6	11	14	15	18-34	446	4.4	20	1	2	3	5	7	15
75-79	110	5.6	9	1	4	6	7	9	12	35-49	368	4.7	12	1	2	4	7	11	15
80-84	63	9.1	30	1	6	8	11	21	21	50-69	290	4.9	16	1	1	4	7	10	12
85 +	63	5.8	30	1	1	4	10	17	17	70 +	15	2.5	2						
SUBTOTAL	**494**	**6.3**	**19**	**1**	**3**	**6**	**9**	**12**	**14**		**3145**	**4.4**	**10**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**494**	**6.3**	**19**	**1**	**3**	**6**	**9**	**12**	**14**		**3145**	**4.4**	**10**	**1**	**2**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1105	4.5	10	1	2	4	6	8	11	0-17	684	4.0	7	1	2	3	5	7	9
18-34	94	5.9	21	2	2	5	10	10	17	18-34	149	4.8	10	1	2	4	8	11	11
35-49	55	8.8	74	1	3	5	15	27	27	35-49	102	3.9	18	1	1	2	4	11	15
50-69	32	5.0	4							50-69	63	2.9	2	< 1	1	3	4	6	6
70 +	0									70 +	8	6.0							
SUBTOTAL	**1285**	**4.8**	**15**	**1**	**2**	**4**	**6**	**10**	**11**		**1005**	**4.0**	**8**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**1285**	**4.8**	**15**	**1**	**2**	**4**	**6**	**10**	**11**		**1005**	**4.0**	**8**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	328	17.4	262	4	7	12	25	34	49	0-17	163	29.0	361	6	10	34	39	54	59
70-74	266	13.9	104	5	7	10	16	33	38	18-34	109	20.5	182	6	7	22	31	38	43
75-79	211	19.0	126	6	10	17	22	32	45	35-49	334	22.4	331	6	8	15	37	43	51
80-84	118	14.1	68	4	8	12	20	27	30	50-69	428	14.8	134	5	7	12	17	30	42
85 +	31	21.4	193							70 +	15	16.5	77						
SUBTOTAL	**954**	**16.5**	**166**	**5**	**8**	**13**	**22**	**32**	**44**		**1049**	**20.1**	**261**	**5**	**7**	**13**	**31**	**42**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	187	5.8	14	2	3	5	7	14	15	0-17	148	9.0	77	3	5	6	11	20	42
70-74	227	7.9	77	2	2	4	9	24	27	18-34	328	5.7	11	1	4	5	7	11	12
75-79	148	7.7	66	1	2	3	15	25	25	35-49	313	8.5	97	2	3	5	7	22	40
80-84	78	8.7	37	2	5	6	12	19	22	50-69	476	6.7	24	1	3	6	9	13	16
85 +	16	5.0								70 +	8	6.0							
SUBTOTAL	**657**	**7.3**	**51**	**2**	**3**	**5**	**9**	**15**	**24**		**1271**	**7.1**	**46**	**2**	**3**	**5**	**8**	**14**	**18**
GRAND TOTAL	**1611**	**12.8**	**140**	**3**	**5**	**9**	**16**	**30**	**38**		**2320**	**13.0**	**184**	**3**	**5**	**7**	**15**	**35**	**43**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	22.0	566							0-17	23	47.3	250						
18-34	54	24.6	205	5	10	30	38	40	40	18-34	31	19.7	235						
35-49	23	30.3	528							35-49	8	3.0							
50-69	70	23.3	346	5	9	17	21	59	59	50-69	86	12.7	103	4	5	9	16	32	34
70 +	0									70 +	40	12.0	46						
SUBTOTAL	**186**	**24.3**	**373**	**5**	**9**	**19**	**38**	**57**	**59**		**188**	**17.6**	**261**	**4**	**5**	**11**	**30**	**39**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	54	5.9	10	3	4	4	9	12	12	0-17	39	11.7	147						
18-34	85	8.0	61	2	5	5	7	15	30	18-34	78	6.6	8	3	5	6	9	11	12
35-49	16	9.0	10							35-49	55	9.1	103	1	4	5	10	33	33
50-69	23	6.0	3							50-69	47	8.3	8	5	7	8	9	14	14
70 +	8	8.0								70 +	24	8.7	14						
SUBTOTAL	**186**	**7.2**	**33**	**3**	**4**	**5**	**8**	**12**	**15**		**242**	**8.5**	**54**	**3**	**5**	**7**	**9**	**13**	**33**
GRAND TOTAL	**373**	**15.7**	**275**	**4**	**5**	**8**	**21**	**40**	**57**		**430**	**12.5**	**164**	**4**	**5**	**7**	**13**	**34**	**39**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	453	13.1	155	2	5	10	15	27	38	0-17	16	12.9	52						
70-74	391	13.2	89	2	5	12	19	26	33	18-34	117	14.4	73	4	9	14	17	25	39
75-79	250	16.0	183	4	7	10	22	45	53	35-49	141	9.7	95	2	3	5	12	32	32
80-84	164	14.2	84	3	7	15	19	27	32	50-69	391	14.8	321	2	4	9	16	35	65
85 +	141	9.8	32	4	7	8	13	17	27	70 +	8	5.0							
SUBTOTAL	**1399**	**13.4**	**123**	**3**	**6**	**10**	**18**	**27**	**38**		**672**	**13.5**	**225**	**2**	**4**	**9**	**16**	**32**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1399**	**13.4**	**123**	**3**	**6**	**10**	**18**	**27**	**38**		**672**	**13.5**	**225**	**2**	**4**	**9**	**16**	**32**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	7.0	1							0-17	0								
18-34	31	11.8	40							18-34	8	3.0							
35-49	39	11.8	58							35-49	31	8.0	20						
50-69	31	19.8	70							50-69	94	15.3	261	1	4	10	25	43	51
70 +	8	9.0								70 +	24	6.7	29						
SUBTOTAL	**124**	**13.0**	**63**	**4**	**8**	**11**	**18**	**22**	**32**		**156**	**11.9**	**182**	**1**	**3**	**8**	**15**	**39**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**124**	**13.0**	**63**	**4**	**8**	**11**	**18**	**22**	**32**		**156**	**11.9**	**182**	**1**	**3**	**8**	**15**	**39**	**48**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	195	4.0	16	1	2	2	5	8	10	0-17	147	5.9	17	1	2	6	10	13	13
70-74	188	4.7	11	1	2	4	6	9	10	18-34	141	4.2	6	1	2	4	5	8	9
75-79	172	6.1	19	1	2	5	11	12	13	35-49	273	4.3	7	1	2	4	6	9	10
80-84	109	5.8	40	1	1	4	8	12	25	50-69	531	5.0	28	1	2	3	7	10	12
85 +	110	4.6	16	1	2	3	5	10	15	70 +	0								
SUBTOTAL	**774**	**5.0**	**19**	**1**	**2**	**4**	**7**	**11**	**15**		**1092**	**4.9**	**19**	**1**	**2**	**4**	**7**	**9**	**11**
GRAND TOTAL	**774**	**5.0**	**19**	**1**	**2**	**4**	**7**	**11**	**15**		**1092**	**4.9**	**19**	**1**	**2**	**4**	**7**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	54	3.7	10	1	2	3	4	11	11
18-34	32	16.0	64							18-34	16	6.5	7						
35-49	8	7.0								35-49	32	1.5	1						
50-69	16	9.0	27							50-69	62	4.4	14	1	2	2	10	10	10
70 +	0									70 +	39	3.2	7						
SUBTOTAL	**63**	**11.3**	**66**	**1**	**5**	**9**	**16**	**28**	**28**		**203**	**3.7**	**10**	**1**	**1**	**3**	**4**	**10**	**10**
GRAND TOTAL	**63**	**11.3**	**66**	**1**	**5**	**9**	**16**	**28**	**28**		**203**	**3.7**	**10**	**1**	**1**	**3**	**4**	**10**	**10**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1332	10.3	81	2	4	8	13	20	29	0-17	326	11.9	111	1	4	9	17	25	36
70-74	960	12.1	115	4	5	9	16	24	32	18-34	225	11.0	177	1	3	5	12	37	42
75-79	953	11.9	86	3	6	9	15	24	30	35-49	381	10.6	117	3	4	7	11	23	25
80-84	750	11.8	75	3	5	10	15	22	32	50-69	1380	9.5	66	2	3	8	12	19	25
85 +	447	9.7	24	4	6	8	12	18	19	70 +	46	10.3	20	4	8	10	15	17	17
SUBTOTAL	**4443**	**11.2**	**84**	**3**	**5**	**9**	**15**	**21**	**29**		**2358**	**10.2**	**91**	**2**	**4**	**8**	**12**	**22**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4443**	**11.2**	**84**	**3**	**5**	**9**	**15**	**21**	**29**		**2358**	**10.2**	**91**	**2**	**4**	**8**	**12**	**22**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	155	14.2	587	2	3	6	11	65	88	0-17	31	9.5	54						
18-34	147	8.2	32	2	4	6	12	13	25	18-34	39	15.2	326						
35-49	134	11.9	130	1	3	9	14	35	43	35-49	101	10.9	158	3	4	6	9	31	47
50-69	124	10.8	247	2	3	6	11	17	69	50-69	227	9.0	61	2	3	6	14	26	26
70 +	8	5.0								70 +	141	10.2	44	3	4	9	15	20	25
SUBTOTAL	**568**	**11.2**	**257**	**2**	**3**	**7**	**11**	**22**	**43**		**540**	**10.2**	**95**	**2**	**4**	**6**	**14**	**25**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**568**	**11.2**	**257**	**2**	**3**	**7**	**11**	**22**	**43**		**540**	**10.2**	**95**	**2**	**4**	**6**	**14**	**25**	**30**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	453	7.5	87	2	3	5	8	17	22	0-17	426	3.4	8	1	1	2	5	7	11
70-74	250	5.4	14	1	3	4	7	11	13	18-34	233	4.0	24	1	1	2	5	8	17
75-79	249	6.4	19	2	3	5	8	12	15	35-49	459	4.5	21	1	2	3	5	9	13
80-84	180	6.7	55	2	2	4	8	14	16	50-69	724	5.8	28	1	2	4	8	11	17
85 +	141	10.6	89	2	5	8	12	34	36	70 +	15	11.0	27						
SUBTOTAL	**1273**	**7.1**	**57**	**2**	**3**	**5**	**8**	**14**	**20**		**1858**	**4.8**	**23**	**1**	**2**	**3**	**6**	**9**	**15**
GRAND TOTAL	**1273**	**7.1**	**57**	**2**	**3**	**5**	**8**	**14**	**20**		**1858**	**4.8**	**23**	**1**	**2**	**3**	**6**	**9**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	70	3.2	9	1	1	2	3	10	10	0-17	54	3.6	2	1	2	4	5	5	5
18-34	55	3.6	6	1	1	3	4	9	9	18-34	47	6.2	50	< 1	1	3	7	21	21
35-49	23	4.4	4							35-49	62	4.7	18	1	2	3	5	15	15
50-69	39	6.2	10							50-69	165	7.5	37	1	3	6	11	15	21
70 +	0									70 +	78	6.2	13	2	3	5	9	12	14
SUBTOTAL	**187**	**4.1**	**9**	**1**	**1**	**3**	**7**	**9**	**10**		**406**	**6.1**	**28**	**1**	**2**	**4**	**8**	**14**	**21**
GRAND TOTAL	**187**	**4.1**	**9**	**1**	**1**	**3**	**7**	**9**	**10**		**406**	**6.1**	**28**	**1**	**2**	**4**	**8**	**14**	**21**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	744	11.0	90	2	4	7	17	27	33
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**744**	**11.0**	**90**	**2**	**4**	**7**	**17**	**27**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	852	6.6	39	1	2	5	9	16	24
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**852**	**6.6**	**39**	**1**	**2**	**5**	**9**	**16**	**24**
GRAND TOTAL	**0**										**1595**	**8.6**	**67**	**1**	**3**	**6**	**11**	**22**	**27**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	147	16.7	302	2	4	11	18	52	57	0-17	116	15.7	124	5	7	11	23	35	40
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**147**	**16.7**	**302**	**2**	**4**	**11**	**18**	**52**	**57**		**116**	**15.7**	**124**	**5**	**7**	**11**	**23**	**35**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	224	7.1	89	1	1	4	8	20	24	0-17	193	9.1	48	1	3	9	11	18	25
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**224**	**7.1**	**89**	**1**	**1**	**4**	**8**	**20**	**24**		**193**	**9.1**	**48**	**1**	**3**	**9**	**11**	**18**	**25**
GRAND TOTAL	**371**	**10.9**	**195**	**.**	**1**	**6**	**13**	**35**	**49**		**310**	**11.6**	**87**	**2**	**4**	**10**	**16**	**26**	**34**

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	289	11.2	52	1	5	10	17	21	24	0-17	70	13.0	44	4	7	13	15	27	27
70-74	211	18.9	254	3	5	12	29	45	52	18-34	54	12.2	22	6	7	15	15	19	19
75-79	187	11.7	72	2	6	10	14	23	28	35-49	187	9.2	52	4	5	7	9	19	26
80-84	63	13.0	92	3	7	9	17	35	35	50-69	397	14.3	206	5	7	9	17	22	33
85 +	31	22.2	78							70 +	0								
SUBTOTAL	**782**	**14.0**	**129**	**3**	**6**	**11**	**19**	**29**	**38**		**708**	**12.6**	**140**	**4**	**6**	**9**	**17**	**22**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**782**	**14.0**	**129**	**3**	**6**	**11**	**19**	**29**	**38**		**708**	**12.6**	**140**	**4**	**6**	**9**	**17**	**22**	**27**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	4.7								0-17	8	6.0							
18-34	8	7.0								18-34	16	9.9	38						
35-49	15	17.5	118							35-49	23	6.7							
50-69	70	11.3	19	5	9	11	13	18	18	50-69	78	15.7	185	5	7	11	19	41	52
70 +	0									70 +	24	11.3	119						
SUBTOTAL	**116**	**10.5**	**41**	**5**	**5**	**9**	**13**	**18**	**28**		**148**	**12.5**	**133**	**4**	**6**	**7**	**16**	**26**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**116**	**10.5**	**41**	**5**	**5**	**9**	**13**	**18**	**28**		**148**	**12.5**	**133**	**4**	**6**	**7**	**16**	**26**	**52**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	187	7.2	19	2	3	8	10	11	14
70-74	78	8.5	56	1	4	7	13	22	26
75-79	39	11.6	59						
80-84	16	6.0							
85 +	23	15.8	287						
SUBTOTAL	**343**	**8.5**	**54**	**2**	**4**	**7**	**10**	**16**	**26**
GRAND TOTAL	**343**	**8.5**	**54**	**2**	**4**	**7**	**10**	**16**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	6.2	12	1	3	6	9	11	11
18-34	23	4.3	4						
35-49	156	6.0	10	2	4	5	7	10	14
50-69	321	6.8	25	2	4	6	8	13	17
70 +	0								
	546	**6.4**	**19**	**2**	**4**	**6**	**8**	**11**	**16**
	546	**6.4**	**19**	**2**	**4**	**6**	**8**	**11**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	6.3	4						
18-34	8	11.0							
35-49	8	9.0							
50-69	31	4.5	3						
70 +	0								
SUBTOTAL	**70**	**6.3**	**8**	**2**	**4**	**6**	**9**	**11**	**11**
GRAND TOTAL	**70**	**6.3**	**8**	**2**	**4**	**6**	**9**	**11**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	2.0							
18-34	0								
35-49	23	8.7	7						
50-69	24	4.3	9						
70 +	0								
	55	**5.9**	**13**	**1**	**2**	**5**	**10**	**11**	**11**
	55	**5.9**	**13**	**1**	**2**	**5**	**10**	**11**	**11**

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	607	9.6	137	1	2	5	11	30	36
70-74	437	8.3	60	2	3	5	12	19	23
75-79	312	9.5	57	2	5	7	14	21	22
80-84	196	10.8	79	2	5	9	15	21	25
85 +	110	9.8	79	2	4	8	12	20	37
SUBTOTAL	**1662**	**9.4**	**92**	**2**	**3**	**6**	**13**	**21**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	414	3.1	8	1	2	2	3	6	9
70-74	282	3.2	6	1	2	2	4	6	10
75-79	211	4.0	9	1	2	3	4	9	11
80-84	148	4.7	34	1	2	2	4	11	26
85 +	54	5.6	48	2	2	2	6	22	22
SUBTOTAL	**1109**	**3.7**	**13**	**1**	**2**	**2**	**4**	**8**	**11**
GRAND TOTAL	**2771**	**7.1**	**68**	**1**	**2**	**4**	**9**	**16**	**23**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	3.9	10	1	1	2	6	10	10
18-34	86	4.4	5	2	2	4	7	7	8
35-49	195	9.7	125	2	2	5	16	23	31
50-69	864	6.1	24	2	2	5	8	12	17
70 +	8	3.0							
	1206	**6.4**	**41**	**2**	**2**	**4**	**8**	**13**	**20**
0-17	62	2.2	1	1	1	2	3	4	4
18-34	94	3.9	3	2	2	4	5	5	7
35-49	444	3.3	7	1	2	3	4	7	8
50-69	678	3.0	6	1	2	2	4	6	8
70 +	0								
	1279	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**7**
	2486	**4.7**	**25**	**1**	**2**	**3**	**6**	**10**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	3.5	2						
18-34	54	6.7	16	4	4	5	7	16	16
35-49	101	7.9	51	2	4	4	9	23	24
50-69	163	9.4	177	2	4	6	7	18	46
70 +	0								
SUBTOTAL	**334**	**8.3**	**106**	**2**	**4**	**5**	**7**	**16**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	1.0							
18-34	31	2.0	1						
35-49	101	5.1	13	2	2	3	7	10	13
50-69	132	3.8	4	2	2	4	5	7	8
70 +	8	3.0							
SUBTOTAL	**295**	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**629**	**6.2**	**65**	**2**	**2**	**4**	**7**	**10**	**23**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	70	4.9	10	1	2	4	6	11	11
50-69	102	5.8	26	2	2	4	7	14	19
70 +	47	3.0	1	2	2	3	4	5	5
	219	**4.9**	**17**	**2**	**2**	**4**	**6**	**11**	**14**
0-17	15	3.0	4						
18-34	23	3.0	3						
35-49	70	5.2	35	2	2	2	4	20	20
50-69	165	2.3	2	1	2	2	2	3	5
70 +	31	1.5							
	305	**3.0**	**11**	**1**	**2**	**2**	**3**	**5**	**11**
	524	**3.8**	**14**	**1**	**2**	**2**	**4**	**8**	**11**

DRG 409: Radiotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	304	7.5	43	2	3	6	10	15	21
70-74	303	9.5	64	2	3	7	15	22	28
75-79	171	12.0	129	4	5	8	17	21	28
80-84	78	9.5	125	2	4	6	9	26	42
85 +	62	10.1	99	2	4	6	14	34	34
SUBTOTAL	**919**	**9.3**	**79**	**2**	**3**	**6**	**13**	**21**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	125	3.7	6	1	2	3	6	9	9
70-74	55	6.0	25	2	2	6	7	17	17
75-79	46	2.7	1	2	2	3	3	4	4
80-84	8	5.0							
85 +	8	21.0							
SUBTOTAL	**242**	**4.6**	**19**	**2**	**2**	**3**	**6**	**9**	**17**
GRAND TOTAL	**1160**	**8.4**	**70**	**2**	**3**	**5**	**10**	**20**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	2.8	3	1	2	2	5	5	5
18-34	78	2.4	1	1	2	3	3	4	4
35-49	155	4.2	7	2	2	4	6	8	10
50-69	544	5.4	20	2	2	4	6	10	16
70 +	0								
	824	**4.7**	**16**	**2**	**2**	**4**	**6**	**10**	**14**
0-17	39	2.2	1						
18-34	163	1.8	1	1	1	2	2	3	4
35-49	257	2.3	1	1	1	2	3	4	4
50-69	210	2.3	1	1	2	2	3	3	4
70 +	0								
	669	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
	1492	**3.6**	**11**	**1**	**2**	**3**	**4**	**6**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	4.7	9						
18-34	31	5.8	6						
35-49	70	7.7	26	2	4	6	12	16	16
50-69	70	9.5	35	2	4	9	15	18	18
70 +	0								
SUBTOTAL	**194**	**7.6**	**27**	**2**	**4**	**6**	**12**	**16**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	2.3	1						
35-49	0								
50-69	39	2.8	1						
70 +	0								
SUBTOTAL	**70**	**2.6**	**1**	**1**	**2**	**3**	**3**	**4**	**4**
GRAND TOTAL	**264**	**6.3**	**25**	**2**	**2**	**5**	**8**	**15**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	3.0	2						
35-49	31	5.5	7						
50-69	78	5.2	23	1	1	5	10	13	14
70 +	24	13.0	43						
	164	**6.0**	**28**	**1**	**2**	**5**	**9**	**12**	**17**
0-17	8	2.0							
18-34	55	1.1		1	1	1	1	2	2
35-49	47	2.3	2	1	1	2	4	4	4
50-69	16	3.0	4						
70 +	0								
	125	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
	289	**4.2**	**20**	**1**	**1**	**2**	**5**	**10**	**14**

DRG 410: Chemotherapy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	16660	3.4	11	1	2	3	4	6	7		0-17	6162	3.2	8	1	2	2	4	5	7
70-74	10208	3.5	9	1	2	3	4	6	7		18-34	3093	3.7	12	1	2	3	5	6	7
75-79	5159	3.6	14	1	2	3	5	6	7		35-49	8532	3.4	9	1	2	3	4	6	7
80-84	1609	4.2	13	1	2	4	5	7	8		50-69	24319	3.3	11	1	2	2	4	6	7
85 +	430	3.7	6	1	2	3	5	7	9		70 +	327	3.8	6	1	2	4	5	6	7
SUBTOTAL	**34066**	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**7**			**42433**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	3543	2.7	4	1	1	2	4	5	6		0-17	3281	2.6	3	1	1	2	3	5	5
70-74	2713	2.9	3	1	1	2	4	6	6		18-34	970	3.0	10	1	1	2	4	5	6
75-79	1582	2.9	3	1	1	2	4	5	6		35-49	3272	2.4	5	1	1	2	3	5	5
80-84	522	3.6	6	1	2	4	5	6	9		50-69	5821	2.5	4	1	1	2	3	5	6
85 +	225	4.7	3	2	3	5	6	7	7		70 +	78	2.1	3	1	1	1	4	5	5
SUBTOTAL	**8585**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**			**13423**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**42650**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**7**			**55856**	**3.2**	**9**	**1**	**2**	**2**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	1857	3.3	10	1	2	3	4	6	7		0-17	2213	2.6	8	1	2	2	3	4	5
18-34	1180	4.3	14	1	2	4	5	6	9		18-34	568	4.0	11	1	2	4	5	6	8
35-49	1518	4.4	18	1	2	4	5	7	10		35-49	1218	3.8	32	1	2	2	5	6	9
50-69	2717	4.1	10	2	2	3	5	7	11		50-69	2562	3.0	8	1	1	2	4	5	7
70 +	8	6.0									70 +	584	2.9	28	1	1	1	4	5	5
SUBTOTAL	**7279**	**4.0**	**13**	**1**	**2**	**3**	**5**	**7**	**9**			**7146**	**3.1**	**14**	**1**	**1**	**2**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	1037	3.1	3	1	2	3	4	5	6		0-17	442	3.4	2	2	2	3	4	6	6
18-34	520	3.9	2	2	3	4	5	5	6		18-34	156	3.4	3	1	2	4	5	5	6
35-49	429	3.4	3	1	2	3	5	6	6		35-49	330	2.3	10	1	1	1	2	5	6
50-69	521	3.5	4	1	2	3	5	6	7		50-69	515	2.3	2	1	1	2	3	4	5
70 +	23	1.7	1								70 +	141	2.0	3	1	1	1	3	6	6
SUBTOTAL	**2531**	**3.4**	**3**	**1**	**2**	**3**	**5**	**6**	**6**			**1584**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**9810**	**3.9**	**10**	**1**	**2**	**3**	**5**	**6**	**8**			**8730**	**3.0**	**12**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 411: History of Malignancy w/o Endoscopy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	39	2.0	4						
70-74	8	3.0								18-34	8	2.0							
75-79	8	6.0								35-49	0								
80-84	0									50-69	8	5.0							
85 +	8	2.0								70 +	0								
SUBTOTAL	**24**	**3.7**	**3**								**54**	**2.4**	**4**	**< 1**	**1**	**1**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	15	5.0								0-17	93	1.8	1	1	1	1	2	3	4
70-74	8	11.0								18-34	0								
75-79	0									35-49	8	1.0							
80-84	0									50-69	8	3.0							
85 +	8	10.0								70 +	0								
SUBTOTAL	**31**	**7.8**	**8**								**109**	**1.9**	**1**	**1**	**1**	**1**	**3**	**3**	**4**
GRAND TOTAL	**55**	**6.0**	**10**	**2**	**3**	**5**	**10**	**11**	**11**		**163**	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	13.0								0-17	8	29.0							
18-34	0									18-34	0								
35-49	8	4.0								35-49	15	6.5							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16**	**8.4**	**22**								**23**	**14.0**	**118**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	0								
18-34	0									18-34	8	1.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	8	11.0							
SUBTOTAL	**8**	**1.0**									**16**	**6.1**	**27**						
GRAND TOTAL	**23**	**6.0**	**27**								**39**	**10.8**	**95**						

DRG 412: History of Malignancy w/ Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	8	1.0								35-49	0								
80-84	0									50-69	0								
85+	0									70+	8	7.0							
SUBTOTAL	8	1.0									8	7.0							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	7.0								0-17	0								
70-74	0									18-34	0								
75-79	8	5.0								35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	15	6.0	1								0								
GRAND TOTAL	23	4.3	7								8	7.0							

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	0										0								

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	541	9.4	43	3	5	7	12	21	23
70-74	219	8.8	37	3	5	7	11	18	23
75-79	312	10.5	65	3	5	10	14	23	26
80-84	165	12.7	91	5	8	9	13	18	39
85 +	118	11.0	39	4	5	10	17	19	24
SUBTOTAL	**1357**	**10.1**	**54**	**3**	**5**	**8**	**12**	**19**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1357**	**10.1**	**54**	**3**	**5**	**8**	**12**	**19**	**24**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	3.4	4						
18-34	31	2.8	2						
35-49	140	9.1	47	2	4	6	12	22	25
50-69	469	7.6	29	2	4	6	10	17	18
70 +	8	27.0							
	687	**7.7**	**36**	**2**	**3**	**6**	**11**	**17**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	687	**7.7**	**36**	**2**	**3**	**6**	**11**	**17**	**20**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	4.7	3						
18-34	31	7.0	26						
35-49	54	10.3	19	7	7	9	12	20	20
50-69	78	14.7	103	2	7	12	25	30	31
70 +	0								
SUBTOTAL	**187**	**10.9**	**66**	**3**	**5**	**8**	**13**	**25**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**187**	**10.9**	**66**	**3**	**5**	**8**	**13**	**25**	**29**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	0								
35-49	47	9.9	36	5	5	8	12	22	22
50-69	102	14.8	62	8	8	10	19	27	28
70 +	8	12.0							
	164	**12.7**	**57**	**5**	**8**	**10**	**17**	**26**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	164	**12.7**	**57**	**5**	**8**	**10**	**17**	**26**	**27**

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	156	4.8	33	1	2	3	4	14	21	0-17	54	6.4	81	< 1	1	3	5	28	28
70-74	188	6.8	27	1	4	5	9	16	17	18-34	8	1.0							
75-79	110	8.0	33	1	4	6	13	18	19	35-49	102	5.2	10	2	3	5	7	8	13
80-84	55	7.3	18	2	2	7	12	14	14	50-69	289	5.2	15	1	3	3	7	11	14
85 +	55	9.3	67	4	5	6	8	29	29	70 +	0								
SUBTOTAL	**563**	**6.8**	**34**	**1**	**2**	**5**	**9**	**15**	**18**		**453**	**5.2**	**22**	**1**	**2**	**3**	**7**	**11**	**14**
GRAND TOTAL	**563**	**6.8**	**34**	**1**	**2**	**5**	**9**	**15**	**18**		**453**	**5.2**	**22**	**1**	**2**	**3**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	3.0	4							0-17	0								
18-34	8	9.0								18-34	0								
35-49	31	3.8	1							35-49	47	3.7	10	< 1	< 1	3	5	10	10
50-69	39	4.4	4							50-69	78	7.3	47	1	4	5	9	20	26
70 +	0									70 +	16	4.0	1						
SUBTOTAL	**109**	**4.1**	**5**	**2**	**3**	**4**	**6**	**7**	**9**		**141**	**5.7**	**32**	**< 1**	**2**	**5**	**5**	**11**	**26**
GRAND TOTAL	**109**	**4.1**	**5**	**2**	**3**	**4**	**6**	**7**	**9**		**141**	**5.7**	**32**	**< 1**	**2**	**5**	**5**	**11**	**26**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1452	20.9	266	6	10	16	28	47	63	0-17	272	14.8	95	6	8	13	20	34	99 +
70-74	774	20.5	264	6	10	15	28	45	63	18-34	359	14.3	126	3	7	12	19	29	41
75-79	821	22.8	259	7	11	20	31	43	61	35-49	515	14.7	130	3	6	10	21	33	37
80-84	719	22.2	271	8	11	18	28	45	65	50-69	1001	20.5	232	6	9	16	26	46	60
85 +	694	21.3	242	8	10	16	30	42	53	70 +	86	22.1	522	7	8	19	23	27	90
SUBTOTAL	**4461**	**21.5**	**262**	**6**	**11**	**17**	**28**	**45**	**62**		**2233**	**17.6**	**195**	**5**	**8**	**14**	**23**	**39**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	360	10.9	84	2	5	9	13	21	30	0-17	359	7.2	24	2	3	6	11	14	17
70-74	203	9.4	69	2	5	8	12	15	18	18-34	392	6.5	41	3	3	5	8	11	12
75-79	141	11.9	118	2	4	8	15	37	37	35-49	454	7.3	65	1	3	6	9	13	21
80-84	62	9.9	59	3	4	10	14	27	27	50-69	500	10.2	103	2	3	7	15	20	32
85 +	86	12.8	95	6	6	10	14	31	34	70 +	0								
SUBTOTAL	**852**	**10.8**	**86**	**2**	**5**	**8**	**13**	**26**	**34**		**1705**	**8.0**	**64**	**2**	**3**	**6**	**10**	**16**	**21**
GRAND TOTAL	**5313**	**19.8**	**249**	**5**	**9**	**15**	**27**	**42**	**56**		**3938**	**13.4**	**161**	**3**	**5**	**10**	**18**	**30**	**41**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	109	20.5	243	9	10	13	33	42	60	0-17	70	24.9	303	5	15	16	32	56	56
18-34	125	16.7	208	3	8	11	21	44	49	18-34	156	13.7	118	3	4	10	20	30	34
35-49	132	20.4	242	7	10	13	27	40	64	35-49	109	20.8	246	6	11	16	21	40	66
50-69	172	17.9	140	8	9	15	27	37	52	50-69	172	20.6	168	7	11	19	25	39	46
70 +	0									70 +	110	12.7	59	4	4	12	19	21	29
SUBTOTAL	**538**	**18.8**	**203**	**6**	**9**	**13**	**27**	**42**	**52**		**617**	**18.0**	**182**	**4**	**7**	**16**	**24**	**37**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	195	7.6	41	2	3	5	11	19	20	0-17	117	6.0	21	1	3	6	8	12	19
18-34	94	8.0	92	2	3	5	7	17	37	18-34	165	6.5	21	2	4	6	7	9	17
35-49	70	5.5	13	2	2	5	7	12	12	35-49	39	16.5	502						
50-69	46	10.5	34	2	7	9	15	20	20	50-69	31	4.8	9						
70 +	8	19.0								70 +	31	15.0	130						
SUBTOTAL	**413**	**7.9**	**50**	**2**	**3**	**5**	**11**	**19**	**20**		**384**	**7.9**	**91**	**2**	**3**	**6**	**8**	**19**	**22**
GRAND TOTAL	**951**	**14.0**	**166**	**2**	**5**	**10**	**19**	**37**	**43**		**1000**	**14.1**	**171**	**3**	**5**	**9**	**19**	**31**	**40**

DRG 416: Septicemia Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4271	11.8	85	4	7	10	14	20	28	0-17	0								
70-74	3451	10.8	44	5	7	9	13	19	23	18-34	767	7.5	35	2	4	6	9	15	19
75-79	4090	11.3	48	5	7	10	14	19	24	35-49	1236	11.1	97	4	6	8	14	20	36
80-84	3681	11.6	57	5	7	10	14	20	26	50-69	3127	11.2	99	5	6	9	12	19	27
85 +	4674	12.0	78	5	7	10	14	20	26	70 +	283	10.9	36	4	7	10	15	20	22
SUBTOTAL	**20167**	**11.5**	**64**	**5**	**7**	**10**	**14**	**19**	**25**		**5413**	**10.7**	**88**	**4**	**6**	**8**	**12**	**19**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	306	10.8	79	4	6	8	12	23	36	0-17	0								
70-74	291	9.1	33	3	5	8	13	17	21	18-34	220	6.6	31	2	3	6	7	15	21
75-79	267	7.4	18	3	4	6	9	14	15	35-49	282	6.1	12	2	4	6	8	11	14
80-84	275	8.7	29	3	5	7	11	18	21	50-69	424	8.0	24	4	4	7	9	12	14
85 +	306	9.1	35	4	5	7	13	18	21	70 +	16	8.5	7						
SUBTOTAL	**1445**	**9.1**	**41**	**4**	**5**	**7**	**12**	**16**	**21**		**341**	**7.1**	**22**	**2**	**4**	**6**	**9**	**12**	**15**
GRAND TOTAL	**21612**	**11.4**	**63**	**5**	**7**	**9**	**14**	**19**	**25**		**6355**	**10.2**	**80**	**4**	**5**	**8**	**12**	**18**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	454	8.7	54	3	4	7	10	15	21	18-34	258	13.5	193	3	5	9	14	42	50
35-49	461	13.7	169	4	6	12	16	26	42	35-49	266	11.5	145	3	5	8	14	23	25
50-69	540	13.6	91	5	7	12	16	28	30	50-69	415	8.1	16	4	6	7	9	12	16
70 +	86	12.3	33	6	8	12	17	21	21	70 +	479	8.1	32	3	4	7	10	15	18
SUBTOTAL	**1540**	**12.1**	**105**	**4**	**6**	**9**	**15**	**21**	**30**		**1419**	**9.7**	**82**	**3**	**5**	**7**	**10**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	86	8.0	46	4	4	5	10	11	28	18-34	79	3.9	2	2	3	4	4	6	7
35-49	55	10.1	39	2	4	9	16	21	21	35-49	8	7.0							
50-69	55	9.3	11	6	6	8	13	14	14	50-69	47	7.0	20	2	3	6	9	15	15
70 +	8	5.0								70 +	39	7.4	50						
SUBTOTAL	**204**	**8.8**	**34**	**4**	**5**	**7**	**12**	**16**	**21**		**173**	**5.7**	**20**	**2**	**3**	**4**	**7**	**10**	**15**
GRAND TOTAL	**1745**	**11.7**	**98**	**4**	**6**	**9**	**15**	**21**	**28**		**1591**	**9.3**	**77**	**3**	**4**	**7**	**10**	**17**	**23**

DRG 417: Septicemia Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	8.0	22						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	31	8.0	22						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	7.0							
GRAND TOTAL	39	7.8	17						

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1474	7.1	42	2	3	6	9	13	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1474	7.1	42	2	3	6	9	13	16
0-17	2438	4.4	21	2	3	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2438	4.4	21	2	3	3	5	8	11
	3912	5.4	31	2	3	4	7	10	14

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	968	7.2	25	3	4	6	10	12	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	968	7.2	25	3	4	6	10	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1395	5.3	19	2	3	4	7	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1395	5.3	19	2	3	4	7	10	12
GRAND TOTAL	2363	6.1	23	2	3	4	8	11	14

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	467	7.5	30	2	4	5	10	14	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	467	7.5	30	2	4	5	10	14	23
0-17	971	4.8	20	2	2	4	6	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	971	4.8	20	2	2	4	6	10	10
	1438	5.7	25	2	3	4	7	10	14

DRG 418: Postoperative & Post-traumatic Infections

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	758	8.6	45	3	4	7	11	18	22	0-17	163	7.3	39	2	3	6	8	18	23
70-74	344	7.9	20	3	5	7	12	13	16	18-34	313	5.4	11	3	3	4	7	10	14
75-79	274	8.6	36	3	5	7	10	17	26	35-49	460	8.6	56	2	4	7	10	16	22
80-84	251	8.6	38	3	5	8	10	13	22	50-69	624	8.2	24	3	4	7	11	15	17
85 +	110	8.0	15	3	4	8	10	12	17	70 +	8	10.0							
SUBTOTAL	**1737**	**8.4**	**36**	**3**	**4**	**7**	**11**	**17**	**21**		**1568**	**7.7**	**33**	**2**	**4**	**7**	**10**	**15**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	384	6.8	16	2	4	6	8	13	14	0-17	661	4.5	8	2	3	3	6	9	10
70-74	336	6.5	11	3	4	5	8	11	13	18-34	752	4.6	9	2	3	4	6	9	10
75-79	234	7.4	21	3	5	7	9	13	14	35-49	915	5.2	11	2	3	4	6	9	13
80-84	179	6.8	22	2	3	6	10	13	14	50-69	946	6.4	29	2	3	5	8	11	14
85 +	94	7.6	13	3	5	8	11	12	14	70 +	16	6.0	4						
SUBTOTAL	**1228**	**6.9**	**17**	**2**	**4**	**6**	**9**	**13**	**14**		**3290**	**5.3**	**16**	**2**	**3**	**4**	**6**	**10**	**12**
GRAND TOTAL	**2965**	**7.8**	**28**	**3**	**4**	**7**	**10**	**14**	**18**		**4858**	**6.0**	**23**	**2**	**3**	**5**	**7**	**11**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	93	9.3	77	2	3	7	11	24	30	0-17	85	4.5	3	3	3	4	6	7	8
18-34	78	5.8	2	4	5	6	6	8	9	18-34	118	6.6	22	2	2	6	9	13	19
35-49	109	8.0	68	3	3	5	7	23	31	35-49	47	10.7	107	4	4	6	10	33	33
50-69	133	10.4	95	3	5	7	11	23	44	50-69	142	9.0	51	3	5	7	10	17	33
70 +	8	4.0								70 +	31	8.9	114						
SUBTOTAL	**421**	**8.6**	**68**	**3**	**4**	**6**	**10**	**23**	**30**		**424**	**7.6**	**48**	**2**	**3**	**6**	**9**	**16**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	195	6.1	29	2	2	4	8	14	19	0-17	155	5.7	24	3	3	4	7	10	22
18-34	172	6.5	15	2	3	6	11	12	12	18-34	180	5.4	14	2	3	4	7	10	14
35-49	86	5.2	7	3	4	5	6	8	12	35-49	148	5.1	36	1	2	4	6	7	29
50-69	102	5.3	8	2	3	5	7	9	11	50-69	109	4.9	5	3	3	5	7	8	9
70 +	0									70 +	55	6.1	15	3	4	4	10	14	14
SUBTOTAL	**555**	**5.9**	**18**	**2**	**3**	**5**	**8**	**12**	**12**		**648**	**5.4**	**20**	**2**	**3**	**4**	**7**	**9**	**14**
GRAND TOTAL	**976**	**7.1**	**41**	**2**	**3**	**5**	**9**	**12**	**22**		**1071**	**6.3**	**32**	**2**	**3**	**4**	**7**	**10**	**17**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1229	6.5	19	2	4	5	8	12	16
70-74	682	7.4	20	3	4	6	10	14	16
75-79	527	7.0	32	2	4	6	8	13	15
80-84	401	8.0	44	3	4	6	10	14	21
85 +	362	8.1	79	3	4	6	8	13	24
SUBTOTAL	3201	7.1	32	3	4	6	9	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3201	7.1	32	3	4	6	9	13	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	494	5.3	37	1	3	4	6	8	11
35-49	517	6.1	29	1	3	5	8	12	16
50-69	1028	7.0	23	3	4	6	8	13	16
70 +	47	7.0	7	4	5	6	8	12	12
	2085	6.4	28	2	3	5	8	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2085	6.4	28	2	3	5	8	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	187	6.1	74	2	3	4	6	7	8
35-49	39	6.0	8						
50-69	47	6.3	2	5	5	6	7	9	9
70 +	8	10.0							
SUBTOTAL	281	6.2	51	2	4	5	7	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	281	6.2	51	2	4	5	7	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	71	6.7	21	3	4	5	7	18	18
35-49	94	6.0	15	2	3	5	9	12	14
50-69	142	5.7	14	2	3	4	8	13	14
70 +	134	5.5	11	2	3	4	7	12	14
	441	5.8	14	2	3	4	8	12	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	441	5.8	14	2	3	4	8	12	14

DRG 420: Fever of Unknown Origin Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	235	5.0	13	2	2	4	6	9	13	0-17	0								
70-74	133	4.8	7	2	3	4	5	10	12	18-34	362	3.3	4	1	2	3	4	7	7
75-79	204	5.1	8	2	3	5	6	11	11	35-49	399	4.9	17	2	2	4	7	8	16
80-84	86	4.5	7	2	2	4	7	8	9	50-69	439	4.5	5	2	3	4	6	8	9
85 +	102	7.0	13	4	5	6	8	13	16	70 +	15	6.5	13						
SUBTOTAL	761	5.2	10	2	2	5	6	9	12		1215	4.3	9	2	2	4	6	8	9
GRAND TOTAL	761	5.2	10	2	2	5	6	9	12		1215	4.3	9	2	2	4	6	8	9

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	134	3.6	5	1	1	4	5	8	8	18-34	188	4.7	30	1	2	3	5	9	10
35-49	47	3.7	2	2	3	3	4	6	6	35-49	55	5.0	13	1	2	3	8	12	12
50-69	16	2.5								50-69	32	3.3	1						
70 +	8	4.0								70 +	16	8.5							
SUBTOTAL	204	3.6	4	1	2	4	5	6	8		291	4.8	23	1	2	3	6	9	12
GRAND TOTAL	204	3.6	4	1	2	4	5	6	8		291	4.8	23	1	2	3	6	9	12

DRG 421: Viral Illness Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	602	5.3	12	2	3	5	6	10	11	0-17	0								
70-74	393	4.4	8	2	3	4	5	9	10	18-34	1964	4.1	11	2	2	3	5	7	9
75-79	458	5.4	15	2	3	4	7	10	15	35-49	692	4.5	11	2	2	3	5	9	11
80-84	251	5.5	16	2	3	5	6	10	10	50-69	731	4.7	12	2	2	4	6	9	13
85 +	236	6.1	13	2	3	5	7	12	13	70 +	47	5.3	2	3	5	5	6	8	8
SUBTOTAL	**1940**	**5.3**	**13**	**2**	**3**	**4**	**7**	**10**	**11**		**3434**	**4.3**	**11**	**2**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	204	4.5	10	1	2	3	7	9	10	0-17	0								
70-74	212	4.9	6	2	3	4	6	9	9	18-34	1780	3.2	3	1	2	3	4	6	7
75-79	118	3.7	2	2	3	3	5	6	6	35-49	786	3.5	4	1	2	3	4	6	8
80-84	70	3.9	4	2	2	3	5	7	7	50-69	503	3.3	4	1	2	3	4	6	7
85 +	118	3.9	20	1	2	3	3	6	20	70 +	0								
SUBTOTAL	**722**	**4.3**	**9**	**2**	**2**	**3**	**6**	**8**	**9**		**3069**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2662**	**5.0**	**12**	**2**	**3**	**4**	**6**	**9**	**11**		**6503**	**3.8**	**8**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	212	4.3	14	1	2	3	5	9	11	18-34	354	4.7	51	1	2	3	5	8	9
35-49	94	3.1	9	1	1	2	3	6	12	35-49	118	5.0	7	2	2	5	7	9	10
50-69	70	8.2	30	2	5	7	7	21	21	50-69	117	3.5	4	2	2	3	4	8	8
70 +	0									70 +	63	4.9	8	2	2	4	7	10	10
SUBTOTAL	**376**	**4.7**	**19**	**1**	**2**	**3**	**6**	**11**	**14**		**652**	**4.6**	**31**	**1**	**2**	**3**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	180	3.3	8	1	1	3	5	5	7	18-34	338	3.2	6	1	2	2	4	6	8
35-49	31	2.3	1							35-49	173	3.4	9	1	2	3	4	5	6
50-69	39	2.8	1							50-69	102	3.3	5	1	2	3	4	6	9
70 +	8	13.0								70 +	32	2.3	2						
SUBTOTAL	**258**	**3.4**	**9**	**1**	**2**	**3**	**4**	**5**	**13**		**644**	**3.2**	**6**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**635**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**13**		**1296**	**3.9**	**19**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	54	3.0	9	1	1	2	4	10	10
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	54	3.0	9	1	1	2	4	10	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	2.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	2.5							
GRAND TOTAL	70	2.9	7	1	1	2	3	10	10

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6495	3.5	6	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6495	3.5	6	1	2	3	4	6	8
0-17	9563	2.8	2	1	2	3	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9563	2.8	2	1	2	3	3	5	6
	16058	3.1	4	1	2	3	4	5	7

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3336	4.0	25	2	2	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3336	4.0	25	2	2	3	4	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5413	2.9	3	1	2	3	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5413	2.9	3	1	2	3	3	5	6
GRAND TOTAL	8749	3.3	11	1	2	3	4	5	7

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1744	3.1	5	1	2	3	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1744	3.1	5	1	2	3	3	5	7
0-17	4015	2.6	3	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4015	2.6	3	1	2	2	3	4	5
	5758	2.7	4	1	2	2	3	4	5

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	555	10.2	192	2	3	6	11	19	49
70-74	196	13.3	210	4	4	7	16	32	46
75-79	164	11.1	144	5	5	6	8	24	33
80-84	149	12.0	90	4	6	8	14	32	36
85 +	87	8.7	48	4	5	8	8	8	30
SUBTOTAL	**1151**	**11.0**	**166**	**3**	**4**	**7**	**11**	**27**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	94	4.8	9	2	3	4	6	9	12
70-74	39	18.8	858						
75-79	8	4.0							
80-84	24	3.7	7						
85 +	32	6.3	3						
SUBTOTAL	**197**	**7.7**	**205**	**2**	**3**	**4**	**7**	**9**	**12**
GRAND TOTAL	**1348**	**10.5**	**173**	**3**	**4**	**6**	**10**	**24**	**45**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	281	7.6	86	1	2	4	10	14	31
18-34	281	7.3	80	2	2	4	10	15	22
35-49	156	9.8	99	2	3	5	14	26	35
50-69	297	11.6	270	3	5	6	9	23	65
70 +	8	17.0							
	1022	**9.1**	**142**	**2**	**3**	**5**	**10**	**17**	**31**
0-17	453	5.4	18	2	2	4	6	12	14
18-34	235	6.0	60	2	3	4	6	10	14
35-49	204	5.8	33	2	3	5	6	7	22
50-69	149	5.5	9	2	3	5	8	9	13
70 +	0								
	1041	**5.6**	**29**	**2**	**3**	**4**	**6**	**10**	**14**
	2063	**7.3**	**88**	**2**	**3**	**5**	**9**	**14**	**22**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	187	9.1	134	2	3	4	13	21	22
18-34	94	14.8	212	3	6	8	21	29	55
35-49	62	9.1	36	< 1	1	10	13	19	19
50-69	16	8.0	17						
70 +	0								
SUBTOTAL	**360**	**10.6**	**138**	**2**	**3**	**7**	**13**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	265	7.3	49	2	2	5	11	14	18
18-34	24	4.0	13						
35-49	71	5.5	16	< 1	2	4	9	11	11
50-69	16	2.5							
70 +	8	10.0							
SUBTOTAL	**383**	**6.6**	**39**	**1**	**2**	**4**	**10**	**14**	**15**
GRAND TOTAL	**743**	**8.5**	**91**	**1**	**3**	**5**	**11**	**18**	**23**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	5.3	9						
18-34	62	4.2	4	1	3	4	5	8	8
35-49	78	13.1	102	2	4	13	16	30	37
50-69	32	10.5	69						
70 +	16	13.0	68						
	219	**9.1**	**69**	**2**	**4**	**5**	**13**	**21**	**24**
0-17	194	5.2	19	2	2	4	6	11	11
18-34	109	3.6	4	1	2	3	5	7	8
35-49	39	2.6	1						
50-69	8	3.0							
70 +	0								
	350	**4.4**	**13**	**1**	**2**	**3**	**5**	**10**	**11**
	569	**6.2**	**40**	**1**	**3**	**4**	**7**	**13**	**21**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	250	22.5	181	8	15	19	28	41	48
70-74	78	21.5	166	8	10	24	26	43	53
75-79	109	20.0	147	12	12	16	22	34	57
80-84	95	14.8	181	3	5	10	18	42	43
85 +	23	16.1	27						
SUBTOTAL	**555**	**20.3**	**173**	**7**	**12**	**16**	**26**	**42**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	165	23.6	220	7	14	16	34	39	52
70-74	70	19.3	141	6	11	16	21	44	44
75-79	24	26.2	129						
80-84	16	25.0	38						
85 +	31	5.0	23						
SUBTOTAL	**305**	**21.0**	**198**	**4**	**12**	**16**	**32**	**42**	**50**
GRAND TOTAL	**860**	**20.5**	**182**	**6**	**12**	**16**	**26**	**42**	**48**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	14.6	229	2	3	6	27	42	42
18-34	109	30.2	425	10	15	25	34	65	83
35-49	133	24.0	282	8	12	18	35	46	67
50-69	165	16.3	286	3	6	11	15	37	50
70 +	16	49.0	1929						
	469	**22.6**	**418**	**4**	**8**	**13**	**34**	**46**	**69**
0-17	39	31.4	237						
18-34	125	15.1	106	5	6	13	22	25	43
35-49	195	15.3	104	2	4	17	24	26	29
50-69	179	11.9	115	1	3	12	19	23	26
70 +	16	11.5	2						
	554	**15.2**	**136**	**2**	**5**	**13**	**23**	**29**	**42**
	1024	**18.6**	**279**	**3**	**7**	**13**	**25**	**42**	**46**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	8.0							
18-34	78	26.5	496	7	11	19	33	63	84
35-49	23	14.6	56						
50-69	39	24.6	44						
70 +	0								
SUBTOTAL	**157**	**22.4**	**305**	**8**	**9**	**19**	**28**	**37**	**63**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	62	19.1	596	1	4	7	39	71	71
18-34	133	20.7	151	7	10	15	31	38	42
35-49	47	16.5	132	3	9	14	20	39	39
50-69	16	32.5	256						
70 +	0								
SUBTOTAL	**258**	**20.3**	**270**	**4**	**8**	**13**	**31**	**42**	**48**
GRAND TOTAL	**415**	**21.1**	**283**	**6**	**9**	**15**	**30**	**42**	**48**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	20.2	181						
18-34	32	22.8	94						
35-49	16	26.4	118						
50-69	15	15.5	77						
70 +	8	29.0							
	86	**22.2**	**115**	**7**	**11**	**24**	**33**	**34**	**37**
0-17	8	1.0							
18-34	47	20.0	65	9	14	19	25	34	34
35-49	32	21.1	138						
50-69	8	22.0							
70 +	8	7.0							
	103	**18.0**	**109**	**7**	**12**	**18**	**22**	**34**	**41**
	189	**19.9**	**115**	**7**	**12**	**18**	**30**	**34**	**37**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	722	8.8	83	2	3	5	11	23	31
70-74	478	6.9	27	2	3	5	8	15	18
75-79	564	6.2	32	2	3	4	8	12	21
80-84	431	6.1	21	2	3	5	7	13	15
85+	478	6.3	21	2	3	5	8	12	15
SUBTOTAL	**2674**	**7.0**	**42**	**2**	**3**	**5**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	691	6.3	54	1	2	3	8	15	24
70-74	353	6.7	85	1	2	3	6	18	19
75-79	267	5.8	37	2	2	4	6	10	18
80-84	134	4.8	14	1	2	3	6	10	15
85+	133	5.8	41	2	3	4	5	9	30
SUBTOTAL	**1577**	**6.1**	**54**	**1**	**2**	**4**	**7**	**14**	**22**
GRAND TOTAL	**4251**	**6.7**	**47**	**2**	**3**	**5**	**8**	**15**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	5.2	51	<1	1	2	7	13	26
18-34	431	9.7	103	1	3	5	14	28	34
35-49	360	5.8	33	1	2	4	7	11	20
50-69	438	7.4	57	1	2	5	10	19	27
70+	31	5.5	7						
	1354	**7.5**	**66**	**1**	**2**	**4**	**9**	**20**	**28**
0-17	801	7.7	132	1	2	3	7	21	33
18-34	1427	5.7	58	1	1	3	6	15	21
35-49	1428	5.6	51	1	2	3	7	14	19
50-69	816	6.0	91	1	2	3	6	12	15
70+	24	1.7							
	4496	**6.1**	**75**	**1**	**2**	**3**	**7**	**14**	**21**
	5850	**6.4**	**73**	**1**	**2**	**3**	**7**	**15**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	4.8	21	1	2	3	7	14	14
18-34	188	5.7	42	1	2	3	7	13	21
35-49	150	5.0	16	<1	1	4	7	11	16
50-69	165	7.7	69	1	2	4	10	18	28
70+	8	12.0							
SUBTOTAL	**557**	**6.1**	**42**	**1**	**2**	**4**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	366	12.0	312	1	2	5	14	41	52
18-34	533	7.5	76	1	2	5	9	19	22
35-49	243	6.0	31	1	2	4	9	14	19
50-69	87	13.1	231	2	2	4	23	30	49
70+	0								
SUBTOTAL	**1229**	**8.9**	**154**	**1**	**2**	**5**	**11**	**22**	**39**
GRAND TOTAL	**1786**	**8.0**	**121**	**1**	**2**	**4**	**10**	**21**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	3.6	6						
18-34	251	7.3	72	1	2	4	8	25	27
35-49	164	6.3	54	1	1	3	7	13	20
50-69	125	4.7	13	1	2	4	8	11	14
70+	55	4.8	5	3	3	5	5	10	10
	633	**6.1**	**47**	**1**	**2**	**4**	**7**	**13**	**25**
0-17	349	6.6	42	1	2	6	8	13	16
18-34	703	3.7	21	1	1	2	5	10	14
35-49	398	4.1	27	1	1	2	4	12	14
50-69	211	3.7	17	<1	1	2	4	10	15
70+	86	6.5	117	1	1	3	6	8	40
	1746	**4.5**	**32**	**1**	**1**	**2**	**5**	**10**	**15**
	2380	**4.9**	**36**	**1**	**1**	**3**	**6**	**12**	**16**

DRG 426: Depressive Neuroses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	948	9.4	62	2	3	8	13	19	23	0-17	455	18.4	233	3	6	15	30	37	50
70-74	337	9.3	47	3	4	7	12	16	21	18-34	1355	9.4	85	2	3	6	12	21	29
75-79	259	8.1	32	3	4	7	11	18	20	35-49	868	8.8	77	1	3	7	12	18	22
80-84	188	10.9	54	3	4	11	15	20	25	50-69	503	10.0	79	2	3	8	14	23	31
85+	71	6.9	15	3	4	6	8	16	16	70+	47	16.7	175	5	7	11	22	43	43
SUBTOTAL	**1802**	**9.2**	**53**	**2**	**4**	**8**	**12**	**18**	**21**		**3229**	**10.7**	**115**	**2**	**3**	**8**	**14**	**25**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1299	10.2	68	2	4	8	15	20	26	0-17	3219	17.3	239	3	5	14	27	41	51
70-74	391	11.3	89	3	4	8	16	23	29	18-34	3799	8.3	68	1	3	6	11	19	22
75-79	336	13.1	108	2	5	10	18	28	31	35-49	2933	9.2	76	2	3	7	12	19	25
80-84	164	9.2	28	3	7	8	12	17	20	50-69	1034	9.0	64	2	3	7	13	19	22
85+	133	9.5	25	4	5	10	12	16	21	70+	71	9.2	100	< 1	2	4	13	31	31
SUBTOTAL	**2323**	**10.7**	**73**	**3**	**4**	**8**	**15**	**21**	**28**		**11055**	**11.2**	**135**	**2**	**3**	**8**	**15**	**27**	**36**
GRAND TOTAL	**4126**	**10.1**	**65**	**2**	**4**	**8**	**14**	**20**	**25**		**14284**	**11.1**	**130**	**2**	**3**	**8**	**15**	**26**	**35**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	212	20.9	313	2	5	16	37	52	57	0-17	157	12.6	114	1	5	11	19	28	36
18-34	1413	12.5	163	2	4	8	17	30	36	18-34	1108	6.6	47	1	2	5	8	15	22
35-49	455	10.7	89	2	4	7	16	23	35	35-49	393	5.9	18	1	2	5	8	13	14
50-69	149	9.0	57	2	3	5	13	22	27	50-69	63	2.8	3	1	1	3	4	6	6
70+	0									70+	62	6.3	11	2	5	7	9	12	12
SUBTOTAL	**2229**	**12.7**	**163**	**2**	**4**	**9**	**17**	**31**	**37**		**1784**	**6.8**	**47**	**1**	**2**	**5**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1098	18.5	346	3	6	11	27	48	62	0-17	734	7.9	97	1	3	5	9	17	28
18-34	2555	11.2	147	2	4	8	14	24	33	18-34	2829	7.2	79	1	2	4	9	15	23
35-49	770	9.0	81	1	3	7	12	21	26	35-49	1151	6.7	43	1	2	5	9	15	21
50-69	181	10.1	36	2	5	10	14	17	22	50-69	250	7.0	19	2	4	7	9	13	17
70+	0									70+	70	8.0	14	2	6	7	9	14	14
SUBTOTAL	**4604**	**12.5**	**191**	**2**	**4**	**8**	**16**	**29**	**44**		**5035**	**7.2**	**70**	**1**	**2**	**5**	**9**	**15**	**22**
GRAND TOTAL	**6833**	**12.6**	**182**	**2**	**4**	**8**	**17**	**30**	**42**		**6818**	**7.1**	**64**	**1**	**2**	**5**	**9**	**15**	**22**

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	368	9.8	70	2	3	7	14	21	24	0-17	306	13.9	256	3	5	7	16	37	45
70-74	63	9.4	21	3	7	9	15	99 +	99 +	18-34	511	9.8	102	2	3	6	12	25	30
75-79	47	17.7	282	2	7	12	20	52	52	35-49	305	8.7	49	2	3	7	12	18	26
80-84	31	18.8	56							50-69	156	10.3	75	2	3	6	16	21	30
85 +	8	4.0								70 +	8	9.0							
SUBTOTAL	**517**	**10.9**	**91**	**2**	**4**	**8**	**16**	**24**	**28**		**1286**	**10.6**	**126**	**2**	**4**	**7**	**14**	**25**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	823	10.3	106	2	3	8	13	21	29	0-17	2226	15.6	198	2	4	10	25	39	43
70-74	79	10.0	52	3	4	5	16	21	21	18-34	1838	8.5	116	1	3	5	10	16	26
75-79	102	8.5	17	3	5	8	11	14	16	35-49	1340	9.7	70	1	3	7	14	22	29
80-84	31	7.7	32							50-69	369	8.6	66	1	3	6	9	17	26
85 +	47	11.4	83	3	6	7	15	30	30	70 +	16	14.0	10						
SUBTOTAL	**1081**	**10.1**	**91**	**2**	**4**	**8**	**13**	**21**	**29**		**5789**	**11.5**	**144**	**2**	**3**	**7**	**15**	**29**	**37**
GRAND TOTAL	**1599**	**10.4**	**91**	**2**	**4**	**8**	**14**	**21**	**28**		**7074**	**11.3**	**141**	**2**	**3**	**7**	**15**	**29**	**36**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	180	15.7	151	4	6	9	29	33	36	0-17	62	5.6	24	1	2	3	9	15	15
18-34	503	10.9	100	2	4	8	15	24	29	18-34	526	5.5	23	< 1	1	5	8	14	16
35-49	110	13.0	90	3	3	12	21	26	30	35-49	212	8.9	168	1	1	3	12	27	31
50-69	16	9.4	32							50-69	39	5.4	43						
70 +	0									70 +	8	10.0							
SUBTOTAL	**810**	**12.2**	**112**	**2**	**4**	**8**	**18**	**29**	**31**		**847**	**6.4**	**62**	**< 1**	**1**	**4**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1016	14.7	196	2	6	9	21	37	49	0-17	524	8.5	78	1	3	5	11	20	27
18-34	1450	10.0	185	2	3	6	11	21	37	18-34	1262	6.6	54	1	2	5	8	16	20
35-49	268	10.6	145	3	5	7	10	21	24	35-49	407	8.2	68	1	3	6	10	18	29
50-69	63	5.9	21	2	2	4	8	16	16	50-69	156	4.5	19	1	1	3	6	13	16
70 +	8	11.0								70 +	31	5.0	17						
SUBTOTAL	**2805**	**11.7**	**186**	**2**	**3**	**7**	**15**	**29**	**42**		**2380**	**7.1**	**60**	**1**	**2**	**5**	**9**	**17**	**22**
GRAND TOTAL	**3614**	**11.8**	**170**	**2**	**4**	**7**	**15**	**29**	**40**		**3227**	**6.9**	**61**	**1**	**2**	**5**	**9**	**16**	**21**

DRG 428: Disorders of Personality & Impulse Control

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	227	10.9	138	1	2	7	14	24	34	0-17	203	29.6	496	4	8	24	49	60	70
70-74	16	3.5	7							18-34	274	20.0	453	3	7	12	27	45	88
75-79	8	6.0								35-49	203	19.9	608	2	3	10	26	70	75
80-84	8	3.0								50-69	47	9.0	36	1	7	8	9	21	21
85 +	15	12.0	1							70 +	0								
SUBTOTAL	**274**	**10.1**	**120**	**1**	**2**	**6**	**14**	**23**	**34**		**726**	**22.0**	**510**	**3**	**6**	**13**	**29**	**53**	**75**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	532	13.8	219	2	4	9	16	37	47	0-17	650	28.7	459	4	9	24	43	58	71
70-74	8	3.0								18-34	648	16.2	319	2	5	9	22	36	54
75-79	24	4.9	33							35-49	344	16.4	144	4	8	16	21	30	44
80-84	39	8.2	45							50-69	86	12.4	82	4	4	8	20	22	32
85 +	0									70 +	0								
SUBTOTAL	**603**	**13.0**	**204**	**2**	**3**	**8**	**14**	**35**	**47**		**1728**	**20.7**	**364**	**3**	**7**	**15**	**30**	**47**	**61**
GRAND TOTAL	**877**	**12.1**	**179**	**1**	**3**	**8**	**14**	**31**	**44**		**2454**	**21.1**	**407**	**3**	**7**	**14**	**30**	**48**	**64**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	11.4	32							0-17	63	32.2	1055	3	8	10	67	85	85
18-34	401	17.3	186	4	7	13	26	43	49	18-34	220	13.7	315	1	3	6	15	52	56
35-49	55	6.7	21	2	2	6	10	15	15	35-49	55	20.0	189	1	7	21	35	36	36
50-69	8	20.0								50-69	8	7.0							
70 +	0									70 +	0								
SUBTOTAL	**503**	**15.7**	**166**	**2**	**6**	**11**	**22**	**41**	**46**		**345**	**17.9**	**470**	**2**	**3**	**7**	**27**	**56**	**63**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	195	28.6	494	8	10	23	49	83	99 +	0-17	93	10.1	203	1	2	4	12	25	52
18-34	691	17.3	367	2	5	11	24	41	63	18-34	574	10.2	99	1	2	6	16	23	32
35-49	134	10.4	53	1	6	8	14	22	24	35-49	133	8.5	92	2	3	4	8	30	33
50-69	0									50-69	16	2.5							
70 +	8	7.0								70 +	0								
SUBTOTAL	**1028**	**18.4**	**377**	**2**	**6**	**12**	**24**	**49**	**68**		**816**	**9.7**	**109**	**1**	**2**	**5**	**15**	**23**	**32**
GRAND TOTAL	**1531**	**17.5**	**309**	**2**	**6**	**12**	**24**	**45**	**63**		**1161**	**12.2**	**230**	**1**	**3**	**6**	**16**	**32**	**48**

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	917	15.9	155	3	7	12	24	31	40		0-17	108	18.8	739	2	2	7	10	72	77	
70-74	666	12.5	73	4	6	10	16	24	30		18-34	194	17.6	109	3	10	17	26	34	42	
75-79	1111	11.7	95	3	5	8	17	24	32		35-49	202	15.1	87	5	8	14	20	31	34	
80-84	1291	11.5	70	4	6	9	14	23	29		50-69	281	14.6	75	4	7	14	22	26	31	
85 +	1339	9.3	68	3	4	7	13	18	21		70 +	86	9.4	43	4	5	7	13	17	26	
SUBTOTAL	**5324**	**11.9**	**94**	**3**	**5**	**9**	**16**	**25**	**30**			**872**	**15.4**	**170**	**3**	**6**	**13**	**21**	**31**	**42**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	861	14.5	152	3	6	11	20	27	43		0-17	194	20.7	725	2	3	5	28	71	77	
70-74	807	11.3	87	3	4	9	15	23	30		18-34	264	17.5	152	4	8	15	26	32	36	
75-79	1237	11.4	72	3	5	9	15	24	29		35-49	218	18.2	157	3	9	15	23	38	45	
80-84	1167	10.9	87	2	4	8	16	22	27		50-69	227	9.7	50	2	5	9	11	23	24	
85 +	1114	9.8	91	3	4	7	12	20	28		70 +	63	6.2	7	2	4	6	7	10	10	
SUBTOTAL	**5186**	**11.4**	**97**	**3**	**5**	**8**	**15**	**24**	**30**			**966**	**15.7**	**256**	**3**	**5**	**10**	**20**	**32**	**49**	
GRAND TOTAL	**10510**	**11.7**	**96**	**3**	**5**	**9**	**15**	**24**	**30**			**1837**	**15.6**	**215**	**3**	**6**	**11**	**21**	**32**	**45**	

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	47	6.2	58	2	2	3	4	23	23		0-17	23	8.6	93							
18-34	157	10.4	75	2	4	7	15	23	32		18-34	39	12.6	73							
35-49	132	13.6	46	4	8	15	17	23	28		35-49	39	7.0	35							
50-69	110	15.0	142	2	5	15	20	30	46		50-69	55	15.6	126	2	4	15	21	38	38	
70 +	70	18.6	213	6	11	15	17	58	58		70 +	250	11.1	85	4	5	8	15	18	29	
SUBTOTAL	**516**	**12.9**	**110**	**3**	**5**	**12**	**17**	**23**	**30**			**406**	**11.3**	**89**	**3**	**4**	**8**	**15**	**22**	**29**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	85	16.6	266	2	5	15	29	99 +	99 +		0-17	23	12.9	79							
18-34	180	10.2	120	1	2	6	14	25	27		18-34	47	22.1	738	< 1	1	8	41	74	74	
35-49	87	15.7	142	4	4	14	21	37	38		35-49	54	15.4	179	4	6	10	18	46	46	
50-69	117	15.2	73	7	9	13	20	31	35		50-69	102	21.2	349	2	9	14	24	54	58	
70 +	39	12.6	35								70 +	312	13.8	196	2	4	10	17	37	45	
SUBTOTAL	**508**	**13.6**	**137**	**2**	**4**	**11**	**20**	**35**	**47**			**539**	**16.1**	**274**	**1**	**5**	**11**	**18**	**46**	**54**	
GRAND TOTAL	**1024**	**13.2**	**123**	**2**	**5**	**11**	**17**	**29**	**38**			**945**	**14.0**	**200**	**2**	**4**	**10**	**17**	**37**	**47**	

DRG 430: Psychoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8249	17.8	158	5	9	15	24	34	41	0-17	1164	30.4	324	6	17	31	42	48	66
70-74	1913	18.6	155	5	10	15	27	37	45	18-34	3588	17.2	159	4	8	15	22	31	42
75-79	1521	17.2	177	4	8	14	21	38	43	35-49	4114	15.8	123	4	8	14	21	28	35
80-84	954	16.4	192	3	6	12	22	38	42	50-69	3264	17.6	138	5	9	15	24	34	40
85 +	557	11.8	111	3	5	8	14	29	33	70 +	134	16.4	139	5	6	14	20	34	46
SUBTOTAL	**13194**	**17.5**	**162**	**4**	**8**	**14**	**24**	**34**	**41**		**12262**	**18.1**	**173**	**4**	**8**	**15**	**24**	**35**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	19873	17.9	174	5	8	14	24	36	45	0-17	3686	25.4	367	4	10	23	36	56	70
70-74	2673	20.0	164	6	11	17	27	37	43	18-34	12634	16.0	146	4	8	13	21	32	41
75-79	2192	18.3	139	5	10	16	25	34	41	35-49	13266	15.6	114	4	8	14	21	29	36
80-84	1198	18.3	177	6	9	15	26	35	44	50-69	7893	16.1	117	4	9	14	21	30	37
85 +	500	15.7	134	5	7	13	20	28	39	70 +	165	13.5	104	3	6	11	17	21	38
SUBTOTAL	**26435**	**18.1**	**170**	**5**	**9**	**15**	**24**	**36**	**44**		**37644**	**16.8**	**158**	**4**	**8**	**14**	**22**	**33**	**41**
GRAND TOTAL	**39629**	**17.9**	**168**	**5**	**8**	**15**	**24**	**35**	**43**		**49906**	**17.1**	**162**	**4**	**8**	**14**	**22**	**34**	**42**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	909	34.8	344	8	21	42	42	68	89	0-17	78	16.8	154	2	9	20	31	42	99 +
18-34	4494	17.8	187	4	8	15	23	34	46	18-34	1778	13.5	164	2	5	10	18	31	40
35-49	2606	16.0	116	5	8	14	21	29	36	35-49	1183	12.0	81	2	4	10	18	23	29
50-69	1040	18.0	171	6	9	15	24	36	40	50-69	586	16.3	123	4	8	14	21	30	36
70 +	78	21.8	231	3	10	19	29	47	50	70 +	373	13.5	121	2	6	11	19	25	31
SUBTOTAL	**9127**	**19.0**	**209**	**5**	**9**	**15**	**26**	**41**	**46**		**3999**	**13.5**	**131**	**2**	**5**	**11**	**19**	**27**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1490	29.5	537	5	11	24	46	76	97	0-17	765	19.9	364	3	7	14	28	53	79
18-34	10338	17.7	205	4	8	14	24	38	49	18-34	6203	13.1	127	2	5	10	18	29	37
35-49	5578	16.3	145	4	8	14	22	31	39	35-49	4236	12.1	89	2	5	10	16	24	29
50-69	2517	18.0	169	5	9	14	25	36	43	50-69	1892	14.7	152	4	7	12	19	28	38
70 +	40	13.0	100	1	3	18	25	99 +	99 +	70 +	366	14.2	97	3	5	13	22	26	34
SUBTOTAL	**19962**	**18.2**	**219**	**4**	**8**	**14**	**25**	**38**	**52**		**13462**	**13.4**	**134**	**2**	**5**	**10**	**18**	**28**	**36**
GRAND TOTAL	**29089**	**18.5**	**216**	**4**	**8**	**15**	**25**	**39**	**49**		**17461**	**13.5**	**133**	**2**	**5**	**11**	**19**	**28**	**36**

DRG 431: Childhood Mental Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	31	12.3	108							0-17	384	17.7	300	3	7	14	25	34	66
70-74	0									18-34	39	13.9	147						
75-79	0									35-49	0								
80-84	8	9.0								50-69	0								
85 +	16	8.5	2							70 +	0								
SUBTOTAL	**55**	**10.7**	**65**	**1**	**5**	**9**	**22**	**99 +**	**99 +**		**423**	**17.3**	**287**	**4**	**6**	**13**	**25**	**34**	**66**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	8.0	39	2	3	6	11	21	21	0-17	2595	21.2	301	3	7	19	32	43	60
70-74	8	4.0								18-34	24	29.3	281						
75-79	0									35-49	0								
80-84	24	8.3	31							50-69	0								
85 +	0									70 +	8	4.0							
SUBTOTAL	**95**	**7.7**	**34**	**3**	**4**	**5**	**11**	**16**	**21**		**2627**	**21.2**	**301**	**3**	**7**	**19**	**32**	**44**	**60**
GRAND TOTAL	**149**	**8.8**	**47**	**2**	**4**	**7**	**15**	**23**	**63**		**3050**	**20.6**	**301**	**3**	**7**	**18**	**31**	**43**	**60**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	288	20.6	493	2	4	15	42	79	99 +	0-17	102	25.2	878	3	7	14	22	85	97
18-34	31	4.7	11							18-34	16	1.0							
35-49	0									35-49	16	4.5	2						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**319**	**19.1**	**468**	**2**	**4**	**9**	**38**	**70**	**99 +**		**133**	**19.9**	**762**	**1**	**3**	**8**	**21**	**85**	**97**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1606	23.3	386	3	7	19	41	62	99 +	0-17	397	16.3	218	3	5	14	22	36	39
18-34	110	14.9	206	1	3	8	22	37	49	18-34	39	4.8	15						
35-49	16	7.0	17							35-49	0								
50-69	0									50-69	8	3.0							
70 +	0									70 +	0								
SUBTOTAL	**1732**	**22.7**	**377**	**3**	**7**	**19**	**39**	**60**	**99 +**		**444**	**15.0**	**209**	**2**	**5**	**12**	**21**	**36**	**39**
GRAND TOTAL	**2051**	**22.1**	**393**	**3**	**7**	**18**	**39**	**60**	**99 +**		**577**	**16.2**	**340**	**2**	**5**	**12**	**21**	**36**	**85**

DRG 432: Other Mental Disorder Diagnoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	38.8	726						
70-74	0								
75-79	15	3.5							
80-84	0								
85 +	8	4.0							
SUBTOTAL	**62**	**25.6**	**744**	3	4	17	36	87	87
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	6.2	14	1	4	5	11	11	11
70-74	0								
75-79	16	1.0							
80-84	0								
85 +	23	4.3	4						
SUBTOTAL	**86**	**4.7**	**12**	1	1	4	7	11	11
GRAND TOTAL	**148**	**13.5**	**424**	1	3	5	11	40	87

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	94	26.2	162	8	16	26	38	44	45
18-34	232	25.7	183	6	18	28	30	48	49
35-49	62	27.4	355	5	13	24	35	68	68
50-69	23	4.7	15						
70 +	0								
SUBTOTAL	**411**	**24.9**	**219**	6	14	26	30	44	49
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	281	21.8	248	2	5	25	31	42	48
18-34	466	22.3	123	5	14	25	30	34	38
35-49	124	24.9	47	14	17	28	30	31	35
50-69	55	13.1	184	1	2	7	30	38	38
70 +	8	1.0							
SUBTOTAL	**933**	**21.8**	**162**	3	13	25	30	34	42
GRAND TOTAL	**1345**	**22.7**	**181**	3	13	25	30	37	44

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	7.5	32						
18-34	101	21.4	233	1	9	22	34	36	50
35-49	0								
50-69	8	36.0							
70 +	0								
SUBTOTAL	**124**	**20.6**	**230**	1	7	19	34	36	50
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	85	16.1	337	1	1	4	40	40	47
18-34	85	24.1	110	8	19	26	34	36	37
35-49	15	23.0	10						
50-69	0								
70 +	8	24.0							
SUBTOTAL	**194**	**20.5**	**211**	1	4	24	32	40	40
GRAND TOTAL	**318**	**20.5**	**218**	1	4	22	34	37	44

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	8	23.0							
18-34	23	33.1	204						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**31**	**30.6**	**171**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	27.0	67						
18-34	47	14.7	131	< 1	5	13	23	32	32
35-49	23	10.6	139						
50-69	0								
70 +	0								
SUBTOTAL	**94**	**16.7**	**153**	2	4	20	25	32	38
GRAND TOTAL	**125**	**20.2**	**192**	2	5	22	29	38	51

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4794	11.0	88	2	3	7	17	27	30
70-74	1088	11.7	95	3	4	8	17	27	28
75-79	798	13.6	130	3	5	10	20	30	36
80-84	235	11.1	152	2	4	8	14	23	29
85 +	173	8.0	21	2	4	7	12	15	15
SUBTOTAL	**7089**	**11.3**	**95**	**2**	**4**	**8**	**17**	**27**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7089**	**11.3**	**95**	**2**	**4**	**8**	**17**	**27**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	401	19.2	255	1	2	24	32	42	49
18-34	4127	14.3	115	2	3	14	23	28	30
35-49	5609	12.3	111	2	3	7	21	28	30
50-69	3808	12.9	114	2	3	8	22	28	31
70 +	110	8.6	35	3	4	6	15	17	21
	14056	**13.2**	**119**	**2**	**3**	**9**	**22**	**28**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14056	**13.2**	**119**	**2**	**3**	**9**	**22**	**28**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	125	18.9	402	1	2	9	37	44	65
18-34	1947	10.9	102	2	3	6	18	28	28
35-49	1769	8.1	58	2	3	5	10	21	27
50-69	832	8.6	64	2	3	6	10	22	30
70 +	8	16.0							
SUBTOTAL	**4681**	**9.6**	**91**	**2**	**3**	**6**	**11**	**27**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4681**	**9.6**	**91**	**2**	**3**	**6**	**11**	**27**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	71	8.7	167	< 1	1	2	4	37	37
18-34	1545	9.4	117	1	2	4	13	28	29
35-49	1746	7.8	80	1	2	4	8	24	29
50-69	924	8.6	68	2	3	5	11	24	28
70 +	87	7.0	13	3	3	8	10	10	14
	4373	**8.5**	**91**	**1**	**2**	**4**	**10**	**27**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4373	**8.5**	**91**	**1**	**2**	**4**	**10**	**27**	**29**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6116	13.1	112	2	3	11	21	28	31	0-17	10658	26.9	239	3	16	28	37	43	50
70-74	955	11.3	85	2	3	8	19	26	28	18-34	41002	17.6	115	2	5	21	27	29	30
75-79	509	10.0	86	2	3	6	14	24	28	35-49	25981	14.9	119	2	3	15	26	28	30
80-84	188	5.8	18	2	3	5	7	14	14	50-69	7504	14.6	127	2	3	14	26	29	30
85+	94	7.1	19	3	3	6	11	14	16	70+	78	13.4	153	1	2	10	24	32	35
SUBTOTAL	**7863**	**12.4**	**106**	**2**	**3**	**9**	**21**	**28**	**30**		**85223**	**17.7**	**147**	**2**	**4**	**21**	**28**	**30**	**34**
GRAND TOTAL	**7863**	**12.4**	**106**	**2**	**3**	**9**	**21**	**28**	**30**		**85223**	**17.7**	**147**	**2**	**4**	**21**	**28**	**30**	**34**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2374	22.9	296	2	7	23	34	42	53	0-17	1378	19.8	287	1	2	20	31	44	49
18-34	11479	10.5	88	2	3	6	18	27	28	18-34	14469	11.3	111	1	2	7	21	28	29
35-49	4100	8.7	78	2	3	4	12	25	28	35-49	6604	8.8	80	1	2	5	12	25	28
50-69	692	9.2	73	2	3	5	12	27	28	50-69	1947	8.0	67	1	2	4	11	23	28
70+	8	13.0								70+	165	7.4	46	1	3	4	10	12	25
SUBTOTAL	**18653**	**11.6**	**131**	**2**	**3**	**7**	**21**	**28**	**30**		**24563**	**10.8**	**115**	**1**	**2**	**6**	**20**	**28**	**30**
GRAND TOTAL	**18653**	**11.6**	**131**	**2**	**3**	**7**	**21**	**28**	**30**		**24563**	**10.8**	**115**	**1**	**2**	**6**	**20**	**28**	**30**

The patient records used in these tables represent discharges prior to the addition of new procedure codes (10/1/89) necessary to group to this DRG.

The patient records used in these tables represent discharges prior to the addition of new procedure codes (10/1/89) necessary to group to this DRG.

DRG 439: Skin Grafts for Injuries

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	78	18.6	184	5	9	18	26	42	51
70-74	31	9.0	21						
75-79	15	10.5	22						
80-84	15	32.0	38						
85 +	8	16.0							
SUBTOTAL	**148**	**17.0**	**150**	**3**	**9**	**13**	**26**	**38**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	62	8.0	32	1	2	8	13	16	16
70-74	23	6.6	21						
75-79	24	20.0	203						
80-84	8	4.0							
85 +	0								
SUBTOTAL	**117**	**9.9**	**88**	**1**	**2**	**7**	**14**	**22**	**36**
GRAND TOTAL	**265**	**13.8**	**135**	**2**	**6**	**11**	**18**	**28**	**38**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	39	18.0	1171						
35-49	63	16.7	247	6	7	11	18	56	56
50-69	62	20.9	388	4	7	11	32	59	59
70 +	0								
	164	**18.6**	**516**	**1**	**6**	**9**	**17**	**56**	**65**
0-17	101	3.7	12	1	1	2	4	10	11
18-34	117	3.0	4	1	1	2	5	6	7
35-49	109	8.8	110	1	1	4	10	31	32
50-69	102	7.0	76	1	2	3	8	18	33
70 +	0								
	429	**5.6**	**56**	**1**	**1**	**3**	**7**	**11**	**31**
	593	**9.2**	**216**	**1**	**1**	**4**	**9**	**22**	**48**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	7.0							
18-34	0								
35-49	8	8.0							
50-69	16	7.0							
70 +	0								
SUBTOTAL	**31**	**7.3**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	4.5	29	1	1	3	5	16	16
18-34	15	4.5	7						
35-49	8	4.0							
50-69	24	3.3							
70 +	0								
SUBTOTAL	**93**	**4.2**	**16**	**1**	**2**	**3**	**5**	**7**	**16**
GRAND TOTAL	**125**	**4.9**	**14**	**1**	**2**	**4**	**7**	**8**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	25.7	327						
35-49	23	5.0	6						
50-69	0								
70 +	8	2.0							
	47	**11.4**	**213**	**2**	**2**	**6**	**8**	**43**	**43**
0-17	31	4.3	27						
18-34	31	5.8	25						
35-49	16	1.0							
50-69	0								
70 +	0								
	78	**4.2**	**23**	**1**	**1**	**2**	**5**	**14**	**14**
	125	**6.9**	**106**	**1**	**2**	**2**	**8**	**14**	**43**

DRG 440: Wound Debridements for Injuries

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	507	16.3	246	4	6	12	22	35	51
70-74	250	15.3	142	3	6	13	20	27	44
75-79	110	13.4	117	3	5	12	19	38	99 +
80-84	62	29.3	300	8	13	40	48	99 +	99 +
85 +	126	11.6	100	2	4	9	24	99 +	99 +
SUBTOTAL	**1055**	**16.0**	**207**	**3**	**6**	**12**	**23**	**43**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	234	7.0	69	1	2	4	8	20	23
70-74	126	15.9	586	1	3	8	16	44	99
75-79	71	10.5	91	1	5	8	14	34	34
80-84	109	7.9	29	3	4	6	10	15	22
85 +	31	6.8	17						
SUBTOTAL	**571**	**9.5**	**186**	**1**	**2**	**6**	**10**	**20**	**34**
GRAND TOTAL	**1626**	**13.7**	**209**	**2**	**5**	**9**	**18**	**35**	**51**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	8.8	46	2	4	7	12	22	25
18-34	242	16.8	282	2	3	8	32	40	46
35-49	188	8.8	57	1	4	7	11	20	23
50-69	312	16.6	142	3	7	13	23	34	42
70 +	0								
	867	**13.8**	**163**	**2**	**4**	**10**	**22**	**33**	**42**
0-17	759	6.7	65	1	2	4	8	15	30
18-34	643	5.0	21	1	2	3	7	10	13
35-49	439	4.5	44	1	1	3	5	8	14
50-69	399	7.7	90	2	3	4	8	19	29
70 +	16	9.5							
	2255	**6.0**	**54**	**1**	**2**	**3**	**7**	**13**	**21**
	3122	**8.2**	**96**	**1**	**2**	**4**	**10**	**22**	**31**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	62	12.3	93	1	5	11	16	34	34
18-34	70	10.9	270	< 1	3	4	5	54	54
35-49	47	13.4	118	3	7	10	15	36	36
50-69	78	25.5	812	4	6	7	37	78	78
70 +	0								
SUBTOTAL	**258**	**16.2**	**400**	**3**	**4**	**7**	**18**	**37**	**78**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	233	6.5	48	1	2	5	9	15	16
18-34	140	6.1	18	2	3	5	7	15	16
35-49	39	11.2	69						
50-69	39	8.0	78						
70 +	0								
SUBTOTAL	**451**	**6.9**	**45**	**1**	**2**	**5**	**9**	**16**	**21**
GRAND TOTAL	**709**	**10.3**	**193**	**1**	**3**	**6**	**12**	**25**	**36**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	14.7	147						
18-34	125	9.2	60	3	4	6	13	21	32
35-49	8	17.0							
50-69	63	12.1	32	7	8	10	14	25	25
70 +	8	61.0							
	242	**12.8**	**146**	**3**	**5**	**10**	**14**	**27**	**37**
0-17	164	3.2	5	1	1	3	5	6	7
18-34	361	5.0	17	1	2	3	6	11	13
35-49	102	5.8	41	1	2	4	5	10	26
50-69	94	2.9	4	1	1	3	4	6	7
70 +	16	7.5	45						
	736	**4.5**	**18**	**1**	**2**	**3**	**6**	**10**	**13**
	979	**6.5**	**62**	**1**	**2**	**4**	**7**	**14**	**19**

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	39	10.8	79							0-17	0								
70-74	24	3.0	3							18-34	39	5.4	11						
75-79	0									35-49	23	8.1	34						
80-84	0									50-69	31	4.0	7						
85 +	23	2.7	1							70 +	0								
SUBTOTAL	**86**	**6.4**	**52**	**1**	**2**	**3**	**13**	**13**	**25**		**94**	**5.6**	**17**	**1**	**3**	**4**	**8**	**10**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	125	2.6	4	1	2	2	3	5	9	0-17	211	2.1	3	1	1	1	2	6	6
70-74	47	3.3	9	1	1	2	5	9	9	18-34	430	3.1	6	1	1	2	5	6	7
75-79	39	5.4	22							35-49	297	2.9	7	1	1	2	3	7	10
80-84	8	2.0								50-69	266	2.8	6	1	1	2	3	7	7
85 +	8	1.0								70 +	0								
SUBTOTAL	**227**	**3.1**	**9**	**1**	**1**	**2**	**3**	**9**	**9**		**1204**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**313**	**4.0**	**23**	**1**	**1**	**2**	**4**	**10**	**13**		**1297**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	1.0							
35-49	0									35-49	8	4.0							
50-69	0									50-69	0								
70 +	0									70 +	8	8.0							
SUBTOTAL	**0**										**23**	**4.4**	**9**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	101	4.8	59	1	1	2	4	9	30	0-17	148	2.7	7	1	1	1	4	7	11
18-34	47	3.2	3	2	2	3	3	7	7	18-34	173	3.0	4	1	1	3	3	5	6
35-49	16	1.5								35-49	78	1.7	1	< 1	1	1	2	4	4
50-69	8	2.0								50-69	8	2.0							
70 +	0									70 +	8	2.0							
SUBTOTAL	**171**	**3.9**	**37**	**1**	**1**	**2**	**4**	**7**	**9**		**415**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**171**	**3.9**	**37**	**1**	**1**	**2**	**4**	**7**	**9**		**438**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**8**

North Central Region, July 1988 - June 1989

DRG 442: Other O.R. Procedures for Injuries w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3976	9.2	120	1	2	6	12	21	29	0-17	615	10.5	202	1	2	6	14	31	47
70-74	1608	10.4	89	2	4	8	14	21	29	18-34	812	9.5	173	2	2	5	12	17	45
75-79	1415	10.2	89	1	3	8	14	23	32	35-49	1092	9.2	114	1	2	6	11	22	29
80-84	774	10.0	103	2	4	7	14	20	41	50-69	1725	10.0	96	2	4	7	13	21	26
85 +	470	9.8	102	1	3	8	13	18	24	70 +	54	17.0	71	5	11	16	27	30	30
SUBTOTAL	**8244**	**9.7**	**106**	**1**	**3**	**7**	**13**	**21**	**29**		**4299**	**9.9**	**131**	**1**	**3**	**7**	**13**	**21**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8244**	**9.7**	**106**	**1**	**3**	**7**	**13**	**21**	**29**		**4299**	**9.9**	**131**	**1**	**3**	**7**	**13**	**21**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	419	14.2	221	1	4	11	19	31	58	0-17	132	15.7	294	1	3	11	23	50	62
18-34	382	7.8	73	1	3	5	9	22	26	18-34	281	7.9	42	1	4	6	11	19	24
35-49	257	12.2	121	2	4	11	14	28	33	35-49	164	6.4	29	2	3	5	8	13	19
50-69	295	11.6	126	2	3	9	16	31	40	50-69	219	8.0	42	2	3	6	13	20	22
70 +	23	10.0	8							70 +	251	6.4	31	1	2	4	8	14	16
SUBTOTAL	**1377**	**11.4**	**143**	**1**	**3**	**8**	**16**	**28**	**35**		**1047**	**8.3**	**77**	**1**	**3**	**6**	**11**	**19**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1377**	**11.4**	**143**	**1**	**3**	**8**	**16**	**28**	**35**		**1047**	**8.3**	**77**	**1**	**3**	**6**	**11**	**19**	**24**

DRG 443: Other O.R. Procedures for Injuries w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	1435	6.0	60	1	2	3	8	13	18	0-17	1831	4.2	34	1	1	2	4	12	18	
70-74	1031	5.9	23	1	2	5	9	12	17	18-34	1912	2.8	8	1	1	2	3	7	8	
75-79	616	5.9	39	1	2	4	9	14	15	35-49	1786	3.1	8	1	1	2	4	7	9	
80-84	453	4.0	10	1	2	2	6	9	11	50-69	2172	5.2	30	1	1	3	8	11	15	
85 +	195	6.9	41	2	3	5	8	15	21	70 +	62	5.1	24	1	1	3	7	16	16	
SUBTOTAL	**3731**	**5.8**	**40**	**1**	**2**	**4**	**8**	**12**	**16**		**7763**	**3.9**	**21**	**1**	**1**	**2**	**5**	**9**	**12**	
GRAND TOTAL	**3731**	**5.8**	**40**	**1**	**2**	**4**	**8**	**12**	**16**		**7763**	**3.9**	**21**	**1**	**1**	**2**	**5**	**9**	**12**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	482	5.4	57	1	1	2	6	14	19	0-17	365	3.6	28	1	1	1	3	8	13	
18-34	383	4.7	39	1	2	3	5	9	11	18-34	705	3.2	9	1	1	2	5	7	9	
35-49	203	5.7	64	1	2	3	7	11	11	35-49	414	3.5	16	1	1	2	4	8	13	
50-69	118	7.6	67	1	3	4	10	15	34	50-69	289	5.4	20	1	2	4	8	11	12	
70 +	0									70 +	126	3.8	7	1	1	3	6	7	10	
SUBTOTAL	**1186**	**5.4**	**54**	**1**	**2**	**3**	**6**	**11**	**16**		**1899**	**3.7**	**16**	**1**	**1**	**2**	**5**	**9**	**11**	
GRAND TOTAL	**1186**	**5.4**	**54**	**1**	**2**	**3**	**6**	**11**	**16**		**1899**	**3.7**	**16**	**1**	**1**	**2**	**5**	**9**	**11**	

DRG 444: Multiple Trauma Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	196	6.0	20	2	3	5	6	14	18
70-74	158	9.0	99	2	3	6	10	21	36
75-79	118	5.6	9	3	3	5	7	11	12
80-84	158	6.0	16	2	2	4	9	13	14
85 +	188	8.3	31	3	4	7	11	18	19
SUBTOTAL	**819**	**7.0**	**37**	**2**	**3**	**5**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**819**	**7.0**	**37**	**2**	**3**	**5**	**9**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	417	3.3	6	1	2	3	4	7	10
35-49	291	3.8	5	1	2	3	5	6	9
50-69	308	5.3	14	2	2	4	7	10	16
70 +	71	6.8	50	2	3	4	5	24	24
	1086	**4.2**	**12**	**1**	**2**	**3**	**5**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1086	**4.2**	**12**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	141	2.9	3	< 1	2	2	4	5	6
35-49	55	3.0	1	2	2	3	4	4	4
50-69	24	10.7	2						
70 +	0								
SUBTOTAL	**219**	**3.8**	**8**	**< 1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**219**	**3.8**	**8**	**< 1**	**2**	**3**	**5**	**9**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	361	2.9	3	1	2	3	4	5	6
35-49	189	4.0	7	1	3	4	5	6	7
50-69	87	4.3	8	1	2	4	7	8	10
70 +	32	4.5	5						
	668	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	668	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 445: Multiple Trauma Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	165	3.7	5	2	2	3	5	6	9	0-17	0								
70-74	110	4.1	5	2	3	4	5	9	9	18-34	1278	2.8	8	1	1	2	3	5	7
75-79	63	6.6	7	4	4	7	8	12	12	35-49	723	3.4	15	1	1	2	4	6	8
80-84	71	4.9	8	1	4	4	7	10	10	50-69	416	2.9	5	1	1	2	4	7	7
85+	118	5.6	16	2	2	3	10	12	13	70+	32	4.5	3						
SUBTOTAL	**527**	**4.7**	**9**	**2**	**2**	**4**	**7**	**10**	**11**		**2449**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**527**	**4.7**	**9**	**2**	**2**	**4**	**7**	**10**	**11**		**2449**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	361	2.6	2	1	2	2	3	5	6	18-34	958	2.9	12	1	1	2	3	5	6
35-49	79	2.7	2	<1	1	2	4	5	5	35-49	283	3.4	6	1	1	3	4	7	7
50-69	47	2.8	3	1	1	3	3	6	6	50-69	110	3.1	4	1	1	2	5	6	7
70+	0									70+	8	1.0							
SUBTOTAL	**487**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**6**		**1359**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**487**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**6**		**1359**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 446: Multiple Trauma Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	1.0								0-17	329	3.4	8	1	2	3	4	5	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**329**	**3.4**	**8**	**1**	**2**	**3**	**4**	**5**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1214	2.5	4	1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1214**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**8**	**1.0**									**1543**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	195	3.6	6	1	2	3	5	6	8	0-17	101	3.7	3	1	2	4	5	6	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**195**	**3.6**	**6**	**1**	**2**	**3**	**5**	**6**	**8**		**101**	**3.7**	**3**	**1**	**2**	**4**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	842	2.5	3	1	1	2	3	4	6	0-17	708	2.6	11	1	1	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**842**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**		**708**	**2.6**	**11**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1037**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**809**	**2.8**	**10**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 447: Allergic Reactions Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	235	4.1	7	1	2	4	6	7	11
70-74	110	3.9	4	1	2	4	6	7	7
75-79	71	3.1	2	2	2	3	4	6	6
80-84	78	4.1	10	1	2	2	8	9	9
85 +	16	7.5	7						
SUBTOTAL	**510**	**4.0**	**7**	**1**	**2**	**3**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	173	2.7	3	1	1	2	4	5	5
70-74	78	2.1	2	1	1	1	4	5	5
75-79	40	2.6	1						
80-84	63	2.4	1	1	2	2	3	4	4
85 +	24	3.0	3						
SUBTOTAL	**378**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**888**	**3.4**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	204	4.7	112	1	2	2	3	5	9
35-49	141	2.3	3	1	1	2	3	5	8
50-69	244	3.7	6	1	2	3	4	6	10
70 +	8	2.0							
	597	**3.7**	**42**	**1**	**2**	**2**	**4**	**5**	**9**
0-17	0								
18-34	355	2.2	3	< 1	1	2	2	4	5
35-49	472	2.5	3	1	1	2	3	5	6
50-69	331	2.5	4	1	1	2	3	6	6
70 +	8	3.0							
	1166	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	1763	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	3.0	1						
35-49	16	3.0	1						
50-69	16	4.0	4						
70 +	0								
SUBTOTAL	**47**	**3.3**	**2**	**2**	**2**	**3**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	126	2.3	1	1	1	2	3	4	4
35-49	78	2.9	4	1	1	2	5	6	6
50-69	15	1.0							
70 +	0								
SUBTOTAL	**219**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**266**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	2.5							
35-49	0								
50-69	32	3.0	9						
70 +	31	1.5							
	78	**2.3**	**4**	**1**	**1**	**2**	**2**	**6**	**8**
0-17	0								
18-34	126	1.4		1	1	1	2	2	3
35-49	47	1.5		< 1	1	1	2	2	2
50-69	79	3.0	13	1	1	2	2	10	13
70 +	16	3.0	1						
	267	**2.0**	**5**	**1**	**1**	**1**	**2**	**3**	**5**
	345	**2.1**	**4**	**1**	**1**	**2**	**2**	**3**	**5**

DRG 448: Allergic Reactions Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	70	2.4	2	1	1	2	3	5	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**70**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	3.0								0-17	424	2.0	1	1	1	2	3	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**424**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**8**	**3.0**									**494**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	2.0								0-17	31	2.0	1						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**23**	**2.0**									**31**	**2.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	126	2.1	1	1	1	2	3	3	5	0-17	125	2.4	3	< 1	1	2	3	5	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**126**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**		**125**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**149**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**		**156**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3098	5.4	37	1	2	4	6	11	17	0-17	0								
70-74	1250	6.9	38	2	3	6	8	14	18	18-34	2308	3.8	29	1	1	2	4	8	17
75-79	1486	6.0	33	2	3	5	7	10	13	35-49	2205	4.6	42	1	1	3	4	11	20
80-84	1024	6.1	29	2	3	5	7	11	15	50-69	1537	5.5	55	1	2	3	6	12	19
85 +	968	6.4	21	2	3	5	9	13	15	70 +	86	8.7	29	3	5	6	14	15	20
SUBTOTAL	**7825**	**6.0**	**33**	**2**	**3**	**4**	**7**	**12**	**16**		**6136**	**4.6**	**41**	**1**	**1**	**3**	**5**	**10**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7825**	**6.0**	**33**	**2**	**3**	**4**	**7**	**12**	**16**		**6136**	**4.6**	**41**	**1**	**1**	**3**	**5**	**10**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1970	3.4	13	1	1	2	4	7	9	18-34	2078	2.8	8	1	1	2	3	5	7
35-49	1084	5.2	90	1	2	3	5	9	12	35-49	1045	3.4	10	1	1	2	4	7	11
50-69	549	5.3	13	2	3	4	7	11	12	50-69	384	5.3	42	1	2	3	4	14	23
70 +	8	4.0								70 +	203	4.7	18	1	2	3	6	10	14
SUBTOTAL	**3611**	**4.3**	**37**	**1**	**2**	**3**	**5**	**8**	**11**		**3711**	**3.3**	**13**	**1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3611**	**4.3**	**37**	**1**	**2**	**3**	**5**	**8**	**11**		**3711**	**3.3**	**13**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1084	3.3	18	1	1	2	4	7	9	0-17	0								
70-74	425	4.7	28	1	2	3	5	8	20	18-34	5307	2.7	20	1	1	1	3	4	9
75-79	307	4.1	9	1	2	3	5	7	8	35-49	2912	2.7	11	1	1	2	3	5	8
80-84	260	3.6	4	1	2	3	5	7	7	50-69	1100	3.2	16	1	1	2	3	6	11
85 +	166	4.1	6	1	2	4	5	8	9	70 +	63	4.6	28	1	1	3	5	18	18
SUBTOTAL	**2242**	**3.8**	**16**	**1**	**2**	**3**	**5**	**7**	**9**		**9382**	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**2242**	**3.8**	**16**	**1**	**2**	**3**	**5**	**7**	**9**		**9382**	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2360	2.4	20	1	1	2	2	4	5	18-34	4423	2.1	7	< 1	1	1	2	3	5
35-49	851	2.9	9	1	1	2	3	6	9	35-49	1115	3.0	26	< 1	1	2	3	5	10
50-69	188	4.1	14	1	1	4	6	7	8	50-69	369	3.0	12	< 1	1	2	3	7	12
70 +	0									70 +	47	2.8	8	1	1	2	3	9	9
SUBTOTAL	**3400**	**2.6**	**17**	**1**	**1**	**2**	**3**	**4**	**7**		**5954**	**2.3**	**11**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**3400**	**2.6**	**17**	**1**	**1**	**2**	**3**	**4**	**7**		**5954**	**2.3**	**11**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	5.0								0-17	1489	3.2	19	1	1	2	3	6	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	8	5.0									1489	3.2	19	1	1	2	3	6	11
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	1.5								0-17	8191	2.2	16	1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	16	1.5									8191	2.2	16	1	1	1	2	4	5
GRAND TOTAL	23	2.7	3								9681	2.4	16	1	1	1	2	4	6

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	834	3.8	16	1	1	2	5	8	10	0-17	638	3.5	26	1	1	2	4	7	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	834	3.8	16	1	1	2	5	8	10		638	3.5	26	1	1	2	4	7	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4993	2.4	6	1	1	2	3	5	6	0-17	4421	2.4	10	1	1	1	2	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	4993	2.4	6	1	1	2	3	5	6		4421	2.4	10	1	1	1	2	5	7
GRAND TOTAL	5827	2.6	8	1	1	2	3	6	7		5060	2.5	12	1	1	1	3	5	7

DRG 452: Complications of Treatment w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2395	6.3	53	1	2	4	8	14	17	0-17	949	4.8	20	1	2	3	7	10	14
70-74	1210	6.1	44	1	2	4	8	13	17	18-34	810	4.7	20	1	2	3	6	10	14
75-79	1057	7.3	63	1	2	5	8	15	23	35-49	990	6.3	35	1	2	4	8	14	18
80-84	658	6.1	20	1	3	5	9	12	14	50-69	1795	5.6	33	1	2	4	7	12	13
85 +	603	9.6	209	2	3	5	9	19	37	70 +	62	3.5	10	1	1	2	2	9	9
SUBTOTAL	**5924**	**6.8**	**66**	**1**	**2**	**4**	**8**	**14**	**19**		**4606**	**5.4**	**28**	**1**	**2**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5924**	**6.8**	**66**	**1**	**2**	**4**	**8**	**14**	**19**		**4606**	**5.4**	**28**	**1**	**2**	**4**	**7**	**11**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	403	7.5	31	2	3	6	12	15	18	0-17	256	5.7	35	1	1	3	7	16	19
18-34	304	5.9	23	2	2	5	8	11	22	18-34	133	4.5	8	2	2	3	8	9	10
35-49	258	9.0	55	2	4	7	12	19	26	35-49	219	5.2	21	1	2	4	7	14	15
50-69	248	6.9	29	2	2	4	11	16	17	50-69	305	5.3	25	1	2	4	6	15	18
70 +	0									70 +	110	5.4	96	1	1	3	5	9	40
SUBTOTAL	**1213**	**7.3**	**35**	**2**	**3**	**6**	**11**	**15**	**19**		**1023**	**5.3**	**32**	**1**	**2**	**3**	**7**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1213**	**7.3**	**35**	**2**	**3**	**6**	**11**	**15**	**19**		**1023**	**5.3**	**32**	**1**	**2**	**3**	**7**	**14**	**17**

DRG 453: Complications of Treatment w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1079	4.5	20	1	2	3	5	10	12
70-74	688	4.4	20	1	2	3	5	9	12
75-79	712	4.0	11	1	2	3	5	8	13
80-84	336	4.1	13	1	2	3	5	9	11
85 +	204	4.9	12	1	3	4	6	8	14
SUBTOTAL	**3019**	**4.4**	**17**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**3019**	**4.4**	**17**	**1**	**2**	**3**	**5**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1215	2.3	6	1	1	1	2	5	7
18-34	1174	2.5	4	1	1	2	3	5	7
35-49	1269	3.3	11	1	1	2	4	7	10
50-69	1612	3.4	12	1	1	2	4	7	11
70 +	55	2.3	2	1	1	2	4	4	4
	5325	**2.9**	**9**	**1**	**1**	**2**	**3**	**6**	**9**
	5325	**2.9**	**9**	**1**	**1**	**2**	**3**	**6**	**9**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	482	4.0	15	1	2	3	5	10	14
18-34	196	3.2	16	1	1	1	3	10	11
35-49	141	5.2	21	2	2	4	7	14	18
50-69	78	4.4	10	2	2	3	4	11	11
70 +	0								
SUBTOTAL	**897**	**4.1**	**16**	**1**	**2**	**2**	**5**	**10**	**14**
GRAND TOTAL	**897**	**4.1**	**16**	**1**	**2**	**2**	**5**	**10**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	148	3.5	15	1	1	2	5	10	16
18-34	289	1.8	1	1	1	2	2	4	5
35-49	180	2.9	5	1	1	2	4	6	7
50-69	290	3.4	9	1	1	2	4	9	12
70 +	86	2.2	2	1	1	2	3	3	5
	993	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**8**
	993	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	354	6.6	31	2	2	4	10	15	18
70-74	228	6.5	43	2	3	4	6	23	23
75-79	260	6.8	24	2	4	5	9	12	15
80-84	188	6.4	23	2	3	5	9	12	19
85 +	236	6.0	40	2	3	5	6	9	22
SUBTOTAL	**1267**	**6.5**	**32**	**2**	**3**	**4**	**8**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1267**	**6.5**	**32**	**2**	**3**	**4**	**8**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	250	5.2	189	1	1	2	3	7	9
18-34	141	4.4	30	1	1	2	6	17	20
35-49	189	3.4	18	1	1	2	3	8	12
50-69	204	5.3	26	1	2	4	7	12	16
70 +	16	4.0	1						
	801	**4.6**	**76**	**1**	**1**	**2**	**5**	**9**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	801	**4.6**	**76**	**1**	**1**	**2**	**5**	**9**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	156	5.8	53	1	1	5	7	12	51
18-34	102	3.2	7	1	1	2	6	7	8
35-49	79	4.2	19	< 1	2	3	4	12	16
50-69	39	4.0	5						
70 +	8	22.0							
SUBTOTAL	**384**	**4.9**	**35**	**1**	**1**	**3**	**7**	**12**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**384**	**4.9**	**35**	**1**	**1**	**3**	**7**	**12**	**22**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	101	4.8	37	1	1	3	5	9	24
18-34	126	2.1	3	< 1	1	1	3	5	7
35-49	110	3.6	12	1	1	3	4	11	12
50-69	32	5.0	10						
70 +	31	2.5							
	401	**3.4**	**15**	**1**	**1**	**2**	**4**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	401	**3.4**	**15**	**1**	**1**	**2**	**4**	**8**	**11**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	71	3.1	4	< 1	1	3	4	7	7	0-17	578	1.7	2	1	1	1	2	3	5
70-74	87	2.8	3	1	1	2	4	6	6	18-34	494	1.7	2	1	1	1	2	3	5
75-79	55	2.1	2	1	1	2	3	5	5	35-49	276	2.0	1	1	1	2	3	4	4
80-84	87	4.1	6	2	2	4	5	8	9	50-69	118	1.1		< 1	1	1	1	1	3
85 +	95	3.7	6	1	2	3	5	7	9	70 +	0								
SUBTOTAL	**395**	**3.3**	**5**	**1**	**1**	**3**	**5**	**7**	**8**		**1466**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**395**	**3.3**	**5**	**1**	**1**	**3**	**5**	**7**	**8**		**1466**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	600	2.7	7	1	1	2	3	7	10	0-17	429	3.1	32	1	1	1	3	6	10
18-34	133	1.6	3	< 1	1	1	1	4	8	18-34	204	2.5	30	1	1	1	2	3	3
35-49	47	1.7	1	< 1	1	1	2	4	4	35-49	102	1.8	3	< 1	1	1	2	2	8
50-69	24	2.0	1							50-69	71	2.6	1	1	2	3	3	5	5
70 +	0									70 +	8	1.0							
SUBTOTAL	**805**	**2.5**	**6**	**1**	**1**	**1**	**3**	**6**	**9**		**814**	**2.7**	**25**	**1**	**1**	**1**	**2**	**5**	**8**
GRAND TOTAL	**805**	**2.5**	**6**	**1**	**1**	**1**	**3**	**6**	**9**		**814**	**2.7**	**25**	**1**	**1**	**1**	**2**	**5**	**8**

DRG 457: Extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	8	5.0							
80-84	0									50-69	8	16.0							
85+	0									70+	0								
SUBTOTAL	**0**										**16**	**10.5**	**32**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	8	13.0							
75-79	0									35-49	16	9.5							
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**24**	**10.7**	**3**						
GRAND TOTAL	**0**										**40**	**10.6**	**14**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	8	9.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**8**	**9.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	8	14.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**8**	**14.0**									**0**								
GRAND TOTAL	**15**	**11.5**	**7**								**0**								

DRG 458: Non-extensive Burns w/ Skin Graft

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	132	30.1	677	7	14	19	36	87	90	0-17	155	16.2	69	6	9	14	26	28	29
70-74	55	33.0	406	10	20	25	53	72	72	18-34	101	13.7	93	4	7	10	19	30	35
75-79	47	27.4	251	1	18	27	43	48	48	35-49	109	13.9	75	6	8	13	18	25	36
80-84	16	24.4	96							50-69	78	20.6	260	7	9	14	30	50	61
85 +	31	22.8	195							70 +	15	46.0	1236						
SUBTOTAL	**280**	**29.1**	**472**	**8**	**14**	**24**	**37**	**68**	**87**		**458**	**16.9**	**180**	**6**	**8**	**13**	**21**	**30**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	55	7.8	25	1	4	6	14	16	16	0-17	326	11.0	70	2	5	10	15	20	28
70-74	55	19.0	135	6	8	18	20	44	44	18-34	163	13.6	194	2	4	10	18	25	41
75-79	31	10.3	2							35-49	108	7.6	45	1	2	7	10	19	24
80-84	47	21.7	82	7	16	22	30	33	33	50-69	70	10.6	48	1	4	12	18	20	20
85 +	16	5.0	1							70 +	24	10.0	18						
SUBTOTAL	**203**	**14.2**	**101**	**4**	**6**	**11**	**18**	**30**	**33**		**691**	**11.0**	**94**	**2**	**4**	**9**	**16**	**20**	**25**
GRAND TOTAL	**484**	**22.8**	**370**	**6**	**9**	**18**	**30**	**44**	**69**		**1148**	**13.3**	**136**	**2**	**6**	**10**	**18**	**27**	**33**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	109	24.0	217	7	11	20	33	47	48	0-17	39	14.4	6						
18-34	70	18.2	126	4	11	17	18	40	40	18-34	24	11.0	36						
35-49	31	19.1	149							35-49	8	22.0							
50-69	15	13.5	141							50-69	31	14.4	139						
70 +	0									70 +	0								
SUBTOTAL	**225**	**20.8**	**183**	**5**	**11**	**17**	**32**	**46**	**47**		**101**	**14.2**	**59**	**4**	**11**	**13**	**17**	**22**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	450	13.1	91	3	5	12	16	26	29	0-17	156	10.4	30	2	5	10	16	17	17
18-34	93	10.3	37	5	6	10	15	17	24	18-34	86	11.1	130	1	3	8	12	19	43
35-49	23	5.6	16							35-49	39	15.2	166						
50-69	0									50-69	8	7.0							
70 +	0									70 +	0								
SUBTOTAL	**566**	**12.3**	**82**	**3**	**5**	**11**	**16**	**24**	**29**		**289**	**11.2**	**80**	**2**	**5**	**10**	**15**	**19**	**37**
GRAND TOTAL	**791**	**14.7**	**125**	**4**	**6**	**12**	**18**	**32**	**42**		**390**	**12.0**	**76**	**2**	**6**	**11**	**16**	**20**	**34**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	39	14.8	28							0-17	31	10.7	50						
70-74	8	8.0								18-34	8	5.0							
75-79	8	13.0								35-49	16	13.0	1						
80-84	8	12.0								50-69	31	8.2	35						
85 +	16	13.0	1							70 +	0								
SUBTOTAL	**78**	**13.3**	**18**	7	12	13	15	20	21		**86**	**9.7**	**36**	3	4	10	15	17	20
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	5.0								0-17	289	5.1	17	1	2	4	6	12	18
70-74	0									18-34	117	6.9	37	1	1	7	10	18	21
75-79	24	7.9	44							35-49	118	7.5	24	2	3	7	10	16	18
80-84	8	5.0								50-69	24	5.7	11						
85 +	8	7.0								70 +	0								
SUBTOTAL	**47**	**6.8**	**23**	2	5	5	7	17	17		**548**	**6.0**	**24**	1	2	5	9	12	18
GRAND TOTAL	**125**	**10.9**	**30**	5	6	12	14	19	21		**634**	**6.5**	**27**	1	3	5	9	16	18

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	15	8.0	1							0-17	8	2.0							
18-34	15	4.5								18-34	8	19.0							
35-49	0									35-49	0								
50-69	0									50-69	8	11.0							
70 +	0									70 +	0								
SUBTOTAL	**31**	**6.3**	**4**								**24**	**10.6**	**50**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	217	7.2	61	1	2	4	9	19	23	0-17	101	3.2	4	1	2	3	4	7	7
18-34	8	12.0								18-34	39	3.6	7						
35-49	16	13.5	60							35-49	31	2.7	2						
50-69	0									50-69	15	17.0	87						
70 +	0									70 +	0								
SUBTOTAL	**241**	**7.7**	**61**	2	2	4	12	20	23		**186**	**4.4**	**25**	1	2	3	6	8	8
GRAND TOTAL	**272**	**7.6**	**55**	2	2	4	9	19	23		**210**	**5.1**	**32**	1	2	3	7	11	19

DRG 460: Non-extensive Burns w/o O.R. Procedure

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	149	7.1	18	1	4	6	11	13	16
70-74	31	12.5	84						
75-79	47	13.8	152	4	6	9	15	40	40
80-84	70	9.4	31	3	5	6	15	18	18
85+	8	3.0							
SUBTOTAL	**306**	**9.1**	**55**	**3**	**4**	**6**	**12**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	94	4.7	16	1	1	3	9	10	12
70-74	23	3.0	2						
75-79	15	8.5	2						
80-84	24	4.7	10						
85+	16	6.0	17						
SUBTOTAL	**172**	**5.0**	**14**	**1**	**2**	**4**	**9**	**10**	**10**
GRAND TOTAL	**478**	**7.6**	**44**	**1**	**3**	**6**	**10**	**16**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	7.1	58	2	2	4	10	11	30
18-34	117	3.8	5	1	2	3	5	7	9
35-49	110	5.2	9	2	2	5	7	9	12
50-69	103	6.1	16	2	3	5	7	13	14
70+	16	11.0	52						
	440	**5.7**	**24**	**2**	**2**	**5**	**7**	**11**	**14**
0-17	1858	3.9	14	1	1	3	5	9	12
18-34	643	4.1	14	1	1	2	6	10	11
35-49	391	4.7	25	1	1	3	6	12	18
50-69	236	4.4	14	1	2	3	5	11	14
70+	0								
	3128	**4.1**	**16**	**1**	**1**	**3**	**6**	**9**	**12**
	3567	**4.3**	**17**	**1**	**1**	**3**	**6**	**10**	**13**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	117	6.7	29	2	3	4	8	16	22
18-34	94	4.6	19	1	2	4	5	6	18
35-49	32	8.0	8						
50-69	39	4.8	8						
70+	0								
SUBTOTAL	**281**	**5.9**	**22**	**2**	**3**	**5**	**7**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1936	4.1	15	1	1	3	6	9	12
18-34	188	3.5	17	1	1	2	4	11	13
35-49	102	4.7	32	< 1	1	2	6	11	20
50-69	47	6.7	42	1	2	4	8	20	20
70+	0								
SUBTOTAL	**2273**	**4.1**	**17**	**1**	**1**	**3**	**6**	**9**	**13**
GRAND TOTAL	**2554**	**4.3**	**18**	**1**	**1**	**3**	**6**	**9**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	5.2	11	1	2	4	8	11	11
18-34	93	7.3	11	4	4	8	9	9	15
35-49	31	2.7	2						
50-69	16	3.5	2						
70+	8	4.0							
	203	**5.6**	**12**	**1**	**3**	**5**	**8**	**9**	**11**
0-17	956	3.7	13	1	1	2	4	9	12
18-34	431	4.6	18	1	1	3	7	9	14
35-49	102	4.9	14	1	2	5	6	11	13
50-69	78	3.3	20	1	1	1	2	12	15
70+	0								
	1567	**4.0**	**15**	**1**	**1**	**2**	**6**	**9**	**12**
	1770	**4.2**	**15**	**1**	**1**	**3**	**6**	**9**	**12**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	603	7.8	182	1	1	3	7	24	33
70-74	305	8.5	257	1	1	3	7	30	40
75-79	212	9.1	165	1	1	2	17	33	35
80-84	212	10.4	296	1	1	3	10	45	53
85 +	87	6.0	34	1	2	3	10	11	21
SUBTOTAL	**1420**	**8.4**	**204**	**1**	**1**	**3**	**7**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	307	2.6	11	1	1	1	4	5	6
70-74	298	2.8	16	1	1	1	2	7	11
75-79	173	2.8	17	1	1	2	3	4	5
80-84	94	5.8	52	1	2	4	7	8	28
85 +	78	5.4	73	1	1	2	3	21	30
SUBTOTAL	**950**	**3.3**	**24**	**1**	**1**	**2**	**3**	**6**	**11**
GRAND TOTAL	**2370**	**6.4**	**138**	**1**	**1**	**2**	**5**	**19**	**30**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	202	10.3	432	1	1	2	8	56	85
18-34	234	15.8	480	1	1	5	37	83	99 +
35-49	297	7.3	100	1	1	3	8	26	46
50-69	485	9.5	163	1	1	5	15	22	36
70 +	8	1.0							
	1226	**10.3**	**260**	**1**	**1**	**4**	**15**	**38**	**70**
0-17	757	1.6	3	1	1	1	1	3	5
18-34	1176	1.8	2	1	1	1	2	3	4
35-49	1026	2.5	12	1	1	1	3	5	7
50-69	869	3.0	28	1	1	1	2	6	9
70 +	47	2.0	5	1	1	1	1	7	7
	3875	**2.2**	**11**	**1**	**1**	**1**	**2**	**4**	**6**
	5101	**4.2**	**82**	**1**	**1**	**1**	**3**	**8**	**22**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	70	6.4	90	1	1	2	24	99 +	99 +
18-34	78	13.3	696	1	1	4	15	91	99 +
35-49	55	8.0	152	1	1	1	17	35	35
50-69	39	26.3	1206						
70 +	8	19.0							
SUBTOTAL	**249**	**12.4**	**504**	**1**	**1**	**2**	**24**	**91**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	367	1.8	3	1	1	1	2	4	6
18-34	274	2.2	2	1	1	1	3	4	6
35-49	94	2.7	7	1	1	1	4	5	10
50-69	47	3.0	7	1	1	2	5	8	8
70 +	0								
SUBTOTAL	**781**	**2.1**	**3**	**1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**1031**	**4.6**	**144**	**1**	**1**	**1**	**4**	**10**	**35**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	4.5	38						
18-34	70	10.0	429	< 1	1	2	5	68	68
35-49	55	3.6	10	1	1	2	6	10	10
50-69	63	3.3	9	1	2	2	3	11	11
70 +	16	1.5							
	235	**5.4**	**145**	**1**	**1**	**2**	**4**	**11**	**15**
0-17	155	1.3		1	1	1	2	2	3
18-34	187	3.2	57	< 1	1	1	2	5	6
35-49	196	2.2	3	1	1	1	3	5	6
50-69	134	1.6	1	1	1	1	2	3	4
70 +	39	5.0	37						
	712	**2.3**	**19**	**1**	**1**	**1**	**2**	**4**	**6**
	947	**3.1**	**52**	**1**	**1**	**1**	**2**	**5**	**10**

DRG 462: Rehabilitation

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3019	18.4	165	6	8	15	24	36	44	0-17	356	15.2	184	3	5	13	22	44	99 +
70-74	1679	22.1	190	9	13	19	28	41	57	18-34	645	25.3	345	6	10	25	36	66	99 +
75-79	1603	21.9	145	9	14	20	29	43	49	35-49	1009	16.7	241	6	6	11	26	40	79
80-84	1453	20.3	113	9	13	18	26	38	47	50-69	1322	22.1	293	6	10	18	33	49	84
85 +	902	20.1	117	9	14	19	25	40	97	70 +	132	22.2	109	11	15	19	29	32	51
SUBTOTAL	**8657**	**20.2**	**155**	**7**	**11**	**18**	**27**	**39**	**48**		**3465**	**20.4**	**281**	**6**	**8**	**16**	**29**	**52**	**83**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	652	18.7	141	7	11	16	24	32	39	0-17	573	7.8	107	1	2	4	8	24	39
70-74	697	20.5	167	7	12	17	26	35	45	18-34	242	18.9	278	4	7	17	28	79	99 +
75-79	822	19.1	146	9	12	15	24	38	43	35-49	93	22.1	587	4	6	17	33	93	99 +
80-84	729	18.3	105	7	10	17	23	29	41	50-69	342	21.4	288	5	10	15	28	51	67
85 +	395	19.0	82	9	13	17	24	34	42	70 +	0								
SUBTOTAL	**3296**	**19.1**	**133**	**7**	**12**	**16**	**24**	**35**	**43**		**1250**	**14.7**	**267**	**2**	**4**	**9**	**23**	**44**	**70**
GRAND TOTAL	**11952**	**19.9**	**149**	**7**	**11**	**17**	**26**	**38**	**46**		**4715**	**18.9**	**284**	**4**	**6**	**14**	**28**	**50**	**80**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	124	21.2	378	2	8	18	30	79	99 +	0-17	23	21.7	106						
18-34	281	20.6	263	7	8	24	28	93	99 +	18-34	375	26.8	384	6	10	28	42	69	74
35-49	296	17.4	106	6	8	16	28	30	44	35-49	380	17.8	368	6	6	9	23	58	73
50-69	140	20.9	204	7	11	17	28	62	98	50-69	380	18.9	189	6	7	15	26	39	51
70 +	8	18.0								70 +	125	19.8	515	1	6	16	23	31	99
SUBTOTAL	**848**	**19.6**	**215**	**6**	**8**	**18**	**28**	**46**	**99 +**		**1284**	**21.0**	**343**	**6**	**7**	**15**	**28**	**52**	**70**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	194	18.4	562	2	3	4	39	60	86	0-17	124	10.4	170	1	3	4	14	39	44
18-34	39	13.9	83							18-34	47	26.8	285	6	15	22	39	57	57
35-49	54	22.3	129	11	12	19	35	42	42	35-49	39	17.5	220						
50-69	62	18.5	90	6	12	17	21	40	40	50-69	109	26.3	302	12	14	20	46	51	63
70 +	15	12.0								70 +	31	23.5	126						
SUBTOTAL	**364**	**18.2**	**347**	**3**	**4**	**12**	**30**	**46**	**60**		**349**	**19.5**	**278**	**3**	**6**	**14**	**24**	**46**	**51**
GRAND TOTAL	**1212**	**19.2**	**255**	**4**	**7**	**16**	**28**	**46**	**91**		**1634**	**20.7**	**329**	**5**	**7**	**15**	**28**	**51**	**63**

DRG 463: Signs & Symptoms w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	620	6.9	27	2	3	5	10	13	16
70-74	440	6.5	41	2	3	5	7	14	23
75-79	401	7.3	20	2	4	7	11	13	17
80-84	306	6.4	53	2	3	4	7	10	25
85 +	377	6.5	19	2	3	6	9	12	17
SUBTOTAL	**2143**	**6.8**	**31**	**2**	**3**	**5**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2143**	**6.8**	**31**	**2**	**3**	**5**	**9**	**13**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	202	4.6	20	1	2	3	6	9	14
18-34	86	6.5	38	1	1	4	12	15	20
35-49	173	5.6	18	1	2	4	9	12	13
50-69	455	6.2	25	2	3	5	8	15	16
70 +	32	4.2	1						
	947	**5.7**	**24**	**1**	**2**	**4**	**7**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	947	**5.7**	**24**	**1**	**2**	**4**	**7**	**13**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	116	3.4	4	2	2	3	4	7	8
18-34	39	3.6	6						
35-49	55	5.3	20	1	1	4	7	15	15
50-69	133	9.4	138	3	3	6	8	18	53
70 +	0								
SUBTOTAL	**343**	**6.0**	**66**	**2**	**2**	**4**	**7**	**9**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**343**	**6.0**	**66**	**2**	**2**	**4**	**7**	**9**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	2.4	1						
18-34	62	4.0	37	1	1	2	2	20	20
35-49	62	5.0	13	1	2	5	8	12	12
50-69	87	4.6	5	2	3	4	8	8	8
70 +	94	4.6	16	1	2	4	6	7	16
	345	**4.3**	**15**	**1**	**2**	**3**	**5**	**8**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	345	**4.3**	**15**	**1**	**2**	**3**	**5**	**8**	**12**

DRG 464: Signs & Symptoms w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	204	4.3	24	1	1	3	5	8	8	0-17	342	3.1	13	1	1	2	4	7	11
70-74	172	3.2	4	1	2	3	4	7	7	18-34	110	3.0	3	< 1	1	3	4	5	7
75-79	157	3.2	4	1	2	3	5	7	7	35-49	166	3.8	5	2	2	3	6	6	8
80-84	86	2.8	3	1	1	3	4	5	6	50-69	330	3.0	4	1	1	2	4	6	7
85 +	196	4.9	16	1	3	3	6	13	15	70 +	40	3.2	7						
SUBTOTAL	**816**	**3.8**	**13**	**1**	**2**	**3**	**5**	**7**	**8**		**987**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**816**	**3.8**	**13**	**1**	**2**	**3**	**5**	**7**	**8**		**987**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	195	4.0	8	1	2	3	6	9	9	0-17	132	2.0	2	< 1	1	2	2	5	6
18-34	16	5.5	2							18-34	63	4.9	29	1	1	2	7	17	17
35-49	62	3.1	4	< 1	1	3	4	7	7	35-49	31	3.5	11						
50-69	47	3.7	4	1	1	4	5	6	6	50-69	118	2.7	2	1	2	2	4	5	6
70 +	0									70 +	86	2.9	2	1	2	3	4	5	6
SUBTOTAL	**320**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**430**	**2.9**	**7**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**320**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**430**	**2.9**	**7**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	1.0							
70-74	23	4.0	19						
75-79	23	1.3							
80-84	32	6.0	14						
85 +	0								
SUBTOTAL	**86**	**3.7**	**14**	**< 1**	**1**	**1**	**9**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	16.7	225						
70-74	0								
75-79	8	5.0							
80-84	23	6.0	42						
85 +	8	5.0							
SUBTOTAL	**54**	**8.8**	**105**	**1**	**2**	**5**	**15**	**31**	**31**
GRAND TOTAL	**140**	**5.7**	**55**	**< 1**	**1**	**2**	**9**	**15**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	31	1.0							
18-34	0								
35-49	16	6.5							
50-69	8	7.0							
70 +	16	17.0	86						
SUBTOTAL	**70**	**6.5**	**57**	**1**	**1**	**6**	**7**	**26**	**26**
2.PATIENTS W/OUT CCs									
0-17	54	1.0		< 1	1	1	1	1	1
18-34	0								
35-49	0								
50-69	8	12.0							
70 +	0								
SUBTOTAL	**62**	**2.4**	**13**	**< 1**	**1**	**1**	**1**	**12**	**12**
GRAND TOTAL	**132**	**4.6**	**41**	**1**	**1**	**1**	**7**	**12**	**26**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	6.0							
50-69	0								
70 +	0								
SUBTOTAL	**8**	**6.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	1.3							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**23**	**1.3**							
GRAND TOTAL	**31**	**2.5**	**4**						

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	8	1.0							
SUBTOTAL	**8**	**1.0**							
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	8	1.0							
SUBTOTAL	**8**	**1.0**							
GRAND TOTAL	**16**	**1.0**							

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	359	4.9	57	1	1	2	5	18	22
70-74	157	12.6	264	1	4	6	15	32	55
75-79	134	7.0	47	1	1	4	10	20	24
80-84	292	11.4	269	1	2	7	12	23	40
85 +	228	10.0	91	2	4	7	10	31	33
SUBTOTAL	**1170**	**8.8**	**152**	**1**	**1**	**5**	**11**	**22**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	118	1.9	2	1	1	1	3	4	6
70-74	125	4.6	29	1	1	2	7	17	18
75-79	102	6.7	121	1	2	3	6	9	44
80-84	63	4.0	6	< 1	1	6	6	6	6
85 +	86	7.0	76	2	2	2	7	23	27
SUBTOTAL	**494**	**4.7**	**50**	**1**	**1**	**2**	**6**	**7**	**18**
GRAND TOTAL	**1664**	**7.6**	**125**	**1**	**1**	**4**	**8**	**21**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	170	1.9	4	< 1	< 1	< 1	1	4	5
18-34	62	2.4	2	1	1	2	3	6	6
35-49	140	1.6		1	1	1	2	3	3
50-69	288	2.6	18	< 1	1	1	2	4	14
70 +	103	23.4	567	5	7	14	24	73	74
SUBTOTAL	**764**	**5.0**	**137**	**< 1**	**1**	**1**	**3**	**14**	**21**
2.PATIENTS W/OUT CCs									
0-17	287	1.7	1	1	1	2	2	2	4
18-34	219	1.7	2	1	1	1	2	4	4
35-49	203	1.8	3	1	1	1	2	4	5
50-69	149	1.9	3	1	1	1	2	3	9
70 +	39	5.4	26						
SUBTOTAL	**897**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1661**	**3.4**	**67**	**< 1**	**1**	**1**	**2**	**5**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	201	2.5	20	< 1	< 1	< 1	< 1	5	17
18-34	8	1.0							
35-49	31	1.0							
50-69	23	1.7	1						
70 +	8	4.0							
SUBTOTAL	**271**	**2.2**	**15**	**< 1**	**< 1**	**< 1**	**1**	**4**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	93	2.3	4	1	1	2	2	4	8
18-34	47	1.7	1	< 1	1	1	2	4	4
35-49	23	2.3							
50-69	24	1.0							
70 +	0								
SUBTOTAL	**187**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**459**	**2.1**	**10**	**< 1**	**< 1**	**1**	**2**	**4**	[illegible]

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	39	1.2							
18-34	8	1.0							
35-49	31	1.0							
50-69	47	4.6	38	1	1	2	5	18	18
70 +	23	8.6	21						
SUBTOTAL	**148**	**3.4**	**23**	**< 1**	**1**	**1**	**5**	**15**	**18**
2.PATIENTS W/OUT CCs									
0-17	39	1.8	1						
18-34	78	1.9	3	< 1	1	1	2	5	5
35-49	32	1.3							
50-69	24	1.0							
70 +	24	1.3							
SUBTOTAL	**196**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**344**	**2.4**	**11**	**1**	**1**	**1**	**2**	**5**	**6**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	539	12.7	49	7	9	11	14	22	26	0-17	0								
70-74	478	13.7	33	7	10	13	16	22	26	18-34	8	11.0							
75-79	383	13.4	31	8	9	12	17	20	27	35-49	55	12.8	48	8	8	10	13	29	29
80-84	305	15.2	83	8	10	13	17	27	29	50-69	572	12.5	47	7	8	11	15	20	28
85 +	220	14.5	33	8	10	15	18	21	27	70 +	63	11.0	10	7	9	10	12	18	18
SUBTOTAL	**1926**	**13.7**	**45**	**8**	**9**	**12**	**16**	**22**	**27**		**697**	**12.4**	**43**	**7**	**8**	**11**	**14**	**20**	**28**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	406	10.3	10	7	8	10	12	13	16	0-17	15	13.0	107						
70-74	359	11.0	12	7	9	10	12	16	18	18-34	0								
75-79	321	11.5	12	7	8	12	14	16	17	35-49	62	10.0	9	7	8	9	13	16	16
80-84	227	12.8	39	7	8	11	16	23	26	50-69	732	11.3	27	7	8	10	14	18	20
85 +	86	16.3	77	7	8	12	27	29	29	70 +	31	13.8	22						
SUBTOTAL	**1399**	**11.5**	**22**	**7**	**8**	**10**	**13**	**17**	**19**		**841**	**11.3**	**28**	**7**	**8**	**10**	**14**	**18**	**20**
GRAND TOTAL	**3325**	**12.8**	**37**	**7**	**9**	**11**	**15**	**20**	**25**		**1538**	**11.8**	**35**	**7**	**8**	**10**	**14**	**18**	**23**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	23	9.4	7							18-34	0								
35-49	0									35-49	8	25.0							
50-69	0									50-69	31	20.4	324						
70 +	0									70 +	62	11.5	16	6	8	11	14	19	19
SUBTOTAL	**23**	**9.4**	**7**								**101**	**15.3**	**132**	**7**	**9**	**11**	**16**	**25**	**51**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	8	10.0							
50-69	24	9.4	12							50-69	71	9.9	3	7	9	10	11	12	12
70 +	0									70 +	71	8.6	7	4	7	9	11	12	12
SUBTOTAL	**24**	**9.4**	**12**								**149**	**9.3**	**5**	**6**	**7**	**10**	**11**	**12**	**12**
GRAND TOTAL	**47**	**9.4**	**9**	**6**	**6**	**10**	**12**	**14**	**14**		**251**	**11.7**	**65**	**7**	**8**	**10**	**12**	**16**	**25**

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	265	28.2	527	4	10	25	38	62	67	0-17	0								
70-74	226	22.9	328	4	6	15	38	47	50	18-34	187	27.7	190	4	20	33	37	43	44
75-79	164	20.6	404	4	6	12	31	53	63	35-49	178	27.8	324	3	8	27	43	51	56
80-84	94	10.3	89	2	3	9	14	24	33	50-69	358	27.7	390	2	14	27	37	53	61
85 +	110	13.9	54	4	7	14	20	24	27	70 +	8	1.0							
SUBTOTAL	**859**	**21.6**	**377**	**4**	**6**	**14**	**35**	**47**	**62**		**731**	**27.4**	**325**	**2**	**14**	**27**	**38**	**50**	**56**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	47	8.4	109	1	2	2	14	29	29	0-17	0								
70-74	47	8.0	120	1	3	4	5	32	32	18-34	94	8.4	73	2	3	6	8	20	32
75-79	15	8.0	10							35-49	47	11.9	150	1	2	5	25	32	32
80-84	31	3.8	5							50-69	70	7.4	73	1	2	3	7	28	28
85 +	32	7.0	50							70 +	8	4.0							
SUBTOTAL	**172**	**7.2**	**75**	**1**	**2**	**4**	**7**	**19**	**29**		**218**	**8.7**	**89**	**1**	**2**	**6**	**8**	**28**	**32**
GRAND TOTAL	**1031**	**19.2**	**355**	**3**	**4**	**12**	**32**	**45**	**62**		**949**	**23.1**	**333**	**2**	**6**	**25**	**35**	**46**	**55**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	55	22.1	193	1	10	23	39	42	42	18-34	39	33.0	335						
35-49	31	28.6	205							35-49	47	41.0	335	12	22	47	50	65	65
50-69	23	40.3	66							50-69	63	23.0	139	1	14	25	28	43	43
70 +	0									70 +	55	21.5	713	1	1	6	60	65	65
SUBTOTAL	**109**	**27.9**	**217**	**5**	**15**	**32**	**39**	**42**	**51**		**203**	**28.6**	**434**	**1**	**11**	**26**	**47**	**60**	**65**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	15	18.5	141							18-34	15	3.0							
35-49	23	3.3								35-49	31	7.3	19						
50-69	8	6.0								50-69	39	11.8	163						
70 +	0									70 +	0								
SUBTOTAL	**46**	**8.8**	**94**	**3**	**3**	**6**	**7**	**30**	**30**		**86**	**8.6**	**92**	**2**	**3**	**4**	**11**	**12**	**36**
GRAND TOTAL	**156**	**22.2**	**255**	**3**	**6**	**24**	**38**	**41**	**47**		**289**	**22.7**	**416**	**1**	**3**	**15**	**36**	**59**	**65**

DRG 474: Respiratory System Diagnosis with Tracheostomy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	517	37.4	492	13	23	33	60	93	99+	0-17	124	29.5	334	10	13	45	56	99+	99+
70-74	297	44.2	418	17	34	45	64	82	99+	18-34	78	39.1	521	9	18	37	66	68	70
75-79	133	41.6	472	21	31	41	99	99+	99+	35-49	125	34.1	287	8	28	38	44	65	99+
80-84	109	47.9	287	23	35	54	62	99+	99+	50-69	453	40.3	548	12	24	41	61	88	99+
85+	55	52.5	223	22	49	50	64	71	71	70+	31	49.0	611						
SUBTOTAL	**1111**	**41.5**	**455**	**17**	**27**	**42**	**64**	**99+**	**99+**		**811**	**37.9**	**494**	**10**	**21**	**40**	**61**	**93**	**99+**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	23	4.4	17							0-17	8	58.0							
70-74	31	17.1	224							18-34	0								
75-79	8	1.0								35-49	15	3.0							
80-84	15	22.0	52							50-69	23	9.3	18						
85+	8	11.0								70+	8	2.0							
SUBTOTAL	**86**	**12.5**	**149**	**1**	**2**	**10**	**15**	**29**	**42**		**54**	**13.4**	**354**	**2**	**3**	**4**	**14**	**58**	**58**
GRAND TOTAL	**1197**	**39.4**	**489**	**13**	**24**	**40**	**62**	**99**	**99+**		**866**	**36.4**	**520**	**9**	**19**	**38**	**60**	**88**	**99+**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	19.9	267	11	18	99+	99+	99+	99+	0-17	39	32.4	889	7	8	36	75	99+	99+
18-34	39	37.6	824	4	18	42	81	99+	99+	18-34	31	23.3	138						
35-49	78	31.1	743	8	9	14	70	73	99+	35-49	31	27.8	283						
50-69	110	43.1	763	5	30	44	85	99+	99+	50-69	94	29.2	229	7	18	31	40	49	49
70+	0									70+	24	44.1	174						
SUBTOTAL	**274**	**34.9**	**745**	**8**	**14**	**44**	**98**	**99+**	**99+**		**218**	**30.3**	**359**	**5**	**14**	**30**	**46**	**61**	**75**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	28.0	973							0-17	8	15.0							
18-34	8	14.0								18-34	0								
35-49	0									35-49	8	7.0							
50-69	0									50-69	8	9.0							
70+	8	8.0								70+	0								
SUBTOTAL	**46**	**22.3**	**710**	**5**	**6**	**11**	**21**	**80**	**80**		**23**	**10.3**	**12**						
GRAND TOTAL	**320**	**33.1**	**757**	**6**	**12**	**40**	**81**	**99+**	**99+**		**242**	**28.4**	**360**	**7**	**11**	**29**	**46**	**56**	**75**

DRG 475: Respiratory System Diagnosis with Ventilator Support

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3375	14.4	94	6	8	12	18	27	33
70-74	1954	14.5	71	6	8	12	19	26	29
75-79	1334	15.3	112	5	9	13	19	29	35
80-84	996	15.9	122	7	9	12	19	30	39
85 +	800	16.3	88	7	10	14	20	30	34
SUBTOTAL	**8459**	**14.9**	**95**	**6**	**8**	**12**	**19**	**27**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	117	9.6	53	3	4	9	11	24	28
70-74	101	9.7	66	3	5	8	10	23	31
75-79	62	8.8	26	3	5	6	11	20	20
80-84	23	5.3	4						
85 +	16	6.0	1						
SUBTOTAL	**320**	**9.0**	**47**	**3**	**5**	**8**	**10**	**21**	**26**
GRAND TOTAL	**8779**	**14.7**	**94**	**6**	**8**	**12**	**19**	**27**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	512	10.6	47	2	5	10	15	20	23
18-34	211	15.1	166	4	6	12	17	36	47
35-49	423	11.7	57	3	5	11	17	22	23
50-69	1363	14.5	90	6	8	13	18	26	35
70 +	134	15.2	70	4	10	14	20	30	33
	2642	**13.4**	**34**	**4**	**7**	**12**	**17**	**23**	**33**
0-17	163	11.7	60	4	6	9	19	21	27
18-34	71	3.9	2	2	3	4	4	7	7
35-49	78	7.1	22	2	4	5	9	15	17
50-69	125	9.0	30	3	5	7	13	18	22
70 +	8	5.0							
	444	**8.8**	**42**	**3**	**4**	**6**	**11**	**19**	**22**
	3087	**12.7**	**81**	**4**	**7**	**11**	**17**	**23**	**32**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	371	17.4	263	6	9	12	20	35	58
18-34	188	13.7	174	4	6	11	16	23	34
35-49	258	16.1	142	5	9	13	23	29	30
50-69	526	12.5	64	4	7	10	16	27	29
70 +	31	11.3	43						
SUBTOTAL	**1374**	**14.6**	**151**	**5**	**7**	**11**	**18**	**29**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	62	5.9	15	2	3	5	9	14	14
18-34	47	4.5	13	1	2	3	7	11	11
35-49	39	7.6	15						
50-69	15	16.5	13						
70 +	0								
SUBTOTAL	**163**	**6.9**	**25**	**2**	**3**	**6**	**9**	**14**	**16**
GRAND TOTAL	**1538**	**13.8**	**143**	**4**	**6**	**11**	**17**	**28**	**33**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	139	13.9	167	3	6	13	16	21	62
18-34	86	7.6	37	2	4	5	11	19	20
35-49	157	8.7	34	3	4	7	13	19	22
50-69	423	12.8	88	5	6	10	15	24	30
70 +	235	11.4	39	5	7	10	16	21	23
	1040	**11.6**	**79**	**4**	**6**	**10**	**15**	**21**	**24**
0-17	46	9.3	6	6	7	9	12	13	13
18-34	32	2.7	1						
35-49	16	6.5	2						
50-69	16	3.5							
70 +	8	10.0							
	117	**6.4**	**12**	**2**	**3**	**6**	**9**	**12**	**13**
	1158	**11.1**	**75**	**3**	**5**	**9**	**15**	**21**	**24**

Appendix 1

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
** Includes Alaska and Hawaii
South

Appendix 2

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc. except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc. except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
105	Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic or Vascular Procedures, w/ Pump
109	Other Cardiothoracic Procedures w/o Pump
110	Major Reconstructive Vascular Proc w/o Pump w/ CC
111	Major Reconstructive Vascular Proc w/o Pump w/o CC
112	Vascular Procedures except Major Reconstruction w/o Pump
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age ≥35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures, Age >17 w/ CC
313	Urethral Procedures, Age >17 w/o CC
314	Urethral Procedures, Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC
444	Multiple Trauma Age >17 w/ CC
445	Multiple Trauma Age >17 w/o CC
446	Multiple Trauma Age 0-17
447	Allergic Reactions Age > 17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid As Discharge Diagnosis
470	Ungroupable
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	Respiratory System Diagnosis with Tracheostomy
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis

B-1405-5.4F

LOS

LENGTH OF STAY BY DRG

HKS PUBLICATIONS

United States, Southern Region, 1988-89

Healthcare Knowledge Systems
Ann Arbor, Michigan
December, 1989

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1988-89
Length of Stay by DRG and Payment Source, Northeastern Region, 1988-89
Length of Stay by DRG and Payment Source, North Central Region, 1988-89
Length of Stay by DRG and Payment Source, Southern Region, 1988-89
Length of Stay by DRG and Payment Source, Western Region, 1988-89

Length of Stay data have been published annually since 1963. In addition to Length of Stay by DRG and Payment Source, other volumes in the Cost Containment Series are:

Length of Stay by Diagnosis and Operation
Length of Stay by Psychiatric Diagnosis
(Available for the United States, Northeastern, North Central, Southern, and Western regions)

Pediatric Length of Stay by Diagnosis and Operation
Geriatric Length of Stay by Diagnosis and Operation
(Available for the United States only)

Copyright © 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Preface iv

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Database Characteristics
Projecting to the Universe

Organization of the Tables x

Explanation of the Statistics xii

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: State Inclusions by Region 469

Appendix 2: Diagnosis Related Groups 470

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The Length of Stay by DRG and Payment Source series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

These statistics provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, employers, and healthcare researchers interested in cost containment and quality of care.

1988-89 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Healthcare Knowledge Systems
Tracey Stewart, Publications Specialist, Normative Publications

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Stacey Cavanaugh, Customer Service Representative, HKS,
Robert Travis, Librarian,
Linda Vanek, Assistant Manager, Normative Publications, HKS,
Roger Wroblewski, Director, Database Research, CPHA.

INTRODUCTION

The Length of Stay by DRG and Payment Source series has been designed as a companion to the standard reference, LOS by Diagnosis and Operation, to provide length of stay data by another patient classification system. Similar to the Diagnosis and Operation series, this five volume set is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the Length of Stay by DRG and Payment Source series and the Length of Stay by Diagnosis and Operation series are primarily with the data source. Data used for the Length of Stay by DRG and Payment Source series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 570 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in the Length of Stay by DRG and Payment source represent projections rather than actual numbers.

Additionally, the Length of Stay by DRG and Payment Source series adds power by providing length of stay by the following four principal payment sources: Medicare, Medicaid, Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay by DRG and Payment Source tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay by DRG and Payment Source series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay by DRG and Payment Source series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1988. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The characteristics of all hospitals with discharge data included in the books are displayed in the table below. The hospital universe is based on facility and discharge records collected for the 1987 Annual Survey of Hospitals of the American Hospital Association (AHA).

1988-89 Length of Stay by DRG and Payment Source
Sample Hospital Characteristics

	Universe	LOS by DRG Sample
Total Number of Hospitals	5512	570
Northeastern	786	150
North Central	1609	181
Southern	2089	104
Western	1028	135
Number of Urban[1] Hospitals	2893	284
Number of High/Medium Teaching Intensity[2] Hospitals	925	122

---

1. Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.
2. The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Projecting to the Universe

To make the LOS by DRG and Payment Source sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the 570 hospitals are stratified by factors known to affect inpatient utilization. The two factors used are:

1. **Program Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

    - Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
    - Cancer Program approved by the American College of Surgeons (CP)
    - Residency approved by the American Medical Association (RES)
    - Medical School Affiliation reported by the American Medical Association (MS)
    - Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
    - Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Nonteaching Institution
- Minor Teaching Institution
- Major Teaching Institution

The statistical formula is:

$$Ip = 9.9\,(JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the Length of Stay by DRG and Payment Source series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0+	Teaching Institution

---

[1] Phillip P., J., and Hai, Abdul. *An Index of Programs for Hospitals*, American Hospital Association. Chicago, Illinois, 1976.

2. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	Division
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, West, South). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1988 to June 1989 discharges from the U.S. nonfederal, short-term general hospital universe.

ORGANIZATION OF THE TABLES

The Length of Stay by DRG and Payment Source series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 1 lists the states comprising each region.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Length of Stay by DRG and Payment Source Patient Variables

The length of stay data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 477 DRGs in the 1988-89 LOS by DRG and Payment Source series. These DRGs are based on the sixth revision, effective October 1, 1989. Appendix 2 provides a listing of all DRGs for the sixth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence , Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468, 476, 477	Unrelated Operating Room Procedures
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable

In the 1988-89 LOS by DRG and Payment Source series a table is not created for the excluded DRGs listed above. Additionally, new procedure codes were added 10/1/89 for grouping to DRGs 436 and 437 (Alcohol and Drug Dependence with Rehab and with Rehab and Detox). The patient records used in this book represent

discharges prior to the addition of these new codes, and therefore do not contain the procedure codes anticipated to group to these DRGs. As a result, no patient records have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources.

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1989.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates without a birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the LOS by DRG and Payment Source series is drawn from patient discharges from 570 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.*

Since the LOS by DRG and Payment Source series is drawn from discharges that have been projected to the universe of U.S. hospitals, one actual patient discharge represents multiple projected patients. The average projection factor is 10.5.

If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay.

Variance

The variance is a measure of the spread of the data around the average. For the LOS by DRG and Payment Source tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+. Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups. The Grand Total represents the total number of projected patients in the DRG and Payment Source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay by DRG and Payment Source series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population.

For this reason, the LOS by DRG and Payment Source series share most applications of the present LOS by Diagnosis and Operation and the Psychiatric LOS series. Among them:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay by DRG and Payment Source regional or national volumes:

Step 1: Consult Appendix 2 of the appropriate Length of Stay by DRG and Payment Source book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the Length of Stay by DRG and Payment Source book.

Step 3: Depending on the purpose of the review, find the appropriate table category:

Payment Source
Complication/Comorbidity Status
Age Group

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

The differences between the Length of Stay by DRG and Payment Source and the other LOS series make it an important new contribution to the array of quantitative measures that assist healthcare professionals in evaluating cost containment and quality assurance programs for institutions or special populations.

While the LOS by Diagnosis and Operation series offers a diagnosis and procedure-specific profile of inpatient utilization, and the Psychiatric LOS series provides the same for a special population, the LOS by DRG and Payment Source series describes the impact of financing mechanisms through highlighting the four payment source categories. Simultaneously, it takes into account other patient attributes, such as complication and comorbidity status, that may affect length of stay, thereby reporting DRG length of stay patterns in U.S. nonfederal, short-term general hospitals.

Finally, increasing concern about costs and quality care, paired with the need for more sophisticated and accountable performance measures to conduct these cost and quality reviews, make the Length of Stay by DRG and Payment Source tables an accessible, convenient, and essential tool for the healthcare industry.

DRG Length of Stay Tables

Length of Stay by DRG and Payment Source

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

	MEDICARE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4114	20.9	306	6	9	15	26	54	66
70-74	2483	21.5	323	6	10	16	29	47	78
75-79	1971	21.3	242	7	9	18	29	46	56
80-84	1292	23.3	315	7	12	19	30	55	80
85 +	571	23.8	324	8	13	20	26	54	68
SUBTOTAL	**10431**	**21.6**	**300**	**6**	**9**	**17**	**29**	**52**	**69**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2490	10.6	39	4	7	9	14	19	25
70-74	1578	11.0	86	5	7	9	12	17	22
75-79	1301	12.4	99	5	6	9	14	28	38
80-84	570	11.5	39	5	7	10	14	21	26
85 +	319	11.1	35	6	7	9	14	16	27
SUBTOTAL	**6258**	**11.2**	**64**	**5**	**7**	**9**	**13**	**20**	**27**
GRAND TOTAL	**16689**	**17.7**	**237**	**5**	**8**	**13**	**22**	**39**	**59**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group

(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

All DRGS

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	711201	8.1	62	2	4	6	10	16	22	0-17	242886	6.1	79	1	2	3	6	12	21
70-74	445048	8.4	62	2	4	6	10	16	22	18-34	208910	5.7	50	1	2	4	6	11	17
75-79	445583	8.8	64	3	4	7	11	17	23	35-49	237558	6.3	47	2	3	4	7	12	18
80-84	354095	9.2	72	3	4	7	11	17	24	50-69	373733	7.2	53	2	3	5	9	14	19
85 +	326841	9.7	73	3	5	7	12	19	25	70 +	15520	9.1	113	2	4	6	10	18	28
SUBTOTAL	**2282769**	**8.7**	**66**	**3**	**4**	**7**	**10**	**17**	**23**		**1078607**	**6.5**	**58**	**2**	**3**	**4**	**7**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	377819	6.0	40	1	2	4	7	11	17	0-17	1133682	3.4	21	1	2	2	4	6	8
70-74	221730	5.7	30	2	3	4	7	11	14	18-34	1127239	3.6	18	1	2	3	4	6	8
75-79	190634	6.1	33	2	3	5	8	12	15	35-49	680338	4.4	23	1	2	3	5	8	11
80-84	136324	6.3	32	2	3	5	8	12	16	50-69	536783	4.6	20	1	2	4	6	9	11
85 +	109848	6.7	37	2	3	5	8	13	16	70 +	11170	5.8	47	1	2	4	7	12	16
SUBTOTAL	**1036355**	**6.1**	**35**	**2**	**3**	**4**	**7**	**12**	**16**		**3489213**	**3.9**	**21**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**3319123**	**7.9**	**58**	**2**	**3**	**6**	**10**	**15**	**21**		**4567820**	**4.5**	**31**	**1**	**2**	**3**	**5**	**8**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	131329	7.1	103	2	2	4	7	15	27	0-17	82094	6.9	103	1	2	4	7	15	26
18-34	105550	6.0	56	2	2	4	6	12	18	18-34	100806	6.5	67	1	2	4	7	14	21
35-49	56989	7.6	74	2	3	5	9	15	22	35-49	81191	7.2	68	2	3	5	8	15	23
50-69	93372	8.3	80	2	4	6	10	16	24	50-69	87511	7.9	67	2	3	5	10	16	23
70 +	14679	8.6	67	3	4	7	12	24	99 +	70 +	8901	9.9	148	2	3	6	12	33	83
SUBTOTAL	**401919**	**7.2**	**81**	**2**	**3**	**5**	**8**	**15**	**23**		**360504**	**7.2**	**78**	**2**	**3**	**4**	**8**	**16**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	614280	3.7	31	1	2	2	4	6	9	0-17	427536	3.2	14	1	2	2	3	5	8
18-34	435770	3.4	17	1	2	3	4	5	8	18-34	363263	3.6	19	1	2	2	4	6	9
35-49	68956	5.7	34	2	2	4	6	12	17	35-49	125400	4.5	25	1	2	3	5	9	12
50-69	50253	6.1	30	2	3	5	7	12	16	50-69	78930	5.0	29	1	2	4	6	10	13
70 +	5740	6.0	25	2	3	5	8	13	19	70 +	5977	7.1	85	1	2	4	8	15	25
SUBTOTAL	**1174999**	**3.9**	**26**	**1**	**2**	**3**	**4**	**6**	**10**		**1001107**	**3.7**	**19**	**1**	**2**	**2**	**4**	**7**	**10**
GRAND TOTAL	**1576918**	**4.7**	**42**	**1**	**2**	**3**	**5**	**9**	**14**		**1361611**	**4.6**	**37**	**1**	**2**	**3**	**5**	**9**	**14**

Southern Region, July 1988 - June 1989

DRG 1: Craniotomy Age >17 except for Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1571	21.5	331	6	9	15	24	60	67	0-17	0								
70-74	741	21.1	247	5	10	16	27	40	58	18-34	494	20.4	386	3	7	11	20	56	58
75-79	529	20.7	183	7	8	20	29	41	52	35-49	698	20.5	345	7	9	12	33	68	84
80-84	383	20.9	240	7	8	18	30	55	62	50-69	1148	20.7	320	6	10	13	31	41	77
85 +	193	25.6	282	8	17	22	24	54	68	70 +	46	57.7	1040						
SUBTOTAL	**3417**	**21.4**	**278**	**6**	**9**	**16**	**27**	**52**	**62**		**2387**	**21.3**	**380**	**6**	**9**	**13**	**31**	**56**	**78**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	769	11.8	60	4	8	10	14	25	35	0-17	0								
70-74	516	11.4	126	5	7	9	12	17	32	18-34	839	8.3	82	1	3	6	10	15	19
75-79	333	12.0	95	6	6	8	13	28	38	35-49	1114	7.3	15	3	5	7	9	12	19
80-84	86	10.5	31	5	7	8	12	22	22	50-69	1540	11.1	76	4	6	9	14	17	24
85 +	132	9.0	6	6	8	9	9	15	15	70 +	14	10.0							
SUBTOTAL	**1837**	**11.5**	**80**	**5**	**7**	**9**	**12**	**23**	**32**		**3507**	**9.2**	**60**	**3**	**5**	**8**	**11**	**16**	**20**
GRAND TOTAL	**5254**	**17.9**	**231**	**5**	**8**	**13**	**23**	**39**	**59**		**5893**	**14.1**	**225**	**4**	**6**	**9**	**15**	**37**	**56**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	158	21.7	653	4	5	7	36	62	81	18-34	57	21.8	531						
35-49	75	10.0	22							35-49	201	30.0	514	8	11	23	40	73	80
50-69	118	25.7	670	8	10	11	81	99 +	99 +	50-69	211	21.4	145	10	13	16	34	99 +	99 +
70 +	14	13.0								70 +	0								
SUBTOTAL	**365**	**20.2**	**535**	**4**	**7**	**10**	**36**	**99 +**	**99 +**		**469**	**25.1**	**366**	**9**	**11**	**16**	**39**	**73**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	129	7.3	11	3	5	8	10	13	13	18-34	262	12.7	154	3	4	7	16	41	41
35-49	57	18.5	163							35-49	262	11.3	77	4	5	8	14	28	37
50-69	43	11.3	39							50-69	176	15.9	181	4	7	11	29	40	40
70 +	14	10.0								70 +	14	2.0							
SUBTOTAL	**244**	**10.8**	**71**	**3**	**6**	**8**	**11**	**20**	**40**		**713**	**12.7**	**135**	**3**	**5**	**7**	**15**	**37**	**40**
GRAND TOTAL	**609**	**16.5**	**370**	**4**	**7**	**10**	**19**	**81**	**99 +**		**1182**	**17.7**	**263**	**4**	**6**	**11**	**26**	**41**	**61**

DRG 2: Craniotomy for Trauma Age >17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	129	30.1	309	15	16	36	61	99 +	99 +
70-74	121	15.6	110	5	7	12	32	32	32
75-79	43	12.3	1						
80-84	0								
85 +	89	24.4	89						
SUBTOTAL	**383**	**22.2**	**206**	**7**	**11**	**18**	**35**	**61**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	4.6	4						
70-74	75	11.0	186						
75-79	118	9.8	20	3	8	12	12	18	18
80-84	43	8.7	7						
85 +	46	9.9	2						
SUBTOTAL	**372**	**8.7**	**51**	**3**	**4**	**9**	**11**	**12**	**18**
GRAND TOTAL	**755**	**15.5**	**175**	**4**	**7**	**12**	**21**	**39**	**61**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	430	34.0	562	10	18	31	62	99 +	99 +
35-49	229	38.2	511	10	22	36	62	92	99 +
50-69	107	35.3	365						
70 +	29	38.0	125						
	795	**35.6**	**507**	**10**	**18**	**33**	**62**	**93**	**99 +**
0-17	0								
18-34	468	12.1	162	3	4	7	15	24	46
35-49	104	11.7	91	2	2	13	24	25	25
50-69	75	19.1	217						
70 +	0								
	647	**12.9**	**162**	**2**	**4**	**7**	**18**	**25**	**46**
	1442	**25.4**	**479**	**4**	**7**	**20**	**39**	**67**	**94**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	72	60.8	240	39	56	82	99 +	99 +	99 +
35-49	29	31.5	282						
50-69	14	59.0							
70 +	0								
SUBTOTAL	**115**	**53.3**	**377**	**39**	**53**	**74**	**99 +**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	100	12.3	208	4	5	6	11	47	47
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**100**	**12.3**	**208**	**4**	**5**	**6**	**11**	**47**	**47**
GRAND TOTAL	**215**	**34.1**	**716**	**5**	**8**	**48**	**82**	**99 +**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	319	30.3	382	13	18	25	63	99 +	99 +
35-49	168	42.7	431	15	33	44	76	99 +	99 +
50-69	57	17.8	136	6	10	36	99 +	99 +	99 +
70 +	0								
	544	**32.8**	**428**	**13**	**18**	**36**	**76**	**99 +**	**99 +**
0-17	0								
18-34	318	11.5	69	4	7	7	12	21	29
35-49	164	15.8	189	5	5	11	21	43	45
50-69	0								
70 +	0								
	482	**13.0**	**114**	**5**	**7**	**9**	**12**	**29**	**43**
	1027	**23.5**	**378**	**5**	**9**	**19**	**45**	**99 +**	**99 +**

DRG 3: Craniotomy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	3088	14.5	254	3	4	8	19	35	52	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	0										3088	14.5	254	3	4	8	19	35	52	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	14	3.0								0-17	4418	6.8	49	2	3	5	8	12	21	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	14	3.0									4418	6.8	49	2	3	5	8	12	21	
GRAND TOTAL	14	3.0									7506	10.0	148	2	3	6	11	24	34	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	1280	15.5	271	2	4	9	22	43	78	0-17	918	17.4	367	2	3	12	25	48	84	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	1280	15.5	271	2	4	9	22	43	78		918	17.4	367	2	3	12	25	48	84	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	2446	8.1	80	2	3	5	9	16	27	0-17	1542	6.5	42	2	3	4	8	13	24	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	2446	8.1	80	2	3	5	9	16	27		1542	6.5	42	2	3	4	8	13	24	
GRAND TOTAL	3726	10.6	158	2	3	5	12	30	40		2460	10.6	191	2	3	5	12	29	36	

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	279	16.1	138	3	8	13	22	38	43
70-74	43	10.3	59						
75-79	89	21.6	234						
80-84	46	37.1	22						
85 +	14	62.0							
SUBTOTAL	**472**	**20.1**	**233**	**4**	**8**	**14**	**34**	**41**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	204	8.1	27	2	4	7	11	13	21
70-74	219	9.6	74	3	4	6	10	29	30
75-79	14	3.0							
80-84	14	22.0							
85 +	0								
SUBTOTAL	**451**	**9.1**	**55**	**3**	**4**	**7**	**11**	**21**	**29**
GRAND TOTAL	**924**	**14.7**	**176**	**3**	**5**	**10**	**21**	**37**	**41**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	15.1	205	5	7	9	16	38	60
18-34	268	25.6	654	3	7	16	51	80	95
35-49	201	20.9	523	4	5	11	31	50	87
50-69	225	19.5	274	6	6	14	26	55	56
70 +	0								
	938	**20.4**	**432**	**5**	**6**	**10**	**30**	**56**	**68**
0-17	861	9.0	33	3	6	7	10	18	25
18-34	458	9.0	147	2	2	5	11	17	34
35-49	867	6.1	60	2	3	4	7	10	13
50-69	337	7.6	22	4	4	5	10	16	17
70 +	0								
	2522	**7.8**	**63**	**2**	**4**	**6**	**9**	**17**	**20**
	3460	**11.2**	**195**	**2**	**4**	**7**	**11**	**26**	**50**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	104	10.4	72	5	6	7	11	31	31
18-34	107	24.0	507	4	4	22	41	99 +	99 +
35-49	43	9.0	19						
50-69	14	10.0							
70 +	0								
SUBTOTAL	**268**	**15.6**	**279**	**4**	**6**	**8**	**22**	**53**	**85**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	258	8.9	28	2	6	8	10	19	21
18-34	89	14.5	327						
35-49	29	6.5	6						
50-69	14	10.0							
70 +	0								
SUBTOTAL	**391**	**10.1**	**99**	**2**	**5**	**9**	**10**	**19**	**21**
GRAND TOTAL	**659**	**12.3**	**180**	**4**	**6**	**8**	**11**	**31**	**55**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	8.4	24						
18-34	136	30.5	240	11	16	27	46	58	58
35-49	75	12.7	23	3	15	16	99 +	99 +	99 +
50-69	0								
70 +	0								
	283	**20.2**	**228**	**6**	**11**	**16**	**46**	**99 +**	**99 +**
0-17	158	7.2	21	3	4	5	10	13	18
18-34	89	17.7	81						
35-49	43	3.7	1						
50-69	14	2.0							
70 +	0								
	305	**9.5**	**65**	**3**	**3**	**5**	**13**	**28**	**28**
	587	**14.6**	**171**	**3**	**5**	**14**	**21**	**46**	**99 +**

DRG 5: Extracranial Vascular Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1809	9.0	31	4	6	7	10	18	22	0-17	14	19.0							
70-74	1812	8.3	42	3	4	6	11	16	23	18-34	14	14.0							
75-79	1095	9.6	47	4	5	8	12	17	20	35-49	179	6.9	13	3	5	5	9	9	17
80-84	504	11.6	37	4	7	10	16	18	23	50-69	1222	8.9	76	3	5	6	9	16	22
85+	179	12.8	54	5	6	14	19	30	99+	70+	57	4.5	2						
SUBTOTAL	**5399**	**9.2**	**41**	**4**	**5**	**7**	**12**	**18**	**23**		**1487**	**8.6**	**67**	**3**	**5**	**6**	**9**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2438	6.0	10	3	4	5	7	10	13	0-17	0								
70-74	2296	5.8	14	3	4	5	7	9	12	18-34	57	5.8	43						
75-79	1649	5.8	21	4	4	4	6	9	12	35-49	257	6.2	16	2	3	4	8	11	18
80-84	783	7.5	28	4	5	5	9	12	25	50-69	2039	5.2	7	3	4	5	6	9	10
85+	236	6.3	7	3	4	6	8	9	13	70+	57	4.3	1						
SUBTOTAL	**7403**	**6.1**	**16**	**3**	**4**	**5**	**7**	**10**	**13**		**2411**	**5.3**	**9**	**3**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**12802**	**7.4**	**28**	**3**	**4**	**6**	**8**	**15**	**18**		**3898**	**6.6**	**34**	**3**	**4**	**5**	**7**	**11**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	6.0								0-17	14	11.0							
18-34	0									18-34	0								
35-49	14	6.0								35-49	14	15.0							
50-69	121	13.2	30	3	11	15	19	19	19	50-69	46	4.3							
70+	0									70+	14	3.0							
SUBTOTAL	**150**	**11.8**	**32**	**6**	**6**	**15**	**16**	**19**	**19**		**89**	**6.9**	**19**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	6.0								0-17	0								
18-34	0									18-34	75	3.4	4						
35-49	46	4.6	1							35-49	32	22.0							
50-69	121	5.0	2	3	3	6	6	6	6	50-69	132	6.6	3	4	5	6	8	9	9
70+	14	7.0								70+	0								
SUBTOTAL	**197**	**5.1**	**2**	**3**	**4**	**6**	**6**	**6**	**7**		**240**	**7.6**	**37**	**3**	**3**	**6**	**8**	**22**	**22**
GRAND TOTAL	**347**	**8.0**	**26**	**3**	**4**	**6**	**11**	**16**	**19**		**329**	**7.4**	**32**	**3**	**4**	**5**	**8**	**15**	**22**

DRG 6: Carpal Tunnel Release

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	75	6.0	87							0-17	0								
70-74	32	6.0								18-34	46	6.9	8						
75-79	0									35-49	93	1.7	1						
80-84	46	6.6	71							50-69	78	2.6	4						
85 +	14	1.0								70 +	0								
SUBTOTAL	**168**	**5.7**	**60**	**1**	**1**	**1**	**6**	**19**	**25**		**218**	**3.1**	**7**	**1**	**1**	**2**	**5**	**5**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	204	1.3	1	< 1	< 1	< 1	< 1	3	3	0-17	0								
70-74	222	1.1		< 1	< 1	< 1	1	1	2	18-34	251	1.5	2	< 1	< 1	< 1	1	2	7
75-79	61	1.0								35-49	612	1.5	1	< 1	< 1	< 1	1	4	5
80-84	29	1.5								50-69	712	1.2		< 1	< 1	< 1	1	2	2
85 +	14	1.0								70 +	0								
SUBTOTAL	**530**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**		**1574**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**698**	**2.3**	**18**	**< 1**	**< 1**	**< 1**	**1**	**3**	**6**		**1792**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	29	1.5								50-69	14	2.0							
70 +	0									70 +	0								
SUBTOTAL	**29**	**1.5**									**14**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	1.0								0-17	0								
18-34	14	3.0								18-34	14	2.0							
35-49	32	2.0								35-49	43	1.0							
50-69	29	1.0								50-69	29	1.0							
70 +	0									70 +	0								
SUBTOTAL	**89**	**1.7**	**1**								**86**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
GRAND TOTAL	**118**	**1.6**		**< 1**	**1**	**2**	**2**	**3**	**3**		**100**	**1.3**		**< 1**	**< 1**	**< 1**	**2**	**2**	**2**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	358	17.3	411	2	5	13	27	96	99 +	0-17	286	10.4	138	1	2	3	20	23	30
70-74	272	19.8	146	6	9	21	29	37	51	18-34	168	16.6	469	3	7	8	22	24	84
75-79	261	19.2	620	2	3	7	17	58	83	35-49	190	12.9	178	4	5	8	42	99 +	99 +
80-84	232	20.4	548	5	6	13	17	77	77	50-69	304	9.8	65	1	3	10	12	16	19
85 +	200	12.7	55	2	8	13	20	99 +	99 +	70 +	0								
SUBTOTAL	**1322**	**18.0**	**373**	**2**	**6**	**13**	**24**	**58**	**96**		**947**	**11.8**	**187**	**2**	**3**	**7**	**18**	**37**	**84**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1322**	**18.0**	**373**	**2**	**6**	**13**	**24**	**58**	**96**		**947**	**11.8**	**187**	**2**	**3**	**7**	**18**	**37**	**84**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	104	6.2	38	1	2	3	10	20	20	0-17	115	20.5	343	2	6	7	36	56	56
18-34	0									18-34	318	9.3	189	1	2	4	13	64	99 +
35-49	0									35-49	29	18.5	162						
50-69	46	46.6	613							50-69	29	19.5	75						
70 +	14	24.0								70 +	0								
SUBTOTAL	**164**	**19.1**	**517**	**2**	**3**	**10**	**24**	**63**	**63**		**490**	**13.1**	**242**	**1**	**3**	**6**	**20**	**56**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**164**	**19.1**	**517**	**2**	**3**	**10**	**24**	**63**	**63**		**490**	**13.1**	**242**	**1**	**3**	**6**	**20**	**56**	**99 +**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	343	3.7	15	1	2	2	3	9	14
70-74	182	3.2	3	1	1	3	4	6	7
75-79	121	7.8	70	1	1	3	21	21	21
80-84	0								
85 +	64	4.0	9						
SUBTOTAL	**711**	**4.3**	**24**	**1**	**1**	**2**	**4**	**10**	**14**
GRAND TOTAL	**711**	**4.3**	**24**	**1**	**1**	**2**	**4**	**10**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1114	3.3	15	1	1	2	3	5	12
18-34	744	2.2	6	1	1	1	2	5	7
35-49	1017	2.8	13	< 1	< 1	1	3	9	10
50-69	516	2.3	5	< 1	< 1	1	3	6	8
70 +	0								
	3390	**2.8**	**11**	**< 1**	**1**	**1**	**3**	**5**	**9**
	3390	**2.8**	**11**	**< 1**	**1**	**1**	**3**	**5**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	488	3.1	8	1	1	2	4	6	11
18-34	118	1.4		< 1	1	1	2	2	2
35-49	57	4.0	4						
50-69	93	5.7	8						
70 +	0								
SUBTOTAL	**756**	**3.3**	**8**	**1**	**1**	**2**	**5**	**7**	**9**
GRAND TOTAL	**756**	**3.3**	**8**	**1**	**1**	**2**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	316	5.7	40	1	1	4	6	13	20
18-34	326	2.7	7	1	1	2	3	4	7
35-49	153	2.6	6	1	1	1	4	7	7
50-69	61	3.3	1						
70 +	0								
	856	**3.9**	**20**	**1**	**1**	**3**	**4**	**7**	**13**
	856	**3.9**	**20**	**1**	**1**	**3**	**4**	**7**	**13**

DRG 9: Spinal Disorders & Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	89	11.1	89							0-17	61	1.9	1						
70-74	107	12.5	104							18-34	115	24.8	949	2	5	7	28	88	88
75-79	46	17.0								35-49	93	5.2	39						
80-84	0									50-69	75	15.8	110						
85 +	128	6.8	14							70 +	0								
SUBTOTAL	**371**	**10.7**	**67**	3	3	10	17	23	28		**343**	**13.5**	**436**	**1**	**1**	**7**	**14**	**33**	**65**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	14	9.0								0-17	143	4.2	27	< 1	1	1	5	12	18
70-74	0									18-34	186	3.2	3	2	2	2	4	5	8
75-79	0									35-49	93	3.0	1						
80-84	0									50-69	89	16.0	69						
85 +	29	6.0	9							70 +	0								
SUBTOTAL	**43**	**7.0**	**8**								**511**	**5.7**	**44**	**1**	**2**	**3**	**7**	**18**	**20**
GRAND TOTAL	**414**	**10.4**	**62**	3	3	9	17	23	28		**855**	**8.8**	**216**	**1**	**2**	**4**	**9**	**18**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	93	16.5	162							0-17	57	18.3	303						
18-34	32	4.0								18-34	104	38.4	1049	2	21	21	76	99 +	99 +
35-49	0									35-49	0								
50-69	14	4.0								50-69	43	31.0	377						
70 +	0									70 +	0								
SUBTOTAL	**139**	**12.3**	**142**	4	4	5	32	32	99 +		**204**	**31.2**	**767**	**2**	**7**	**24**	**59**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	100	10.4	116	1	2	5	20	32	32	0-17	43	2.3	2						
18-34	0									18-34	86	9.7	214	1	2	3	6	42	42
35-49	0									35-49	14	5.0							
50-69	0									50-69	29	4.0	1						
70 +	0									70 +	0								
SUBTOTAL	**100**	**10.4**	**116**	1	2	5	20	32	32		**172**	**6.5**	**118**	**1**	**2**	**3**	**5**	**6**	**42**
GRAND TOTAL	**240**	**11.5**	**132**	2	4	5	21	32	99 +		**376**	**19.9**	**620**	**2**	**3**	**6**	**42**	**89**	**99 +**

DRG 10: Nervous System Neoplasms w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1356	8.5	49	2	4	7	12	17	21
70-74	682	9.1	59	2	3	6	15	20	22
75-79	995	9.0	50	2	3	7	13	20	22
80-84	318	10.0	68	2	6	8	10	30	32
85 +	264	6.0	17	2	2	5	8	12	16
SUBTOTAL	**3616**	**8.7**	**51**	**2**	**3**	**7**	**12**	**19**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3616**	**8.7**	**51**	**2**	**3**	**7**	**12**	**19**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	466	6.8	69	1	2	3	8	22	28
18-34	129	6.6	31	2	3	4	6	19	19
35-49	768	7.5	69	2	2	5	7	21	33
50-69	1199	8.5	37	3	4	6	12	19	21
70 +	46	4.4	1						
	2609	**7.7**	**52**	**2**	**3**	**5**	**10**	**19**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2609	**7.7**	**52**	**2**	**3**	**5**	**10**	**19**	**23**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	143	6.8	23	1	2	4	10	14	15
18-34	29	7.0	4						
35-49	118	6.9	6	3	5	7	8	10	10
50-69	193	9.0	33	3	5	7	12	15	23
70 +	32	5.0							
SUBTOTAL	**516**	**7.5**	**22**	**2**	**5**	**7**	**10**	**15**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**516**	**7.5**	**22**	**2**	**5**	**7**	**10**	**15**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	9.1	198	< 1	1	1	5	37	37
18-34	29	9.5	6						
35-49	32	7.0							
50-69	57	7.8	12						
70 +	14	10.0							
	276	**8.7**	**106**	**< 1**	**1**	**6**	**11**	**37**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	276	**8.7**	**106**	**< 1**	**1**	**6**	**11**	**37**	**37**

DRG 11: Nervous System Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	300	4.8	11	2	4	5	5	5	8
70-74	136	8.9	85	3	4	5	9	34	34
75-79	107	9.9	47						
80-84	150	12.0	54	6	8	10	16	16	30
85 +	32	4.0							
SUBTOTAL	**725**	**7.8**	**47**	**2**	**4**	**5**	**9**	**16**	**26**
GRAND TOTAL	**725**	**7.8**	**47**	**2**	**4**	**5**	**9**	**16**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	1022	3.4	17	1	1	2	4	9	10
18-34	311	4.3	14	1	2	3	4	11	11
35-49	319	4.1	7	1	2	4	6	7	9
50-69	811	4.8	42	1	2	3	6	10	16
70 +	0								
SUBTOTAL	**2463**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**11**
GRAND TOTAL	**2463**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	230	3.3	6	1	1	3	4	7	10
18-34	14	4.0							
35-49	72	5.0	21						
50-69	142	3.6	5						
70 +	0								
SUBTOTAL	**458**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**458**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	158	5.6	20	1	2	4	9	12	14
18-34	14	1.0							
35-49	29	1.5							
50-69	75	3.8	5						
70 +	14	1.0							
SUBTOTAL	**290**	**4.3**	**15**	**1**	**1**	**3**	**7**	**9**	**13**
GRAND TOTAL	**290**	**4.3**	**15**	**1**	**1**	**3**	**7**	**9**	**13**

DRG 12: Degenerative Nervous System Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1039	9.4	95	2	4	7	10	19	32	0-17	305	6.6	48	1	1	4	12	21	22
70-74	681	11.8	114	3	4	7	16	24	36	18-34	89	5.1	12						
75-79	1006	11.5	153	2	4	7	13	27	46	35-49	107	10.9	14						
80-84	710	9.0	27	3	4	9	13	18	18	50-69	404	9.1	119	2	3	7	10	16	21
85 +	560	8.8	30	3	4	10	13	16	18	70 +	0								
SUBTOTAL	**3997**	**10.2**	**93**	**3**	**4**	**7**	**13**	**19**	**27**		**905**	**8.1**	**75**	**1**	**3**	**6**	**12**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	850	7.1	30	2	3	5	10	14	16	0-17	592	2.7	4	1	1	2	4	5	6
70-74	604	12.9	142	4	6	9	13	25	41	18-34	204	3.9	11	1	2	3	5	8	13
75-79	1381	9.7	95	2	3	5	12	21	35	35-49	236	6.7	71	2	3	5	6	8	39
80-84	560	8.4	56	3	5	6	8	14	28	50-69	665	7.6	55	1	2	4	10	17	18
85 +	478	8.5	93	3	4	6	9	16	16	70 +	32	38.0							
SUBTOTAL	**3874**	**9.3**	**85**	**3**	**4**	**6**	**11**	**17**	**31**		**1729**	**6.0**	**58**	**1**	**2**	**3**	**7**	**14**	**18**
GRAND TOTAL	**7870**	**9.7**	**89**	**3**	**4**	**7**	**12**	**19**	**29**		**2634**	**6.7**	**65**	**1**	**2**	**4**	**8**	**16**	**21**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	304	12.2	352	1	2	6	7	28	28	0-17	104	2.7	11	1	1	1	2	11	11
18-34	14	6.0								18-34	0								
35-49	29	5.0	4							35-49	32	1.0							
50-69	203	5.7	29	1	3	4	7	10	23	50-69	78	12.4	12						
70 +	32	11.0								70 +	78	23.7	153						
SUBTOTAL	**582**	**9.4**	**204**	**1**	**3**	**6**	**10**	**28**	**99 +**		**293**	**10.7**	**127**	**1**	**1**	**11**	**21**	**43**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	423	7.6	231	1	2	3	5	16	36	0-17	158	3.5	12	1	1	2	4	10	11
18-34	200	8.4	87	2	3	4	9	29	29	18-34	232	6.3	29	1	1	5	13	15	15
35-49	32	3.0								35-49	72	10.8	57						
50-69	186	5.7	10	3	4	5	6	12	12	50-69	110	6.2	12						
70 +	32	8.0								70 +	89	32.7	1489						
SUBTOTAL	**872**	**7.2**	**135**	**2**	**2**	**4**	**6**	**12**	**29**		**661**	**9.7**	**307**	**1**	**2**	**5**	**10**	**15**	**22**
GRAND TOTAL	**1454**	**8.1**	**164**	**1**	**3**	**4**	**8**	**28**	**31**		**954**	**10.0**	**252**	**1**	**2**	**5**	**14**	**22**	**84**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	286	9.3	13	5	6	8	13	16	16	0-17	29	11.0	9						
70-74	0									18-34	161	6.9	22	3	3	5	8	14	18
75-79	14	29.0								35-49	482	6.4	7	4	5	6	7	12	13
80-84	14	5.0								50-69	75	7.7	7						
85 +	14	6.0								70 +	0								
SUBTOTAL	329	9.8	29	5	6	8	13	16	16		746	6.8	11	3	5	6	9	13	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	635	9.4	32	5	5	8	10	20	23	0-17	254	3.6	8	1	2	2	4	9	9
70-74	46	2.3								18-34	476	5.5	10	2	4	5	6	9	11
75-79	32	6.0								35-49	823	5.9	19	2	3	5	7	10	15
80-84	32	3.0								50-69	222	7.2	24	3	4	5	11	14	21
85 +	0									70 +	0								
SUBTOTAL	745	8.5	31	3	5	8	10	20	23		1775	5.7	17	2	3	5	6	9	13
GRAND TOTAL	1074	8.9	31	3	5	8	10	16	23		2522	6.0	15	2	4	5	7	11	14

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	14	1.0							
18-34	57	8.5	54							18-34	29	6.5	13						
35-49	104	5.4	14	1	1	6	10	11	11	35-49	32	18.0							
50-69	32	10.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	193	7.1	27	1	4	6	11	99 +	99 +		75	10.4	53						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	43	2.0	2							0-17	57	4.8	4						
18-34	43	3.3	3							18-34	100	7.0	10	1	5	8	9	11	11
35-49	46	5.3								35-49	104	12.9	667	< 1	2	2	6	77	77
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	132	3.6	4	1	1	4	5	6	6		262	8.9	279	1	2	5	8	11	77
GRAND TOTAL	326	5.7	20	1	3	5	10	21	99 +		337	9.2	229	1	2	5	9	18	18

DRG 14: Specific Cerebrovascular Disorders except TIA

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14536	10.8	102	3	5	8	13	21	30
70-74	13378	11.2	118	3	5	8	13	22	33
75-79	15873	12.3	133	4	6	9	14	24	34
80-84	15238	12.6	138	4	6	9	14	25	36
85 +	15498	13.0	125	4	6	10	16	26	33
SUBTOTAL	**74523**	**12.0**	**125**	**4**	**5**	**9**	**14**	**24**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6621	7.8	62	3	4	6	9	13	16
70-74	6972	8.2	58	3	4	6	9	14	20
75-79	7481	7.7	33	3	4	6	9	14	16
80-84	5942	9.3	84	3	4	7	11	18	24
85 +	5673	8.1	35	3	4	7	10	14	17
SUBTOTAL	**32689**	**8.2**	**54**	**3**	**4**	**6**	**10**	**14**	**20**
GRAND TOTAL	**107211**	**10.9**	**106**	**3**	**5**	**8**	**13**	**21**	**30**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	118	15.0	124	3	6	14	14	37	37
18-34	208	8.2	45	2	5	6	8	22	26
35-49	1421	8.4	110	3	4	6	9	15	21
50-69	6243	10.2	102	3	4	7	12	21	30
70 +	446	10.1	84	5	6	7	9	21	21
	8436	**9.9**	**102**	**3**	**4**	**7**	**11**	**21**	**29**
0-17	187	6.1	61	1	2	3	8	11	31
18-34	336	4.7	18	1	2	3	7	11	13
35-49	1629	6.2	22	2	2	5	9	11	17
50-69	5812	6.5	21	2	3	6	8	12	17
70 +	435	8.0	16	3	4	8	10	15	16
	8398	**6.4**	**22**	**2**	**3**	**5**	**8**	**12**	**17**
	16834	**8.2**	**65**	**2**	**4**	**6**	**10**	**16**	**21**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	23.3	484						
18-34	43	11.3	45						
35-49	261	17.7	675	< 1	5	8	31	99 +	99 +
50-69	2126	13.6	268	3	5	9	15	31	72
70 +	471	14.6	146	3	5	13	28	99 +	99 +
SUBTOTAL	**2943**	**14.2**	**287**	**3**	**5**	**9**	**19**	**47**	**84**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	12.0	205						
18-34	104	9.0	58	1	1	9	13	25	25
35-49	282	12.4	72	3	4	10	20	23	26
50-69	792	8.1	45	2	4	6	10	16	22
70 +	175	9.3	16	6	6	8	10	17	17
SUBTOTAL	**1395**	**9.3**	**55**	**2**	**4**	**7**	**12**	**20**	**23**
GRAND TOTAL	**4338**	**12.6**	**218**	**3**	**5**	**8**	**16**	**31**	**73**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	13.8	147	2	3	11	19	36	36
18-34	107	6.3	28						
35-49	757	15.7	255	2	6	11	18	40	55
50-69	2124	13.2	181	4	5	9	19	30	46
70 +	161	12.1	73	5	7	8	23	99 +	99 +
	3235	**13.5**	**190**	**4**	**5**	**9**	**18**	**39**	**46**
0-17	29	5.5							
18-34	200	6.5	134	1	2	3	3	10	47
35-49	821	7.4	40	3	4	6	10	11	15
50-69	1951	8.4	92	2	3	5	8	20	25
70 +	46	6.1	2						
	3047	**7.9**	**79**	**2**	**3**	**6**	**9**	**16**	**24**
	6282	**10.8**	**144**	**2**	**4**	**7**	**13**	**24**	**40**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5891	5.3	30	2	3	4	6	9	12
70-74	6088	5.6	15	2	3	4	7	11	14
75-79	7785	5.1	10	2	3	4	6	8	11
80-84	6164	5.5	29	2	3	4	7	9	12
85 +	5768	5.7	19	2	3	5	7	10	14
SUBTOTAL	**31695**	**5.4**	**20**	**2**	**3**	**4**	**7**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4193	3.7	5	1	2	3	5	7	9
70-74	3638	3.6	6	1	2	3	4	6	7
75-79	5081	4.2	8	2	2	3	5	7	10
80-84	4210	4.0	9	2	2	3	5	7	9
85 +	3652	4.8	19	2	2	4	6	9	11
SUBTOTAL	**20774**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**52469**	**4.9**	**16**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	93	3.7	1						
35-49	665	4.9	31	1	2	3	5	9	20
50-69	2496	4.8	24	1	2	4	6	9	11
70 +	235	7.4	102	3	4	4	5	10	46
	3488	**5.0**	**31**	**1**	**2**	**4**	**6**	**9**	**12**
0-17	14	1.0							
18-34	89	4.1	5						
35-49	1031	3.5	5	1	2	3	5	7	8
50-69	4863	3.9	11	1	2	3	4	8	11
70 +	186	3.7	4	1	2	3	6	6	6
	6184	**3.9**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
	9672	**4.3**	**18**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	29	3.5							
35-49	186	5.4	10	2	3	5	8	10	10
50-69	827	4.0	6	1	2	4	4	8	9
70 +	381	4.9	4	3	4	5	6	8	99 +
SUBTOTAL	**1423**	**4.4**	**6**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	32	6.0							
35-49	104	3.4	3	2	2	2	6	6	6
50-69	389	3.5	5	1	2	3	5	7	8
70 +	139	6.9	12	3	4	5	11	12	12
SUBTOTAL	**664**	**4.3**	**8**	**2**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**2086**	**4.4**	**7**	**2**	**2**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	11.0							
35-49	61	5.7	13						
50-69	660	4.9	13	1	3	4	6	10	11
70 +	86	4.8	7	3	3	10	99 +	99 +	99 +
	822	**5.0**	**13**	**1**	**3**	**5**	**8**	**12**	**99 +**
0-17	0								
18-34	128	2.3	1						
35-49	557	3.1	6	1	1	2	4	6	10
50-69	914	4.1	16	1	2	3	5	7	8
70 +	86	4.3	19	1	2	3	3	14	14
	1685	**3.6**	**12**	**1**	**2**	**3**	**5**	**7**	**10**
	2507	**4.1**	**13**	**1**	**2**	**3**	**5**	**9**	**12**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	703	10.1	65	4	5	6	11	20	26
70-74	600	7.5	38	2	3	6	8	15	23
75-79	1014	8.0	43	3	4	6	10	16	17
80-84	1269	10.6	70	4	5	7	13	27	28
85 +	1016	9.6	149	3	4	5	10	20	24
SUBTOTAL	**4602**	**9.3**	**78**	**3**	**4**	**6**	**10**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4602**	**9.3**	**78**	**3**	**4**	**6**	**10**	**20**	**27**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	118	5.5	36	1	2	2	4	20	20
18-34	143	5.6	37	2	3	3	7	12	23
35-49	286	6.5	41	1	2	4	9	12	19
50-69	446	7.2	25	2	4	7	8	14	14
70 +	14	6.0							
	1008	**6.6**	**33**	**2**	**2**	**5**	**8**	**14**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1008	**6.6**	**33**	**2**	**2**	**5**	**8**	**14**	**20**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	115	7.4	96	2	2	2	4	31	31
18-34	14	3.0							
35-49	32	3.0							
50-69	46	4.1	2						
70 +	32	4.0							
SUBTOTAL	**240**	**5.4**	**50**	**2**	**2**	**3**	**5**	**14**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**240**	**5.4**	**50**	**2**	**2**	**3**	**5**	**14**	**31**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	8.5	6						
35-49	14	2.0							
50-69	43	4.7	3						
70 +	14	3.0							
	100	**5.1**	**8**	**2**	**3**	**4**	**7**	**11**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	100	**5.1**	**8**	**2**	**3**	**4**	**7**	**11**	**11**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	336	3.4	4	1	2	3	4	7	7
70-74	254	4.2	4	2	3	3	6	8	8
75-79	489	4.9	11	2	2	4	9	10	10
80-84	299	7.7	15	2	3	8	10	13	13
85 +	339	6.8	67	2	3	5	7	10	10
SUBTOTAL	1717	5.4	22	2	2	4	7	10	11
GRAND TOTAL	1717	5.4	22	2	2	4	7	10	11

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	412	3.9	12	1	1	3	5	10	11
18-34	61	5.4	24						
35-49	121	3.9	2	1	3	4	5	6	6
50-69	436	4.8	11	1	3	4	7	10	12
70 +	14	7.0							
	1044	4.4	11	1	2	3	6	10	12
	1044	4.4	11	1	2	3	6	10	12

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	158	3.3	5	< 1	1	3	5	7	8
18-34	0								
35-49	0								
50-69	78	7.3	3						
70 +	0								
SUBTOTAL	236	4.6	8	< 1	2	4	7	9	9
GRAND TOTAL	236	4.6	8	< 1	2	4	7	9	9

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	100	3.0	2	1	2	3	4	5	5
18-34	0								
35-49	32	1.0							
50-69	32	3.0							
70 +	0								
	164	2.6	2	1	1	3	4	4	5
	164	2.6	2	1	1	3	4	4	5

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2104	7.7	56	3	4	5	10	14	25
70-74	585	9.3	53	4	5	7	12	17	34
75-79	592	5.9	10	3	4	5	7	12	14
80-84	578	7.3	32	2	4	5	10	13	26
85 +	153	6.1	9	3	5	6	7	7	14
SUBTOTAL	**4012**	**7.6**	**44**	**3**	**4**	**5**	**9**	**14**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4012**	**7.6**	**44**	**3**	**4**	**5**	**9**	**14**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	13.7	93	2	9	11	16	33	33
18-34	251	6.3	99	1	1	4	7	11	45
35-49	707	6.9	22	2	3	6	11	14	14
50-69	974	7.8	34	3	4	6	11	19	23
70 +	29	37.0	1198						
	2046	**8.0**	**70**	**2**	**3**	**6**	**11**	**14**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2046	**8.0**	**70**	**2**	**3**	**6**	**11**	**14**	**23**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	57	19.0	613						
18-34	153	6.3	12	2	5	6	8	15	99 +
35-49	57	7.0	17						
50-69	150	5.9	8	4	5	5	8	8	12
70 +	14	5.0							
SUBTOTAL	**433**	**7.9**	**108**	**2**	**4**	**5**	**9**	**12**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**433**	**7.9**	**108**	**2**	**4**	**5**	**9**	**12**	**61**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	48.0							
18-34	72	10.6	123						
35-49	164	9.1	92	2	2	5	8	28	28
50-69	147	6.6	15	4	4	6	7	11	16
70 +	0								
	397	**9.8**	**122**	**2**	**4**	**6**	**9**	**28**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	397	**9.8**	**122**	**2**	**4**	**6**	**9**	**28**	**32**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1342	5.6	59	1	2	4	7	10	10
70-74	536	5.1	24	1	2	2	8	11	15
75-79	393	5.6	14	2	3	4	7	12	13
80-84	296	3.6	4	2	2	3	5	7	7
85 +	150	4.5	9	2	2	3	7	8	11
SUBTOTAL	**2717**	**5.2**	**37**	**2**	**2**	**4**	**7**	**10**	**12**
GRAND TOTAL	**2717**	**5.2**	**37**	**2**	**2**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	512	6.8	76	1	1	3	6	24	25
18-34	844	5.5	41	1	2	4	5	11	20
35-49	2273	3.9	12	1	2	3	5	8	10
50-69	2092	4.7	15	1	2	3	6	10	11
70 +	142	3.0	7						
	5863	**4.6**	**24**	**1**	**2**	**3**	**6**	**10**	**13**
	5863	**4.6**	**24**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	143	6.5	43	1	2	2	12	18	19
18-34	125	4.9	3						
35-49	246	5.1	13	1	2	3	8	9	14
50-69	200	4.2	4	1	4	4	4	6	9
70 +	32	2.0							
SUBTOTAL	**746**	**5.0**	**15**	**1**	**2**	**4**	**6**	**9**	**14**
GRAND TOTAL	**746**	**5.0**	**15**	**1**	**2**	**4**	**6**	**9**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	273	3.6	20	1	1	3	4	8	19
18-34	300	3.5	5	1	2	2	6	7	7
35-49	400	2.4	5	1	1	2	3	3	4
50-69	214	2.7	5	1	1	2	4	6	9
70 +	29	3.5							
	1216	**3.0**	**9**	**1**	**1**	**2**	**3**	**6**	**8**
	1216	**3.0**	**9**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 20: Nervous System Infection except Viral Meningitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	200	8.7	18	4	5	8	10	15	16	0-17	1418	10.8	22	4	9	11	12	15	22
70-74	314	13.2	194	3	4	8	16	49	49	18-34	147	7.8	19	2	5	9	11	13	14
75-79	232	18.2	155	4	6	16	26	44	44	35-49	118	12.6	66	2	7	12	22	22	22
80-84	93	12.0	26							50-69	182	11.1	129	2	4	5	30	30	31
85 +	142	9.3	41							70 +	32	19.0							
SUBTOTAL	**981**	**12.8**	**123**	**4**	**5**	**8**	**16**	**27**	**44**		**1898**	**10.8**	**36**	**4**	**7**	**10**	**13**	**20**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	229	6.6	15	2	2	6	9	12	15	0-17	3174	9.3	14	3	8	10	11	13	14
70-74	104	11.1	46	2	5	7	17	21	21	18-34	383	6.9	16	2	4	6	10	13	14
75-79	43	4.7	6							35-49	286	7.3	18	2	4	6	10	15	15
80-84	107	5.5	13							50-69	235	6.1	10	3	3	5	8	9	15
85 +	78	8.0	11							70 +	32	3.0							
SUBTOTAL	**561**	**7.3**	**23**	**2**	**4**	**6**	**10**	**15**	**17**		**4110**	**8.7**	**15**	**3**	**6**	**10**	**11**	**13**	**15**
GRAND TOTAL	**1542**	**10.8**	**94**	**3**	**5**	**8**	**13**	**21**	**30**		**6008**	**9.4**	**23**	**3**	**6**	**10**	**11**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	677	12.9	52	5	10	11	15	24	28	0-17	802	10.5	39	3	7	10	13	16	28
18-34	32	10.0								18-34	161	12.4	61	2	5	12	19	21	26
35-49	29	9.5								35-49	72	14.4	95						
50-69	14	21.0								50-69	107	6.0	19						
70 +	0									70 +	0								
SUBTOTAL	**752**	**12.8**	**49**	**5**	**10**	**11**	**15**	**22**	**28**		**1142**	**10.6**	**47**	**3**	**7**	**10**	**13**	**18**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1626	8.6	14	3	6	10	11	14	15	0-17	1307	9.8	17	4	7	10	13	15	16
18-34	14	18.0								18-34	110	4.7	5						
35-49	0									35-49	110	5.3	7						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1640**	**8.7**	**14**	**3**	**6**	**10**	**11**	**14**	**16**		**1528**	**9.2**	**18**	**4**	**5**	**10**	**13**	**15**	**16**
GRAND TOTAL	**2392**	**10.0**	**29**	**4**	**7**	**10**	**11**	**16**	**18**		**2670**	**9.8**	**31**	**3**	**6**	**10**	**13**	**16**	**18**

DRG 21: Viral Meningitis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	46	3.2	11						
70-74	32	8.0							
75-79	46	11.1	8						
80-84	14	13.0							
85 +	0								
SUBTOTAL	**139**	**8.0**	**20**	**1**	**7**	**8**	**13**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	136	6.8	15	3	4	6	9	16	16
70-74	0								
75-79	14	16.0							
80-84	14	7.0							
85 +	0								
SUBTOTAL	**164**	**7.6**	**19**	**4**	**4**	**6**	**9**	**16**	**16**
GRAND TOTAL	**304**	**7.8**	**19**	**1**	**4**	**8**	**9**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	516	5.2	12	2	3	5	7	10	11
18-34	297	4.7	12	3	3	4	5	6	6
35-49	107	5.3	2						
50-69	72	9.6	41						
70 +	0								
	991	**5.4**	**14**	**2**	**3**	**5**	**6**	**10**	**12**
0-17	5420	3.5	3	2	2	3	4	5	6
18-34	1558	3.3	2	1	2	3	4	5	6
35-49	521	4.6	5	2	3	5	7	7	8
50-69	168	5.6	8	3	3	5	6	11	12
70 +	0								
	7667	**3.6**	**3**	**2**	**2**	**3**	**4**	**5**	**7**
	8659	**3.8**	**5**	**2**	**3**	**3**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	516	5.6	18	2	3	4	7	11	17
18-34	43	5.3	3						
35-49	0								
50-69	0								
70 +	32	6.0							
SUBTOTAL	**591**	**5.6**	**16**	**2**	**3**	**4**	**7**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2048	4.1	5	2	3	4	5	7	9
18-34	182	4.9	3	2	4	5	7	7	7
35-49	29	7.0	9						
50-69	14	17.0							
70 +	0								
SUBTOTAL	**2273**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**2863**	**4.6**	**8**	**2**	**3**	**4**	**5**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	322	4.1	4	2	2	4	6	7	7
18-34	211	5.5	5	3	4	5	6	9	10
35-49	61	4.7	1						
50-69	0								
70 +	0								
	594	**4.7**	**4**	**2**	**4**	**4**	**6**	**9**	**9**
0-17	1644	3.9	5	2	3	3	5	6	10
18-34	507	3.8	3	2	2	3	5	6	7
35-49	189	5.5	8	2	3	4	7	9	11
50-69	32	2.0							
70 +	0								
	2371	**4.0**	**5**	**2**	**2**	**4**	**5**	**7**	**9**
	2965	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**9**

DRG 22: Hypertensive Encephalopathy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1276	6.1	19	2	3	5	8	12	14
70-74	1062	5.5	19	2	3	4	6	10	17
75-79	503	5.8	8	3	4	5	8	9	12
80-84	445	8.3	88	2	3	4	8	21	37
85 +	395	6.4	15	4	4	4	9	11	17
SUBTOTAL	**3680**	**6.2**	**26**	**2**	**3**	**4**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	706	4.7	22	1	2	3	4	9	13
70-74	477	4.1	7	2	2	3	4	7	12
75-79	285	4.1	7	2	3	3	5	11	11
80-84	349	4.0	12	1	2	3	4	12	12
85 +	125	4.3	5						
SUBTOTAL	**1942**	**4.3**	**13**	**1**	**2**	**3**	**4**	**9**	**12**
GRAND TOTAL	**5622**	**5.6**	**22**	**2**	**3**	**4**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	11.0							
18-34	64	3.5	2						
35-49	299	4.5	8	1	3	4	7	11	11
50-69	549	7.3	33	2	2	6	10	17	18
70 +	46	20.4	349						
	973	**6.9**	**49**	**2**	**3**	**5**	**9**	**14**	**18**
0-17	32	2.0							
18-34	224	2.6	1	1	2	3	3	4	4
35-49	727	3.1	2	1	2	3	4	5	6
50-69	869	3.5	2	2	2	3	4	6	6
70 +	32	4.0							
	1884	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	2858	**4.4**	**21**	**2**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	2.0							
18-34	142	4.0	3						
35-49	107	2.3	3						
50-69	200	6.8	205	1	2	3	4	4	58
70 +	14	6.0							
SUBTOTAL	**478**	**4.8**	**90**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	96	2.0	1						
35-49	160	3.6	2						
50-69	46	4.4	1						
70 +	0								
SUBTOTAL	**303**	**3.2**	**2**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**781**	**4.2**	**57**	**1**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	32	4.0							
35-49	121	4.2	4	2	2	4	5	8	8
50-69	200	4.8	14	2	3	4	6	7	17
70 +	78	3.2							
	432	**4.3**	**8**	**2**	**3**	**4**	**5**	**6**	**8**
0-17	0								
18-34	0								
35-49	32	2.0							
50-69	303	4.3	6	2	2	4	6	9	9
70 +	0								
	335	**4.1**	**6**	**2**	**2**	**3**	**6**	**7**	**9**
	767	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**9**

DRG 23: Nontraumatic Stupor & Coma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	282	7.0	34	2	4	5	9	22	22	0-17	107	6.2	122						
70-74	189	6.0	17	1	2	6	7	12	13	18-34	43	8.0	100						
75-79	207	8.2	38	3	4	6	8	22	22	35-49	14	3.0							
80-84	267	5.6	19	2	3	4	6	16	16	50-69	118	6.2	22	1	1	4	9	15	15
85 +	175	5.8	3	4	4	6	8	8	8	70 +	0								
SUBTOTAL	**1119**	**6.5**	**24**	**2**	**3**	**5**	**8**	**12**	**22**		**283**	**6.3**	**71**	**1**	**1**	**3**	**8**	**18**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	46	12.8	106							0-17	86	4.0	13	1	2	3	3	12	12
70-74	32	6.0								18-34	14	2.0							
75-79	160	4.4	20							35-49	43	1.7							
80-84	207	8.9	65	3	3	6	8	27	27	50-69	43	3.0	3						
85 +	46	3.0								70 +	32	4.0							
SUBTOTAL	**492**	**7.1**	**52**	**2**	**3**	**6**	**8**	**13**	**27**		**219**	**3.2**	**7**	**1**	**2**	**3**	**4**	**5**	**12**
GRAND TOTAL	**1610**	**6.7**	**33**	**2**	**3**	**5**	**8**	**13**	**22**		**501**	**5.0**	**45**	**1**	**1**	**3**	**5**	**12**	**22**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	8.5	44							0-17	0								
18-34	0									18-34	46	1.7							
35-49	0									35-49	64	1.5							
50-69	46	6.5	5							50-69	64	4.0	1						
70 +	0									70 +	43	1.7	1						
SUBTOTAL	**75**	**7.2**	**21**								**218**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	5.0	17							0-17	46	2.7							
18-34	0									18-34	128	3.0	2						
35-49	32	1.0								35-49	64	3.5							
50-69	32	2.0								50-69	32	2.0							
70 +	0									70 +	14	1.0							
SUBTOTAL	**93**	**2.6**	**8**								**285**	**2.8**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**168**	**4.7**	**19**	**1**	**1**	**2**	**8**	**9**	**15**		**503**	**2.6**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

DRG 24: Seizure & Headache Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7950	6.2	36	2	3	4	7	11	16
70-74	3065	5.6	19	2	3	4	7	11	14
75-79	3232	6.5	41	2	3	4	7	13	19
80-84	2973	6.9	39	2	3	5	8	13	19
85 +	1957	7.0	28	2	4	6	8	14	16
SUBTOTAL	**19177**	**6.3**	**34**	**2**	**3**	**5**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**19177**	**6.3**	**34**	**2**	**3**	**5**	**7**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2361	4.2	19	1	2	3	5	8	12
35-49	3882	4.6	35	1	2	3	6	9	13
50-69	3257	4.7	17	1	3	3	6	9	13
70 +	75	4.5	[illegible]						
	9575	**4.5**	**25**	**1**	**2**	**3**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9575	**4.5**	**25**	**1**	**2**	**3**	**6**	**9**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1681	4.6	13	1	2	4	6	9	12
35-49	1209	5.0	20	2	2	3	6	11	13
50-69	1669	5.8	31	1	2	4	7	13	13
70 +	207	6.4	16	2	4	5	7	15	15
SUBTOTAL	**4766**	**5.2**	**21**	**2**	**2**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4766**	**5.2**	**21**	**2**	**2**	**4**	**7**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1225	3.8	12	1	2	3	4	8	9
35-49	1542	4.1	12	1	2	3	5	8	11
50-69	1182	6.0	38	1	2	5	6	13	15
70 +	61	4.3	3						
	4009	**4.6**	**20**	**1**	**2**	**3**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4009	**4.6**	**20**	**1**	**2**	**3**	**6**	**9**	**13**

DRG 25: Seizure & Headache Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4565	4.3	25	1	2	3	5	7	11	0-17	0								
70-74	1644	4.1	7	2	2	4	5	8	9	18-34	10609	3.2	5	1	2	3	4	6	8
75-79	960	4.4	8	1	3	4	6	8	9	35-49	9737	3.3	6	1	2	3	4	6	8
80-84	984	4.8	17	1	2	4	6	9	13	50-69	4705	3.5	11	1	2	3	4	7	10
85 +	706	3.9	3	2	3	4	5	6	6	70 +	125	3.8	3						
SUBTOTAL	**8859**	**4.3**	**17**	**1**	**2**	**3**	**5**	**8**	**9**		**25176**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**8859**	**4.3**	**17**	**1**	**2**	**3**	**5**	**8**	**9**		**25176**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2722	4.1	9	1	2	3	5	8	9	18-34	3947	3.0	6	1	1	2	4	6	7
35-49	1334	4.0	8	1	2	3	6	8	9	35-49	1738	3.0	4	1	2	3	4	6	8
50-69	1134	4.2	8	1	2	3	6	8	10	50-69	740	3.2	13	1	1	2	3	6	9
70 +	96	3.0	2							70 +	32	7.0							
SUBTOTAL	**5286**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**9**		**6457**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**5286**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**9**		**6457**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 26: Seizure & Headache Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	57	8.5	7						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**57**	**8.5**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	61	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**61**	**1.5**							
GRAND TOTAL	**118**	**4.9**	**16**	**1**	**1**	**2**	**7**	**13**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3418	3.4	6	1	2	3	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3418	**3.4**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	18199	2.8	8	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	18199	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
	21617	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2138	4.9	19	2	2	4	6	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2138**	**4.9**	**19**	**2**	**2**	**4**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10837	3.4	12	1	2	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10837**	**3.4**	**12**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**12976**	**3.6**	**14**	**1**	**2**	**3**	**4**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1307	4.3	32	1	1	3	5	8	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1307	**4.3**	**32**	**1**	**1**	**3**	**5**	**8**	**15**
0-17	6629	2.5	4	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6629	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
	7936	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	93	9.1	72						
70-74	32	10.0							
75-79	61	5.4	4						
80-84	29	26.5	249						
85 +	14	14.0							
SUBTOTAL	**229**	**10.7**	**101**	**4**	**4**	**9**	**13**	**27**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	10.1	187						
70-74	14	13.0							
75-79	29	5.0	1						
80-84	32	2.0							
85 +	0								
SUBTOTAL	**164**	**7.9**	**114**	**2**	**3**	**4**	**6**	**13**	**41**
GRAND TOTAL	**393**	**9.5**	**108**	**3**	**4**	**5**	**11**	**27**	**41**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	118	19.1	254	1	1	13	33	45	45
18-34	176	9.8	28	3	6	11	16	16	17
35-49	211	17.6	184	3	6	11	34	37	37
50-69	29	4.5							
70 +	0								
	533	**14.7**	**159**	**2**	**5**	**11**	**19**	**37**	**37**
0-17	326	7.6	183	1	1	2	6	13	47
18-34	383	5.1	37	1	1	3	5	18	19
35-49	168	4.1	18	1	1	2	6	11	14
50-69	75	1.8	1						
70 +	0								
	952	**5.5**	**84**	**1**	**1**	**2**	**5**	**14**	**19**
	1485	**8.8**	**130**	**1**	**1**	**3**	**12**	**31**	**37**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	86	13.7	20	6	11	14	18	19	19
18-34	57	31.3	987						
35-49	14	8.0							
50-69	14	7.0							
70 +	0								
SUBTOTAL	**172**	**18.5**	**422**	**1**	**6**	**11**	**18**	**51**	**72**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	100	6.0	54	1	1	2	8	23	23
18-34	46	28.2	315						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**147**	**13.0**	**243**	**1**	**2**	**5**	**23**	**40**	**40**
GRAND TOTAL	**319**	**16.0**	**346**	**1**	**2**	**8**	**19**	**40**	**51**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	7.0	66						
18-34	318	15.6	309	1	2	11	22	32	35
35-49	86	16.5	226	< 1	1	12	34	38	38
50-69	93	18.2	413						
70 +	14	1.0							
	601	**14.5**	**284**	**1**	**2**	**5**	**22**	**37**	**46**
0-17	537	5.9	49	< 1	1	4	8	15	28
18-34	390	8.0	249	1	2	4	8	11	23
35-49	179	4.7	11	1	1	4	7	8	12
50-69	29	2.5							
70 +	0								
	1134	**6.3**	**112**	**1**	**1**	**4**	**8**	**11**	**24**
	1734	**9.2**	**187**	**1**	**2**	**4**	**9**	**25**	**35**

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	603	7.4	67	1	2	4	8	24	31
70-74	449	8.5	52	2	3	6	11	17	26
75-79	464	10.5	58	2	4	9	14	23	28
80-84	272	11.1	40	3	7	9	17	19	27
85 +	342	10.6	101	1	4	6	16	30	30
SUBTOTAL	**2130**	**9.3**	**66**	**2**	**3**	**7**	**13**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2130**	**9.3**	**66**	**2**	**3**	**7**	**13**	**22**	**28**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	390	3.9	31	1	1	1	4	9	14
35-49	375	10.4	237	1	1	6	11	25	38
50-69	385	5.9	21	1	1	6	9	11	15
70 +	32	1.0							
	1183	**6.5**	**100**	**1**	**1**	**4**	**8**	**14**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1183	**6.5**	**100**	**1**	**1**	**4**	**8**	**14**	**25**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	121	5.3	32	1	2	3	6	20	20
35-49	61	1.7	2						
50-69	61	4.4	11						
70 +	64	6.0	9						
SUBTOTAL	**307**	**4.5**	**19**	**1**	**2**	**3**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**307**	**4.5**	**19**	**1**	**2**	**3**	**6**	**9**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	569	6.2	23	1	2	5	9	12	14
35-49	393	2.6	4	1	1	2	3	6	7
50-69	261	7.9	125	1	2	4	9	19	50
70 +	32	24.0							
	1254	**5.9**	**50**	**1**	**2**	**4**	**8**	**11**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1254	**5.9**	**50**	**1**	**2**	**4**	**8**	**11**	**20**

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	200	2.4	6	< 1	1	1	2	6	9
70-74	157	5.5	28	1	2	2	7	15	15
75-79	417	4.9	25	1	1	4	6	9	20
80-84	139	3.0	1	2	3	3	3	4	5
85 +	293	4.4	18	1	1	2	8	13	13
SUBTOTAL	**1206**	**4.2**	**19**	**1**	**1**	**2**	**6**	**9**	**15**
GRAND TOTAL	**1206**	**4.2**	**19**	**1**	**1**	**2**	**6**	**9**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1927	3.0	9	1	1	2	4	7	8
35-49	899	2.9	7	1	1	2	4	6	8
50-69	514	3.1	4	1	2	3	3	5	10
70 +	61	2.2							
	3400	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**8**
	3400	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	121	2.3	3	1	1	1	2	6	6
35-49	57	7.8	44						
50-69	93	6.0	6						
70 +	0								
SUBTOTAL	**272**	**4.7**	**18**	**1**	**2**	**2**	**7**	**10**	**18**
GRAND TOTAL	**272**	**4.7**	**18**	**1**	**2**	**2**	**7**	**10**	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1560	3.0	12	1	1	2	3	8	10
35-49	439	3.3	13	< 1	1	2	4	9	13
50-69	250	2.2	1	1	1	2	3	4	4
70 +	43	2.7	1						
	2292	**3.0**	**11**	**1**	**1**	**2**	**3**	**8**	**10**
	2292	**3.0**	**11**	**1**	**1**	**2**	**3**	**8**	**10**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	35TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14	2.0								0-17	895	6.0	85	1	2	3	7	14	21
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**2.0**									**895**	**6.0**	**85**	**1**	**2**	**3**	**7**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	7709	2.3	16	1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**7709**	**2.3**	**16**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**14**	**2.0**									**8604**	**2.7**	**24**	**1**	**1**	**1**	**2**	**5**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	343	5.4	29	1	2	3	9	11	12	0-17	440	5.6	38	1	1	3	7	16	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**343**	**5.4**	**29**	**1**	**2**	**3**	**9**	**11**	**12**		**440**	**5.6**	**38**	**1**	**1**	**3**	**7**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2485	3.2	52	1	1	2	3	5	7	0-17	3550	2.4	7	<1	1	1	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2485**	**3.2**	**52**	**1**	**1**	**2**	**3**	**5**	**7**		**3550**	**2.4**	**7**	**<1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**2828**	**3.5**	**50**	**1**	**1**	**2**	**3**	**6**	**10**		**3990**	**2.7**	**11**	**1**	**1**	**1**	**3**	**5**	**7**

DRG 31: Concussion Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	328	3.7	8	1	2	3	4	10	10
70-74	320	4.1	10	1	2	3	4	9	13
75-79	235	7.5	12	2	3	8	10	13	13
80-84	253	8.0	14	2	6	7	10	11	18
85 +	239	5.8	7	2	4	6	9	10	10
SUBTOTAL	1375	5.6	13	2	3	4	9	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1375	5.6	13	2	3	4	9	10	13

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	802	3.8	57	1	1	2	3	6	24
35-49	438	3.1	16	1	1	2	3	9	16
50-69	186	2.8	2	2	2	2	4	5	5
70 +	32	6.0							
	1458	3.5	36	1	1	2	3	6	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1458	3.5	36	1	1	2	3	6	16

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	46	1.0							
35-49	96	4.0	18						
50-69	110	2.3	1						
70 +	32	1.0							
SUBTOTAL	285	2.5	8	1	1	1	2	10	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	285	2.5	8	1	1	1	2	10	10

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	525	4.0	12	1	1	4	5	10	12
35-49	139	2.8	4	< 1	2	3	3	6	8
50-69	189	3.7	5	1	2	3	6	7	7
70 +	32	2.0							
	885	3.7	9	1	2	3	4	8	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	885	3.7	9	1	2	3	4	8	12

DRG 32: Concussion Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	485	2.9	11	1	1	2	3	5	6
70-74	107	2.7							
75-79	221	3.9	18	1	2	2	4	14	14
80-84	218	4.4	8	2	2	4	6	9	9
85 +	139	7.3	14	3	4	8	10	13	15
SUBTOTAL	**1170**	**3.9**	**13**	**1**	**2**	**2**	**4**	**9**	**14**
GRAND TOTAL	**1170**	**3.9**	**13**	**1**	**2**	**2**	**4**	**9**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3828	1.9	2	1	1	1	2	3	4
35-49	1750	2.4	5	1	1	1	3	6	8
50-69	1230	2.3	3	1	1	2	3	5	7
70 +	32	1.0							
	6840	**2.1**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
	6840	**2.1**	**3**	**1**	**1**	**1**	**2**	**4**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	289	1.8	1	< 1	1	2	2	3	3
35-49	121	2.4	1	1	2	2	3	4	4
50-69	157	5.8	39	2	2	3	4	18	18
70 +	0								
SUBTOTAL	**568**	**3.0**	**14**	**1**	**1**	**2**	**3**	**4**	**18**
GRAND TOTAL	**568**	**3.0**	**14**	**1**	**1**	**2**	**3**	**4**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2583	2.1	6	1	1	1	2	3	4
35-49	645	2.1	1	1	1	2	3	4	4
50-69	186	2.5	3	< 1	1	1	5	5	5
70 +	14	3.0							
	3428	**2.1**	**5**	**1**	**1**	**1**	**3**	**3**	**5**
	3428	**2.1**	**5**	**1**	**1**	**1**	**3**	**3**	**5**

DRG 33: Concussion Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	564	2.7	6	1	1	2	3	5	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**564**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	6.0								0-17	9321	1.5	1	< 1	1	1	2	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**32**	**6.0**									**9321**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**32**	**6.0**									**9886**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	222	2.4	2	1	1	2	4	5	6	0-17	469	5.7	48	1	2	3	5	16	21
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**222**	**2.4**	**2**	**1**	**1**	**2**	**4**	**5**	**6**		**469**	**5.7**	**48**	**1**	**2**	**3**	**5**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2683	1.5	1	1	1	1	2	2	3	0-17	4124	1.6	1	1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2683**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**		**4124**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2905**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**4593**	**2.0**	**8**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 34: Other Disorders of Nervous System w/ CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1282	6.4	34	2	3	5	8	11	15	0-17	806	5.0	27	1	2	3	6	12	18
70-74	518	8.9	60	2	4	6	11	17	31	18-34	283	6.6	45	1	2	4	10	14	23
75-79	713	6.5	16	3	4	4	9	12	15	35-49	343	3.9	22	1	2	3	5	24	99 +
80-84	371	4.0	2	2	3	4	5	6	7	50-69	433	8.0	70	3	4	6	8	13	50
85 +	310	8.8	176	2	3	6	8	14	14	70 +	0								
SUBTOTAL	**3195**	**6.8**	**46**	**2**	**3**	**5**	**8**	**12**	**16**		**1865**	**5.7**	**41**	**1**	**2**	**4**	**8**	**12**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3195**	**6.8**	**46**	**2**	**3**	**5**	**8**	**12**	**16**		**1865**	**5.7**	**41**	**1**	**2**	**4**	**8**	**12**	**24**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	570	5.2	47	1	2	3	5	13	28	0-17	247	4.0	39	< 1	< 1	2	5	99 +	99 +
18-34	240	8.0	42	2	5	5	10	17	29	18-34	118	7.2	37	2	3	4	17	17	17
35-49	125	6.7	15							35-49	107	3.7	1						
50-69	150	13.1	90	4	4	10	24	24	30	50-69	104	6.4	26	1	1	7	8	17	17
70 +	0									70 +	29	2.0	1						
SUBTOTAL	**1084**	**7.1**	**55**	**2**	**3**	**4**	**9**	**17**	**29**		**605**	**4.9**	**30**	**< 1**	**2**	**3**	**6**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1084**	**7.1**	**55**	**2**	**3**	**4**	**9**	**17**	**29**		**605**	**4.9**	**30**	**< 1**	**2**	**3**	**6**	**17**	**22**

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	582	4.8	13	1	2	4	6	11	12
70-74	289	6.2	33	1	2	3	14	14	16
75-79	310	5.1	13	1	3	5	7	12	12
80-84	282	6.6	25	1	3	4	9	17	17
85 +	89	4.0	7						
SUBTOTAL	**1553**	**5.4**	**19**	**1**	**2**	**4**	**7**	**12**	**14**
GRAND TOTAL	**1553**	**5.4**	**19**	**1**	**2**	**4**	**7**	**12**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2175	4.5	32	1	1	2	4	11	18
18-34	601	5.0	66	1	1	2	3	20	27
35-49	633	4.1	16	1	2	3	5	8	10
50-69	785	3.1	4	1	2	3	4	5	9
70 +	0								
	4194	**4.2**	**29**	**1**	**1**	**2**	**4**	**9**	**17**
	4194	**4.2**	**29**	**1**	**1**	**2**	**4**	**9**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1483	4.1	22	1	1	2	4	9	15
18-34	161	3.0	3	1	2	2	4	5	6
35-49	153	3.6	5	1	2	3	5	5	9
50-69	57	3.5	3						
70 +	0								
SUBTOTAL	**1855**	**3.9**	**19**	**1**	**1**	**2**	**4**	**8**	**14**
GRAND TOTAL	**1855**	**3.9**	**19**	**1**	**1**	**2**	**4**	**8**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	627	6.8	155	1	1	2	4	25	27
18-34	168	3.4	4	2	2	2	6	6	7
35-49	139	3.1	1	1	2	3	4	5	5
50-69	93	3.9	3						
70 +	0								
	1027	**5.5**	**98**	**1**	**2**	**3**	**4**	**9**	**25**
	1027	**5.5**	**98**	**1**	**2**	**3**	**4**	**9**	**25**

DRG 36: Retinal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	637	2.6	2	1	2	3	3	4	6	0-17	29	2.5							
70-74	375	3.6	11	2	2	3	3	8	11	18-34	89	3.0	2						
75-79	161	2.9	5	1	2	2	3	5	9	35-49	115	3.4	7	1	1	2	3	9	9
80-84	72	3.8	3							50-69	230	3.5	3	1	2	3	4	5	8
85 +	75	3.0	1							70 +	0								
SUBTOTAL	**1320**	**3.0**	**5**	**1**	**2**	**3**	**3**	**5**	**7**		**462**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1031	3.1	4	1	2	3	4	5	7	0-17	330	1.9	1	1	1	2	2	3	3
70-74	523	2.5	1	2	2	2	3	3	4	18-34	552	2.3	2	1	2	2	3	4	7
75-79	434	3.1	4	1	2	3	3	4	9	35-49	631	2.9	3	1	2	2	3	5	5
80-84	158	2.4	1	1	2	3	3	3	3	50-69	1701	2.6	1	1	2	2	3	4	5
85 +	86	3.5	1	2	3	3	4	5	5	70 +	43	2.7							
SUBTOTAL	**2232**	**2.9**	**3**	**1**	**2**	**3**	**3**	**4**	**6**		**3257**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3552**	**3.0**	**4**	**1**	**2**	**3**	**3**	**4**	**6**		**3720**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	14	2.0							
18-34	0									18-34	14	2.0							
35-49	14	4.0								35-49	14	5.0							
50-69	61	8.5	14							50-69	14	2.0							
70 +	0									70 +	0								
SUBTOTAL	**75**	**7.6**	**15**								**57**	**2.8**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	158	3.3	8	1	1	3	4	5	11	0-17	72	1.8	1						
18-34	89	2.5								18-34	86	3.0	2	1	2	3	4	5	5
35-49	89	2.5	1							35-49	118	2.6	3	1	1	2	3	6	6
50-69	93	2.5								50-69	121	2.1	1	1	2	2	2	4	4
70 +	0									70 +	0								
SUBTOTAL	**429**	**2.8**	**3**	**1**	**2**	**3**	**3**	**4**	**5**		**397**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**505**	**3.5**	**8**	**1**	**2**	**3**	**4**	**5**	**12**		**455**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 37: Orbital Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	121	4.0	10	1	1	3	4	11	11		0-17	104	5.9	5	3	4	5	7	10	10	
70-74	75	5.5	13								18-34	72	3.8	5							
75-79	14	5.0									35-49	78	11.5	96							
80-84	46	5.8	3								50-69	46	4.4	1							
85 +	89	8.6	128								70 +	0									
SUBTOTAL	**347**	**5.8**	**43**	**1**	**3**	**4**	**7**	**11**	**12**			**300**	**6.6**	**37**	**2**	**3**	**5**	**7**	**23**	**23**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	29	5.0	17								0-17	505	2.4	6	1	1	1	3	6	9	
70-74	61	5.7	13								18-34	208	3.2	5	1	2	2	5	6	8	
75-79	43	3.0									35-49	340	2.0	1	1	1	2	3	3	4	
80-84	136	2.5	4	< 1	1	2	2	6	6		50-69	161	2.8	2	1	2	2	4	5	5	
85 +	89	3.2	4								70 +	0									
SUBTOTAL	**358**	**3.5**	**7**	**1**	**1**	**3**	**6**	**9**	**9**			**1214**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	
GRAND TOTAL	**704**	**4.6**	**26**	**1**	**2**	**3**	**7**	**9**	**11**			**1514**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	14	1.0									0-17	14	2.0								
18-34	0										18-34	72	3.8	3							
35-49	0										35-49	61	12.0	92							
50-69	0										50-69	46	15.3								
70 +	0										70 +	0									
SUBTOTAL	**14**	**1.0**										**193**	**9.0**	**56**	**2**	**2**	**6**	**15**	**21**	**21**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	147	4.3	15	1	1	4	5	11	11		0-17	247	3.2	11	1	1	2	3	10	13	
18-34	0										18-34	254	7.5	401	1	2	2	4	5	89	
35-49	29	3.5									35-49	93	5.7	15							
50-69	14	7.0									50-69	89	3.9	4							
70 +	0										70 +	14	2.0								
SUBTOTAL	**190**	**4.3**	**12**	**1**	**1**	**4**	**5**	**11**	**11**			**698**	**5.1**	**156**	**1**	**1**	**2**	**5**	**10**	**10**	
GRAND TOTAL	**204**	**4.1**	**12**	**1**	**1**	**4**	**5**	**11**	**11**			**891**	**6.0**	**136**	**1**	**2**	**3**	**6**	**15**	**21**	

DRG 38: Primary Iris Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14	4.0							
70-74	0								
75-79	29	3.5							
80-84	32	2.0							
85 +	0								
SUBTOTAL	75	3.0	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	14.8	257						
70-74	46	2.0							
75-79	32	1.0							
80-84	64	2.0	1						
85 +	0								
SUBTOTAL	221	6.4	130	1	1	2	3	34	34
GRAND TOTAL	296	5.5	100	1	1	2	3	34	34

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	14	2.0							
18-34	0								
35-49	14	1.0							
50-69	61	2.5	1						
70 +	0								
	89	2.2	1						
	89	2.2	1						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	15.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	14	15.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	1.0							
18-34	29	3.5	6						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	43	2.7	6						
GRAND TOTAL	57	5.8	33						

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	14	9.0							
35-49	0								
50-69	0								
70 +	0								
	14	9.0							
	14	9.0							

DRG 39: Lens Procedures with or without Vitrectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	326	3.1	15	< 1	1	2	3	7	14	0-17	29	1.5							
70-74	307	2.4	1	1	2	2	3	4	4	18-34	14	1.0							
75-79	208	5.2	53	< 1	< 1	2	3	22	22	35-49	14	1.0							
80-84	229	2.6	3	< 1	2	2	3	7	7	50-69	125	2.3	4						
85 +	296	3.4	6	2	2	2	3	9	9	70 +	0								
SUBTOTAL	**1365**	**3.2**	**14**	**< 1**	**1**	**2**	**3**	**7**	**9**		**182**	**2.0**	**3**	**< 1**	**1**	**2**	**2**	**2**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	802	1.2		< 1	< 1	< 1	< 1	2	3	0-17	391	1.5	1	1	1	1	1	3	5
70-74	946	1.2		< 1	< 1	< 1	1	2	2	18-34	29	3.0	1						
75-79	932	1.2		< 1	< 1	< 1	< 1	2	3	35-49	104	1.8	1	< 1	< 1	< 1	3	3	3
80-84	978	1.2		< 1	< 1	< 1	1	2	2	50-69	724	1.0		< 1	< 1	< 1	1	1	1
85 +	667	1.8	9	< 1	< 1	< 1	< 1	2	4	70 +	43	1.0							
SUBTOTAL	**4324**	**1.3**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**		**1290**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**5689**	**1.8**	**5**	**< 1**	**< 1**	**< 1**	**2**	**3**	**4**		**1472**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	100	1.6	1	1	1	1	2	4	4	0-17	29	2.0	1						
18-34	14	1.0								18-34	14	2.0							
35-49	14	1.0								35-49	0								
50-69	46	3.5	5							50-69	61	8.1	40						
70 +	0									70 +	0								
SUBTOTAL	**176**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**7**		**104**	**5.6**	**32**	**1**	**1**	**2**	**14**	**14**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	230	1.4		1	1	1	2	2	3	0-17	115	2.3	7	1	1	1	1	9	9
18-34	0									18-34	29	2.0							
35-49	14	2.0								35-49	14	2.0							
50-69	0									50-69	29	1.0							
70 +	0									70 +	0								
SUBTOTAL	**244**	**1.5**		**1**	**1**	**1**	**2**	**2**	**3**		**187**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**9**
GRAND TOTAL	**419**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**290**	**3.3**	**17**	**1**	**1**	**2**	**3**	**14**	**14**

DRG 40: Extraocular Procedures except Orbit Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	125	5.4	24							0-17	0								
70-74	139	5.9	35	< 1	1	4	6	16	16	18-34	43	1.3							
75-79	115	8.3	46	1	4	7	9	24	24	35-49	14	22.0							
80-84	157	4.5	14	1	1	3	10	10	10	50-69	14	7.0							
85 +	0									70 +	0								
SUBTOTAL	**536**	**5.9**	**30**	**1**	**1**	**4**	**10**	**13**	**16**		**72**	**6.6**	**65**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	246	2.0	3	< 1	1	1	2	5	7	0-17	0								
70-74	225	1.2		< 1	< 1	1	1	2	3	18-34	458	1.8	3	< 1	1	1	2	4	8
75-79	164	1.3	1	< 1	< 1	1	1	2	4	35-49	446	1.7	3	< 1	1	1	1	4	7
80-84	121	1.2		< 1	1	1	1	3	3	50-69	439	1.8	1	< 1	< 1	1	3	3	5
85 +	75	1.8	1							70 +	0								
SUBTOTAL	**833**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**		**1344**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1368**	**3.2**	**17**	**< 1**	**1**	**1**	**4**	**10**	**13**		**1415**	**2.0**	**7**	**< 1**	**1**	**1**	**2**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	75	7.3	61						
35-49	32	3.0								35-49	43	2.7	3						
50-69	0									50-69	57	2.5	1						
70 +	0									70 +	0								
SUBTOTAL	**32**	**3.0**									**176**	**4.6**	**33**	**< 1**	**1**	**2**	**4**	**12**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	14	1.0								18-34	251	1.6	1	< 1	1	1	2	3	4
35-49	93	2.3	1							35-49	61	1.0							
50-69	46	2.9	8							50-69	43	2.0	2						
70 +	0									70 +	0								
SUBTOTAL	**153**	**2.4**	**3**	**1**	**1**	**2**	**3**	**3**	**7**		**354**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**186**	**2.5**	**2**	**1**	**1**	**2**	**3**	**3**	**7**		**530**	**2.6**	**13**	**< 1**	**1**	**1**	**2**	**4**	**12**

DRG 41: Extraocular Procedures except Orbit Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	132	3.9	29	1	1	2	3	19	19
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										132	3.9	29	1	1	2	3	19	19
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1211	1.5	1	< 1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										1211	1.5	1	< 1	1	1	2	3	4
GRAND TOTAL	0										1343	1.7	4	< 1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	158	2.2	5	1	1	1	2	5	8	0-17	57	4.5	7						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	158	2.2	5	1	1	1	2	5	8		57	4.5	7						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	616	1.6	2	1	1	1	2	2	6	0-17	294	2.6	36	< 1	1	1	2	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	616	1.6	2	1	1	1	2	2	6		294	2.6	36	< 1	1	1	2	2	2
GRAND TOTAL	774	1.8	2	1	1	1	2	3	6		351	2.9	32	1	1	1	2	6	8

DRG 42: Intraocular Procedures except Retina, Iris & Lens

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	294	2.7	4	1	2	2	3	3	4	0-17	57	5.0	16						
70-74	265	3.7	6	1	2	3	4	8	9	18-34	100	5.0	45	1	1	3	4	21	21
75-79	272	3.4	4	1	2	3	5	6	6	35-49	104	3.8	5	2	2	3	7	7	7
80-84	240	6.2	27	2	3	4	8	16	17	50-69	100	2.1		1	2	2	3	3	3
85 +	29	12.5	94							70 +	14	2.0							
SUBTOTAL	**1098**	**4.1**	**15**	**1**	**2**	**3**	**5**	**8**	**16**		**376**	**3.8**	**17**	**1**	**2**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	362	2.6	2	1	2	3	3	4	5	0-17	859	2.7	3	1	1	2	3	5	7
70-74	397	2.2	3	1	1	2	3	5	5	18-34	444	3.1	6	1	2	3	4	5	9
75-79	322	2.2	2	1	1	2	3	4	4	35-49	429	2.5	1	1	2	3	3	4	4
80-84	297	2.3	3	1	1	2	3	7	7	50-69	669	2.2	1	1	1	2	3	3	4
85 +	219	3.4	8	1	1	2	5	8	11	70 +	0								
SUBTOTAL	**1597**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**		**2401**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**2696**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**		**2777**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	5.0	9							0-17	14	6.0							
18-34	29	1.5								18-34	46	5.8	3						
35-49	14	4.0								35-49	29	9.5	13						
50-69	46	2.3								50-69	46	3.9	2						
70 +	32	2.0								70 +	14	6.0							
SUBTOTAL	**150**	**2.8**	**3**	**2**	**2**	**2**	**3**	**4**	**8**		**150**	**6.0**	**8**	**3**	**3**	**6**	**7**	**7**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	548	2.5	3	1	1	2	4	6	6	0-17	265	4.7	8	1	3	4	6	11	11
18-34	43	2.0								18-34	307	3.1	2	1	2	4	4	5	5
35-49	32	6.0								35-49	93	6.4	11						
50-69	118	3.6	13	1	2	2	3	13	13	50-69	104	3.1	11	1	1	2	4	11	11
70 +	0									70 +	0								
SUBTOTAL	**741**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**6**		**768**	**4.1**	**8**	**1**	**2**	**4**	**5**	**11**	**11**
GRAND TOTAL	**891**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**6**		**919**	**4.4**	**8**	**1**	**2**	**4**	**5**	**10**	**11**

DRG 43: Hyphema

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	29	3.5	2						
70-74	46	4.3								18-34	0								
75-79	32	4.0								35-49	14	4.0							
80-84	0									50-69	14	5.0							
85 +	0									70 +	0								
SUBTOTAL	**78**	**4.2**									**57**	**4.0**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	14	6.0								0-17	604	4.3	2	3	3	4	5	6	7
70-74	0									18-34	214	3.1	3	< 1	1	4	5	5	5
75-79	0									35-49	150	3.1	3	1	2	3	5	5	5
80-84	0									50-69	14	4.0							
85 +	0									70 +	0								
SUBTOTAL	**14**	**6.0**									**983**	**3.8**	**3**	**1**	**3**	**4**	**5**	**5**	**6**
GRAND TOTAL	**93**	**4.5**	**1**								**1040**	**3.8**	**3**	**1**	**3**	**4**	**5**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	32	3.0								18-34	29	3.5							
35-49	0									35-49	46	1.9	2						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32**	**3.0**									**75**	**2.5**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	229	4.0	3	2	3	4	5	7	8	0-17	158	4.7	4	2	3	5	7	7	7
18-34	0									18-34	125	3.6	3						
35-49	0									35-49	46	2.6	1						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**229**	**4.0**	**3**	**2**	**3**	**4**	**5**	**7**	**8**		**329**	**4.0**	**4**	**2**	**2**	**4**	**6**	**7**	**7**
GRAND TOTAL	**261**	**3.9**	**3**	**2**	**3**	**4**	**5**	**7**	**8**		**404**	**3.7**	**4**	**1**	**2**	**4**	**5**	**7**	**7**

DRG 44: Acute Major Eye Infections

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	93	8.6	32						
70-74	14	4.0							
75-79	46	8.9	56						
80-84	0								
85 +	78	7.4	8						
SUBTOTAL	**232**	**8.0**	**28**	**3**	**4**	**5**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	4.6	4						
70-74	0								
75-79	61	3.5	2						
80-84	142	5.8	5						
85 +	64	5.5	2						
SUBTOTAL	**357**	**5.0**	**5**	**3**	**3**	**4**	**7**	**7**	**9**
GRAND TOTAL	**589**	**6.2**	**16**	**3**	**4**	**4**	**7**	**10**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	386	4.3	3	2	3	4	5	7	7
18-34	0								
35-49	61	2.5	1						
50-69	14	7.0							
70 +	0								
	461	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**7**
0-17	3506	3.5	4	2	2	3	4	6	8
18-34	168	4.4	4	3	3	4	7	7	7
35-49	46	4.1	2						
50-69	61	4.2	3						
70 +	0								
	3781	**3.6**	**4**	**2**	**2**	**3**	**4**	**7**	**8**
	4242	**3.6**	**4**	**2**	**2**	**3**	**4**	**7**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	187	5.8	10	3	3	5	7	8	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**187**	**5.8**	**10**	**3**	**3**	**5**	**7**	**8**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1428	4.3	6	2	3	4	5	7	9
18-34	75	3.1	4						
35-49	43	4.3	2						
50-69	32	7.0							
70 +	29	4.5	2						
SUBTOTAL	**1607**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**1794**	**4.4**	**6**	**2**	**3**	**4**	**6**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	182	3.8	1	2	3	4	5	5	6
18-34	46	3.0							
35-49	0								
50-69	0								
70 +	0								
	229	**3.6**	**1**	**2**	**3**	**3**	**4**	**5**	**6**
0-17	1324	4.4	7	2	3	4	5	7	10
18-34	121	4.1	1	3	3	4	5	6	6
35-49	46	4.0							
50-69	29	6.0							
70 +	0								
	1520	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**10**
	1749	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

DRG 45: Neurological Eye Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	204	3.7	2	2	2	4	5	5	6	0-17	14	1.0							
70-74	100	6.3	41	1	2	4	8	21	21	18-34	29	2.5							
75-79	211	4.6	10	1	2	5	7	8	13	35-49	57	4.8	4						
80-84	0									50-69	197	4.0	10	1	1	3	4	10	10
85 +	14	5.0								70 +	0								
SUBTOTAL	**530**	**4.6**	**13**	**1**	**2**	**4**	**5**	**8**	**13**		**297**	**3.8**	**8**	**1**	**1**	**3**	**6**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	168	4.3	5	2	2	4	6	8	8	0-17	129	3.8	3	2	2	4	5	7	7
70-74	86	2.8	2	2	2	2	3	6	6	18-34	129	4.1	4	1	3	4	6	7	7
75-79	57	2.3								35-49	132	2.6	2	1	1	2	4	5	5
80-84	43	2.7	1							50-69	343	2.8	5	1	1	2	3	5	5
85 +	0									70 +	0								
SUBTOTAL	**354**	**3.4**	**4**	**2**	**2**	**2**	**4**	**6**	**8**		**734**	**3.2**	**4**	**1**	**2**	**3**	**5**	**5**	**7**
GRAND TOTAL	**884**	**4.1**	**10**	**2**	**2**	**3**	**5**	**7**	**8**		**1031**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	14	2.0								18-34	0								
35-49	14	2.0								35-49	0								
50-69	46	6.8	18							50-69	93	2.7	3						
70 +	0									70 +	0								
SUBTOTAL	**75**	**5.0**	**16**								**93**	**2.7**	**3**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	43	3.0	1							0-17	89	2.2							
18-34	14	2.0								18-34	29	2.5							
35-49	0									35-49	14	3.0							
50-69	0									50-69	125	1.3	1						
70 +	0									70 +	0								
SUBTOTAL	**57**	**2.8**	**1**								**257**	**1.8**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**132**	**4.0**	**11**	**2**	**2**	**3**	**4**	**13**	**13**		**350**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	374	3.9	6	2	2	4	6	10	99 +	0-17	0								
70-74	246	4.7	3	2	4	5	6	7	7	18-34	153	3.6	13	1	1	1	4	7	13
75-79	296	5.2	14	1	1	6	7	9	9	35-49	89	5.0	3						
80-84	175	4.5	11	1	2	3	8	8	12	50-69	107	1.9	1						
85 +	168	6.9	8	4	5	6	10	10	10	70 +	0								
SUBTOTAL	**1259**	**4.8**	**9**	**2**	**2**	**5**	**7**	**10**	**10**		**350**	**3.4**	**8**	**1**	**1**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1259**	**4.8**	**9**	**2**	**2**	**5**	**7**	**10**	**10**		**350**	**3.4**	**8**	**1**	**1**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	64	3.0	1							18-34	136	3.9	5	1	2	3	6	8	8
35-49	46	3.3								35-49	29	12.0	4						
50-69	61	3.9	1							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**171**	**3.4**	**1**	**2**	**3**	**3**	**4**	**5**	**5**		**164**	**5.3**	**14**	**2**	**2**	**4**	**8**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**171**	**3.4**	**1**	**2**	**3**	**3**	**4**	**5**	**5**		**164**	**5.3**	**14**	**2**	**2**	**4**	**8**	**10**	**14**

DRG 47: Other Disorders of the Eye Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	186	4.7	18	2	2	2	9	10	14
70-74	264	6.0	12	2	4	5	7	13	13
75-79	107	5.9	14						
80-84	93	3.2	4						
85+	32	2.0							
SUBTOTAL	**681**	**5.1**	**14**	**1**	**2**	**5**	**7**	**11**	**13**
GRAND TOTAL	**681**	**5.1**	**14**	**1**	**2**	**5**	**7**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	336	3.7	17	1	2	2	3	7	16
35-49	164	3.0	2	1	2	3	5	5	6
50-69	254	2.8	3	1	1	3	4	5	7
70+	0								
	754	**3.3**	**9**	**1**	**2**	**3**	**3**	**5**	**7**
	754	**3.3**	**9**	**1**	**2**	**3**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	75	7.8	14						
35-49	14	1.0							
50-69	14	1.0							
70+	0								
SUBTOTAL	**104**	**5.9**	**20**	**<1**	**1**	**5**	**12**	**12**	**12**
GRAND TOTAL	**104**	**5.9**	**20**	**<1**	**1**	**5**	**12**	**12**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	132	3.7	5	2	2	2	5	8	8
35-49	186	2.9	2	1	2	3	3	6	6
50-69	29	1.0							
70+	0								
	347	**3.1**	**4**	**1**	**2**	**2**	**5**	**6**	**6**
	347	**3.1**	**4**	**1**	**2**	**2**	**5**	**6**	**6**

DRG 48: Other Disorders of the Eye Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	289	5.7	8	2	2	6	8	10	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**289**	**5.7**	**8**	**2**	**2**	**6**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1070	3.2	5	1	2	2	5	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1070**	**3.2**	**5**	**1**	**2**	**2**	**5**	**6**	**7**
GRAND TOTAL	**0**										**1359**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	179	4.9	5	3	3	5	7	8	8	0-17	93	2.0	1						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**179**	**4.9**	**5**	**3**	**3**	**5**	**7**	**8**	**8**		**93**	**2.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	849	3.4	7	1	2	3	4	5	7	0-17	680	3.4	6	1	2	3	4	7	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**849**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**		**680**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1028**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**		**773**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**9**

DRG 49: Major Head & Neck Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	422	15.7	89	4	9	14	24	26	39	0-17	29	2.5							
70-74	401	13.3	59	7	8	10	16	29	29	18-34	0								
75-79	164	20.6	450	5	8	8	62	62	99 +	35-49	100	13.3	31	2	9	16	18	18	18
80-84	125	8.7	19							50-69	251	15.7	209	7	9	11	17	29	70
85 +	0									70 +	0								
SUBTOTAL	**1112**	**14.8**	**134**	**5**	**8**	**10**	**18**	**29**	**39**		**380**	**14.1**	**158**	**3**	**8**	**11**	**17**	**18**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	161	7.0	24	2	2	5	12	13	17	0-17	158	6.5	67	3	3	4	5	7	32
70-74	118	14.7	38	9	12	14	14	30	30	18-34	100	4.3	33	< 1	1	2	4	18	18
75-79	61	7.9	11							35-49	168	12.7	275	1	2	4	11	46	46
80-84	121	7.9	19	3	5	6	14	14	14	50-69	354	7.6	36	1	2	8	10	17	22
85 +	14	2.0								70 +	0								
SUBTOTAL	**476**	**9.1**	**35**	**2**	**4**	**9**	**13**	**14**	**17**		**780**	**8.0**	**100**	**1**	**2**	**4**	**10**	**18**	**32**
GRAND TOTAL	**1588**	**13.1**	**111**	**4**	**6**	**10**	**16**	**25**	**38**		**1160**	**10.0**	**127**	**1**	**3**	**8**	**11**	**18**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	14	14.0								35-49	29	12.0	125						
50-69	118	20.3	112	10	15	15	19	46	46	50-69	86	16.2	50	5	11	20	24	24	24
70 +	0									70 +	0								
SUBTOTAL	**132**	**19.7**	**104**	**10**	**15**	**15**	**19**	**46**	**46**		**115**	**15.1**	**71**	**1**	**9**	**20**	**24**	**24**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	86	8.5	43	3	4	4	15	20	20	0-17	29	3.0	1						
18-34	14	4.0								18-34	0								
35-49	29	10.0								35-49	61	6.9	5						
50-69	46	8.2	3							50-69	86	10.0	21	3	7	9	15	16	16
70 +	0									70 +	0								
SUBTOTAL	**176**	**8.3**	**24**	**4**	**4**	**7**	**10**	**15**	**20**		**176**	**7.8**	**18**	**3**	**5**	**7**	**10**	**15**	**16**
GRAND TOTAL	**308**	**13.2**	**90**	**4**	**7**	**11**	**15**	**20**	**27**		**290**	**10.7**	**52**	**3**	**5**	**8**	**15**	**24**	**24**

DRG 50: Sialoadenectomy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	168	4.1	18	1	1	2	7	7	16	0-17	14	2.0							
70-74	46	3.5	14							18-34	14	1.0							
75-79	14	2.0								35-49	46	3.7							
80-84	32	2.0								50-69	182	3.9	6	2	2	3	6	6	10
85 +	29	7.0	26							70 +	0								
SUBTOTAL	**289**	**3.9**	**17**	**1**	**1**	**2**	**7**	**9**	**13**		**257**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	450	2.6	1	2	2	3	3	3	4	0-17	161	2.7	7	1	1	2	2	4	11
70-74	136	3.6	5	1	2	3	6	7	7	18-34	386	2.0	2	1	1	2	2	4	6
75-79	200	2.6	3	1	1	3	3	6	6	35-49	764	2.4	3	1	1	2	3	4	7
80-84	139	1.9	1	1	1	2	2	3	3	50-69	1035	1.9	1	1	1	2	3	3	4
85 +	0									70 +	0								
SUBTOTAL	**925**	**2.6**	**2**	**1**	**2**	**3**	**3**	**4**	**6**		**2346**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1215**	**2.9**	**6**	**1**	**2**	**2**	**3**	**6**	**7**		**2604**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	32	2.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**32**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	89	3.4	3							0-17	14	1.0							
18-34	72	1.8	1							18-34	125	1.6							
35-49	14	2.0								35-49	93	2.5	2						
50-69	75	3.0	1							50-69	107	2.6	1						
70 +	0									70 +	0								
SUBTOTAL	**251**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**6**		**339**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**251**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**6**		**371**	**2.1**	**1**	**1**	**1**	**2**	**2**	**4**	**4**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	29	3.0	1						
70-74	0								
75-79	14	3.0							
80-84	0								
85 +	32	3.0							
SUBTOTAL	**75**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	64	2.0	1						
70-74	61	1.9	1						
75-79	46	3.7							
80-84	0								
85 +	0								
SUBTOTAL	**171**	**2.4**	**2**	**1**	**1**	**3**	**4**	**4**	**4**
GRAND TOTAL	**246**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	78	3.3	3						
70 +	0								
SUBTOTAL	**78**	**3.3**	**3**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	1.0							
18-34	46	2.0							
35-49	107	2.2	4						
50-69	104	1.3		< 1	< 1	1	1	3	3
70 +	0								
SUBTOTAL	**272**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**350**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**7**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**29**	**1.0**							
GRAND TOTAL	**29**	**1.0**							

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	1.0							
18-34	32	2.0							
35-49	32	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**93**	**1.7**							
GRAND TOTAL	**93**	**1.7**							

DRG 52: Cleft Lip & Palate Repair

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	158	4.7	15	2	2	4	5	7	16
70-74	0									18-34	32	1.0							
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**190**	**4.1**	**14**	**1**	**2**	**3**	**4**	**7**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	46	1.0								0-17	4217	2.4	1	1	2	2	3	4	5
70-74	0									18-34	61	2.3	1						
75-79	0									35-49	14	3.0							
80-84	0									50-69	61	2.1	1						
85 +	0									70 +	0								
SUBTOTAL	**46**	**1.0**									**4353**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**46**	**1.0**									**4543**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	86	3.3	2	1	2	4	5	5	5	0-17	29	4.5	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	14	6.0							
70 +	0									70 +	0								
SUBTOTAL	**86**	**3.3**	**2**	**1**	**2**	**4**	**5**	**5**	**5**		**43**	**5.0**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1696	2.9	3	1	2	3	3	5	6	0-17	961	2.6	2	1	2	2	3	5	5
18-34	14	4.0								18-34	14	1.0							
35-49	0									35-49	14	2.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1711**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**990**	**2.5**	**2**	**1**	**2**	**2**	**3**	**5**	**5**
GRAND TOTAL	**1797**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**1033**	**2.6**	**2**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 53: Sinus & Mastoid Procedures Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	382	3.4	11	1	1	2	4	9	10	0-17	0								
70-74	171	6.2	31	2	2	2	11	16	16	18-34	161	3.4	7	1	1	2	6	8	8
75-79	14	1.0								35-49	157	8.0	12	4	6	7	10	10	17
80-84	14	4.0								50-69	100	3.6	8	1	2	3	4	10	10
85 +	0									70 +	0								
SUBTOTAL	**582**	**4.2**	**18**	**1**	**1**	**2**	**5**	**11**	**16**		**418**	**5.2**	**14**	**1**	**2**	**4**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	778	2.4	6	1	1	2	3	4	9	0-17	0								
70-74	432	1.8	4	1	1	1	2	2	7	18-34	1916	2.0	4	1	1	1	2	4	6
75-79	289	2.3	8	1	1	1	2	10	10	35-49	2628	2.0	4	1	1	1	2	4	6
80-84	0									50-69	2329	1.9	2	1	1	1	2	4	5
85 +	0									70 +	0								
SUBTOTAL	**1500**	**2.2**	**6**	**1**	**1**	**1**	**2**	**4**	**9**		**6873**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**2082**	**2.8**	**10**	**1**	**1**	**2**	**3**	**7**	**10**		**7291**	**2.1**	**4**	**1**	**1**	**1**	**2**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	14	1.0								18-34	43	6.7	37						
35-49	29	3.0								35-49	61	3.1	15						
50-69	0									50-69	46	1.3							
70 +	0									70 +	0								
SUBTOTAL	**43**	**2.3**	**1**								**150**	**3.6**	**21**	**1**	**1**	**1**	**4**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	153	1.4		1	1	1	2	2	3	18-34	607	3.7	24	1	1	2	6	9	9
35-49	46	1.3								35-49	282	1.7	8	1	1	1	1	2	7
50-69	136	1.7	1	1	1	1	2	3	3	50-69	164	3.1	13	1	1	2	4	5	14
70 +	0									70 +	0								
SUBTOTAL	**336**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**1053**	**3.1**	**19**	**1**	**1**	**1**	**2**	**7**	**9**
GRAND TOTAL	**379**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**1204**	**3.1**	**19**	**1**	**1**	**1**	**2**	**9**	**10**

DRG 54: Sinus & Mastoid Procedures Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	265	4.9	18	1	1	3	8	12	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**265**	**4.9**	**18**	**1**	**1**	**3**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	61	1.5								0-17	2037	2.0	5	1	1	1	2	4	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**61**	**1.5**									**2037**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**8**
GRAND TOTAL	**61**	**1.5**									**2302**	**2.3**	**7**	**1**	**1**	**1**	**2**	**5**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	3.0								0-17	14	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**14**	**3.0**									**14**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	434	2.8	12	1	1	1	2	8	12	0-17	383	2.1	5	1	1	1	2	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**434**	**2.8**	**12**	**1**	**1**	**1**	**2**	**8**	**12**		**383**	**2.1**	**5**	**1**	**1**	**1**	**2**	**6**	**8**
GRAND TOTAL	**448**	**2.8**	**12**	**1**	**1**	**1**	**2**	**8**	**12**		**397**	**2.1**	**5**	**1**	**1**	**1**	**2**	**6**	**8**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	304	3.2	17	< 1	1	1	4	6	15	0-17	287	2.6	7	1	1	1	4	5	8
70-74	46	5.4	26							18-34	254	6.5	43	1	2	4	8	17	26
75-79	29	4.5	6							35-49	107	5.5	20						
80-84	64	2.5	2							50-69	176	2.7	11	1	1	1	2	8	12
85 +	14	14.0								70 +	0								
SUBTOTAL	**457**	**3.7**	**19**	**1**	**1**	**2**	**4**	**13**	**15**		**823**	**4.2**	**24**	**1**	**1**	**2**	**5**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	898	1.6	1	1	1	1	2	3	4	0-17	3761	1.8	5	1	1	1	2	4	5
70-74	286	1.5		1	1	2	2	2	2	18-34	2745	1.6	2	1	1	1	1	3	4
75-79	168	1.4		1	1	1	2	2	2	35-49	2138	1.6	3	1	1	1	2	3	4
80-84	14	1.0								50-69	1880	2.0	4	1	1	1	2	4	5
85 +	46	9.2	87							70 +	0								
SUBTOTAL	**1412**	**1.8**	**5**	**1**	**1**	**1**	**2**	**3**	**4**		**10523**	**1.7**	**4**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1869**	**2.3**	**9**	**1**	**1**	**1**	**2**	**4**	**6**		**11347**	**1.9**	**6**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	201	8.6	112	1	2	2	8	23	38	0-17	118	5.7	30	1	2	3	7	17	17
18-34	14	3.0								18-34	107	5.5	30						
35-49	0									35-49	29	13.5	137						
50-69	29	2.5	2							50-69	29	1.5							
70 +	0									70 +	0								
SUBTOTAL	**244**	**7.6**	**97**	**1**	**2**	**3**	**7**	**23**	**38**		**283**	**6.0**	**45**	**1**	**2**	**3**	**6**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1062	1.9	3	1	1	1	2	4	6	0-17	1240	1.7	2	1	1	1	2	3	5
18-34	208	1.3		1	1	1	2	2	2	18-34	403	2.3	3	1	1	2	3	5	6
35-49	107	2.0	3							35-49	368	4.4	148	1	1	1	3	4	10
50-69	46	1.0								50-69	147	2.4	8	1	1	2	2	2	11
70 +	0									70 +	0								
SUBTOTAL	**1423**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**5**		**2157**	**2.3**	**28**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1667**	**2.6**	**20**	**1**	**1**	**1**	**2**	**6**	**8**		**2440**	**2.7**	**32**	**1**	**1**	**1**	**3**	**5**	**7**

DRG 56: Rhinoplasty

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	110	2.0	1						
70-74	14	5.0								18-34	78	5.5	30						
75-79	14	1.0								35-49	43	3.7	4						
80-84	0									50-69	14	1.0							
85 +	0									70 +	0								
SUBTOTAL	**29**	**3.0**	**4**								**246**	**3.3**	**13**	**1**	**1**	**2**	**4**	**12**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	153	1.4	1	1	1	1	1	2	4	0-17	408	1.2		1	1	1	1	2	2
70-74	46	1.0								18-34	1633	1.2		< 1	1	1	1	2	2
75-79	0									35-49	1000	1.2		1	1	1	1	2	3
80-84	14	1.0								50-69	400	1.3	1	1	1	1	1	2	4
85 +	0									70 +	0								
SUBTOTAL	**214**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**4**		**3442**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**243**	**1.5**	**1**	**1**	**1**	**1**	**1**	**4**	**5**		**3688**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	14	2.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	14	6.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**29**	**4.0**	**4**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	158	3.7	39	1	1	1	3	5	23	0-17	57	1.3							
18-34	64	1.0								18-34	307	1.1		1	1	1	1	1	1
35-49	32	1.0								35-49	107	1.7	1						
50-69	14	2.0								50-69	78	1.4	1						
70 +	0									70 +	0								
SUBTOTAL	**268**	**2.7**	**24**	**1**	**1**	**1**	**2**	**5**	**23**		**550**	**1.3**	**1**	**1**	**1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**268**	**2.7**	**24**	**1**	**1**	**1**	**2**	**5**	**23**		**579**	**1.4**	**1**	**1**	**1**	**1**	**1**	**3**	**3**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	75	6.0	12							0-17	0								
70-74	14	9.0								18-34	214	4.4	9	1	2	3	7	10	10
75-79	0									35-49	46	2.2	3						
80-84	0									50-69	29	3.0	1						
85 +	29	7.5	21							70 +	0								
SUBTOTAL	**118**	**6.7**	**14**	**3**	**4**	**5**	**9**	**13**	**13**		**289**	**3.9**	**8**	**1**	**2**	**3**	**5**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	72	4.6	8							0-17	0								
70-74	46	3.4	1							18-34	1125	2.1	2	1	1	2	3	3	5
75-79	0									35-49	465	2.1	2	1	1	2	2	4	6
80-84	0									50-69	89	2.5	3						
85 +	0									70 +	0								
SUBTOTAL	**118**	**4.1**	**5**	**1**	**2**	**4**	**5**	**8**	**8**		**1679**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**236**	**5.4**	**11**	**2**	**3**	**4**	**7**	**12**	**13**		**1969**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	110	5.3	2							18-34	107	3.0	1						
35-49	32	1.0								35-49	14	2.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**142**	**4.3**	**5**								**121**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	164	2.7	3	1	1	3	3	4	7	18-34	393	2.2	1	1	2	2	3	3	3
35-49	43	1.7								35-49	104	2.1	2	1	1	2	3	5	5
50-69	0									50-69	29	1.5							
70 +	0									70 +	0								
SUBTOTAL	**208**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**7**		**526**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**
GRAND TOTAL	**350**	**3.2**	**4**	**1**	**1**	**3**	**4**	**7**	**7**		**647**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**57**	**1.0**							
GRAND TOTAL	**57**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	744	3.2	11	1	1	2	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	744	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**9**
0-17	9774	1.3	2	1	1	1	1	2	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9774	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**4**
	10518	**1.5**	**3**	**1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	225	4.3	5	1	2	5	6	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**225**	**4.3**	**5**	**1**	**2**	**5**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2192	1.3	1	1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2192**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**2417**	**1.6**	**2**	**1**	**1**	**1**	**1**	**2**	**5**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	132	3.7	18	1	1	1	4	14	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	132	**3.7**	**18**	**1**	**1**	**1**	**4**	**14**	**14**
0-17	2417	1.8	10	1	1	1	1	2	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2417	**1.8**	**10**	**1**	**1**	**1**	**1**	**2**	**5**
	2550	**1.9**	**11**	**1**	**1**	**1**	**2**	**3**	**7**

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	32	3.0								0-17	0								
70-74	0									18-34	428	2.5	4	1	1	2	3	6	7
75-79	0									35-49	104	2.1	3	1	1	2	2	6	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	32	3.0									532	2.4	4	1	1	2	3	6	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	93	1.5								0-17	0								
70-74	0									18-34	5051	1.2		1	1	1	1	2	2
75-79	0									35-49	921	1.4	1	1	1	1	1	2	5
80-84	0									50-69	57	1.5							
85 +	0									70 +	32	2.0							
SUBTOTAL	93	1.5									6061	1.2		1	1	1	1	2	2
GRAND TOTAL	125	1.9	1								6593	1.3	1	1	1	1	1	2	3

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	46	1.7								18-34	32	2.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	46	1.7									32	2.0							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	219	1.2		1	1	1	1	2	2	18-34	617	1.1		1	1	1	1	1	2
35-49	46	3.1	2							35-49	14	2.0							
50-69	14	2.0								50-69	32	1.0							
70 +	0									70 +	0								
SUBTOTAL	279	1.5	1	1	1	1	2	4	4		664	1.1		1	1	1	1	1	2
GRAND TOTAL	326	1.6	1	1	1	1	2	2	4		696	1.2		1	1	1	1	2	2

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	1005	1.9	2	1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										1005	1.9	2	1	1	1	2	4	5
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	86	1.0		1	1	1	1	1	1	0-17	27044	1.1		1	1	1	1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	86	1.0		1	1	1	1	1	1		27044	1.1		1	1	1	1	1	2
GRAND TOTAL	86	1.0		1	1	1	1	1	1		28048	1.2	1	1	1	1	1	1	2

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	204	5.0	42	1	1	4	5	9	27	0-17	187	5.1	61	1	1	2	4	17	28
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	204	5.0	42	1	1	4	5	9	27		187	5.1	61	1	1	2	4	17	28
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5364	1.2		1	1	1	1	2	2	0-17	5637	1.1		1	1	1	1	1	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	5364	1.2		1	1	1	1	2	2		5637	1.1		1	1	1	1	1	2
GRAND TOTAL	5568	1.3	2	1	1	1	1	2	3		5823	1.2	3	1	1	1	1	1	2

DRG 61: Myringotomy w/ Tube Insertion Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29	7.0	26							0-17	0								
70-74	14	4.0								18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**43**	**6.0**	**19**								**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	29	1.0								0-17	0								
70-74	0									18-34	107	1.3							
75-79	14	2.0								35-49	243	2.0	6	< 1	1	1	2	4	11
80-84	0									50-69	29	1.0							
85 +	0									70 +	0								
SUBTOTAL	**43**	**1.3**									**379**	**1.7**	**4**	**< 1**	**1**	**1**	**2**	**2**	**4**
GRAND TOTAL	**86**	**3.7**	**15**	**1**	**1**	**2**	**4**	**12**	**12**		**379**	**1.7**	**4**	**< 1**	**1**	**1**	**2**	**2**	**4**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	14	28.0							
35-49	0									35-49	0								
50-69	14	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**14**	**2.0**									**14**	**28.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	43	3.0	3							18-34	14	8.0							
35-49	0									35-49	61	1.2							
50-69	0									50-69	0								
70 +	14	6.0								70 +	0								
SUBTOTAL	**57**	**3.8**	**4**								**75**	**2.5**	**7**						
GRAND TOTAL	**72**	**3.4**	**3**								**89**	**6.6**	**95**						

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	515	4.2	9	1	2	3	5	10	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**515**	**4.2**	**9**	**1**	**2**	**3**	**5**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2075	2.8	7	< 1	1	1	3	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2075**	**2.8**	**7**	**< 1**	**1**	**1**	**3**	**7**	**8**
GRAND TOTAL	**0**										**2590**	**3.1**	**8**	**< 1**	**1**	**2**	**4**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	143	6.9	200	1	1	1	4	14	49	0-17	14	2.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**143**	**6.9**	**200**	**1**	**1**	**1**	**4**	**14**	**49**		**14**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	602	1.9	1	1	1	2	2	3	5	0-17	215	3.2	10	1	1	1	6	8	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**602**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**5**		**215**	**3.2**	**10**	**1**	**1**	**1**	**6**	**8**	**11**
GRAND TOTAL	**745**	**2.8**	**43**	**1**	**1**	**2**	**2**	**4**	**5**		**230**	**3.1**	**9**	**1**	**1**	**2**	**3**	**8**	**11**

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	272	15.8	343	3	5	9	10	57	57	0-17	518	6.8	33	1	2	5	11	13	19
70-74	75	5.5	27							18-34	498	7.8	70	2	3	5	10	17	23
75-79	104	12.6	96	1	4	14	16	33	33	35-49	336	4.3	7	2	2	3	7	9	9
80-84	107	8.2	14							50-69	325	5.0	28	1	2	3	6	12	19
85 +	29	7.0	4							70 +	0								
SUBTOTAL	**586**	**12.1**	**198**	**3**	**5**	**7**	**13**	**33**	**57**		**1676**	**6.3**	**40**	**1**	**2**	**4**	**9**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	401	4.2	10	1	2	3	6	8	9	0-17	2132	2.6	3	1	2	2	3	4	7
70-74	240	5.4	18	2	2	5	7	14	17	18-34	3575	2.8	4	1	2	2	3	5	6
75-79	139	7.8	33	2	3	7	9	17	17	35-49	1633	2.4	2	1	1	2	3	4	5
80-84	61	2.7	1							50-69	1282	3.0	5	1	2	2	4	6	6
85 +	29	2.5								70 +	0								
SUBTOTAL	**869**	**4.9**	**17**	**2**	**2**	**3**	**6**	**9**	**17**		**8622**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1455**	**7.8**	**102**	**2**	**3**	**5**	**9**	**16**	**19**		**10298**	**3.3**	**11**	**1**	**2**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	86	8.8	25	1	3	12	12	14	14	0-17	86	9.5	58	2	2	7	13	24	24
18-34	104	8.5	32	4	5	7	9	22	22	18-34	469	8.8	69	2	4	5	12	19	27
35-49	72	7.0	3							35-49	283	8.0	33	3	4	6	13	15	21
50-69	57	29.3	402							50-69	136	7.7	18	2	3	8	9	17	17
70 +	14	16.0								70 +	0								
SUBTOTAL	**333**	**12.1**	**149**	**3**	**5**	**8**	**14**	**22**	**40**		**974**	**8.5**	**51**	**2**	**4**	**6**	**11**	**19**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	419	3.6	18	1	1	3	4	6	8	0-17	365	3.0	10	1	1	2	3	7	9
18-34	190	2.0	1	1	1	2	3	3	4	18-34	1307	3.3	6	1	2	3	4	6	8
35-49	100	5.6	39	1	2	2	6	20	20	35-49	319	2.9	5	1	1	2	4	6	6
50-69	14	2.0								50-69	211	2.6	3	1	1	2	5	5	6
70 +	0									70 +	0								
SUBTOTAL	**724**	**3.4**	**17**	**1**	**1**	**2**	**3**	**6**	**8**		**2202**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1057**	**6.2**	**75**	**1**	**2**	**3**	**6**	**14**	**22**		**3176**	**4.8**	**26**	**1**	**2**	**3**	**5**	**10**	**14**

DRG 64: Ear, Nose, Mouth & Throat Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	648	6.9	41	2	3	4	11	14	22	0-17	115	6.9	19	< 1	3	6	10	14	14
70-74	100	7.1	27	2	2	5	13	14	14	18-34	0								
75-79	232	10.5	94	2	3	6	21	28	28	35-49	89	11.2	52						
80-84	110	4.7	5							50-69	300	5.5	18	1	2	5	12	12	12
85 +	46	14.3								70 +	14	1.0							
SUBTOTAL	**1138**	**7.7**	**50**	**2**	**3**	**5**	**12**	**21**	**24**		**519**	**6.7**	**29**	**1**	**2**	**5**	**12**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	89	2.7	1							0-17	86	2.2	3	< 1	1	1	2	6	6
70-74	121	4.2	13	< 1	1	4	10	10	10	18-34	0								
75-79	107	3.8	32							35-49	14	1.0							
80-84	93	3.8								50-69	143	1.9	1	1	1	2	3	3	4
85 +	57	1.3								70 +	14	1.0							
SUBTOTAL	**468**	**3.4**	**12**	**< 1**	**1**	**3**	**4**	**5**	**10**		**258**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1606**	**6.5**	**43**	**1**	**2**	**3**	**9**	**14**	**21**		**777**	**5.1**	**25**	**1**	**1**	**3**	**7**	**12**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	97.0								0-17	0								
18-34	0									18-34	0								
35-49	121	6.3	3	3	6	6	7	9	9	35-49	72	4.0	6						
50-69	93	15.7	99							50-69	164	5.0	29	1	2	3	6	7	21
70 +	0									70 +	14	7.0							
SUBTOTAL	**229**	**15.8**	**506**	**5**	**6**	**7**	**11**	**29**	**97**		**251**	**4.8**	**21**	**1**	**2**	**3**	**6**	**7**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	4.0	9							0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	72	6.4	30						
50-69	64	5.0	16							50-69	75	3.8	8						
70 +	0									70 +	0								
SUBTOTAL	**93**	**4.7**	**14**								**147**	**5.0**	**21**	**1**	**1**	**3**	**7**	**12**	**14**
GRAND TOTAL	**321**	**12.6**	**389**	**1**	**5**	**7**	**9**	**29**	**29**		**397**	**4.9**	**21**	**1**	**1**	**3**	**7**	**12**	**14**

DRG 65: Dysequilibrium

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2032	3.6	8	1	2	3	4	6	9	0-17	46	2.3							
70-74	1522	3.7	7	1	2	3	5	6	12	18-34	110	1.5	1						
75-79	1526	5.3	18	2	3	4	6	9	13	35-49	503	3.4	3	1	2	3	4	5	7
80-84	1223	5.1	13	2	3	4	6	11	14	50-69	1672	3.6	5	1	2	3	4	6	9
85 +	706	5.7	57	2	3	4	6	7	9	70 +	128	3.0	2						
SUBTOTAL	**7009**	**4.5**	**17**	**2**	**2**	**3**	**5**	**8**	**12**		**2460**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1544	3.1	7	1	2	2	4	5	7	0-17	193	1.8	1	< 1	1	1	2	3	5
70-74	1628	3.5	3	1	2	3	5	6	7	18-34	906	3.3	6	1	2	2	5	6	11
75-79	1277	3.8	7	1	2	3	5	7	9	35-49	2097	2.8	3	1	2	2	4	5	6
80-84	981	4.6	11	1	3	4	6	9	13	50-69	3739	2.7	3	1	1	2	3	5	6
85 +	574	4.1	12	1	2	3	3	11	12	70 +	93	4.0	6						
SUBTOTAL	**6004**	**3.7**	**7**	**1**	**2**	**3**	**4**	**7**	**9**		**7028**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**13013**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**11**		**9487**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	32	3.0								18-34	0								
35-49	75	1.8								35-49	64	6.0							
50-69	250	4.1	6	2	3	3	5	6	13	50-69	139	5.2	8	1	2	6	7	9	9
70 +	64	5.0	4							70 +	29	2.5	2						
SUBTOTAL	**421**	**3.8**	**5**	**2**	**2**	**3**	**5**	**7**	**7**		**232**	**5.1**	**6**	**1**	**2**	**6**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	46	2.6	1							0-17	43	2.0	1						
18-34	0									18-34	142	2.4	1						
35-49	14	3.0								35-49	171	3.3	4	1	2	3	4	7	7
50-69	78	6.1	9							50-69	374	3.7	2	2	3	3	4	6	6
70 +	32	1.0								70 +	0								
SUBTOTAL	**171**	**3.9**	**9**	**1**	**2**	**3**	**7**	**7**	**11**		**731**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**592**	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**7**		**963**	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	428	3.5	4	1	2	3	5	7	7
70-74	161	3.2	6	2	2	2	4	5	10
75-79	121	4.7	5	2	2	5	6	8	8
80-84	250	3.9	8	1	2	3	4	10	10
85 +	64	3.0	1						
SUBTOTAL	**1025**	**3.7**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	543	3.2	4	1	2	3	4	5	6
70-74	168	3.0	4	1	1	2	4	4	8
75-79	293	3.3	3	1	2	3	6	6	6
80-84	89	3.3	1						
85 +	139	4.0	4	1	2	4	4	7	7
SUBTOTAL	**1232**	**3.3**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**2257**	**3.5**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	1.0							
18-34	29	1.5							
35-49	128	2.0	1						
50-69	300	3.9	5	1	2	4	5	6	7
70 +	0								
	486	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**7**
0-17	29	3.5	6						
18-34	214	3.2	3	< 1	1	3	4	6	6
35-49	461	3.3	4	1	2	3	5	6	7
50-69	742	3.2	3	1	2	3	4	6	6
70 +	0								
	1447	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
	1932	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	125	2.3	8						
18-34	0								
35-49	0								
50-69	64	2.5							
70 +	0								
SUBTOTAL	**189**	**2.3**	**6**	**< 1**	**< 1**	**< 1**	**3**	**3**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	89	1.8							
18-34	14	5.0							
35-49	32	6.0							
50-69	78	1.6							
70 +	0								
SUBTOTAL	**214**	**2.6**	**3**	**< 1**	**1**	**2**	**3**	**6**	**6**
GRAND TOTAL	**403**	**2.5**	**4**	**< 1**	**< 1**	**2**	**3**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	1.5							
18-34	61	2.5	2						
35-49	93	3.5	2						
50-69	171	3.3	2	1	1	4	4	5	5
70 +	0								
	353	**3.1**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
0-17	14	5.0							
18-34	46	5.2	11						
35-49	78	1.8	1						
50-69	182	3.5	3	1	2	4	5	5	7
70 +	32	9.0							
	353	**3.9**	**7**	**1**	**2**	**3**	**5**	**9**	**9**
	707	**3.5**	**5**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 67: Epiglottitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	64	2.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**64**	**2.5**							
GRAND TOTAL	**64**	**2.5**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	225	5.8	6	3	3	5	7	10	10
18-34	46	3.9	2						
35-49	0								
50-69	29	5.5	21						
70 +	0								
	300	**5.5**	**7**	**3**	**3**	**5**	**7**	**10**	**10**
0-17	393	5.0	7	2	3	4	6	9	10
18-34	46	2.0							
35-49	153	2.6	1	2	2	2	4	4	4
50-69	43	7.7	28						
70 +	0								
	636	**4.4**	**9**	**2**	**2**	**3**	**6**	**9**	**10**
	936	**4.8**	**9**	**2**	**3**	**4**	**6**	**10**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	61	8.5	2						
18-34	0								
35-49	14	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**75**	**7.7**	**5**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	2.3							
18-34	14	3.0							
35-49	0								
50-69	0								
70 +	32	1.0							
SUBTOTAL	**93**	**2.0**	**1**						
GRAND TOTAL	**168**	**4.5**	**11**	**1**	**2**	**3**	**9**	**9**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	8.0	4						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	29	**8.0**	**4**						
0-17	78	2.9	5						
18-34	89	2.0							
35-49	0								
50-69	0								
70 +	0								
	168	**2.4**	**3**	**1**	**1**	**2**	**3**	**3**	**7**
	197	**3.2**	**7**	**1**	**2**	**2**	**3**	**7**	**10**

DRG 68: Otitis Media & URI Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2820	5.2	14	2	3	4	7	9	11	0-17	0								
70-74	1725	5.9	19	2	4	5	7	9	16	18-34	3952	3.2	3	2	2	3	4	5	7
75-79	1493	5.4	9	3	3	5	6	10	12	35-49	2946	3.7	3	2	2	3	5	6	7
80-84	1144	6.8	31	3	3	5	8	12	15	50-69	2608	4.8	12	2	3	4	6	9	11
85 +	1428	8.0	98	3	3	6	9	13	18	70 +	64	3.0							
SUBTOTAL	**8611**	**6.1**	**31**	**2**	**3**	**5**	**7**	**10**	**13**		**9570**	**3.8**	**6**	**2**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8611**	**6.1**	**31**	**2**	**3**	**5**	**7**	**10**	**13**		**9570**	**3.8**	**6**	**2**	**2**	**3**	**5**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	863	3.5	4	1	2	3	4	6	9	18-34	824	3.3	5	2	2	3	4	5	9
35-49	509	4.4	3	2	3	5	6	7	7	35-49	392	5.2	40	2	2	4	5	8	8
50-69	271	5.0	2	3	4	5	6	8	8	50-69	417	3.3	3	1	2	3	4	6	6
70 +	32	2.0								70 +	61	2.8	1						
SUBTOTAL	**1675**	**4.0**	**4**	**2**	**2**	**4**	**5**	**7**	**7**		**1694**	**3.7**	**13**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1675**	**4.0**	**4**	**2**	**2**	**4**	**5**	**7**	**7**		**1694**	**3.7**	**13**	**2**	**2**	**3**	**4**	**6**	**8**

DRG 69: Otitis Media & URI Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1197	4.2	8	1	3	3	5	7	9
70-74	695	6.0	15	2	4	5	7	9	14
75-79	613	4.3	14	2	2	3	4	13	14
80-84	509	4.3	4	2	3	4	5	7	7
85 +	331	6.5	11	3	3	7	8	11	12
SUBTOTAL	**3346**	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**13**
GRAND TOTAL	**3346**	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	7479	3.2	3	1	2	3	4	5	6
35-49	4924	3.5	3	2	2	3	4	6	7
50-69	2395	4.1	4	2	3	4	5	7	8
70 +	110	4.0	4						
	14908	**3.4**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
	14908	**3.4**	**3**	**2**	**2**	**3**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1074	5.5	240	1	2	3	3	5	6
35-49	427	4.1	3	2	3	4	5	6	6
50-69	224	3.9	2	2	2	4	6	6	6
70 +	14	9.0							
SUBTOTAL	**1740**	**5.0**	**150**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**1740**	**5.0**	**150**	**1**	**2**	**3**	**5**	**6**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	1491	2.7	1	1	2	3	4	4	5
35-49	552	3.5	2	2	3	3	4	6	6
50-69	267	2.5	2	1	1	2	4	5	5
70 +	78	3.9	12						
	2389	**2.9**	**2**	**1**	**2**	**3**	**4**	**4**	**5**
	2389	**2.9**	**2**	**1**	**2**	**3**	**4**	**4**	**5**

DRG 70: Otitis Media & URI Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	61	2.4	3							0-17	12498	3.3	5	1	2	3	4	5	6	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**61**	**2.4**	**3**								**12498**	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	75	4.2	1							0-17	23936	3.2	5	1	2	3	4	5	7	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**75**	**4.2**	**1**								**23936**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	
GRAND TOTAL	**136**	**3.4**	**2**	**1**	**3**	**4**	**5**	**5**	**5**		**36434**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	4432	3.6	9	1	2	3	4	6	7	0-17	2988	3.2	11	1	2	3	4	5	6	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**4432**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**7**		**2988**	**3.2**	**11**	**1**	**2**	**3**	**4**	**5**	**6**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	10552	3.3	6	1	2	3	4	5	7	0-17	6761	3.0	6	1	2	3	3	5	6	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**10552**	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**7**		**6761**	**3.0**	**6**	**1**	**2**	**3**	**3**	**5**	**6**	
GRAND TOTAL	**14984**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**		**9749**	**3.0**	**8**	**1**	**2**	**3**	**4**	**5**	**6**	

DRG 71: Laryngotracheitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14	2.0								0-17	697	3.1	4	1	2	3	4	5	5
70-74	0									18-34	0								
75-79	0									35-49	32	4.0							
80-84	0									50-69	32	7.0							
85 +	0									70 +	0								
SUBTOTAL	14	2.0									761	3.3	4	1	2	3	4	5	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	29	2.5								0-17	7450	2.4	3	1	1	2	3	4	5
70-74	0									18-34	14	3.0							
75-79	0									35-49	110	4.0	4						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	29	2.5									7575	2.4	3	1	1	2	3	4	6
GRAND TOTAL	43	2.3									8336	2.5	3	1	1	2	3	4	6

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	590	5.5	56	1	3	4	5	7	14	0-17	325	5.1	26	2	2	3	6	7	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	590	5.5	56	1	3	4	5	7	14		325	5.1	26	2	2	3	6	7	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2766	3.3	7	1	2	3	4	5	6	0-17	1707	2.6	5	1	1	2	3	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	2766	3.3	7	1	2	3	4	5	6		1707	2.6	5	1	1	2	3	4	7
GRAND TOTAL	3356	3.7	16	1	2	3	4	6	9		2032	3.0	9	1	2	2	3	6	8

DRG 72: Nasal Trauma & Deformity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	46	4.9	2							0-17	107	9.8	94						
70-74	32	3.0								18-34	157	1.9	1	1	1	2	3	3	3
75-79	32	5.0								35-49	61	4.0							
80-84	32	1.0								50-69	14	5.0							
85 +	61	5.5								70 +	0								
SUBTOTAL	**203**	**4.2**	**3**	**1**	**3**	**5**	**5**	**6**	**7**		**339**	**4.9**	**42**	**1**	**1**	**3**	**4**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	14	1.0								0-17	161	1.3	1	< 1	< 1	1	1	1	4
70-74	46	1.7								18-34	253	1.7	1	1	1	1	2	3	3
75-79	0									35-49	32	8.0							
80-84	0									50-69	128	2.3	1						
85 +	32	9.0								70 +	32	4.0							
SUBTOTAL	**93**	**4.1**	**13**								**606**	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**4**	**8**
GRAND TOTAL	**296**	**4.2**	**6**	**1**	**2**	**4**	**6**	**9**	**9**		**945**	**3.2**	**19**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	46	1.0							
18-34	0									18-34	121	1.6		< 1	< 1	1	2	3	3
35-49	0									35-49	43	1.3							
50-69	0									50-69	64	1.5							
70 +	0									70 +	0								
SURTOTAL	**0**										**275**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	121	1.5		< 1	1	2	2	2	2	0-17	75	2.8	3						
18-34	61	1.8								18-34	218	1.4		1	1	1	2	2	2
35-49	0									35-49	46	1.7							
50-69	0									50-69	14	2.0							
70 +	0									70 +	0								
SUBTOTAL	**182**	**1.5**		**< 1**	**1**	**2**	**2**	**2**	**2**		**353**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**182**	**1.6**		**< 1**	**1**	**2**	**2**	**2**	**2**		**628**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	385	4.5	7	1	3	4	6	7	7	0-17	0								
70-74	136	3.5	7	2	2	2	3	10	10	18-34	286	5.5	31	2	3	4	6	8	15
75-79	395	9.0	31	3	4	10	16	19	99+	35-49	121	2.8	3	2	2	2	3	7	7
80-84	314	7.0	16	3	4	5	10	15	15	50-69	200	7.9	60	1	4	6	6	25	25
85+	331	5.3	10	2	4	6	8	9	9	70+	0								
SUBTOTAL	1562	6.3	19	2	3	5	9	13	17		607	5.7	38	2	3	4	6	8	25
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	246	2.2	3	1	1	1	5	5	5	0-17	0								
70-74	121	5.7	27	1	2	5	6	19	19	18-34	832	3.0	4	1	1	2	4	6	6
75-79	235	3.7	3	2	2	3	5	6	7	35-49	917	3.9	5	1	2	3	6	7	8
80-84	93	3.0	2							50-69	675	3.8	31	1	1	2	4	6	12
85+	157	5.3	8	3	3	5	8	8	10	70+	32	1.0							
SUBTOTAL	853	3.8	9	1	2	3	5	7	8		2455	3.5	12	1	1	3	5	6	7
GRAND TOTAL	2414	5.4	17	1	2	5	7	12	16		3062	4.0	18	1	2	3	5	6	8

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	29	3.5								18-34	61	3.5							
35-49	0									35-49	75	3.4	5						
50-69	78	3.4	2							50-69	78	3.8	6						
70+	0									70+	29	2.0							
SUBTOTAL	107	3.4	1								243	3.4	4	1	2	3	4	6	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	186	3.8	2	2	3	4	5	5	7	18-34	428	2.6	2	1	1	3	4	5	5
35-49	75	2.0	1							35-49	147	2.9	4	1	2	3	3	4	8
50-69	86	2.7	3	1	1	2	4	6	6	50-69	64	2.5	2						
70+	0									70+	0								
SUBTOTAL	347	3.1	3	1	2	3	4	5	6		639	2.7	3	1	1	3	4	4	5
GRAND TOTAL	454	3.2	3	1	2	3	4	5	6		882	2.9	3	1	1	3	4	5	6

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	486	3.0	5	1	1	3	4	6	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**486**	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	5.0								0-17	3549	2.6	8	1	1	2	3	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**32**	**5.0**									**3549**	**2.6**	**8**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**32**	**5.0**									**4035**	**2.6**	**8**	**1**	**1**	**2**	**3**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	308	7.1	179	1	1	3	11	62	99 +	0-17	219	4.5	17	1	1	2	9	12	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**308**	**7.1**	**179**	**1**	**1**	**3**	**11**	**62**	**99 +**		**219**	**4.5**	**17**	**1**	**1**	**2**	**9**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2075	3.0	8	1	1	2	3	7	10	0-17	1267	2.5	4	1	1	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2075**	**3.0**	**8**	**1**	**1**	**2**	**3**	**7**	**10**		**1267**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2383**	**3.6**	**32**	**1**	**1**	**2**	**3**	**7**	**13**		**1486**	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**10**

DRG 75: Major Chest Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2649	15.1	95	7	8	12	18	28	36
70-74	1509	13.3	70	6	8	11	15	22	30
75-79	871	16.3	188	7	9	12	20	23	40
80-84	222	22.0	160	8	13	18	26	43	43
85 +	46	21.0	37						
SUBTOTAL	**5297**	**15.1**	**109**	**7**	**9**	**12**	**18**	**27**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	720	11.0	21	7	8	10	12	19	23
70-74	658	11.5	46	5	7	10	14	21	26
75-79	265	12.1	24	7	8	12	15	22	24
80-84	168	10.7	16	6	8	10	15	15	19
85 +	14	10.0							
SUBTOTAL	**1825**	**11.3**	**30**	**6**	**8**	**10**	**14**	**19**	**23**
GRAND TOTAL	**7122**	**14.1**	**92**	**7**	**8**	**11**	**17**	**26**	**31**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	402	12.2	66	5	6	9	19	26	39
18-34	444	11.8	34	6	7	10	14	19	22
35-49	805	11.6	55	6	7	10	14	18	24
50-69	2550	12.6	39	6	8	11	16	21	25
70 +	14	18.0							
	4215	**12.3**	**44**	**6**	**8**	**11**	**16**	**21**	**25**
0-17	1151	5.8	9	4	4	5	6	8	10
18-34	487	7.6	20	3	5	7	9	15	17
35-49	701	8.4	22	4	5	8	9	18	19
50-69	1713	9.8	33	5	6	9	11	16	23
70 +	32	7.0							
	4084	**8.2**	**25**	**4**	**5**	**7**	**9**	**15**	**18**
	8299	**10.3**	**39**	**5**	**6**	**8**	**13**	**18**	**22**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	201	19.4	121	6	9	22	27	31	44
18-34	86	20.7	177	6	10	16	32	43	43
35-49	100	16.0	90	4	7	16	27	31	31
50-69	233	16.9	325	8	8	12	14	27	84
70 +	0								
SUBTOTAL	**620**	**18.1**	**202**	**7**	**8**	**13**	**24**	**31**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	244	5.8	20	1	3	5	6	12	20
18-34	14	7.0							
35-49	14	4.0							
50-69	43	16.0	11						
70 +	0								
SUBTOTAL	**316**	**7.1**	**30**	**1**	**4**	**5**	**9**	**16**	**20**
GRAND TOTAL	**936**	**14.4**	**171**	**4**	**6**	**10**	**20**	**29**	**32**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	301	20.6	329	4	9	15	26	38	57
18-34	222	17.3	115	6	8	12	27	34	40
35-49	193	11.5	23	4	10	12	17	18	99 +
50-69	311	13.9	52	7	8	14	19	22	24
70 +	0								
	1028	**16.2**	**153**	**5**	**8**	**13**	**22**	**32**	**40**
0-17	129	5.6	4	1	5	6	6	9	9
18-34	215	9.9	25	3	6	8	13	18	19
35-49	118	10.0	17	3	9	10	10	19	19
50-69	182	10.5	45	6	6	6	18	22	22
70 +	0								
	645	**9.2**	**28**	**3**	**6**	**8**	**12**	**18**	**20**
	1672	**13.5**	**116**	**5**	**6**	**10**	**18**	**26**	**34**

DRG 76: Other Resp System O.R. Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2828	13.2	106	4	6	10	17	24	38	0-17	172	9.8	83	1	3	7	9	24	32
70-74	1707	12.1	117	2	6	10	14	28	36	18-34	483	11.0	104	2	5	7	16	23	31
75-79	1753	14.0	87	3	7	12	18	29	33	35-49	834	10.8	89	2	4	8	15	28	33
80-84	710	12.8	41	4	8	14	16	24	25	50-69	2193	10.8	97	2	3	9	15	24	36
85 +	739	18.0	182	7	9	14	26	36	37	70 +	157	9.1	26	3	4	8	16	16	17
SUBTOTAL	**7737**	**13.6**	**108**	**4**	**7**	**11**	**17**	**27**	**37**		**3840**	**10.7**	**93**	**2**	**4**	**8**	**15**	**24**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7737**	**13.6**	**108**	**4**	**7**	**11**	**17**	**27**	**37**		**3840**	**10.7**	**93**	**2**	**4**	**8**	**15**	**24**	**32**

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	129	14.0	264	< 1	4	7	9	53	53	0-17	46	8.1	2						
18-34	247	16.7	72	6	9	16	20	31	36	18-34	179	8.6	90	1	5	6	8	14	38
35-49	129	21.1	323	6	9	16	21	68	68	35-49	233	12.8	93	6	8	9	12	34	40
50-69	257	10.5	48	2	6	10	14	18	33	50-69	601	11.8	62	4	6	11	15	25	25
70 +	32	14.0								70 +	32	33.0							
SUBTOTAL	**795**	**14.9**	**146**	**5**	**7**	**11**	**19**	**31**	**36**		**1091**	**12.0**	**84**	**4**	**6**	**9**	**14**	**25**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**795**	**14.9**	**146**	**5**	**7**	**11**	**19**	**31**	**36**		**1091**	**12.0**	**84**	**4**	**6**	**9**	**14**	**25**	**34**

DRG 77: Other Resp System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	400	4.9	20	2	3	4	6	9	11	0-17	340	5.4	105	1	1	2	4	7	36
70-74	326	10.4	246	1	1	4	10	45	50	18-34	311	5.9	25	1	1	4	11	15	15
75-79	93	7.8	49							35-49	572	4.5	18	1	1	3	8	11	14
80-84	235	9.5	73	2	5	6	10	30	30	50-69	715	4.6	10	1	2	4	7	9	9
85 +	78	18.4	26							70 +	0								
SUBTOTAL	**1132**	**8.6**	**111**	**1**	**2**	**5**	**10**	**24**	**30**		**1939**	**4.9**	**32**	**1**	**1**	**3**	**7**	**11**	**15**
GRAND TOTAL	**1132**	**8.6**	**111**	**1**	**2**	**5**	**10**	**24**	**30**		**1939**	**4.9**	**32**	**1**	**1**	**3**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	115	3.3	6	1	1	2	7	7	7	0-17	57	11.0	110						
18-34	57	5.8	15							18-34	107	2.9	3						
35-49	29	4.5	6							35-49	193	9.9	51	1	4	7	19	19	19
50-69	14	4.0								50-69	182	7.2	63	< 1	1	6	10	10	32
70 +	0									70 +	14	3.0							
SUBTOTAL	**215**	**4.1**	**9**	**1**	**1**	**3**	**7**	**9**	**10**		**554**	**7.6**	**58**	**1**	**2**	**5**	**9**	**19**	**28**
GRAND TOTAL	**215**	**4.1**	**9**	**1**	**1**	**3**	**7**	**9**	**10**		**554**	**7.6**	**58**	**1**	**2**	**5**	**9**	**19**	**28**

DRG 78: Pulmonary Embolism

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1765	11.5	28	7	8	10	13	16	21	0-17	29	7.5	21						
70-74	1629	10.2	13	6	7	9	13	14	16	18-34	164	11.0	27	3	7	12	16	17	17
75-79	987	15.2	95	9	10	12	16	23	42	35-49	606	9.2	29	2	5	9	12	16	24
80-84	909	12.2	47	5	7	10	16	23	27	50-69	710	10.2	17	6	7	9	11	16	19
85 +	810	11.5	37	6	8	9	15	20	23	70 +	0								
SUBTOTAL	**6100**	**11.8**	**41**	**6**	**8**	**10**	**14**	**19**	**23**		**1510**	**9.9**	**23**	**3**	**7**	**9**	**12**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	749	8.0	11	4	6	8	10	11	14	0-17	14	7.0							
70-74	325	9.2	5	6	8	10	11	12	13	18-34	296	7.3	7	4	6	7	8	13	13
75-79	567	9.3	21	4	7	8	11	12	24	35-49	621	9.1	18	4	7	8	11	17	17
80-84	150	11.1	9	8	8	12	13	14	16	50-69	835	8.3	15	5	7	8	10	11	13
85 +	239	8.4	25	1	4	8	12	17	17	70 +	32	5.0							
SUBTOTAL	**2029**	**8.8**	**15**	**4**	**7**	**8**	**11**	**13**	**14**		**1798**	**8.3**	**15**	**4**	**7**	**8**	**10**	**12**	**14**
GRAND TOTAL	**8129**	**11.1**	**36**	**6**	**8**	**10**	**13**	**17**	**22**		**3308**	**9.0**	**19**	**4**	**7**	**9**	**11**	**15**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	6.0								0-17	0								
18-34	107	7.2	25							18-34	107	8.6	3						
35-49	107	11.0	13							35-49	139	9.5	10	6	7	10	11	15	17
50-69	218	9.6	14	4	5	11	11	15	15	50-69	314	9.6	9	5	7	10	11	16	16
70 +	64	15.0	1							70 +	0								
SUBTOTAL	**510**	**10.0**	**19**	**4**	**9**	**11**	**12**	**15**	**16**		**560**	**9.4**	**8**	**6**	**7**	**10**	**11**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	43	8.3	1							18-34	153	7.7	3	6	6	8	9	9	10
35-49	14	8.0								35-49	189	9.4	3	8	9	9	9	13	13
50-69	0									50-69	78	13.6	8						
70 +	0									70 +	0								
SUBTOTAL	**57**	**8.3**	**1**								**421**	**9.5**	**8**	**6**	**8**	**9**	**11**	**13**	**17**
GRAND TOTAL	**568**	**9.8**	**18**	**4**	**8**	**10**	**12**	**15**	**16**		**981**	**9.5**	**8**	**6**	**8**	**9**	**11**	**13**	**16**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8164	11.4	77	4	6	9	14	19	26
70-74	5762	10.7	55	4	6	9	14	22	27
75-79	7294	11.5	109	4	6	9	13	21	36
80-84	7210	11.0	63	4	6	9	13	19	25
85 +	8700	13.3	116	5	7	10	16	24	33
SUBTOTAL	37131	11.7	87	4	6	9	14	22	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	37131	11.7	87	4	6	9	14	22	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1039	11.0	41	4	5	10	15	21	22
35-49	1012	9.6	69	3	4	7	11	18	26
50-69	2104	9.1	31	4	5	8	11	18	18
70 +	232	15.1	45	5	11	16	18	27	27
	4387	10.0	45	4	5	8	14	18	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4387	10.0	45	4	5	8	14	18	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	730	12.0	115	5	6	8	14	24	39
35-49	628	9.4	47	4	5	8	11	23	26
50-69	1241	13.8	144	4	7	11	17	24	49
70 +	239	9.6	48	2	6	9	26	99 +	99 +
SUBTOTAL	2838	12.0	110	4	6	9	15	26	51
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2838	12.0	110	4	6	9	15	26	51

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	691	14.3	67	4	8	12	20	26	30
35-49	887	11.3	57	5	6	10	15	21	30
50-69	543	12.6	66	5	7	11	14	25	29
70 +	253	18.2	124	5	12	19	24	99 +	99 +
	2374	13.2	73	5	7	11	19	26	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2374	13.2	73	5	7	11	19	26	30

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1226	10.1	140	3	5	8	9	12	53	0-17	0								
70-74	869	8.8	34	4	5	9	11	14	15	18-34	425	5.2	19	2	3	4	5	9	14
75-79	1084	8.6	36	3	5	6	10	18	20	35-49	699	8.0	28	3	4	6	11	17	18
80-84	916	7.8	32	4	5	6	8	14	23	50-69	923	6.9	15	3	4	6	8	12	14
85 +	1055	9.3	18	5	6	9	12	16	18	70 +	61	7.6	17						
SUBTOTAL	**5149**	**9.0**	**56**	**4**	**5**	**7**	**10**	**14**	**20**		**2108**	**6.9**	**21**	**3**	**4**	**6**	**8**	**13**	**17**
GRAND TOTAL	**5149**	**9.0**	**56**	**4**	**5**	**7**	**10**	**14**	**20**		**2108**	**6.9**	**21**	**3**	**4**	**6**	**8**	**13**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	190	4.6	6	2	2	4	6	7	10	18-34	236	5.4	8	2	4	5	8	8	13
35-49	218	9.3	40	4	4	8	15	21	21	35-49	421	8.3	22	4	5	8	10	15	18
50-69	224	6.6	14	3	3	6	7	15	15	50-69	171	5.0	8	2	3	5	6	8	12
70 +	96	8.7	18							70 +	46	6.5	5						
SUBTOTAL	**728**	**7.2**	**24**	**2**	**3**	**6**	**10**	**15**	**15**		**875**	**6.8**	**17**	**2**	**4**	**6**	**8**	**14**	**15**
GRAND TOTAL	**728**	**7.2**	**24**	**2**	**3**	**6**	**10**	**15**	**15**		**875**	**6.8**	**17**	**2**	**4**	**6**	**8**	**14**	**15**

DRG 81: Respiratory Infections & Inflammations Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	46	10.3	43							0-17	1067	10.1	78	3	4	7	14	20	26
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	46	10.3	43								1067	10.1	78	3	4	7	14	20	26
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	965	4.9	18	2	2	3	5	12	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										965	4.9	18	2	2	3	5	12	15
GRAND TOTAL	46	10.3	43								2032	7.6	56	2	3	5	10	16	21

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1053	13.1	89	5	5	11	16	28	34	0-17	373	11.9	72	4	5	11	15	22	24
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1053	13.1	89	5	5	11	16	28	34		373	11.9	72	4	5	11	15	22	24
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	908	5.3	12	2	3	4	8	9	12	0-17	393	5.4	25	1	2	4	7	9	15
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	908	5.3	12	2	3	4	8	9	12		393	5.4	25	1	2	4	7	9	15
GRAND TOTAL	1961	9.5	69	3	4	6	13	18	30		766	8.6	58	2	3	7	13	16	24

DRG 82: Respiratory Neoplasms

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4654	9.5	50	3	4	8	13	19	24
70-74	3513	9.2	50	2	4	7	14	18	22
75-79	2630	9.7	64	3	4	8	13	19	26
80-84	1642	8.9	30	3	4	8	11	17	19
85 +	1041	12.6	70	5	7	10	17	29	31
SUBTOTAL	13479	9.6	53	3	4	8	13	19	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	844	4.6	16	< 1	1	3	7	10	11
70-74	557	5.9	16	1	3	5	8	12	14
75-79	315	5.5	30	1	1	4	8	10	18
80-84	368	8.1	54	1	3	6	14	14	15
85 +	139	4.6	8	1	2	5	7	9	10
SUBTOTAL	2222	5.6	25	1	2	4	8	12	14
GRAND TOTAL	15701	9.1	51	2	4	7	12	18	23

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	9.0	47	2	3	6	15	21	21
18-34	93	6.6	39						
35-49	986	8.3	51	2	4	6	11	19	21
50-69	4423	8.5	46	2	4	7	13	18	22
70 +	136	6.7	28	1	2	6	9	18	18
	5723	8.4	46	2	4	6	13	18	21
0-17	43	5.3	14						
18-34	29	2.5	2						
35-49	293	6.3	26	2	2	4	9	15	15
50-69	1349	4.8	20	1	2	3	7	10	15
70 +	0								
	1714	5.0	21	1	2	3	7	11	15
	7437	7.7	42	2	3	6	11	16	20

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	18.0	37						
18-34	46	5.1	2						
35-49	336	8.1	23	3	4	7	11	15	15
50-69	547	10.6	58	3	5	7	12	23	27
70 +	64	7.5	6						
SUBTOTAL	1021	9.5	45	3	5	7	12	22	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	8.0	51						
18-34	110	8.5	19						
35-49	46	2.9	8						
50-69	186	5.1	8	1	2	5	8	8	8
70 +	0								
SUBTOTAL	371	6.1	18	1	2	5	8	14	14
GRAND TOTAL	1392	8.6	40	2	4	7	11	15	23

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	2.0							
18-34	61	6.0	2						
35-49	353	9.7	53	2	3	8	13	21	30
50-69	953	9.3	98	2	3	7	12	19	19
70 +	153	11.3	110	3	3	7	10	31	31
	1535	9.4	88	2	3	7	12	19	30
0-17	14	1.0							
18-34	0								
35-49	253	3.0	6	2	2	2	2	8	8
50-69	499	5.4	22	2	2	2	10	14	15
70 +	96	7.7	28						
	863	4.9	20	2	2	2	8	14	15
	2398	7.8	68	2	2	5	10	15	20

DRG 83: Major Chest Trauma w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	824	6.6	23	2	3	6	9	12	17
70-74	539	8.2	49	3	4	6	9	14	32
75-79	706	7.4	51	2	2	5	9	12	31
80-84	421	8.0	23	2	4	9	10	15	19
85 +	823	8.3	29	3	4	8	10	18	24
SUBTOTAL	**3312**	**7.6**	**35**	**2**	**3**	**6**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3312**	**7.6**	**35**	**2**	**3**	**6**	**10**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	107	4.0	5						
18-34	438	4.8	6	2	3	5	5	9	11
35-49	827	5.8	13	2	3	5	8	11	13
50-69	595	7.0	12	4	5	7	8	10	19
70 +	142	6.6	17						
	2111	**5.9**	**12**	**2**	**4**	**5**	**8**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2111	**5.9**	**12**	**2**	**4**	**5**	**8**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	32	4.0							
35-49	0								
50-69	32	4.0							
70 +	0								
SUBTOTAL	**64**	**4.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**64**	**4.0**							

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	5.2	11						
18-34	413	5.4	4	2	4	5	8	8	9
35-49	350	6.5	24	3	3	5	7	11	20
50-69	353	5.3	15	1	2	5	8	9	11
70 +	46	6.6	1						
	1209	**5.7**	**14**	**2**	**3**	**5**	**8**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1209	**5.7**	**14**	**2**	**3**	**5**	**8**	**9**	**11**

DRG 84: Major Chest Trauma w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	211	4.6	10	2	2	4	6	7	14	0-17	78	1.4	1						
70-74	218	5.4	17	1	2	6	7	9	17	18-34	453	3.0	5	1	2	2	3	6	6
75-79	203	6.4	9	2	4	6	10	10	10	35-49	688	3.4	3	1	2	3	4	6	7
80-84	235	6.9	19	3	3	7	10	11	18	50-69	542	3.3	4	2	2	3	4	7	9
85 +	235	6.1	9	1	4	5	8	10	10	70 +	78	2.8	1						
SUBTOTAL	**1102**	**5.9**	**13**	**2**	**3**	**5**	**9**	**10**	**11**		**1840**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1102**	**5.9**	**13**	**2**	**3**	**5**	**9**	**10**	**11**		**1840**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	78	5.9	11						
18-34	0									18-34	318	3.0	3	< 1	1	3	4	6	6
35-49	14	1.0								35-49	346	2.5	6	1	1	2	3	3	10
50-69	46	4.1	2							50-69	214	2.0	2	1	1	2	2	3	6
70 +	14	8.0								70 +	0								
SUBTOTAL	**75**	**4.2**	**6**								**956**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**75**	**4.2**	**6**								**956**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 85: Pleural Effusion w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1260	6.9	28	2	3	5	9	16	19	0-17	104	11.8	149	1	1	10	14	39	39
70-74	891	7.3	32	2	3	6	11	17	17	18-34	93	3.7	1						
75-79	784	6.9	43	2	3	5	10	11	19	35-49	150	5.6	9	2	3	6	8	8	12
80-84	770	11.2	45	4	6	10	15	20	25	50-69	703	7.2	30	2	3	7	9	14	17
85 +	1016	9.3	55	2	5	6	11	21	26	70 +	14	1.0							
SUBTOTAL	**4722**	**8.2**	**42**	**2**	**4**	**6**	**11**	**17**	**21**		**1064**	**7.0**	**40**	**2**	**3**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4722**	**8.2**	**42**	**2**	**4**	**6**	**11**	**17**	**21**		**1064**	**7.0**	**40**	**2**	**3**	**6**	**9**	**14**	**17**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	32	6.0								0-17	43	4.7	4						
18-34	0									18-34	46	3.4	1						
35-49	32	13.0								35-49	150	7.6	19	1	5	8	12	12	14
50-69	264	8.7	26	3	4	8	12	18	20	50-69	107	9.8	14						
70 +	0									70 +	32	2.0							
SUBTOTAL	**328**	**8.9**	**23**	**4**	**6**	**8**	**13**	**15**	**18**		**379**	**6.9**	**19**	**2**	**4**	**6**	**10**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**328**	**8.9**	**23**	**4**	**6**	**8**	**13**	**15**	**18**		**379**	**6.9**	**19**	**2**	**4**	**6**	**10**	**13**	**14**

DRG 86: Pleural Effusion w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	142	7.5	27							0-17	86	9.0	24	3	6	7	12	18	18
70-74	89	3.4	2							18-34	118	2.9	2	< 1	2	3	5	5	5
75-79	221	7.1	20	3	4	5	11	16	16	35-49	136	4.2	1	2	4	4	5	6	6
80-84	171	3.2	3	1	1	3	5	6	6	50-69	139	3.8	14	1	1	1	6	10	10
85 +	125	6.3	18							70 +	29	2.0							
SUBTOTAL	**749**	**5.7**	**18**	**2**	**3**	**5**	**6**	**16**	**17**		**508**	**4.5**	**13**	**1**	**2**	**4**	**6**	**10**	**12**
GRAND TOTAL	**749**	**5.7**	**18**	**2**	**3**	**5**	**6**	**16**	**17**		**508**	**4.5**	**13**	**1**	**2**	**4**	**6**	**10**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	7.0								0-17	14	7.0							
18-34	0									18-34	93	4.8	3						
35-49	14	12.0								35-49	61	7.1	17						
50-69	0									50-69	43	5.7	10						
70 +	0									70 +	0								
SUBTOTAL	**29**	**9.5**	**6**								**211**	**5.8**	**9**	**3**	**4**	**4**	**7**	**10**	**14**
GRAND TOTAL	**29**	**9.5**	**6**								**211**	**5.8**	**9**	**3**	**4**	**4**	**7**	**10**	**14**

DRG 87: Pulmonary Edema & Respiratory Failure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7406	8.2	61	3	4	6	9	15	18
70-74	3876	8.5	28	3	5	7	10	16	18
75-79	2682	9.3	41	4	5	8	12	16	26
80-84	1778	9.9	162	4	5	7	10	15	23
85 +	1087	10.4	33	3	6	9	14	19	21
SUBTOTAL	**16829**	**8.8**	**60**	**3**	**5**	**7**	**11**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	600	5.9	15	2	4	5	7	9	10
70-74	435	6.9	18	2	4	6	9	14	14
75-79	207	6.3	6	4	4	6	7	11	11
80-84	203	7.8	23	3	5	6	11	17	17
85 +	157	9.7	61	4	4	4	17	23	23
SUBTOTAL	**1601**	**6.8**	**21**	**3**	**4**	**5**	**8**	**12**	**17**
GRAND TOTAL	**18430**	**8.6**	**57**	**3**	**5**	**7**	**10**	**16**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	16.6	148	2	8	16	21	26	49
18-34	61	5.0	18						
35-49	304	7.0	52	1	3	5	10	11	12
50-69	2202	8.4	42	3	4	7	11	16	18
70 +	61	7.1	60						
	2814	**8.7**	**54**	**2**	**4**	**7**	**11**	**16**	**24**
0-17	72	6.0	37						
18-34	29	4.5							
35-49	118	4.0	7	< 1	3	3	5	10	10
50-69	200	5.1	9	3	3	4	6	7	15
70 +	14	3.0							
	433	**4.9**	**13**	**3**	**3**	**3**	**5**	**7**	**15**
	3246	**8.2**	**51**	**2**	**3**	**6**	**11**	**16**	**21**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	219	14.2	129	4	5	14	17	23	49
18-34	189	8.5	39	2	4	6	10	21	21
35-49	264	8.0	28	1	4	5	11	18	18
50-69	1091	7.4	30	2	4	5	9	17	20
70 +	128	3.8	4						
SUBTOTAL	**1891**	**8.2**	**46**	**2**	**4**	**6**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	9.5	6						
18-34	32	1.0							
35-49	14	4.0							
50-69	128	5.3	8						
70 +	14	2.0							
SUBTOTAL	**218**	**4.9**	**11**	**1**	**1**	**5**	**7**	**9**	**12**
GRAND TOTAL	**2108**	**7.8**	**43**	**2**	**4**	**6**	**10**	**17**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	201	18.0	175	5	10	12	24	40	51
18-34	46	7.8	18						
35-49	203	6.3	22	1	3	5	11	14	14
50-69	653	7.0	22	3	4	5	8	14	15
70 +	72	9.4	101						
	1175	**8.9**	**70**	**3**	**4**	**5**	**12**	**18**	**24**
0-17	57	10.3	45						
18-34	46	5.8	3						
35-49	32	5.0							
50-69	93	8.5	28						
70 +	0								
	229	**7.9**	**27**	**3**	**3**	**7**	**15**	**15**	**18**
	1403	**8.8**	**63**	**3**	**4**	**5**	**12**	**18**	**23**

DRG 88: Chronic Obstructive Pulmonary Disease

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	6101	7.4	40	3	4	6	8	14	18	0-17	488	15.5	115	7	9	13	16	29	35
70-74	3318	9.0	151	2	4	6	9	16	29	18-34	319	11.1	34	4	7	10	13	19	22
75-79	2973	7.6	30	3	4	6	8	16	20	35-49	449	5.3	48	2	3	4	5	11	11
80-84	1244	7.8	27	3	5	6	9	16	17	50-69	2518	6.8	23	2	4	6	9	12	17
85 +	980	6.3	20	2	3	5	8	12	17	70 +	121	8.3	25	1	3	10	14	14	14
SUBTOTAL	**14616**	**7.8**	**61**	**3**	**4**	**6**	**9**	**15**	**19**		**3896**	**8.1**	**48**	**2**	**4**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	4515	5.3	13	2	3	5	6	10	12	0-17	200	4.1	25	1	1	1	5	11	19
70-74	2314	6.0	9	2	4	5	8	10	11	18-34	160	2.8	7						
75-79	1651	5.1	8	2	3	5	7	9	10	35-49	592	4.5	5	2	3	4	6	8	9
80-84	859	6.7	18	3	4	5	8	13	15	50-69	3281	5.3	10	2	3	4	7	10	12
85 +	267	8.5	120	3	4	5	6	38	38	70 +	93	4.8	3						
SUBTOTAL	**9607**	**5.6**	**15**	**2**	**3**	**5**	**7**	**10**	**12**		**4326**	**5.1**	**10**	**1**	**3**	**4**	**7**	**10**	**11**
GRAND TOTAL	**24223**	**6.9**	**44**	**2**	**4**	**5**	**8**	**12**	**17**		**8222**	**6.5**	**30**	**2**	**3**	**5**	**9**	**12**	**16**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	204	10.0	45	2	4	11	14	22	22	0-17	147	8.3	5	5	7	8	10	11	11
18-34	115	11.4	11	6	10	11	13	17	17	18-34	89	7.2	17						
35-49	299	6.6	13	3	4	5	9	13	13	35-49	246	4.6	18	1	2	4	5	7	20
50-69	1397	7.3	42	3	3	5	7	13	20	50-69	557	6.3	18	2	4	5	8	12	17
70 +	160	4.2	4	1	4	5	7	99 +	99 +	70 +	157	7.7	24	4	4	6	9	17	17
SUBTOTAL	**2176**	**7.4**	**36**	**3**	**4**	**5**	**10**	**14**	**22**		**1196**	**6.5**	**19**	**2**	**4**	**5**	**9**	**12**	**17**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	29	4.5	13						
18-34	14	7.0								18-34	61	3.3	1						
35-49	253	4.5	10	1	2	3	6	10	11	35-49	349	4.3	5	3	3	4	6	7	9
50-69	1496	6.2	23	2	3	5	8	13	16	50-69	938	4.0	5	2	2	4	5	7	8
70 +	96	8.7	35							70 +	96	13.7	210						
SUBTOTAL	**1859**	**6.1**	**23**	**2**	**3**	**5**	**8**	**14**	**17**		**1472**	**4.7**	**24**	**2**	**2**	**4**	**6**	**7**	**9**
GRAND TOTAL	**4035**	**6.8**	**30**	**2**	**3**	**5**	**9**	**14**	**19**		**2668**	**5.5**	**22**	**2**	**3**	**4**	**6**	**10**	**14**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29728	7.7	27	3	5	7	10	13	16	0-17	0								
70-74	21429	8.2	31	4	5	7	10	14	17	18-34	3914	5.7	14	2	3	5	7	11	13
75-79	25021	9.1	41	4	5	8	11	15	21	35-49	6051	6.5	14	3	4	6	8	12	14
80-84	22776	9.6	49	4	6	8	11	16	22	50-69	13142	7.2	24	3	4	6	9	12	14
85 +	27893	9.8	53	4	6	8	11	16	21	70 +	971	6.6	13	3	4	6	8	12	14
SUBTOTAL	**126846**	**8.9**	**41**	**4**	**5**	**7**	**10**	**15**	**19**		**24078**	**6.8**	**20**	**3**	**4**	**6**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**126846**	**8.9**	**41**	**4**	**5**	**7**	**10**	**15**	**19**		**24078**	**6.8**	**20**	**3**	**4**	**6**	**8**	**12**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	2099	6.5	19	3	4	6	7	11	14	18-34	2022	6.5	23	2	3	5	8	13	18
35-49	2301	7.3	21	3	4	6	9	12	14	35-49	2781	6.8	31	2	3	6	8	12	17
50-69	4812	7.4	21	3	4	7	9	13	17	50-69	3627	7.7	21	3	4	6	10	14	17
70 +	1033	8.9	30	4	6	9	11	27	99 +	70 +	557	8.0	39	3	4	6	10	12	19
SUBTOTAL	**10245**	**7.4**	**22**	**3**	**4**	**6**	**9**	**13**	**17**		**8986**	**7.2**	**26**	**3**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10245**	**7.4**	**22**	**3**	**4**	**6**	**9**	**13**	**17**		**8986**	**7.2**	**26**	**3**	**4**	**6**	**9**	**13**	**17**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	6000	6.2	13	3	4	5	7	10	12	0-17	0									
70-74	4757	6.0	11	3	4	6	7	9	11	18-34	8041	4.4	4	2	3	4	5	7	8	
75-79	4744	6.8	15	3	4	6	8	12	15	35-49	7888	5.0	7	2	3	5	6	8	10	
80-84	4707	6.9	12	3	5	6	8	10	14	50-69	8754	5.3	7	3	4	5	7	8	10	
85 +	5347	7.4	17	3	5	7	9	13	15	70 +	310	4.5	3	3	3	4	5	7	7	
SUBTOTAL	**25555**	**6.6**	**14**	**3**	**4**	**6**	**8**	**11**	**13**		**24994**	**4.9**	**6**	**2**	**3**	**4**	**6**	**8**	**10**	
GRAND TOTAL	**25555**	**6.6**	**14**	**3**	**4**	**6**	**8**	**11**	**13**		**24994**	**4.9**	**6**	**2**	**3**	**4**	**6**	**8**	**10**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	1612	4.6	6	2	3	4	6	7	9	18-34	2553	4.4	13	2	2	4	5	8	9	
35-49	1077	4.3	3	3	3	4	5	6	7	35-49	1639	5.7	14	2	3	4	8	10	12	
50-69	898	7.3	16	4	5	6	8	12	15	50-69	1258	5.6	7	2	4	6	7	9	10	
70 +	224	6.3	4	3	5	6	8	9	9	70 +	61	9.3	37							
SUBTOTAL	**3812**	**5.2**	**9**	**3**	**3**	**5**	**6**	**8**	**10**		**5511**	**5.1**	**12**	**2**	**3**	**4**	**7**	**9**	**10**	
GRAND TOTAL	**3812**	**5.2**	**9**	**3**	**3**	**5**	**6**	**8**	**10**		**5511**	**5.1**	**12**	**2**	**3**	**4**	**7**	**9**	**10**	

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	389	6.6	9	2	4	7	8	11	12	0-17	13971	4.7	18	2	3	4	6	9	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**389**	**6.6**	**9**	**2**	**4**	**7**	**8**	**11**	**12**		**13971**	**4.7**	**18**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	261	3.6	2	2	3	4	4	6	6	0-17	52745	3.7	6	2	2	3	5	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**261**	**3.6**	**2**	**2**	**3**	**4**	**4**	**6**	**6**		**52745**	**3.7**	**6**	**2**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**649**	**5.4**	**8**	**2**	**3**	**5**	**7**	**10**	**11**		**66716**	**3.9**	**9**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9111	5.2	19	2	3	4	6	10	14	0-17	4312	5.4	31	2	2	4	6	10	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9111**	**5.2**	**19**	**2**	**3**	**4**	**6**	**10**	**14**		**4312**	**5.4**	**31**	**2**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26957	3.8	6	2	2	3	5	6	8	0-17	14114	3.5	4	2	2	3	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**26957**	**3.8**	**6**	**2**	**2**	**3**	**5**	**6**	**8**		**14114**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**36068**	**4.2**	**10**	**2**	**2**	**3**	**5**	**7**	**10**		**18426**	**3.9**	**11**	**2**	**2**	**3**	**5**	**7**	**8**

DRG 92: Interstitial Lung Disease w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	945	6.4	16	3	3	5	9	13	15
70-74	471	8.5	34	3	4	6	10	21	21
75-79	685	7.4	27	3	4	6	10	13	15
80-84	720	8.2	56	2	5	6	10	12	21
85 +	389	7.8	11	4	6	7	11	12	12
SUBTOTAL	**3210**	**7.5**	**30**	**3**	**4**	**6**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3210**	**7.5**	**30**	**3**	**4**	**6**	**10**	**13**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	4.4	12						
18-34	229	6.1	17	3	3	5	7	14	14
35-49	364	5.0	8	< 1	4	5	6	8	9
50-69	417	6.9	25	2	4	6	11	18	18
70 +	29	8.5	2						
	1111	**6.0**	**17**	**1**	**3**	**5**	**8**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1111	**6.0**	**17**	**1**	**3**	**5**	**8**	**14**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	100	12.3	55	4	5	8	21	21	21
18-34	153	8.0	24	3	4	9	11	11	20
35-49	14	17.0							
50-69	121	9.8	24	4	7	7	17	17	17
70 +	32	14.0							
SUBTOTAL	**422**	**10.3**	**34**	**4**	**5**	**9**	**14**	**20**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**422**	**10.3**	**34**	**4**	**5**	**9**	**14**	**20**	**21**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	11.3	75						
18-34	218	4.0	3	2	3	4	5	7	7
35-49	186	5.4	6	2	3	5	7	9	9
50-69	107	9.0	21						
70 +	75	10.5	83						
	628	**6.5**	**28**	**2**	**3**	**5**	**7**	**14**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	628	**6.5**	**28**	**2**	**3**	**5**	**7**	**14**	**21**

DRG 93: Interstitial Lung Disease w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	417	5.1	28	2	2	4	5	11	15	0-17	200	2.3	1	1	2	2	3	4	4
70-74	171	6.5	26	2	2	4	14	14	15	18-34	64	5.0	1						
75-79	89	4.8	4							35-49	214	5.9	20	2	2	5	7	11	18
80-84	221	8.6	25	3	5	6	13	17	17	50-69	307	4.7	8	1	3	4	7	8	10
85 +	29	14.0	37							70 +	0								
SUBTOTAL	**928**	**6.5**	**29**	**2**	**3**	**4**	**7**	**15**	**17**		**785**	**4.4**	**11**	**1**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**928**	**6.5**	**29**	**2**	**3**	**4**	**7**	**15**	**17**		**785**	**4.4**	**11**	**1**	**2**	**4**	**6**	**8**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	75	3.2	1							0-17	43	6.3	17						
18-34	32	6.0								18-34	75	3.4	1						
35-49	75	6.4	4							35-49	61	3.9	5						
50-69	14	16.0								50-69	46	3.8	3						
70 +	0									70 +	0								
SUBTOTAL	**197**	**5.8**	**12**	**2**	**4**	**6**	**6**	**9**	**16**		**225**	**4.2**	**7**	**1**	**2**	**3**	**5**	**7**	**11**
GRAND TOTAL	**197**	**5.8**	**12**	**2**	**4**	**6**	**6**	**9**	**16**		**225**	**4.2**	**7**	**1**	**2**	**3**	**5**	**7**	**11**

DRG 94: Pneumothorax w/ CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1089	11.2	79	4	5	7	18	23	26
70-74	728	7.1	23	2	4	6	9	14	17
75-79	574	9.1	46	3	4	7	13	16	30
80-84	406	12.3	63	5	6	10	17	28	30
85 +	207	9.1	44	4	5	7	8	24	24
SUBTOTAL	**3004**	**9.8**	**58**	**3**	**5**	**7**	**13**	**21**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3004**	**9.8**	**58**	**3**	**5**	**7**	**13**	**21**	**24**

	BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	264	7.6	18	2	3	8	11	14	14
18-34	482	8.6	139	2	3	5	8	14	33
35-49	528	9.3	41	4	6	8	12	17	29
50-69	949	9.1	54	3	4	7	11	21	23
70 +	46	10.1	2						
	2269	**8.9**	**64**	**2**	**4**	**7**	**11**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2269	**8.9**	**64**	**2**	**4**	**7**	**11**	**17**	**23**

	MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	104	7.6	48	2	3	4	17	20	20
18-34	179	7.0	13	3	3	6	10	12	13
35-49	93	7.5	54						
50-69	78	10.8	103						
70 +	32	4.0							
SUBTOTAL	**486**	**7.6**	**44**	**3**	**3**	**5**	**9**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**486**	**7.6**	**44**	**3**	**3**	**5**	**9**	**17**	**24**

	NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	9.5	51						
18-34	854	5.5	12	2	3	4	7	11	11
35-49	289	5.0	7	< 1	3	4	7	8	10
50-69	368	8.3	66	3	4	6	10	18	18
70 +	14	16.0							
	1582	**6.3**	**28**	**2**	**3**	**5**	**7**	**11**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1582	**6.3**	**28**	**2**	**3**	**5**	**7**	**11**	**16**

DRG 95: Pneumothorax w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	321	6.9	23	3	4	5	7	15	15	0-17	810	3.8	3	2	2	4	4	6	7
70-74	203	4.5	7	1	3	4	5	10	10	18-34	3353	4.6	7	2	3	4	6	8	10
75-79	186	5.0	6	2	3	4	7	8	9	35-49	1188	4.3	9	2	3	3	5	7	7
80-84	142	6.5	10							50-69	592	5.3	14	1	3	5	7	8	18
85+	46	3.9	2							70+	29	2.0	1						
SUBTOTAL	**899**	**5.7**	**14**	**3**	**3**	**5**	**7**	**10**	**15**		**5971**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**899**	**5.7**	**14**	**3**	**3**	**5**	**7**	**10**	**15**		**5971**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	72	6.0	1							0-17	161	3.5	4	1	1	4	4	6	7
18-34	136	5.0	5	2	4	5	6	10	10	18-34	2400	4.4	6	2	3	4	6	8	8
35-49	14	3.0								35-49	675	4.7	8	2	3	4	6	9	10
50-69	0									50-69	243	4.0	2	3	3	4	4	6	8
70+	0									70+	0								
SUBTOTAL	**222**	**5.2**	**4**	**2**	**4**	**5**	**6**	**8**	**10**		**3478**	**4.4**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**222**	**5.2**	**4**	**2**	**4**	**5**	**6**	**8**	**10**		**3478**	**4.4**	**6**	**2**	**3**	**4**	**6**	**8**	**9**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	41333	6.6	20	3	4	6	8	12	14	0-17	0									
70-74	23921	7.1	26	3	4	6	8	12	15	18-34	3384	4.1	5	2	3	4	5	6	8	
75-79	19565	7.0	25	3	4	6	8	12	15	35-49	6827	4.8	9	2	3	4	6	8	10	
80-84	13362	7.2	21	3	4	6	9	13	16	50-69	17588	6.1	16	3	4	5	7	10	13	
85 +	9538	7.8	43	3	4	6	10	13	17	70 +	546	8.5	34	4	5	7	10	15	26	
SUBTOTAL	**107719**	**7.0**	**24**	**3**	**4**	**6**	**8**	**12**	**15**		**28344**	**5.6**	**14**	**2**	**3**	**5**	**7**	**9**	**12**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**107719**	**7.0**	**24**	**3**	**4**	**6**	**8**	**12**	**15**		**28344**	**5.6**	**14**	**2**	**3**	**5**	**7**	**9**	**12**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	1299	4.4	6	2	3	4	6	7	10	18-34	1207	3.9	5	1	3	3	5	7	8	
35-49	3162	5.0	9	2	3	4	6	8	9	35-49	2644	5.1	12	2	3	4	7	9	12	
50-69	6280	6.3	14	3	4	6	8	11	14	50-69	3320	5.8	16	2	3	5	7	10	13	
70 +	830	5.2	6	2	3	5	7	11	11	70 +	254	4.1	9	2	2	3	5	7	14	
SUBTOTAL	**11570**	**5.7**	**12**	**2**	**3**	**5**	**7**	**10**	**12**		**7424**	**5.2**	**13**	**2**	**3**	**4**	**7**	**9**	**12**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**11570**	**5.7**	**12**	**2**	**3**	**5**	**7**	**10**	**12**		**7424**	**5.2**	**13**	**2**	**3**	**4**	**7**	**9**	**12**	

DRG 97: Bronchitis & Asthma Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10022	5.1	17	2	3	4	6	8	10	0-17	0								
70-74	5000	5.4	8	3	4	5	6	9	11	18-34	11134	3.5	3	2	2	3	4	6	7
75-79	3764	5.8	18	3	3	5	7	10	12	35-49	13040	4.2	8	2	3	4	5	7	9
80-84	2174	5.9	10	2	4	5	8	10	11	50-69	12721	4.7	7	2	3	4	6	8	9
85 +	1964	5.8	13	2	4	5	7	9	10	70 +	171	4.1	2	3	3	4	6	6	6
SUBTOTAL	**22924**	**5.4**	**14**	**2**	**3**	**5**	**6**	**9**	**11**		**37067**	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**22924**	**5.4**	**14**	**2**	**3**	**5**	**6**	**9**	**11**		**37067**	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	3707	3.5	4	1	2	3	4	6	7	18-34	4008	3.3	3	1	2	3	4	6	7
35-49	3245	4.3	5	2	3	4	6	7	8	35-49	4097	3.9	7	1	2	3	5	7	8
50-69	2925	4.9	6	2	3	4	6	8	10	50-69	1806	4.5	7	2	3	4	6	8	10
70 +	96	4.7	7							70 +	29	4.0	1						
SUBTOTAL	**9973**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**9**		**9939**	**3.8**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**9973**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**9**		**9939**	**3.8**	**5**	**1**	**2**	**3**	**5**	**6**	**8**

DRG 98: Bronchitis & Asthma Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	46	4.9	8							0-17	14230	3.9	16	2	2	3	5	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**46**	**4.9**	**8**								**14230**	**3.9**	**16**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	219	3.1	1	2	2	3	4	4	5	0-17	59835	3.0	3	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**219**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**		**59835**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**265**	**3.4**	**3**	**2**	**3**	**3**	**4**	**5**	**9**		**74065**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9042	4.2	12	2	2	3	5	7	10	0-17	5118	3.9	10	2	2	3	5	7	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9042**	**4.2**	**12**	**2**	**2**	**3**	**5**	**7**	**10**		**5118**	**3.9**	**10**	**2**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	41472	3.2	8	1	2	3	4	5	6	0-17	22302	2.9	2	1	2	3	4	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**41472**	**3.2**	**8**	**1**	**2**	**3**	**4**	**5**	**6**		**22302**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**50514**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**7**		**27420**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 99: Respiratory Signs & Symptoms w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5533	5.5	31	2	3	4	7	10	12
70-74	3130	5.6	29	2	3	4	6	11	16
75-79	1837	5.9	27	2	3	4	7	13	18
80-84	1192	6.1	20	1	3	5	8	12	19
85 +	1148	5.5	27	2	3	4	7	9	14
SUBTOTAL	**12839**	**5.7**	**29**	**2**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12839**	**5.7**	**29**	**2**	**3**	**4**	**7**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	766	4.8	21	1	2	3	6	9	12
18-34	347	4.4	15	1	2	3	5	6	11
35-49	1880	3.3	4	1	2	3	4	6	7
50-69	3154	4.4	11	1	2	3	6	9	11
70 +	157	5.4	7	1	4	6	7	9	9
	6303	**4.1**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6303	**4.1**	**11**	**1**	**2**	**3**	**5**	**8**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	709	4.6	14	1	2	3	5	11	14
18-34	211	3.3	6	< 1	1	2	5	6	10
35-49	360	3.3	4	1	2	3	5	6	6
50-69	795	4.8	8	2	3	4	6	7	11
70 +	207	3.9	7	1	2	3	7	8	8
SUBTOTAL	**2281**	**4.3**	**9**	**1**	**2**	**4**	**6**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2281**	**4.3**	**9**	**1**	**2**	**4**	**6**	**7**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	319	7.4	57	1	3	5	9	19	21
18-34	176	3.6	13	1	2	2	3	5	15
35-49	467	4.3	29	1	2	3	4	5	23
50-69	846	3.3	5	1	2	3	4	5	9
70 +	43	2.7	3						
	1851	**4.3**	**23**	**1**	**2**	**3**	**5**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1851	**4.3**	**23**	**1**	**2**	**3**	**5**	**9**	**13**

DRG 100: Respiratory Signs & Symptoms w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2584	3.6	6	1	2	3	4	7	10
70-74	1219	3.8	7	2	2	3	5	6	8
75-79	592	4.3	18	1	2	3	5	9	18
80-84	520	2.5	1	1	2	2	3	3	5
85 +	218	4.8	6	2	2	5	7	8	9
SUBTOTAL	**5133**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**5133**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2953	3.0	13	1	1	2	4	5	7
18-34	1840	2.3	2	1	1	2	3	4	4
35-49	5845	2.9	4	1	2	2	4	5	6
50-69	4671	2.9	4	1	2	2	4	5	6
70 +	78	2.2	1						
	15387	**2.8**	**5**	**1**	**2**	**2**	**4**	**5**	**6**
	15387	**2.8**	**5**	**1**	**2**	**2**	**4**	**5**	**6**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2637	3.7	13	1	2	3	5	7	9
18-34	197	2.6	2	1	2	2	4	4	5
35-49	278	2.2	1	1	1	2	3	3	3
50-69	353	3.1	1	2	2	3	4	4	6
70 +	14	1.0							
SUBTOTAL	**3480**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**3480**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1371	4.6	74	1	1	3	5	8	14
18-34	688	2.2	1	1	2	2	3	4	4
35-49	1622	2.4	2	1	1	2	3	4	5
50-69	753	3.2	5	1	1	2	4	7	9
70 +	61	1.5							
	4495	**3.2**	**25**	**1**	**1**	**2**	**4**	**5**	**7**
	4495	**3.2**	**25**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 101: Other Respiratory System Diagnoses w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3205	6.3	15	2	4	6	8	11	13	0-17	795	5.7	28	1	2	4	8	11	16
70-74	1305	6.4	22	1	3	6	8	12	14	18-34	346	4.4	5	1	3	5	6	7	8
75-79	1374	5.9	18	2	3	4	8	11	13	35-49	738	5.0	9	1	3	4	7	10	11
80-84	1347	7.3	34	2	4	6	9	14	18	50-69	1331	5.2	8	2	3	5	6	9	12
85 +	739	6.2	24	2	3	5	7	11	16	70 +	75	5.1	12						
SUBTOTAL	**7971**	**6.4**	**21**	**2**	**3**	**6**	**8**	**11**	**14**		**3284**	**5.2**	**13**	**1**	**3**	**4**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7971**	**6.4**	**21**	**2**	**3**	**6**	**8**	**11**	**14**		**3284**	**5.2**	**13**	**1**	**3**	**4**	**7**	**10**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	651	4.5	10	1	3	4	6	12	12	0-17	436	5.1	31	1	2	3	6	8	22
18-34	179	6.6	10	4	5	5	6	11	14	18-34	257	4.4	11	2	2	3	5	11	12
35-49	232	4.9	8	3	3	4	6	11	11	35-49	342	6.6	102	2	2	3	6	7	39
50-69	406	6.8	27	2	3	4	10	15	17	50-69	392	6.7	12	2	4	5	10	10	10
70 +	32	16.0								70 +	75	5.0	13						
SUBTOTAL	**1501**	**5.7**	**17**	**2**	**3**	**4**	**7**	**15**	**16**		**1503**	**5.8**	**39**	**2**	**2**	**4**	**8**	**10**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1501**	**5.7**	**17**	**2**	**3**	**4**	**7**	**15**	**16**		**1503**	**5.8**	**39**	**2**	**2**	**4**	**8**	**10**	**16**

DRG 102: Other Respiratory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	638	4.7	16	2	2	3	6	8	16
70-74	374	6.9	14	2	5	6	10	12	14
75-79	688	3.4	5	1	2	3	5	7	7
80-84	229	7.0	26	2	3	7	9	13	21
85 +	203	6.5	37	2	3	4	5	14	23
SUBTOTAL	**2133**	**5.1**	**17**	**2**	**2**	**4**	**7**	**10**	**14**
GRAND TOTAL	**2133**	**5.1**	**17**	**2**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2701	2.5	6	1	1	2	3	4	6
18-34	1130	2.8	5	1	2	2	3	5	6
35-49	1091	3.1	6	1	1	2	4	6	10
50-69	913	3.7	6	1	2	3	5	7	9
70 +	32	12.0							
	5868	**2.9**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
	5868	**2.9**	**6**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	931	2.9	6	1	1	2	3	6	8
18-34	142	3.7	5						
35-49	78	2.8	3						
50-69	75	2.2	1						
70 +	14	2.0							
SUBTOTAL	**1241**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1241**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1087	2.7	2	1	2	2	3	5	5
18-34	460	2.5	3	1	1	2	4	5	6
35-49	360	1.9	1	1	1	2	2	2	3
50-69	89	3.4	4						
70 +	0								
	1997	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**6**
	1997	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 103: Heart Transplant

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	57	54.0	467	22	47	74	99 +	99 +	99 +
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	57	54.0	467	22	47	74	99 +	99 +	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	57	54.0	467	22	47	74	99 +	99 +	99 +

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	24.0	40						
18-34	29	49.0	299						
35-49	43	46.3	10						
50-69	100	65.4	616	33	42	86	94	99 +	99 +
70 +	0								
	230	49.4	593	21	33	48	93	99 +	99 +
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	230	49.4	593	21	33	48	93	99 +	99 +

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	65.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	14	65.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	14	65.0							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 104: Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	738	20.5	118	11	13	18	22	34	46
70-74	451	22.7	120	11	13	19	33	37	42
75-79	279	24.6	190	12	16	26	31	38	70
80-84	233	18.2	47	9	11	18	25	27	30
85 +	32	26.0							
SUBTOTAL	**1734**	**21.5**	**123**	**11**	**13**	**18**	**26**	**35**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	26.8	199						
70-74	14	29.0							
75-79	0								
80-84	29	17.5							
85 +	0								
SUBTOTAL	**100**	**24.4**	**133**	**12**	**14**	**18**	**37**	**44**	**44**
GRAND TOTAL	**1834**	**21.7**	**124**	**11**	**13**	**18**	**26**	**37**	**44**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	158	24.4	324	7	11	20	39	63	99 +
18-34	43	21.7	126						
35-49	233	18.2	109	8	11	17	20	29	52
50-69	445	18.9	93	9	12	16	24	28	42
70 +	0								
	878	**19.8**	**145**	**9**	**12**	**16**	**26**	**39**	**50**
0-17	100	9.3	29	2	6	8	15	19	19
18-34	29	13.0	9						
35-49	43	16.7	59						
50-69	57	17.3	40						
70 +	0								
	230	**13.1**	**47**	**6**	**8**	**13**	**15**	**27**	**28**
	1108	**18.4**	**132**	**8**	**11**	**15**	**23**	**37**	**49**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	14.0							
35-49	14	14.0							
50-69	72	11.8	13						
70 +	0								
SUBTOTAL	**100**	**12.4**	**10**	**8**	**9**	**13**	**14**	**18**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	12.5	9						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**57**	**12.5**	**9**						
GRAND TOTAL	**158**	**12.5**	**10**	**9**	**9**	**13**	**15**	**16**	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	17.3	3						
18-34	0								
35-49	29	23.0	9						
50-69	100	22.1	136	8	11	22	23	47	47
70 +	14	17.0							
	201	**20.5**	**76**	**11**	**16**	**20**	**22**	**26**	**47**
0-17	43	6.7	45						
18-34	14	10.0							
35-49	14	8.0							
50-69	0								
70 +	0								
	72	**7.6**	**28**						
	273	**17.1**	**96**	**2**	**10**	**17**	**22**	**26**	**46**

DRG 105: Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	721	16.2	115	8	10	12	19	25	33
70-74	391	15.0	95	9	10	13	15	20	30
75-79	215	15.5	78	9	10	12	17	45	99 +
80-84	136	24.1	555	9	10	13	59	77	99 +
85 +	0								
SUBTOTAL	**1462**	**16.5**	**151**	**9**	**10**	**13**	**17**	**30**	**59**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	115	8.9	3	6	8	9	11	11	11
70-74	86	10.3	2	8	9	11	12	12	12
75-79	57	12.8	8						
80-84	0								
85 +	0								
SUBTOTAL	**258**	**10.2**	**6**	**7**	**9**	**10**	**11**	**15**	**16**
GRAND TOTAL	**1721**	**15.6**	**134**	**9**	**10**	**12**	**16**	**25**	**58**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	588	11.3	77	5	7	9	12	16	20
18-34	86	13.3	13	8	10	13	17	18	18
35-49	273	12.4	38	7	8	11	14	25	31
50-69	523	17.4	216	8	9	11	18	36	48
70 +	14	9.0							
	1484	**13.7**	**122**	**7**	**8**	**10**	**15**	**25**	**35**
0-17	402	6.6	4	4	5	6	8	9	9
18-34	57	8.3	1						
35-49	143	9.8	5	8	8	9	12	13	14
50-69	129	10.4	3	7	9	11	12	13	13
70 +	0								
	732	**8.1**	**6**	**5**	**6**	**8**	**9**	**12**	**13**
	2216	**11.9**	**91**	**5**	**8**	**9**	**12**	**18**	**32**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	230	16.7	130	6	7	13	29	31	42
18-34	0								
35-49	0								
50-69	86	10.8	5	8	8	11	12	14	14
70 +	0								
SUBTOTAL	**316**	**15.1**	**102**	**6**	**8**	**12**	**16**	**30**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	215	9.0	10	5	7	8	12	14	15
18-34	0								
35-49	0								
50-69	32	38.0							
70 +	0								
SUBTOTAL	**247**	**12.8**	**104**	**5**	**8**	**9**	**13**	**38**	**38**
GRAND TOTAL	**563**	**14.1**	**104**	**6**	**8**	**10**	**15**	**31**	**38**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	14.3	92	5	7	9	20	34	34
18-34	29	37.0	871						
35-49	14	21.0							
50-69	43	25.3	75						
70 +	0								
	187	**20.8**	**265**	**7**	**8**	**17**	**25**	**36**	**66**
0-17	57	7.3	2						
18-34	0								
35-49	14	8.0							
50-69	14	10.0							
70 +	0								
	86	**7.8**	**3**	**5**	**7**	**8**	**9**	**10**	**10**
	273	**16.7**	**218**	**5**	**8**	**9**	**21**	**36**	**66**

DRG 106: Coronary Bypass w/ Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3223	15.8	105	8	11	14	17	23	25	0-17	0								
70-74	2092	16.9	65	9	11	15	20	28	32	18-34	14	18.0							
75-79	1207	17.3	69	10	12	15	20	27	34	35-49	1014	12.2	23	7	9	12	15	19	21
80-84	344	17.3	48	11	14	16	19	26	26	50-69	3117	13.1	23	8	10	12	16	20	23
85 +	75	15.7	7							70 +	72	10.6	7						
SUBTOTAL	**6942**	**16.5**	**84**	**9**	**11**	**15**	**19**	**25**	**30**		**4217**	**12.8**	**23**	**8**	**9**	**12**	**15**	**19**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	717	15.1	31	9	12	13	19	21	24	0-17	0								
70-74	344	14.0	43	8	10	12	15	24	25	18-34	0								
75-79	244	17.9	49	12	13	15	21	27	39	35-49	885	11.0	14	7	8	10	13	18	19
80-84	43	18.0	43							50-69	1556	12.0	18	8	9	11	14	17	19
85 +	0									70 +	29	8.0	1						
SUBTOTAL	**1349**	**15.4**	**40**	**9**	**12**	**14**	**18**	**24**	**27**		**2470**	**11.6**	**17**	**8**	**9**	**11**	**13**	**17**	**19**
GRAND TOTAL	**8290**	**16.3**	**77**	**9**	**11**	**14**	**19**	**24**	**29**		**6687**	**12.4**	**21**	**8**	**9**	**12**	**14**	**19**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	43	10.7	2							35-49	115	10.5	4	8	9	10	11	14	14
50-69	265	17.4	36	7	14	17	23	28	67	50-69	505	13.6	24	8	9	13	17	22	23
70 +	0									70 +	14	9.0							
SUBTOTAL	**308**	**16.5**	**36**	**9**	**12**	**17**	**18**	**28**	**28**		**635**	**12.9**	**22**	**8**	**9**	**13**	**16**	**22**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	29	12.0								35-49	43	9.3	11						
50-69	75	10.8	2							50-69	204	10.2	8	6	8	11	13	14	14
70 +	0									70 +	14	12.0							
SUBTOTAL	**104**	**11.1**	**2**	**9**	**10**	**12**	**12**	**13**	**13**		**262**	**10.2**	**8**	**6**	**8**	**11**	**13**	**14**	**14**
GRAND TOTAL	**412**	**15.1**	**33**	**9**	**12**	**14**	**17**	**28**	**28**		**896**	**12.1**	**19**	**8**	**9**	**11**	**14**	**18**	**22**

DRG 107: Coronary Bypass w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2395	11.1	41	7	8	9	12	16	20	0-17	0								
70-74	1083	11.1	29	7	8	10	13	17	21	18-34	14	9.0							
75-79	609	13.2	83	8	8	10	16	19	25	35-49	692	8.5	5	6	7	8	9	11	13
80-84	190	10.8	3	9	10	10	12	13	15	50-69	3000	10.1	34	7	8	9	11	13	16
85 +	14	10.0								70 +	14	7.0							
SUBTOTAL	**4291**	**11.4**	**43**	**7**	**8**	**10**	**12**	**17**	**22**		**3720**	**9.8**	**29**	**7**	**8**	**9**	**11**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	660	9.7	10	7	8	9	10	12	19	0-17	0								
70-74	373	9.5	3	8	8	9	11	12	13	18-34	57	7.5	2						
75-79	129	10.0	3	8	9	9	11	14	14	35-49	477	8.2	4	7	7	8	8	11	13
80-84	14	11.0								50-69	1384	8.6	4	7	8	8	9	10	13
85 +	0									70 +	0								
SUBTOTAL	**1176**	**9.7**	**7**	**7**	**8**	**9**	**11**	**12**	**14**		**1918**	**8.5**	**4**	**7**	**7**	**8**	**9**	**10**	**13**
GRAND TOTAL	**5467**	**11.0**	**35**	**7**	**8**	**9**	**12**	**16**	**19**		**5639**	**9.3**	**21**	**7**	**7**	**8**	**10**	**12**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	29	8.0								35-49	14	9.0							
50-69	115	12.8	39	7	8	10	23	23	23	50-69	158	11.8	29	7	7	10	15	20	23
70 +	0									70 +	0								
SUBTOTAL	**143**	**11.8**	**35**	**7**	**8**	**8**	**13**	**23**	**23**		**172**	**11.6**	**27**	**7**	**7**	**9**	**14**	**20**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	43	8.3	2							35-49	43	9.3	4						
50-69	57	8.8	1							50-69	43	9.7	3						
70 +	0									70 +	0								
SUBTOTAL	**100**	**8.6**	**1**	**7**	**8**	**8**	**10**	**10**	**10**		**86**	**9.5**	**4**	**7**	**8**	**9**	**12**	**12**	**12**
GRAND TOTAL	**244**	**10.5**	**24**	**7**	**8**	**8**	**10**	**23**	**23**		**258**	**10.9**	**20**	**7**	**8**	**9**	**12**	**20**	**23**

DRG 108: Other Cardiothoracic or Vascular Procedures, w/ Pump

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1641	18.8	135	9	11	16	22	31	45	0-17	1693	14.2	174	5	8	10	17	24	31
70-74	986	21.1	163	8	12	17	27	39	46	18-34	86	13.0	74	5	6	9	21	28	28
75-79	405	17.7	101	8	11	15	23	34	52	35-49	552	12.8	48	7	9	10	16	19	36
80-84	86	21.8	51	13	18	20	23	36	36	50-69	1709	16.1	132	8	9	13	19	29	41
85 +	0									70 +	43	25.0	111						
SUBTOTAL	**3118**	**19.4**	**139**	**9**	**11**	**16**	**23**	**36**	**45**		**4083**	**14.9**	**139**	**7**	**8**	**11**	**17**	**28**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	488	11.1	17	7	9	9	13	17	21	0-17	2310	7.7	17	4	5	6	9	12	16
70-74	86	13.3	42	9	9	9	15	27	27	18-34	129	8.7	16	5	6	8	9	19	19
75-79	86	16.0	42	9	9	12	21	26	26	35-49	287	10.0	7	7	8	9	12	13	15
80-84	14	11.0								50-69	620	10.0	8	7	8	10	12	14	15
85 +	0									70 +	14	9.0							
SUBTOTAL	**674**	**12.0**	**26**	**8**	**9**	**9**	**15**	**21**	**22**		**3360**	**8.4**	**16**	**5**	**6**	**8**	**10**	**13**	**16**
GRAND TOTAL	**3792**	**18.1**	**127**	**9**	**10**	**15**	**22**	**34**	**43**		**7443**	**12.0**	**94**	**5**	**7**	**9**	**14**	**20**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	961	16.7	236	7	8	11	21	30	44	0-17	703	16.2	342	5	7	9	19	32	85
18-34	29	10.0	4							18-34	0								
35-49	72	11.4	4							35-49	86	15.3	64	6	7	14	23	28	28
50-69	172	20.0	273	9	10	14	20	36	69	50-69	172	17.5	164	8	10	14	18	27	55
70 +	0									70 +	0								
SUBTOTAL	**1234**	**16.7**	**227**	**7**	**8**	**11**	**19**	**30**	**44**		**961**	**16.4**	**285**	**6**	**8**	**10**	**19**	**32**	**58**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	818	8.8	29	5	6	8	9	15	18	0-17	560	9.1	47	5	6	7	8	14	22
18-34	14	12.0								18-34	0								
35-49	29	9.5								35-49	29	6.5							
50-69	29	12.0	9							50-69	14	15.0							
70 +	0									70 +	0								
SUBTOTAL	**889**	**9.0**	**28**	**5**	**7**	**8**	**10**	**15**	**17**		**603**	**9.1**	**45**	**5**	**6**	**7**	**8**	**14**	**15**
GRAND TOTAL	**2123**	**13.5**	**158**	**6**	**7**	**9**	**15**	**23**	**36**		**1564**	**13.6**	**205**	**5**	**7**	**8**	**14**	**27**	**43**

DRG 109: Other Cardiothoracic Procedures w/o Pump

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	297	14.2	91	3	5	12	21	24	24	0-17	1722	12.2	177	4	6	8	12	27	46
70-74	197	12.3	56	5	8	10	16	22	32	18-34	179	8.6	23	4	6	7	14	14	20
75-79	104	14.1	349	2	4	9	10	60	60	35-49	115	15.4	141	2	2	14	18	42	42
80-84	153	10.1	17	4	7	10	14	15	15	50-69	279	9.6	51	< 1	2	10	16	20	23
85 +	72	13.6	51							70 +	0								
SUBTOTAL	**822**	**12.9**	**100**	**3**	**7**	**10**	**16**	**24**	**32**		**2294**	**11.8**	**150**	**3**	**6**	**8**	**13**	**24**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	6.0								0-17	2568	6.1	16	2	4	5	7	11	15
70-74	29	10.5								18-34	147	7.4	4	5	6	8	9	9	11
75-79	0									35-49	86	7.5	6	4	6	7	10	11	11
80-84	46	6.9	2							50-69	118	13.3	60	7	9	9	11	32	32
85 +	0									70 +	0								
SUBTOTAL	**107**	**7.6**	**4**								**2919**	**6.5**	**19**	**2**	**4**	**6**	**8**	**11**	**15**
GRAND TOTAL	**930**	**12.3**	**92**	**4**	**6**	**10**	**16**	**24**	**25**		**5214**	**8.8**	**84**	**2**	**4**	**7**	**10**	**17**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	416	14.1	280	4	6	10	14	23	82	0-17	344	9.6	49	1	5	9	15	35	99 +
18-34	29	13.0	4							18-34	61	6.3	4						
35-49	14	18.0								35-49	32	19.0							
50-69	43	5.7								50-69	14	23.0							
70 +	0									70 +	0								
SUBTOTAL	**502**	**13.5**	**238**	**4**	**6**	**10**	**14**	**23**	**82**		**451**	**10.2**	**51**	**2**	**6**	**8**	**15**	**23**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	875	8.3	56	2	4	7	11	15	19	0-17	459	8.2	54	3	4	6	10	13	24
18-34	14	9.0								18-34	72	7.2	15						
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**889**	**8.3**	**55**	**2**	**4**	**7**	**11**	**15**	**19**		**531**	**8.1**	**49**	**3**	**4**	**6**	**10**	**13**	**24**
GRAND TOTAL	**1392**	**10.2**	**127**	**3**	**5**	**8**	**12**	**18**	**42**		**982**	**9.1**	**51**	**3**	**4**	**8**	**11**	**19**	**35**

DRG 110: Major Reconstructive Vascular Proc w/o Pump w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6249	15.2	123	7	9	12	17	27	39
70-74	3813	13.1	83	5	8	11	14	27	32
75-79	3485	15.1	112	7	9	12	18	28	37
80-84	1799	15.6	175	6	9	11	17	30	46
85 +	900	17.4	88	7	12	16	22	30	32
SUBTOTAL	**16246**	**14.9**	**116**	**6**	**9**	**12**	**17**	**28**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16246**	**14.9**	**116**	**6**	**9**	**12**	**17**	**28**	**38**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	115	7.5	12	4	5	6	7	15	15
18-34	29	11.0	1						
35-49	476	9.5	22	5	6	8	10	16	18
50-69	3016	12.8	64	6	8	10	15	25	31
70 +	72	13.6	55						
	3707	**12.2**	**58**	**6**	**7**	**10**	**14**	**24**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3707	**12.2**	**58**	**6**	**7**	**10**	**14**	**24**	**30**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	9.0							
18-34	14	35.0							
35-49	72	14.8	76						
50-69	508	17.6	149	7	10	14	19	40	51
70 +	96	24.3	284						
SUBTOTAL	**704**	**18.4**	**167**	**7**	**10**	**14**	**19**	**40**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**704**	**18.4**	**167**	**7**	**10**	**14**	**19**	**40**	**47**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	11.5	13						
35-49	125	36.5	1236						
50-69	257	19.5	201	5	6	17	28	44	57
70 +	14	16.0							
	425	**23.9**	**554**	**6**	**8**	**16**	**31**	**57**	**94**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	425	**23.9**	**554**	**6**	**8**	**16**	**31**	**57**	**94**

DRG 111: Major Reconstructive Vascular Proc w/o Pump w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1552	9.5	64	5	6	8	10	14	18	0-17	158	7.2	6	5	5	7	9	10	12
70-74	1019	9.6	13	6	7	9	11	14	17	18-34	29	5.5	6						
75-79	844	9.9	16	5	7	10	12	14	18	35-49	558	7.5	9	4	6	7	9	10	12
80-84	289	10.7	43	5	8	9	12	12	16	50-69	2127	8.2	12	4	6	8	10	12	15
85 +	268	12.7	19	6	9	14	17	18	18	70 +	43	11.3	11						
SUBTOTAL	**3972**	**9.9**	**37**	**5**	**7**	**9**	**12**	**15**	**18**		**2914**	**8.0**	**11**	**4**	**6**	**8**	**9**	**12**	**15**
GRAND TOTAL	**3972**	**9.9**	**37**	**5**	**7**	**9**	**12**	**15**	**18**		**2914**	**8.0**	**11**	**4**	**6**	**8**	**9**	**12**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	72	8.8	15							0-17	29	7.5	2						
18-34	14	6.0								18-34	32	4.0							
35-49	43	8.3	2							35-49	64	6.0	1						
50-69	208	8.8	13	5	7	8	10	13	19	50-69	300	11.7	41	7	8	10	13	17	23
70 +	0									70 +	0								
SUBTOTAL	**337**	**8.6**	**12**	**5**	**6**	**8**	**10**	**13**	**14**		**425**	**10.0**	**37**	**4**	**6**	**8**	**12**	**16**	**23**
GRAND TOTAL	**337**	**8.6**	**12**	**5**	**6**	**8**	**10**	**13**	**14**		**425**	**10.0**	**37**	**4**	**6**	**8**	**12**	**16**	**23**

DRG 112: Vascular Procedures except Major Reconstruction w/o Pump

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6635	7.1	41	2	3	5	9	15	17
70-74	3439	8.9	58	2	4	7	12	16	20
75-79	2479	8.6	51	2	4	7	11	15	18
80-84	1440	9.5	55	3	4	8	12	16	25
85 +	771	9.1	33	3	5	8	12	16	19
SUBTOTAL	**14763**	**8.1**	**48**	**2**	**3**	**7**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3663	5.0	14	1	2	4	7	10	12
70-74	1348	5.3	19	2	2	4	8	11	15
75-79	1109	6.6	22	2	3	6	8	15	16
80-84	418	5.3	14	2	3	4	6	9	10
85 +	136	6.1	15	3	3	6	7	16	16
SUBTOTAL	**6674**	**5.4**	**16**	**2**	**2**	**4**	**8**	**10**	**14**
GRAND TOTAL	**21437**	**7.3**	**40**	**2**	**3**	**6**	**10**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	115	6.5	10	2	2	6	8	12	12
18-34	262	4.2	7	2	2	3	6	9	9
35-49	2296	5.8	17	2	3	5	8	11	14
50-69	5875	6.1	19	2	3	5	8	12	14
70 +	43	17.7	193						
	8591	**6.0**	**19**	**2**	**3**	**5**	**8**	**12**	**14**
0-17	344	4.3	12	1	1	4	6	8	9
18-34	473	3.5	6	1	2	3	4	8	3
35-49	4156	5.0	13	2	2	4	7	10	12
50-69	7799	4.6	12	2	2	4	6	9	11
70 +	89	3.2							
	12862	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**
	21452	**5.2**	**15**	**2**	**2**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	172	8.2	61	2	3	8	8	14	31
18-34	143	8.5	15	4	7	8	10	13	17
35-49	322	8.3	102	2	3	4	7	24	37
50-69	688	9.3	162	2	3	5	9	16	32
70 +	32	3.0							
SUBTOTAL	**1358**	**8.7**	**116**	**2**	**3**	**6**	**9**	**16**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	204	5.5	18	2	3	4	6	12	16
18-34	14	2.0							
35-49	233	8.9	54	1	3	8	12	17	29
50-69	215	6.7	7	3	5	7	9	11	11
70 +	0								
SUBTOTAL	**667**	**7.0**	**29**	**2**	**3**	**6**	**10**	**12**	**17**
GRAND TOTAL	**2024**	**8.1**	**88**	**2**	**3**	**6**	**9**	**16**	**29**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	5.0	13						
18-34	57	13.5	109						
35-49	502	7.6	33	2	4	6	10	13	18
50-69	1156	9.0	43	3	4	7	13	19	20
70 +	0								
	1787	**8.6**	**43**	**2**	**4**	**6**	**12**	**19**	**19**
0-17	57	1.5	1						
18-34	89	8.0	41						
35-49	527	5.1	13	2	2	4	7	13	13
50-69	845	5.7	16	1	2	5	8	12	13
70 +	0								
	1518	**5.4**	**17**	**2**	**2**	**4**	**8**	**12**	**13**
	3305	**7.1**	**33**	**2**	**3**	**5**	**10**	**14**	**19**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2789	19.0	198	7	10	15	22	40	57
70-74	2197	17.4	276	6	9	12	19	34	61
75-79	2235	16.7	171	7	9	12	21	33	42
80-84	2307	17.5	196	6	8	13	23	33	56
85 +	3495	13.1	136	5	7	10	15	23	29
SUBTOTAL	**13024**	**16.5**	**194**	**6**	**8**	**12**	**20**	**33**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	225	8.7	16	3	4	9	11	13	17
70-74	121	14.9	583	3	3	6	7	80	80
75-79	189	14.5	80	5	7	13	16	32	32
80-84	46	9.9	8						
85 +	407	9.5	91	2	5	7	8	20	37
SUBTOTAL	**989**	**11.0**	**134**	**3**	**5**	**8**	**13**	**18**	**32**
GRAND TOTAL	**14013**	**16.1**	**192**	**6**	**8**	**12**	**19**	**33**	**45**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	64	11.5	31						
35-49	168	21.1	18	16	16	22	23	25	29
50-69	967	22.1	276	9	10	14	28	57	63
70 +	43	18.3	39						
	1242	**21.3**	**226**	**9**	**11**	**16**	**24**	**46**	**63**
0-17	0								
18-34	32	17.0							
35-49	0								
50-69	43	23.7	225						
70 +	0								
	75	**20.8**	**139**						
	1317	**21.2**	**221**	**9**	**11**	**17**	**24**	**46**	**63**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	171	22.5	464	10	10	12	17	67	67
50-69	660	12.6	71	7	8	11	14	22	34
70 +	239	14.4	43	3	9	13	21	24	24
SUBTOTAL	**1070**	**14.6**	**140**	**7**	**8**	**12**	**17**	**22**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	75	18.4	52						
70 +	0								
SUBTOTAL	**75**	**18.4**	**52**						
GRAND TOTAL	**1145**	**14.8**	**135**	**7**	**8**	**12**	**17**	**24**	**40**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	21.3	107						
35-49	89	23.4	185						
50-69	478	23.3	129	8	15	24	34	37	48
70 +	32	44.0							
	643	**24.2**	**149**	**8**	**13**	**24**	**34**	**44**	**47**
0-17	0								
18-34	0								
35-49	0								
50-69	43	6.0	9						
70 +	32	10.0							
	75	**7.7**	**9**						
	718	**22.5**	**160**	**8**	**13**	**21**	**34**	**44**	**45**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1121	10.9	69	3	5	9	15	22	31	0-17	0								
70-74	489	8.3	16	4	6	7	10	14	17	18-34	0								
75-79	627	14.3	151	3	5	11	17	35	46	35-49	186	12.5	49	4	6	11	18	23	23
80-84	304	9.2	35	2	6	8	9	18	21	50-69	471	13.1	127	2	6	9	18	30	35
85 +	570	18.3	441	3	7	13	20	34	97	70 +	0								
SUBTOTAL	**3111**	**12.4**	**153**	**3**	**5**	**9**	**15**	**23**	**35**		**657**	**12.[illegible]**	**105**	**3**	**6**	**9**	**18**	**23**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	46	7.8	3							0-17	29	4.0	4						
70-74	72	8.2	44							18-34	14	2.0							
75-79	75	7.3	9							35-49	0								
80-84	14	6.0								50-69	61	7.5	23						
85 +	61	11.5	35							70 +	0								
SUBTOTAL	**268**	**8.5**	**25**	**3**	**5**	**8**	**12**	**15**	**21**		**104**	**5.8**	**19**	**2**	**2**	**3**	**12**	**12**	**12**
GRAND TOTAL	**3379**	**12.1**	**144**	**3**	**5**	**9**	**15**	**22**	**34**		**761**	**12.0**	**99**	**2**	**5**	**9**	**18**	**23**	**30**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	29	6.5	2						
35-49	43	15.7	23							35-49	46	20.2	238						
50-69	125	14.0	17							50-69	229	9.7	47	2	3	7	14	23	23
70 +	0									70 +	0								
SUBTOTAL	**168**	**14.4**	**19**	**9**	**9**	**15**	**18**	**19**	**20**		**304**	**11.0**	**87**	**2**	**5**	**8**	**12**	**23**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	14	4.0								18-34	0								
35-49	14	2.0								35-49	14	4.0							
50-69	0									50-69	46	4.8	3						
70 +	0									70 +	14	1.0							
SUBTOTAL	**29**	**3.0**	**1**								**75**	**3.9**	**4**						
GRAND TOTAL	**197**	**12.8**	**33**	**4**	**9**	**15**	**18**	**19**	**20**		**379**	**9.6**	**79**	**2**	**4**	**7**	**11**	**23**	**23**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	200	8.8	16	6	6	6	9	16	16
70-74	232	10.8	34	3	5	10	13	17	26
75-79	235	11.8	26	6	8	11	13	19	24
80-84	310	11.8	55	5	6	10	15	27	27
85 +	125	17.6	68						
SUBTOTAL	**1102**	**11.7**	**44**	**5**	**6**	**10**	**15**	**23**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	14	12.0							
85 +	0								
SUBTOTAL	**14**	**12.0**							
GRAND TOTAL	**1117**	**11.7**	**44**	**5**	**6**	**10**	**15**	**23**	**27**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	32	7.0							
70 +	0								
	32	**7.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	32	**7.0**							

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	32	8.0							
70 +	0								
	32	**8.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	32	**8.0**							

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2568	8.9	38	3	5	7	12	17	21	0-17	129	8.1	27	3	4	5	12	18	18
70-74	2126	7.3	15	3	4	7	9	13	15	18-34	86	5.2	4	2	4	4	7	8	8
75-79	3181	9.0	43	3	5	8	11	15	22	35-49	171	6.2	11	3	3	5	11	11	12
80-84	2899	8.0	27	3	5	6	9	13	17	50-69	867	8.9	36	4	4	6	12	17	20
85 +	2529	10.6	74	4	6	8	13	20	26	70 +	29	4.0	4						
SUBTOTAL	**13303**	**8.8**	**41**	**3**	**5**	**7**	**11**	**15**	**21**		**1282**	**8.1**	**31**	**3**	**4**	**6**	**11**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	950	6.4	15	2	3	6	9	12	13	0-17	72	11.8	148						
70-74	1359	5.4	13	2	3	5	6	10	15	18-34	14	3.0							
75-79	1039	5.3	7	3	3	4	7	8	10	35-49	43	4.3	1						
80-84	964	6.6	14	2	4	6	8	12	13	50-69	596	5.7	14	2	3	4	8	12	13
85 +	1198	6.9	23	3	4	5	9	12	16	70 +	61	6.9	5						
SUBTOTAL	**5511**	**6.1**	**15**	**2**	**3**	**5**	**8**	**11**	**14**		**786**	**6.2**	**28**	**2**	**3**	**4**	**9**	**12**	**14**
GRAND TOTAL	**18813**	**8.0**	**35**	**3**	**4**	**6**	**10**	**14**	**18**		**2068**	**7.4**	**30**	**2**	**4**	**5**	**10**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	28.0	648							0-17	29	9.0	17						
18-34	0									18-34	32	16.0							
35-49	0									35-49	14	1.0							
50-69	147	7.3	19	4	4	6	9	9	19	50-69	75	9.1	55						
70 +	78	8.5	15							70 +	32	3.0							
SUBTOTAL	**254**	**10.0**	**128**	**3**	**5**	**6**	**9**	**19**	**53**		**182**	**8.6**	**45**	**3**	**3**	**7**	**16**	**16**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	14	8.0							
18-34	14	8.0								18-34	46	2.9	2						
35-49	0									35-49	46	4.0							
50-69	46	4.5	5							50-69	46	13.3							
70 +	32	2.0								70 +	0								
SUBTOTAL	**93**	**4.2**	**7**								**153**	**6.9**	**21**	**2**	**4**	**4**	**13**	**13**	**14**
GRAND TOTAL	**347**	**8.4**	**102**	**2**	**4**	**6**	**9**	**13**	**19**		**336**	**7.8**	**35**	**2**	**3**	**5**	**13**	**16**	**16**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	214	9.1	66	1	2	5	20	21	21
70-74	61	5.9	12						
75-79	136	9.7	143	2	2	3	6	31	31
80-84	78	4.4	5						
85 +	153	4.7	3	3	4	4	6	6	9
SUBTOTAL	**643**	**7.3**	**60**	**2**	**2**	**4**	**7**	**20**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	121	2.7		2	2	3	3	4	4
70-74	89	3.1	3						
75-79	136	4.9	6	1	4	4	7	9	9
80-84	64	3.0	1						
85 +	14	12.0							
SUBTOTAL	**425**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1068**	**5.9**	**41**	**2**	**2**	**4**	**6**	**15**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	2.3							
18-34	14	3.0							
35-49	0								
50-69	64	3.5							
70 +	0								
	121	**3.0**	**1**	**2**	**3**	**3**	**4**	**4**	**4**
0-17	57	2.8	1						
18-34	14	1.0							
35-49	0								
50-69	139	2.7	4	1	1	2	4	6	6
70 +	14	3.0							
	225	**2.6**	**3**	**1**	**1**	**2**	**4**	**6**	**6**
	347	**2.8**	**2**	**1**	**2**	**3**	**4**	**4**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**14**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	5.0	4						
18-34	0								
35-49	0								
50-69	14	1.0							
70 +	0								
SUBTOTAL	**43**	**3.7**	**6**						
GRAND TOTAL	**57**	**3.3**	**5**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	4.0							
18-34	14	49.0							
35-49	0								
50-69	0								
70 +	0								
	29	**26.5**	**525**						
0-17	0								
18-34	0								
35-49	29	2.5							
50-69	32	2.0							
70 +	0								
	61	**2.2**							
	89	**10.0**	**294**						

DRG 118: Cardiac Pacemaker Device Replacement

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	182	5.1	11	2	2	3	8	10	12
70-74	150	5.3	12	3	3	4	8	11	11
75-79	251	4.5	10	2	2	3	7	10	12
80-84	214	5.3	16	1	3	5	7	8	17
85 +	257	5.7	27	2	3	4	6	17	18
SUBTOTAL	**1054**	**5.2**	**16**	**2**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	121	2.4	3	1	1	1	5	5	5
70-74	168	3.1	5	1	1	3	4	5	9
75-79	115	2.0	4	< 1	1	1	2	7	7
80-84	168	2.6	1	1	2	2	4	4	4
85 +	168	2.4	2	< 1	< 1	2	4	5	5
SUBTOTAL	**740**	**2.6**	**3**	**< 1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**1794**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	7.0	28						
18-34	14	4.0							
35-49	0								
50-69	93	8.6	26						
70 +	0								
	164	**7.6**	**26**	**3**	**4**	**5**	**15**	**15**	**16**
0-17	115	4.1	5	2	2	4	5	9	9
18-34	29	1.5							
35-49	29	2.0							
50-69	14	2.0							
70 +	0								
	187	**3.2**	**5**	**2**	**2**	**2**	**5**	**5**	**9**
	351	**5.3**	**19**	**2**	**2**	**4**	**5**	**15**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	3.0							
35-49	0								
50-69	0								
70 +	32	5.0							
SUBTOTAL	**46**	**4.4**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	9.0	9						
18-34	14	1.0							
35-49	0								
50-69	0								
70 +	32	3.0							
SUBTOTAL	**75**	**4.9**	**15**						
GRAND TOTAL	**121**	**4.7**	**9**	**1**	**3**	**4**	**5**	**12**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	43	2.7	2						
18-34	0								
35-49	0								
50-69	46	5.5	14						
70 +	0								
	89	**4.1**	**10**						
	89	**4.1**	**10**						

DRG 119: Vein Ligation & Stripping

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	229	8.6	30	4	5	6	11	18	20	0-17	0								
70-74	189	5.8	8	2	5	6	8	10	10	18-34	61	5.4	14						
75-79	14	2.0								35-49	203	4.2	12	2	2	3	4	12	12
80-84	29	2.0	1							50-69	261	6.7	22	1	3	5	10	15	15
85 +	0									70 +	0								
SUBTOTAL	**460**	**6.8**	**23**	**2**	**4**	**6**	**9**	**15**	**18**		**525**	**5.6**	**18**	**2**	**2**	**4**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	486	4.7	57	1	1	2	4	12	31	0-17	29	1.0							
70-74	139	2.1	1	1	1	2	2	4	4	18-34	876	2.5	6	1	1	2	3	6	6
75-79	32	4.0								35-49	2224	2.6	8	1	1	2	3	5	8
80-84	128	5.5	31							50-69	1511	3.0	11	1	1	2	3	5	11
85 +	0									70 +	0								
SUBTOTAL	**785**	**4.3**	**42**	**1**	**1**	**2**	**4**	**12**	**15**		**4639**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1246**	**5.3**	**36**	**1**	**1**	**3**	**6**	**12**	**18**		**5163**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	14	2.0							
18-34	0									18-34	0								
35-49	32	4.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32**	**4.0**									**14**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	78	2.4								18-34	57	1.5	1						
35-49	14	1.0								35-49	61	1.2							
50-69	78	4.6								50-69	46	1.9	2						
70 +	0									70 +	0								
SUBTOTAL	**171**	**3.3**	**2**	**2**	**2**	**3**	**5**	**5**	**5**		**164**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**203**	**3.4**	**2**	**2**	**2**	**4**	**4**	**5**	**5**		**179**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 120: Other Circulatory System O.R. Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3110	10.4	96	2	3	8	13	23	31
70-74	722	13.9	67	3	7	12	20	27	29
75-79	836	11.8	60	3	7	11	15	21	29
80-84	300	19.7	485	4	4	7	24	63	63
85 +	389	13.7	165	3	6	11	16	23	51
SUBTOTAL	**5357**	**11.8**	**119**	**2**	**4**	**9**	**15**	**25**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	457	9.2	74	3	5	6	10	30	33
70-74	357	20.3	435	3	8	18	23	39	62
75-79	136	13.2	31	1	14	14	16	21	21
80-84	93	7.8	13						
85 +	0								
SUBTOTAL	**1042**	**13.4**	**213**	**3**	**5**	**8**	**18**	**30**	**39**
GRAND TOTAL	**6400**	**12.1**	**135**	**2**	**4**	**9**	**15**	**26**	**33**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	2.0							
18-34	29	12.0	84						
35-49	272	11.7	125	2	3	8	16	38	38
50-69	551	15.0	146	4	7	11	22	30	40
70 +	43	11.7	45						
	909	**13.5**	**135**	**2**	**6**	**9**	**20**	**30**	**38**
0-17	104	4.0	3	2	2	4	5	7	7
18-34	61	7.0	17						
35-49	293	8.4	87	1	3	5	11	21	24
50-69	246	9.9	66	2	4	10	10	18	36
70 +	0								
	703	**8.2**	**65**	**2**	**3**	**5**	**10**	**18**	**24**
	1612	**11.2**	**111**	**2**	**4**	**8**	**15**	**27**	**36**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	4.0							
18-34	61	7.6	34						
35-49	75	20.1	90						
50-69	321	18.5	198	9	10	15	20	26	60
70 +	14	11.0							
SUBTOTAL	**500**	**16.4**	**169**	**4**	**9**	**14**	**20**	**38**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	3.7	10						
18-34	75	7.1	23						
35-49	64	5.5	2						
50-69	72	14.2	71						
70 +	0								
SUBTOTAL	**254**	**8.1**	**45**	**1**	**4**	**5**	**10**	**21**	**22**
GRAND TOTAL	**754**	**13.6**	**142**	**3**	**5**	**13**	**16**	**23**	**60**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	46	4.3							
35-49	153	20.2	300	3	11	13	30	51	51
50-69	246	9.9	47	1	4	7	16	20	22
70 +	0								
	446	**12.9**	**160**	**3**	**4**	**11**	**16**	**30**	**51**
0-17	29	1.5							
18-34	75	17.6	247						
35-49	14	7.0							
50-69	107	9.6	33						
70 +	46	7.9	22						
	272	**10.5**	**109**	**1**	**5**	**7**	**11**	**29**	**44**
	718	**12.0**	**142**	**2**	**5**	**9**	**13**	**29**	**44**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8817	10.0	24	5	7	9	12	15	19
70-74	7253	10.4	32	5	7	9	12	16	21
75-79	8939	10.3	23	5	7	9	12	17	21
80-84	7222	11.5	39	6	8	10	14	19	24
85 +	5914	11.3	38	6	8	10	13	18	23
SUBTOTAL	**38146**	**10.6**	**31**	**5**	**7**	**9**	**13**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	46	2.2	3						
70-74	267	7.2	7	4	5	7	10	11	12
75-79	331	8.2	6	7	8	8	9	11	11
80-84	89	10.9	24						
85 +	61	10.3	23						
SUBTOTAL	**795**	**8.0**	**13**	**4**	**5**	**8**	**10**	**12**	**15**
GRAND TOTAL	**38941**	**10.6**	**31**	**5**	**7**	**9**	**13**	**17**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	32	3.0							
35-49	659	7.5	10	3	5	8	10	11	12
50-69	3827	9.2	20	4	7	9	11	14	16
70 +	186	8.4	35	1	5	5	13	16	21
	4704	**8.9**	**20**	**4**	**6**	**9**	**11**	**13**	**16**
0-17	0								
18-34	0								
35-49	64	7.5	2						
50-69	175	6.4	21	< 1	2	6	9	14	14
70 +	32	9.0							
	271	**7.0**	**15**	**< 1**	**6**	**7**	**9**	**14**	**14**
	4975	**8.8**	**20**	**4**	**6**	**9**	**11**	**13**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	153	8.4	52	2	4	6	9	10	29
50-69	784	9.3	12	5	7	9	11	14	15
70 +	153	7.9	31	1	4	7	12	12	21
SUBTOTAL	**1091**	**9.0**	**20**	**4**	**6**	**9**	**11**	**13**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1091**	**9.0**	**20**	**4**	**5**	**9**	**11**	**13**	**19**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	78	4.2	8						
35-49	335	5.7	11	2	2	6	9	11	11
50-69	1373	10.4	25	6	7	10	12	19	20
70 +	328	8.5	7	4	7	9	10	12	12
	2114	**9.2**	**23**	**2**	**7**	**9**	**11**	**17**	**20**
0-17	0								
18-34	0								
35-49	46	2.6	1						
50-69	32	8.0							
70 +	0								
	78	**4.8**	**8**						
	2192	**9.0**	**23**	**2**	**6**	**9**	**11**	**17**	**20**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4826	8.3	12	5	6	8	10	13	14	0-17	0								
70-74	3285	9.1	23	5	6	8	10	16	19	18-34	0								
75-79	3121	8.3	30	4	6	8	10	12	15	35-49	813	5.6	9	1	3	6	8	9	10
80-84	2231	8.8	16	4	7	8	11	13	15	50-69	3006	7.2	10	3	6	7	9	11	12
85 +	1586	8.6	25	4	6	8	9	14	17	70 +	93	10.0	20						
SUBTOTAL	**15049**	**8.6**	**20**	**4**	**6**	**8**	**10**	**13**	**16**		**3912**	**7.0**	**11**	**3**	**5**	**7**	**9**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5261	7.6	7	4	6	7	9	11	12	0-17	0								
70-74	4063	7.1	13	4	5	7	9	10	11	18-34	221	2.6	2	< 1	1	3	3	5	5
75-79	3190	8.1	20	4	6	7	10	11	14	35-49	2606	6.1	8	2	4	6	8	9	10
80-84	2623	8.3	23	4	6	7	10	12	15	50-69	7430	6.5	8	2	4	7	8	10	12
85 +	1341	8.8	20	4	6	9	11	12	14	70 +	214	8.4	19	3	3	8	13	15	15
SUBTOTAL	**16477**	**7.8**	**15**	**4**	**6**	**7**	**9**	**11**	**13**		**10471**	**6.3**	**9**	**2**	**4**	**7**	**8**	**10**	**11**
GRAND TOTAL	**31527**	**8.2**	**18**	**4**	**6**	**8**	**10**	**12**	**14**		**14383**	**6.5**	**9**	**2**	**4**	**7**	**8**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	32	1.0							
35-49	200	6.3	5	4	4	6	7	11	11	35-49	235	7.6	9	5	6	8	8	14	14
50-69	613	8.2	14	3	6	9	10	12	18	50-69	1234	7.2	15	3	4	7	10	12	14
70 +	96	11.7	47							70 +	64	9.5	2						
SUBTOTAL	**909**	**8.2**	**18**	**3**	**6**	**8**	**10**	**12**	**18**		**1565**	**7.2**	**14**	**3**	**4**	**7**	**10**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	75	5.5	10						
35-49	229	6.4	5	3	5	7	8	8	12	35-49	766	5.7	7	2	3	6	7	9	10
50-69	331	7.9	18	5	5	6	9	11	19	50-69	1258	6.1	12	1	4	7	8	10	11
70 +	46	10.0								70 +	64	8.5	12						
SUBTOTAL	**606**	**7.5**	**13**	**4**	**5**	**7**	**9**	**11**	**19**		**2163**	**6.1**	**10**	**1**	**4**	**6**	**8**	**10**	**11**
GRAND TOTAL	**1515**	**7.9**	**16**	**4**	**5**	**7**	**9**	**12**	**18**		**3728**	**6.6**	**12**	**2**	**4**	**7**	**9**	**11**	**12**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7688	6.0	31	1	2	5	8	12	15
70-74	4413	6.8	47	1	2	5	8	14	19
75-79	2823	6.4	22	2	3	6	8	12	16
80-84	1204	8.6	38	2	4	7	13	16	19
85 +	176	7.8	22	4	4	6	8	15	20
SUBTOTAL	**16303**	**6.5**	**35**	**1**	**2**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2764	3.8	8	1	2	3	5	8	9
70-74	1414	4.2	11	1	2	3	5	10	11
75-79	659	3.7	8	1	2	2	5	8	11
80-84	193	8.0	26	3	4	7	10	15	22
85 +	61	6.9	16						
SUBTOTAL	**5091**	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**21394**	**5.9**	**30**	**1**	**2**	**5**	**8**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	373	7.5	63	1	2	5	10	21	21
18-34	179	9.6	184	2	2	4	9	13	54
35-49	1669	4.3	10	1	2	3	6	9	10
50-69	5067	5.8	28	1	2	4	8	13	16
70 +	164	7.3	34	2	2	4	16	16	16
	7452	**5.6**	**31**	**1**	**2**	**4**	**7**	**13**	**16**
0-17	72	4.0	17						
18-34	164	3.5	5	< 1	1	4	5	5	8
35-49	1468	3.3	6	1	1	2	5	8	9
50-69	3381	4.0	12	1	1	3	5	8	11
70 +	29	6.0	26						
	5114	**3.8**	**11**	**1**	**1**	**3**	**5**	**8**	**10**
	12566	**4.9**	**23**	**1**	**2**	**3**	**7**	**10**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	244	6.9	26	1	2	7	9	14	17
18-34	75	5.4	16						
35-49	273	8.3	29	1	3	8	12	18	19
50-69	1159	5.9	27	2	2	4	8	13	16
70 +	157	6.8	12	4	5	6	6	11	16
SUBTOTAL	**1908**	**6.4**	**26**	**2**	**2**	**5**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	2.7	1						
18-34	29	9.5	21						
35-49	129	3.9	12	1	1	2	7	10	10
50-69	247	4.6	15	1	2	4	5	8	18
70 +	0								
SUBTOTAL	**448**	**4.5**	**15**	**1**	**2**	**3**	**5**	**9**	**14**
GRAND TOTAL	**2356**	**6.1**	**25**	**2**	**2**	**5**	**8**	**13**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	273	8.2	107	1	2	2	12	16	44
18-34	129	9.9	163	< 1	2	4	7	42	42
35-49	437	5.5	22	1	2	5	7	9	12
50-69	1127	7.2	22	3	4	6	9	12	17
70 +	14	3.0							
	1980	**7.1**	**44**	**2**	**3**	**6**	**9**	**13**	**21**
0-17	14	6.0							
18-34	0								
35-49	287	3.9	6	1	1	4	5	7	8
50-69	733	4.1	9	1	2	3	5	7	10
70 +	0								
	1034	**4.1**	**8**	**1**	**2**	**3**	**5**	**7**	**10**
	3015	**6.1**	**34**	**1**	**3**	**4**	**7**	**11**	**16**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6118	4.4	35	1	2	3	6	9	10	0-17	1808	2.1	6	1	1	2	2	3	4
70-74	2814	4.5	30	1	2	3	5	9	12	18-34	397	3.0	5	1	2	2	4	6	7
75-79	1819	5.2	14	2	2	4	7	10	13	35-49	2881	3.8	9	1	1	2	6	8	10
80-84	283	4.9	15	1	2	4	7	9	13	50-69	7311	3.8	13	1	1	2	6	9	11
85 +	43	21.7	384							70 +	29	1.5							
SUBTOTAL	**11076**	**4.6**	**32**	**1**	**2**	**3**	**6**	**9**	**12**		**12426**	**3.5**	**11**	**1**	**1**	**2**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7044	3.1	8	1	1	2	4	7	9	0-17	4003	1.8	3	1	1	1	2	2	4
70-74	3515	3.1	9	1	1	2	4	8	9	18-34	992	2.9	6	1	1	2	4	7	9
75-79	1460	3.2	10	1	1	2	4	6	11	35-49	10014	3.1	8	1	1	2	4	7	9
80-84	576	3.5	11	1	1	2	4	6	8	50-69	17573	2.9	8	1	1	2	4	7	9
85 +	29	5.5	13							70 +	197	4.3	15	1	1	2	8	11	11
SUBTOTAL	**12625**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**9**		**32778**	**2.8**	**8**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**23701**	**3.8**	**20**	**1**	**1**	**2**	**5**	**8**	**10**		**45204**	**3.0**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	904	2.3	3	1	1	2	2	5	7	0-17	617	2.1	4	1	1	2	2	2	3
18-34	43	2.0	1							18-34	236	5.7	16	1	2	5	9	10	15
35-49	404	3.7	19	1	1	3	4	8	8	35-49	698	5.2	11	1	2	4	8	10	11
50-69	616	4.6	24	1	2	3	6	10	12	50-69	977	5.2	17	1	2	4	7	10	14
70 +	0									70 +	0								
SUBTOTAL	**1967**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**10**		**2528**	**4.5**	**14**	**1**	**2**	**3**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1693	1.6	1	1	1	1	2	3	4	0-17	1377	1.5	1	1	1	1	2	2	3
18-34	172	2.0	2	1	1	2	2	4	5	18-34	230	3.1	6	1	1	2	4	7	9
35-49	731	2.5	3	1	1	2	3	5	6	35-49	1499	4.0	9	1	2	3	5	7	10
50-69	913	3.0	4	1	2	2	4	6	7	50-69	1565	3.5	7	1	1	3	5	7	8
70 +	14	4.0								70 +	0								
SUBTOTAL	**3523**	**2.2**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**4671**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**5490**	**2.6**	**7**	**1**	**1**	**2**	**3**	**6**	**7**		**7199**	**3.6**	**10**	**1**	**1**	**2**	**5**	**8**	**10**

DRG 126: Acute & Subacute Endocarditis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	211	14.0	88	3	10	12	17	24	42	0-17	104	13.6	188	1	1	11	24	42	42
70-74	157	21.5	35	14	14	22	27	28	28	18-34	150	25.5	365	6	6	22	39	53	56
75-79	78	11.3	11							35-49	46	19.9	56						
80-84	29	64.0	457							50-69	121	18.9	77	10	10	17	19	37	37
85 +	110	16.6	33							70 +	0								
SUBTOTAL	**585**	**18.6**	**189**	**8**	**11**	**14**	**24**	**28**	**42**		**422**	**20.0**	**225**	**4**	**9**	**15**	**29**	**41**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	14	5.0								0-17	29	18.0	149						
70-74	0									18-34	0								
75-79	0									35-49	29	5.0	1						
80-84	0									50-69	125	17.1	81						
85 +	0									70 +	0								
SUBTOTAL	**14**	**5.0**									**182**	**15.3**	**99**	**4**	**6**	**14**	**29**	**29**	**30**
GRAND TOTAL	**600**	**18.3**	**189**	**7**	**10**	**14**	**24**	**28**	**42**		**604**	**18.6**	**191**	**4**	**7**	**14**	**29**	**39**	**42**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	38.8	668							0-17	14	14.0							
18-34	14	17.0								18-34	132	26.7	196	4	18	29	37	44	44
35-49	14	21.0								35-49	75	32.2	65						
50-69	32	44.0								50-69	46	8.9	22						
70 +	0									70 +	0								
SUBTOTAL	**118**	**35.4**	**414**	**13**	**18**	**44**	**44**	**77**	**77**		**268**	**24.5**	**186**	**4**	**12**	**24**	**37**	**44**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	29	11.0	104							18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	14	9.0							
70 +	0									70 +	0								
SUBTOTAL	**29**	**11.0**	**104**								**14**	**9.0**							
GRAND TOTAL	**147**	**30.6**	**446**	**13**	**17**	**21**	**44**	**47**	**77**		**283**	**23.7**	**188**	**5**	**12**	**24**	**37**	**44**	**44**

DRG 127: Heart Failure & Shock

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	43832	7.1	27	3	4	6	9	13	16
70-74	31939	7.5	32	3	4	6	9	13	18
75-79	34949	7.6	33	3	4	6	9	14	18
80-84	29088	8.0	33	3	4	6	10	15	19
85 +	30119	8.3	41	3	4	7	10	16	20
SUBTOTAL	**169926**	**7.6**	**33**	**3**	**4**	**6**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6874	5.4	13	2	3	5	6	10	12
70-74	6646	5.5	14	2	3	5	6	9	12
75-79	6751	5.6	18	3	3	5	7	9	11
80-84	7367	5.9	21	2	3	5	7	11	13
85 +	6868	6.4	38	2	3	5	8	10	12
SUBTOTAL	**34506**	**5.8**	**21**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**204432**	**7.3**	**31**	**3**	**4**	**6**	**9**	**13**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	451	7.9	96	< 1	2	4	11	16	36
18-34	200	9.1	119	2	3	4	8	33	33
35-49	2426	6.6	24	3	3	5	8	13	20
50-69	11136	6.8	25	3	4	6	8	13	15
70 +	903	7.1	28	2	4	6	8	14	20
	15117	**6.8**	**28**	**2**	**4**	**5**	**8**	**13**	**16**
0-17	115	3.5	2	2	2	3	4	6	6
18-34	93	3.0	1						
35-49	720	3.9	4	2	2	4	5	6	7
50-69	3502	4.4	5	2	3	4	6	7	9
70 +	104	5.2	12	2	3	3	9	12	12
	4534	**4.3**	**5**	**2**	**3**	**4**	**6**	**7**	**9**
	19651	**6.3**	**24**	**2**	**3**	**5**	**7**	**12**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	305	7.1	110	2	2	4	7	10	17
18-34	681	5.7	18	2	3	5	7	10	16
35-49	1680	6.1	16	3	3	5	7	10	18
50-69	6587	6.9	48	3	4	5	8	12	14
70 +	951	9.3	50	4	6	7	13	19	99 +
SUBTOTAL	**10204**	**6.9**	**43**	**3**	**4**	**5**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	7.7	18						
18-34	153	5.7	12	2	4	4	7	7	15
35-49	503	6.3	19	2	3	4	8	14	15
50-69	1251	5.6	9	2	4	5	7	9	10
70 +	271	4.8	8	2	3	4	5	12	12
SUBTOTAL	**2221**	**5.7**	**12**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**12425**	**6.7**	**38**	**2**	**4**	**5**	[illegible]	**12**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	262	5.1	10	2	3	5	5	12	14
18-34	268	5.6	14	2	3	5	6	13	16
35-49	1699	5.3	9	2	3	5	7	8	10
50-69	4838	7.3	62	2	4	6	8	12	16
70 +	521	5.7	14	2	4	5	6	7	19
	7589	**6.6**	**44**	**2**	**3**	**5**	**8**	**11**	**14**
0-17	29	6.0							
18-34	89	3.4	7						
35-49	392	4.9	9	2	4	4	6	8	11
50-69	1337	4.9	13	2	2	4	6	8	12
70 +	203	7.1	22	2	3	7	13	14	14
	2051	**5.0**	**13**	**2**	**3**	**4**	**6**	**9**	**13**
	9640	**6.3**	**38**	**2**	**3**	**5**	**7**	**11**	**14**

DRG 128: Deep Vein Thrombophlebitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1932	10.0	30	5	7	9	11	17	21	0-17	0								
70-74	1358	8.9	14	5	6	9	10	13	14	18-34	240	8.2	14	3	5	9	11	13	13
75-79	1016	9.0	19	4	6	8	10	15	19	35-49	374	5.9	5	3	4	6	8	8	10
80-84	1012	8.7	18	4	6	8	11	15	15	50-69	955	7.3	15	3	5	7	9	11	12
85 +	702	10.8	26	5	7	9	12	18	20	70 +	32	6.0							
SUBTOTAL	**6021**	**9.4**	**23**	**5**	**6**	**9**	**11**	**15**	**18**		**1601**	**7.1**	**13**	**3**	**5**	**6**	**9**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1839	7.0	7	4	6	7	8	11	11	0-17	32	10.0							
70-74	880	8.2	14	5	6	7	9	12	13	18-34	1087	6.9	10	2	5	7	9	12	15
75-79	710	7.8	8	4	7	8	10	12	12	35-49	1892	7.1	9	3	5	7	9	10	13
80-84	599	8.2	22	2	5	7	11	18	20	50-69	2292	6.9	12	3	4	7	9	11	14
85 +	520	7.8	12	4	6	8	8	11	16	70 +	46	11.0							
SUBTOTAL	**4548**	**7.6**	**11**	**4**	**6**	**7**	**9**	**11**	**13**		**5349**	**7.0**	**11**	**3**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**10569**	**8.7**	**19**	**5**	**6**	**8**	**10**	**13**	**18**		**6951**	**7.0**	**11**	**3**	**5**	**7**	**9**	**11**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	13.0								0-17	0								
18-34	14	10.0								18-34	118	7.4	6	2	7	7	8	11	11
35-49	239	5.4	6	4	4	4	5	11	11	35-49	107	7.0	3						
50-69	142	8.7	15							50-69	239	4.6	2	3	4	5	6	7	7
70 +	0									70 +	32	9.0							
SUBTOTAL	**410**	**7.0**	**13**	**4**	**4**	**5**	**11**	**12**	**12**		**496**	**6.1**	**5**	**3**	**4**	**6**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	253	7.4	17	1	4	7	9	15	17	18-34	192	7.0	7	4	4	7	9	11	11
35-49	125	7.7	5							35-49	203	6.4	6	3	4	7	7	10	11
50-69	320	8.6	7	5	7	8	10	13	14	50-69	142	12.6	21						
70 +	0									70 +	14	8.0							
SUBTOTAL	**698**	**8.0**	**11**	**4**	**6**	**8**	**9**	**12**	**14**		**552**	**8.3**	**17**	**4**	**4**	**8**	**11**	**13**	**19**
GRAND TOTAL	**1108**	**7.6**	**12**	**4**	**5**	**8**	**10**	**12**	**14**		**1048**	**7.2**	**12**	**3**	**4**	**7**	**9**	**11**	**13**

DRG 129: Cardiac Arrest, Unexplained

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	171	8.4	16	< 1	8	9	11	11	15
70-74	64	2.5							
75-79	189	7.7	31	< 1	3	7	8	18	18
80-84	142	8.5	40						
85 +	32	8.0							
SUBTOTAL	**599**	**7.6**	**27**	**< 1**	**3**	**7**	**11**	**18**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	64	4.0							
80-84	0								
85 +	32	1.0							
SUBTOTAL	**96**	**3.0**	**2**						
GRAND TOTAL	**695**	**6.9**	**26**	**1**	**3**	**7**	**9**	**15**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	1.0							
18-34	0								
35-49	14	32.0							
50-69	107	11.7	109						
70 +	0								
	136	**12.7**	**141**	**1**	**2**	**13**	**14**	**35**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	136	**12.7**	**141**	**1**	**2**	**13**	**14**	**35**	**35**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	6.6	1						
18-34	0								
35-49	14	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**61**	**5.5**	**5**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**61**	**5.5**	**5**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	64	8.0	50						
35-49	32	32.0							
50-69	14	1.0							
70 +	0								
	110	**14.1**	**167**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	110	**14.1**	**167**						

DRG 130: Peripheral Vascular Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6415	7.5	32	2	4	6	9	13	18
70-74	3838	8.0	44	3	4	7	9	14	18
75-79	4045	7.8	29	2	4	7	10	14	19
80-84	3415	8.9	52	3	5	7	11	15	22
85 +	2607	8.1	42	3	4	7	9	14	18
SUBTOTAL	**20320**	**8.0**	**39**	**2**	**4**	**7**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20320**	**8.0**	**39**	**2**	**4**	**7**	**10**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	10.5	47	1	6	8	19	20	20
18-34	471	8.2	39	3	4	8	10	12	13
35-49	1064	7.5	24	2	4	7	10	12	15
50-69	3034	7.5	46	2	3	7	9	12	14
70 +	107	9.5	17						
	4763	**7.7**	**40**	**2**	**4**	**7**	**10**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4763	**7.7**	**40**	**2**	**4**	**7**	**10**	**12**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	11.5	44						
18-34	257	5.9	15	2	3	4	9	11	14
35-49	347	9.1	34	3	6	8	10	15	24
50-69	842	7.9	32	2	5	7	10	17	26
70 +	61	6.9	6						
SUBTOTAL	**1535**	**7.9**	**30**	**2**	**5**	**7**	**10**	**17**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1535**	**7.9**	**30**	**2**	**5**	**7**	**10**	**17**	**26**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	7.3	30						
18-34	439	7.7	25	3	4	7	11	14	17
35-49	489	7.8	14	3	5	8	10	11	16
50-69	550	5.7	22	1	2	5	7	11	16
70 +	0								
	1522	**7.0**	**21**	**2**	**3**	**6**	**10**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1522	**7.0**	**21**	**2**	**3**	**6**	**10**	**14**	**16**

DRG 131: Peripheral Vascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3073	6.7	25	1	3	6	9	12	15
70-74	2138	6.3	13	2	3	6	9	11	14
75-79	1977	6.6	31	2	3	6	9	11	13
80-84	1726	8.0	48	3	4	7	9	15	21
85 +	1002	6.8	19	2	5	6	9	12	18
SUBTOTAL	**9916**	**6.8**	**27**	**2**	**3**	**6**	**9**	**12**	**15**
GRAND TOTAL	**9916**	**6.8**	**27**	**2**	**3**	**6**	**9**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	190	6.4	15	1	3	7	9	11	14
18-34	1363	6.2	12	2	4	6	9	10	12
35-49	3151	6.1	13	2	4	6	8	10	11
50-69	4188	5.5	11	1	3	5	8	10	11
70 +	107	7.7	14						
	8998	**5.9**	**12**	**1**	**3**	**6**	**8**	**10**	**11**
	8998	**5.9**	**12**	**1**	**3**	**6**	**8**	**10**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	136	6.8	33	< 1	3	5	7	22	22
18-34	374	5.7	11	2	4	6	7	11	13
35-49	293	6.6	16	2	4	6	9	9	12
50-69	400	4.6	9	1	2	4	7	9	10
70 +	43	6.3	11						
SUBTOTAL	**1246**	**5.7**	**15**	**1**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**1246**	**5.7**	**15**	**1**	**3**	**5**	**7**	**10**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	72	2.0	4						
18-34	596	6.7	22	2	4	6	8	14	14
35-49	767	5.6	8	2	3	6	7	11	11
50-69	582	4.8	12	1	2	4	8	10	10
70 +	64	21.5	92						
	2081	**6.1**	**24**	**1**	**3**	**6**	**8**	**11**	**14**
	2081	**6.1**	**24**	**1**	**3**	**6**	**8**	**11**	**14**

DRG 132: Atherosclerosis w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1972	5.3	11	2	3	5	7	9	12
70-74	1556	5.5	18	2	3	5	7	9	10
75-79	1778	6.0	24	2	3	4	7	13	14
80-84	1364	7.1	82	2	3	5	8	11	15
85 +	1094	4.8	7	2	3	4	6	7	10
SUBTOTAL	**7764**	**5.7**	**28**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7764**	**5.7**	**28**	**2**	**3**	**4**	**7**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	6.5	2						
18-34	32	6.0							
35-49	296	6.1	33	2	3	4	5	22	22
50-69	1363	4.6	11	2	2	4	5	11	11
70 +	157	5.1	4	3	3	4	8	8	8
	1876	**4.9**	**14**	**2**	**2**	**4**	**6**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1876	**4.9**	**14**	**2**	**2**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	2.5							
18-34	32	5.0							
35-49	221	3.6	3	1	2	4	4	7	8
50-69	363	4.7	3	3	3	4	6	8	8
70 +	32	3.0							
SUBTOTAL	**677**	**4.2**	**3**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**677**	**4.2**	**3**	**2**	**3**	**4**	**5**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	118	4.4	3	2	3	5	6	7	7
50-69	471	3.8	4	2	2	3	5	6	8
70 +	0								
	589	**3.9**	**4**	**2**	**2**	**4**	**5**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	589	**3.9**	**4**	**2**	**2**	**4**	**5**	**6**	**8**

DRG 133: Atherosclerosis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	984	3.8	21	1	2	3	4	5	7	0-17	57	1.3							
70-74	712	3.7	5	1	2	3	5	6	9	18-34	93	3.0	3						
75-79	669	4.0	6	2	2	3	5	6	8	35-49	585	3.1	4	1	2	3	4	6	6
80-84	556	6.9	89	1	2	4	7	28	36	50-69	1488	3.8	7	1	2	3	5	7	8
85 +	410	5.7	26	1	3	5	6	13	21	70 +	0								
SUBTOTAL	**3331**	**4.6**	**28**	**1**	**2**	**3**	**5**	**7**	**11**		**2223**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3331**	**4.6**	**28**	**1**	**2**	**3**	**5**	**7**	**11**		**2223**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	2.0								0-17	0								
18-34	46	2.7								18-34	14	4.0							
35-49	57	2.0	1							35-49	46	2.3							
50-69	203	4.0	14	1	3	3	4	5	17	50-69	175	2.8	1	2	2	2	4	4	5
70 +	0									70 +	14	6.0							
SUBTOTAL	**321**	**3.3**	**10**	**1**	**2**	**3**	**3**	**4**	**5**		**250**	**3.0**	**1**	**2**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**321**	**3.3**	**10**	**1**	**2**	**3**	**3**	**4**	**5**		**250**	**3.0**	**1**	**2**	**2**	**2**	**4**	**5**	**6**

DRG 134: Hypertension

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3601	4.8	7	2	3	4	6	9	10	0-17	193	3.4	6	1	1	2	6	7	7
70-74	2089	5.5	18	2	3	4	6	11	17	18-34	328	4.2	6	2	3	4	5	8	8
75-79	1831	6.4	46	2	3	5	7	12	14	35-49	1698	4.0	6	1	2	3	5	7	9
80-84	1247	5.8	17	2	3	5	7	10	17	50-69	3019	4.5	6	2	3	4	6	8	8
85 +	816	8.7	40	3	4	7	10	21	23	70 +	61	3.2	3						
SUBTOTAL	**9584**	**5.7**	**22**	**2**	**3**	**4**	**7**	**10**	**15**		**5298**	**4.3**	**6**	**2**	**3**	**4**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1927	3.5	4	1	2	3	4	6	8	0-17	505	3.4	7	1	2	3	4	6	9
70-74	1301	3.2	3	1	2	3	4	5	6	18-34	1020	3.3	5	1	2	3	4	6	6
75-79	1820	4.2	22	2	2	3	4	7	10	35-49	3833	3.4	4	1	2	3	4	6	7
80-84	1040	3.6	5	1	2	3	5	7	8	50-69	4720	3.6	6	1	2	3	4	7	8
85 +	873	5.3	30	1	2	3	7	9	18	70 +	64	8.5	6						
SUBTOTAL	**6962**	**3.9**	**12**	**1**	**2**	**3**	**4**	**7**	**8**		**10141**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**16546**	**4.9**	**19**	**2**	**2**	**4**	**6**	**9**	**12**		**15439**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	6.8	79							0-17	29	3.5	2						
18-34	107	3.9	8							18-34	503	4.0	4	1	2	4	6	6	6
35-49	712	4.5	7	2	3	4	6	7	11	35-49	749	4.1	8	2	3	3	4	9	9
50-69	831	6.2	101	2	3	4	6	9	12	50-69	995	4.7	7	2	3	4	7	8	9
70 +	175	3.3	2	2	2	4	5	99 +	99 +	70 +	0								
SUBTOTAL	**1882**	**5.2**	**51**	**2**	**2**	**4**	**6**	**9**	**12**		**2275**	**4.3**	**7**	**2**	**3**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	161	5.0	21	2	2	3	6	11	17	0-17	57	3.5	1						
18-34	235	3.4	2	1	3	3	5	5	5	18-34	392	2.6	2	1	2	2	3	5	5
35-49	449	4.7	2	3	4	5	6	7	7	35-49	898	3.1	4	1	2	3	4	6	8
50-69	328	4.2	6	1	2	4	6	8	8	50-69	1037	3.0	3	1	2	2	4	5	6
70 +	64	4.0	4							70 +	14	5.0							
SUBTOTAL	**1238**	**4.3**	**6**	**2**	**3**	**4**	**6**	**7**	**8**		**2399**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**3120**	**4.8**	**33**	**2**	**3**	**4**	**6**	**7**	**11**		**4674**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	339	5.7	11	2	3	5	7	10	10	0-17	0								
70-74	189	6.2	8	4	5	5	7	12	12	18-34	168	5.0	20	2	2	3	4	14	14
75-79	289	7.4	17	3	5	6	9	16	16	35-49	186	3.7	1	3	3	3	4	4	7
80-84	107	4.4	5							50-69	293	4.8	14	2	2	3	6	8	9
85 +	267	7.8	29	2	4	7	14	14	21	70 +	0								
SUBTOTAL	**1192**	**6.5**	**17**	**2**	**4**	**5**	**8**	**14**	**15**		**646**	**4.5**	**12**	**2**	**3**	**3**	**5**	**8**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1192**	**6.5**	**17**	**2**	**4**	**5**	**8**	**14**	**15**		**646**	**4.5**	**12**	**2**	**3**	**3**	**5**	**8**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	43	17.0	432							18-34	93	4.2	5						
35-49	29	17.0	149							35-49	43	5.3							
50-69	29	5.0								50-69	136	4.0	4	1	2	4	5	8	8
70 +	0									70 +	0								
SUBTOTAL	**100**	**13.6**	**254**	**1**	**4**	**5**	**29**	**46**	**46**		**272**	**4.3**	**4**	**2**	**2**	**4**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**100**	**13.6**	**254**	**1**	**4**	**5**	**29**	**46**	**46**		**272**	**4.3**	**4**	**2**	**2**	**4**	**6**	**7**	**8**

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	107	3.7	1							0-17	0								
70-74	29	1.0								18-34	635	2.3	2	1	1	2	3	4	6
75-79	32	1.0								35-49	592	2.8	2	1	2	3	4	5	6
80-84	46	3.1	2							50-69	531	4.4	12	2	2	3	5	9	15
85 +	96	4.0	3							70 +	0								
SUBTOTAL	**310**	**3.2**	**3**	**1**	**2**	**4**	**4**	**6**	**6**		**1758**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**310**	**3.2**	**3**	**1**	**2**	**4**	**4**	**6**	**6**		**1758**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	46	5.5	14							18-34	107	2.0	1						
35-49	121	3.0	2	2	2	2	5	5	5	35-49	89	3.1	2						
50-69	14	1.0								50-69	14	1.0							
70 +	0									70 +	0								
SUBTOTAL	**182**	**3.5**	**6**	**2**	**2**	**3**	**5**	**5**	**11**		**211**	**2.4**	**1**	**1**	**2**	**2**	**3**	**5**	**5**
GRAND TOTAL	**182**	**3.5**	**6**	**2**	**2**	**3**	**5**	**5**	**11**		**211**	**2.4**	**1**	**1**	**2**	**2**	**3**	**5**	**5**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	717	6.1	189	1	2	3	6	11	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**717**	**6.1**	**189**	**1**	**2**	**3**	**6**	**11**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1653	5.0	55	< 1	1	2	6	12	17
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1653**	**5.0**	**55**	**< 1**	**1**	**2**	**6**	**12**	**17**
GRAND TOTAL	**0**										**2371**	**5.4**	**96**	**1**	**1**	**2**	**6**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	592	4.8	25	1	2	3	6	12	13	0-17	416	5.0	25	1	2	4	6	13	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**592**	**4.8**	**25**	**1**	**2**	**3**	**6**	**12**	**13**		**416**	**5.0**	**25**	**1**	**2**	**4**	**6**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1316	4.7	34	1	1	3	6	10	13	0-17	663	4.5	35	1	2	2	6	9	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1316**	**4.7**	**34**	**1**	**1**	**3**	**6**	**10**	**13**		**663**	**4.5**	**35**	**1**	**2**	**2**	**6**	**9**	**11**
GRAND TOTAL	**1907**	**4.8**	**32**	**1**	**1**	**3**	**6**	**11**	**13**		**1079**	**4.7**	**31**	**1**	**2**	**2**	**6**	**9**	**13**

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	17657	5.2	17	2	3	4	6	10	13
70-74	14566	5.5	24	2	3	4	7	10	13
75-79	14599	5.9	19	2	3	5	7	11	15
80-84	11475	6.5	24	2	3	5	8	12	15
85 +	8534	6.1	19	2	3	5	7	12	16
SUBTOTAL	**66832**	**5.7**	**21**	**2**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**66832**	**5.7**	**21**	**2**	**3**	**4**	**7**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	391	4.7	29	1	1	3	6	11	19
18-34	1067	3.1	6	1	2	2	3	5	10
35-49	2739	3.5	6	1	2	3	4	7	9
50-69	8984	4.2	10	1	2	3	5	7	10
70 +	310	4.5	10	1	2	3	6	10	10
	13491	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	13491	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	265	4.5	20	2	2	3	5	7	22
18-34	275	5.5	13	3	3	6	6	14	14
35-49	339	2.7	1	1	2	3	3	4	5
50-69	1715	4.8	26	2	3	4	5	7	9
70 +	378	4.8	4	2	3	5	6	8	9
SUBTOTAL	**2972**	**4.6**	**19**	**2**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2972**	**4.6**	**19**	**2**	**3**	**4**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	208	6.5	122	< 1	1	3	5	12	45
18-34	457	3.4	6	1	2	3	3	8	9
35-49	742	3.1	4	1	2	2	4	5	7
50-69	1841	4.7	13	1	2	4	6	9	11
70 +	142	4.9	3						
	3390	**4.3**	**17**	**1**	**2**	**3**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3390	**4.3**	**17**	**1**	**2**	**3**	**6**	**8**	**10**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7431	3.6	5	1	2	3	5	7	8
70-74	7008	3.8	7	1	2	3	5	7	9
75-79	6245	3.8	6	1	2	3	5	7	8
80-84	4269	4.6	15	2	2	4	6	8	9
85 +	4129	4.6	11	2	3	4	6	8	9
SUBTOTAL	**29081**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**29081**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1407	3.4	13	1	1	2	4	6	12
18-34	2682	2.3	4	1	1	2	3	4	5
35-49	5581	2.7	3	1	1	2	3	5	6
50-69	11704	3.2	4	1	2	3	4	6	7
70 +	240	4.6	9	2	3	3	5	11	13
	21613	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**7**
	21613	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	451	4.3	15	1	2	3	5	12	13
18-34	275	2.6	1	1	2	3	3	4	4
35-49	250	3.3	4	1	2	3	5	6	7
50-69	706	3.7	7	1	2	3	5	6	10
70 +	256	4.8	5	1	3	5	6	8	8
SUBTOTAL	**1938**	**3.8**	**8**	**1**	**2**	**3**	**5**	**6**	**10**
GRAND TOTAL	**1938**	**3.8**	**8**	**1**	**2**	**3**	**5**	**6**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	319	3.5	11	1	1	2	6	7	8
18-34	802	2.3	2	1	1	2	3	4	5
35-49	966	2.2	2	1	1	2	3	4	4
50-69	1187	2.8	4	1	1	2	4	5	6
70 +	136	3.2	2	< 1	3	3	3	7	7
	3410	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	3410	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 140: Angina Pectoris

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	30918	4.8	14	2	3	4	6	8	12	0-17	0									
70-74	19025	5.0	21	2	3	4	6	8	10	18-34	214	2.7	1	1	2	3	3	4	4	
75-79	18867	5.1	16	2	3	4	6	9	11	35-49	2998	3.6	5	1	2	3	5	7	8	
80-84	16758	5.5	15	2	3	5	7	10	12	50-69	10205	4.1	7	2	3	3	5	7	10	
85 +	11077	5.3	12	2	3	4	7	10	12	70 +	467	4.1	9	2	2	4	5	6	8	
SUBTOTAL	**96646**	**5.1**	**16**	**2**	**3**	**4**	**6**	**9**	**12**		**13884**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**9**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	21226	3.7	5	2	2	3	4	6	8	0-17	0									
70-74	13298	4.0	5	2	2	3	5	7	8	18-34	852	2.6	2	1	2	2	3	4	5	
75-79	12619	3.9	4	2	2	3	5	7	8	35-49	9227	3.0	2	1	2	3	4	5	6	
80-84	8754	4.2	6	2	3	4	5	7	9	50-69	18181	3.2	3	1	2	3	4	6	6	
85 +	5976	4.2	6	2	3	4	5	7	8	70 +	453	4.0	4	2	2	3	5	8	8	
SUBTOTAL	**61874**	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**8**		**28713**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	
GRAND TOTAL	**158520**	**4.6**	**12**	**2**	**3**	**4**	**6**	**8**	**10**		**42597**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	46	3.7								18-34	142	2.7								
35-49	1490	4.1	7	2	3	3	5	7	14	35-49	674	3.9	3	2	2	4	5	7	7	
50-69	4227	4.3	7	2	3	4	5	7	8	50-69	2198	4.2	7	2	2	4	5	7	9	
70 +	541	4.0	3	2	3	3	6	99 +	99 +	70 +	200	4.2	7	1	2	3	6	9	9	
SUBTOTAL	**6305**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**10**		**3214**	**4.1**	**6**	**2**	**2**	**3**	**5**	**7**	**9**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	160	3.2	1							18-34	157	2.9	3	1	1	2	4	6	6	
35-49	1073	3.8	7	2	2	3	4	7	8	35-49	1537	2.9	3	1	2	3	4	6	6	
50-69	2783	3.8	4	2	2	3	5	6	8	50-69	3301	3.3	3	1	2	3	4	6	7	
70 +	367	3.2	4	2	2	3	3	8	8	70 +	221	3.1	3	1	2	3	3	7	7	
SUBTOTAL	**4383**	**3.7**	**5**	**2**	**2**	**3**	**4**	**6**	**8**		**5216**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**7**	
GRAND TOTAL	**10688**	**4.0**	**6**	**2**	**3**	**3**	**5**	**7**	**9**		**8430**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**	

DRG 141: Syncope & Collapse w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5710	4.3	7	2	2	4	5	8	9	0-17	328	2.5	3	1	1	2	4	5	5
70-74	5282	5.3	29	2	3	4	6	9	11	18-34	702	3.3	8	1	1	3	5	6	8
75-79	5868	5.1	15	2	3	4	6	8	12	35-49	1708	2.9	3	1	2	2	4	5	6
80-84	4411	5.4	14	2	3	4	7	9	12	50-69	3338	3.5	4	1	2	3	4	6	7
85 +	4806	5.6	21	2	3	4	7	10	13	70 +	293	4.8	16	1	2	3	7	14	14
SUBTOTAL	**26077**	**5.1**	**17**	**2**	**3**	**4**	**6**	**9**	**12**		**6368**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**26077**	**5.1**	**17**	**2**	**3**	**4**	**6**	**9**	**12**		**6368**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	250	2.6	5	1	1	2	3	8	8	0-17	118	3.6	8	1	2	3	3	11	11
18-34	200	3.8	6	1	3	3	4	9	10	18-34	289	2.9	2	1	1	3	4	5	5
35-49	310	4.2	5	1	2	4	6	8	8	35-49	453	4.0	6	1	2	3	6	8	8
50-69	717	6.4	79	2	3	5	6	8	20	50-69	864	4.2	14	1	2	3	5	8	14
70 +	189	3.8	3	2	2	3	5	6	7	70 +	89	5.7	27						
SUBTOTAL	**1665**	**4.8**	**39**	**1**	**2**	**4**	**5**	**8**	**9**		**1813**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1665**	**4.8**	**39**	**1**	**2**	**4**	**5**	**8**	**9**		**1813**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 142: Syncope & Collapse w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2337	3.9	7	1	2	3	5	8	9
70-74	2636	3.8	6	2	2	3	5	7	9
75-79	3540	3.8	7	2	2	3	4	7	8
80-84	2946	3.8	9	1	2	3	5	7	8
85 +	2339	4.3	6	2	2	4	6	8	9
SUBTOTAL	**13798**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**13798**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1499	1.9	1	1	1	2	2	3	4
18-34	2383	2.5	4	1	1	2	3	5	6
35-49	2947	2.7	2	1	2	2	3	5	5
50-69	4085	2.9	2	1	2	2	4	5	6
70 +	157	3.0	2	1	1	3	4	5	5
	11070	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**5**
	11070	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	350	2.5	1	1	2	2	3	4	5
18-34	253	2.3		1	2	2	3	3	3
35-49	360	2.9	4	1	1	2	5	6	7
50-69	389	4.0	3	2	3	4	5	6	8
70 +	93	4.5	4						
SUBTOTAL	**1445**	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1445**	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	385	2.6	2	1	2	2	3	4	5
18-34	728	1.9	1	1	1	2	2	4	4
35-49	581	2.5	1	1	2	2	3	4	4
50-69	770	2.9	4	1	2	2	4	5	6
70 +	164	3.1	4	1	1	3	5	6	6
	2629	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
	2629	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 143: Chest Pain

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10304	4.1	11	2	2	3	5	7	10	0-17	32	1.0							
70-74	4725	4.5	11	2	2	4	6	9	11	18-34	1013	3.0	3	1	2	3	4	6	6
75-79	3322	4.2	10	2	2	3	5	8	9	35-49	5742	3.0	3	1	2	3	4	5	7
80-84	2357	4.1	7	2	3	3	5	8	10	50-69	8107	3.3	5	1	2	3	4	6	6
85 +	1864	5.4	53	2	2	4	5	8	19	70 +	139	2.5	1	1	2	2	3	4	4
SUBTOTAL	**22572**	**4.3**	**14**	**2**	**2**	**3**	**5**	**8**	**11**		**15033**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9149	3.3	6	1	2	3	4	6	7	0-17	272	6.2	376	1	1	1	2	6	87
70-74	4062	3.0	3	1	2	3	4	4	5	18-34	4740	2.1	1	1	1	2	3	4	4
75-79	2875	3.2	3	1	2	3	4	6	6	35-49	22082	2.6	2	1	2	2	3	4	5
80-84	1520	3.3	5	1	2	3	4	7	8	50-69	19856	2.8	3	1	2	2	4	5	5
85 +	1176	3.3	5	1	2	2	5	6	8	70 +	121	1.6		< 1	1	1	2	3	3
SUBTOTAL	**18782**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**		**47072**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**41354**	**3.8**	**10**	**1**	**2**	**3**	**4**	**6**	**9**		**62105**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	3.0								0-17	14	2.0							
18-34	121	2.9	1	2	2	3	3	5	5	18-34	621	2.1	1	< 1	1	2	3	4	4
35-49	878	3.7	12	1	2	3	4	6	7	35-49	1902	2.4	2	1	1	2	3	4	5
50-69	1712	3.7	4	1	2	4	5	6	7	50-69	2420	3.3	7	1	2	3	4	6	7
70 +	96	4.3	1							70 +	128	4.8	9						
SUBTOTAL	**2822**	**3.7**	**7**	**1**	**2**	**3**	**5**	**6**	**7**		**5084**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	32	3.0								0-17	61	1.0							
18-34	267	2.2		1	2	2	3	3	3	18-34	1819	2.0	1	1	1	2	2	4	4
35-49	1216	2.9	1	2	2	3	3	4	5	35-49	3610	2.5	3	1	1	2	3	5	6
50-69	1501	3.3	3	1	2	3	4	6	7	50-69	2701	2.6	3	1	1	2	3	4	5
70 +	64	5.5	2							70 +	176	1.9	1	1	2	2	2	2	4
SUBTOTAL	**3080**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**7**		**8367**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**5902**	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**7**		**13451**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 144: Other Circulatory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5146	6.2	30	2	3	5	8	11	16
70-74	2540	7.4	29	2	4	6	10	13	17
75-79	2952	6.8	29	2	4	5	8	14	15
80-84	1505	8.7	44	3	5	7	10	20	22
85 +	992	6.4	27	2	3	5	7	11	20
SUBTOTAL	**13136**	**6.9**	**32**	**2**	**3**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13136**	**6.9**	**32**	**2**	**3**	**5**	**8**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	354	5.0	24	1	2	3	10	14	20
18-34	379	5.7	21	1	2	5	8	11	11
35-49	1178	6.8	58	2	2	5	6	16	19
50-69	2445	6.4	29	2	3	5	8	15	21
70 +	157	7.0	21	4	4	5	9	9	20
	4513	**6.3**	**35**	**2**	**2**	**5**	**8**	**14**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4513	**6.3**	**35**	**2**	**2**	**5**	**8**	**14**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	287	7.1	49	2	2	4	7	16	21
18-34	240	6.2	12	2	3	6	8	10	15
35-49	279	5.6	29	1	2	5	8	10	20
50-69	688	5.9	18	2	3	4	7	13	16
70 +	61	8.1	82						
SUBTOTAL	**1555**	**6.2**	**28**	**2**	**2**	**5**	**8**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1555**	**6.2**	**28**	**2**	**2**	**5**	**8**	**15**	**18**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	132	2.4	7	< 1	1	1	2	10	10
18-34	343	5.0	18	1	3	4	8	10	10
35-49	536	4.8	4	2	3	5	7	7	8
50-69	621	4.2	6	2	2	3	4	9	10
70 +	14	3.0							
	1646	**4.4**	**8**	**1**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1646	**4.4**	**8**	**1**	**3**	**4**	**6**	**8**	**10**

DRG 145: Other Circulatory System Diagnoses w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1331	3.5	19	1	2	3	3	7	8	0-17	831	4.3	50	1	2	3	4	8	10
70-74	667	5.9	51	2	3	3	7	8	11	18-34	1206	3.1	3	1	2	3	5	6	7
75-79	289	4.0	12	2	2	3	5	13	13	35-49	1370	3.6	21	1	1	3	4	6	8
80-84	374	5.0	13	2	2	4	9	11	12	50-69	1589	3.9	10	1	2	3	5	8	11
85 +	235	4.9	5	2	3	5	5	8	10	70 +	0								
SUBTOTAL	**2897**	**4.4**	**25**	**2**	**2**	**3**	**5**	**8**	**11**		**4997**	**3.7**	**18**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**2897**	**4.4**	**25**	**2**	**2**	**3**	**5**	**8**	**11**		**4997**	**3.7**	**18**	**1**	**2**	**3**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	405	4.9	11	2	3	4	5	13	14	0-17	172	5.2	17	1	2	4	8	8	16
18-34	89	6.1	12							18-34	374	4.1	18	1	2	3	4	12	16
35-49	110	3.9	8							35-49	293	4.0	8	1	2	3	5	10	10
50-69	267	5.0	19	2	2	3	6	16	16	50-69	221	4.0	4	2	2	3	7	7	7
70 +	0									70 +	14	2.0							
SUBTOTAL	**872**	**4.9**	**13**	**2**	**2**	**4**	**7**	**11**	**16**		**1074**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**12**
GRAND TOTAL	**872**	**4.9**	**13**	**2**	**2**	**4**	**7**	**11**	**16**		**1074**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**12**

DRG 146: Rectal Resection w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	438	12.9	30	6	9	12	14	21	25	0-17	43	29.7	1014						
70-74	310	18.4	55	10	11	17	24	32	32	18-34	75	9.0	5						
75-79	360	14.4	43	9	9	13	17	26	27	35-49	139	21.9	570	4	9	10	34	69	84
80-84	221	13.1	26	8	8	12	13	22	23	50-69	197	24.0	105	11	17	23	31	41	41
85 +	157	14.6	20	11	11	13	14	23	23	70 +	14	10.0							
SUBTOTAL	**1487**	**14.6**	**41**	**8**	**10**	**13**	**18**	**25**	**26**		**468**	**21.1**	**342**	**7**	**9**	**13**	**31**	**41**	**74**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1487**	**14.6**	**41**	**8**	**10**	**13**	**18**	**25**	**26**		**468**	**21.1**	**342**	**7**	**9**	**13**	**31**	**41**	**74**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	7.7	21							0-17	14	7.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	14	10.0							
70 +	0									70 +	0								
SUBTOTAL	**43**	**7.7**	**21**								**29**	**8.5**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**43**	**7.7**	**21**								**29**	**8.5**	**2**						

DRG 147: Rectal Resection w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	328	9.4	6	8	8	9	11	13	14	0-17	344	8.3	3	5	7	8	9	11	12
70-74	150	10.9	38	3	6	10	18	18	21	18-34	46	6.0	37						
75-79	29	10.0								35-49	136	6.7	11	2	3	8	9	11	11
80-84	43	9.3	6							50-69	350	9.5	6	7	8	8	11	13	15
85 +	46	11.8	18							70 +	14	8.0							
SUBTOTAL	**596**	**10.0**	**15**	**5**	**8**	**9**	**11**	**18**	**18**		**891**	**8.4**	**9**	**5**	**7**	**8**	**10**	**12**	**13**
GRAND TOTAL	**596**	**10.0**	**15**	**5**	**8**	**9**	**11**	**18**	**18**		**891**	**8.4**	**9**	**5**	**7**	**8**	**10**	**12**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	201	7.5	20	2	4	6	10	11	20	0-17	143	8.4	4	6	7	8	9	12	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	32	10.0							
70 +	32	19.0								70 +	0								
SUBTOTAL	**233**	**9.1**	**33**	**2**	**5**	**8**	**11**	**19**	**20**		**176**	**8.7**	**4**	**7**	**7**	**8**	**10**	**11**	**13**
GRAND TOTAL	**233**	**9.1**	**33**	**2**	**5**	**8**	**11**	**19**	**20**		**176**	**8.7**	**4**	**7**	**7**	**8**	**10**	**11**	**13**

DRG 148: Major Small & Large Bowel Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8289	15.6	109	8	10	13	18	27	37	0-17	988	14.2	192	5	7	10	16	35	63
70-74	7760	15.6	114	8	9	13	18	25	35	18-34	1804	12.6	111	5	7	9	15	23	30
75-79	6886	17.7	161	8	10	14	21	32	44	35-49	3235	14.0	102	6	8	11	16	24	31
80-84	5379	17.2	114	8	10	15	21	27	39	50-69	6783	14.5	130	7	9	11	15	24	34
85 +	3663	18.9	122	9	12	15	22	33	42	70 +	428	12.4	83	7	8	10	14	15	21
SUBTOTAL	31978	16.7	125	8	10	14	19	29	40		13239	14.0	124	6	8	11	15	24	34
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	31978	16.7	125	8	10	14	19	29	40		13239	14.0	124	6	8	11	15	24	34

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	560	16.0	222	5	7	10	23	39	85	0-17	461	14.5	298	5	7	9	16	74	99 +
18-34	294	23.1	327	8	10	14	30	47	56	18-34	900	18.5	319	4	8	10	28	41	64
35-49	361	12.8	46	7	7	9	18	24	25	35-49	811	11.4	36	6	7	10	13	22	24
50-69	960	20.3	234	9	11	15	21	36	53	50-69	1625	16.0	115	8	9	12	17	36	40
70 +	0									70 +	139	21.8	572	9	9	17	19	69	91
SUBTOTAL	2174	18.3	223	7	9	13	21	36	56		3936	15.6	190	7	8	11	17	36	45
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	2174	18.3	223	7	9	13	21	36	56		3936	15.6	190	7	8	11	17	36	45

DRG 149: Major Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2317	10.6	23	6	8	9	11	16	21
70-74	1706	9.5	11	6	7	9	11	13	15
75-79	1527	11.0	31	6	7	10	14	16	17
80-84	1173	11.7	56	7	8	10	13	18	21
85 +	482	14.3	32	9	10	13	21	23	24
SUBTOTAL	**7205**	**10.8**	**29**	**6**	**8**	**9**	**13**	**16**	**21**
GRAND TOTAL	**7205**	**10.8**	**29**	**6**	**8**	**9**	**13**	**16**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1881	7.3	34	3	4	6	8	12	20
18-34	1889	7.6	17	2	5	7	9	14	16
35-49	2637	9.8	36	6	7	8	11	16	18
50-69	4966	9.3	19	6	7	8	10	14	18
70 +	57	10.3	5						
	11430	**8.8**	**26**	**4**	**6**	**8**	**10**	**14**	**17**
	11430	**8.8**	**26**	**4**	**6**	**8**	**10**	**14**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	831	7.2	26	3	4	6	9	15	20
18-34	310	6.7	16	1	3	6	9	14	14
35-49	197	16.7	140	11	12	12	17	23	56
50-69	246	8.7	10	4	8	8	10	14	14
70 +	0								
SUBTOTAL	**1584**	**8.5**	**46**	**3**	**4**	**8**	**11**	**15**	**21**
GRAND TOTAL	**1584**	**8.5**	**46**	**3**	**4**	**8**	**11**	**15**	**21**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	541	7.9	45	2	4	6	9	14	20
18-34	774	8.4	27	3	6	7	10	13	20
35-49	514	9.6	21	6	7	8	11	15	23
50-69	664	10.6	52	5	6	9	11	19	22
70 +	0								
	2492	**9.2**	**38**	**4**	**6**	**8**	**10**	**15**	**20**
	2492	**9.2**	**38**	**4**	**6**	**8**	**10**	**15**	**20**

DRG 150: Peritoneal Adhesiolysis w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2151	12.3	48	6	8	10	14	21	26
70-74	1419	12.0	28	7	8	11	15	20	23
75-79	1216	12.6	45	7	9	11	14	24	26
80-84	859	14.6	54	8	9	12	19	25	32
85 +	360	16.1	112	6	10	13	21	21	31
SUBTOTAL	**6006**	**12.8**	**49**	**7**	**8**	**11**	**15**	**21**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6006**	**12.8**	**49**	**7**	**8**	**11**	**15**	**21**	**26**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	305	12.0	62	6	8	10	12	15	24
18-34	390	11.9	132	4	7	10	13	16	42
35-49	1185	8.7	44	3	5	8	10	15	16
50-69	1085	11.0	45	5	6	10	13	18	30
70 +	78	13.6	30						
	3043	**10.4**	**59**	**4**	**6**	**9**	**12**	**16**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3043	**10.4**	**59**	**4**	**6**	**9**	**12**	**16**	**29**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	12.4	21	6	9	13	14	22	22
18-34	121	9.7	15	5	5	10	14	14	14
35-49	289	15.2	92	5	8	16	16	27	32
50-69	232	22.0	238	7	11	17	32	54	54
70 +	14	4.0							
SUBTOTAL	**786**	**15.7**	**131**	**5**	**8**	**14**	**17**	**32**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**786**	**15.7**	**131**	**5**	**8**	**14**	**17**	**32**	**45**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	136	14.7	28	10	10	11	21	23	23
18-34	186	8.6	25	3	5	7	13	17	17
35-49	332	12.6	79	5	7	8	17	20	27
50-69	310	13.4	35	7	7	12	21	21	21
70 +	0								
	964	**12.4**	**51**	**5**	**7**	**10**	**17**	**21**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	964	**12.4**	**51**	**5**	**7**	**10**	**17**	**21**	**23**

DRG 151: Peritoneal Adhesiolysis w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1077	7.5	23	4	5	7	9	11	13
70-74	475	9.7	40	5	6	8	11	16	19
75-79	517	9.5	19	5	6	8	11	17	20
80-84	427	9.6	18	6	7	9	11	17	17
85 +	139	14.6	38	9	9	10	20	24	25
SUBTOTAL	**2635**	**9.0**	**28**	**4**	**6**	**8**	**10**	**16**	**20**
GRAND TOTAL	**2635**	**9.0**	**28**	**4**	**6**	**8**	**10**	**16**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	694	7.5	19	3	5	6	9	13	18
18-34	1687	6.2	16	3	4	5	7	11	14
35-49	2358	7.0	13	3	4	7	9	12	15
50-69	1591	7.4	21	3	4	7	9	13	15
70 +	0								
	6331	**7.0**	**17**	**3**	**4**	**6**	**9**	**12**	**15**
	6331	**7.0**	**17**	**3**	**4**	**6**	**9**	**12**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	208	7.8	47	1	4	5	7	19	25
18-34	282	5.7	9	3	4	5	7	12	12
35-49	218	8.5	13	4	4	9	10	13	15
50-69	229	8.5	21	4	5	6	13	17	17
70 +	32	9.0							
SUBTOTAL	**967**	**7.6**	**22**	**3**	**4**	**6**	**9**	**15**	**17**
GRAND TOTAL	**967**	**7.6**	**22**	**3**	**4**	**6**	**9**	**15**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	93	6.9	18						
18-34	403	7.7	17	4	5	6	9	16	16
35-49	296	7.1	7	5	5	7	8	9	9
50-69	243	9.5	16	5	7	8	13	18	18
70 +	0								
	1035	**7.9**	**15**	**4**	**5**	**7**	**9**	**15**	**16**
	1035	**7.9**	**15**	**4**	**5**	**7**	**9**	**15**	**16**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	611	8.9	32	4	4	8	11	14	18	0-17	115	9.5	54	1	5	8	9	27	27
70-74	339	6.9	8	3	5	7	9	11	11	18-34	93	13.1	19						
75-79	368	8.0	35	2	3	8	10	14	18	35-49	75	11.8	14						
80-84	243	6.3	12	1	4	8	9	10	11	50-69	289	8.1	34	1	2	8	15	17	17
85 +	211	6.9	13	2	5	6	8	12	16	70 +	46	7.4	1						
SUBTOTAL	1771	7.7	24	2	4	8	10	13	17		618	9.5	35	1	5	9	12	17	19
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	1771	7.7	24	2	4	8	10	13	17		618	9.5	35	1	5	9	12	17	19

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	8.3	1							0-17	86	12.8	244	2	5	5	11	47	47
18-34	29	15.0	1							18-34	75	5.7	8						
35-49	32	8.0								35-49	29	16.5	75						
50-69	96	6.0	6							50-69	46	12.7	31						
70 +	0									70 +	0								
SUBTOTAL	200	8.1	12	3	6	8	9	16	99 +		236	11.0	120	3	5	8	10	25	47
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	200	8.1	12	3	6	8	9	16	99 +		236	11.0	120	3	5	8	10	25	47

DRG 153: Minor Small & Large Bowel Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	449	7.3	10	2	6	7	9	12	13	0-17	609	5.1	5	2	3	5	7	7	8
70-74	118	3.8	10	< 1	2	2	5	11	11	18-34	529	6.4	8	2	4	7	8	10	12
75-79	278	6.6	8	< 1	6	7	8	9	11	35-49	425	6.1	11	2	4	6	7	9	15
80-84	136	4.1	10	< 1	< 1	4	6	9	9	50-69	689	7.8	11	4	6	7	9	12	14
85 +	0									70 +	0								
SUBTOTAL	**982**	**6.2**	**11**	**< 1**	**4**	**7**	**8**	**11**	**12**		**2252**	**6.4**	**10**	**3**	**4**	**6**	**8**	**10**	**12**
GRAND TOTAL	**982**	**6.2**	**11**	**< 1**	**4**	**7**	**8**	**11**	**12**		**2252**	**6.4**	**10**	**3**	**4**	**6**	**8**	**10**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	219	7.8	7	5	6	8	10	11	12	0-17	104	8.2	15	5	6	7	10	17	17
18-34	32	1.0								18-34	235	5.5	3	2	4	6	7	8	8
35-49	0									35-49	186	9.3	41	1	6	8	12	21	21
50-69	46	7.8	3							50-69	153	5.9	7	3	4	7	7	8	11
70 +	0									70 +	0								
SUBTOTAL	**297**	**7.1**	**10**	**1**	**5**	**8**	**10**	**10**	**11**		**678**	**7.1**	**19**	**2**	**5**	**6**	**8**	**11**	**17**
GRAND TOTAL	**297**	**7.1**	**10**	**1**	**5**	**8**	**10**	**10**	**11**		**678**	**7.1**	**19**	**2**	**5**	**6**	**8**	**11**	**17**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4441	14.8	161	6	8	11	18	27	39	0-17	0								
70-74	2884	15.3	166	6	8	11	19	27	37	18-34	579	11.4	64	4	6	9	12	25	29
75-79	2519	15.0	101	5	7	13	21	29	33	35-49	1877	10.9	52	6	7	9	13	17	23
80-84	2212	17.4	268	5	8	13	20	32	61	50-69	2996	14.0	121	4	8	11	17	26	39
85 +	1484	15.9	77	6	9	15	22	26	34	70 +	121	15.2	55	9	9	10	18	29	29
SUBTOTAL	**13541**	**15.5**	**160**	**6**	**8**	**12**	**20**	**28**	**37**		**5573**	**12.7**	**93**	**5**	**7**	**10**	**15**	**25**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**13541**	**15.5**	**160**	**6**	**8**	**12**	**20**	**28**	**37**		**5573**	**12.7**	**93**	**5**	**7**	**10**	**15**	**25**	**33**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	115	16.1	54	6	7	19	22	25	25	18-34	607	10.8	119	5	6	9	11	16	17
35-49	417	14.8	167	6	7	10	16	33	33	35-49	839	12.3	69	3	7	10	15	25	29
50-69	436	17.0	286	5	9	12	17	33	73	50-69	807	15.2	87	6	9	11	20	28	38
70 +	61	16.8	53							70 +	32	15.0							
SUBTOTAL	**1029**	**16.0**	**199**	**5**	**7**	**12**	**18**	**31**	**33**		**2286**	**13.0**	**91**	**5**	**7**	**10**	**16**	**25**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1029**	**16.0**	**199**	**5**	**7**	**12**	**18**	**31**	**33**		**2286**	**13.0**	**91**	**5**	**7**	**10**	**16**	**25**	**31**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1067	8.4	15	5	6	8	9	15	18	0-17	0								
70-74	728	9.4	25	5	6	8	12	16	17	18-34	1306	7.5	14	4	5	7	9	12	17
75-79	453	11.2	64	4	8	10	12	16	38	35-49	2484	8.3	26	4	6	7	10	15	15
80-84	296	9.6	27	1	8	9	11	22	22	50-69	2296	8.5	26	4	5	8	10	14	18
85 +	250	10.2	43	2	5	8	20	21	21	70 +	32	9.0							
SUBTOTAL	**2793**	**9.4**	**30**	**5**	**6**	**8**	**11**	**17**	**20**		**6118**	**8.2**	**23**	**4**	**5**	**7**	**10**	**14**	**16**
GRAND TOTAL	**2793**	**9.4**	**30**	**5**	**6**	**8**	**11**	**17**	**20**		**6118**	**8.2**	**23**	**4**	**5**	**7**	**10**	**14**	**16**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	272	6.1	2	4	5	5	8	8	9	18-34	321	7.6	9	4	6	7	8	13	13
35-49	171	10.8	16	6	9	10	14	14	18	35-49	515	10.4	61	6	7	8	10	16	40
50-69	121	11.0	119	< 1	5	7	12	39	39	50-69	246	7.9	14	3	6	7	9	15	15
70 +	32	6.0								70 +	0								
SUBTOTAL	**596**	**8.4**	**36**	**5**	**5**	**6**	**10**	**14**	**14**		**1082**	**9.0**	**37**	**4**	**6**	**8**	**10**	**15**	**16**
GRAND TOTAL	**596**	**8.4**	**36**	**5**	**5**	**6**	**10**	**14**	**14**		**1082**	**9.0**	**37**	**4**	**6**	**8**	**10**	**15**	**16**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14	5.0								0-17	1488	12.1	222	3	4	7	12	29	55
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	14	5.0									1488	12.1	222	3	4	7	12	29	55
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	14	3.0								0-17	4730	4.3	18	2	2	3	5	8	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	14	3.0									4730	4.3	18	2	2	3	5	8	11
GRAND TOTAL	29	4.0	1								6218	6.1	78	2	3	3	7	12	17

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	821	12.0	113	3	5	8	17	35	61	0-17	462	9.2	86	2	3	5	17	33	99 +
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	821	12.0	113	3	5	8	17	35	61		462	9.2	86	2	3	5	17	33	99 +
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1893	5.6	30	2	3	4	7	11	12	0-17	1236	5.0	20	2	2	4	6	9	20
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1893	5.6	30	2	3	4	7	11	12		1236	5.0	20	2	2	4	6	9	20
GRAND TOTAL	2714	7.5	63	2	3	5	9	17	25		1699	6.1	41	2	3	4	7	18	25

DRG 157: Anal & Stomal Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2689	5.8	25	2	3	4	7	12	14	0-17	100	7.3	48	2	3	4	10	23	23
70-74	1217	4.7	10	1	2	4	6	7	10	18-34	856	4.2	7	1	2	4	6	8	10
75-79	1216	7.1	17	3	4	6	9	12	15	35-49	1634	3.9	7	1	2	3	5	7	8
80-84	571	7.9	38	2	4	6	9	16	24	50-69	2030	5.2	15	1	2	4	7	10	12
85 +	336	9.4	69	4	5	8	10	11	22	70 +	32	5.0							
SUBTOTAL	**6029**	**6.2**	**26**	**2**	**3**	**5**	**8**	**12**	**15**		**4653**	**4.6**	**12**	**1**	**2**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6029**	**6.2**	**26**	**2**	**3**	**5**	**8**	**12**	**15**		**4653**	**4.6**	**12**	**1**	**2**	**4**	**6**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	72	8.8	32							0-17	29	4.5	2						
18-34	293	4.0	6	1	2	3	6	7	7	18-34	72	4.2	2						
35-49	136	19.1	847	3	4	8	9	99	99	35-49	182	6.0	8	3	4	7	9	9	10
50-69	136	5.4	7	3	3	4	8	10	10	50-69	171	2.9	6	1	1	2	4	4	10
70 +	29	6.5								70 +	0								
SUBTOTAL	**665**	**8.0**	**213**	**2**	**3**	**5**	**8**	**10**	**18**		**454**	**4.4**	**8**	**1**	**2**	**4**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**665**	**8.0**	**213**	**2**	**3**	**5**	**8**	**10**	**18**		**454**	**4.4**	**8**	**1**	**2**	**4**	**6**	**9**	**10**

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2584	3.0	3	< 1	2	3	4	5	7
70-74	1317	3.4	8	< 1	2	3	4	6	8
75-79	907	3.8	7	< 1	2	3	6	7	9
80-84	624	3.3	6	1	1	3	4	9	10
85 +	328	3.4	7	< 1	1	3	4	6	10
SUBTOTAL	**5760**	**3.3**	**6**	**< 1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**5760**	**3.3**	**6**	**< 1**	**2**	**3**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1118	3.6	9	1	1	3	5	8	9
18-34	6095	2.6	2	1	2	2	3	4	5
35-49	10585	2.8	3	1	1	2	4	5	6
50 69	6357	2.7	4	1	1	2	4	5	6
70 +	14	15.0							
	24170	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
	24170	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0- 7	365	3.4	4	1	2	3	5	7	7
18-34	846	3.6	2	2	3	4	4	5	7
35-49	482	3.6	3	1	2	4	5	5	6
50-69	378	3.7	3	1	2	4	5	6	6
70 +	0								
SUBTOTAL	**2071**	**3.6**	**3**	**1**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**2071**	**3.6**	**3**	**1**	**2**	**4**	**5**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	373	3.1	5	1	1	3	4	7	7
18-34	1303	3.0	11	1	1	2	3	5	9
35-49	917	2.7	2	1	2	3	3	5	6
50-69	542	3.5	6	1	1	3	6	7	7
70 +	0								
	3135	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
	3135	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2605	6.1	16	2	3	5	7	10	16
70-74	1056	6.2	25	2	4	5	7	9	11
75-79	792	6.5	8	4	5	6	8	9	13
80-84	460	9.4	97	3	4	5	8	27	37
85 +	250	8.1	52	4	5	6	8	11	36
SUBTOTAL	**5163**	**6.6**	**27**	**2**	**4**	**5**	**7**	**10**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5163**	**6.6**	**27**	**2**	**4**	**5**	**7**	**10**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	197	2.9	4	1	1	3	4	6	7
35-49	547	4.4	9	1	2	4	6	8	9
50-69	1413	4.8	8	2	3	4	6	8	10
70 +	0								
	2156	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2156	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	150	5.3	13	2	3	4	6	11	13
35-49	182	4.5	10	1	2	5	5	5	14
50-69	363	6.3	18	1	3	6	8	12	16
70 +	0								
SUBTOTAL	**696**	**5.6**	**16**	**1**	**3**	**5**	**7**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**696**	**5.6**	**16**	**1**	**3**	**5**	**7**	**12**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	1.5							
35-49	186	5.2	11	2	4	4	6	8	15
50-69	125	2.5	1						
70 +	14	1.0							
	353	3.7	8	1	2	4	4	6	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	353	**3.7**	**8**	**1**	**2**	**4**	**4**	**6**	**8**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2251	3.6	5	1	2	3	5	6	8	0-17	0								
70-74	1563	4.0	5	1	2	4	6	7	8	18-34	1510	2.2	2	1	1	2	3	4	4
75-79	1052	4.5	5	1	3	4	6	8	10	35-49	4211	3.2	5	1	2	3	4	5	7
80-84	353	4.8	12	1	2	5	6	9	13	50-69	4337	3.2	4	1	2	3	4	6	7
85 +	142	3.7	5							70 +	32	1.0							
SUBTOTAL	**5362**	**4.0**	**5**	**1**	**2**	**4**	**5**	**7**	**8**		**10089**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**5362**	**4.0**	**5**	**1**	**2**	**4**	**5**	**7**	**8**		**10089**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	425	2.9	2	1	2	3	4	5	5	18-34	272	3.0	2	1	2	3	4	5	5
35-49	467	3.2	4	1	1	4	4	6	7	35-49	611	3.2	5	1	1	3	4	5	6
50-69	496	4.8	10	1	2	5	6	11	12	50-69	475	5.4	35	1	2	5	8	9	9
70 +	0									70 +	14	3.0							
SUBTOTAL	**1388**	**3.7**	**6**	**1**	**2**	**3**	**5**	**6**	**8**		**1371**	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**1388**	**3.7**	**6**	**1**	**2**	**3**	**5**	**6**	**8**		**1371**	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3320	4.3	42	1	2	3	4	8	8	0-17	0								
70-74	2231	4.1	15	1	2	3	5	8	9	18-34	507	2.2	3	1	1	1	3	6	6
75-79	2360	5.3	20	2	3	4	7	9	11	35-49	984	3.3	7	1	2	2	4	8	8
80-84	1786	6.9	133	1	2	4	6	14	21	50-69	1859	3.7	6	1	2	3	5	6	9
85 +	1130	6.0	21	2	2	5	8	11	16	70 +	78	1.4							
SUBTOTAL	**10827**	**5.1**	**45**	**1**	**2**	**4**	**6**	**9**	**12**		**3428**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10827**	**5.1**	**45**	**1**	**2**	**4**	**6**	**9**	**12**		**3428**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	46	3.1	2							18-34	14	1.0							
35-49	75	2.4	2							35-49	168	2.6	2	1	1	2	4	4	6
50-69	171	4.7	12	1	3	4	6	6	15	50-69	186	5.1	32	1	1	3	5	17	17
70 +	46	4.2	3							70 +	14	1.0							
SUBTOTAL	**339**	**3.9**	**8**	**1**	**2**	**4**	**5**	**6**	**7**		**382**	**3.7**	**18**	**1**	**1**	**2**	**4**	**6**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**339**	**3.9**	**8**	**1**	**2**	**4**	**5**	**6**	**7**		**382**	**3.7**	**18**	**1**	**1**	**2**	**4**	**6**	**17**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5756	2.2	2	1	1	2	3	4	5	0-17	0								
70-74	3919	2.4	2	1	1	2	3	5	5	18-34	4596	1.8	2	1	1	1	2	3	4
75-79	3086	3.0	13	1	1	2	4	5	6	35-49	7001	1.9	2	1	1	1	2	3	4
80-84	2235	2.7	3	1	2	2	4	5	6	50-69	11097	1.8	1	1	1	1	2	3	4
85 +	799	3.8	7	1	2	3	5	8	9	70 +	93	1.8	1						
SUBTOTAL	**15795**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**22786**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**15795**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**22786**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	246	3.1	13	1	1	2	4	12	12	18-34	1007	2.1	3	1	1	1	3	4	7
35-49	189	1.9	1	1	1	2	2	3	3	35-49	718	2.1	2	1	1	2	3	4	4
50-69	285	2.2	1	1	1	2	3	3	3	50-69	1209	2.2	4	1	1	1	3	4	8
70 +	64	4.5								70 +	46	3.1	2						
SUBTOTAL	**784**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**5**		**2981**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**784**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**5**		**2981**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 163: Hernia Procedures Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14	2.0								0-17	595	2.7	7	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**2.0**									**595**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	2.0								0-17	9036	1.5	1	1	1	1	2	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**32**	**2.0**									**9036**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**46**	**2.0**									**9631**	**1.5**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	458	4.8	33	1	1	3	5	9	16	0-17	43	1.7							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**458**	**4.8**	**33**	**1**	**1**	**3**	**5**	**9**	**16**		**43**	**1.7**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4826	1.6	1	1	1	1	2	3	3	0-17	2780	1.6	2	1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4826**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**2780**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**5284**	**1.9**	**5**	**1**	**1**	**1**	**2**	**3**	**5**		**2823**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	710	12.1	122	5	7	9	12	21	28	0-17	682	10.6	33	6	7	10	12	15	27
70-74	552	10.9	13	7	8	10	13	16	19	18-34	246	9.4	31	5	6	8	9	23	23
75-79	346	12.3	37	7	8	10	18	20	26	35-49	478	10.3	18	6	7	9	13	17	21
80-84	142	15.3	35							50-69	595	10.4	21	5	8	9	14	16	19
85 +	32	7.0								70 +	0								
SUBTOTAL	**1783**	**11.9**	**64**	**6**	**8**	**10**	**13**	**20**	**26**		**2002**	**10.3**	**26**	**5**	**7**	**9**	**12**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1783**	**11.9**	**64**	**6**	**8**	**10**	**13**	**20**	**26**		**2002**	**10.3**	**26**	**5**	**7**	**9**	**12**	**16**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	382	11.8	47	5	6	11	14	23	28	0-17	211	7.4	8	3	6	7	9	12	13
18-34	46	11.5	5							18-34	254	8.5	5	6	6	8	10	12	13
35-49	32	89.0								35-49	104	14.4	82	5	5	12	18	33	33
50-69	14	8.0								50-69	64	11.5	43						
70 +	0									70 +	0								
SUBTOTAL	**475**	**16.9**	**416**	**5**	**6**	**11**	**14**	**28**	**89**		**633**	**9.4**	**29**	**5**	**6**	**8**	**11**	**18**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**475**	**16.9**	**416**	**5**	**6**	**11**	**14**	**28**	**89**		**633**	**9.4**	**29**	**5**	**6**	**8**	**11**	**18**	**18**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	339	9.2	11	5	6	9	12	13	14
70-74	121	8.4	14	6	6	6	8	18	18
75-79	218	8.5	12	4	6	7	13	13	14
80-84	32	5.0							
85 +	14	8.0							
SUBTOTAL	**724**	**8.7**	**12**	**5**	**6**	**8**	**11**	**13**	**14**
GRAND TOTAL	**724**	**8.7**	**12**	**5**	**6**	**8**	**11**	**13**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3569	6.7	9	3	5	6	8	10	13
18-34	2243	5.5	7	3	4	5	7	8	10
35-49	1506	7.0	9	4	5	6	9	11	14
50-69	1260	8.1	17	4	6	7	10	12	18
70 +	0								
	8578	**6.6**	**10**	**3**	**4**	**6**	**8**	**10**	**12**
	8578	**6.6**	**10**	**3**	**4**	**6**	**8**	**10**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	822	8.1	10	5	6	8	9	13	14
18-34	200	6.6	6	3	5	8	9	9	9
35-49	46	10.5	5						
50-69	0								
70 +	64	12.5	12						
SUBTOTAL	**1133**	**8.2**	**11**	**5**	**6**	**8**	**9**	**14**	**14**
GRAND TOTAL	**1133**	**8.2**	**11**	**5**	**6**	**8**	**9**	**14**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1312	7.5	11	3	5	7	9	12	15
18-34	1102	6.0	6	3	4	6	7	9	10
35-49	371	6.3	6	2	5	7	8	9	9
50-69	157	8.1	2	6	8	8	9	10	10
70 +	0								
	2942	**6.8**	**9**	**3**	**5**	**7**	**8**	**10**	**12**
	2942	**6.8**	**9**	**3**	**5**	**7**	**8**	**10**	**12**

Southern Region, July 1988 - June 1989

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	282	8.6	27	3	4	8	9	19	20
70-74	157	6.6	3	5	5	6	8	8	9
75-79	110	4.7	1						
80-84	75	11.1	4						
85 +	64	13.0	9						
SUBTOTAL	688	8.2	19	4	5	8	9	16	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	688	8.2	19	4	5	8	9	16	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	750	4.7	7	2	3	4	6	9	10
18-34	756	5.0	9	3	3	5	5	9	10
35-49	835	6.9	12	3	4	6	9	13	14
50-69	293	7.4	9	3	5	8	9	9	11
70 +	0								
	2634	5.8	11	3	3	5	8	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2634	5.8	11	3	3	5	8	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	132	5.5	11	3	3	4	7	13	13
18-34	246	4.0	5	2	2	3	4	8	10
35-49	32	6.0							
50-69	0								
70 +	0								
SUBTOTAL	411	4.7	7	2	3	4	6	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	411	4.7	7	2	3	4	6	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	382	7.1	30	3	3	5	9	16	21
18-34	393	6.2	24	3	4	5	6	9	10
35-49	186	5.0	2	3	4	5	5	8	8
50-69	32	3.0							
70 +	0								
	993	6.2	22	3	4	5	6	11	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	993	6.2	22	3	4	5	6	11	16

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	507	4.6	7	3	3	4	6	7	8
70-74	157	5.6	12	4	4	5	6	6	16
75-79	125	5.5	11						
80-84	54	5.5							
85 +	14	14.0							
SUBTOTAL	**867**	**5.1**	**9**	**3**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**867**	**5.1**	**9**	**3**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
2.PATIENTS W/OUT CCs									
0-17	17880	3.0	2	2	2	3	3	4	5
18-34	15788	3.2	2	2	2	3	4	5	6
35-49	5393	3.6	3	2	3	3	4	5	7
50-69	1787	4.0	3	2	3	4	5	6	8
70 +	0								
	40848	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	40848	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2720	3.2	3	2	2	3	4	5	7
18-34	1107	4.1	2	3	3	4	5	6	6
35-49	107	4.0	1						
50-69	96	4.0	2						
70 +	0								
SUBTOTAL	**4030**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**4030**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
2.PATIENTS W/OUT CCs									
0-17	4933	3.0	4	2	2	2	3	5	6
18-34	6579	3.1	2	2	2	3	4	5	6
35-49	1134	3.6	4	2	2	3	4	5	7
50-69	346	5.3	4	3	4	4	8	8	9
70 +	64	5.5	2						
	13056	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
	13056	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	187	4.6	11	1	2	3	8	9	10
70-74	132	6.4	68	2	2	3	4	29	29
75-79	168	3.7	2	1	3	4	5	5	5
80-84	214	4.9	35	1	1	2	6	10	24
85 +	78	10.0	26						
SUBTOTAL	779	5.3	30	1	2	3	6	10	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	779	5.3	30	1	2	3	6	10	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	8.3	59						
18-34	197	5.4	25	2	2	3	8	16	17
35-49	193	7.4	35	1	4	5	10	18	18
50-69	121	3.1	6	1	2	2	4	9	9
70 +	0								
	554	5.8	30	1	2	4	8	17	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	554	5.8	30	1	2	4	8	17	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	6.0	26						
18-34	132	3.5	6	2	2	2	5	9	9
35-49	43	8.7	59						
50-69	0								
70 +	0								
SUBTOTAL	204	5.0	24	1	2	2	6	11	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	204	5.0	24	1	2	2	6	11	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	4.2	4						
18-34	14	4.0							
35-49	158	6.0	31	1	1	4	10	16	17
50-69	43	21.0	199						
70 +	0								
	290	7.7	78	1	2	5	7	17	27
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	290	7.7	78	1	2	5	7	17	27

DRG 169: Mouth Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	229	2.9	14	1	1	1	3	12	12
70-74	118	3.6	7	1	2	2	4	8	8
75-79	139	2.5	6	1	1	2	2	7	9
80-84	14	1.0							
85 +	43	3.3	7						
SUBTOTAL	**543**	**2.9**	**10**	**1**	**1**	**2**	**3**	**8**	**12**
GRAND TOTAL	**543**	**2.9**	**10**	**1**	**1**	**2**	**3**	**8**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	774	2.2	3	1	1	2	3	4	5
18-34	254	4.2	6	1	3	3	5	9	10
35-49	350	2.6	4	1	1	2	4	4	7
50-69	589	2.7	7	1	1	2	3	6	12
70 +	46	2.3							
	2013	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**9**
	2013	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	219	2.0	1	1	1	2	2	4	4
18-34	43	2.3	2						
35-49	29	1.0							
50-69	14	2.0							
70 +	0								
SUBTOTAL	**305**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**305**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	187	2.9	1	1	2	3	4	4	5
18-34	150	4.5	4	2	2	6	6	7	7
35-49	100	4.0	29	1	1	2	3	17	17
50-69	46	3.0							
70 +	14	2.0							
	498	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**7**
	498	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 170: Other Digestive System O.R. Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	968	15.9	140	5	7	13	20	35	36
70-74	432	12.8	52	6	7	13	15	20	30
75-79	435	21.4	375	4	8	14	37	45	73
80-84	186	23.1	182	15	15	17	31	44	50
85 +	168	18.0	184	7	7	13	26	29	56
SUBTOTAL	**2189**	**17.2**	**187**	**5**	**8**	**13**	**20**	**37**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2189**	**17.2**	**187**	**5**	**8**	**13**	**20**	**37**	**45**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	265	8.5	75	3	4	5	12	19	40
18-34	332	8.5	57	2	3	7	11	13	13
35-49	350	11.0	76	1	6	9	16	24	28
50-69	682	13.0	108	3	7	9	16	27	30
70 +	32	22.0							
	1662	**11.1**	**90**	**2**	**5**	**9**	**12**	**24**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1662	**11.1**	**90**	**2**	**5**	**9**	**12**	**24**	**30**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	86	27.7	640	6	6	7	47	73	73
18-34	89	6.6	2						
35-49	125	13.4	158						
50-69	46	11.2	18						
70 +	32	22.0							
SUBTOTAL	**379**	**15.5**	**258**	**5**	**6**	**7**	**22**	**41**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**379**	**15.5**	**258**	**5**	**6**	**7**	**22**	**41**	**47**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	12.5	59	3	4	9	19	22	24
18-34	208	6.7	15	3	4	6	8	14	14
35-49	118	5.5	12	1	1	6	7	11	11
50-69	161	13.7	158	4	6	7	16	47	99 +
70 +	14	12.0							
	645	**9.6**	**71**	**3**	**4**	**7**	**14**	**21**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	645	**9.6**	**71**	**3**	**4**	**7**	**14**	**21**	**27**

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	118	8.0	15	1	6	9	9	15	15	0-17	676	4.8	12	2	2	4	5	11	13
70-74	150	6.3	22	3	4	4	6	15	15	18-34	1536	4.1	9	1	2	4	6	8	10
75-79	78	5.5	6							35-49	849	4.0	6	1	2	4	5	7	9
80-84	78	9.7	37							50-69	489	5.8	10	2	4	5	8	9	11
85 +	29	8.0	51							70 +	0								
SUBTOTAL	**454**	**7.3**	**24**	**1**	**4**	**5**	**9**	**15**	**17**		**3550**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**454**	**7.3**	**24**	**1**	**4**	**5**	**9**	**15**	**17**		**3550**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	118	7.3	52	2	4	4	6	26	26	0-17	211	2.5	1	1	2	3	3	4	5
18-34	150	5.1	2	4	4	4	6	7	8	18-34	528	3.5	5	1	1	3	5	6	8
35-49	32	2.0								35-49	118	5.9	10	< 1	6	6	7	12	12
50-69	46	2.4	1							50-69	93	3.3	6						
70 +	0									70 +	14	3.0							
SUBTOTAL	**347**	**5.2**	**22**	**2**	**3**	**4**	**6**	**8**	**9**		**964**	**3.5**	**6**	**1**	**1**	**3**	**5**	**7**	**8**
GRAND TOTAL	**347**	**5.2**	**22**	**2**	**3**	**4**	**6**	**8**	**9**		**964**	**3.5**	**6**	**1**	**1**	**3**	**5**	**7**	**8**

DRG 172: Digestive Malignancy w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1375	11.9	137	2	4	8	14	33	39
70-74	1755	9.1	39	3	5	8	13	18	21
75-79	1045	6.9	25	1	3	6	10	15	16
80-84	1163	9.0	63	2	4	8	11	14	16
85 +	1080	10.2	41	3	5	9	13	19	21
SUBTOTAL	**6418**	**9.5**	**65**	**2**	**4**	**8**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6418**	**9.5**	**65**	**2**	**4**	**8**	**12**	**18**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	6.0	24	1	1	2	11	13	13
18-34	75	8.3	5						
35-49	300	4.2	8	1	2	4	5	8	9
50-69	1634	7.9	52	1	4	6	10	13	17
70 +	61	15.3	88						
	2157	**7.5**	**47**	**1**	**3**	**6**	**10**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2157	**7.5**	**47**	**1**	**3**	**6**	**10**	**13**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	72	13.6	229						
18-34	14	9.0							
35-49	243	7.7	11	4	6	7	8	12	18
50-69	182	8.6	98	1	2	2	11	24	33
70 +	14	15.0							
SUBTOTAL	**526**	**9.0**	**75**	**1**	**4**	**7**	**11**	**18**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**526**	**9.0**	**75**	**1**	**4**	**7**	**11**	**18**	**33**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	32.0							
35-49	164	9.8	64	5	5	9	10	11	34
50-69	304	8.3	37	2	4	7	11	15	18
70 +	14	5.0							
	497	**9.4**	**60**	**2**	**4**	**8**	**11**	**18**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	497	**9.4**	**60**	**2**	**4**	**8**	**11**	**18**	**32**

DRG 173: Digestive Malignancy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	543	4.0	28	< 1	1	2	5	8	10	0-17	43	1.0							
70-74	310	8.5	116	1	2	6	7	39	39	18-34	46	1.3							
75-79	232	7.8	49	1	3	5	13	14	29	35-49	139	3.9	9	1	2	3	6	9	11
80-84	182	3.9	5	< 1	1	4	6	6	8	50-69	839	3.8	10	< 1	2	3	5	8	11
85 +	211	2.6	2	< 1	2	2	3	5	7	70 +	14	2.0							
SUBTOTAL	**1479**	**5.3**	**48**	**< 1**	**2**	**3**	**6**	**10**	**14**		**1082**	**3.5**	**9**	**< 1**	**1**	**2**	**5**	**8**	**11**
GRAND TOTAL	**1479**	**5.3**	**48**	**< 1**	**2**	**3**	**6**	**10**	**14**		**1082**	**3.5**	**9**	**< 1**	**1**	**2**	**5**	**8**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	4.0								0-17	0								
18-34	29	2.0	1							18-34	14	4.0							
35-49	29	10.5								35-49	96	6.0	5						
50-69	139	5.6	16	1	3	3	10	10	10	50-69	293	5.0	8	1	3	5	6	9	9
70 +	0									70 +	0								
SUBTOTAL	**211**	**5.7**	**16**	**1**	**3**	**3**	**10**	**10**	**11**		**403**	**5.2**	**7**	**1**	**4**	**5**	**6**	**9**	**9**
GRAND TOTAL	**211**	**5.7**	**16**	**1**	**3**	**3**	**10**	**10**	**11**		**403**	**5.2**	**7**	**1**	**4**	**5**	**6**	**9**	**9**

DRG 174: G.I. Hemorrhage w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12423	6.4	20	2	4	5	8	12	16
70-74	8716	6.4	17	3	4	5	8	11	14
75-79	10308	6.7	23	3	4	6	8	12	16
80-84	8270	7.6	70	3	4	6	9	13	17
85 +	8602	7.6	27	3	4	6	10	15	18
SUBTOTAL	**48318**	**6.9**	**30**	**3**	**4**	**6**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**48318**	**6.9**	**30**	**3**	**4**	**6**	**8**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	537	3.9	15	1	1	2	5	10	10
18-34	2037	3.8	3	2	3	4	5	6	7
35-49	4388	4.4	5	2	3	4	5	8	8
50-69	6957	4.9	8	2	3	4	6	9	11
70 +	471	6.6	14	3	4	6	9	13	15
	14388	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14388	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	164	4.9	8	2	3	4	7	7	12
18-34	546	4.7	6	2	3	4	5	9	10
35-49	1019	7.2	21	2	4	6	9	15	15
50-69	1501	6.2	32	3	4	5	7	9	10
70 +	460	6.9	17	3	3	6	7	14	17
SUBTOTAL	**3690**	**6.3**	**23**	**2**	**4**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3690**	**6.3**	**23**	**2**	**4**	**5**	**7**	**11**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	121	4.3	6	< 1	< 1	5	5	9	9
18-34	1367	3.9	7	1	2	3	5	7	10
35-49	1693	5.5	16	2	3	4	7	10	13
50-69	2127	4.8	7	2	3	4	6	8	11
70 +	246	5.1	7	2	3	5	7	10	10
	5555	**4.8**	**10**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5555	**4.8**	**10**	**2**	**3**	**4**	**6**	**9**	**11**

DRG 175: G.I. Hemorrhage w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3569	4.2	9	1	3	4	5	7	8
70-74	2481	5.1	15	2	3	4	6	8	10
75-79	2413	5.6	12	2	3	5	7	9	14
80-84	2533	5.4	13	2	3	5	6	8	12
85 +	1868	5.9	26	2	3	5	7	10	21
SUBTOTAL	**12863**	**5.1**	**14**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**12863**	**5.1**	**14**	**2**	**3**	**4**	**6**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1202	2.9	12	1	1	2	3	5	7
18-34	2534	3.5	3	2	2	3	4	6	7
35-49	4060	3.6	3	1	2	3	5	6	7
50-69	5227	3.9	4	2	3	4	5	6	7
70 +	193	3.7	5	1	2	3	5	6	9
	13217	**3.6**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
	13217	**3.6**	**4**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	733	3.3	2	2	2	3	4	6	6
18-34	232	2.9	3	1	1	2	5	5	5
35-49	299	4.5	15	1	3	3	4	15	15
50-69	506	4.4	2	2	4	4	5	6	7
70 +	139	4.1	3	2	2	5	5	6	6
SUBTOTAL	**1909**	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**1909**	**3.8**	**5**	[illegible]	**2**	**3**	**5**	**6**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	429	3.1	6	1	2	3	3	5	6
18-34	1123	2.8	2	1	2	3	3	4	5
35-49	668	3.7	4	2	2	3	5	7	7
50-69	859	4.1	8	1	2	4	5	7	8
70 +	61	2.8	1						
	3141	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	3141	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 176: Complicated Peptic Ulcer

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1141	7.9	45	3	4	6	10	15	17
70-74	438	7.3	22	3	3	7	11	16	17
75-79	528	8.2	54	2	4	6	9	17	32
80-84	389	8.1	18	4	5	8	9	11	19
85 +	360	11.7	81	5	5	7	20	27	30
SUBTOTAL	**2856**	**8.4**	**46**	**3**	**4**	**6**	**10**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	485	5.4	13	2	3	5	6	8	17
70-74	235	5.3	14	3	3	3	6	12	13
75-79	235	5.1	6	3	3	4	8	9	9
80-84	153	3.6	5	1	2	3	4	7	8
85 +	46	8.2	3						
SUBTOTAL	**1155**	**5.2**	**11**	**2**	**3**	**4**	**7**	**9**	**12**
GRAND TOTAL	**4011**	**7.5**	**38**	**3**	**4**	**6**	**9**	**15**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	3.0	8						
18-34	182	5.8	17	1	2	6	10	10	13
35-49	278	5.0	6	2	3	4	6	9	10
50-69	760	6.3	37	2	3	5	7	13	17
70 +	32	10.0							
	1295	**5.9**	**27**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	72	3.0	3						
18-34	93	3.8	15						
35-49	528	5.2	10	2	3	5	8	9	10
50-69	400	4.1	6	2	2	3	5	8	10
70 +	0								
	1092	**4.5**	**9**	**1**	**2**	**4**	**6**	**9**	**10**
	2388	**5.3**	**19**	**2**	**3**	**4**	**7**	**10**	**13**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	6.5	21						
18-34	14	3.0							
35-49	89	5.2	3						
50-69	192	5.2	3	3	3	5	7	8	8
70 +	14	2.0							
SUBTOTAL	**339**	**5.1**	**5**	**3**	**3**	**5**	**7**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	89	2.6	2						
18-34	46	2.4	1						
35-49	125	4.1	5						
50-69	61	4.9	1						
70 +	0								
SUBTOTAL	**321**	**3.6**	**4**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**660**	**4.3**	**5**	**1**	**3**	**4**	**6**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	2.0							
18-34	78	4.9	5						
35-49	46	4.5	14						
50-69	78	6.5	5						
70 +	0								
	235	**5.0**	**8**	**2**	**2**	**5**	**8**	**9**	**10**
0-17	75	7.8	17						
18-34	89	5.8	2						
35-49	96	4.7	2						
50-69	107	4.1	9						
70 +	0								
	368	**5.4**	**9**	**2**	**3**	**6**	**6**	**10**	**12**
	603	**5.2**	**8**	**2**	**3**	**5**	**7**	**10**	**12**

DRG 177: Uncomplicated Peptic Ulcer w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2659	5.0	9	2	3	4	6	9	9	0-17	171	2.8	4	1	2	2	3	6	8
70-74	1579	5.9	10	3	3	5	7	10	12	18-34	863	4.0	3	2	3	3	5	6	8
75-79	1850	5.7	10	3	4	5	7	10	12	35-49	1762	4.7	7	2	3	4	5	7	12
80-84	1122	6.2	13	3	4	6	7	10	14	50-69	1775	5.1	8	2	3	4	7	9	10
85 +	791	7.5	20	3	4	7	10	15	16	70 +	32	10.0							
SUBTOTAL	**8001**	**5.8**	**11**	3	4	5	7	10	12		**4602**	**4.7**	7	2	3	4	6	8	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	8001	5.8	11	3	4	5	7	10	12		4602	4.7	7	2	3	4	6	8	10

	MEDICAID										NO INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	4.1	5							0-17	46	3.9	2						
18-34	175	2.7	1	1	2	3	4	4	4	18-34	342	5.4	9	1	3	5	8	9	9
35-49	285	3.9	1	3	3	4	5	5	6	35-49	364	4.3	4	2	3	4	5	7	8
50-69	310	5.0	4	2	3	5	7	7	7	50-69	275	4.8	9	2	3	4	5	12	12
70 +	96	7.3	23							70 +	93	4.8	3						
SUBTOTAL	**927**	**4.4**	6	2	3	4	6	7	8		**1121**	**4.8**	7	2	3	4	6	9	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	927	4.4	6	2	3	4	6	7	8		1121	4.8	7	2	3	4	6	9	10

DRG 178: Uncomplicated Peptic Ulcer w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2074	4.3	13	2	3	4	6	7	8
70-74	792	4.2	5	2	2	4	5	6	7
75-79	552	4.3	7	2	3	3	5	7	10
80-84	427	3.7	6	< 1	2	3	5	8	8
85 +	246	10.0	132	2	4	5	8	39	39
SUBTOTAL	4092	4.6	19	2	2	4	6	7	9
GRAND TOTAL	4092	4.6	19	2	2	4	6	7	9

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	414	3.6	3	2	2	3	4	7	7
18-34	2858	3.3	3	2	2	3	4	6	7
35-49	4331	3.7	5	1	2	3	4	7	8
50-69	2767	3.6	4	2	2	3	5	6	7
70 +	78	3.2	1						
	10448	3.6	4	2	2	3	4	6	7
	10448	3.6	4	2	2	3	4	6	7

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	6.0	16						
18-34	378	3.0	2	1	2	3	4	5	6
35-49	299	3.7	3	2	2	3	5	7	7
50-69	200	3.9	11	< 1	2	3	3	11	11
70 +	32	6.0							
SUBTOTAL	966	3.7	6	1	2	3	5	6	7
GRAND TOTAL	966	3.7	6	1	2	3	5	6	7

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	142	2.8	2						
18-34	549	3.7	10	1	2	3	4	6	11
35-49	816	4.0	4	1	3	4	5	7	8
50-69	395	3.6	6	1	2	3	4	7	9
70 +	14	2.0							
	1917	3.7	6	1	2	3	5	7	8
	1917	3.7	6	1	2	3	5	7	8

DRG 179: Inflammatory Bowel Disease

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	709	9.9	96	3	4	7	9	30	36
70-74	353	9.2	105	2	3	6	11	13	30
75-79	189	6.8	17	3	5	5	7	8	20
80-84	186	12.1	69	7	7	7	12	29	29
85 +	153	11.6	29	7	7	7	17	20	20
SUBTOTAL	**1590**	**9.8**	**81**	**3**	**4**	**7**	**11**	**20**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	339	4.1	4	2	3	4	5	7	8
70-74	14	14.0							
75-79	171	8.4	36	2	2	7	16	16	20
80-84	32	4.0							
85 +	0								
SUBTOTAL	**557**	**5.7**	**19**	**2**	**3**	**4**	**7**	**14**	**16**
GRAND TOTAL	**2147**	**8.7**	**68**	**2**	**4**	**7**	**9**	**18**	**29**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	434	10.0	145	4	4	6	11	17	23
18-34	908	8.0	47	3	4	6	9	15	21
35-49	906	6.4	24	2	3	6	8	12	22
50-69	464	5.5	5	3	4	5	6	9	10
70 +	0								
	2711	**7.4**	**50**	**2**	**4**	**6**	**8**	**14**	**19**
0-17	1010	6.8	46	2	2	4	8	16	23
18-34	1500	4.6	8	2	3	4	6	8	10
35-49	1028	5.1	11	1	3	4	7	8	12
50-69	460	4.5	10	< 1	3	4	5	10	13
70 +	0								
	3998	**5.3**	**19**	**1**	**3**	**4**	**7**	**9**	**13**
	6709	**6.1**	**33**	**2**	**3**	**5**	**7**	**11**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	193	7.8	47	1	2	6	12	15	26
35-49	29	9.5	21						
50-69	32	5.0							
70 +	0								
SUBTOTAL	**254**	**7.7**	**40**	**1**	**4**	**6**	**12**	**15**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	143	5.0	15	1	2	3	8	11	13
18-34	325	5.8	49	2	3	3	5	7	14
35-49	64	4.0	1						
50-69	96	10.0	100						
70 +	0								
SUBTOTAL	**628**	**6.1**	**47**	**2**	**3**	**3**	**6**	**13**	**24**
GRAND TOTAL	**882**	**6.5**	**45**	**2**	**3**	**4**	**7**	**14**	**24**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	17.5	162						
18-34	225	7.4	73	1	3	4	6	18	34
35-49	75	5.9	6						
50-69	139	4.5	5	1	2	5	6	7	7
70 +	0								
	468	**6.9**	**56**	**1**	**3**	**5**	**7**	**18**	**30**
0-17	201	7.6	49	1	2	5	9	20	25
18-34	411	5.5	10	3	4	5	6	10	10
35-49	157	4.5	30	1	1	3	5	5	21
50-69	160	6.0	4						
70 +	0								
	929	**5.9**	**22**	**2**	**4**	**5**	**6**	**10**	**19**
	1397	**6.2**	**34**	**2**	**3**	**5**	**7**	**10**	**20**

DRG 180: G.I. Obstruction w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4250	6.8	42	2	3	5	8	12	16
70-74	2728	7.1	26	2	4	6	9	12	16
75-79	3647	7.2	48	2	4	6	9	12	17
80-84	3605	8.1	26	3	4	7	10	16	19
85 +	4132	8.4	33	3	4	7	11	17	21
SUBTOTAL	**18361**	**7.5**	**36**	**3**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**18361**	**7.5**	**36**	**3**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	444	3.7	11	1	2	3	4	6	9
18-34	393	3.9	8	1	1	3	6	9	9
35-49	829	4.8	9	2	3	4	7	9	11
50-69	2064	5.5	21	2	3	4	7	9	16
70 +	125	6.1	21						
	3855	**5.0**	**16**	**1**	**2**	**4**	**6**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3855	**5.0**	**16**	**1**	**2**	**4**	**6**	**9**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	186	3.4	3	2	2	2	4	7	7
18-34	304	7.3	54	2	2	5	10	14	20
35-49	186	5.6	13	2	3	4	8	9	14
50-69	749	6.5	22	3	4	5	8	11	17
70 +	189	7.0	6	3	5	8	9	99 +	99 +
SUBTOTAL	**1612**	**6.2**	**24**	**2**	**3**	**5**	**8**	**11**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1612**	**6.2**	**24**	**2**	**3**	**5**	**8**	**11**	**20**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	136	4.8	11	2	2	3	6	13	13
18-34	168	6.8	25	3	3	5	11	11	20
35-49	214	4.3	25	2	2	3	4	8	22
50-69	371	4.7	31	1	2	3	4	9	22
70 +	93	11.0	72						
	982	**5.6**	**33**	**2**	**2**	**3**	**5**	**13**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	982	**5.6**	**33**	**2**	**2**	**3**	**5**	**13**	**22**

DRG 181: G.I. Obstruction w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2660	4.4	8	1	2	4	5	8	11	0-17	1875	2.4	4	< 1	1	2	3	5	6
70-74	2082	4.4	6	2	2	4	6	8	9	18-34	1334	2.9	4	1	1	2	4	6	6
75-79	1647	5.4	16	2	3	5	7	9	12	35-49	3012	4.6	12	2	2	4	6	9	12
80-84	1583	4.9	12	2	3	4	7	9	14	50-69	3049	4.5	6	2	3	4	6	7	9
85 +	1657	4.5	7	2	3	4	6	8	10	70 +	107	2.7	2						
SUBTOTAL	9628	4.7	9	2	3	4	6	8	11		9377	3.9	8	1	2	3	5	7	9
GRAND TOTAL	9628	4.7	9	2	3	4	6	8	11		9377	3.9	8	1	2	3	5	7	9

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	820	3.4	4	1	2	3	5	6	7	0-17	635	2.4	5	1	1	2	3	5	6
18-34	471	4.3	5	2	2	5	5	7	7	18-34	443	4.3	4	2	3	4	6	6	8
35-49	503	4.5	10	2	2	4	5	9	13	35-49	738	5.2	10	2	3	5	6	10	11
50-69	406	5.6	15	2	3	4	8	14	14	50-69	517	4.5	7	1	2	5	6	8	9
70 +	0									70 +	57	1.8							
SUBTOTAL	2200	4.2	8	1	2	4	5	8	9		2390	4.1	8	1	2	3	5	8	10
GRAND TOTAL	2200	4.2	8	1	2	4	5	8	9		2390	4.1	8	1	2	3	5	8	10

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	33623	5.4	20	2	3	4	6	10	13		0-17	0								
70-74	20691	5.8	21	2	3	5	7	10	13		18-34	19164	3.1	5	1	2	3	4	6	7
75-79	20925	6.0	28	2	3	5	7	11	14		35-49	19372	3.9	8	1	2	3	5	7	9
80-84	18011	6.6	30	2	4	5	8	11	14		50-69	22809	4.5	21	2	2	4	6	8	10
85+	15178	6.9	52	2	3	5	8	13	16		70+	643	4.7	7	2	3	4	6	9	9
SUBTOTAL	**108428**	**6.0**	**28**	**2**	**3**	**5**	**7**	**11**	**14**			**61989**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85+	0										70+	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**108428**	**6.0**	**28**	**2**	**3**	**5**	**7**	**11**	**14**			**61989**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	3414	3.9	11	1	2	3	4	7	8		18-34	4567	3.5	11	1	2	3	4	7	10
35-49	3577	5.1	41	2	3	4	6	9	12		35-49	4250	4.0	12	1	2	3	4	7	9
50-69	4349	5.4	28	2	3	4	6	10	14		50-69	3792	5.1	50	2	3	4	5	8	11
70+	716	5.8	16	3	3	5	7	9	13		70+	622	5.5	67	2	2	3	5	9	39
SUBTOTAL	**12056**	**4.9**	**27**	**2**	**3**	**4**	**6**	**8**	**12**			**13231**	**4.2**	**26**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70+	0										70+	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**12056**	**4.9**	**27**	**2**	**3**	**4**	**6**	**8**	**12**			**13231**	**4.2**	**26**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17372	3.8	7	1	2	3	5	7	9	0-17	0								
70-74	10414	3.9	6	1	2	4	5	7	8	18-34	34364	2.7	4	1	1	2	3	5	7
75-79	7628	4.4	11	1	2	4	6	8	10	35-49	35532	3.4	10	1	2	3	4	6	8
80-84	5309	4.2	7	1	2	4	6	8	10	50-69	27597	3.5	5	1	2	3	5	7	8
85 +	4452	5.2	30	2	2	4	6	10	12	70 +	520	3.3	6	1	1	3	5	5	5
SUBTOTAL	**45176**	**4.1**	**10**	**1**	**2**	**4**	**5**	**8**	**10**		**98013**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**45176**	**4.1**	**10**	**1**	**2**	**4**	**5**	**8**	**10**		**98013**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	5272	2.9	3	1	2	2	4	5	7	18-34	10637	2.8	4	1	1	2	4	5	7
35-49	3077	3.6	5	2	2	3	4	7	8	35-49	5148	3.3	9	1	2	2	4	6	7
50-69	1896	4.1	6	2	2	4	5	7	8	50-69	4060	3.3	5	1	2	3	4	6	8
70 +	335	4.3	14	1	1	4	6	7	14	70 +	372	2.9	3	1	2	3	5	5	6
SUBTOTAL	**10580**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**20217**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**10580**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**20217**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	375	2.4	2	1	2	2	3	3	6	0-17	34480	3.1	12	1	2	2	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**375**	**2.4**	**2**	**1**	**2**	**2**	**3**	**3**	**6**		**34480**	**3.1**	**12**	**1**	**2**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	307	3.8	5	1	2	3	6	7	7	0-17	45711	2.7	6	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**307**	**3.8**	**5**	**1**	**2**	**3**	**6**	**7**	**7**		**45711**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**682**	**3.0**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**80191**	**2.9**	**8**	**1**	**2**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13946	3.9	20	1	2	3	4	7	10	0-17	7796	3.7	22	1	2	3	4	6	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**13946**	**3.9**	**20**	**1**	**2**	**3**	**4**	**7**	**10**		**7796**	**3.7**	**22**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20128	3.1	7	1	2	2	4	5	7	0-17	13146	3.1	7	1	2	2	4	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**20128**	**3.1**	**7**	**1**	**2**	**2**	**4**	**5**	**7**		**13146**	**3.1**	**7**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**34074**	**3.4**	**12**	**1**	**2**	**3**	**4**	**6**	**8**		**20943**	**3.3**	**13**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	264	7.2	41	1	3	5	9	21	21
70-74	142	8.5	53						
75-79	171	5.3	10	2	2	6	7	7	13
80-84	203	6.1	26	2	2	5	6	17	17
85 +	221	7.6	57	3	3	6	8	10	35
SUBTOTAL	**1002**	**6.9**	**39**	**1**	**3**	**5**	**8**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	168	8.5	113	1	2	5	6	30	30
70-74	139	3.6	3	1	3	3	5	6	7
75-79	57	3.8	13						
80-84	78	8.2	30						
85 +	0								
SUBTOTAL	**443**	**6.3**	**56**	**1**	**2**	**3**	**6**	**14**	**30**
GRAND TOTAL	**1445**	**6.7**	**44**	**1**	**3**	**5**	**7**	**17**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	553	4.6	9	1	2	4	6	9	10
35-49	339	3.3	5	1	2	3	4	6	6
50-69	267	4.4	11	1	2	4	5	12	12
70 +	0								
	1160	**4.2**	**8**	**1**	**2**	**3**	**5**	**9**	**11**
0-17	0								
18-34	992	2.3	2	< 1	1	2	3	4	5
35-49	371	3.4	7	< 1	1	3	6	7	9
50-69	171	3.9	3	2	3	3	6	7	7
70 +	46	1.0							
	1580	**2.7**	**3**	**< 1**	**1**	**2**	**3**	**6**	**7**
	2740	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	57	3.5	8						
35-49	46	5.0							
50-69	14	7.0							
70 +	0								
SUBTOTAL	**118**	**4.5**	**5**	**1**	**3**	**5**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	182	3.8	7	1	3	3	4	9	9
35-49	43	2.3	2						
50-69	14	5.0							
70 +	0								
SUBTOTAL	**240**	**3.6**	**6**	**1**	**2**	**3**	**4**	**9**	**9**
GRAND TOTAL	**358**	**3.9**	**6**	**1**	**2**	**4**	**5**	**8**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	396	6.4	117	< 1	2	3	5	12	42
35-49	293	3.4	19	1	1	2	4	4	5
50-69	107	3.6	10						
70 +	14	1.0							
	811	**4.8**	**68**	**1**	**2**	**2**	**4**	**8**	**22**
0-17	0								
18-34	736	2.8	5	1	1	2	3	6	7
35-49	329	2.3	2	1	1	2	3	4	4
50-69	157	4.5	15	2	2	3	4	12	12
70 +	0								
	1222	**2.9**	**6**	**1**	**1**	**2**	**3**	**6**	**7**
	2033	**3.6**	**32**	**1**	**1**	**2**	**4**	**6**	**12**

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	32	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**32**	**2.0**							
GRAND TOTAL	**32**	**2.0**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1624	3.4	4	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1624	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
0-17	1964	2.5	3	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1964	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	3588	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**7**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	675	3.5	3	2	2	3	5	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**675**	**3.5**	**3**	**2**	**2**	**3**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1080	3.2	5	1	2	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1080**	**3.2**	**5**	**1**	**2**	**2**	**4**	**7**	**8**
GRAND TOTAL	**1754**	**3.3**	**4**	**1**	**2**	**3**	**4**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	600	3.2	3	2	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	600	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
0-17	856	2.8	4	1	1	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	856	**2.8**	**4**	**1**	**1**	**3**	**4**	**6**	**7**
	1455	**3.0**	**4**	**1**	**1**	**3**	**4**	**6**	**6**

DRG 187: Dental Extractions & Restorations

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	254	4.2	11	2	2	2	6	8	14	0-17	247	2.2	2	1	1	2	3	5	5
70-74	61	4.1	12							18-34	86	3.0	6	1	1	2	3	8	8
75-79	75	4.8	1							35-49	61	6.0	18						
80-84	0									50-69	0								
85 +	14	3.0								70 +	0								
SUBTOTAL	**404**	**4.2**	**9**	**1**	**2**	**3**	**6**	**8**	**9**		**394**	**2.9**	**7**	**1**	**1**	**2**	**3**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	29	2.0	1							0-17	354	1.9	4	1	1	1	2	3	4
70-74	46	1.7								18-34	254	2.6	7	< 1	1	2	2	7	12
75-79	107	1.8	1							35-49	57	1.0							
80-84	29	2.0	1							50-69	0								
85 +	14	2.0								70 +	0								
SUBTOTAL	**225**	**1.8**	**1**	**< 1**	**< 1**	**2**	**3**	**3**	**4**		**666**	**2.1**	**5**	**1**	**1**	**1**	**2**	**3**	**7**
GRAND TOTAL	**629**	**3.4**	**7**	**1**	**2**	**2**	**5**	**7**	**8**		**1060**	**2.4**	**6**	**1**	**1**	**2**	**2**	**5**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	351	2.5	4	1	1	2	2	7	7	0-17	72	2.2	2						
18-34	57	4.3	21							18-34	57	2.3	1						
35-49	32	1.0								35-49	29	4.5	6						
50-69	0									50-69	32	1.0							
70 +	0									70 +	0								
SUBTOTAL	**440**	**2.6**	**6**	**1**	**1**	**2**	**2**	**7**	**8**		**190**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	348	2.0	3	< 1	1	1	2	4	7	0-17	143	2.5	3	1	1	2	4	5	6
18-34	29	3.5								18-34	179	3.1	2	2	2	3	5	5	6
35-49	0									35-49	14	1.0							
50-69	0									50-69	0								
70 +	0									70 +	32	3.0							
SUBTOTAL	**376**	**2.1**	**3**	**< 1**	**1**	**1**	**2**	**4**	**7**		**369**	**2.8**	**2**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**817**	**2.4**	**5**	**1**	**1**	**2**	**2**	**7**	**7**		**559**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	4348	6.2	25	2	3	5	9	13	18	
70-74	2197	5.7	16	2	3	4	8	11	16	
75-79	2054	7.6	69	2	4	6	8	13	16	
80-84	1623	8.1	69	2	3	5	9	17	24	
85 +	2546	8.1	55	2	4	6	10	14	20	
SUBTOTAL	**12768**	**6.9**	**43**	**2**	**3**	**5**	**9**	**14**	**18**	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTAL	**0**									
GRAND TOTAL	**12768**	**6.9**	**43**	**2**	**3**	**5**	**9**	**14**	**18**	

	BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
0-17	0									
18-34	825	4.0	7	1	2	4	5	8	10	
35-49	1238	5.3	18	2	2	4	7	11	17	
50-69	2045	6.0	33	1	3	4	7	12	17	
70 +	78	5.2	6							
	4186	**5.4**	**24**	**1**	**2**	**4**	**7**	**11**	**17**	
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
	0									
	4186	**5.4**	**24**	**1**	**2**	**4**	**7**	**11**	**17**	

	MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-17 (YRS.)	0									
18-34	293	5.9	26	2	2	4	9	18	18	
35-49	236	7.5	26	2	3	6	9	16	18	
50-69	350	6.2	28	2	2	4	9	15	15	
70 +	0									
SUBTOTAL	**879**	**6.4**	**27**	**2**	**2**	**5**	**9**	**16**	**18**	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
SUBTOTAL	**0**									
GRAND TOTAL	**879**	**6.4**	**27**	**2**	**2**	**5**	**9**	**16**	**18**	

	NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
0-17	0									
18-34	243	4.9	12	1	2	4	7	9	15	
35-49	311	6.1	21	1	2	5	10	15	15	
50-69	251	4.0	7	2	2	3	5	9	10	
70 +	14	9.0								
	819	**5.2**	**15**	**1**	**2**	**4**	**7**	**10**	**15**	
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
	0									
	819	**5.2**	**15**	**1**	**2**	**4**	**7**	**10**	**15**	

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2256	3.0	8	< 1	< 1	2	4	6	7
70-74	1297	2.7	4	< 1	< 1	2	4	6	6
75-79	1007	3.3	14	< 1	< 1	2	4	10	12
80-84	553	2.7	5	< 1	1	2	4	6	8
85 +	546	3.9	15	< 1	1	3	6	7	8
SUBTOTAL	**5659**	**3.1**	**9**	**< 1**	**< 1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**5659**	**3.1**	**9**	**< 1**	**< 1**	**2**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2415	2.8	5	1	1	2	4	6	7
35-49	2832	3.3	8	< 1	1	3	5	7	9
50-69	3088	2.4	5	< 1	< 1	1	3	5	6
70 +	93	1.7	1						
	8429	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**
	8429	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	307	3.9	4	1	2	3	6	6	6
35-49	229	2.8	5	< 1	1	2	4	7	7
50-69	374	3.5	6	1	1	4	4	7	9
70 +	29	4.5	2						
SUBTOTAL	**939**	**3.5**	**5**	**1**	**1**	**3**	**5**	**7**	**7**
GRAND TOTAL	**939**	**3.5**	**5**	**1**	**1**	**3**	**5**	**7**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	950	2.7	4	1	1	2	3	5	7
35-49	485	4.9	72	1	1	2	5	6	36
50-69	510	3.2	9	< 1	1	3	4	6	12
70 +	61	4.4	8						
	2005	**3.4**	**22**	**1**	**1**	**2**	**4**	**6**	**7**
	2005	**3.4**	**22**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 190: Other Digestive System Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	215	5.5	9	2	3	4	8	9	11	0-17	1385	4.2	21	1	1	3	6	9	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**215**	**5.5**	**9**	**2**	**3**	**4**	**8**	**9**	**11**		**1385**	**4.2**	**21**	**1**	**1**	**3**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	6504	2.0	4	< 1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**6504**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**215**	**5.5**	**9**	**2**	**3**	**4**	**8**	**9**	**11**		**7890**	**2.4**	**8**	**< 1**	**1**	**1**	**2**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	580	5.6	19	1	2	5	7	13	14	0-17	265	5.8	52	1	1	4	8	12	32
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**580**	**5.6**	**19**	**1**	**2**	**5**	**7**	**13**	**14**		**265**	**5.8**	**52**	**1**	**1**	**4**	**8**	**12**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2387	3.2	28	< 1	1	1	3	7	10	0-17	2240	2.1	7	< 1	1	1	2	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2387**	**3.2**	**28**	**< 1**	**1**	**1**	**3**	**7**	**10**		**2240**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**2966**	**3.7**	**27**	**< 1**	**1**	**2**	**4**	**8**	**13**		**2505**	**2.5**	**13**	**< 1**	**1**	**1**	**2**	**5**	**9**

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	986	22.8	363	8	11	20	28	49	74	0-17	247	18.1	185	6	8	14	22	55	99+
70-74	553	22.5	382	9	10	17	27	74	89	18-34	551	20.1	331	8	10	11	18	55	67
75-79	411	23.0	276	9	11	17	29	37	71	35-49	476	18.8	159	8	9	15	29	46	99+
80-84	132	17.0	166	2	7	15	25	45	45	50-69	658	21.8	179	7	13	19	29	40	57
85+	89	20.8	86							70+	0								
SUBTOTAL	**2172**	**22.3**	**330**	**7**	**11**	**17**	**28**	**57**	**74**		**1932**	**20.1**	**220**	**7**	**10**	**15**	**24**	**46**	**67**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2172**	**22.3**	**330**	**7**	**11**	**17**	**28**	**57**	**74**		**1932**	**20.1**	**220**	**7**	**10**	**15**	**24**	**46**	**67**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	115	35.5	363	9	20	31	52	68	68	0-17	147	27.3	580	9	10	18	37	49	90
18-34	75	19.2	193							18-34	597	19.3	222	5	6	15	32	51	51
35-49	100	27.0	519	7	7	21	51	70	70	35-49	297	17.2	123	6	8	14	25	36	43
50-69	29	11.5								50-69	75	12.1	133						
70+	32	20.0								70+	0								
SUBTOTAL	**351**	**26.2**	**366**	**7**	**9**	**20**	**34**	**54**	**68**		**1116**	**19.3**	**249**	**5**	**7**	**15**	**28**	**44**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**351**	**26.2**	**366**	**7**	**9**	**20**	**34**	**54**	**68**		**1116**	**19.3**	**249**	**5**	**7**	**15**	**28**	**44**	**51**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	139	7.9	102	2	4	5	5	28	37	0-17	176	15.5	107	8	8	14	17	23	46
70-74	96	7.7	6							18-34	153	7.8	30	2	5	6	8	15	21
75-79	46	12.8	18							35-49	311	10.7	50	5	7	8	12	19	22
80-84	32	10.0								50-69	428	10.3	52	3	7	8	12	19	25
85 +	0									70 +	0								
SUBTOTAL	**314**	**8.8**	**52**	**2**	**5**	**6**	**10**	**11**	**19**		**1069**	**10.9**	**62**	**3**	**7**	**8**	**14**	**21**	**25**
GRAND TOTAL	**314**	**8.8**	**52**	**2**	**5**	**6**	**10**	**11**	**19**		**1069**	**10.9**	**62**	**3**	**7**	**8**	**14**	**21**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	72	9.0	39							0-17	89	10.1	16						
18-34	29	8.0	1							18-34	132	7.7	42	5	5	5	6	26	26
35-49	46	11.1	2							35-49	61	11.1	126						
50-69	0									50-69	75	10.2	35						
70 +	32	5.0								70 +	0								
SUBTOTAL	**179**	**8.7**	**20**	**5**	**5**	**7**	**12**	**12**	**21**		**358**	**9.4**	**50**	**5**	**5**	**6**	**9**	**21**	**26**
GRAND TOTAL	**179**	**8.7**	**20**	**5**	**5**	**7**	**12**	**12**	**21**		**358**	**9.4**	**50**	**5**	**5**	**6**	**9**	**21**	**26**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1030	16.8	128	7	10	12	20	37	42	0-17	72	40.4	797						
70-74	804	21.5	245	8	10	16	25	43	57	18-34	171	7.7	3	5	7	7	8	11	11
75-79	767	16.0	99	7	9	14	18	33	39	35-49	332	8.2	14	5	5	8	10	16	18
80-84	981	16.5	139	7	10	13	16	40	47	50-69	815	14.2	84	5	7	13	17	23	34
85 +	649	15.4	54	8	10	14	21	25	25	70 +	14	10.0							
SUBTOTAL	**4232**	**17.2**	**140**	**7**	**10**	**13**	**20**	**39**	**43**		**1404**	**13.3**	**141**	**5**	**7**	**10**	**17**	**23**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4232**	**17.2**	**140**	**7**	**10**	**13**	**20**	**39**	**43**		**1404**	**13.3**	**141**	**5**	**7**	**10**	**17**	**23**	**42**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	16.6	43							0-17	14	12.0							
18-34	46	4.9	2							18-34	107	10.1	23						
35-49	14	42.0								35-49	14	6.0							
50-69	61	15.4	147							50-69	189	13.6	35	4	11	15	17	20	22
70 +	32	16.0								70 +	0								
SUBTOTAL	**214**	**15.3**	**126**	**4**	**7**	**12**	**22**	**37**	**42**		**325**	**12.0**	**32**	**5**	**7**	**11**	**17**	**20**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**214**	**15.3**	**126**	**4**	**7**	**12**	**22**	**37**	**42**		**325**	**12.0**	**32**	**5**	**7**	**11**	**17**	**20**	**21**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	296	7.4	9	4	4	7	9	13	13	0-17	187	16.5	187	6	9	10	15	31	55
70-74	232	9.1	12	5	6	9	11	15	15	18-34	128	4.3	2						
75-79	153	9.3	8	8	8	9	12	12	14	35-49	214	6.9	13	3	5	6	8	14	14
80-84	46	15.1	8							50-69	374	13.0	81	4	7	10	16	24	24
85 +	128	18.8	74							70 +	14	9.0							
SUBTOTAL	**856**	**10.3**	**35**	**4**	**7**	**9**	**12**	**17**	**24**		**918**	**11.0**	**92**	**3**	**5**	**8**	**14**	**24**	**30**
GRAND TOTAL	**856**	**10.3**	**35**	**4**	**7**	**9**	**12**	**17**	**24**		**918**	**11.0**	**92**	**3**	**5**	**8**	**14**	**24**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	10.5	6							0-17	0								
18-34	46	2.6	1							18-34	75	10.0	2						
35-49	32	14.0								35-49	61	11.5	2						
50-69	32	9.0								50-69	46	9.1	8						
70 +	0									70 +	0								
SUBTOTAL	**139**	**8.3**	**21**	**2**	**4**	**9**	**13**	**14**	**14**		**182**	**10.3**	**4**	**8**	**9**	**11**	**12**	**12**	**13**
GRAND TOTAL	**139**	**8.3**	**21**	**2**	**4**	**9**	**13**	**14**	**14**		**182**	**10.3**	**4**	**8**	**9**	**11**	**12**	**12**	**13**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2040	10.2	24	6	8	9	13	16	19
70-74	1256	12.6	39	6	9	11	14	20	22
75-79	1832	12.6	21	7	9	12	16	19	22
80-84	1223	13.3	45	7	10	11	15	19	29
85 +	1170	15.6	53	8	10	14	21	27	32
SUBTOTAL	**7520**	**12.5**	**37**	**7**	**8**	**11**	**15**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7520**	**12.5**	**37**	**7**	**8**	**11**	**15**	**20**	**25**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	6.5	1						
18-34	1247	6.7	7	4	5	7	8	9	11
35-49	1296	7.8	11	4	5	7	10	12	14
50-69	1688	8.5	14	5	6	7	10	13	16
70 +	46	14.5	14						
	4371	**7.8**	**12**	**4**	**5**	**7**	**9**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4371	**7.8**	**12**	**4**	**5**	**7**	**9**	**12**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	568	7.4	8	4	6	7	9	12	13
35-49	310	11.3	38	4	8	11	14	21	21
50-69	104	12.0	25	7	8	10	19	20	20
70 +	32	10.0							
SUBTOTAL	**1014**	**9.1**	**23**	**4**	**6**	**8**	**11**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1014**	**9.1**	**23**	**4**	**6**	**8**	**11**	**14**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	8.1	4						
18-34	778	7.8	19	4	4	6	10	13	20
35-49	389	7.4	19	4	5	6	8	12	20
50-69	278	10.2	56	5	7	8	10	14	31
70 +	32	20.0							
	1555	**8.4**	**28**	**4**	**5**	**7**	**10**	**14**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1555	**8.4**	**28**	**4**	**5**	**7**	**10**	**14**	**20**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	428	7.7	6	4	5	7	10	11	11
70-74	282	7.4	14	3	4	7	9	15	15
75-79	296	8.9	12	6	7	7	10	14	14
80-84	186	11.4	56	4	9	9	11	27	27
85 +	78	10.5	15						
SUBTOTAL	**1270**	**8.7**	**19**	**4**	**6**	**7**	**11**	**14**	**15**
GRAND TOTAL	**1270**	**8.7**	**19**	**4**	**6**	**7**	**11**	**14**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	46	8.1	2						
18-34	1009	6.1	7	3	4	6	8	10	11
35-49	878	6.3	7	3	4	6	8	10	11
50-69	735	7.2	9	4	5	7	9	9	10
70 +	14	10.0							
	2684	**6.5**	**8**	**3**	**4**	**6**	**8**	**10**	**11**
	2684	**6.5**	**8**	**3**	**4**	**6**	**8**	**10**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	446	6.8	12	3	4	6	9	11	16
35-49	157	6.2	4	3	5	7	7	9	9
50-69	142	7.6	6						
70 +	0								
SUBTOTAL	**745**	**6.8**	**9**	**3**	**5**	**6**	**9**	**11**	**11**
GRAND TOTAL	**745**	**6.8**	**9**	**3**	**5**	**6**	**9**	**11**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	14	4.0							
18-34	449	6.1	4	4	5	5	7	10	10
35-49	93	8.3	1						
50-69	218	8.0	13	4	4	8	8	14	14
70 +	14	14.0							
	789	**7.0**	**8**	**4**	**5**	**7**	**8**	**10**	**14**
	789	**7.0**	**8**	**4**	**5**	**7**	**8**	**10**	**14**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9821	8.4	28	4	5	7	10	14	19
70-74	6010	9.5	46	4	6	8	11	15	19
75-79	4863	10.0	27	5	7	9	12	17	19
80-84	2457	11.7	65	6	7	10	13	18	30
85 +	1869	12.2	48	7	8	10	14	20	26
SUBTOTAL	**25020**	**9.6**	**39**	**4**	**6**	**8**	**12**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**25020**	**9.6**	**39**	**4**	**6**	**8**	**12**	**16**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	8.4	10						
18-34	5181	5.7	11	3	4	5	7	10	12
35-49	8310	5.9	16	3	4	5	7	10	11
50-69	8531	6.7	11	3	4	6	8	11	13
70 +	153	9.2	30	5	5	6	13	13	23
	22247	**6.2**	**13**	**3**	**4**	**5**	**8**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	22247	**6.2**	**13**	**3**	**4**	**5**	**8**	**10**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	93	5.1	3						
18-34	1328	6.9	24	3	4	6	9	10	15
35-49	803	8.2	96	3	4	5	10	13	15
50-69	977	9.8	50	5	6	9	11	14	23
70 +	32	7.0							
SUBTOTAL	**3233**	**8.1**	**51**	**3**	**4**	**7**	**10**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3233**	**8.1**	**51**	**3**	**4**	**7**	**10**	**13**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	153	3.8	5	< 1	2	4	6	7	7
18-34	1452	5.6	18	3	3	4	7	9	12
35-49	1107	8.5	39	3	4	8	10	16	19
50-69	1092	7.7	30	2	4	7	10	13	17
70 +	46	6.2	11						
	3851	**7.0**	**29**	**2**	**4**	**6**	**9**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3851	**7.0**	**29**	**2**	**4**	**6**	**9**	**12**	**17**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7209	5.9	33	3	4	5	6	8	11
70-74	4258	6.2	9	3	4	6	7	9	11
75-79	2372	7.3	16	4	4	6	9	13	16
80-84	1373	6.7	6	4	5	7	8	10	11
85 +	499	10.6	27	6	6	10	12	16	25
SUBTOTAL	**15711**	**6.4**	**22**	**3**	**4**	**5**	**7**	**10**	**12**
GRAND TOTAL	**15711**	**6.4**	**22**	**3**	**4**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	638	4.4	5	2	3	4	5	9	10
18-34	19230	4.4	5	2	3	4	5	7	8
35-49	21461	4.4	4	3	3	4	5	7	8
50-69	18349	5.3	6	3	4	5	6	9	10
70 +	110	5.5	3						
	59788	**4.7**	**5**	**3**	**3**	**4**	**5**	**7**	**9**
	59788	**4.7**	**5**	**3**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	307	4.4	5	2	3	4	5	7	9
18-34	4113	4.5	5	2	3	4	5	7	8
35-49	1430	5.2	5	3	4	5	6	8	8
50-69	745	5.2	5	2	4	4	7	9	9
70 +	64	11.5	2						
SUBTOTAL	**6660**	**4.8**	**5**	**3**	**3**	**4**	**6**	**7**	**9**
GRAND TOTAL	**6660**	**4.8**	**5**	**3**	**3**	**4**	**6**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	110	4.5	1						
18-34	4674	4.7	5	2	3	4	6	8	9
35-49	2864	4.5	4	2	3	4	6	8	9
50-69	1983	5.2	12	2	3	4	6	9	10
70 +	0								
	9630	**4.7**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
	9630	**4.7**	**6**	**2**	**3**	**4**	**6**	**8**	**9**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	243	13.8	124	3	9	11	16	23	52	0-17	0								
70-74	150	14.1	66	9	11	11	19	25	32	18-34	0								
75-79	175	14.9	3	13	13	15	16	18	18	35-49	57	22.5	74						
80-84	32	7.0								50-69	200	12.7	34	6	8	10	18	21	22
85 +	0									70 +	0								
SUBTOTAL	**600**	**13.8**	**70**	**3**	**10**	**13**	**16**	**19**	**25**		**257**	**14.9**	**59**	**6**	**8**	**12**	**21**	**26**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	107	8.1	43							0-17	72	10.0	11						
70-74	110	10.9	13							18-34	0								
75-79	78	7.5	30							35-49	43	7.0	1						
80-84	0									50-69	104	6.0	3	3	5	6	7	9	9
85 +	0									70 +	0								
SUBTOTAL	**296**	**9.0**	**31**	**1**	**6**	**8**	**14**	**14**	**17**		**219**	**7.5**	**8**	**5**	**6**	**7**	**9**	**11**	**15**
GRAND TOTAL	**896**	**12.2**	**62**	**3**	**7**	**11**	**15**	**18**	**24**		**476**	**11.5**	**49**	**6**	**6**	**8**	**15**	**21**	**26**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	10.0	1							0-17	29	13.5	44						
18-34	0									18-34	0								
35-49	32	5.0								35-49	0								
50-69	14	10.0								50-69	46	14.0	184						
70 +	0									70 +	0								
SUBTOTAL	**75**	**7.9**	**7**								**75**	**13.8**	**129**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**75**	**7.9**	**7**								**75**	**13.8**	**129**						

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	125	46.2	1104						
70-74	78	21.8	88						
75-79	78	10.1	21						
80-84	14	15.0							
85 +	43	16.3	40						
SUBTOTAL	**339**	**27.1**	**665**	8	12	14	33	59	93
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	14	4.0							
75-79	29	5.0	17						
80-84	0								
85 +	0								
SUBTOTAL	**43**	**4.7**	**11**						
GRAND TOTAL	**382**	**24.6**	**641**	5	12	14	33	59	93

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	37.9	1098						
18-34	72	26.0	531						
35-49	153	12.3	55	6	7	12	18	18	30
50-69	171	10.0	127	1	2	8	10	19	43
70 +	0								
	471	**17.6**	**422**	2	7	10	18	44	68
0-17	89	8.3	12						
18-34	75	6.8	20						
35-49	89	5.7	9						
50-69	43	9.7	21						
70 +	0								
	297	**7.4**	**16**	3	3	8	10	12	15
	768	**13.7**	**290**	3	5	8	12	30	62

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	36.3	1901						
18-34	0								
35-49	32	9.0							
50-69	0								
70 +	0								
SUBTOTAL	**75**	**24.7**	**1264**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	14	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**14**	**1.0**							
GRAND TOTAL	**89**	**20.9**	**1135**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	9.0							
18-34	93	9.6	3						
35-49	107	11.9	26						
50-69	46	11.5	14						
70 +	0								
	261	**10.8**	**16**	6	9	10	11	17	22
0-17	0								
18-34	32	8.0							
35-49	0								
50-69	0								
70 +	0								
	32	**8.0**							
	293	**10.5**	**15**	6	8	10	11	15	17

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	404	7.4	15	4	5	6	10	12	15
70-74	200	9.5	29	4	7	8	11	14	26
75-79	89	7.6	32						
80-84	46	12.1	8						
85 +	61	11.4	39						
SUBTOTAL	**800**	**8.5**	**24**	4	5	7	**12**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	1.0							
70-74	32	5.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**46**	**3.8**	**3**						
GRAND TOTAL	**847**	**8.2**	**24**	3	5	7	**11**	**14**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	10.0	51						
18-34	61	6.8	1						
35-49	262	6.9	31	2	3	4	8	18	19
50-69	337	8.7	25	3	4	9	11	15	20
70 +	14	36.0							
	702	**8.5**	**42**	3	4	7	**11**	**18**	**20**
0-17	29	5.0	9						
18-34	0								
35-49	14	1.0							
50-69	29	5.5							
70 +	0								
	72	**4.4**	**7**						
	774	**8.1**	**41**	2	4	6	**11**	**17**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	72	10.8	314						
18-34	14	15.0							
35-49	14	2.0							
50-69	118	7.6	26	1	4	5	12	17	17
70 +	0								
SUBTOTAL	**219**	**8.8**	**124**	2	2	4	**12**	**17**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	2.5	2						
18-34	0								
35-49	29	3.0	4						
50-69	14	2.0							
70 +	0								
SUBTOTAL	**72**	**2.6**	**3**						
GRAND TOTAL	**290**	**7.3**	**101**	1	2	4	**12**	**15**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	3.0	1						
18-34	57	12.3	154						
35-49	129	13.9	108	4	7	10	14	33	33
50-69	29	10.5	21						
70 +	0								
	244	**11.8**	**107**	2	5	9	**14**	**33**	**33**
0-17	0								
18-34	32	24.0							
35-49	0								
50-69	0								
70 +	0								
	32	**24.0**							
	276	**13.2**	**110**	2	5	10	**24**	**33**	**33**

DRG 202: Cirrhosis & Alcoholic Hepatitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2080	10.7	87	3	5	8	11	23	30	0-17	29	12.5	137						
70-74	741	11.9	149	3	5	7	12	34	39	18-34	493	6.7	37	2	3	4	9	13	26
75-79	485	13.3	315	3	4	8	13	22	77	35-49	1178	7.4	31	3	4	5	8	15	22
80-84	331	9.3	22	4	5	8	12	15	15	50-69	1696	8.6	39	3	5	7	11	13	15
85 +	157	8.8	6	7	7	9	9	9	16	70 +	78	6.9	6						
SUBTOTAL	**3794**	**11.0**	**120**	**3**	**5**	**8**	**11**	**22**	**31**		**3474**	**7.9**	**37**	**3**	**4**	**6**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	200	3.7	4	2	2	3	5	5	9	0-17	86	12.7	397	1	2	2	13	56	56
70-74	0									18-34	29	1.5							
75-79	32	9.0								35-49	214	4.5	12	1	1	4	5	12	12
80-84	0									50-69	251	5.8	23	1	1	5	10	11	17
85 +	0									70 +	0								
SUBTOTAL	**232**	**4.4**	**7**	**2**	**2**	**4**	**5**	**9**	**9**		**580**	**6.1**	**81**	**1**	**1**	**3**	**9**	**12**	**13**
GRAND TOTAL	**4026**	**10.7**	**116**	**3**	**5**	**8**	**11**	**22**	**31**		**4054**	**7.7**	**43**	**2**	**4**	**6**	**10**	**13**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	72	3.4	2							0-17	0								
18-34	264	8.0	38	2	3	4	12	20	20	18-34	656	12.1	75	3	6	9	16	25	31
35-49	454	10.3	102	3	5	7	10	30	39	35-49	1515	8.6	36	2	5	7	11	17	19
50-69	318	9.0	15	5	5	9	10	13	18	50-69	632	10.9	80	2	4	8	12	24	30
70 +	0									70 +	64	37.0	123						
SUBTOTAL	**1107**	**8.9**	**58**	**3**	**4**	**7**	**11**	**18**	**23**		**2867**	**10.6**	**75**	**3**	**5**	**8**	**13**	**23**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	2.5	2							0-17	0								
18-34	14	1.0								18-34	78	9.5	6						
35-49	14	2.0								35-49	285	4.1	13	1	2	3	4	13	13
50-69	32	3.0								50-69	32	2.0							
70 +	0									70 +	0								
SUBTOTAL	**89**	**2.4**	**1**								**395**	**5.0**	**16**	**1**	**2**	**4**	**7**	**12**	**13**
GRAND TOTAL	**1197**	**8.4**	**57**	**2**	**4**	**6**	**10**	**18**	**23**		**3262**	**9.9**	**71**	**2**	**4**	**7**	**12**	**19**	**26**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1323	8.1	30	3	4	7	11	15	19	0-17	215	5.5	18	1	1	6	8	11	14
70-74	953	8.9	37	3	5	8	12	14	17	18-34	14	3.0							
75-79	917	11.1	62	3	5	8	16	24	29	35-49	283	6.7	49	2	3	5	8	13	22
80-84	756	10.3	48	3	5	8	16	20	22	50-69	1373	7.3	27	3	4	6	9	14	19
85 +	379	11.3	131	4	5	8	12	28	28	70 +	0								
SUBTOTAL	**4328**	**9.6**	**52**	**3**	**5**	**8**	**12**	**19**	**24**		**1885**	**7.0**	**30**	**2**	**3**	**6**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	211	7.7	32	1	2	8	10	17	17	0-17	43	5.0	2						
70-74	289	5.6	10	1	2	5	8	10	10	18-34	43	3.7	10						
75-79	104	5.8	5	2	5	5	7	10	10	35-49	339	5.6	26	1	2	5	5	8	19
80-84	203	6.3	14	2	3	5	8	13	13	50-69	358	4.6	11	1	2	4	6	11	11
85 +	61	5.7	27							70 +	78	6.9	7						
SUBTOTAL	**868**	**6.3**	**18**	**1**	**2**	**5**	**9**	**13**	**15**		**861**	**5.2**	**17**	**1**	**3**	**5**	**6**	**10**	**11**
GRAND TOTAL	**5196**	**9.0**	**48**	**2**	**4**	**7**	**12**	**18**	**22**		**2746**	**6.4**	**26**	**1**	**3**	**5**	**8**	**13**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	10.0	104							0-17	14	32.0							
18-34	29	5.0	1							18-34	0								
35-49	14	3.0								35-49	57	6.0	9						
50-69	371	11.0	110	2	4	8	12	29	29	50-69	128	8.8	23						
70 +	61	8.6	8							70 +	0								
SUBTOTAL	**532**	**10.1**	**92**	**2**	**4**	**7**	**11**	**27**	**29**		**200**	**9.6**	**58**	**1**	**4**	**9**	**11**	**14**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	86	3.5	4	< 1	2	2	5	7	7	0-17	43	3.0	2						
18-34	14	1.0								18-34	0								
35-49	46	2.0								35-49	14	10.0							
50-69	14	1.0								50-69	93	4.2	8						
70 +	32	2.0								70 +	0								
SUBTOTAL	**193**	**2.5**	**3**	**1**	**2**	**2**	**2**	**5**	**7**		**150**	**4.4**	**9**	**2**	**2**	**2**	**8**	**8**	**10**
GRAND TOTAL	**725**	**8.1**	**79**	**1**	**2**	**6**	**11**	**18**	**29**		**350**	**7.4**	**43**	**2**	**2**	**5**	**11**	**14**	**14**

DRG 204: Disorders of Pancreas except Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4688	7.9	46	3	4	6	9	15	20	0-17	0								
70-74	1220	9.2	47	3	5	7	11	16	31	18-34	2060	6.7	36	2	3	5	8	12	15
75-79	1607	9.0	40	4	5	7	11	15	20	35-49	3198	8.0	44	3	4	6	8	14	23
80-84	1258	9.4	133	3	5	7	9	18	22	50-69	2672	8.6	58	3	4	7	11	17	22
85 +	820	8.6	28	3	5	8	11	13	17	70 +	0								
SUBTOTAL	**9594**	**8.5**	**55**	**3**	**5**	**7**	**10**	**15**	**21**		**7929**	**7.9**	**47**	**3**	**4**	**6**	**9**	**14**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1502	5.5	14	2	3	5	6	9	17	0-17	161	4.5	2	3	3	4	6	7	7
70-74	852	4.7	9	2	2	4	6	8	10	18-34	1491	5.0	9	2	3	4	5	9	10
75-79	669	4.8	4	3	3	5	6	8	8	35-49	2962	5.7	14	2	3	5	7	10	13
80-84	852	5.6	10	2	3	5	7	9	13	50-69	2739	5.8	14	2	4	5	7	10	12
85 +	674	5.6	9	2	3	5	7	9	11	70 +	0								
SUBTOTAL	**4548**	**5.2**	**10**	**2**	**3**	**5**	**7**	**9**	**11**		**7353**	**5.6**	**13**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**14142**	**7.5**	**43**	**3**	**4**	**6**	**9**	**13**	**17**		**15282**	**6.8**	**32**	**2**	**4**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	64	6.5	2						
18-34	686	7.7	56	3	4	5	9	12	18	18-34	2364	6.6	24	2	3	5	9	11	15
35-49	1048	8.0	71	3	3	5	9	21	32	35-49	3312	6.4	25	2	4	5	7	12	18
50-69	706	6.7	25	2	4	5	9	13	13	50-69	1089	8.1	35	3	4	6	11	15	21
70 +	64	7.0	1							70 +	0								
SUBTOTAL	**2504**	**7.5**	**52**	**3**	**4**	**5**	**9**	**12**	**21**		**6829**	**6.7**	**26**	**2**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	61	6.0	12							0-17	61	5.7	4						
18-34	299	6.0	25	1	3	4	6	19	19	18-34	921	5.8	21	2	3	4	7	10	14
35-49	627	7.4	27	3	5	7	8	11	12	35-49	1195	6.3	38	3	4	5	6	9	26
50-69	139	9.8	70	3	5	8	11	26	33	50-69	411	7.4	92	2	3	4	7	13	25
70 +	32	3.0								70 +	32	4.0							
SUBTOTAL	**1159**	**7.1**	**32**	**3**	**4**	**6**	**8**	**11**	**19**		**2619**	**6.3**	**39**	**2**	**3**	**4**	**7**	**10**	**21**
GRAND TOTAL	**3662**	**7.4**	**46**	**3**	**4**	**6**	**9**	**12**	**21**		**9449**	**6.6**	**30**	**2**	**4**	**5**	**8**	**12**	**18**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2855	8.0	37	2	3	7	11	16	19	0-17	806	7.7	93	1	2	5	9	20	28
70-74	1016	8.3	41	3	4	8	11	13	16	18-34	839	5.4	10	2	3	5	7	9	11
75-79	752	6.4	27	3	3	5	7	11	15	35-49	1147	9.0	262	1	3	5	8	18	26
80-84	317	11.5	43	5	7	11	16	25	26	50-69	1284	7.6	26	2	4	7	11	16	18
85 +	282	6.1	4	4	5	6	7	11	11	70 +	0								
SUBTOTAL	**5222**	**7.9**	**36**	**3**	**4**	**7**	**10**	**15**	**19**		**4077**	**7.6**	**104**	**2**	**3**	**5**	**8**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5222**	**7.9**	**36**	**3**	**4**	**7**	**10**	**15**	**19**		**4077**	**7.6**	**104**	**2**	**3**	**5**	**8**	**15**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	215	6.5	36	1	2	4	12	15	22	0-17	233	6.4	18	3	4	5	8	11	19
18-34	161	5.8	13	3	3	6	7	7	16	18-34	586	7.1	20	3	4	5	9	16	16
35-49	353	10.2	96	3	5	6	13	24	24	35-49	833	8.5	55	2	3	6	11	17	27
50-69	375	7.9	17	3	5	6	11	15	15	50-69	261	5.2	16	2	3	4	7	7	20
70 +	0									70 +	14	4.0							
SUBTOTAL	**1105**	**8.1**	**48**	**2**	**4**	**6**	**11**	**15**	**22**		**1927**	**7.4**	**35**	**2**	**3**	**6**	**9**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1105**	**8.1**	**48**	**2**	**4**	**6**	**11**	**15**	**22**		**1927**	**7.4**	**35**	**2**	**3**	**6**	**9**	**16**	**19**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	585	5.1	12	1	3	3	6	8	12	0-17	1206	4.2	33	1	1	3	5	9	13
70-74	307	4.3	24	1	1	3	7	11	11	18-34	1335	4.2	7	1	2	4	6	8	10
75-79	221	4.9	5	2	3	5	8	8	8	35-49	1600	3.8	10	1	1	3	5	8	9
80-84	43	8.7	28							50-69	993	4.9	28	1	1	4	5	10	11
85 +	64	5.5								70 +	32	14.0							
SUBTOTAL	**1220**	**5.0**	**14**	**1**	**3**	**5**	**7**	**9**	**12**		**5165**	**4.3**	**19**	**1**	**1**	**3**	**5**	**9**	**11**
GRAND TOTAL	**1220**	**5.0**	**14**	**1**	**3**	**5**	**7**	**9**	**12**		**5165**	**4.3**	**19**	**1**	**1**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	476	4.9	20	1	2	3	6	10	14	0-17	479	4.2	35	1	1	2	5	8	8
18-34	318	4.9	8	2	2	5	7	10	11	18-34	845	5.6	13	2	3	5	7	10	10
35-49	61	7.3	25							35-49	243	5.1	36	1	1	1	8	10	25
50-69	89	6.7	59							50-69	107	3.9	2						
70 +	0									70 +	0								
SUBTOTAL	**944**	**5.2**	**21**	**1**	**2**	**4**	**7**	**11**	**12**		**1674**	**5.0**	**23**	**1**	**2**	**4**	**7**	**10**	**10**
GRAND TOTAL	**944**	**5.2**	**21**	**1**	**2**	**4**	**7**	**11**	**12**		**1674**	**5.0**	**23**	**1**	**2**	**4**	**7**	**10**	**10**

DRG 207: Disorders of the Biliary Tract w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3955	5.3	12	2	3	4	7	10	13	0-17	262	6.2	37	1	2	5	7	14	27
70-74	3108	6.1	14	2	3	5	8	11	13	18-34	778	4.7	8	1	3	4	7	9	10
75-79	3118	6.6	16	3	4	6	9	11	14	35-49	1544	5.5	27	2	3	5	6	8	10
80-84	2830	7.9	22	3	5	7	10	13	18	50-69	2403	5.2	11	2	3	4	7	10	12
85 +	2513	7.3	30	3	4	6	8	14	18	70 +	189	7.9	24	5	5	5	7	17	17
SUBTOTAL	**15524**	**6.5**	**19**	**2**	**3**	**6**	**9**	**12**	**14**		**5176**	**5.4**	**17**	**2**	**3**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15524**	**6.5**	**19**	**2**	**3**	**6**	**9**	**12**	**14**		**5176**	**5.4**	**17**	**2**	**3**	**5**	**7**	**10**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	8.0	5							0-17	43	15.7	264						
18-34	307	3.7	5	1	2	4	4	5	9	18-34	282	5.9	9	2	4	6	9	12	12
35-49	203	4.4	2	3	3	4	5	7	7	35-49	331	3.2	5	1	2	2	5	6	8
50-69	762	6.0	11	2	4	5	7	11	11	50-69	336	5.9	17	1	2	5	9	11	14
70 +	142	9.8	84							70 +	0								
SUBTOTAL	**1458**	**5.7**	**18**	**2**	**4**	**5**	**7**	**10**	**11**		**992**	**5.4**	**27**	**1**	**2**	**4**	**8**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1458**	**5.7**	**18**	**2**	**4**	**5**	**7**	**10**	**11**		**992**	**5.4**	**27**	**1**	**2**	**4**	**8**	**11**	**12**

DRG 208: Disorders of the Biliary Tract w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1968	3.6	5	1	2	3	5	6	7	0-17	577	5.7	27	1	1	4	9	15	16
70-74	1383	4.3	7	2	3	4	5	7	10	18-34	2574	2.9	3	1	2	3	4	5	6
75-79	1383	4.9	7	2	3	4	6	8	10	35-49	3903	3.2	4	1	2	3	4	5	7
80-84	784	4.6	7	2	3	4	6	8	11	50-69	3522	3.3	5	1	2	3	4	6	7
85 +	1172	5.0	8	1	3	5	7	9	10	70 +	57	2.8	4						
SUBTOTAL	**6690**	**4.4**	**7**	**1**	**3**	**4**	**6**	**7**	**9**		**10634**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**6690**	**4.4**	**7**	**1**	**3**	**4**	**6**	**7**	**9**		**10634**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	143	5.5	13	2	3	4	8	11	12	0-17	168	6.8	22	2	2	6	10	14	17
18-34	902	3.0	3	1	2	3	4	5	6	18-34	974	3.0	3	1	2	3	4	5	6
35-49	282	5.6	16	< 1	2	5	7	13	13	35-49	756	3.0	4	1	2	2	4	7	8
50-69	253	3.7	3	1	3	3	4	7	7	50-69	417	2.8	3	1	1	3	3	6	6
70 +	32	15.0								70 +	46	3.9	2						
SUBTOTAL	**1612**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**11**		**2361**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1612**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**11**		**2361**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 209: Major Joint & Limb Reattachment Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6311	12.9	41	7	9	12	15	18	25	0-17	57	12.3	63						
70-74	6070	12.9	39	8	9	11	15	20	25	18-34	104	11.2	6	8	10	10	15	15	15
75-79	7015	14.1	42	8	10	13	16	23	27	35-49	379	13.6	113	7	9	12	13	22	30
80-84	5642	15.1	89	8	10	13	17	26	32	50-69	2184	13.3	86	8	9	11	14	21	33
85 +	6038	14.8	67	8	10	13	17	22	29	70 +	164	14.0	50	9	11	14	16	35	99 +
SUBTOTAL	**31076**	**13.9**	**55**	**8**	**10**	**12**	**15**	**22**	**28**		**2888**	**13.3**	**85**	**8**	**9**	**11**	**14**	**21**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7917	10.9	22	7	9	10	13	15	17	0-17	161	3.7	4	2	2	3	4	4	10
70-74	5940	10.8	14	7	9	10	13	15	17	18-34	518	5.6	6	2	4	5	7	8	11
75-79	5763	11.8	19	8	9	11	14	16	19	35-49	1156	9.0	45	4	6	9	9	13	14
80-84	4292	12.7	31	8	9	11	15	19	25	50-69	6246	9.7	11	6	8	9	11	14	16
85 +	3086	13.2	34	8	9	12	15	18	26	70 +	339	11.7	9	9	10	11	14	15	15
SUBTOTAL	**26997**	**11.6**	**23**	**7**	**9**	**11**	**13**	**16**	**19**		**8419**	**9.3**	**17**	**5**	**7**	**9**	**11**	**14**	**16**
GRAND TOTAL	**58073**	**12.8**	**42**	**8**	**9**	**12**	**14**	**19**	**25**		**11308**	**10.3**	**37**	**6**	**8**	**9**	**12**	**15**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	5.0								0-17	0								
18-34	29	5.0	4							18-34	61	32.4	442						
35-49	136	33.5	1266	8	12	16	21	97	97	35-49	72	15.4	42						
50-69	456	15.7	160	8	9	11	16	40	40	50-69	208	14.4	107	8	8	11	14	38	99 +
70 +	288	14.9	45	6	10	14	21	28	28	70 +	0								
SUBTOTAL	**923**	**17.6**	**327**	**7**	**9**	**12**	**17**	**28**	**58**		**340**	**17.8**	**198**	**8**	**8**	**12**	**27**	**52**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	161	5.7	15	3	3	4	8	10	16	0-17	43	3.0	2						
18-34	78	7.9	19							18-34	43	8.7	28						
35-49	168	9.6	8	5	7	10	13	13	13	35-49	176	9.8	6	6	8	10	12	13	13
50-69	682	10.1	14	5	7	10	14	16	16	50-69	336	10.4	11	7	8	10	13	15	17
70 +	110	7.8	15							70 +	110	8.0	15						
SUBTOTAL	**1200**	**9.1**	**16**	**4**	**5**	**10**	**12**	**15**	**16**		**708**	**9.3**	**14**	**4**	**6**	**10**	**12**	**15**	**16**
GRAND TOTAL	**2124**	**12.8**	**169**	**5**	**7**	**10**	**15**	**17**	**28**		**1048**	**12.1**	**90**	**5**	**7**	**10**	**13**	**17**	**38**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3072	13.2	62	6	8	12	16	23	28	0-17	0								
70-74	3721	16.1	176	7	9	12	18	28	44	18-34	822	15.0	182	6	9	11	16	21	30
75-79	5663	14.9	93	8	10	13	16	24	31	35-49	476	15.4	88	8	9	11	18	31	36
80-84	6485	14.5	122	7	9	12	16	23	32	50-69	1289	13.4	64	7	8	11	15	23	30
85 +	10185	15.5	70	8	10	13	18	27	31	70 +	142	22.1	162						
SUBTOTAL	**29126**	**15.0**	**100**	**7**	**9**	**13**	**17**	**25**	**32**		**2729**	**14.7**	**112**	**7**	**9**	**11**	**16**	**26**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**29126**	**15.0**	**100**	**7**	**9**	**13**	**17**	**25**	**32**		**2729**	**14.7**	**112**	**7**	**9**	**11**	**16**	**26**	**35**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	179	12.3	87	5	9	10	12	19	41	18-34	768	15.8	72	8	10	14	17	24	35
35-49	110	11.2	27							35-49	350	19.6	304	5	10	14	23	35	35
50-69	518	17.9	147	7	10	13	22	29	43	50-69	563	15.8	125	7	8	10	22	31	47
70 +	267	15.4	9	11	13	15	17	20	20	70 +	256	27.4	383	10	12	21	42	99 +	99 +
SUBTOTAL	**1074**	**15.7**	**97**	**7**	**10**	**13**	**18**	**28**	**41**		**1938**	**18.0**	**186**	**7**	**9**	**14**	**22**	**35**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1074**	**15.7**	**97**	**7**	**10**	**13**	**18**	**28**	**41**		**1938**	**18.0**	**186**	**7**	**9**	**14**	**22**	**35**	**47**

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1575	11.1	40	5	7	9	12	21	23	0-17	0								
70-74	1741	12.4	64	6	8	10	14	19	28	18-34	1307	8.5	33	3	5	7	11	15	17
75-79	2597	12.2	42	6	9	11	14	20	27	35-49	875	9.5	82	3	5	7	12	18	28
80-84	2778	11.8	25	7	9	11	13	17	22	50-69	1531	8.8	12	4	7	8	10	14	15
85 +	4233	12.3	33	7	9	11	14	18	24	70 +	214	13.6	70	5	9	12	16	22	39
SUBTOTAL	12924	12.1	38	7	9	10	14	19	25		3927	9.1	39	3	5	8	11	15	17
GRAND TOTAL	12924	12.1	38	7	9	10	14	19	25		3927	9.1	39	3	5	8	11	15	17

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	286	8.1	20	3	4	8	11	16	16	18-34	1114	10.5	109	4	6	9	11	16	20
35-49	86	10.2	37	4	4	6	15	20	20	35-49	211	16.0	178	5	6	10	20	31	54
50-69	243	9.3	24	4	5	10	13	19	19	50-69	353	8.6	16	4	6	8	11	13	13
70 +	0									70 +	142	11.9	8						
SUBTOTAL	615	8.9	24	4	5	8	11	16	19		1821	10.9	95	4	6	9	12	19	22
GRAND TOTAL	615	8.9	24	4	5	8	11	16	19		1821	10.9	95	4	6	9	12	19	22

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	75	5.8	9							0-17	958	11.9	109	3	5	8	16	34	38
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**75**	**5.8**	**9**								**958**	**11.9**	**109**	**3**	**5**	**8**	**16**	**34**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	14	14.0								0-17	4008	6.8	43	1	3	4	8	17	21
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**14.0**									**4008**	**6.8**	**43**	**1**	**3**	**4**	**8**	**17**	**21**
GRAND TOTAL	**89**	**7.1**	**16**								**4967**	**7.8**	**60**	**2**	**3**	**5**	**9**	**18**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	391	10.8	81	2	3	8	16	29	30	0-17	337	10.2	53	2	4	9	15	22	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**391**	**10.8**	**81**	**2**	**3**	**8**	**16**	**29**	**30**		**337**	**10.2**	**59**	**2**	**4**	**9**	**15**	**22**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1408	8.2	64	2	3	5	10	20	27	0-17	1114	7.5	48	2	4	5	9	16	21
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1408**	**8.2**	**64**	**2**	**3**	**5**	**10**	**20**	**27**		**1114**	**7.5**	**48**	**2**	**4**	**5**	**9**	**16**	**21**
GRAND TOTAL	**1799**	**8.8**	**68**	**2**	**3**	**5**	**12**	**20**	**27**		**1450**	**8.1**	**52**	**2**	**4**	**6**	**10**	**16**	**22**

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	650	16.1	157	6	7	13	17	36	47	0-17	43	10.3	58						
70-74	168	9.6	13	5	6	9	14	14	14	18-34	61	20.4	28						
75-79	171	23.9	307	10	10	17	49	52	52	35-49	46	8.5	5						
80-84	121	11.0	16	6	8	13	18	99 +	99 +	50-69	118	11.3	224	2	5	7	7	51	51
85 +	267	12.3	83	6	7	8	13	35	35	70 +	0								
SUBTOTAL	**1378**	**15.1**	**148**	**6**	**7**	**11**	**17**	**36**	**49**		**268**	**12.7**	**133**	**4**	**5**	**8**	**21**	**24**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	403	5.9	10	2	3	6	7	11	11	0-17	161	3.6	6	1	2	3	5	7	9
70-74	29	4.5	13							18-34	132	7.1	33	1	3	5	8	17	17
75-79	61	7.1	60							35-49	93	6.2	9						
80-84	0									50-69	32	10.0							
85 +	43	6.7	22							70 +	0								
SUBTOTAL	**536**	**6.0**	**17**	**2**	**2**	**6**	**8**	**11**	**15**		**418**	**5.8**	**18**	**1**	**3**	**4**	**8**	**11**	**17**
GRAND TOTAL	**1914**	**12.6**	**128**	**4**	**6**	**8**	**14**	**35**	**48**		**687**	**8.5**	**74**	**2**	**3**	**7**	**10**	**21**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	29	10.0	37							18-34	14	15.0							
35-49	29	10.5	6							35-49	32	17.0							
50-69	46	8.6	49							50-69	32	17.0							
70 +	0									70 +	0								
SUBTOTAL	**104**	**9.5**	**34**	**4**	**4**	**8**	**16**	**19**	**19**		**78**	**16.6**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	2.0	1							0-17	43	13.7	329						
18-34	14	4.0								18-34	61	13.5	2						
35-49	29	3.0	4							35-49	0								
50-69	61	7.9	4							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**132**	**5.1**	**10**	**1**	**3**	**5**	**6**	**10**	**10**		**104**	**13.6**	**136**	**1**	**1**	**14**	**15**	**39**	**39**
GRAND TOTAL	**236**	**7.1**	**25**	**1**	**4**	**5**	**10**	**16**	**19**		**182**	**14.9**	**73**	**1**	**14**	**15**	**17**	**17**	**39**

DRG 214: Back & Neck Procedures w/ CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3158	11.6	83	4	7	9	14	21	27
70-74	1606	10.8	52	4	7	9	12	18	29
75-79	705	16.0	204	6	8	10	19	39	51
80-84	297	14.4	219	5	7	10	13	24	36
85 +	118	11.7	23	4	9	11	18	18	18
SUBTOTAL	**5885**	**12.1**	**97**	**5**	**7**	**9**	**13**	**23**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5885**	**12.1**	**97**	**5**	**7**	**9**	**13**	**23**	**33**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	376	9.1	10	5	7	9	11	12	14
18-34	598	12.2	78	4	6	10	18	23	32
35-49	2074	8.2	35	3	4	6	10	16	19
50-69	2104	10.0	53	4	5	8	11	20	24
70 +	29	9.5	2						
	5182	**9.5**	**47**	**3**	**5**	**8**	**11**	**19**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5182	**9.5**	**47**	**3**	**5**	**8**	**11**	**19**	**22**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	11.8	28	4	8	10	14	22	22
18-34	75	19.8	27						
35-49	72	15.6	276						
50-69	132	7.7	15	3	5	5	11	15	15
70 +	14	25.0							
SUBTOTAL	**423**	**13.0**	**88**	**4**	**7**	**11**	**17**	**23**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**423**	**13.0**	**88**	**4**	**7**	**11**	**17**	**23**	**29**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	20.2	128	7	9	17	25	43	43
18-34	164	18.4	519	6	9	14	19	90	99 +
35-49	401	13.0	421	3	3	5	14	69	95
50-69	190	9.5	32	4	4	9	13	18	19
70 +	0								
	859	**14.1**	**331**	**3**	**4**	**9**	**18**	**25**	**90**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	859	**14.1**	**331**	**3**	**4**	**9**	**18**	**25**	**90**

DRG 215: Back & Neck Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4225	7.3	22	3	5	7	9	11	15	0-17	2073	8.0	31	5	6	7	8	10	12
70-74	2029	7.3	16	3	5	6	8	12	14	18-34	8133	5.1	12	2	3	4	6	9	11
75-79	845	7.7	20	3	4	6	10	14	15	35-49	19611	5.0	10	2	3	4	6	9	10
80-84	251	6.0	5	2	5	6	7	8	12	50-69	11998	5.6	11	2	3	5	7	9	12
85 +	104	9.8	14	3	8	10	14	15	15	70 +	150	5.6	8	4	4	5	5	6	14
SUBTOTAL	**7453**	**7.4**	**20**	**3**	**5**	**7**	**9**	**12**	**14**		**41964**	**5.4**	**12**	**2**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**7453**	**7.4**	**20**	**3**	**5**	**7**	**9**	**12**	**14**		**41964**	**5.4**	**12**	**2**	**3**	**5**	**7**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	330	8.6	9	6	6	8	10	13	15	0-17	301	7.5	6	5	6	8	10	10	10
18-34	601	5.0	7	2	3	4	6	8	9	18-34	1337	7.2	41	2	4	5	8	16	19
35-49	712	6.7	43	3	4	5	7	12	14	35-49	1452	5.4	25	2	3	4	6	10	17
50-69	468	8.7	35	4	5	7	9	15	27	50-69	736	6.0	12	2	4	5	9	10	14
70 +	0									70 +	46	11.2	11						
SUBTOTAL	**2111**	**7.0**	**28**	**3**	**4**	**6**	**8**	**13**	**15**		**3873**	**6.4**	**27**	**2**	**3**	**5**	**8**	**11**	**17**
GRAND TOTAL	**2111**	**7.0**	**28**	**3**	**4**	**6**	**8**	**13**	**15**		**3873**	**6.4**	**27**	**2**	**3**	**5**	**8**	**11**	**17**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	411	16.9	358	1	5	11	21	48	58	0-17	57	19.0	187						
70-74	100	21.9	159	7	9	18	33	45	45	18-34	29	14.5	114						
75-79	211	13.5	54	2	9	11	22	22	25	35-49	150	9.2	239	2	2	4	8	8	56
80-84	186	15.6	77	3	9	14	24	26	29	50-69	104	6.3	38	2	2	2	15	17	17
85 +	78	24.5	460							70 +	14	16.0							
SUBTOTAL	**986**	**17.0**	**237**	**3**	**7**	**12**	**22**	**33**	**50**		**354**	**10.6**	**171**	**2**	**2**	**5**	**14**	**25**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	197	5.9	67	1	2	2	6	13	32	0-17	491	5.9	41	1	1	3	9	12	22
70-74	110	3.5	6							18-34	72	2.0	1						
75-79	78	2.4								35-49	179	5.8	75	1	2	2	6	9	34
80-84	29	8.0	51							50-69	176	5.1	22	1	2	2	8	12	14
85 +	0									70 +	0								
SUBTOTAL	**414**	**4.8**	**39**	**1**	**2**	**2**	**3**	**13**	**15**		**917**	**5.4**	**42**	**1**	**2**	**3**	**8**	**12**	**15**
GRAND TOTAL	**1400**	**13.4**	**210**	**2**	**3**	**9**	**20**	**26**	**48**		**1272**	**6.9**	**83**	**1**	**2**	**3**	**8**	**15**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	31.5	479							0-17	14	8.0							
18-34	29	35.0	104							18-34	0								
35-49	0									35-49	43	35.3	144						
50-69	0									50-69	72	9.2	35						
70 +	0									70 +	0								
SUBTOTAL	**57**	**33.3**	**289**								**129**	**17.8**	**222**	**1**	**8**	**15**	**21**	**50**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	187	10.5	79	2	3	6	17	26	27	0-17	129	12.1	102	1	3	8	21	30	30
18-34	14	10.0								18-34	104	7.2	52	1	4	4	10	24	24
35-49	46	8.7								35-49	14	2.0							
50-69	0									50-69	110	9.7	85						
70 +	0									70 +	0								
SUBTOTAL	**247**	**10.2**	**60**	**2**	**5**	**8**	**17**	**26**	**27**		**358**	**9.5**	**84**	**2**	**2**	**5**	**10**	**24**	**30**
GRAND TOTAL	**305**	**14.5**	**184**	**3**	**5**	**9**	**18**	**27**	**45**		**487**	**11.7**	**133**	**2**	**4**	**8**	**16**	**30**	**35**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	975	21.7	288	5	9	16	35	51	57	0-17	483	23.6	371	2	10	20	32	45	62
70-74	646	18.7	273	5	8	13	26	38	53	18-34	1032	19.3	244	5	7	14	26	45	57
75-79	611	21.2	279	5	7	14	36	44	50	35-49	543	22.0	309	4	8	20	32	47	85
80-84	424	20.8	320	5	8	14	25	53	68	50-69	547	19.6	260	4	8	16	25	42	65
85 +	275	29.5	717	9	12	20	91	99 +	99 +	70 +	14	85.0							
SUBTOTAL	**2931**	**21.5**	**335**	**5**	**8**	**15**	**35**	**52**	**67**		**2620**	**21.1**	**308**	**5**	**8**	**16**	**27**	**45**	**62**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	550	11.7	181	2	4	6	14	29	46	0-17	1345	9.1	96	1	2	4	13	22	31
70-74	267	7.2	66	1	2	3	8	23	27	18-34	1544	8.6	87	1	2	5	11	24	31
75-79	139	14.6	593	1	1	2	12	65	73	35-49	883	10.0	104	2	3	6	12	26	29
80-84	107	7.2	17							50-69	878	6.2	38	1	2	4	9	13	16
85 +	0									70 +	14	11.0							
SUBTOTAL	**1063**	**10.5**	**196**	**1**	**3**	**6**	**12**	**26**	**46**		**4664**	**8.6**	**85**	**1**	**2**	**5**	**11**	**21**	**29**
GRAND TOTAL	**3994**	**18.6**	**322**	**3**	**6**	**13**	**27**	**48**	**61**		**7284**	**13.1**	**201**	**2**	**3**	**8**	**18**	**31**	**44**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	104	12.8	197	2	2	6	21	44	44	0-17	143	27.6	365	6	12	20	51	53	54
18-34	236	35.3	1194	2	9	18	75	95	95	18-34	768	22.2	412	2	8	19	28	47	93
35-49	72	15.0	78	2	9	19	25	99 +	99 +	35-49	182	25.4	467	4	5	15	41	60	63
50-69	118	32.7	186	12	27	37	37	56	56	50-69	257	24.5	534	2	5	14	52	61	61
70 +	0									70 +	14	83.0							
SUBTOTAL	**530**	**27.6**	**718**	**2**	**9**	**19**	**37**	**91**	**95**		**1366**	**24.3**	**472**	**3**	**7**	**18**	**34**	**60**	**66**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	397	5.5	22	1	2	4	8	14	17	0-17	383	6.5	70	1	2	3	9	12	13
18-34	57	13.5	150							18-34	1129	8.0	63	2	3	7	10	14	20
35-49	136	5.1	6	2	3	5	6	10	10	35-49	361	12.5	134	1	2	6	22	28	37
50-69	0									50-69	118	9.7	78	2	2	4	16	27	27
70 +	0									70 +	0								
SUBTOTAL	**591**	**6.2**	**36**	**2**	**2**	**4**	**8**	**14**	**18**		**1992**	**8.6**	**82**	**1**	**2**	**6**	**10**	**19**	**28**
GRAND TOTAL	**1120**	**16.3**	**473**	**2**	**3**	**8**	**21**	**47**	**91**		**3357**	**15.0**	**300**	**2**	**3**	**9**	**19**	**41**	**55**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1726	8.3	51	3	4	7	9	15	18	0-17	0								
70-74	792	9.6	127	3	5	7	10	16	29	18-34	796	10.4	259	3	4	7	10	13	16
75-79	781	8.0	18	3	5	7	12	15	16	35-49	1102	8.9	79	4	5	7	10	13	13
80-84	406	7.0	10	4	5	6	9	11	15	50-69	789	9.3	48	3	4	7	12	21	24
85 +	203	8.9	30	4	6	7	12	20	20	70 +	121	14.8	212	4	6	7	39	39	39
SUBTOTAL	**3909**	**8.4**	**55**	**3**	**4**	**7**	**10**	**15**	**18**		**2809**	**9.7**	**128**	**3**	**5**	**7**	**11**	**13**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3909**	**8.4**	**55**	**3**	**4**	**7**	**10**	**15**	**18**		**2809**	**9.7**	**128**	**3**	**5**	**7**	**11**	**13**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	186	9.1	18	4	5	9	10	17	17	18-34	450	8.8	33	2	4	7	13	15	17
35-49	153	5.7	8	4	4	4	6	11	11	35-49	468	8.6	25	3	5	8	10	15	21
50-69	100	17.4	259	7	8	13	16	56	56	50-69	396	10.6	55	2	4	8	15	20	28
70 +	14	10.0								70 +	14	16.0							
SUBTOTAL	**454**	**9.8**	**85**	**4**	**4**	**9**	**11**	**17**	**17**		**1329**	**9.4**	**37**	**2**	**5**	**8**	**13**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**454**	**9.8**	**85**	**4**	**4**	**9**	**11**	**17**	**17**		**1329**	**9.4**	**37**	**2**	**5**	**8**	**13**	**17**	**21**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3015	5.8	20	2	3	5	7	11	13
70-74	1306	6.5	15	3	4	6	8	10	11
75-79	898	6.4	9	3	4	6	9	11	12
80-84	482	5.9	13	3	3	5	8	11	11
85 +	267	7.8	27	3	4	5	7	17	19
SUBTOTAL	**5968**	**6.1**	**17**	**3**	**3**	**5**	**8**	**11**	**13**
GRAND TOTAL	**5968**	**6.1**	**17**	**3**	**3**	**5**	**8**	**11**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6205	4.7	31	1	2	4	5	8	10
35-49	5843	4.4	7	2	3	4	5	8	10
50-69	5306	5.1	11	2	3	4	6	10	13
70 +	78	3.2	1						
SUBTOTAL	**17433**	**4.7**	**17**	**2**	**3**	**4**	**5**	**8**	**11**
GRAND TOTAL	**17433**	**4.7**	**17**	**2**	**3**	**4**	**5**	**8**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	943	5.5	39	2	3	4	6	8	9
35-49	400	4.5	9	1	3	4	6	8	8
50-69	200	4.7	3	2	4	4	6	7	7
70 +	0								
SUBTOTAL	**1543**	**5.1**	**27**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1543**	**5.1**	**27**	**2**	**3**	**4**	**6**	**8**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3873	4.6	13	2	2	4	5	8	11
35-49	1746	5.3	15	2	3	4	6	10	11
50-69	750	5.2	17	2	3	4	6	10	12
70 +	64	6.0	9						
SUBTOTAL	**6433**	**4.9**	**14**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**6433**	**4.9**	**14**	**2**	**3**	**4**	**6**	**9**	**11**

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	6.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**14**	**6.0**							
GRAND TOTAL	**14**	**6.0**							

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	347	7.4	38	1	2	4	11	13	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	347	**7.4**	**38**	**1**	**2**	**4**	**11**	**13**	**22**
0-17	6963	3.0	15	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6963	**3.0**	**15**	**1**	**1**	**2**	**3**	**5**	**8**
	7310	**3.2**	**17**	**1**	**1**	**2**	**3**	**6**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	147	8.1	20	3	4	8	10	12	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**147**	**8.1**	**20**	**3**	**4**	**8**	**10**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1686	4.2	15	1	2	3	5	7	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1686**	**4.2**	**15**	**1**	**2**	**3**	**5**	**7**	**15**
GRAND TOTAL	**1832**	**4.5**	**17**	**1**	**2**	**3**	**5**	**8**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	147	18.7	200	5	8	14	30	32	51
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	147	**18.7**	**200**	**5**	**8**	**14**	**30**	**32**	**51**
0-17	2019	3.5	7	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2019	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
	2166	**4.5**	**35**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 221: Knee Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	574	5.9	20	1	3	5	8	16	17
70-74	186	7.9	46	1	2	4	14	15	22
75-79	314	8.2	31	2	4	7	10	21	21
80-84	46	14.0							
85 +	32	6.0							
SUBTOTAL	**1152**	**7.2**	**29**	**1**	**3**	**5**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1152**	**7.2**	**29**	**1**	**3**	**5**	**9**	**15**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	164	9.5	173	3	4	4	9	13	51
18-34	214	5.4	6	2	3	5	8	9	9
35-49	218	5.6	25	1	1	2	11	14	14
50-69	235	5.8	9	1	3	6	9	10	10
70 +	0								
	832	**6.4**	**47**	**1**	**3**	**5**	**8**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	832	**6.4**	**47**	**1**	**3**	**5**	**8**	**11**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	6.5	21						
18-34	14	7.0							
35-49	0								
50-69	32	3.0							
70 +	0								
SUBTOTAL	**75**	**5.1**	**11**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**75**	**5.1**	**11**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	7.4	9						
18-34	75	8.5	16						
35-49	93	7.8	106						
50-69	29	6.5							
70 +	0								
	257	**7.8**	**45**	**1**	**2**	**6**	**10**	**21**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	257	**7.8**	**45**	**1**	**2**	**6**	**10**	**21**	**25**

DRG 222: Knee Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1214	4.2	19	1	1	3	5	8	11
70-74	457	5.2	31	1	1	2	7	13	21
75-79	414	5.8	114	1	1	3	5	9	42
80-84	118	5.9	6	< 1	6	7	7	9	9
85 +	110	13.9	163						
SUBTOTAL	**2313**	**5.3**	**49**	**1**	**1**	**3**	**7**	**10**	**14**
GRAND TOTAL	**2313**	**5.3**	**49**	**1**	**1**	**3**	**7**	**10**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2419	3.1	7	1	1	3	4	5	6
18-34	6329	3.1	7	1	1	3	4	5	6
35-49	2839	2.7	4	< 1	1	2	3	5	7
50-69	1743	3.1	9	< 1	1	2	4	7	10
70 +	46	3.1	2						
	13376	**3.0**	**7**	**1**	**1**	**2**	**4**	**5**	**7**
	13376	**3.0**	**7**	**1**	**1**	**2**	**4**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	319	5.7	32	< 1	1	3	7	12	18
18-34	203	3.5	2	1	3	3	5	5	5
35-49	139	5.0	6	1	3	4	8	8	8
50-69	168	7.5	46	< 1	3	5	13	20	20
70 +	0								
SUBTOTAL	**829**	**5.4**	**25**	**< 1**	**3**	**4**	**6**	**12**	**20**
GRAND TOTAL	**829**	**5.4**	**25**	**< 1**	**3**	**4**	**6**	**12**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	104	2.1	2	< 1	< 1	1	4	4	4
18-34	807	3.5	5	< 1	1	3	5	7	7
35-49	208	3.0	7	< 1	1	1	5	8	8
50-69	110	3.2	4						
70 +	14	8.0							
	1243	**3.3**	**6**	**< 1**	**1**	**3**	**5**	**7**	**8**
	1243	**3.3**	**6**	**< 1**	**1**	**3**	**5**	**7**	**8**

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	582	6.4	54	2	3	4	8	13	34
70-74	347	8.3	51	2	3	6	13	16	26
75-79	304	8.1	23	3	4	8	9	17	17
80-84	136	7.1	27	1	2	3	12	13	13
85 +	61	13.0	74						
SUBTOTAL	**1429**	**7.6**	**47**	**2**	**3**	**5**	**9**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	579	3.4	5	2	2	3	4	5	7
70-74	211	4.2	6	2	3	4	5	8	11
75-79	186	3.4	1	3	3	3	4	4	6
80-84	107	5.2	9						
85 +	32	4.0							
SUBTOTAL	**1114**	**3.7**	**5**	**2**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**2543**	**5.9**	**32**	**2**	**3**	**4**	**7**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	57	4.8	14						
18-34	264	6.6	51	2	3	4	8	9	34
35-49	285	5.1	8	1	3	5	8	9	9
50-69	400	6.8	45	1	2	5	8	20	25
70 +	14	4.0							
SUBTOTAL	**1020**	**6.1**	**34**	**2**	**2**	**4**	**8**	**11**	**20**
2.PATIENTS W/OUT CCs									
0-17	115	2.3	6	1	1	1	1	8	8
18-34	629	2.0	1	1	1	2	2	3	4
35-49	961	2.1	1	1	1	2	3	4	4
50-69	1203	2.2	1	1	1	2	3	3	4
70 +	0								
SUBTOTAL	**2907**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**3928**	**3.2**	**13**	**1**	**1**	**2**	**3**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	28.0	149						
18-34	46	1.3							
35-49	29	4.5	2						
50-69	78	2.8	1						
70 +	0								
SUBTOTAL	**182**	**6.6**	**110**	**1**	**2**	**3**	**4**	**16**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	13.0	51						
18-34	32	3.0							
35-49	78	2.6							
50-69	64	3.0							
70 +	14	3.0							
SUBTOTAL	**218**	**4.2**	**19**	**2**	**3**	**3**	**3**	**6**	**20**
GRAND TOTAL	**400**	**5.3**	**62**	**2**	**2**	**3**	**3**	**16**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	29	6.0	1						
18-34	118	14.2	160	4	5	12	19	99 +	99 +
35-49	107	7.2	23						
50-69	110	6.6	3						
70 +	32	6.0							
SUBTOTAL	**396**	**8.9**	**67**	**3**	**5**	**7**	**9**	**19**	**45**
2.PATIENTS W/OUT CCs									
0-17	14	1.0							
18-34	57	1.3							
35-49	43	2.7	1						
50-69	46	4.0							
70 +	14	25.0							
SUBTOTAL	**176**	**4.2**	**40**	**1**	**1**	**2**	**4**	**4**	**25**
GRAND TOTAL	**572**	**7.5**	**63**	**2**	**3**	**5**	**9**	**17**	**25**

DRG 224: Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	964	3.0	3	2	2	3	4	4	4
70-74	499	3.7	4	2	2	3	5	6	9
75-79	193	3.3	3	1	2	2	5	6	6
80-84	296	3.5	8	1	2	2	4	11	11
85 +	153	3.2	2	2	2	3	5	5	5
SUBTOTAL	**2106**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2106**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2536	2.4	3	1	1	2	3	4	5
18-34	2656	2.7	7	1	1	2	3	4	5
35-49	2025	2.5	2	1	2	2	3	5	5
50-69	2837	3.0	3	1	2	3	4	5	6
70 +	110	2.0							
	10165	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**5**
	10165	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	240	3.0	3	1	2	2	4	6	6
18-34	139	2.7	1	1	2	3	3	4	4
35-49	78	4.2							
50-69	64	3.5	2						
70 +	32	12.0							
SUBTOTAL	**553**	**3.7**	**6**	**1**	**2**	**4**	**4**	**6**	**12**
GRAND TOTAL	**553**	**3.7**	**6**	**1**	**2**	**4**	**4**	**6**	**12**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	375	2.1	3	1	1	1	2	5	5
18-34	1179	3.0	8	1	2	2	3	6	7
35-49	603	2.4	1	1	2	2	3	4	4
50-69	243	2.3	3	1	1	1	3	6	7
70 +	64	9.5	6						
	2465	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**7**
	2465	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 225: Foot Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	767	6.5	15	2	3	5	9	14	16	0-17	147	13.2	250	1	2	4	34	34	41
70-74	203	5.4	10	2	3	5	8	10	10	18-34	78	13.3	43						
75-79	203	5.5	10	2	4	5	8	9	14	35-49	186	3.9	12	1	1	2	8	9	10
80-84	61	6.7	13							50-69	546	8.1	48	1	2	7	10	19	28
85 +	78	8.2	1							70 +	0								
SUBTOTAL	**1313**	**6.3**	**13**	**2**	**3**	**5**	**9**	**10**	**14**		**956**	**8.5**	**81**	**1**	**2**	**7**	**10**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1235	3.4	7	< 1	2	3	4	6	8	0-17	1839	2.2	5	1	1	2	3	3	5
70-74	1035	3.1	2	1	2	3	4	5	5	18-34	1896	2.5	5	< 1	1	2	3	4	6
75-79	379	3.5	6	< 1	1	3	4	7	9	35-49	2412	2.4	3	< 1	1	2	3	5	5
80-84	278	2.7	3	1	1	2	4	6	6	50-69	3036	2.5	2	< 1	1	2	3	5	5
85 +	121	3.6	23	< 1	1	1	1	14	14	70 +	29	2.5	2						
SUBTOTAL	**3109**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**9212**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4422**	**4.1**	**10**	**1**	**2**	**3**	**5**	**9**	**10**		**10168**	**3.0**	**14**	**< 1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	10.3	126							0-17	29	4.0	4						
18-34	57	14.0	116							18-34	75	7.8	19						
35-49	14	8.0								35-49	46	11.1	8						
50-69	78	15.1	45							50-69	93	19.7	500						
70 +	0									70 +	14	1.0							
SUBTOTAL	**193**	**13.2**	**85**	**3**	**8**	**11**	**13**	**29**	**32**		**257**	**11.9**	**227**	**1**	**6**	**8**	**13**	**16**	**71**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	813	2.6	4	1	1	2	3	5	7	0-17	533	5.0	94	1	1	2	3	10	42
18-34	261	4.3	7	< 1	2	4	5	10	10	18-34	339	2.8	5	< 1	1	2	5	5	5
35-49	72	6.6	64							35-49	325	5.8	14	2	3	5	9	11	12
50-69	0									50-69	246	3.4	10	< 1	1	2	4	8	12
70 +	0									70 +	0								
SUBTOTAL	**1146**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**10**		**1443**	**4.4**	**42**	**1**	**1**	**2**	**5**	**10**	**12**
GRAND TOTAL	**1339**	**4.7**	**33**	**1**	**2**	**3**	**5**	**11**	**13**		**1700**	**5.5**	**77**	**1**	**1**	**3**	**7**	**12**	**13**

DRG 226: Soft Tissue Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	585	7.3	67	2	3	5	6	14	23
70-74	417	7.1	41	2	3	5	7	20	22
75-79	278	8.5	70	1	3	6	8	22	31
80-84	107	5.9	4						
85 +	142	8.7	5						
SUBTOTAL	1531	7.5	51	2	3	6	8	15	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1531	7.5	51	2	3	6	8	15	23

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	351	4.1	21	1	2	3	4	11	12
18-34	214	6.9	46	1	2	4	10	13	27
35-49	332	6.7	24	2	3	5	10	12	15
50-69	515	6.8	40	1	2	5	9	15	19
70 +	0								
	1412	6.1	34	1	2	4	9	13	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1412	6.1	34	1	2	4	9	13	18

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	233	6.7	60	1	2	5	6	23	28
18-34	14	11.0							
35-49	14	3.0							
50-69	61	3.6	14						
70 +	0								
SUBTOTAL	322	6.1	49	1	1	3	9	12	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	322	6.1	49	1	1	3	9	12	23

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	10.6	149	3	5	6	9	23	48
18-34	136	4.2	16	1	1	2	4	11	11
35-49	46	3.0							
50-69	46	11.9	22						
70 +	0								
	415	7.8	86	1	3	5	11	16	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	415	7.8	86	1	3	5	11	16	23

DRG 227: Soft Tissue Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1300	3.2	8	< 1	1	2	4	6	8
70-74	482	4.5	12	1	1	3	7	11	11
75-79	385	4.2	17	1	2	3	4	5	17
80-84	125	4.8	4						
85 +	153	6.0	19	< 1	2	4	9	10	15
SUBTOTAL	**2446**	**3.9**	**12**	**< 1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**2446**	**3.9**	**12**	**< 1**	**2**	**3**	**5**	**8**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3058	2.8	10	1	1	2	3	6	9
18-34	2493	3.3	20	1	1	2	4	5	7
35-49	3126	2.5	5	< 1	1	2	3	5	7
50-69	2837	2.8	6	< 1	1	2	4	6	7
70 +	32	2.0							
	11546	**2.8**	**10**	**< 1**	**1**	**2**	**3**	**5**	**7**
	11546	**2.8**	**10**	**< 1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1322	3.2	13	1	1	2	4	6	7
18-34	243	3.6	4	1	3	4	4	6	9
35-49	132	2.5	1	1	2	2	3	5	5
50-69	0								
70 +	0								
SUBTOTAL	**1698**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1698**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	932	2.4	3	1	1	2	3	5	6
18-34	950	2.4	3	< 1	1	2	3	4	7
35-49	361	3.0	3	1	2	3	4	5	5
50-69	150	4.5	19	1	1	1	7	12	12
70 +	0								
	2392	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	2392	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	342	4.7	10	1	2	5	7	12	12
70-74	142	4.3	2						
75-79	75	3.7	10						
80-84	110	4.0	3						
85 +	64	8.5	21						
SUBTOTAL	**734**	**4.8**	**10**	**2**	**3**	**4**	**6**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	240	6.1	76	1	2	3	5	24	34
70-74	107	2.9	2						
75-79	61	4.6	7						
80-84	14	3.0							
85 +	29	29.5	479						
SUBTOTAL	**450**	**6.5**	**109**	**1**	**2**	**3**	**5**	**8**	**34**
GRAND TOTAL	**1185**	**5.4**	**48**	**2**	**2**	**3**	**6**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	2.0							
18-34	121	3.1	3	1	2	3	3	7	7
35-49	136	5.7	11	< 1	3	6	7	12	12
50-69	75	3.9	2						
70 +	0								
	375	**4.1**	**7**	**1**	**2**	**3**	**6**	**7**	**8**
0-17	100	1.6	1	< 1	1	1	2	3	3
18-34	171	3.6	6	1	1	3	5	8	8
35-49	361	2.6	3	< 1	1	2	4	5	6
50-69	439	2.0	1	1	1	2	2	4	5
70 +	0								
	1072	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	1447	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	2.0							
18-34	46	4.5	14						
35-49	89	4.1	10						
50-69	0								
70 +	0								
SUBTOTAL	**150**	**4.0**	**10**	**2**	**2**	**2**	**4**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	72	1.4	1						
18-34	0								
35-49	96	5.7	1						
50-69	14	3.0							
70 +	0								
SUBTOTAL	**182**	**3.8**	**5**	**1**	**1**	**5**	**5**	**7**	**7**
GRAND TOTAL	**332**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	153	5.5	8	3	3	5	9	9	11
35-49	78	11.2	207						
50-69	128	4.0	5						
70 +	0								
	360	**6.2**	**57**	**2**	**3**	**4**	**7**	**9**	**11**
0-17	43	1.0							
18-34	121	2.7	6	< 1	< 1	1	3	7	7
35-49	14	1.0							
50-69	46	1.3							
70 +	0								
	225	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**7**	**7**
	585	**4.6**	**41**	**1**	**1**	**3**	**7**	**9**	**9**

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	551	3.8	35	< 1	< 1	1	4	6	25	0-17	1572	1.8	3	< 1	1	1	2	2	4
70-74	293	1.7	1	< 1	1	1	2	4	4	18-34	1947	1.8	2	< 1	< 1	1	2	4	5
75-79	197	2.6	6	< 1	1	2	4	4	10	35-49	1644	2.2	4	< 1	< 1	1	2	5	6
80-84	104	1.7	2	< 1	< 1	1	2	5	5	50-69	1382	1.9	5	< 1	1	1	2	3	5
85 +	29	1.5								70 +	32	2.0							
SUBTOTAL	1173	2.9	19	< 1	< 1	1	3	4	10		6577	1.9	3	< 1	1	1	2	4	5
GRAND TOTAL	1173	2.9	19	< 1	< 1	1	3	4	10		6577	1.9	3	< 1	1	1	2	4	5

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	480	2.8	17	1	1	2	2	3	18	0-17	534	1.9	5	1	1	1	2	3	9
18-34	197	2.5	1	1	2	3	3	3	5	18-34	1396	2.8	7	1	1	2	3	6	9
35-49	14	2.0								35-49	432	2.1	3	1	1	1	2	6	6
50-69	14	1.0								50-69	186	3.3	7	1	1	2	5	7	9
70 +	14	1.0								70 +	0								
SUBTOTAL	720	2.6	12	1	1	2	3	3	5		2547	2.6	6	1	1	2	3	6	7
GRAND TOTAL	720	2.6	12	1	1	2	3	3	5		2547	2.6	6	1	1	2	3	6	7

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	61	7.6	7							0-17	86	16.7	387	1	2	2	40	48	48
70-74	32	49.0								18-34	14	2.0							
75-79	64	4.5	12							35-49	0								
80-84	32	24.0								50-69	14	4.0							
85 +	78	5.2	14							70 +	0								
SUBTOTAL	**267**	**13.1**	**221**	**1**	**3**	**8**	**13**	**49**	**49**		**115**	**13.3**	**325**	**1**	**2**	**2**	**15**	**48**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	8.0								0-17	831	3.4	15	1	1	2	4	10	14
70-74	57	3.0	1							18-34	858	2.2	5	1	1	2	2	3	5
75-79	224	4.7	5	2	3	4	7	8	8	35-49	153	1.6	1	1	1	1	3	3	3
80-84	107	2.8	2							50-69	182	1.7		1	1	2	2	2	3
85 +	32	7.0								70 +	0								
SUBTOTAL	**453**	**4.4**	**5**	**2**	**3**	**4**	**7**	**8**	**8**		**2025**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**720**	**7.7**	**102**	**2**	**3**	**4**	**8**	**13**	**24**		**2139**	**3.2**	**32**	**1**	**1**	**2**	**3**	**5**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	11.5	114							0-17	14	32.0							
18-34	0									18-34	29	8.0	26						
35-49	0									35-49	0								
50-69	0									50-59	0								
70 +	0									70 +	0								
SUBTOTAL	**29**	**11.5**	**114**								**43**	**16.0**	**148**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	215	2.8	7	1	1	2	3	8	10	0-17	290	1.6	1	1	1	1	2	3	3
18-34	61	4.1	11							18-34	153	3.8	12	1	1	2	9	9	9
35-49	64	6.0	4							35-49	29	1.0							
50-69	0									50-69	32	5.0							
70 +	0									70 +	0								
SUBTOTAL	**340**	**3.6**	**8**	**1**	**2**	**2**	**4**	**8**	**10**		**505**	**2.5**	**6**	**1**	**1**	**1**	**3**	**5**	**9**
GRAND TOTAL	**369**	**4.3**	**21**	**1**	**2**	**2**	**4**	**10**	**10**		**548**	**3.5**	**30**	**1**	**1**	**2**	**3**	**9**	**13**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	289	8.6	44	1	5	6	12	13	20	0-17	129	9.9	100	1	4	5	13	33	33
70-74	168	6.9	72	2	3	3	5	21	29	18-34	150	6.1	22	4	4	4	6	7	20
75-79	0									35-49	89	13.3	108						
80-84	46	9.4	126							50-69	261	7.2	28	2	2	7	11	15	18
85 +	29	26.5	162							70 +	0								
SUBTOTAL	**532**	**9.1**	**84**	**1**	**3**	**5**	**12**	**26**	**30**		**629**	**8.4**	**58**	**2**	**3**	**5**	**13**	**18**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	765	4.2	71	< 1	1	2	4	8	11	0-17	1747	2.6	13	1	1	1	3	4	6
70-74	304	2.7	4	< 1	1	2	3	5	7	18-34	1654	2.4	5	< 1	1	2	3	4	8
75-79	203	4.6	7	2	3	4	5	8	11	35-49	1711	2.8	11	< 1	1	2	3	5	7
80-84	57	7.3	35							50-69	1376	2.7	7	1	1	2	3	6	8
85 +	32	6.0								70 +	64	1.5							
SUBTOTAL	**1361**	**4.1**	**44**	**< 1**	**1**	**2**	**4**	**8**	**11**		**6553**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1894**	**5.5**	**60**	**1**	**2**	**3**	**6**	**12**	**21**		**7182**	**3.1**	**16**	**1**	**1**	**2**	**3**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	150	17.8	565	2	2	5	20	25	86
18-34	61	9.5	12							18-34	93	12.6	24						
35-49	78	4.0	6							35-49	43	18.7	121						
50-69	29	5.5								50-69	75	3.3	9						
70 +	0									70 +	0								
SUBTOTAL	**168**	**6.3**	**13**	**2**	**2**	**6**	**9**	**9**	**15**		**361**	**13.5**	**289**	**1**	**3**	**11**	**17**	**25**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	305	4.0	21	1	1	2	6	10	13	0-17	447	5.7	89	1	1	3	5	11	22
18-34	222	2.7	5	< 1	< 1	1	4	5	9	18-34	593	4.1	24	< 1	1	2	5	9	22
35-49	57	2.3	3							35-49	343	5.1	38	1	2	3	5	10	17
50-69	78	2.2	1							50-69	171	2.2	2	1	1	2	3	4	6
70 +	0									70 +	14	2.0							
SUBTOTAL	**662**	**3.2**	**12**	**< 1**	**1**	**2**	**4**	**6**	**10**		**1569**	**4.6**	**44**	**1**	**1**	**2**	**5**	**9**	**18**
GRAND TOTAL	**830**	**3.8**	**14**	**< 1**	**1**	**2**	**5**	**9**	**13**		**1930**	**6.3**	**102**	**1**	**1**	**3**	**6**	**17**	**22**

DRG 232: Arthroscopy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	142	7.1	4						
70-74	0								
75-79	32	6.0							
80-84	0								
85 +	0								
SUBTOTAL	**175**	**6.9**	**4**	**4**	**6**	**7**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	75	3.0	6						
70-74	0								
75-79	0								
80-84	64	2.5	2						
85 +	0								
SUBTOTAL	**139**	**2.7**	**4**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**314**	**5.1**	**8**	**1**	**2**	**5**	**7**	**10**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	14	23.0							
70 +	0								
SUBTOTAL	**14**	**23.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	368	3.5	35	< 1	1	1	2	6	22
18-34	268	1.7	1	< 1	1	1	2	3	5
35-49	257	1.8	2	< 1	< 1	1	2	3	6
50-69	182	2.8	2	< 1	2	2	4	5	5
70 +	14	18.0							
SUBTOTAL	**1090**	**2.7**	**16**	**< 1**	**< 1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**1104**	**3.0**	**21**	**< 1**	**< 1**	**1**	**2**	**5**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	14	22.0							
50-69	0								
70 +	0								
SUBTOTAL	**14**	**22.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	3.0							
18-34	14	2.0							
35-49	14	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**43**	**3.0**	**1**						
GRAND TOTAL	**57**	**7.8**	**69**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	14	22.0							
70 +	0								
SUBTOTAL	**14**	**22.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	115	2.6	5	1	1	2	2	8	8
35-49	29	1.0							
50-69	46	3.7							
70 +	0								
SUBTOTAL	**190**	**2.6**	**4**	**1**	**1**	**2**	**4**	**4**	**8**
GRAND TOTAL	**204**	**4.0**	**28**	**1**	**1**	**2**	**4**	**8**	**22**

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	432	11.2	54	5	7	9	12	17	17	0-17	215	7.2	13	4	4	7	8	14	16
70-74	278	11.1	134	1	4	6	14	39	39	18-34	418	11.8	130	3	4	8	14	35	41
75-79	282	10.5	53	2	6	9	12	14	26	35-49	457	11.3	75	3	6	8	13	23	30
80-84	267	24.2	752	3	7	9	20	85	85	50-69	468	8.3	49	3	5	5	10	17	24
85 +	89	19.5	330							70 +	0								
SUBTOTAL	**1348**	**14.1**	**256**	**4**	**6**	**9**	**13**	**39**	**50**		**1559**	**10.0**	**77**	**3**	**5**	**7**	**12**	**20**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1348**	**14.1**	**256**	**4**	**6**	**9**	**13**	**39**	**50**		**1559**	**10.0**	**77**	**3**	**5**	**7**	**12**	**20**	**30**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	190	9.9	52	4	5	7	14	19	29	0-17	104	15.4	126	4	5	12	18	40	40
18-34	14	17.0								18-34	104	9.5	80	1	1	11	12	28	28
35-49	46	4.5	14							35-49	75	10.1	162						
50-69	43	5.3	3							50-69	75	11.9	21						
70 +	0									70 +	14	8.0							
SUBTOTAL	**294**	**8.8**	**45**	**2**	**4**	**6**	**11**	**17**	**19**		**372**	**11.7**	**100**	**1**	**4**	**10**	**12**	**28**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**294**	**8.8**	**45**	**2**	**4**	**6**	**11**	**17**	**19**		**372**	**11.7**	**100**	**1**	**4**	**10**	**12**	**28**	**36**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	518	4.0	4	1	2	4	6	8	8
70-74	272	4.3	7	1	2	4	6	9	9
75-79	339	6.0	23	1	2	5	9	13	13
80-84	186	9.5	34	3	5	9	14	19	19
85 +	186	5.5	8	4	4	5	5	8	14
SUBTOTAL	**1500**	**5.4**	**16**	**1**	**3**	**4**	**7**	**10**	**13**
GRAND TOTAL	**1500**	**5.4**	**16**	**1**	**3**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2060	4.9	19	1	2	4	6	8	11
18-34	1546	4.2	26	1	2	3	5	7	14
35-49	1558	3.8	16	1	1	3	5	7	8
50-69	1259	3.6	9	1	2	3	4	6	10
70 +	14	4.0							
	6437	**4.2**	**18**	**1**	**2**	**3**	**5**	**7**	**11**
	6437	**4.2**	**18**	**1**	**2**	**3**	**5**	**7**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	749	4.7	8	2	3	4	6	8	10
18-34	132	3.2	4	1	2	3	4	8	8
35-49	125	3.0	3						
50-69	78	5.3	11						
70 +	0								
SUBTOTAL	**1085**	**4.4**	**7**	**2**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**1085**	**4.4**	**7**	**2**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	552	4.5	8	1	2	4	6	8	10
18-34	647	2.7	9	1	1	2	3	5	8
35-49	464	4.0	15	1	2	3	5	7	9
50-69	121	3.2	4	2	2	2	3	7	7
70 +	0								
	1784	**3.6**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
	1784	**3.6**	**11**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 235: Fractures of Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	218	12.7	104	3	7	10	15	35	35	0-17	364	18.2	120	4	5	21	27	33	33
70-74	61	31.7	205							18-34	93	44.3	432						
75-79	171	32.8	386	14	19	24	40	69	69	35-49	14	15.0							
80-84	232	23.3	210	7	11	21	37	39	59	50-69	14	40.0							
85 +	321	16.1	150	7	8	10	24	33	35	70 +	14	34.0							
SUBTOTAL	**1003**	**20.8**	**251**	**7**	**8**	**15**	**29**	**40**	**54**		**500**	**24.0**	**281**	**5**	**11**	**25**	**33**	**39**	**70**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	150	16.9	198	4	6	14	20	41	45	0-17	3066	12.6	130	1	2	9	21	28	35
70-74	61	4.4	11							18-34	75	21.3	391						
75-79	207	10.0	148	2	4	8	10	11	53	35-49	104	22.0	235	2	5	23	35	50	50
80-84	104	9.6	17	5	6	7	15	15	15	50-69	89	19.7	250						
85 +	406	9.3	165	3	3	4	9	36	36	70 +	32	7.0							
SUBTOTAL	**928**	**10.4**	**149**	**2**	**4**	**6**	**11**	**20**	**41**		**3366**	**13.2**	**147**	**1**	**2**	**9**	**22**	**30**	**38**
GRAND TOTAL	**1930**	**15.8**	**229**	**3**	**5**	**10**	**21**	**39**	**48**		**3867**	**14.6**	**177**	**1**	**3**	**10**	**23**	**33**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	232	17.9	149	2	7	17	25	40	40	0-17	225	11.5	78	1	3	15	19	24	25
18-34	32	2.0								18-34	107	35.5	454						
35-49	61	27.3	1253							35-49	0								
50-69	32	19.0								50-69	0								
70 +	64	60.5	514							70 +	0								
SUBTOTAL	**421**	**24.6**	**601**	**2**	**7**	**17**	**38**	**83**	**83**		**332**	**19.2**	**324**	**1**	**4**	**15**	**25**	**51**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1382	10.4	74	1	3	6	17	24	26	0-17	1449	10.8	108	1	2	6	18	26	29
18-34	0									18-34	14	5.0							
35-49	14	10.0								35-49	0								
50-69	0									50-69	32	46.0							
70 +	0									70 +	32	20.0							
SUBTOTAL	**1396**	**10.3**	**74**	**1**	**3**	**6**	**17**	**24**	**26**		**1528**	**11.7**	**130**	**1**	**2**	**6**	**20**	**26**	**35**
GRAND TOTAL	**1817**	**13.7**	**232**	**1**	**3**	**9**	**19**	**26**	**38**		**1860**	**13.0**	**173**	**1**	**2**	**7**	**20**	**29**	**46**

DRG 236: Fractures of Hip & Pelvis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	927	12.1	90	4	5	8	17	22	34
70-74	1069	10.3	59	4	6	9	12	20	28
75-79	1202	10.6	58	4	6	8	13	21	35
80-84	2085	12.1	63	4	7	10	18	21	29
85 +	2267	11.9	81	5	6	9	15	23	31
SUBTOTAL	**7550**	**11.5**	**71**	**4**	**6**	**9**	**15**	**22**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	785	7.8	53	2	4	6	9	13	18
70-74	723	7.0	19	2	4	6	10	12	17
75-79	1469	8.6	41	3	4	7	11	20	25
80-84	859	7.3	37	3	4	5	8	18	19
85 +	1725	10.7	107	3	4	8	12	22	41
SUBTOTAL	**5562**	**8.7**	**62**	**3**	**4**	**6**	**11**	**18**	**23**
GRAND TOTAL	**13112**	**10.3**	**69**	**3**	**5**	**8**	**13**	**21**	**29**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	389	9.1	149	1	3	5	10	12	48
18-34	414	14.4	283	2	5	8	18	57	57
35-49	289	9.7	93	1	4	7	13	19	24
50-69	374	13.6	380	3	5	10	12	14	76
70 +	29	9.0	1						
	1495	**11.8**	**235**	**1**	**4**	**7**	**12**	**20**	**57**
0-17	646	7.2	78	1	2	3	8	22	29
18-34	728	5.0	42	1	3	4	5	9	10
35-49	510	7.7	42	2	3	6	8	20	26
50-69	642	6.6	24	2	3	6	7	14	17
70 +	96	14.0	90						
	2622	**6.8**	**51**	**2**	**3**	**4**	**7**	**17**	**25**
	4117	**8.6**	**124**	**2**	**3**	**5**	**10**	**19**	**26**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	57	11.0	27						
18-34	75	4.9	5						
35-49	46	10.1	22						
50-69	110	15.3	46						
70 +	32	17.0							
SUBTOTAL	**321**	**11.5**	**43**	**3**	**7**	**10**	**17**	**17**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	236	7.7	67	2	2	4	5	21	28
18-34	32	5.0							
35-49	14	7.0							
50-69	14	7.0							
70 +	64	10.5	6						
SUBTOTAL	**361**	**7.9**	**47**	**2**	**4**	**5**	**8**	**19**	**21**
GRAND TOTAL	**682**	**9.6**	**48**	**2**	**4**	**7**	**15**	**18**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	179	10.8	203	2	2	3	10	25	51
18-34	293	14.0	318	2	2	7	13	60	60
35-49	153	4.0	8	1	2	3	5	6	11
50-69	171	13.1	139	4	5	7	32	32	33
70 +	125	29.8	1322						
	921	**13.7**	**398**	**2**	**3**	**6**	**13**	**34**	**60**
0-17	369	7.7	48	1	3	5	10	19	20
18-34	347	7.8	100	2	2	5	6	18	27
35-49	243	6.6	118	2	3	4	4	12	49
50-69	175	6.6	12	3	3	7	7	13	13
70 +	78	22.7	354						
	1211	**8.3**	**106**	**2**	**3**	**5**	**8**	**19**	**29**
	2132	**10.6**	**239**	**2**	**3**	**5**	**10**	**27**	**43**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	46	8.5	14						
70-74	32	5.0								18-34	64	7.0	37						
75-79	29	3.5								35-49	0								
80-84	32	25.0								50-69	32	6.0							
85 +	32	7.0								70 +	0								
SUBTOTAL	**125**	**10.3**	**77**								**142**	**7.3**	**22**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	3.5	6							0-17	371	5.9	32	1	1	4	7	13	14
70-74	0									18-34	157	6.4	15	3	3	4	8	13	13
75-79	153	7.0	29	1	2	6	9	16	16	35-49	78	5.9	6						
80-84	128	7.5	65							50-69	32	11.0							
85 +	14	8.0								70 +	0								
SUBTOTAL	**360**	**6.6**	**38**	**1**	**1**	**6**	**9**	**16**	**21**		**638**	**6.3**	**24**	**1**	**3**	**6**	**8**	**13**	**13**
GRAND TOTAL	**485**	**7.5**	**51**	**1**	**2**	**6**	**9**	**21**	**25**		**781**	**6.4**	**24**	**1**	**3**	**6**	**9**	**13**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	14	12.0							
18-34	0									18-34	32	7.0							
35-49	0									35-49	0								
50-69	0									50-69	46	4.2	3						
70 +	0									70 +	0								
SUBTOTAL	**0**										**93**	**6.4**	**9**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	86	4.5	18	1	1	2	6	13	13	0-17	46	6.1	2						
18-34	14	3.0								18-34	89	3.1	12						
35-49	0									35-49	0								
50-69	0									50-69	32	1.0							
70 +	0									70 +	0								
SUBTOTAL	**100**	**4.3**	**16**	**1**	**1**	**3**	**6**	**13**	**13**		**168**	**3.5**	**10**	**1**	**1**	**2**	**7**	**7**	**11**
GRAND TOTAL	**100**	**4.3**	**16**	**1**	**1**	**3**	**6**	**13**	**13**		**261**	**4.6**	**12**	**1**	**2**	**3**	**7**	**11**	**12**

DRG 238: Osteomyelitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	272	18.5	191	2	8	9	30	37	43	0-17	257	17.0	270	4	7	8	18	52	52
70-74	349	11.8	64	5	5	9	19	23	29	18-34	43	14.7	56						
75-79	235	19.0	185	6	6	16	28	41	45	35-49	189	10.7	19	6	8	10	12	19	19
80-84	110	6.2	13							50-69	253	12.3	36	7	7	11	18	23	23
85 +	107	11.1	16							70 +	0								
SUBTOTAL	**1074**	**14.4**	**131**	**4**	**6**	**9**	**21**	**30**	**41**		**742**	**13.6**	**120**	**5**	**7**	**10**	**18**	**24**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	125	3.3	3							0-17	498	11.3	73	4	6	9	11	22	31
70-74	128	12.5	104							18-34	203	8.3	17	4	4	8	12	15	15
75-79	29	23.0	336							35-49	293	15.1	200	3	4	10	18	43	43
80-84	93	8.4	35							50-69	110	8.4	28						
85 +	46	16.4	299							70 +	0								
SUBTOTAL	**421**	**10.0**	**126**	**2**	**3**	**5**	**12**	**30**	**41**		**1104**	**11.5**	**98**	**4**	**6**	**8**	**14**	**22**	**37**
GRAND TOTAL	**1494**	**13.2**	**134**	**2**	**5**	**8**	**18**	**30**	**41**		**1846**	**12.3**	**108**	**4**	**6**	**9**	**15**	**23**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	236	16.4	61	6	10	15	24	25	32	0-17	43	17.7	30						
18-34	0									18-34	61	13.8	27						
35-49	14	14.0								35-49	200	9.2	34	1	3	10	14	14	20
50-69	78	20.2	212							50-69	107	6.3	23						
70 +	0									70 +	0								
SUBTOTAL	**329**	**17.2**	**97**	**6**	**10**	**15**	**21**	**25**	**32**		**411**	**10.0**	**42**	**3**	**5**	**10**	**14**	**21**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	311	16.8	108	6	7	13	28	29	29	0-17	158	12.5	151	4	6	9	15	21	48
18-34	0									18-34	46	3.2	3						
35-49	14	8.0								35-49	14	5.0							
50-69	29	6.5								50-69	93	10.8	24						
70 +	0									70 +	0								
SUBTOTAL	**354**	**15.6**	**105**	**6**	**7**	**12**	**28**	**29**	**29**		**311**	**10.3**	**95**	**2**	**5**	**7**	**12**	**19**	**21**
GRAND TOTAL	**683**	**16.4**	**102**	**6**	**8**	**14**	**23**	**29**	**32**		**722**	**10.1**	**65**	**3**	**5**	**7**	**14**	**20**	**21**

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	2019	9.6	40	4	6	8	10	16	24	0-17	520	5.7	20	1	2	4	8	14	16
70-74	2016	10.1	77	3	5	8	12	20	25	18-34	147	6.5	32	2	3	4	7	10	22
75-79	2462	10.0	49	4	5	8	12	20	27	35-49	300	11.0	64	3	4	8	17	28	28
80-84	1659	9.0	24	4	6	8	10	16	20	50-69	936	12.4	143	3	6	8	16	27	28
85+	1996	9.4	30	3	5	9	12	17	21	70+	32	13.0							
SUBTOTAL	**10152**	**9.7**	**45**	**4**	**5**	**8**	**11**	**18**	**23**		**1935**	**9.9**	**96**	**2**	**4**	**7**	**13**	**22**	**28**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	871	6.9	28	2	4	6	7	11	18	0-17	649	5.7	36	2	3	3	7	12	17
70-74	1049	6.7	29	2	3	5	8	11	18	18-34	115	4.5	11	1	2	3	6	12	12
75-79	1241	7.1	30	3	3	5	9	13	16	35-49	315	5.8	14	1	3	5	9	11	11
80-84	1305	7.0	24	3	4	5	9	12	16	50-69	500	6.5	46	1	2	4	8	11	29
85+	827	8.4	98	2	4	6	9	11	20	70+	29	10.0	1						
SUBTOTAL	**5294**	**7.2**	**39**	**2**	**4**	**6**	**8**	**13**	**18**		**1607**	**5.9**	**33**	**1**	**3**	**4**	**8**	**11**	**17**
GRAND TOTAL	**15446**	**8.8**	**44**	**3**	**5**	**7**	**10**	**17**	**22**		**3543**	**8.1**	**71**	**2**	**3**	**5**	**10**	**17**	**27**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	230	8.9	66	2	4	5	11	22	28	0-17	115	9.9	167	<1	1	5	11	42	42
18-34	100	4.4	3	2	3	4	6	7	7	18-34	29	10.0	84						
35-49	57	8.5	22							35-49	93	4.2	23						
50-69	182	9.3	31	3	4	7	10	19	21	50-69	211	7.3	15	2	3	8	10	12	15
70+	46	2.9	8							70+	46	13.2	18						
SUBTOTAL	**616**	**7.8**	**41**	**2**	**3**	**6**	**10**	**19**	**22**		**493**	**8.0**	**62**	**1**	**2**	**7**	**10**	**16**	**19**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	230	5.0	50	1	2	3	4	8	31	0-17	197	13.7	487	1	2	4	6	63	63
18-34	14	1.0								18-34	43	2.7	2						
35-49	46	5.9	2							35-49	46	1.0							
50-69	32	7.0								50-69	43	13.3	37						
70+	46	6.5	5							70+	14	7.0							
SUBTOTAL	**369**	**5.3**	**33**	**1**	**2**	**3**	**7**	**8**	**10**		**343**	**10.3**	**310**	**1**	**1**	**4**	**7**	**19**	**63**
GRAND TOTAL	**985**	**6.9**	**40**	**1**	**3**	**5**	**8**	**16**	**22**		**837**	**8.9**	**165**	**1**	**2**	**4**	**10**	**16**	**42**

DRG 240: Connective Tissue Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1510	8.0	59	3	4	6	9	13	25	0-17	598	6.5	38	1	3	5	9	10	18
70-74	784	9.5	41	3	5	7	13	20	21	18-34	522	8.0	42	2	2	7	13	18	21
75-79	514	9.7	25	4	6	8	13	17	18	35-49	811	6.8	29	2	3	5	9	14	20
80-84	410	11.0	95	3	4	8	10	30	37	50-69	686	9.1	89	3	4	6	11	23	28
85 +	349	7.5	10	5	6	7	8	14	15	70 +	29	11.5							
SUBTOTAL	**3566**	**8.9**	**51**	**3**	**4**	**7**	**10**	**18**	**22**		**2646**	**7.6**	**50**	**2**	**3**	**5**	**9**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3566**	**8.9**	**51**	**3**	**4**	**7**	**10**	**18**	**22**		**2646**	**7.6**	**50**	**2**	**3**	**5**	**9**	**16**	**22**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	201	5.6	11	2	3	5	8	9	13	0-17	100	6.9	16	2	4	5	10	14	14
18-34	251	13.8	263	1	4	6	24	35	62	18-34	311	5.2	18	2	2	4	7	8	10
35-49	72	6.4	9							35-49	121	9.1	27	5	5	6	12	21	21
50-69	118	8.7	29	3	5	8	11	21	21	50-69	107	6.8	14						
70 +	14	7.0								70 +	14	3.0							
SUBTOTAL	**656**	**9.4**	**123**	**3**	**4**	**6**	**9**	**24**	**32**		**655**	**6.4**	**21**	**2**	**4**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**656**	**9.4**	**123**	**3**	**4**	**6**	**9**	**24**	**32**		**655**	**6.4**	**21**	**2**	**4**	**5**	**8**	**12**	**15**

DRG 241: Connective Tissue Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	977	7.6	101	3	4	5	7	15	15	0-17	2670	4.7	16	1	2	4	6	8	11
70-74	235	5.3	8	2	2	5	7	8	12	18-34	1042	5.2	29	1	2	4	6	10	15
75-79	471	7.0	18	1	4	6	10	14	15	35-49	902	4.1	7	1	2	4	5	8	8
80-84	250	6.4	17	2	2	5	10	11	17	50-69	920	4.4	5	2	3	4	6	7	9
85 +	221	7.6	111	2	2	4	4	33	33	70 +	32	7.0							
SUBTOTAL	**2154**	**7.1**	**64**	**2**	**3**	**5**	**7**	**14**	**15**		**5567**	**4.7**	**15**	**1**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**2154**	**7.1**	**64**	**2**	**3**	**5**	**7**	**14**	**15**		**5567**	**4.7**	**15**	**1**	**2**	**4**	**6**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	763	5.9	77	1	2	4	6	11	21	0-17	692	4.2	6	1	2	4	5	7	9
18-34	182	3.4	3	< 1	2	3	5	6	6	18-34	286	5.0	11	1	3	4	6	12	12
35-49	43	25.7	1053							35-49	139	13.4	230	3	5	6	6	41	41
50-69	43	4.0	3							50-69	110	4.2	2						
70 +	0									70 +	46	3.4	1						
SUBTOTAL	**1031**	**6.2**	**118**	**1**	**2**	**4**	**6**	**10**	**21**		**1274**	**5.4**	**39**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**1031**	**6.2**	**118**	**1**	**2**	**4**	**6**	**10**	**21**		**1274**	**5.4**	**39**	**2**	**3**	**4**	**6**	**9**	**12**

DRG 242: Septic Arthritis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	104	12.6	116	3	3	8	28	31	31	0-17	147	8.5	17	4	4	7	14	14	14
70-74	96	9.0	14							18-34	14	4.0							
75-79	64	4.5	2							35-49	57	3.5	5						
80-84	93	15.6	46							50-69	0								
85 +	46	3.3								70 +	0								
SUBTOTAL	**403**	**10.1**	**63**	**3**	**4**	**7**	**13**	**24**	**28**		**219**	**6.9**	**18**	**2**	**4**	**7**	**11**	**14**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	331	8.3	28	4	4	6	10	18	18	0-17	691	7.5	26	2	4	7	10	15	16
70-74	64	7.5	6							18-34	107	5.0	2						
75-79	96	6.0	2							35-49	153	7.2	27	3	4	4	10	10	21
80-84	46	5.2	11							50-69	121	5.0	5	2	3	5	7	8	8
85 +	32	6.0								70 +	0								
SUBTOTAL	**570**	**7.4**	**19**	**3**	**4**	**6**	**10**	**16**	**18**		**1073**	**6.9**	**22**	**3**	**4**	**6**	**9**	**11**	**16**
GRAND TOTAL	**973**	**8.5**	**39**	**3**	**4**	**6**	**10**	**18**	**23**		**1292**	**6.9**	**22**	**2**	**4**	**6**	**9**	**14**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	100	12.6	82	6	7	10	13	34	34	0-17	115	11.8	37	3	7	11	16	22	22
18-34	125	6.3	10							18-34	43	13.0	5						
35-49	14	7.0								35-49	29	9.5	31						
50-69	32	9.0								50-69	46	7.8	3						
70 +	0									70 +	0								
SUBTOTAL	**272**	**9.0**	**43**	**3**	**6**	**8**	**10**	**13**	**33**		**233**	**10.9**	**27**	**4**	**8**	**10**	**14**	**19**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	147	5.4	8	3	3	4	9	9	11	0-17	208	9.9	59	3	3	5	15	22	26
18-34	89	7.0	21							18-34	193	5.3	8	1	3	5	7	8	11
35-49	14	5.0								35-49	43	8.0	52						
50-69	32	3.0								50-69	32	2.0							
70 +	0									70 +	0								
SUBTOTAL	**283**	**5.7**	**13**	**3**	**3**	**4**	**9**	**11**	**13**		**476**	**7.3**	**40**	**2**	**3**	**5**	**10**	**18**	**22**
GRAND TOTAL	**554**	**7.3**	**30**	**3**	**3**	**6**	**10**	**12**	**14**		**709**	**8.5**	**38**	**2**	**4**	**7**	**11**	**19**	**22**

DRG 243: Medical Back Problems

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6289	7.1	36	2	4	6	9	13	17	0-17	471	4.5	24	1	2	2	5	9	15
70-74	4079	8.1	70	2	4	6	9	15	20	18-34	1876	5.4	26	2	2	4	7	10	16
75-79	3913	7.8	31	3	4	7	9	14	19	35-49	3228	5.6	24	2	3	5	7	9	11
80-84	3778	8.1	45	3	4	6	10	15	18	50-69	3835	5.9	17	2	3	5	8	11	15
85 +	3307	9.1	57	3	5	7	11	17	22	70 +	293	10.4	129	2	4	7	10	40	40
SUBTOTAL	**21365**	**7.9**	**47**	**3**	**4**	**6**	**9**	**14**	**19**		**9704**	**5.8**	**25**	**2**	**3**	**5**	**7**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9478	4.9	12	1	2	4	6	9	12	0-17	2389	3.7	17	1	1	2	5	7	9
70-74	4779	4.7	11	1	2	4	7	9	11	18-34	13496	4.0	11	1	2	4	5	8	9
75-79	4028	6.0	41	1	3	5	7	10	15	35-49	24477	4.2	10	1	2	4	6	8	10
80-84	2800	5.9	17	2	3	5	7	11	15	50-69	16873	4.3	13	1	2	4	6	8	10
85 +	2381	5.9	16	2	3	5	7	12	14	70 +	449	4.7	13	1	2	4	5	12	13
SUBTOTAL	**23466**	**5.3**	**18**	**1**	**2**	**5**	**7**	**10**	**12**		**57683**	**4.2**	**11**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**44831**	**6.5**	**33**	**2**	**3**	**5**	**8**	**12**	**15**		**67387**	**4.4**	**14**	**1**	**2**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	121	3.5	15	2	2	2	2	14	14	0-17	150	5.3	6	2	2	6	8	8	8
18-34	132	9.9	23	1	8	10	13	16	16	18-34	774	5.7	13	2	3	5	8	10	14
35-49	321	6.2	24	1	3	5	7	13	14	35-49	763	4.2	9	1	2	4	6	8	9
50-69	681	6.5	22	2	3	5	9	14	15	50-69	471	6.3	40	3	3	6	7	8	10
70 +	78	4.3	3							70 +	61	3.8	1						
SUBTOTAL	**1335**	**6.4**	**23**	**2**	**3**	**5**	**9**	**14**	**15**		**2219**	**5.2**	**17**	**2**	**2**	**5**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	315	3.1	9	1	1	2	3	7	7	0-17	647	3.6	33	1	1	2	4	6	7
18-34	1821	4.4	8	1	2	4	6	8	9	18-34	4056	3.5	6	1	2	3	5	7	8
35-49	1321	4.4	10	1	1	4	6	8	10	35-49	3322	4.4	13	1	2	3	6	8	10
50-69	1191	4.5	11	1	2	4	7	9	13	50-69	1759	4.5	15	1	2	4	6	8	10
70 +	142	7.5	28							70 +	107	7.7	30						
SUBTOTAL	**4790**	**4.4**	**10**	**1**	**2**	**4**	**6**	**8**	**11**		**9892**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**6125**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**13**		**12110**	**4.3**	**14**	**1**	**2**	**3**	**6**	**8**	**10**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	782	5.0	10	2	2	4	8	11	12
70-74	867	6.6	22	2	3	5	9	13	17
75-79	803	5.7	13	1	3	5	8	12	13
80-84	792	6.6	22	2	3	5	9	14	18
85 +	852	10.9	139	4	5	6	9	36	37
SUBTOTAL	**4095**	**7.0**	**47**	**2**	**3**	**5**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4095**	**7.0**	**47**	**2**	**3**	**5**	**9**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	107	5.3	24						
18-34	0								
35-49	157	10.0	129	1	2	4	13	31	31
50-69	471	5.7	20	2	3	4	8	10	18
70 +	93	5.2	1						
	827	**6.4**	**42**	**1**	**3**	**4**	**8**	**15**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	827	**6.4**	**42**	**1**	**3**	**4**	**8**	**15**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	4.7	1						
18-34	0								
35-49	32	5.0							
50-69	78	5.5	5						
70 +	32	5.0							
SUBTOTAL	**186**	**5.1**	**2**	**4**	**4**	**5**	**6**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**186**	**5.1**	**2**	**4**	**4**	**5**	**6**	**8**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	4.0							
18-34	14	3.0							
35-49	29	17.5	249						
50-69	46	2.7							
70 +	46	15.4	49						
	150	**9.6**	**106**	**2**	**3**	**5**	**33**	**99 +**	**99 +**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	150	**9.6**	**106**	**2**	**3**	**5**	**33**	**99 +**	**99 +**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	745	4.6	11	2	3	4	6	7	9	0-17	555	5.0	19	1	2	3	6	14	16
70-74	677	6.4	53	2	3	5	7	10	12	18-34	78	2.8	1						
75-79	592	4.1	4	1	2	4	5	7	7	35-49	385	3.7	3	1	2	4	5	6	6
80-84	438	5.1	11	1	3	4	7	9	12	50-69	357	4.5	14	1	2	3	5	12	12
85+	374	5.1	12	2	3	4	6	12	14	70+	0								
SUBTOTAL	**2827**	**5.1**	**20**	**2**	**3**	**4**	**6**	**8**	**12**		**1376**	**4.4**	**12**	**1**	**2**	**3**	**5**	**11**	**13**
GRAND TOTAL	**2827**	**5.1**	**20**	**2**	**3**	**4**	**6**	**8**	**12**		**1376**	**4.4**	**12**	**1**	**2**	**3**	**5**	**11**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	283	4.6	26	1	2	3	5	11	18	0-17	251	3.7	5	2	2	3	5	8	9
18-34	14	2.0								18-34	110	3.5	1						
35-49	78	4.1	4							35-49	78	2.2	1						
50-69	75	2.6								50-69	89	4.0	2						
70+	32	4.0								70+	75	8.5	37						
SUBTOTAL	**482**	**4.1**	**16**	**1**	**2**	**3**	**4**	**7**	**15**		**604**	**4.1**	**10**	**1**	**2**	**4**	**5**	**8**	**15**
GRAND TOTAL	**482**	**4.1**	**16**	**1**	**2**	**3**	**4**	**7**	**15**		**604**	**4.1**	**10**	**1**	**2**	**4**	**5**	**8**	**15**

DRG 246: Non-specific Arthropathies

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	32	5.0								0-17	14	2.0							
70-74	61	8.5	20							18-34	32	5.0							
75-79	29	61.0	932							35-49	78	6.2	1						
80-84	0									50-69	93	3.4	8						
85 +	110	8.1	21							70 +	0								
SUBTOTAL	**232**	**14.3**	**438**	**4**	**5**	**7**	**15**	**31**	**91**		**218**	**4.6**	**6**	**2**	**2**	**5**	**7**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	125	5.5	4							0-17	176	4.9	58	1	1	3	4	6	30
70-74	29	2.0	1							18-34	89	3.6	3						
75-79	46	5.1	22							35-49	78	1.8	1						
80-84	64	4.0	1							50-69	128	2.8							
85 +	93	10.4	35							70 +	0								
SUBTOTAL	**357**	**6.2**	**21**	**2**	**3**	**5**	**7**	**12**	**18**		**471**	**3.6**	**24**	**1**	**2**	**3**	**3**	**4**	**7**
GRAND TOTAL	**589**	**9.4**	**200**	**3**	**4**	**5**	**10**	**18**	**18**		**689**	**3.9**	**18**	**1**	**2**	**3**	**4**	**7**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	29	4.5							
18-34	0									18-34	29	5.0	1						
35-49	32	5.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32**	**5.0**									**57**	**4.8**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	2.0								0-17	29	6.0	26						
18-34	14	3.0								18-34	14	4.0							
35-49	14	3.0								35-49	61	3.5	5						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**43**	**2.7**									**104**	**4.2**	**11**	**1**	**1**	**3**	**7**	**11**	**11**
GRAND TOTAL	**75**	**3.7**	**1**								**161**	**4.4**	**7**	**1**	**3**	**4**	**6**	**7**	**11**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	589	7.8	91	2	3	4	8	16	43	0-17	121	2.6	2	1	2	2	2	5	5
70-74	153	5.0	4	3	3	5	6	8	8	18-34	432	3.1	11	1	1	2	3	7	7
75-79	435	5.5	19	1	2	4	7	11	16	35-49	677	3.9	9	2	2	4	5	5	6
80-84	296	5.9	20	1	3	5	9	9	14	50-69	392	3.3	2	1	3	3	4	5	6
85 +	136	5.4	16	1	2	3	10	11	11	70 +	0								
SUBTOTAL	**1609**	**6.3**	**45**	**1**	**3**	**4**	**8**	**13**	**16**		**1622**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1030	3.6	7	1	2	2	6	8	10	0-17	790	2.7	6	1	1	2	3	4	7
70-74	453	5.1	9	3	3	4	7	7	11	18-34	1590	3.8	20	1	2	3	5	6	7
75-79	378	4.1	5	2	3	3	5	8	8	35-49	1944	3.6	9	1	2	3	4	7	9
80-84	221	3.5	4	1	2	3	5	7	7	50-69	1854	3.4	5	1	2	3	4	7	7
85 +	125	3.6	5							70 +	0								
SUBTOTAL	**2207**	**4.0**	**7**	**1**	**2**	**3**	**6**	**7**	**10**		**6179**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**3816**	**5.0**	**25**	**1**	**2**	**4**	**6**	**10**	**12**		**7801**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	72	4.6	12							0-17	0								
18-34	43	6.3	38							18-34	107	2.7	5						
35-49	14	3.0								35-49	132	4.8	6	3	3	3	6	10	10
50-69	160	2.6	3							50-69	57	4.3	3						
70 +	32	7.0								70 +	0								
SUBTOTAL	**321**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**11**		**297**	**4.0**	**6**	**1**	**2**	**3**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	161	3.0	6	1	1	3	4	4	10	0-17	219	2.6	1	1	2	3	3	3	6
18-34	150	4.7	32	1	1	2	7	9	20	18-34	339	3.7	7	2	2	2	5	9	9
35-49	61	5.5	1							35-49	257	3.8	7	1	1	3	7	7	9
50-69	32	4.0								50-69	75	1.2							
70 +	32	4.0								70 +	14	1.0							
SUBTOTAL	**436**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**10**		**904**	**3.2**	**6**	**1**	**2**	**2**	**4**	**7**	**9**
GRAND TOTAL	**757**	**4.0**	**13**	**1**	**1**	**3**	**5**	**7**	**11**		**1201**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 248: Tendonitis, Myositis & Bursitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	432	5.7	18	3	3	4	6	14	14	0-17	46	3.8	3						
70-74	442	4.8	7	2	3	4	6	9	10	18-34	296	3.8	7	2	2	4	4	5	6
75-79	239	14.8	47	3	7	16	21	24	24	35-49	264	3.1	2	1	2	3	4	5	7
80-84	46	3.3								50-69	293	5.4	14	< 1	3	4	8	13	13
85 +	110	13.2	122							70 +	0								
SUBTOTAL	**1269**	**7.7**	**45**	**3**	**3**	**5**	**9**	**19**	**24**		**899**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	385	5.4	23	1	3	4	7	9	18	0-17	845	3.0	11	1	1	2	4	5	6
70-74	296	4.2	2	3	3	4	6	6	6	18-34	321	2.7	2	2	2	2	3	5	7
75-79	267	5.2	21	2	3	5	6	7	23	35-49	1070	4.1	16	1	3	3	5	6	7
80-84	175	6.3	7	3	4	5	9	10	10	50-69	1099	3.2	5	1	1	3	4	6	8
85 +	93	5.4	7							70 +	32	4.0							
SUBTOTAL	**1216**	**5.2**	**14**	**2**	**3**	**4**	**6**	**9**	**10**		**3367**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2485**	**6.5**	**31**	**2**	**3**	**5**	**7**	**15**	**21**		**4266**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	15.0	1							0-17	93	1.8	1						
18-34	78	4.3	7							18-34	32	2.0							
35-49	14	3.0								35-49	89	4.5	8						
50-69	46	10.5	5							50-69	29	3.0	1						
70 +	0									70 +	0								
SUBTOTAL	**168**	**7.7**	**24**	**3**	**3**	**7**	**12**	**14**	**16**		**243**	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	283	3.0	2	1	2	3	3	5	6	0-17	246	3.2	6	1	2	2	3	9	9
18-34	32	5.0								18-34	150	6.4	8	3	3	8	8	10	10
35-49	64	2.5								35-49	125	3.1	2						
50-69	160	3.6	2							50-69	93	3.3	1						
70 +	0									70 +	0								
SUBTOTAL	**539**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**614**	**4.0**	**7**	**1**	**2**	**3**	**5**	**9**	**10**
GRAND TOTAL	**707**	**4.3**	**11**	**2**	**2**	**3**	**5**	**10**	**12**		**857**	**3.7**	**7**	**1**	**2**	**3**	**4**	**8**	**10**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	232	9.9	35	2	4	11	14	19	19	0-17	61	4.1	5						
70-74	61	18.4	73							18-34	0								
75-79	125	18.8	89							35-49	32	4.0							
80-84	89	13.1	66							50-69	46	16.0	184						
85 +	186	10.3	133	2	2	3	18	32	32	70 +	0								
SUBTOTAL	**692**	**12.8**	**92**	**2**	**4**	**11**	**19**	**28**	**30**		**139**	**8.0**	**94**	**2**	**4**	**6**	**7**	**27**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	132	5.2	24	< 1	1	5	7	17	17	0-17	311	2.4	8	< 1	1	1	2	4	5
70-74	132	4.5	5	2	3	4	7	8	8	18-34	214	1.3	1	< 1	< 1	1	1	3	3
75-79	89	5.0	1							35-49	214	5.5	22	< 1	1	4	10	13	14
80-84	157	5.7	41	1	2	2	5	18	18	50-69	150	3.3	5	< 1	< 1	2	6	6	7
85 +	110	6.2	26							70 +	0								
SUBTOTAL	**622**	**5.3**	**22**	**1**	**2**	**4**	**7**	**14**	**18**		**890**	**3.0**	**11**	**< 1**	**1**	**1**	**4**	**7**	**13**
GRAND TOTAL	**1314**	**9.3**	**72**	**2**	**2**	**5**	**14**	**22**	**28**		**1029**	**3.7**	**25**	**< 1**	**1**	**2**	**5**	**7**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	2.0								0-17	46	9.2	18						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	32	9.0								50-69	0								
70 +	64	7.0	1							70 +	78	8.3	23						
SUBTOTAL	**110**	**6.9**	**5**								**125**	**8.6**	**21**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	61	3.3	3							0-17	93	1.7	1						
18-34	29	4.5	13							18-34	61	15.8	117						
35-49	0									35-49	14	2.0							
50-69	46	11.3	31							50-69	61	1.2							
70 +	32	4.0								70 +	0								
SUBTOTAL	**168**	**5.9**	**23**	**1**	**2**	**4**	**8**	**15**	**15**		**229**	**5.3**	**71**	**< 1**	**1**	**2**	**4**	**26**	**26**
GRAND TOTAL	**278**	**6.3**	**16**	**1**	**3**	**6**	**8**	**15**	**15**		**353**	**6.5**	**56**	**< 1**	**1**	**3**	**12**	**14**	**26**

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	499	5.0	8	1	3	5	6	9	11
70-74	189	5.0	11	2	3	5	6	6	15
75-79	207	7.1	67	1	2	3	10	25	25
80-84	150	4.2	14	1	1	3	7	7	13
85 +	221	6.7	23	3	4	5	7	18	18
SUBTOTAL	**1266**	**5.6**	**22**	**1**	**3**	**5**	**7**	**10**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1266**	**5.6**	**22**	**1**	**3**	**5**	**7**	**10**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	221	5.1	16	1	2	4	8	10	14
35-49	235	4.2	5	2	3	3	6	7	9
50-69	339	4.9	12	1	2	4	9	10	10
70 +	46	6.5	5						
	842	**4.8**	**11**	**1**	**2**	**4**	**7**	**10**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	842	**4.8**	**11**	**1**	**2**	**4**	**7**	**10**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	93	3.6	4						
35-49	0								
50-69	14	2.0							
70 +	0								
SUBTOTAL	**107**	**3.4**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**107**	**3.4**	**4**						

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	299	4.0	5	1	3	3	6	8	8
35-49	121	9.3	216	1	4	4	4	49	49
50-69	107	4.6	20						
70 +	32	16.0							
	560	**6.0**	**63**	**1**	**3**	**4**	**6**	**15**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	560	**6.0**	**63**	**1**	**3**	**4**	**6**	**15**	**16**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	539	2.6	3	1	1	2	3	5	7	0-17	0								
70-74	363	3.5	12	1	1	2	6	11	12	18-34	1030	2.5	5	1	1	2	3	5	5
75-79	357	4.3	33	1	2	3	4	7	8	35-49	870	2.9	8	1	1	2	3	7	8
80-84	267	4.7	35	1	2	3	5	11	27	50-69	870	2.5	4	1	1	2	3	5	6
85 +	157	2.3	2	1	1	2	3	4	6	70 +	32	1.0							
SUBTOTAL	**1683**	**3.5**	**17**	**1**	**1**	**2**	**4**	**6**	**11**		**2803**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1683**	**3.5**	**17**	**1**	**1**	**2**	**4**	**6**	**11**		**2803**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	104	3.1	2	2	2	2	5	6	6	18-34	1031	2.6	2	<1	1	2	4	5	5
35-49	14	2.0								35-49	282	2.2	2	1	1	2	3	3	5
50-69	110	3.3	3							50-69	89	2.8	8						
70 +	0									70 +	46	11.6	1						
SUBTOTAL	**229**	**3.1**	**3**	**1**	**2**	**3**	**5**	**5**	**6**		**1449**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**229**	**3.1**	**3**	**1**	**2**	**3**	**5**	**5**	**6**		**1449**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	121	2.5	4	1	2	2	2	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	121	**2.5**	**4**	**1**	**2**	**2**	**2**	**8**	**8**
0-17	4871	1.5	1	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4871	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	4993	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	2.0	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**29**	**2.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	800	1.5	1	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**800**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**829**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	107	6.1	39						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	107	**6.1**	**39**						
0-17	1029	1.9	3	< 1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1029	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**
	1136	**2.3**	**8**	**1**	**1**	**1**	**2**	**4**	**7**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1009	7.9	60	2	4	6	9	17	21	0-17	0								
70-74	1119	6.8	28	2	3	5	9	17	20	18-34	596	5.2	48	2	2	3	6	8	9
75-79	856	8.8	40	3	4	7	12	16	19	35-49	493	5.4	17	1	3	4	7	9	14
80-84	859	7.0	20	2	3	6	9	13	14	50-69	422	6.0	13	1	3	5	8	10	13
85 +	1304	9.2	105	2	4	6	11	15	17	70 +	32	5.0							
SUBTOTAL	**5148**	**8.0**	**55**	**2**	**3**	**6**	**10**	**15**	**20**		**1543**	**5.5**	**28**	**1**	**3**	**5**	**7**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5148**	**8.0**	**55**	**2**	**3**	**6**	**10**	**15**	**20**		**1543**	**5.5**	**28**	**1**	**3**	**5**	**7**	**9**	**13**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	46	8.8	18							18-34	600	4.0	15	1	1	3	4	11	14
35-49	89	4.6	24							35-49	504	9.8	85	4	5	6	11	17	40
50-69	157	10.3	144	1	3	5	14	33	33	50-69	378	4.2	12	1	2	3	6	6	14
70 +	32	12.0								70 +	29	3.5	2						
SUBTOTAL	**325**	**8.7**	**85**	**1**	**2**	**5**	**12**	**19**	**33**		**1510**	**6.0**	**45**	**1**	**2**	**4**	**7**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**325**	**8.7**	**85**	**1**	**2**	**5**	**12**	**19**	**33**		**1510**	**6.0**	**45**	**1**	**2**	**4**	**7**	**14**	**15**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1722	4.3	7	2	2	4	6	8	9	0-17	0								
70-74	1440	4.4	20	2	2	3	5	10	12	18-34	2681	2.9	4	1	1	2	4	5	6
75-79	1241	5.7	28	1	2	4	7	11	14	35-49	2479	3.2	6	1	2	3	4	6	8
80-84	1208	5.6	33	1	2	5	7	11	21	50-69	1666	3.6	18	1	2	3	5	6	8
85 +	1045	4.2	7	2	3	4	5	8	11	70 +	78	3.0	3						
SUBTOTAL	**6657**	**4.8**	**19**	**1**	**2**	**3**	**6**	**9**	**12**		**6905**	**3.2**	**8**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**6657**	**4.8**	**19**	**1**	**2**	**3**	**6**	**9**	**12**		**6905**	**3.2**	**8**	**1**	**1**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	325	2.7	5	1	1	2	4	6	6	18-34	2444	3.1	5	1	1	3	4	6	7
35-49	46	6.6	1							35-49	946	3.4	6	1	2	3	4	8	8
50-69	207	4.2	8	2	2	3	4	10	10	50-69	357	7.1	80	1	2	4	7	10	34
70 +	0									70 +	110	5.1	13						
SUBTOTAL	**578**	**3.6**	**7**	**1**	**2**	**3**	**4**	**8**	**10**		**3857**	**3.6**	**13**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**578**	**3.6**	**7**	**1**	**2**	**3**	**4**	**8**	**10**		**3857**	**3.6**	**13**	**1**	**1**	**3**	**5**	**7**	**9**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	361	5.8	72	< 1	1	2	3	27	27
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**361**	**5.8**	**72**	**< 1**	**1**	**2**	**3**	**27**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	6231	2.4	6	1	1	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**6231**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**0**										**6592**	**2.6**	**10**	**1**	**1**	**2**	**3**	**4**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	118	3.3	8	1	1	2	3	9	9	0-17	179	4.9	110	1	1	1	2	5	40
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**118**	**3.3**	**8**	**1**	**1**	**2**	**3**	**9**	**9**		**179**	**4.9**	**110**	**1**	**1**	**1**	**2**	**5**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1470	2.6	7	1	1	2	3	5	6	0-17	2446	2.2	3	1	1	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1470**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**		**2446**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1589**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**7**		**2625**	**2.3**	**11**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	825	7.4	178	1	2	4	7	12	18	0-17	251	4.7	27	1	1	3	4	15	16
70-74	445	7.7	61	2	3	5	8	17	33	18-34	200	2.5	2	< 1	2	2	3	5	5
75-79	392	7.4	115	1	2	4	7	10	42	35-49	464	3.3	2	2	2	3	4	5	6
80-84	189	5.3	11	3	3	5	6	7	15	50-69	574	4.1	5	2	2	3	6	8	9
85 +	207	7.5	32	1	3	8	19	99 +	99 +	70 +	0								
SUBTOTAL	**2058**	**7.3**	**111**	**1**	**3**	**5**	**8**	**15**	**33**		**1489**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	945	4.1	12	1	2	3	5	8	9	0-17	1613	3.1	14	< 1	1	2	4	8	10
70-74	239	2.8	2	1	2	2	4	6	6	18-34	806	2.1	3	1	1	2	2	4	5
75-79	314	13.1	717	1	2	4	8	92	92	35-49	1783	3.3	9	1	1	2	4	7	13
80-84	271	5.8	20	2	3	4	7	17	17	50-69	938	3.4	9	1	2	3	4	4	12
85 +	46	5.1	2							70 +	14	1.0							
SUBTOTAL	**1815**	**5.8**	**145**	**1**	**2**	**3**	**6**	**8**	**11**		**5153**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**3872**	**6.6**	**127**	**1**	**2**	**4**	**7**	**11**	**19**		**6642**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	115	2.6	4	1	1	2	5	99 +	99 +	0-17	190	5.7	40	1	1	2	11	12	22
18-34	32	7.0								18-34	139	4.0	3	1	3	4	5	6	6
35-49	136	4.0	10	1	2	2	7	11	11	35-49	136	2.4	2	< 1	1	2	3	5	5
50-69	75	4.2	6							50-69	89	7.0	27						
70 +	32	3.0								70 +	32	3.0							
SUBTOTAL	**390**	**3.8**	**7**	**1**	**2**	**3**	**7**	**8**	**11**		**586**	**4.6**	**21**	**1**	**1**	**3**	**5**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	760	4.1	21	1	1	2	4	8	16	0-17	423	4.0	26	< 1	1	2	3	13	17
18-34	229	2.4	2	< 1	2	2	2	4	7	18-34	400	2.0	1	1	1	2	3	4	4
35-49	171	3.1	1	2	2	3	4	4	4	35-49	229	2.0	1	1	1	2	3	3	3
50-69	331	5.2	23	1	2	3	7	14	14	50-69	104	2.6	2	1	2	2	4	5	5
70 +	0									70 +	0								
SUBTOTAL	**1491**	**3.9**	**17**	**1**	**2**	**2**	**4**	**8**	**14**		**1155**	**2.8**	**11**	**< 1**	**1**	**2**	**3**	**4**	**8**
GRAND TOTAL	**1881**	**3.9**	**15**	**1**	**2**	**3**	**5**	**8**	**14**		**1741**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**12**

DRG 257: Total Mastectomy for Malignancy w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2758	5.7	18	3	3	5	7	9	12
70-74	1923	6.2	9	4	4	6	7	10	12
75-79	1975	7.0	36	3	4	5	8	10	15
80-84	1185	7.3	21	3	4	7	9	11	19
85 +	567	6.1	5	3	5	6	7	9	11
SUBTOTAL	**8407**	**6.4**	**20**	**3**	**4**	**5**	**8**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8407**	**6.4**	**20**	**3**	**4**	**5**	**8**	**10**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	139	4.4	8	1	2	3	5	9	9
35-49	1443	5.2	13	3	3	4	6	9	13
50-69	2652	4.8	5	3	3	5	6	7	9
70 +	0								
	4235	**4.9**	**8**	**3**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4235	**4.9**	**8**	**3**	**3**	**4**	**6**	**8**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	4.0							
35-49	168	6.9	30	3	4	5	9	9	23
50-69	186	6.4	9	3	4	6	9	12	12
70 +	110	8.4	10						
SUBTOTAL	**478**	**7.0**	**17**	**3**	**4**	**5**	**9**	**12**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**478**	**7.0**	**17**	**3**	**4**	**5**	**9**	**12**	**12**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	2.0							
35-49	297	5.2	4	3	4	5	6	7	9
50-69	511	7.6	37	3	3	5	9	18	19
70 +	64	13.5	92						
	887	**7.1**	**34**	**3**	**4**	**5**	**9**	**18**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	887	**7.1**	**34**	**3**	**4**	**5**	**9**	**18**	**23**

DRG 258: Total Mastectomy for Malignancy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3380	4.7	8	2	3	4	5	7	8
70-74	2509	4.5	3	2	3	4	6	7	8
75-79	1655	4.8	5	3	3	4	6	7	8
80-84	918	5.1	5	3	3	5	6	8	10
85 +	574	4.6	5	2	3	5	6	8	9
SUBTOTAL	**9037**	**4.7**	**6**	**2**	**3**	**4**	**6**	**7**	**8**
GRAND TOTAL	**9037**	**4.7**	**6**	**2**	**3**	**4**	**6**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	14	1.0							
18-34	675	4.0	3	2	3	4	5	6	7
35-49	3539	3.7	2	2	3	3	5	6	6
50-69	5074	4.1	3	2	3	4	5	7	7
70 +	110	3.6							
	9413	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
	9413	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	93	3.2							
35-49	168	5.0	3	2	4	5	7	7	8
50-69	197	4.7	3	3	3	4	5	8	8
70 +	0								
SUBTOTAL	**457**	**4.5**	**3**	**3**	**3**	**4**	**5**	**8**	**8**
GRAND TOTAL	**457**	**4.5**	**3**	**3**	**3**	**4**	**5**	**8**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	32	3.0							
18-34	139	4.5	5	2	3	3	7	8	8
35-49	560	5.9	79	2	2	3	6	8	41
50-69	606	3.9	4	2	3	3	5	6	7
70 +	142	8.7	65						
	1480	**5.2**	**41**	**2**	**3**	**3**	**6**	**8**	**12**
	1480	**5.2**	**41**	**2**	**3**	**3**	**6**	**8**	**12**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	153	4.6	14	<1	2	3	8	11	11	0-17	0								
70-74	197	6.9	35	2	5	5	8	11	26	18-34	29	6.0	26						
75-79	250	11.3	91	2	4	10	14	16	44	35-49	104	7.1	21	<1	3	6	11	16	16
80-84	57	8.8	17							50-69	197	5.5	23	1	2	4	7	15	16
85+	78	5.5	5							70+	46	2.7							
SUBTOTAL	**735**	**7.9**	**52**	**2**	**3**	**5**	**11**	**14**	**16**		**375**	**5.6**	**21**	**1**	**2**	**4**	**7**	**15**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**735**	**7.9**	**52**	**2**	**3**	**5**	**11**	**14**	**16**		**375**	**5.6**	**21**	**1**	**2**	**4**	**7**	**15**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	46	6.1	2							35-49	0								
50-69	0									50-69	29	12.0	66						
70+	0									70+	46	4.5	5						
SUBTOTAL	**46**	**6.1**	**2**								**75**	**7.3**	**42**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**46**	**6.1**	**2**								**75**	**7.3**	**42**						

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	476	2.4	3	< 1	< 1	2	4	4	6	0-17	14	1.0							
70-74	219	3.3	7	< 1	< 1	2	5	8	8	18-34	89	1.8	1						
75-79	168	2.7	2	< 1	< 1	2	4	5	5	35-49	662	2.3	2	< 1	< 1	2	4	4	6
80-84	121	1.5	1	< 1	< 1	1	3	3	3	50-69	988	2.2	4	< 1	< 1	1	3	5	6
85 +	29	3.5	6							70 +	0								
SUBTOTAL	**1012**	**2.6**	**4**	**< 1**	**< 1**	**2**	**4**	**6**	**7**		**1754**	**2.2**	**3**	**< 1**	**< 1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1012**	**2.6**	**4**	**< 1**	**< 1**	**2**	**4**	**6**	**7**		**1754**	**2.2**	**3**	**< 1**	**< 1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	14	5.0								35-49	107	2.1	1						
50-69	14	1.0								50-69	142	2.2	1						
70 +	0									70 +	14	4.0							
SUBTOTAL	**29**	**3.0**	**4**								**264**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**29**	**3.0**	**4**								**264**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	121	2.8	4	1	1	1	5	6	6	0-17	0								
70-74	29	2.0								18-34	43	2.0							
75-79	125	6.2	12							35-49	164	6.1	11	2	3	7	9	10	10
80-84	0									50-69	211	3.8	5	2	2	3	6	7	8
85 +	0									70 +	0								
SUBTOTAL	275	4.2	11	1	2	3	5	10	11		418	4.6	9	2	2	3	7	9	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	393	2.9	4	1	1	2	5	6	6	0-17	544	1.6	1	1	1	1	2	3	3
70-74	75	1.6	1							18-34	1879	2.2	4	< 1	1	2	3	4	5
75-79	89	2.2								35-49	2246	2.6	3	< 1	1	2	4	5	6
80-84	61	4.9	21							50-69	1434	2.3	2	< 1	1	2	3	4	5
85 +	14	1.0								70 +	0								
SUBTOTAL	633	2.8	5	1	1	2	3	5	6		6103	2.3	3	< 1	1	2	3	4	5
GRAND TOTAL	908	3.2	7	1	1	2	4	6	10		6521	2.4	4	< 1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	29	10.5	31							18-34	29	2.0	1						
35-49	46	7.3								35-49	0								
50-69	46	2.3								50-69	46	1.9	2						
70 +	0									70 +	0								
SUBTOTAL	121	6.2	18	2	2	6	7	16	16		75	2.0	2						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	121	1.4		1	1	1	2	2	2	0-17	78	1.6							
18-34	464	2.8	1	1	2	3	3	5	5	18-34	358	1.7	1	< 1	< 1	2	2	2	4
35-49	121	3.7	3	1	3	4	4	7	7	35-49	243	1.6	1	< 1	1	1	2	3	4
50-69	29	3.5	6							50-69	29	4.0	4						
70 +	0									70 +	0								
SUBTOTAL	735	2.7	2	1	2	3	3	5	5		708	1.8	1	< 1	< 1	2	2	3	4
GRAND TOTAL	857	3.2	6	1	2	3	4	6	7		783	1.8	1	< 1	< 1	2	2	3	4

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	75	2.8	2							0-17	0								
70-74	93	5.0	13							18-34	32	3.0							
75-79	142	2.8	2							35-49	132	2.2	5	< 1	1	1	1	6	6
80-84	64	1.0								50-69	104	2.2	1	1	1	2	3	3	3
85 +	14	4.0								70 +	0								
SUBTOTAL	**389**	**3.1**	**6**	**1**	**2**	**2**	**4**	**5**	**5**		**268**	**2.3**	**3**	**1**	**1**	**2**	**3**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	623	1.3		< 1	< 1	< 1	1	2	3	0-17	89	1.0							
70-74	548	1.1		< 1	< 1	< 1	1	2	2	18-34	527	1.2		< 1	< 1	< 1	1	2	2
75-79	351	1.4		< 1	< 1	< 1	2	2	2	35-49	2839	1.3	1	< 1	< 1	< 1	1	2	3
80-84	29	2.0								50-69	1830	1.2		< 1	< 1	< 1	1	2	2
85 +	43	1.0								70 +	46	1.0							
SUBTOTAL	**1593**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**		**5332**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**1982**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**5600**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	43	3.7	6						
50-69	32	7.0								50-69	61	3.3	3						
70 +	0									70 +	0								
SUBTOTAL	**32**	**7.0**									**104**	**3.5**	**4**	**1**	**2**	**2**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	2.0	1							0-17	14	1.0							
18-34	75	1.0								18-34	171	1.2		< 1	< 1	1	1	2	2
35-49	46	2.4	1							35-49	200	1.4	1	< 1	1	1	1	2	5
50-69	29	2.0								50-69	104	2.5	3	< 1	1	2	5	5	5
70 +	0									70 +	14	1.0							
SUBTOTAL	**179**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**		**504**	**1.5**	**1**	**< 1**	**1**	**1**	**1**	**2**	**5**
GRAND TOTAL	**211**	**2.5**	**4**	**1**	**1**	**2**	**3**	**7**	**7**		**607**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**5**	**5**

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2867	20.9	423	5	8	13	29	75	85
70-74	900	24.3	502	6	11	15	27	73	74
75-79	1074	14.4	110	5	7	12	20	42	99 +
80-84	1038	15.0	132	3	7	12	23	38	47
85 +	1552	16.4	197	5	8	12	21	40	51
SUBTOTAL	**7430**	**18.6**	**311**	**5**	**8**	**13**	**24**	**51**	**79**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7430**	**18.6**	**311**	**5**	**8**	**13**	**24**	**51**	**79**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	36.0	451						
18-34	246	21.0	326	1	6	14	37	53	99 +
35-49	300	21.0	237	3	9	19	20	44	49
50-69	797	13.6	101	3	5	10	21	27	28
70 +	46	37.8	1295						
	1447	**18.0**	**258**	**3**	**7**	**14**	**25**	**44**	**53**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1447	**18.0**	**258**	**3**	**7**	**14**	**25**	**44**	**53**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	57	33.0	1081						
18-34	386	20.3	162	3	12	21	28	48	53
35-49	136	14.9	32	9	10	12	21	25	25
50-69	478	16.5	317	4	5	10	22	51	83
70 +	89	15.9	120						
SUBTOTAL	**1147**	**18.4**	**268**	**5**	**8**	**14**	**23**	**45**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1147**	**18.4**	**268**	**5**	**8**	**14**	**23**	**45**	**53**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	12.5	13						
35-49	179	15.5	119	5	8	10	25	25	42
50-69	200	12.0	191	2	4	8	11	32	54
70 +	64	30.0	367						
	471	**15.8**	**210**	**4**	**7**	**10**	**20**	**42**	**49**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	471	**15.8**	**210**	**4**	**7**	**10**	**20**	**42**	**49**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	732	12.4	112	2	4	10	20	26	35	0-17	225	8.9	63	4	4	7	10	20	35
70-74	396	15.1	286	1	3	8	21	50	50	18-34	254	8.3	31	2	4	7	9	19	20
75-79	321	8.7	15	5	7	9	10	23	99 +	35-49	357	5.7	20	1	2	4	8	14	14
80-84	168	17.6	87	9	9	15	24	33	33	50-69	403	13.0	109	5	6	9	13	36	36
85 +	374	8.9	46	1	3	11	14	15	24	70 +	64	7.0							
SUBTOTAL	**1992**	**12.1**	**125**	**2**	**5**	**9**	**15**	**27**	**42**		**1303**	**9.1**	**64**	**2**	**4**	**7**	**10**	**19**	**29**
GRAND TOTAL	**1992**	**12.1**	**125**	**2**	**5**	**9**	**15**	**27**	**42**		**1303**	**9.1**	**64**	**2**	**4**	**7**	**10**	**19**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	176	4.4	11	1	3	3	5	8	13	0-17	125	9.2	38						
18-34	161	13.2	99	2	2	14	21	28	31	18-34	257	10.5	58	2	5	7	15	25	25
35-49	121	14.3	134	< 1	6	12	19	35	35	35-49	57	14.3	48						
50-69	139	14.0	173	5	7	8	10	40	40	50-69	14	8.0							
70 +	32	10.0								70 +	0								
SUBTOTAL	**629**	**11.0**	**109**	**2**	**3**	**7**	**14**	**28**	**35**		**454**	**10.5**	**52**	**4**	**5**	**7**	**18**	**22**	**25**
GRAND TOTAL	**629**	**11.0**	**109**	**2**	**3**	**7**	**14**	**28**	**35**		**454**	**10.5**	**52**	**4**	**5**	**7**	**18**	**22**	**25**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	468	8.5	47	2	4	7	11	16	17
70-74	389	8.4	48	2	3	6	14	18	20
75-79	339	8.9	45	3	3	7	12	22	24
80-84	214	7.7	28	2	4	7	7	14	22
85 +	282	7.7	26	1	3	8	9	17	17
SUBTOTAL	**1692**	**8.3**	**41**	**2**	**4**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1692**	**8.3**	**41**	**2**	**4**	**7**	**11**	**17**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	132	4.9	25	1	1	3	7	16	16
18-34	268	7.3	41	3	4	4	6	21	23
35-49	361	10.0	152	2	3	7	8	28	46
50-69	339	7.2	82	2	3	5	7	12	12
70 +	14	7.0							
	1115	**7.9**	**89**	**2**	**3**	**5**	**8**	**16**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1115	**7.9**	**89**	**2**	**3**	**5**	**8**	**16**	**28**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	132	8.1	21	2	4	8	12	14	14
18-34	29	14.5	44						
35-49	93	8.3	32						
50-69	29	30.5	622						
70 +	32	9.0							
SUBTOTAL	**315**	**10.9**	**119**	**2**	**4**	**9**	**13**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**315**	**10.9**	**119**	**2**	**4**	**9**	**13**	**15**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	118	14.3	471	2	6	6	9	72	72
18-34	203	7.2	41	< 1	2	4	13	19	19
35-49	104	5.8	14	1	4	4	11	12	12
50-69	107	11.2	62						
70 +	0								
	532	**9.3**	**145**	**2**	**4**	**6**	**12**	**19**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	532	**9.3**	**145**	**2**	**4**	**6**	**12**	**19**	**29**

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	668	4.0	11	< 1	1	3	6	8	12	0-17	1991	3.3	9	1	1	2	4	7	9
70-74	332	4.6	15	1	2	3	6	8	14	18-34	1360	4.3	12	1	2	3	5	8	12
75-79	236	5.1	13	1	3	4	7	11	12	35-49	1458	4.3	14	1	2	4	6	7	12
80-84	168	2.7	2	< 1	1	3	4	5	5	50-69	1036	4.8	33	1	1	3	6	9	17
85 +	222	3.5	15	1	1	2	6	8	16	70 +	0								
SUBTOTAL	**1626**	**4.1**	**12**	**< 1**	**1**	**3**	**6**	**8**	**12**		**5846**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**11**
GRAND TOTAL	**1626**	**4.1**	**12**	**< 1**	**1**	**3**	**6**	**8**	**12**		**5846**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	774	4.0	18	1	1	2	5	11	16	0-17	641	5.8	42	1	2	2	7	13	17
18-34	251	7.1	72	1	2	3	8	17	37	18-34	976	5.3	30	1	2	3	7	12	15
35-49	211	7.2	69	1	2	3	6	19	29	35-49	353	5.1	23	< 1	2	4	6	8	11
50-69	157	5.6	14	2	3	4	8	12	12	50-69	186	7.8	179	< 1	1	2	3	37	37
70 +	32	4.0								70 +	0								
SUBTOTAL	**1424**	**5.2**	**36**	**1**	**2**	**3**	**6**	**12**	**19**		**2156**	**5.6**	**45**	**1**	**2**	**3**	**7**	**13**	**17**
GRAND TOTAL	**1424**	**5.2**	**36**	**1**	**2**	**3**	**6**	**12**	**19**		**2156**	**5.6**	**45**	**1**	**2**	**3**	**7**	**13**	**17**

DRG 267: Perianal & Pilonidal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14	3.0							
70-74	0								
75-79	14	7.0							
80-84	0								
85 +	0								
SUBTOTAL	29	5.0	4						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	46	1.9	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	46	1.9	2						
GRAND TOTAL	75	3.1	5						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	142	3.2	5						
18-34	125	3.6	4						
35-49	61	6.5	23						
50-69	32	12.0							
70 +	0								
SUBTOTAL	360	4.7	14	1	1	4	6	11	12
2.PATIENTS W/OUT CCs									
0-17	953	2.4	3	1	1	2	3	5	6
18-34	2720	2.0	1	1	1	2	2	4	4
35-49	614	2.4	1	1	1	2	3	4	4
50-69	110	1.4							
70 +	0								
SUBTOTAL	4397	2.1	2	1	1	2	3	4	4
GRAND TOTAL	4757	2.3	3	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	3.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	14	3.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	1.7							
18-34	175	3.2	3	1	1	3	5	5	5
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	221	2.9	2	1	1	3	5	5	5
GRAND TOTAL	235	2.9	2	1	1	3	5	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	14	1.0							
18-34	0								
35-49	14	35.0							
50-69	0								
70 +	0								
SUBTOTAL	29	18.0	299						
2.PATIENTS W/OUT CCs									
0-17	43	2.7	6						
18-34	393	1.9	2	1	1	1	2	4	6
35-49	0								
50-69	14	1.0							
70 +	0								
SUBTOTAL	450	2.0	3	1	1	1	2	4	6
GRAND TOTAL	479	2.9	34	1	1	1	2	6	7

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	57	4.3	2						
70-74	0								
75-79	14	28.0							
80-84	14	15.0							
85 +	78	8.4	80						
SUBTOTAL	**164**	**9.3**	**82**	**< 1**	**2**	**6**	**15**	**26**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	104	1.7	1	< 1	< 1	1	2	4	4
70-74	57	1.5	1						
75-79	14	1.0							
80-84	75	4.2	17						
85 +	0								
SUBTOTAL	**251**	**2.4**	**7**	**< 1**	**< 1**	**1**	**2**	**9**	**10**
GRAND TOTAL	**415**	**5.1**	**48**	**< 1**	**< 1**	**2**	**6**	**15**	**26**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	4.5	12						
18-34	93	4.1	12						
35-49	32	2.0							
50-69	46	2.6	1						
70 +	0								
	235	**3.6**	**9**	**1**	**1**	**2**	**6**	**8**	**10**
0-17	290	1.8	1	1	1	1	2	3	4
18-34	243	2.3	1	1	1	2	3	4	5
35-49	265	2.0	3	< 1	1	1	3	5	7
50-69	361	1.6	1	< 1	< 1	1	2	3	3
70 +	0								
	1159	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
	1394	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	4.2	3						
18-34	0								
35-49	46	5.0							
50-69	0								
70 +	14	19.0							
SUBTOTAL	**139**	**6.0**	**22**	**2**	**5**	**5**	**6**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	176	4.5	34	1	1	1	5	9	22
18-34	29	1.5							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**204**	**4.1**	**30**	**1**	**1**	**1**	**5**	**9**	**22**
GRAND TOTAL	**343**	**4.9**	**28**	**1**	**1**	**3**	**6**	**9**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	2.0							
18-34	157	3.4	13	1	1	2	4	4	14
35-49	29	3.0	4						
50-69	29	2.0							
70 +	0								
	243	**3.0**	**9**	**1**	**1**	**2**	**3**	**5**	**14**
0-17	172	1.5		< 1	1	1	2	2	3
18-34	143	1.5		1	1	1	2	2	2
35-49	229	1.6	1	1	1	1	2	3	3
50-69	354	1.2		< 1	1	1	1	2	2
70 +	29	1.0							
	927	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**
	1170	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1101	11.2	121	2	5	8	13	22	34	0-17	247	4.7	20	1	1	4	5	9	20
70-74	664	12.0	65	3	4	11	16	25	27	18-34	379	5.0	24	1	1	3	5	13	14
75-79	489	8.7	55	2	4	8	9	16	31	35-49	364	8.1	167	1	3	4	7	11	41
80-84	428	15.7	227	5	8	11	17	29	64	50-69	846	8.2	77	1	3	6	9	15	22
85 +	475	12.9	81	3	5	12	21	27	34	70 +	0								
SUBTOTAL	**3157**	**11.9**	**111**	**3**	**5**	**9**	**14**	**25**	**32**		**1836**	**7.1**	**78**	**1**	**2**	**5**	**8**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3157**	**11.9**	**111**	**3**	**5**	**9**	**14**	**25**	**32**		**1836**	**7.1**	**78**	**1**	**2**	**5**	**8**	**14**	**21**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	104	6.5	13	2	3	8	10	12	12	0-17	121	8.5	30	4	4	7	9	22	22
18-34	182	4.1	4	2	2	4	6	6	7	18-34	300	5.2	7	2	3	5	7	9	9
35-49	121	10.3	88	3	3	5	13	32	32	35-49	257	6.8	16	1	4	7	8	11	19
50-69	214	10.6	96	2	3	4	15	24	35	50-69	150	7.9	32	4	4	4	12	12	22
70 +	0									70 +	61	10.2	21						
SUBTOTAL	**622**	**7.9**	**61**	**2**	**3**	**5**	**10**	**18**	**24**		**890**	**6.9**	**20**	**2**	**4**	**6**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**622**	**7.9**	**61**	**2**	**3**	**5**	**10**	**18**	**24**		**890**	**6.9**	**20**	**2**	**4**	**6**	**9**	**12**	**14**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	644	3.5	8	< 1	1	3	5	6	9
70-74	475	3.8	9	< 1	2	3	6	6	8
75-79	433	3.2	13	< 1	< 1	1	3	5	14
80-84	132	5.4	18	< 1	2	4	6	14	14
85 +	211	4.3	21	< 1	< 1	3	7	14	14
SUBTOTAL	**1895**	**3.7**	**12**	**< 1**	**1**	**3**	**5**	**8**	**14**
GRAND TOTAL	**1895**	**3.7**	**12**	**< 1**	**1**	**3**	**5**	**8**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2006	2.6	13	< 1	1	1	3	6	9
18-34	2144	2.6	5	< 1	1	2	4	5	7
35-49	2534	2.3	4	< 1	< 1	1	3	5	6
50-69	2087	3.8	26	< 1	< 1	2	4	9	14
70 +	75	2.9	8						
	8846	**2.8**	**12**	**< 1**	**< 1**	**2**	**3**	**6**	**9**
	8846	**2.8**	**12**	**< 1**	**< 1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	656	4.1	9	1	1	3	6	9	10
18-34	304	5.5	34	< 1	2	2	5	14	17
35-49	161	4.1	7	2	2	3	5	9	9
50-69	89	6.2	28						
70 +	32	7.0							
SUBTOTAL	**1242**	**4.7**	**16**	**1**	**2**	**3**	**7**	**10**	**14**
GRAND TOTAL	**1242**	**4.7**	**16**	**1**	**2**	**3**	**7**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	472	3.3	7	< 1	1	2	5	7	8
18-34	1375	4.4	15	1	2	4	6	9	10
35-49	268	4.1	22	1	1	3	6	8	22
50-69	200	11.1	394	1	1	2	3	56	56
70 +	0								
	2315	**4.7**	**51**	**1**	**1**	**3**	**5**	**8**	**10**
	2315	**4.7**	**51**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 271: Skin Ulcers

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1099	11.6	115	3	5	8	13	28	33	0-17	72	12.6	283						
70-74	792	13.2	91	6	7	9	17	29	36	18-34	153	5.3	6	3	3	4	6	10	10
75-79	1034	13.4	142	5	6	10	18	43	99 +	35-49	189	12.6	188	3	4	7	12	42	42
80-84	1019	11.1	55	3	6	9	16	23	28	50-69	378	8.1	19	3	4	8	12	14	15
85 +	1133	15.8	314	4	6	9	18	56	70	70 +	0								
SUBTOTAL	**5077**	**13.0**	**152**	**4**	**6**	**9**	**16**	**32**	**55**		**792**	**9.0**	**88**	**3**	**4**	**6**	**11**	**14**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	410	8.2	16	3	6	7	9	13	17	0-17	0								
70-74	168	16.4	63	6	8	15	27	27	29	18-34	46	12.0	184						
75-79	335	7.5	23	3	5	5	11	14	18	35-49	46	4.2	3						
80-84	403	11.3	162	3	5	7	7	27	48	50-69	104	7.4	11	2	4	7	10	12	12
85 +	371	12.4	84	4	5	10	13	28	34	70 +	32	29.0							
SUBTOTAL	**1687**	**10.6**	**79**	**3**	**5**	**7**	**13**	**27**	**28**		**229**	**10.7**	**103**	**3**	**3**	**7**	**12**	**29**	**32**
GRAND TOTAL	**6764**	**12.4**	**135**	**4**	**6**	**8**	**15**	**29**	**43**		**1020**	**9.4**	**91**	**3**	**3**	**6**	**11**	**17**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	1.0								0-17	0								
18-34	218	12.6	90	4	5	11	21	30	30	18-34	125	13.7	281						
35-49	186	13.9	111	4	6	10	22	31	31	35-49	153	5.9	16	2	2	4	11	12	12
50-69	328	11.8	106	4	5	8	16	25	25	50-69	75	6.3	10						
70 +	32	6.0								70 +	0								
SUBTOTAL	**778**	**12.1**	**101**	**4**	**5**	**6**	**16**	**30**	**31**		**353**	**8.7**	**121**	**2**	**2**	**4**	**10**	**12**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	43	11.3	18							0-17	61	6.5	58						
18-34	0									18-34	29	4.5	6						
35-49	46	6.8	3							35-49	61	4.7	2						
50-69	61	9.2	10							50-69	139	8.1	19	2	5	8	13	14	14
70 +	0									70 +	14	1.0							
SUBTOTAL	**150**	**9.0**	**13**	**5**	**7**	**8**	**12**	**12**	**17**		**304**	**6.4**	**25**	**2**	**3**	**5**	**8**	**14**	**14**
GRAND TOTAL	**928**	**11.6**	**88**	**4**	**5**	**8**	**16**	**26**	**30**		**657**	**7.7**	**78**	**2**	**3**	**4**	**8**	**14**	**20**

DRG 272: Major Skin Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	699	8.0	35	3	5	6	8	15	18	0-17	351	4.4	8	1	2	4	6	8	9
70-74	546	9.1	53	3	4	8	12	19	29	18-34	61	4.1	6						
75-79	549	6.7	29	2	3	4	9	12	24	35-49	261	5.1	5	2	4	5	6	9	10
80-84	331	6.5	12	2	3	8	9	11	12	50-69	446	5.8	15	2	3	5	7	14	16
85 +	374	10.9	76	4	6	8	11	20	35	70 +	0								
SUBTOTAL	**2499**	**8.2**	**43**	**3**	**4**	**7**	**9**	**15**	**24**		**1118**	**5.1**	**10**	**2**	**3**	**4**	**7**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2499**	**8.2**	**43**	**3**	**4**	**7**	**9**	**15**	**24**		**1118**	**5.1**	**10**	**2**	**3**	**4**	**7**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	143	9.8	57	3	4	7	17	22	25	0-17	14	4.0							
18-34	29	5.5								18-34	75	8.3	61						
35-49	29	5.5	2							35-49	29	8.5	6						
50-69	14	8.0								50-69	14	14.0							
70 +	32	4.0								70 +	0								
SUBTOTAL	**247**	**7.9**	**39**	**3**	**4**	**6**	**7**	**20**	**25**		**132**	**8.5**	**41**	**2**	**4**	**6**	**11**	**24**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**247**	**7.9**	**39**	**3**	**4**	**6**	**7**	**20**	**25**		**132**	**8.5**	**41**	**2**	**4**	**6**	**11**	**24**	**24**

DRG 273: Major Skin Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	360	5.2	17	2	4	4	7	9	9
70-74	157	7.4	43	1	2	6	9	19	19
75-79	381	6.6	20	2	3	6	8	10	19
80-84	142	5.0	2						
85 +	175	4.5	2	4	4	4	5	7	7
SUBTOTAL	**1215**	**5.8**	**18**	**2**	**4**	**5**	**7**	**9**	**19**
GRAND TOTAL	**1215**	**5.8**	**18**	**2**	**4**	**5**	**7**	**9**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	908	3.4	5	1	2	3	4	6	7
18-34	336	3.8	6	1	2	3	7	7	7
35-49	261	3.3	3	2	2	3	4	6	8
50-69	417	4.2	10	1	1	4	5	9	10
70 +	0								
	1921	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**7**
	1921	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	251	6.1	13	1	3	6	9	12	13
18-34	61	8.1	6						
35-49	64	7.5	12						
50-69	0								
70 +	0								
SUBTOTAL	**375**	**6.7**	**13**	**1**	**4**	**6**	**9**	**12**	**12**
GRAND TOTAL	**375**	**6.7**	**13**	**1**	**4**	**6**	**9**	**12**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	219	4.8	43	2	2	3	4	7	29
18-34	75	4.8	4						
35-49	107	2.5	2						
50-69	32	3.0							
70 +	0								
	433	**4.1**	**24**	**1**	**2**	**3**	**4**	**6**	**8**
	433	**4.1**	**24**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 274: Malignant Breast Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	360	9.3	29	3	4	7	14	16	19	0-17	0								
70-74	261	12.2	181	< 1	4	6	13	38	38	18-34	0								
75-79	157	5.3	11	1	4	4	9	9	12	35-49	369	10.3	163	2	3	6	11	28	41
80-84	160	11.6	47							50-69	763	6.3	36	2	2	4	8	13	23
85 +	153	5.0	18	1	1	4	9	9	14	70 +	32	4.0							
SUBTOTAL	1091	9.1	71	1	4	6	13	19	27		1164	7.5	79	2	3	4	8	14	25
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	1091	9.1	71	1	4	6	13	19	27		1164	7.5	79	2	3	4	8	14	25

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	43	6.0	17							18-34	0								
35-49	64	1.0								35-49	14	5.0							
50-69	121	11.1	56	3	9	9	11	29	29	50-69	61	4.0							
70 +	0									70 +	61	4.5							
SUBTOTAL	229	7.3	52	1	1	6	11	14	29		136	4.3		4	4	4	5	5	5
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	229	7.3	52	1	1	6	11	14	29		136	4.3		4	4	4	5	5	5

DRG 275: Malignant Breast Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	136	3.1	10	1	2	2	3	11	12
70-74	64	3.0	4						
75-79	57	2.3	1						
80-84	0								
85 +	46	9.3	43						
SUBTOTAL	**304**	**3.9**	**17**	**1**	**2**	**2**	**5**	**5**	**12**
GRAND TOTAL	**304**	**3.9**	**17**	**1**	**2**	**2**	**5**	**5**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	14	6.0							
35-49	121	2.3	1	1	2	2	4	4	4
50-69	136	4 4	6	1	3	5	6	8	8
70 +	0								
	272	**3.6**	**5**	**1**	**2**	**3**	**6**	**7**	**8**
	272	**3.6**	**5**	**1**	**2**	**3**	**6**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	32	29.0							
50-69	14	1.0							
70 +	0								
SUBTOTAL	**46**	**20.3**	**171**						
GRAND TOTAL	**46**	**20.3**	**171**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	14	2.0							
50-69	61	6.0	18						
70 +	14	4.0							
	89	**5.0**	**15**						
	89	**5.0**	**15**						

DRG 276: Non-malignant Breast Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	107	5.9	18							0-17	0								
70-74	14	1.0								18-34	32	7.0							
75-79	32	2.0								35-49	128	8.0	1						
80-84	0									50-69	125	5.7	8						
85 +	0									70 +	0								
SUBTOTAL	153	4.6	16	2	2	2	10	10	12		285	6.9	5	3	7	7	9	9	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	3.0								0-17	168	3.6	2	2	2	3	5	5	6
70-74	29	2.5	2							18-34	179	5.6	32	1	2	3	7	17	17
75-79	0									35-49	197	3.9	5	2	2	3	5	8	8
80-84	0									50-69	110	2.7							
85 +	0									70 +	0								
SUBTOTAL	61	2.8	1								654	4.1	12	2	2	3	5	7	8
GRAND TOTAL	214	4.1	13	1	2	2	4	10	12		939	4.9	11	2	3	4	7	9	9

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	14	4.0							
18-34	61	8.7	14							18-34	0								
35-49	0									35-49	29	6.0	9						
50-69	78	13.3	23							50-69	14	2.0							
70 +	0									70 +	0								
SUBTOTAL	139	11.3	24	4	9	10	12	19	19		57	4.5	7						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	6.0								0-17	118	2.1	1	1	1	2	3	3	3
18-34	110	2.8	2							18-34	107	3.2							
35-49	32	1.0								35-49	64	3.5	2						
50-69	46	3.8	3							50-69	14	5.0							
70 +	0									70 +	0								
SUBTOTAL	203	3.0	3	< 1	1	3	4	5	6		304	2.9	1	1	2	3	4	5	5
GRAND TOTAL	342	6.4	28	1	3	5	9	12	19		361	3.2	3	2	2	3	4	5	5

DRG 277: Cellulitis Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6819	7.0	18	3	4	6	9	13	15
70-74	3362	8.1	44	3	5	7	9	13	16
75-79	3133	7.8	19	4	5	7	10	12	14
80-84	3184	7.9	28	4	5	7	9	13	18
85 +	2848	8.9	50	3	5	7	11	15	21
SUBTOTAL	**19346**	**7.7**	**29**	**3**	**5**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**19346**	**7.7**	**29**	**3**	**5**	**7**	**9**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1535	4.9	12	2	3	4	6	9	10
35-49	2619	7.0	34	3	4	5	9	12	18
50-69	3861	7.2	21	3	4	6	9	13	17
70 +	164	5.4	6	2	3	5	7	9	10
	8180	**6.7**	**24**	**2**	**4**	**6**	**8**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	8180	**6.7**	**24**	**2**	**4**	**6**	**8**	**12**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	703	6.5	28	2	3	6	7	11	23
35-49	931	6.9	12	3	4	7	8	12	14
50-69	1308	8.3	28	3	5	7	9	13	24
70 +	224	7.7	11	4	5	7	11	14	14
SUBTOTAL	**3166**	**7.5**	**23**	**3**	**4**	**7**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3166**	**7.5**	**23**	**3**	**4**	**7**	**9**	**13**	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1187	7.0	20	3	4	6	8	15	17
35-49	1008	6.2	15	2	3	5	9	12	14
50-69	1160	6.8	18	3	4	5	10	13	14
70 +	93	15.0	107						
	3447	**6.9**	**22**	**3**	**4**	**5**	**9**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3447	**6.9**	**22**	**3**	**4**	**5**	**9**	**13**	**16**

DRG 278: Cellulitis Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3322	6.2	23	2	3	5	7	11	13
70-74	1928	6.5	14	3	4	6	8	12	14
75-79	1921	6.9	21	3	4	6	8	13	15
80-84	1546	5.8	13	2	4	5	7	10	13
85 +	1593	6.5	11	3	4	6	9	12	13
SUBTOTAL	**10310**	**6.3**	**18**	**3**	**4**	**5**	**8**	**12**	**14**
GRAND TOTAL	**10310**	**6.3**	**18**	**3**	**4**	**5**	**8**	**12**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5174	3.8	5	2	2	3	5	6	8
35-49	4954	4.6	10	2	3	4	5	8	10
50-69	4597	5.2	14	2	3	4	6	8	10
70 +	46	5.8	3						
	14771	**4.5**	**10**	**2**	**3**	**4**	**5**	**8**	**9**
	14771	**4.5**	**10**	**2**	**3**	**4**	**5**	**8**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	796	4.7	7	3	3	4	6	7	10
35-49	578	5.7	4	3	4	6	7	9	9
50-69	574	6.0	10	4	4	6	7	10	16
70 +	142	9.7	110						
SUBTOTAL	**2091**	**5.7**	**16**	**3**	**4**	**5**	**6**	**9**	**10**
GRAND TOTAL	**2091**	**5.7**	**16**	**3**	**4**	**5**	**6**	**9**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3017	4.3	7	2	3	4	6	7	9
35-49	1151	4.7	6	2	3	4	5	9	10
50-69	909	5.5	15	3	3	4	6	8	19
70 +	93	4.7	6						
	5169	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**9**
	5169	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**9**

DRG 279: Cellulitis Age 0-17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	61	3.7	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**61**	**3.7**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**61**	**3.7**	**2**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	1605	4.8	13	2	3	4	5	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1605**	**4.8**	**13**	**2**	**3**	**4**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7145	3.6	5	2	2	3	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**7145**	**3.6**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**8750**	**3.8**	**7**	**2**	**2**	**3**	**5**	**7**	**8**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1238	5.0	9	2	3	4	6	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1238**	**5.0**	**9**	**2**	**3**	**4**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4225	4.0	9	2	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4225**	**4.0**	**9**	**2**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**5462**	**4.2**	**9**	**2**	**2**	**3**	**5**	**8**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	622	4.4	6	2	3	4	6	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**622**	**4.4**	**6**	**2**	**3**	**4**	**6**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2898	4.2	9	1	2	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2898**	**4.2**	**9**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**3520**	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**10**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1123	4.8	24	1	2	3	6	8	17	0-17	0								
70-74	877	5.8	10	2	3	5	8	10	11	18-34	2231	2.6	4	1	1	2	3	5	6
75-79	933	6.0	28	1	2	5	9	13	13	35-49	1525	2.8	4	1	1	2	4	6	7
80-84	955	8.2	38	2	4	6	13	17	18	50-69	1101	4.0	6	1	2	3	6	7	9
85 +	1119	5.7	16	2	3	4	8	11	13	70 +	189	3.6	2	2	3	4	4	5	6
SUBTOTAL	**5008**	**6.0**	**24**	**1**	**2**	**5**	**8**	**13**	**15**		**5047**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5008**	**6.0**	**24**	**1**	**2**	**5**	**8**	**13**	**15**		**5047**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	136	2.1	2	< 1	1	1	3	4	4	18-34	2493	3.4	35	< 1	1	2	4	6	10
35-49	221	5.0	11	< 1	3	4	8	11	11	35-49	977	3.4	15	1	1	2	3	7	8
50-69	110	4.5	9							50-69	588	4.6	20	1	2	3	5	13	18
70 +	0									70 +	29	4.5	6						
SUBTOTAL	**467**	**4.1**	**9**	**< 1**	**1**	**3**	**5**	**8**	**11**		**4086**	**3.6**	**28**	**1**	**1**	**2**	**4**	**7**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**467**	**4.1**	**9**	**< 1**	**1**	**3**	**5**	**8**	**11**		**4086**	**3.6**	**28**	**1**	**1**	**2**	**4**	**7**	**13**

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1454	3.6	8	1	2	3	4	7	8
70-74	624	3.4	3	1	2	3	5	6	6
75-79	599	3.3	7	1	1	2	5	8	10
80-84	752	5.3	16	2	3	4	5	12	14
85 +	831	6.3	103	1	2	5	7	10	11
SUBTOTAL	**4259**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**4259**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6669	2.1	3	1	1	2	3	4	5
35-49	4184	2.6	4	1	1	2	3	5	7
50-69	2017	3.1	5	1	2	2	4	6	8
70 +	125	5.7	106						
SUBTOTAL	**12995**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**12995**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	568	1.9	2	1	1	1	2	4	4
35-49	346	2.8	2	1	2	3	3	4	6
50-69	72	12.6	321						
70 +	14	5.0							
SUBTOTAL	**999**	**3.0**	**32**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**999**	**3.0**	**32**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6219	2.1	3	< 1	1	1	3	4	5
35-49	2139	2.0	3	< 1	1	1	2	4	6
50-69	685	3.1	7	1	1	2	4	6	10
70 +	78	3.5	1						
SUBTOTAL	**9121**	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**9121**	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	32	14.0								0-17	1128	2.4	11	1	1	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**32**	**14.0**									**1128**	**2.4**	**11**	**1**	**1**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	14	1.0								0-17	4874	1.9	4	1	1	1	2	3	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**1.0**									**4874**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**46**	**10.0**	**37**								**6001**	**2.0**	**6**	**1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	240	2.5	2	1	1	2	4	5	99 +	0-17	433	2.5	4	< 1	1	2	3	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**240**	**2.5**	**2**	**1**	**1**	**2**	**4**	**5**	**99 +**		**433**	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1871	2.2	3	1	1	1	3	5	6	0-17	4375	1.7	3	1	1	1	2	3	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1871**	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**6**		**4375**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**2111**	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**6**		**4807**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	671	5.8	20	1	3	4	7	14	16
70-74	499	5.6	13	2	3	5	8	11	13
75-79	553	10.0	173	2	4	7	10	14	61
80-84	310	7.1	12	1	5	8	8	12	13
85 +	282	6.3	11	2	3	6	9	12	12
SUBTOTAL	**2316**	**7.0**	**56**	**2**	**3**	**5**	**8**	**13**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2316**	**7.0**	**56**	**2**	**3**	**5**	**8**	**13**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	618	4.7	30	1	2	3	5	9	13
18-34	421	4.2	25	1	1	3	5	9	20
35-49	400	4.3	7	1	2	3	6	8	8
50-69	478	5.1	10	2	3	5	6	9	11
70 +	0								
	1917	**4.6**	**19**	**1**	**2**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1917	**4.6**	**19**	**1**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	193	5.7	12	3	3	3	9	11	11
18-34	118	5.6	3	3	5	6	6	9	9
35-49	142	6.0	23						
50-69	139	3.2	1	2	3	3	3	5	6
70 +	0								
SUBTOTAL	**593**	**5.2**	**12**	**2**	**3**	**4**	**6**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**593**	**5.2**	**12**	**2**	**3**	**4**	**6**	**11**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	4.4	20	1	2	3	5	15	15
18-34	168	4.0	11	2	2	3	4	6	14
35-49	46	9.6	1						
50-69	32	9.0							
70 +	0								
	347	**5.4**	**16**	**2**	**2**	**3**	**9**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	347	**5.4**	**16**	**2**	**2**	**3**	**9**	**11**	**14**

DRG 284: Minor Skin Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	406	4.4	8	1	3	4	6	8	12	0-17	1643	3.3	16	1	1	2	4	6	12
70-74	218	5.0	7	1	3	4	7	8	9	18-34	1038	2.4	3	< 1	1	2	3	5	6
75-79	250	2.6	1	< 1	2	3	3	3	6	35-49	811	3.1	5	< 1	1	2	4	7	8
80-84	186	5.9	23	1	3	3	10	14	14	50-69	888	3.5	10	1	1	3	5	6	9
85 +	64	3.0	1							70 +	0								
SUBTOTAL	**1123**	**4.3**	**10**	**1**	**2**	**3**	**6**	**8**	**12**		**4380**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**1123**	**4.3**	**10**	**1**	**2**	**3**	**6**	**8**	**12**		**4380**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	851	4.0	32	1	1	3	4	6	15	0-17	616	3.4	7	1	2	3	4	6	8
18-34	136	3.8	6	1	2	2	7	7	7	18-34	261	4.2	53	1	2	3	4	4	34
35-49	0									35-49	78	3.4							
50-69	46	4.5	5							50-69	107	5.3	8						
70 +	0									70 +	14	1.0							
SUBTOTAL	**1033**	**4.0**	**27**	**1**	**1**	**3**	**4**	**7**	**14**		**1076**	**3.8**	**18**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1033**	**4.0**	**27**	**1**	**1**	**3**	**4**	**7**	**14**		**1076**	**3.8**	**18**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	714	15.1	201	3	7	12	21	29	30	0-17	0								
70-74	182	11.3	30	5	6	13	16	21	99 +	18-34	14	4.0							
75-79	104	21.2	104	7	13	17	28	39	39	35-49	107	9.4	26						
80-84	197	29.8	368	9	15	21	55	57	60	50-69	275	11.8	17	6	8	12	13	16	22
85 +	46	12.7								70 +	0								
SUBTOTAL	**1243**	**17.3**	**221**	**5**	**7**	**14**	**21**	**31**	**55**		**396**	**10.9**	**22**	**5**	**8**	**11**	**13**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	46	3.3								0-17	0								
70-74	0									18-34	0								
75-79	14	30.0								35-49	32	14.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**61**	**9.6**	**131**								**32**	**14.0**							
GRAND TOTAL	**1304**	**16.9**	**219**	**4**	**7**	**14**	**21**	**30**	**55**		**428**	**11.1**	**21**	**5**	**8**	**11**	**13**	**15**	**21**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	14	15.0							
35-49	89	17.9	159							35-49	161	13.7	16	10	10	14	16	17	23
50-69	136	17.4	44	8	14	16	20	30	30	50-69	125	31.2	191						
70 +	14	21.0								70 +	32	14.0							
SUBTOTAL	**240**	**17.8**	**84**	**8**	**14**	**16**	**20**	**30**	**46**		**332**	**20.4**	**150**	**10**	**12**	**16**	**23**	**42**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	14	5.0							
50-69	32	29.0								50-69	46	8.8	11						
70 +	0									70 +	0								
SUBTOTAL	**32**	**29.0**									**61**	**7.9**	**11**						
GRAND TOTAL	**272**	**19.1**	**88**	**8**	**14**	**16**	**24**	**30**	**46**		**393**	**18.4**	**149**	**8**	**11**	**14**	**17**	**42**	**46**

DRG 286: Adrenal & Pituitary Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	61	9.9	16							0-17	215	13.0	92	6	7	10	16	21	45
70-74	14	37.0								18-34	100	7.4	3	5	6	7	9	10	10
75-79	43	10.7	2							35-49	115	10.4	61	3	7	7	10	30	30
80-84	46	21.6	126							50-69	57	10.5	4						
85 +	0									70 +	14	9.0							
SUBTOTAL	**164**	**15.8**	**110**	**7**	**8**	**11**	**29**	**29**	**37**		**502**	**10.9**	**59**	**6**	**7**	**9**	**12**	**17**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	7.7	1							0-17	143	7.3	6	5	6	7	9	10	13
70-74	43	7.3	7							18-34	172	7.0	16	4	4	6	8	9	19
75-79	43	7.3	4							35-49	294	9.1	14	5	6	9	11	15	15
80-84	0									50-69	136	9.7	21	5	6	6	14	16	16
85 +	14	7.0								70 +	0								
SUBTOTAL	**143**	**7.4**	**4**	**5**	**6**	**7**	**9**	**10**	**11**		**745**	**8.4**	**15**	**4**	**5**	**7**	**10**	**15**	**16**
GRAND TOTAL	**308**	**11.9**	**78**	**5**	**7**	**8**	**11**	**29**	**29**		**1247**	**9.4**	**34**	**4**	**6**	**8**	**11**	**15**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	15.5	87							0-17	43	15.3	85						
18-34	0									18-34	0								
35-49	14	6.0								35-49	0								
50-69	29	10.0	4							50-69	14	23.0							
70 +	0									70 +	0								
SUBTOTAL	**100**	**12.6**	**63**	**6**	**8**	**9**	**14**	**31**	**31**		**57**	**17.3**	**74**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	17.0								0-17	0								
18-34	0									18-34	14	3.0							
35-49	0									35-49	32	6.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**14**	**17.0**									**46**	**5.1**	**2**						
GRAND TOTAL	**115**	**13.1**	**58**	**6**	**8**	**9**	**15**	**31**	**31**		**104**	**11.8**	**79**	**3**	**6**	**7**	**23**	**28**	**28**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1085	13.4	159	4	6	8	16	33	49	0-17	14	9.0							
70-74	75	19.3	99							18-34	14	22.0							
75-79	314	17.6	204	3	6	13	26	38	38	35-49	143	10.6	39	4	6	9	14	19	24
80-84	339	18.3	176	6	9	12	21	39	43	50-69	585	12.2	54	4	7	10	15	21	26
85+	264	16.8	112	7	7	10	27	36	36	70+	14	20.0							
SUBTOTAL	**2076**	**15.5**	**165**	**5**	**7**	**9**	**21**	**35**	**43**		**772**	**12.1**	**52**	**4**	**7**	**11**	**15**	**22**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	93	10.4	41							0-17	14	3.0							
70-74	32	10.0								18-34	0								
75-79	0									35-49	64	8.5	6						
80-84	0									50-69	32	3.0							
85+	0									70+	0								
SUBTOTAL	**125**	**10.3**	**31**								**110**	**6.2**	**11**						
GRAND TOTAL	**2201**	**15.2**	**159**	**5**	**7**	**9**	**20**	**33**	**43**		**882**	**11.4**	**51**	**3**	**6**	**10**	**14**	**21**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	26.0								0-17	0								
18-34	0									18-34	29	10.5							
35-49	89	12.4	29							35-49	86	11.5	37	5	5	10	16	22	22
50-69	115	22.6	138	4	14	21	33	40	40	50-69	118	9.5	31	2	7	8	10	21	21
70+	32	53.0								70+	0								
SUBTOTAL	**251**	**23.0**	**230**	**4**	**13**	**18**	**27**	**53**	**53**		**233**	**10.3**	**30**	**5**	**7**	**10**	**11**	**21**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	43.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**14**	**43.0**									**0**								
GRAND TOTAL	**265**	**24.1**	**238**	**4**	**13**	**18**	**39**	**53**	**53**		**233**	**10.3**	**30**	**5**	**7**	**10**	**11**	**21**	**22**

DRG 288: O.R. Procedures for Obesity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	147	10.3	23	6	8	9	13	16	21	0-17	0								
70-74	0									18-34	129	5.8	1	5	5	6	6	7	7
75-79	0									35-49	333	12.2	103	5	5	10	14	29	29
80-84	0									50-69	115	17.1	271	5	5	10	11	52	52
85 +	0									70 +	0								
SUBTOTAL	**147**	**10.3**	**23**	**6**	**8**	**9**	**13**	**16**	**21**		**577**	**11.7**	**127**	**5**	**5**	**7**	**11**	**29**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	104	5.0	3	< 1	5	5	6	7	7	0-17	43	6.7	1						
70-74	0									18-34	727	5.0	2	4	4	5	6	6	7
75-79	0									35-49	1003	5.4	2	4	4	5	6	7	8
80-84	0									50-69	161	6.3	4	4	5	6	7	10	10
85 +	0									70 +	0								
SUBTOTAL	**104**	**5.0**	**3**	**< 1**	**5**	**5**	**6**	**7**	**7**		**1935**	**5.3**	**2**	**4**	**4**	**5**	**6**	**7**	**8**
GRAND TOTAL	**251**	**8.1**	**22**	**3**	**5**	**7**	**9**	**16**	**21**		**2512**	**6.8**	**38**	**4**	**5**	**5**	**6**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	29	6.5								18-34	14	9.0							
35-49	72	8.6	21							35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**100**	**8.0**	**16**	**5**	**5**	**6**	**10**	**17**	**17**		**14**	**9.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	43	22.3	547							0-17	14	13.0							
18-34	161	5.8	1	5	5	5	6	7	9	18-34	86	3.8	7	< 1	1	3	6	8	8
35-49	14	10.0								35-49	86	2.3	2	< 1	1	2	3	5	5
50-69	57	6.3	16							50-69	75	3.1	3						
70 +	0									70 +	0								
SUBTOTAL	**276**	**8.7**	**123**	**5**	**5**	**6**	**7**	**12**	**46**		**262**	**3.6**	**9**	**< 1**	**1**	**3**	**5**	**8**	**13**
GRAND TOTAL	**376**	**8.5**	**95**	**5**	**5**	**6**	**7**	**12**	**17**		**276**	**3.9**	**10**	**< 1**	**1**	**3**	**5**	**9**	**12**

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	125	6.4	32							0-17	14	8.0							
70-74	78	6.5	6							18-34	0								
75-79	235	9.9	21	4	6	12	15	15	17	35-49	14	10.0							
80-84	29	8.0	26							50-69	128	4.8	18						
85 +	0									70 +	0								
SUBTOTAL	**467**	**8.3**	**24**	**3**	**4**	**6**	**13**	**15**	**17**		**157**	**5.5**	**17**	**2**	**2**	**3**	**10**	**12**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	297	4.1	11	2	3	3	4	13	13	0-17	0								
70-74	321	3.0	1	2	2	3	4	4	4	18-34	136	2.7		2	2	3	3	4	4
75-79	14	4.0								35-49	132	3.3	2	2	2	2	5	6	6
80-84	32	8.0								50-69	321	2.7	1	2	2	3	3	4	4
85 +	32	2.0								70 +	0								
SUBTOTAL	**697**	**3.7**	**7**	**2**	**2**	**3**	**4**	**8**	**8**		**590**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**1164**	**5.5**	**19**	**2**	**3**	**4**	**7**	**13**	**15**		**746**	**3.4**	**6**	**2**	**2**	**3**	**3**	**5**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	14	3.0								50-69	14	3.0							
70 +	0									70 +	0								
SUBTOTAL	**14**	**3.0**									**14**	**3.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	11.0								0-17	0								
18-34	0									18-34	64	2.0							
35-49	0									35-49	78	4.8	24						
50-69	0									50-69	110	4.5	18						
70 +	0									70 +	0								
SUBTOTAL	**14**	**11.0**									**253**	**3.9**	**16**	**1**	**2**	**2**	**3**	**11**	**15**
GRAND TOTAL	**29**	**7.0**	**17**								**267**	**3.9**	**16**	**1**	**2**	**2**	**3**	**11**	**15**

DRG 290: Thyroid Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	385	4.5	11	1	2	4	5	8	11
70-74	197	9.3	42	4	4	8	9	23	23
75-79	314	4.9	2	2	4	5	6	7	7
80-84	110	4.4							
85 +	32	3.0							
SUBTOTAL	**1038**	**5.5**	**16**	**2**	**4**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	836	2.8	2	1	2	2	3	4	6
70-74	667	3.7	9	2	2	3	4	5	7
75-79	328	2.7	1	1	2	3	3	4	5
80-84	203	3.0	1	1	3	3	4	4	4
85 +	78	3.6							
SUBTOTAL	**2113**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**3151**	**3.9**	**9**	**2**	**2**	**3**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	4.7	9						
18-34	218	4.7	8	3	3	4	4	11	11
35-49	364	3.7	3	2	2	3	5	6	7
50-69	542	4.1	4	2	2	4	6	7	9
70 +	0								
	1185	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**9**
0-17	362	3.2	6	1	2	2	3	5	11
18-34	1854	2.3	1	1	2	2	3	3	4
35-49	3475	2.2	1	1	2	2	3	3	4
50-69	2819	2.8	2	1	2	3	3	5	5
70 +	32	2.0							
	8542	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
	9727	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	46	3.9	2						
35-49	0								
50-69	125	6.7	6						
70 +	0								
SUBTOTAL	**171**	**6.0**	**6**	**3**	**3**	**6**	**8**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	2.0							
18-34	343	2.8	4	1	2	2	3	4	4
35-49	107	2.4							
50-69	235	3.0	2	1	2	3	4	5	5
70 +	0								
SUBTOTAL	**700**	**2.8**	**3**	**1**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**871**	**3.4**	**5**	**1**	**2**	**3**	**4**	**8**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	14	6.0							
50-69	78	2.2	1						
70 +	0								
	93	**2.8**	**2**						
0-17	29	4.5	2						
18-34	342	2.5	3	1	1	2	3	5	7
35-49	346	2.2	1	1	1	2	3	4	4
50-69	161	2.7	1	1	2	3	3	4	5
70 +	0								
	878	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**6**
	971	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 291: Thyroglossal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	2.0							
70-74	32	3.0							
75-79	0								
80-84	0								
85 +	32	3.0							
SUBTOTAL	**78**	**2.8**							
GRAND TOTAL	**78**	**2.8**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	14	1.0							
18-34	0								
35-49	14	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**29**	**2.5**	**2**						
2.PATIENTS W/OUT CCs									
0-17	548	1.3		1	1	1	1	3	3
18-34	197	1.9	1	1	1	2	2	3	3
35-49	89	1.5							
50-69	121	2.0	1	1	2	2	3	3	3
70 +	0								
SUBTOTAL	**955**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**984**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	12.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**14**	**12.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	132	1.1		< 1	1	1	1	2	2
18-34	32	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**164**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**179**	**2.0**	**9**	**< 1**	**1**	**1**	**1**	**2**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	132	1.1		1	1	1	1	2	2
18-34	14	3.0							
35-49	14	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**161**	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**161**	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	711	14.0	207	4	6	7	19	26	31	0-17	201	12.3	82	1	4	11	21	25	29
70-74	229	9.6	45	5	5	7	16	17	29	18-34	0								
75-79	225	13.7	59	4	9	13	18	26	31	35-49	107	10.4	50						
80-84	61	28.9	182							50-69	225	10.0	70	2	3	5	17	21	27
85 +	110	17.8	153							70 +	0								
SUBTOTAL	**1336**	**14.2**	**163**	**4**	**6**	**10**	**19**	**26**	**31**		**533**	**10.9**	**71**	**2**	**3**	**8**	**16**	**25**	**28**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1336**	**14.2**	**163**	**4**	**6**	**10**	**19**	**26**	**31**		**533**	**10.9**	**71**	**2**	**3**	**8**	**16**	**25**	**28**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	29	11.5	13						
18-34	0									18-34	29	14.5	58						
35-49	14	8.0								35-49	72	14.2	121						
50-69	75	18.2	406							50-69	0								
70 +	64	14.0	50							70 +	0								
SUBTOTAL	**153**	**15.5**	**228**	**2**	**6**	**7**	**21**	**33**	**52**		**129**	**13.7**	**84**	**5**	**7**	**8**	**18**	**34**	**34**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**153**	**15.5**	**228**	**2**	**6**	**7**	**21**	**33**	**52**		**129**	**13.7**	**84**	**5**	**7**	**8**	**18**	**34**	**34**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	104	8.3	9	1	8	9	10	11	11	0-17	72	5.0	8						
70-74	0									18-34	29	8.5							
75-79	32	13.0								35-49	72	4.4	7						
80-84	14	5.0								50-69	264	7.1	20	2	3	6	10	15	15
85 +	14	2.0								70 +	0								
SUBTOTAL	**164**	**8.4**	**15**	**2**	**5**	**9**	**11**	**13**	**13**		**436**	**6.4**	**16**	**2**	**3**	**6**	**9**	**14**	**15**
GRAND TOTAL	**164**	**8.4**	**15**	**2**	**5**	**9**	**11**	**13**	**13**		**436**	**6.4**	**16**	**2**	**3**	**6**	**9**	**14**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	86	12.0	237	4	4	4	9	46	46	0-17	14	18.0							
18-34	14	3.0								18-34	32	5.0							
35-49	14	2.0								35-49	0								
50-69	32	12.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**147**	**10.1**	**153**	**3**	**4**	**5**	**12**	**12**	**46**		**46**	**9.0**	**37**						
GRAND TOTAL	**147**	**10.1**	**153**	**3**	**4**	**5**	**12**	**12**	**46**		**46**	**9.0**	**37**						

DRG 294: Diabetes Age >35

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11261	6.9	25	3	4	6	8	12	15	0-17	0								
70-74	5367	7.2	26	3	4	6	9	14	19	18-34	0								
75-79	5372	8.0	29	3	5	7	10	13	19	35-49	3938	5.7	9	2	3	5	7	10	11
80-84	3304	8.8	54	3	4	7	10	16	28	50-69	5701	6.3	13	3	4	6	8	10	12
85 +	2169	9.2	55	3	4	7	11	16	27	70 +	121	5.3	12	2	3	4	5	13	13
SUBTOTAL	**27473**	**7.6**	**33**	**3**	**4**	**6**	**9**	**13**	**18**		**9761**	**6.0**	**12**	**3**	**4**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6648	5.4	9	2	4	5	7	8	11	0-17	0								
70-74	3583	6.0	25	3	3	5	7	10	12	18-34	0								
75-79	2783	6.0	14	3	4	5	8	10	12	35-49	6434	4.6	9	2	3	4	6	7	9
80-84	1415	5.2	11	2	3	5	6	9	12	50-69	6652	5.0	8	2	3	4	6	8	11
85 +	777	6.7	17	2	4	5	9	13	14	70 +	46	1.7							
SUBTOTAL	**15205**	**5.7**	**15**	**2**	**3**	**5**	**7**	**10**	**12**		**13133**	**4.8**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**42679**	**6.9**	**27**	**3**	**4**	**6**	**8**	**12**	**16**		**22893**	**5.3**	**10**	**2**	**3**	**5**	**7**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	1755	5.9	21	2	3	5	7	10	15	35-49	2003	6.8	25	2	3	6	8	13	17
50-69	3004	6.6	20	2	4	6	9	12	16	50-69	1991	7.0	25	2	4	6	8	17	19
70 +	189	6.7	6	4	7	8	99 +	99 +	99 +	70 +	32	35.0							
SUBTOTAL	**4948**	**6.4**	**20**	**2**	**4**	**5**	**9**	**12**	**17**		**4026**	**7.1**	**31**	**2**	**4**	**6**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	1469	5.1	6	2	3	5	7	9	9	35-49	1993	4.6	6	2	3	4	6	8	9
50-69	2106	6.0	11	2	4	6	8	10	13	50-69	1473	4.8	12	1	2	4	7	10	12
70 +	96	6.0	6							70 +	175	12.9	42	4	5	15	19	21	21
SUBTOTAL	**3671**	**5.6**	**9**	**2**	**3**	**5**	**7**	**9**	**11**		**3640**	**5.1**	**13**	**2**	**3**	**4**	**6**	**10**	**12**
GRAND TOTAL	**8620**	**6.0**	**15**	**2**	**3**	**5**	**8**	**11**	**14**		**7667**	**6.1**	**24**	**2**	**3**	**5**	**8**	**12**	**17**

DRG 295: Diabetes Age 0-35

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1089	5.7	13	2	3	5	7	11	15	0-17	1813	4.4	5	2	3	4	5	8	8
70-74	0									18-34	2543	3.7	6	2	2	3	5	5	8
75-79	0									35-49	125	4.8	15						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**1089**	**5.7**	**13**	**2**	**3**	**5**	**7**	**11**	**15**		**4481**	**4.0**	**6**	**2**	**2**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	560	5.8	21	1	2	3	10	12	16	0-17	8268	4.6	16	2	3	4	6	7	9
70-74	0									18-34	5764	3.9	6	2	2	3	5	7	8
75-79	0									35-49	275	4.9	4	2	4	4	7	8	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**560**	**5.8**	**21**	**1**	**2**	**3**	**10**	**12**	**16**		**14307**	**4.4**	**11**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**1649**	**5.7**	**16**	**1**	**3**	**5**	**7**	**11**	**15**		**18788**	**4.3**	**10**	**2**	**2**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	740	4.8	17	2	3	4	5	9	11	0-17	498	4.2	8	1	2	4	7	8	9
18-34	1616	6.2	27	2	3	5	8	12	18	18-34	1877	5.0	29	2	3	4	5	8	11
35-49	235	6.0	32	1	2	4	8	19	19	35-49	136	9.7	21	3	4	10	15	15	15
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2591**	**5.8**	**25**	**2**	**3**	**4**	**8**	**11**	**18**		**2511**	**5.1**	**26**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1810	4.1	9	1	2	3	6	8	10	0-17	1953	5.2	47	1	3	4	6	7	10
18-34	2130	4.0	4	2	2	4	5	7	8	18-34	3675	4.0	6	2	2	3	5	7	7
35-49	96	6.0	14							35-49	93	3.3	2						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4037**	**4.1**	**7**	**1**	**2**	**3**	**5**	**8**	**9**		**5721**	**4.4**	**20**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**6628**	**4.7**	**15**	**2**	**2**	**4**	**6**	**9**	**11**		**8232**	**4.6**	**22**	**2**	**2**	**4**	**5**	**7**	**10**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17808	6.9	45	2	3	5	8	14	19	0-17	0								
70-74	12167	7.2	37	2	4	6	9	14	18	18-34	2806	8.1	71	2	2	4	11	20	30
75-79	14892	8.9	106	2	4	6	10	17	27	35-49	2599	4.6	14	1	2	3	6	9	14
80-84	13127	8.5	79	3	4	6	10	17	21	50-69	5193	5.9	16	2	3	5	7	11	13
85+	16543	9.4	93	3	4	6	11	17	26	70+	307	7.1	10	3	4	6	10	12	12
SUBTOTAL	**74537**	**8.2**	**74**	**3**	**4**	**6**	**10**	**16**	**22**		**10905**	**6.2**	**31**	**2**	**3**	**4**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**74537**	**8.2**	**74**	**3**	**4**	**6**	**10**	**16**	**22**		**10905**	**6.2**	**31**	**2**	**3**	**4**	**8**	**12**	**17**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1143	7.1	131	2	3	5	8	12	13	18-34	814	6.2	46	2	2	4	6	12	27
35-49	1385	6.7	36	2	3	4	9	14	18	35-49	1176	7.8	114	2	3	5	9	18	25
50-69	2326	6.5	40	2	3	4	8	15	17	50-69	2117	7.7	55	2	3	5	10	14	21
70+	464	8.5	42	4	6	7	9	13	30	70+	240	6.4	106	1	2	4	5	9	46
SUBTOTAL	**5317**	**6.8**	**59**	**2**	**3**	**5**	**8**	**13**	**17**		**4346**	**7.4**	**72**	**2**	**3**	**4**	**9**	**14**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5317**	**6.8**	**59**	**2**	**3**	**5**	**8**	**13**	**17**		**4346**	**7.4**	**72**	**2**	**3**	**4**	**9**	**14**	**23**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5442	5.0	18	2	3	4	6	9	13	0-17	0								
70-74	4402	5.1	20	2	2	4	6	10	14	18-34	4897	4.2	28	1	2	2	4	9	14
75-79	4916	5.1	12	2	3	4	6	10	13	35-49	3164	3.0	4	1	2	3	3	5	6
80-84	4217	5.5	15	2	3	5	7	10	12	50-69	3782	3.8	6	1	2	3	5	7	9
85 +	5241	5.7	25	2	3	4	7	10	12	70 +	168	2.8	3	1	1	3	5	5	5
SUBTOTAL	**24217**	**5.3**	**18**	**2**	**3**	**4**	**7**	**10**	**13**		**12010**	**3.7**	**15**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**24217**	**5.3**	**18**	**2**	**3**	**4**	**7**	**10**	**13**		**12010**	**3.7**	**15**	**1**	**2**	**3**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1090	5.4	22	1	2	3	9	12	13	18-34	1056	3.4	10	1	2	2	4	7	9
35-49	756	3.1	6	1	2	2	3	6	9	35-49	600	4.1	19	1	2	3	5	10	13
50-69	941	6.6	27	2	2	5	9	14	15	50-69	624	4.1	51	1	1	3	4	6	7
70 +	235	5.7	16	2	4	5	6	99 +	99 +	70 +	229	4.0	11	1	1	3	5	7	14
SUBTOTAL	**3022**	**5.2**	**21**	**1**	**2**	**4**	**8**	**12**	**15**		**2508**	**3.8**	**22**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**3022**	**5.2**	**21**	**1**	**2**	**4**	**8**	**12**	**15**		**2508**	**3.8**	**22**	**1**	**2**	**3**	**4**	**7**	**10**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	219	5.7	49	1	1	4	12	28	99 +	0-17	6201	8.8	129	2	3	5	11	18	34
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**219**	**5.7**	**49**	**1**	**1**	**4**	**12**	**28**	**99 +**		**6201**	**8.8**	**129**	**2**	**3**	**5**	**11**	**18**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	29	4.5	2							0-17	17649	3.9	21	1	2	3	4	9	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**29**	**4.5**	**2**								**17649**	**3.9**	**21**	**1**	**2**	**3**	**4**	**9**	**12**
GRAND TOTAL	**247**	**5.6**	**44**	**1**	**1**	**4**	**8**	**28**	**99 +**		**23851**	**5.2**	**54**	**1**	**2**	**3**	**5**	**12**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3424	7.5	76	1	3	5	10	16	22	0-17	1626	8.3	111	2	3	5	10	17	29
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3424**	**7.5**	**76**	**1**	**3**	**5**	**10**	**16**	**22**		**1626**	**8.3**	**111**	**2**	**3**	**5**	**10**	**17**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10157	4.8	20	2	2	4	6	10	12	0-17	4518	3.9	14	1	2	3	5	8	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10157**	**4.8**	**20**	**2**	**2**	**4**	**6**	**10**	**12**		**4518**	**3.9**	**14**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**13582**	**5.5**	**35**	**2**	**2**	**4**	**6**	**11**	**15**		**6143**	**5.1**	**44**	**1**	**2**	**3**	**6**	**10**	**14**

DRG 299: Inborn Errors of Metabolism

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	46	5.7							
70-74	78	10.6	108						
75-79	32	3.0							
80-84	0								
85 +	0								
SUBTOTAL	**157**	**7.6**	**64**	**2**	**2**	**4**	**6**	**23**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	1.0							
70-74	14	3.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**29**	**2.0**	**1**						
GRAND TOTAL	**186**	**6.7**	**58**	**2**	**2**	**3**	**6**	**23**	**23**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	617	8.2	189	2	3	4	7	10	23
18-34	61	3.5	1						
35-49	46	3.6	1						
50-69	89	5.5	19						
70 +	0								
	813	**7.3**	**148**	**1**	**3**	**4**	**7**	**10**	**23**
0-17	753	4.6	20	1	2	3	5	10	15
18-34	214	5.1	4	3	3	6	7	8	8
35-49	200	4.1	15	1	1	3	8	11	11
50-69	168	3.0	3	1	1	3	4	5	7
70 +	0								
	1335	**4.4**	**15**	**1**	**2**	**3**	**6**	**8**	**12**
	2148	**5.5**	**67**	**1**	**2**	**3**	**6**	**10**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	251	4.5	11	2	2	3	7	12	13
18-34	43	5.0	1						
35-49	0								
50-69	32	5.0							
70 +	0								
SUBTOTAL	**326**	**4.6**	**9**	**2**	**3**	**3**	**6**	**7**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	258	5.8	16	1	3	4	8	14	16
18-34	29	2.5							
35-49	78	6.5	15						
50-69	0								
70 +	0								
SUBTOTAL	**365**	**5.7**	**16**	**2**	**3**	**4**	**8**	**11**	**14**
GRAND TOTAL	**691**	**5.2**	**13**	**2**	**3**	**4**	**7**	**11**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	18.1	431	2	3	12	20	41	78
18-34	14	5.0							
35-49	46	3.9	2						
50-69	0								
70 +	0								
	247	**14.7**	**361**	**2**	**3**	**6**	**19**	**41**	**78**
0-17	176	4.5	17	1	2	2	5	10	15
18-34	32	2.0							
35-49	0								
50-69	0								
70 +	0								
	208	**4.1**	**15**	**1**	**2**	**2**	**5**	**10**	**15**
	455	**9.9**	**230**	**2**	**2**	**3**	**12**	**20**	**41**

DRG 300: Endocrine Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	888	6.9	16	3	4	5	9	13	14
70-74	617	6.7	15	3	4	5	9	11	13
75-79	707	11.1	101	2	6	8	12	23	42
80-84	357	11.7	99	3	5	9	15	27	33
85 +	560	12.2	74	3	5	9	15	27	34
SUBTOTAL	**3129**	**9.3**	**61**	**3**	**4**	**7**	**11**	**17**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3129**	**9.3**	**61**	**3**	**4**	**7**	**11**	**17**	**27**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	735	5.4	23	1	2	4	7	12	15
18-34	168	4.1	13	1	1	4	5	8	14
35-49	371	4.8	9	1	3	4	6	7	11
50-69	849	6.6	30	1	3	6	9	10	15
70 +	0								
	2123	**5.6**	**23**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2123	**5.6**	**23**	**1**	**2**	**4**	**7**	**11**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	376	9.7	60	1	3	8	13	22	22
18-34	100	9.3	68	1	2	9	11	27	27
35-49	89	12.1	342						
50-69	107	6.0	6						
70 +	0								
SUBTOTAL	**673**	**9.4**	**92**	**1**	**3**	**7**	**11**	**22**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**673**	**9.4**	**92**	**1**	**3**	**7**	**11**	**22**	**27**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	4.5	19	1	1	2	9	13	13
18-34	93	4.6	1						
35-49	107	10.1	65						
50-69	89	3.9	6						
70 +	46	24.7	197						
	439	**7.9**	**81**	**1**	**3**	**4**	**9**	**22**	**34**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	439	**7.9**	**81**	**1**	**3**	**4**	**9**	**22**	**34**

DRG 301: Endocrine Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	275	6.3	35	2	3	5	6	22	22	0-17	1785	2.3	17	< 1	1	1	2	4	6
70-74	189	3.6	4	2	2	3	3	7	7	18-34	692	3.2	5	1	2	3	3	7	7
75-79	118	6.1	9	3	4	4	7	12	12	35-49	778	4.1	9	2	2	3	5	10	11
80-84	32	2.0								50-69	643	4.1	7	2	2	3	6	9	9
85 +	0									70 +	0								
SUBTOTAL	**614**	**5.2**	**21**	**2**	**2**	**4**	**6**	**7**	**22**		**3898**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**614**	**5.2**	**21**	**2**	**2**	**4**	**6**	**7**	**22**		**3898**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	534	2.8	4	1	1	2	4	6	7	0-17	301	3.3	16	< 1	1	1	2	11	11
18-34	43	2.7	3							18-34	57	4.3	3						
35-49	46	1.7								35-49	75	1.8	1						
50-69	46	5.1	2							50-69	157	3.3	2	2	2	3	4	6	6
70 +	0									70 +	0								
SUBTOTAL	**670**	**2.9**	**4**	**1**	**1**	**2**	**5**	**6**	**6**		**591**	**3.2**	**10**	**1**	**1**	**2**	**3**	**8**	**11**
GRAND TOTAL	**670**	**2.9**	**4**	**1**	**1**	**2**	**5**	**6**	**6**		**591**	**3.2**	**10**	**1**	**1**	**2**	**3**	**8**	**11**

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1607	15.4	120	7	8	12	17	28	39
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**1607**	**15.4**	**120**	**7**	**8**	**12**	**17**	**28**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	359	11.0	12	7	9	11	13	15	17
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**359**	**11.0**	**12**	**7**	**9**	**11**	**13**	**15**	**17**
GRAND TOTAL	**1965**	**14.6**	**103**	**7**	**9**	**12**	**16**	**27**	**36**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	25.4	385	13	14	19	25	79	79
18-34	72	22.6	276						
35-49	143	16.0	60	8	11	16	17	28	35
50-69	72	33.0	261						
70 +	0								
	416	**23.0**	**267**	**8**	**13**	**16**	**26**	**51**	**53**
0-17	43	11.3	8						
18-34	86	11.5	17	6	9	10	14	19	19
35-49	72	12.6	44						
50-69	14	13.0							
70 +	0								
	215	**11.9**	**23**	**7**	**8**	**11**	**14**	**19**	**25**
	631	**19.2**	**211**	**7**	**11**	**14**	**21**	**41**	**51**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	22.3	145						
18-34	29	15.0	17						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**72**	**19.4**	**106**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	72	16.8	32						
18-34	14	10.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**86**	**15.7**	**33**	**10**	**11**	**14**	**18**	**27**	**27**
GRAND TOTAL	**158**	**17.4**	**69**	**11**	**11**	**15**	**19**	**27**	**39**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	13.5							
18-34	14	7.0							
35-49	0								
50-69	0								
70 +	0								
	43	**11.3**	**10**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	43	**11.3**	**10**						

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1004	12.8	88	6	9	11	13	17	30	0-17	72	12.0	24	8	8	10	21	99 +	99 +
70-74	714	15.0	55	8	10	13	17	28	32	18-34	14	9.0							
75-79	582	14.8	37	8	10	14	21	24	26	35-49	211	10.1	27	6	6	8	12	20	24
80-84	200	13.0	36	7	8	12	18	21	21	50-69	547	13.1	61	7	9	11	13	24	27
85 +	328	15.8	69	8	9	15	20	26	32	70 +	29	11.0	9						
SUBTOTAL	**2828**	**14.1**	**64**	**7**	**9**	**12**	**17**	**24**	**30**		**872**	**12.1**	**49**	**6**	**8**	**10**	**13**	**24**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	421	12.9	69	7	7	8	21	27	29	0-17	215	9.3	4	7	8	9	11	13	13
70-74	321	8.3	17	3	7	8	11	11	15	18-34	14	5.0							
75-79	240	12.6	10	9	10	12	14	17	19	35-49	428	9.6	6	6	7	9	11	13	14
80-84	43	13.7	21							50-69	750	8.5	6	5	7	8	9	12	13
85 +	64	13.0	4							70 +	0								
SUBTOTAL	**1089**	**11.5**	**39**	**5**	**8**	**10**	**14**	**20**	**27**		**1408**	**8.9**	**6**	**6**	**7**	**9**	**10**	**13**	**13**
GRAND TOTAL	**3917**	**13.4**	**59**	**7**	**8**	**11**	**16**	**24**	**28**		**2280**	**10.1**	**25**	**6**	**7**	**9**	**12**	**14**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	65.0								0-17	43	21.3	179						
18-34	0									18-34	0								
35-49	29	9.5	2							35-49	29	14.5	21						
50-69	89	14.3	73							50-69	89	11.7	46						
70 +	64	10.5								70 +	0								
SUBTOTAL	**197**	**16.1**	**227**	**8**	**9**	**10**	**11**	**28**	**65**		**161**	**14.8**	**93**	**8**	**9**	**10**	**19**	**27**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	115	15.9	458	6	6	7	11	72	72	0-17	86	10.5	2	8	10	11	11	12	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	14	19.0								50-69	78	13.3	23						
70 +	0									70 +	0								
SUBTOTAL	**129**	**16.2**	**408**	**6**	**6**	**8**	**11**	**72**	**72**		**164**	**11.8**	**14**	**8**	**10**	**11**	**12**	**19**	**19**
GRAND TOTAL	**326**	**16.1**	**298**	**6**	**8**	**10**	**11**	**28**	**65**		**326**	**13.3**	**55**	**8**	**9**	**10**	**13**	**19**	**27**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1902	13.5	204	4	6	9	16	25	40	0-17	1172	11.1	101	4	5	8	12	26	34
70-74	956	12.6	97	4	5	9	19	26	28	18-34	711	8.3	52	4	4	6	10	16	21
75-79	764	13.3	112	4	7	10	16	27	42	35-49	1089	7.4	18	3	5	6	9	12	15
80-84	297	12.8	49	1	8	12	21	22	22	50-69	1140	9.7	45	3	4	9	13	17	23
85+	246	9.3	21	1	8	9	12	15	15	70+	14	15.0							
SUBTOTAL	**4166**	**13.0**	**142**	**4**	**6**	**10**	**15**	**25**	**31**		**4126**	**9.3**	**57**	**3**	**5**	**7**	**11**	**16**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4166**	**13.0**	**142**	**4**	**6**	**10**	**15**	**25**	**31**		**4126**	**9.3**	**57**	**3**	**5**	**7**	**11**	**16**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	344	13.8	78	5	8	13	16	35	41	0-17	319	10.6	45	4	5	10	16	21	21
18-34	150	10.1	18	7	8	9	15	16	17	18-34	278	6.4	10	2	5	6	8	10	14
35-49	107	9.5	30							35-49	153	8.8	51	< 1	5	7	11	12	28
50-69	150	18.2	275	5	9	9	30	40	57	50-69	182	9.7	58	3	6	7	11	14	33
70+	0									70+	0								
SUBTOTAL	**752**	**13.3**	**107**	**5**	**8**	**11**	**16**	**30**	**41**		**933**	**8.9**	**41**	**3**	**5**	**7**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**752**	**13.3**	**107**	**5**	**8**	**11**	**16**	**30**	**41**		**933**	**8.9**	**41**	**3**	**5**	**7**	**11**	**17**	**21**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	871	6.7	24	1	3	6	9	11	16	0-17	4327	5.5	10	2	3	5	7	9	12
70-74	417	8.6	30	2	4	8	11	17	22	18-34	1453	5.3	9	2	3	5	7	9	13
75-79	261	8.0	49	1	2	5	12	23	23	35-49	2530	5.3	11	2	2	5	7	10	12
80-84	186	6.4	12	2	3	8	9	9	13	50-69	2302	5.8	13	2	3	5	8	12	14
85 +	78	5.0	11							70 +	29	7.5	6						
SUBTOTAL	**1813**	**7.2**	**28**	**2**	**3**	**7**	**10**	**13**	**20**		**10642**	**5.5**	**11**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**1813**	**7.2**	**28**	**2**	**3**	**7**	**10**	**13**	**20**		**10642**	**5.5**	**11**	**2**	**3**	**5**	**7**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1019	6.3	15	3	4	5	8	11	16	0-17	889	5.5	8	3	4	5	6	8	14
18-34	275	6.4	12	2	3	8	8	12	12	18-34	407	6.2	10	2	4	6	8	10	10
35-49	43	13.7	93							35-49	365	5.9	7	3	4	5	8	10	10
50-69	107	5.8	23							50-69	208	11.2	60	1	6	13	15	17	31
70 +	0									70 +	29	7.5	2						
SUBTOTAL	**1444**	**6.5**	**19**	**2**	**4**	**5**	**8**	**12**	**16**		**1898**	**6.4**	**17**	**3**	**4**	**5**	**8**	**12**	**15**
GRAND TOTAL	**1444**	**6.5**	**19**	**2**	**4**	**5**	**8**	**12**	**16**		**1898**	**6.4**	**17**	**3**	**4**	**5**	**8**	**12**	**15**

DRG 306: Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	866	7.0	11	3	4	6	9	11	14	0-17	0								
70-74	931	8.3	20	3	5	7	10	14	18	18-34	0								
75-79	660	6.5	17	3	4	5	9	13	15	35-49	0								
80-84	1101	10.0	115	4	5	8	10	16	20	50-69	389	7.1	9	3	4	7	9	12	12
85 +	456	11.1	39	4	5	10	14	21	22	70 +	46	7.0	37						
SUBTOTAL	4015	8.5	48	3	4	7	10	15	19		435	7.1	12	3	4	7	10	12	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	4015	8.5	48	3	4	7	10	15	19		435	7.1	12	3	4	7	10	12	12

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	14	3.0							
70 +	0									70 +	14	9.0							
SUBTOTAL	0										29	6.0	9						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	0										29	6.0	9						

DRG 307: Prostatectomy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-63	680	4.8	5	2	3	4	7	8	10
70-74	823	5.2	22	2	2	4	6	11	12
75-79	688	3.8	3	2	3	3	5	6	8
80-84	392	8.3	68	3	4	4	9	20	33
85 +	125	6.6	5						
SUBTOTAL	**2708**	**5.3**	**21**	**2**	**3**	**4**	**6**	**10**	**11**
GRAND TOTAL	**2708**	**5.3**	**21**	**2**	**3**	**4**	**6**	**10**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	14	2.0							
35-49	61	3.5							
50-69	667	3.9	5	2	2	3	5	7	8
70 +	46	2.4	1						
	789	**3.8**	**4**	**2**	**2**	**3**	**5**	**7**	**8**
	789	**3.8**	**4**	**2**	**2**	**3**	**5**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	32	8.0							
50-69	0								
70 +	0								
SUBTOTAL	**32**	**8.0**							
GRAND TOTAL	**32**	**8.0**							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	128	4.0	2						
70 +	0								
	128	**4.0**	**2**						
	128	**4.0**	**2**						

DRG 308: Minor Bladder Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1246	6.1	32	2	3	4	7	12	13	0-17	258	7.0	19	1	5	6	9	15	16	
70-74	756	7.3	31	2	3	6	10	12	15	18-34	107	10.4	21							
75-79	845	7.1	35	3	3	5	9	14	22	35-49	197	12.0	23	7	7	10	17	19	19	
80-84	621	9.4	188	2	3	5	9	15	65	50-69	272	12.4	351	1	3	7	10	66	66	
85 +	261	6.6	22	2	4	6	7	15	21	70 +	14	8.0								
SUBTOTAL	**3728**	**7.1**	**59**	**2**	**3**	**5**	**8**	**13**	**17**		**848**	**10.4**	**131**	**2**	**6**	**8**	**10**	**17**	**22**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**3728**	**7.1**	**59**	**2**	**3**	**5**	**8**	**13**	**17**		**848**	**10.4**	**131**	**2**	**6**	**8**	**10**	**17**	**22**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	143	11.9	124	1	5	9	25	39	99 +	0-17	115	12.1	72	1	6	10	16	30	30	
18-34	0									18-34	32	3.0								
35-49	0									35-49	0									
50-69	0									50-69	32	5.0								
70 +	46	6.5	14							70 +	29	10.0	37							
SUBTOTAL	**190**	**10.6**	**102**	**1**	**4**	**9**	**12**	**39**	**99 +**		**208**	**9.3**	**58**	**3**	**4**	**5**	**16**	**17**	**30**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**190**	**10.6**	**102**	**1**	**4**	**9**	**12**	**39**	**99 +**		**208**	**9.3**	**58**	**3**	**4**	**5**	**16**	**17**	**30**	

DRG 309: Minor Bladder Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	578	5.1	28	1	2	4	7	10	12	0-17	477	4.3	22	1	1	2	6	9	17
70-74	314	5.3	8	2	3	5	7	11	11	18-34	93	5.5	12						
75-79	307	4.0	9	1	1	2	5	9	9	35-49	286	6.4	16	1	1	7	9	12	12
80-84	139	2.9	3	1	1	3	5	5	5	50-69	460	6.4	17	2	3	6	10	12	14
85 +	14	2.0								70 +	14	3.0							
SUBTOTAL	**1352**	**4.7**	**17**	**1**	**2**	**4**	**7**	**9**	**11**		**1330**	**5.5**	**19**	**1**	**2**	**4**	**9**	**12**	**14**
GRAND TOTAL	**1352**	**4.7**	**17**	**1**	**2**	**4**	**7**	**9**	**11**		**1330**	**5.5**	**19**	**1**	**2**	**4**	**9**	**12**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	143	12.2	109	1	3	9	19	30	33	0-17	190	5.9	18	2	3	5	8	8	18
18-34	14	14.0								18-34	29	6.5	2						
35-49	32	13.0								35-49	29	3.0	4						
50-69	0									50-69	32	4.0							
70 +	0									70 +	78	3.8							
SUBTOTAL	**190**	**12.5**	**83**	**2**	**5**	**13**	**14**	**27**	**33**		**358**	**5.1**	**12**	**2**	**3**	**4**	**7**	**8**	**8**
GRAND TOTAL	**190**	**12.5**	**83**	**2**	**5**	**13**	**14**	**27**	**33**		**358**	**5.1**	**12**	**2**	**3**	**4**	**7**	**8**	**8**

DRG 310: Transurethral Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2880	5.1	17	2	3	4	6	9	13
70-74	2722	5.2	44	2	3	4	6	8	11
75-79	1732	5.3	18	2	3	4	6	10	17
80-84	1520	7.2	101	2	3	4	8	14	25
85 +	1163	7.1	27	2	4	6	9	14	15
SUBTOTAL	**10017**	**5.7**	**39**	**2**	**3**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10017**	**5.7**	**39**	**2**	**3**	**4**	**7**	**10**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	7.5	13						
18-34	941	4.3	8	1	2	3	7	8	9
35-49	1947	3.9	56	1	2	3	4	7	8
50-69	1893	4.4	14	2	2	3	5	9	10
70 +	93	2.9	1						
	4902	**4.2**	**29**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4902	**4.2**	**29**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	153	3.1	19	< 1	< 1	1	4	5	16
35-49	61	10.5	1						
50-69	89	4.7	11						
70 +	64	7.0	9						
SUBTOTAL	**368**	**5.4**	**20**	**< 1**	**1**	**4**	**10**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**368**	**5.4**	**20**	**< 1**	**1**	**4**	**10**	**11**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	182	5.0	5	2	3	5	7	7	8
35-49	107	5.3	8						
50-69	243	6.8	30	1	3	5	13	17	17
70 +	0								
	532	**5.9**	**18**	**1**	**3**	**5**	**7**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	532	**5.9**	**18**	**1**	**3**	**5**	**7**	**13**	**17**

DRG 311: Transurethral Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2824	3.0	4	1	1	2	4	6	7
70-74	1825	2.5	4	1	1	2	3	5	6
75-79	1656	3.4	7	1	2	3	4	7	8
80-84	935	3.0	4	1	2	2	4	5	7
85 +	510	5.1	17	1	3	5	6	8	13
SUBTOTAL	**7751**	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**7**
GRAND TOTAL	**7751**	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	200	2.5	3	1	1	2	5	5	5
18-34	4285	2.8	2	1	2	2	4	5	6
35-49	7854	3.0	4	1	2	3	4	5	7
50-69	6026	2.8	4	1	1	2	3	5	6
70 +	153	2.4	2	1	1	3	4	4	4
	18519	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
	18519	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	5.4	1						
18-34	171	3.3	3	1	2	3	4	6	7
35-49	157	2.7	1	2	2	3	3	4	4
50-69	89	4.0	3						
70 +	32	5.0							
SUBTOTAL	**496**	**3.6**	**3**	**2**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**496**	**3.6**	**3**	**2**	**2**	**3**	**5**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	32	6.0							
18-34	1002	2.9	3	1	2	2	4	5	7
35-49	864	2.8	3	1	2	3	3	5	5
50-69	589	2.8	2	1	2	2	3	5	5
70 +	14	2.0							
	2500	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
	2500	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**6**

DRG 312: Urethral Procedures, Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	603	5.1	21	1	3	4	6	9	10	0-17	0								
70-74	264	5.4	25	1	1	4	8	15	15	18-34	128	3.8	3						
75-79	186	6.9	23	3	4	6	7	17	17	35-49	96	2.7	3						
80-84	349	4.2	7	2	2	3	5	10	10	50-69	89	5.0	10						
85 +	110	6.2								70 +	0								
SUBTOTAL	1512	5.2	18	1	2	4	6	10	15		314	3.8	6	1	2	4	5	9	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	1512	5.2	18	1	2	4	6	10	15		314	3.8	6	1	2	4	5	9	9

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	32	5.0								18-34	46	2.9	2						
35-49	0									35-49	32	5.0							
50-69	46	10.7	171							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	78	8.3	108								78	3.8	2						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	78	8.3	108								78	3.8	2						

DRG 313: Urethral Procedures, Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	214	4.6	16	2	2	3	4	14	14	0-17	0								
70-74	203	2.7	5	1	2	2	3	4	10	18-34	240	2.0	1	1	1	2	2	4	5
75-79	267	2.9	2	1	2	3	4	5	6	35-49	182	3.4	6	1	1	3	4	8	8
80-84	64	2.0								50-69	499	2.2	2	1	1	2	3	5	5
85 +	96	3.0	3							70 +	32	2.0							
SUBTOTAL	**845**	**3.2**	**7**	**1**	**2**	**2**	**4**	**5**	**10**		**953**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**845**	**3.2**	**7**	**1**	**2**	**2**	**4**	**5**	**10**		**953**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	29	3.5	2							18-34	43	2.0	1						
35-49	46	1.0								35-49	46	2.3							
50-69	78	2.2	1							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**153**	**2.1**	**2**	**1**	**1**	**1**	**3**	**3**	**5**		**89**	**2.2**							
GRAND TOTAL	**153**	**2.1**	**2**	**1**	**1**	**1**	**3**	**3**	**5**		**89**	**2.2**							

DRG 314: Urethral Procedures, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	57	3.3	15						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										57	3.3	15						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	573	3.5	20	1	1	2	4	7	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										573	3.5	20	1	1	2	4	7	12
GRAND TOTAL	0										630	3.5	19	1	1	2	4	10	12

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	7.5	44							0-17	86	4.3	10	1	2	2	8	9	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	29	7.5	44								86	4.3	10	1	2	2	8	9	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	86	1.3	1	1	1	1	1	3	3	0-17	150	2.3	3	1	1	1	4	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	86	1.3	1	1	1	1	1	3	3		150	2.3	3	1	1	1	4	5	6
GRAND TOTAL	115	2.9	18	1	1	1	1	14	14		236	3.1	7	1	1	2	4	8	9

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3893	8.8	92	2	3	6	11	19	38	0-17	412	22.0	522	4	5	12	32	69	74
70-74	919	9.3	53	2	3	8	12	20	22	18-34	326	9.5	64	4	4	7	10	21	21
75-79	647	14.3	152	3	6	9	19	37	43	35-49	544	8.0	166	2	2	3	8	15	57
80-84	385	18.4	310	5	7	14	16	48	48	50-69	883	9.2	182	1	2	5	8	26	30
85 +	310	17.1	107	5	8	13	26	32	32	70 +	75	20.3	170						
SUBTOTAL	**6154**	**10.4**	**117**	**2**	**3**	**7**	**14**	**24**	**38**		**2240**	**11.6**	**251**	**2**	**3**	**6**	**11**	**32**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1199	3.7	6	1	2	3	5	7	9	0-17	279	8.0	75	1	2	4	11	21	31
70-74	190	3.0	2	2	2	3	3	5	6	18-34	283	4.7	11	1	2	5	6	10	12
75-79	75	10.8	25							35-49	508	4.8	13	1	2	3	7	10	12
80-84	72	4.6	17							50-69	626	5.8	31	1	2	4	7	10	25
85 +	0									70 +	0								
SUBTOTAL	**1536**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**1696**	**5.7**	**31**	**1**	**2**	**4**	**7**	**12**	**14**
GRAND TOTAL	**7689**	**9.2**	**102**	**2**	**3**	**6**	**12**	**21**	**32**		**3936**	**9.1**	**165**	**2**	**2**	**5**	**10**	**22**	**35**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	21.3	121							0-17	29	28.0	4						
18-34	251	6.3	20	2	3	4	10	11	18	18-34	190	12.7	73	1	6	12	25	25	99 +
35-49	176	14.0	160	1	2	8	22	28	43	35-49	187	12.1	68	3	6	11	14	25	31
50-69	580	9.6	70	2	3	6	14	20	22	50-69	308	10.7	65	3	5	9	12	23	29
70 +	0									70 +	14	22.0							
SUBTOTAL	**1066**	**10.2**	**89**	**2**	**3**	**7**	**17**	**22**	**30**		**727**	**12.5**	**77**	**3**	**6**	**11**	**19**	**26**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	115	11.5	46	2	8	10	13	27	27	0-17	72	5.2	18						
18-34	46	2.9	2							18-34	164	4.9	10	2	2	4	7	10	11
35-49	218	7.5	26	3	4	4	10	17	17	35-49	136	4.6	10	1	2	2	8	8	8
50-69	57	2.0	2							50-69	275	6.3	9	2	3	8	8	9	11
70 +	14	2.0								70 +	0								
SUBTOTAL	**450**	**7.2**	**35**	**2**	**2**	**4**	**10**	**17**	**17**		**647**	**5.4**	**11**	**2**	**2**	**5**	**8**	**9**	**11**
GRAND TOTAL	**1517**	**9.3**	**75**	**2**	**3**	**6**	**14**	**22**	**28**		**1374**	**9.2**	**58**	**2**	**3**	**8**	**11**	**25**	**29**

DRG 316: Renal Failure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2862	7.8	31	2	4	6	10	17	20
70-74	1131	10.3	79	2	5	8	13	19	34
75-79	1772	12.3	159	3	5	10	14	21	35
80-84	1672	11.4	88	3	6	9	14	22	28
85 +	1521	10.1	67	3	6	7	11	16	29
SUBTOTAL	**8958**	**10.1**	**82**	**3**	**5**	**8**	**12**	**19**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	351	5.0	39	1	2	4	4	9	11
70-74	218	7.7	18	4	4	7	12	15	15
75-79	139	9.2	25	4	4	7	12	17	18
80-84	142	5.6	7						
85 +	110	4.9	3						
SUBTOTAL	**961**	**6.3**	**26**	**2**	**4**	**4**	**7**	**12**	**15**
GRAND TOTAL	**9919**	**9.7**	**78**	**3**	**5**	**8**	**12**	**18**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	316	7.6	70	< 1	2	4	7	24	25
18-34	118	7.2	25	1	3	7	9	16	16
35-49	358	6.9	47	< 1	1	5	10	14	20
50-69	457	9.1	40	4	5	7	9	25	26
70 +	46	8.1	2						
	1295	**7.9**	**47**	**1**	**4**	**6**	**9**	**16**	**25**
0-17	301	5.5	45	1	1	2	6	14	20
18-34	72	4.2	8						
35-49	296	3.0	3	1	2	2	4	7	7
50-69	107	6.0	13						
70 +	0								
	776	**4.5**	**23**	**1**	**2**	**3**	**5**	**10**	**14**
	2071	**6.6**	**41**	**1**	**2**	**5**	**9**	**14**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	115	11.9	294	2	2	4	11	56	56
18-34	132	4.0	6	< 1	2	3	5	9	9
35-49	46	7.3	43						
50-69	417	7.7	51	3	4	5	10	99 +	99 +
70 +	14	7.0							
SUBTOTAL	**725**	**7.7**	**84**	**3**	**3**	**5**	**10**	**30**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	161	5.6	7	4	4	5	6	7	13
18-34	61	4.7	4						
35-49	61	7.7	83						
50-69	46	3.9	2						
70 +	14	20.0							
SUBTOTAL	**343**	**6.2**	**28**	**3**	**3**	**4**	**6**	**13**	**20**
GRAND TOTAL	**1069**	**7.2**	**67**	**3**	**3**	**5**	**9**	**24**	**99 +**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	11.2	43	3	7	9	20	20	20
18-34	197	4.1	27	1	2	2	4	6	22
35-49	278	10.1	27	4	7	10	12	22	22
50-69	385	8.9	33	5	5	8	10	15	24
70 +	14	3.0							
	961	**8.4**	**36**	**2**	**4**	**8**	**10**	**20**	**22**
0-17	107	8.2	24						
18-34	61	4.2	1						
35-49	29	3.0							
50-69	0								
70 +	0								
	197	**6.2**	**18**	**3**	**3**	**4**	**8**	**15**	**15**
	1157	**8.0**	**34**	**2**	**4**	**7**	**10**	**15**	**22**

DRG 317: Admit for Renal Dialysis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	57	1.5	1							0-17	43	2.3	4						
70-74	32	3.0								18-34	14	17.0							
75-79	32	2.0								35-49	46	3.6	1						
80-84	64	1.5								50-69	64	4.5	2						
85 +	0									70 +	0								
SUBTOTAL	186	1.8	1	1	1	2	2	3	3		168	4.8	17	1	3	3	6	6	17
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	6.0								0-17	0								
70-74	32	4.0								18-34	0								
75-79	0									35-49	64	1.5							
80-84	0									50-69	14	1.0							
85 +	0									70 +	0								
SUBTOTAL	64	5.0	1								78	1.4							
GRAND TOTAL	250	2.7	3	1	1	2	4	6	6		246	3.7	14	1	1	3	5	6	17

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	64	2.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	64	2.0									0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	32	3.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	32	3.0									0								
GRAND TOTAL	96	2.3									0								

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	443	7.9	69	2	4	5	9	15	35	0-17	57	19.0	220							
70-74	438	10.9	88	2	6	8	11	28	36	18-34	14	4.0								
75-79	243	8.5	70	2	2	4	10	27	27	35-49	32	3.0								
80-84	349	11.0	32	5	5	10	13	20	21	50-69	421	8.8	77	2	2	5	11	15	35	
85 +	235	8.2	50	3	4	5	10	13	33	70 +	14	10.0								
SUBTOTAL	**1709**	**9.4**	**66**	**2**	**4**	**7**	**11**	**21**	**28**		**539**	**9.4**	**96**	**2**	**3**	**5**	**11**	**25**	**35**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**1709**	**9.4**	**66**	**2**	**4**	**7**	**11**	**21**	**28**		**539**	**9.4**	**96**	**2**	**3**	**5**	**11**	**25**	**35**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	43	11.3	179							0-17	57	12.3	68							
18-34	0									18-34	0									
35-49	0									35-49	14	10.0								
50-69	61	4.7	6							50-69	78	1.4								
70 +	32	8.0								70 +	0									
SUBTOTAL	**136**	**7.6**	**67**	**1**	**3**	**4**	**8**	**30**	**30**		**150**	**6.4**	**53**	**1**	**1**	**2**	**10**	**13**	**25**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**136**	**7.6**	**67**	**1**	**3**	**4**	**8**	**30**	**30**		**150**	**6.4**	**53**	**1**	**1**	**2**	**10**	**13**	**25**	

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	107	2.2	2						
70-74	78	4.6	14						
75-79	46	3.3							
80-84	46	1.3							
85 +	0								
SUBTOTAL	**278**	**2.9**	**6**	**1**	**1**	**2**	**4**	**9**	**9**
GRAND TOTAL	**278**	**2.9**	**6**	**1**	**1**	**2**	**4**	**9**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	57	3.8	7						
18-34	0								
35-49	139	6.2	28	1	2	4	6	16	17
50-69	256	3.3	3	1	2	3	4	7	7
70 +	0								
	453	**4.2**	**13**	**1**	**2**	**3**	**5**	**7**	**15**
	453	**4.2**	**13**	**1**	**2**	**3**	**5**	**7**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	86	4.0	25	1	1	2	3	15	15
18-34	0								
35-49	0								
50-69	14	2.0							
70 +	32	4.0							
SUBTOTAL	**132**	**3.8**	**17**	**1**	**1**	**3**	**4**	**15**	**15**
GRAND TOTAL	**132**	**3.8**	**17**	**1**	**1**	**3**	**4**	**15**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	57	5.3	22						
18-34	0								
35-49	0								
50-69	29	5.0	17						
70 +	0								
	86	**5.2**	**20**	**<1**	**1**	**1**	**9**	**12**	**12**
	86	**5.2**	**20**	**<1**	**1**	**1**	**9**	**12**	**12**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13549	7.0	28	3	4	6	8	12	15	0-17	0								
70-74	9234	8.4	62	3	5	7	9	16	21	18-34	3678	4.4	7	2	3	4	5	7	10
75-79	13507	8.1	49	3	4	6	9	13	21	35-49	3486	5.4	9	2	4	5	7	8	11
80-84	12689	8.3	54	3	5	7	9	14	19	50-69	4851	6.2	26	2	4	5	7	9	14
85 +	15288	8.8	51	3	5	7	10	15	21	70 +	460	5.7	10	1	3	6	9	10	10
SUBTOTAL	64267	8.1	48	3	5	6	9	14	19		12474	5.5	16	2	3	5	6	9	11
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	64267	8.1	48	3	5	6	9	14	19		12474	5.5	16	2	3	5	6	9	11

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	2024	5.6	8	3	4	5	6	10	12	18-34	1860	4.6	13	2	3	4	5	8	9
35-49	1441	7.2	78	3	4	5	8	13	16	35-49	1006	5.4	36	1	3	5	6	8	11
50-69	1747	7.8	61	3	4	6	9	14	23	50-69	917	6.6	13	2	4	6	8	13	14
70 +	645	10.3	139	3	4	5	19	45	99 +	70 +	385	7.2	41	2	3	5	9	13	13
SUBTOTAL	5858	7.2	57	3	4	5	8	13	19		4168	5.4	22	2	3	4	7	9	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	5858	7.2	57	3	4	5	8	13	19		4168	5.4	22	2	3	4	7	9	13

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4224	5.1	8	2	4	4	6	9	10	0-17	0								
70-74	3065	5.7	9	3	4	5	7	10	10	18-34	11716	3.8	4	2	3	4	5	6	8
75-79	3376	5.6	20	3	3	5	7	8	10	35-49	6587	4.2	5	2	3	4	5	7	8
80-84	3285	6.2	37	2	4	5	7	9	13	50-69	5499	4.5	5	2	3	4	6	7	10
85 +	3254	7.1	76	3	4	6	7	13	14	70 +	157	4.0	7	2	2	2	7	8	8
SUBTOTAL	**17204**	**5.9**	**29**	**3**	**4**	**5**	**7**	**9**	**12**		**23959**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**17204**	**5.9**	**29**	**3**	**4**	**5**	**7**	**9**	**12**		**23959**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	3898	3.8	3	2	3	4	5	6	7	18-34	4637	3.6	4	2	2	3	4	6	7
35-49	1095	5.0	10	3	3	4	6	8	10	35-49	1277	4.4	7	2	3	4	5	8	9
50-69	712	6.5	15	2	4	6	8	14	15	50-59	760	4.2	8	1	2	3	5	9	11
70 +	142	3.9	3	2	3	3	7	99 +	99 +	70 +	46	10.1	2						
SUBTOTAL	**5847**	**4.4**	**7**	**2**	**3**	**4**	**5**	**7**	**9**		**6720**	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**5847**	**4.4**	**7**	**2**	**3**	**4**	**5**	**7**	**9**		**6720**	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**9**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	275	5.5	6	3	3	6	8	8	9	0-17	3097	4.6	22	2	3	4	5	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	275	5.5	6	3	3	6	8	8	9		3097	4.6	22	2	3	4	5	7	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	89	4.3	6							0-17	12736	4.1	8	2	3	3	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	89	4.3	6								12736	4.1	8	2	3	3	5	7	8
GRAND TOTAL	364	5.2	6	2	3	5	8	8	8		15834	4.2	10	2	3	4	5	7	8

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1380	5.8	18	2	3	5	7	11	13	0-17	808	6.0	24	2	3	5	8	12	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1380	5.8	18	2	3	5	7	11	13		808	6.0	24	2	3	5	8	12	16
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4853	4.3	5	2	3	4	5	7	9	0-17	4402	4.7	6	2	3	4	6	8	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	4853	4.3	5	2	3	4	5	7	9		4402	4.7	6	2	3	4	6	8	10
GRAND TOTAL	6233	4.7	8	2	3	4	6	8	10		5210	4.9	9	2	3	4	6	9	11

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3403	4.1	12	1	2	3	5	8	10	0-17	321	3.2	8	< 1	1	3	4	6	6
70-74	2310	3.6	5	1	2	3	5	7	9	18-34	3385	2.3	3	1	1	2	3	4	5
75-79	1202	4.2	9	1	2	3	6	9	10	35-49	5038	2.4	4	1	1	2	3	4	6
80-84	507	4.9	14	1	2	5	6	9	10	50-69	4315	3.0	6	1	1	2	5	6	8
85 +	624	6.4	24	2	3	4	9	15	19	70 +	0								
SUBTOTAL	**8045**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**11**		**13059**	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	710	2.1	6	< 1	< 1	1	2	5	7	0-17	72	1.8	3						
70-74	265	2.3	3	< 1	1	2	3	6	6	18-34	613	1.6	2	< 1	< 1	1	2	3	4
75-79	118	1.1		< 1	1	1	1	2	2	35-49	1397	1.6	3	< 1	< 1	1	1	3	4
80-84	72	1.2								50-69	1548	1.6	3	< 1	< 1	1	1	3	5
85 +	43	2.3	2							70 +	0								
SUBTOTAL	**1207**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**		**3630**	**1.6**	**3**	**< 1**	**< 1**	**1**	**1**	**3**	**5**
GRAND TOTAL	**9252**	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**		**16689**	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	132	2.6	7	1	2	2	2	10	10	0-17	43	4.0	3						
18-34	468	3.6	8	1	1	3	4	5	10	18-34	718	2.5	3	1	1	2	3	5	6
35-49	342	4.5	14	1	3	3	5	8	15	35-49	696	2.9	5	1	1	2	5	6	6
50-69	250	3.8	5	1	2	3	5	9	9	50-69	428	3.7	6	1	2	2	6	8	8
70 +	0									70 +	14	47.0							
SUBTOTAL	**1193**	**3.8**	**9**	**1**	**2**	**3**	**5**	**9**	**10**		**1899**	**3.3**	**19**	**1**	**1**	**2**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	72	1.8	1							18-34	132	1.9	1	< 1	1	2	2	4	4
35-49	43	1.7								35-49	172	1.7	1	< 1	< 1	1	2	3	3
50-69	57	2.8	2							50-69	129	2.7	2	< 1	2	2	3	6	6
70 +	0									70 +	0								
SUBTOTAL	**172**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**434**	**2.0**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**1365**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**10**		**2333**	**3.0**	**16**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3690	2.5	3	1	1	2	3	4	5
70-74	1536	2.7	4	1	1	2	3	5	7
75-79	627	2.5	3	1	1	2	4	4	7
80-84	243	7.4	37	1	2	4	12	17	19
85 +	253	3.4	5	1	1	3	6	7	7
SUBTOTAL	**6350**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**6350**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1835	2.1	5	1	1	2	2	4	5
18-34	13867	1.9	3	1	1	2	2	3	4
35-49	21599	1.9	2	1	1	2	2	3	5
50-69	12401	2.2	2	1	1	2	3	4	5
70 +	29	1.5							
	49731	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
	49731	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	204	3.4	6	1	1	3	5	8	8
18-34	959	2.6	3	< 1	1	2	4	5	6
35-49	328	2.9	5	1	1	2	4	4	9
50-69	232	3.7	4	1	3	3	4	5	10
70 +	32	2.0							
SUBTOTAL	**1755**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**8**
GRAND TOTAL	**1755**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	350	2.6	4	1	1	2	3	7	7
18-34	3637	1.8	2	1	1	1	2	3	4
35-49	2527	2.1	2	1	1	2	3	4	5
50-69	1244	2.2	2	< 1	1	2	3	3	5
70 +	0								
	7757	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**5**
	7757	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**5**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1030	4.7	12	1	2	4	7	10	11
70-74	410	5.3	70	1	2	3	4	12	12
75-79	685	5.8	16	2	2	5	7	12	13
80-84	799	6.5	14	3	3	6	8	12	14
85 +	670	8.4	37	2	5	7	9	17	24
SUBTOTAL	**3594**	**6.1**	**26**	**2**	**3**	**5**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3594**	**6.1**	**26**	**2**	**3**	**5**	**8**	**12**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	229	2.6	4	1	1	2	4	7	7
35-49	504	2.8	4	1	1	3	4	4	5
50-69	531	3.1	2	2	2	3	4	5	6
70 +	14	2.0							
	1278	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1278	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	46	9.5	5						
35-49	110	3.9	4						
50-69	32	5.0							
70 +	14	5.0							
SUBTOTAL	**203**	**5.4**	**8**	**2**	**3**	**5**	**6**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**203**	**5.4**	**8**	**2**	**3**	**5**	**6**	**11**	**11**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	93	4.5	5						
35-49	57	3.0	2						
50-69	0								
70 +	61	6.2	10						
	211	**4.6**	**7**	**1**	**3**	**4**	**7**	**9**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	211	**4.6**	**7**	**1**	**3**	**4**	**7**	**9**	**9**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	421	2.7	4	1	1	2	4	5	5
70-74	417	2.7	3	1	1	2	4	6	6
75-79	235	2.5	6	1	1	1	3	8	8
80-84	285	9.8	190	1	2	4	5	44	44
85 +	285	5.6	18	1	2	4	6	15	15
SUBTOTAL	**1643**	**4.4**	**46**	**1**	**1**	**2**	**5**	**8**	**15**
GRAND TOTAL	**1643**	**4.4**	**46**	**1**	**1**	**2**	**5**	**8**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1024	2.2	4	1	1	1	3	4	8
35-49	649	2.5	6	1	1	2	3	5	7
50-69	869	2.9	4	1	1	2	4	6	8
70 +	46	2.6	1						
	2589	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	2589	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	75	2.1	4						
35-49	32	2.0							
50-69	32	5.0							
70 +	29	3.0	4						
SUBTOTAL	**168**	**2.8**	**4**	**1**	**1**	**2**	**5**	**5**	**6**
GRAND TOTAL	**168**	**2.8**	**4**	**1**	**1**	**2**	**5**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	118	3.2	6	< 1	1	2	5	8	8
35-49	78	6.7	28						
50-69	121	1.9	1	1	1	2	3	3	3
70 +	72	4.2	2						
	390	**3.7**	**11**	**1**	**1**	**3**	**4**	**8**	**13**
	390	**3.7**	**11**	**1**	**1**	**3**	**4**	**8**	**13**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29	1.0								0-17	179	3.4	8	1	2	2	5	8	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**29**	**1.0**									**179**	**3.4**	**8**	**1**	**2**	**2**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	955	2.2	3	1	1	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**955**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**29**	**1.0**									**1134**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	11.0								0-17	43	2.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**14**	**11.0**									**43**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	268	2.5	2	1	1	2	3	4	7	0-17	190	1.9	1	1	1	2	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**268**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**7**		**190**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**283**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**9**		**233**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 328: Urethral Stricture Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	189	3.3	4	2	2	3	4	7	7
70-74	93	5.3	14						
75-79	218	3.9	2	2	3	4	4	7	7
80-84	121	4.5	24	1	2	3	3	17	17
85 +	253	5.3	16	1	1	4	9	13	13
SUBTOTAL	874	4.4	11	1	2	3	5	9	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	874	4.4	11	1	2	3	5	9	13

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	1.0							
35-49	110	7.7	1						
50-69	64	3.5							
70 +	32	4.0							
	235	5.3	7	1	3	4	8	9	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	235	5.3	7	1	3	4	8	9	9

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	32	2.0							
35-49	14	4.0							
50-69	14	4.0							
70 +	32	4.0							
	93	3.3	1						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	93	3.3	1						

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	142	3.4	1						
70-74	0								
75-79	0								
80-84	14	8.0							
85 +	14	1.0							
SUBTOTAL	**171**	**3.6**	3	2	2	4	4	5	8
GRAND TOTAL	**171**	**3.6**	3	2	2	4	4	5	8

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	78	2.2	2						
35-49	32	3.0							
50-69	78	2.8	3						
70 +	0								
	189	**2.6**	2	< 1	1	3	4	5	5
	189	**2.6**	2	< 1	1	3	4	5	5

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	32	1.0							
50-69	0								
70 +	0								
	32	**1.0**							
	32	**1.0**							

DRG 330: Urethral Stricture Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	89	2.5	3						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**89**	**2.5**	**3**						
GRAND TOTAL	**0**										**89**	**2.5**	**3**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	46	1.3								0-17	29	1.5							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**46**	**1.3**									**29**	**1.5**							
GRAND TOTAL	**46**	**1.3**									**29**	**1.5**							

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4417	7.0	52	2	3	5	9	15	19	0-17	0								
70-74	1441	6.4	22	2	4	5	8	10	12	18-34	871	5.4	25	1	2	4	7	9	20
75-79	1323	8.8	44	3	4	8	11	18	25	35-49	994	5.1	22	1	2	4	7	9	12
80-84	1020	8.2	27	3	5	7	11	15	17	50-69	986	6.6	29	2	3	5	8	14	15
85 +	1227	12.1	201	2	4	8	13	28	46	70 +	46	2.7							
SUBTOTAL	**9429**	**8.0**	**66**	**2**	**3**	**6**	**10**	**16**	**21**		**2897**	**5.7**	**25**	**2**	**2**	**4**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9429**	**8.0**	**66**	**2**	**3**	**6**	**10**	**16**	**21**		**2897**	**5.7**	**25**	**2**	**2**	**4**	**7**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	254	3.7	14	1	2	3	3	7	18	18-34	436	3.7	8	1	1	3	6	8	9
35-49	360	6.5	11	3	4	5	7	12	12	35-49	279	3.8	6	1	2	3	6	8	9
50-69	390	8.0	83	2	2	6	11	12	33	50-69	375	4.8	26	1	2	4	6	9	10
70 +	61	13.0	38							70 +	32	3.0							
SUBTOTAL	**1064**	**6.8**	**45**	**2**	**3**	**5**	**8**	**12**	**18**		**1123**	**4.1**	**14**	**1**	**2**	**3**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1064**	**6.8**	**45**	**2**	**3**	**5**	**8**	**12**	**18**		**1123**	**4.1**	**14**	**1**	**2**	**3**	**6**	**8**	**9**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1212	4.9	13	1	2	4	6	9	12	0-17	0								
70-74	528	4.1	6	1	2	4	6	8	8	18-34	1910	3.6	13	1	1	2	5	8	10
75-79	720	4.1	9	1	2	4	5	7	8	35-49	1264	3.7	18	1	1	3	5	6	7
80-84	360	3.2	4	1	1	3	5	5	5	50-69	1343	4.2	16	1	1	3	5	9	13
85 +	192	4.0	4	2	2	4	6	7	7	70 +	29	4.0	4						
SUBTOTAL	**3013**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**9**		**4546**	**3.8**	**16**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**3013**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**9**		**4546**	**3.8**	**16**	**1**	**1**	**2**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	182	2.8	2	2	2	2	3	5	5	18-34	633	4.6	45	1	1	2	4	9	29
35-49	75	5.0	9							35-49	379	3.8	8	1	2	3	5	8	8
50-69	182	5.4	7	2	5	6	6	7	12	50-69	208	2.6	4	1	1	2	3	3	9
70 +	0									70 +	0								
SUBTOTAL	**439**	**4.2**	**7**	**2**	**2**	**4**	**6**	**6**	**11**		**1219**	**4.0**	**27**	**1**	**1**	**3**	**4**	**9**	**9**
GRAND TOTAL	**439**	**4.2**	**7**	**2**	**2**	**4**	**6**	**6**	**11**		**1219**	**4.0**	**27**	**1**	**1**	**3**	**4**	**9**	**9**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	330	6.7	28	1	2	5	8	16	17
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**330**	**6.7**	**28**	**1**	**2**	**5**	**8**	**16**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	244	7.2	21	1	5	7	8	16	16
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**244**	**7.2**	**21**	**1**	**5**	**7**	**8**	**16**	**16**
GRAND TOTAL	**574**	**6.9**	**25**	**1**	**3**	**6**	**8**	**16**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1514	5.1	24	1	2	3	7	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1514	**5.1**	**24**	**1**	**2**	**3**	**7**	**11**	**14**
0-17	3636	3.3	9	1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3636	**3.3**	**9**	**1**	**1**	**2**	**4**	**7**	**9**
	5150	**3.8**	**14**	**1**	**1**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	667	8.4	49	2	3	6	12	17	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**667**	**8.4**	**49**	**2**	**3**	**6**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1444	4.1	10	1	2	3	5	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1444**	**4.1**	**10**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**2110**	**5.5**	**26**	**1**	**2**	**4**	**7**	**12**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	635	5.2	24	1	2	3	7	10	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	635	**5.2**	**24**	**1**	**2**	**3**	**7**	**10**	**15**
0-17	1164	4.6	21	1	2	3	7	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1164	**4.6**	**21**	**1**	**2**	**3**	**7**	**8**	**10**
	1799	**4.8**	**22**	**1**	**2**	**3**	**7**	**9**	**13**

DRG 334: Major Male Pelvic Procedures w/ CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	992	11.7	17	7	8	11	14	18	19	0-17	14	1.0							
70-74	1155	12.0	30	8	9	10	14	19	21	18-34	0								
75-79	368	12.1	19	8	9	11	15	15	17	35-49	43	6.0	9						
80-84	157	16.8	36	8	12	18	18	26	26	50-69	617	11.0	12	7	9	10	14	16	17
85 +	32	8.0								70 +	61	16.9	57						
SUBTOTAL	**2704**	**12.1**	**25**	**7**	**9**	**11**	**15**	**18**	**21**		**735**	**11.0**	**22**	**7**	**8**	**10**	**14**	**17**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2704**	**12.1**	**25**	**7**	**9**	**11**	**15**	**18**	**21**		**735**	**11.0**	**22**	**7**	**8**	**10**	**14**	**17**	**18**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	32	6.0								50-69	29	7.0							
70 +	0									70 +	14	9.0							
SUBTOTAL	**32**	**6.0**									**43**	**7.7**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**32**	**6.0**									**43**	**7.7**	**1**						

DRG 335: Major Male Pelvic Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	854	9.2	13	5	7	9	10	12	15
70-74	713	9.6	8	6	7	9	11	14	15
75-79	139	11.9	8	8	10	11	13	16	16
80-84	78	8.0	3						
85 +	32	5.0							
SUBTOTAL	**1817**	**9.4**	**11**	**6**	**7**	**9**	**11**	**14**	**15**
GRAND TOTAL	**1817**	**9.4**	**11**	**6**	**7**	**9**	**11**	**14**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	115	1.5	1	< 1	1	1	1	4	4
18-34	78	14.2	82						
35-49	32	12.0							
50-69	1160	8.8	7	5	7	9	10	12	14
70 +	0								
	1385	**8.5**	**16**	**4**	**7**	**8**	**10**	**13**	**14**
	1385	**8.5**	**16**	**4**	**7**	**8**	**10**	**13**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	1.0							
18-34	0								
35-49	0								
50-69	46	10.7	31						
70 +	0								
SUBTOTAL	**93**	**5.9**	**39**						
GRAND TOTAL	**93**	**5.9**	**39**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	14	4.0							
18-34	32	5.0							
35-49	0								
50-69	110	8.5	4						
70 +	0								
	157	**7.4**	**6**	**5**	**5**	**7**	**9**	**9**	**12**
	157	**7.4**	**6**	**5**	**5**	**7**	**9**	**9**	**12**

DRG 336: Transurethral Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7588	5.9	17	3	4	5	7	10	12	0-17	0								
70-74	7631	6.8	27	4	4	5	7	11	16	18-34	0								
75-79	8398	6.5	13	3	4	5	7	11	14	35-49	43	7.3	10						
80-84	4295	7.6	33	4	5	6	9	12	14	50-69	2674	5.4	8	3	4	4	6	9	12
85 +	3046	7.7	24	4	5	7	9	13	17	70 +	229	9.6	117	4	4	5	8	36	36
SUBTOTAL	**30958**	**6.7**	**21**	**3**	**4**	**5**	**8**	**11**	**14**		**2945**	**5.7**	**18**	**3**	**4**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**30958**	**6.7**	**21**	**3**	**4**	**5**	**8**	**11**	**14**		**2945**	**5.7**	**18**	**3**	**4**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID										NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	14	1.0							
50-69	218	18.4	879	1	4	5	13	89	89	50-69	336	5.1	10	2	3	4	6	10	13
70 +	78	8.1	13							70 +	57	4.3							
SUBTOTAL	**296**	**15.7**	**670**	**1**	**4**	**5**	**13**	**89**	**89**		**407**	**4.8**	**9**	**2**	**3**	**4**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**296**	**15.7**	**670**	**1**	**4**	**5**	**13**	**89**	**89**		**407**	**4.8**	**9**	**2**	**3**	**4**	**5**	**10**	**13**

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8756	4.1	2	2	3	4	5	6	7	0-17	0								
70-74	6374	4.3	4	2	3	4	5	6	8	18-34	0								
75-79	6115	4.8	7	3	3	4	5	8	10	35-49	332	4.4	4	3	3	4	5	5	10
80-84	3325	5.3	22	3	3	5	6	8	10	50-69	9427	4.5	29	2	3	4	5	6	7
85 +	1299	6.3	14	3	4	5	8	10	12	70 +	297	4.9	2	3	4	5	6	7	7
SUBTOTAL	**25869**	**4.6**	**7**	**3**	**3**	**4**	**5**	**7**	**9**		**10056**	**4.5**	**28**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**25869**	**4.6**	**7**	**3**	**3**	**4**	**5**	**7**	**9**		**10056**	**4.5**	**28**	**2**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	64	3.5							
50-69	360	5.4	5	3	4	5	8	8	8	50-69	507	4.3	3	3	3	4	5	7	8
70 +	160	6.2	13							70 +	78	5.2	1						
SUBTOTAL	**520**	**5.6**	**7**	**2**	**4**	**5**	**9**	**10**	**11**		**649**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**520**	**5.6**	**7**	**2**	**4**	**5**	**8**	**10**	**11**		**649**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**7**

DRG 338: Testes Procedures, for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	385	7.7	43	2	3	5	10	13	25	0-17	14	1.0							
70-74	342	7.5	76	1	2	3	7	18	29	18-34	14	7.0							
75-79	517	7.7	73	1	2	4	7	23	32	35-49	14	7.0							
80-84	493	8.3	76	1	2	5	11	18	35	50-69	243	12.9	489	1	1	5	9	69	69
85 +	314	5.8	20	2	3	4	9	9	9	70 +	14	6.0							
SUBTOTAL	**2051**	**7.5**	**61**	**1**	**2**	**4**	**9**	**18**	**25**		**300**	**11.4**	**405**	**1**	**1**	**5**	**9**	**69**	**69**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	182	4.9	21	1	1	5	5	8	19	0-17	14	1.0							
70-74	318	2.9	9	1	1	2	3	10	10	18-34	350	2.3	3	1	1	2	2	5	5
75-79	364	1.5	1	1	1	1	2	3	3	35-49	186	2.8	8	1	1	2	3	6	11
80-84	278	6.8	58	1	1	4	10	25	25	50-69	121	2.9	2	< 1	2	3	5	5	5
85 +	232	1.6	2	1	1	1	1	3	6	70 +	0								
SUBTOTAL	**1375**	**3.4**	**21**	**1**	**1**	**2**	**3**	**10**	**13**		**671**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3426**	**5.8**	**49**	**1**	**1**	**3**	**7**	**14**	**23**		**972**	**5.3**	**145**	**1**	**1**	**2**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	14	1.0								35-49	0								
50-69	29	13.0	37							50-69	46	6.8	3						
70 +	0									70 +	14	7.0							
SUBTOTAL	**43**	**9.0**	**57**								**61**	**6.8**	**3**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	32	4.0								0-17	0								
18-34	14	2.0								18-34	61	1.5							
35-49	0									35-49	0								
50-69	46	1.3								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**93**	**2.3**	**2**								**61**	**1.5**							
GRAND TOTAL	**136**	**4.5**	**29**	**1**	**1**	**2**	**4**	**19**	**19**		**121**	**4.2**	**9**	**< 1**	**2**	**3**	**8**	**8**	**8**

DRG 339: Testes Procedures, Non-malignancy Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	282	2.8	3	1	1	3	4	6	6	0-17	0								
70-74	203	10.6	236	1	2	3	7	26	57	18-34	139	3.4	3	1	1	4	5	5	5
75-79	139	8.8	100	1	2	2	12	26	26	35-49	107	3.6	6						
80-84	0									50-69	235	6.4	51	1	2	4	8	9	32
85 +	14	10.0								70 +	14	7.0							
SUBTOTAL	**638**	**6.7**	**110**	**1**	**2**	**3**	**6**	**26**	**26**		**496**	**4.9**	**28**	**1**	**2**	**4**	**7**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	557	2.7	4	1	1	2	3	6	7	0-17	0								
70-74	264	3.0	3	1	1	3	5	6	6	18-34	1029	1.5	1	1	1	1	2	3	3
75-79	218	2.9	3	1	1	2	5	6	6	35-49	1284	1.9	4	< 1	1	1	2	3	5
80-84	139	3.0	6	1	1	1	6	7	7	50-69	899	1.7	1	1	1	1	2	3	4
85 +	0									70 +	14	1.0							
SUBTOTAL	**1177**	**2.8**	**4**	**1**	**1**	**2**	**5**	**6**	**6**		**3227**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1816**	**4.2**	**45**	**1**	**1**	**2**	**5**	**6**	**12**		**3723**	**2.1**	**7**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	29	1.5								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	32	7.0							
70 +	0									70 +	0								
SUBTOTAL	**29**	**1.5**									**32**	**7.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	107	1.4								18-34	757	1.8	1	1	1	1	2	3	5
35-49	128	5.3	16							35-49	232	1.8	2	< 1	< 1	2	2	3	6
50-69	61	5.7	13							50-69	121	5.2	24	1	1	2	12	12	12
70 +	0									70 +	0								
SUBTOTAL	**296**	**4.0**	**13**	**1**	**1**	**2**	**4**	**12**	**12**		**1111**	**2.2**	**5**	**1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**325**	**3.7**	**13**	**1**	**1**	**2**	**4**	**10**	**12**		**1143**	**2.3**	**6**	**1**	**1**	**1**	**2**	**6**	**7**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	118	1.6		< 1	1	2	2	3	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**118**	**1.6**		**< 1**	**1**	**2**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3710	1.4	1	< 1	1	1	2	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3710**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**0**										**3828**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	136	2.6	3	< 1	1	2	3	7	7	0-17	75	2.1	6						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**136**	**2.6**	**3**	**< 1**	**1**	**2**	**3**	**7**	**7**		**75**	**2.1**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1048	1.3		1	1	1	2	2	2	0-17	708	1.4		1	1	1	2	3	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1048**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**		**708**	**1.4**		**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**1184**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**		**783**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 341: Penis Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	810	10.4	369	2	4	5	7	12	44	0-17	190	6.4	21	1	3	5	10	14	14
70-74	574	4.9	7	1	3	4	6	9	10	18-34	46	4.5	5						
75-79	413	8.0	45	3	4	5	12	13	28	35-49	296	3.2	3	1	1	4	5	6	6
80-84	317	7.0	9	3	5	7	8	12	13	50-69	414	3.3	4	1	2	3	4	6	7
85 +	285	7.6	11	4	5	7	9	14	14	70 +	0								
SUBTOTAL	**2399**	**7.9**	**141**	**3**	**4**	**5**	**7**	**12**	**14**		**946**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	589	3.7	3	1	3	4	5	6	7	0-17	2699	3.0	8	1	1	2	4	7	10
70-74	467	4.0	4	2	3	4	5	7	8	18-34	315	3.4	4	1	2	3	4	5	5
75-79	282	5.9	6	3	4	6	7	11	11	35-49	625	2.8	2	1	2	3	3	4	7
80-84	239	7.3	32	2	5	6	7	21	21	50-69	1463	3.5	6	1	2	3	4	6	8
85 +	110	7.0	27							70 +	0								
SUBTOTAL	**1687**	**4.9**	**11**	**2**	**3**	**4**	**6**	**7**	**11**		**5101**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**4086**	**6.6**	**89**	**2**	**4**	**5**	**7**	**11**	**14**		**6048**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	72.0								0-17	29	6.5	13						
18-34	0									18-34	46	7.4	1						
35-49	0									35-49	29	1.5							
50-69	0									50-69	14	2.0							
70 +	0									70 +	0								
SUBTOTAL	**14**	**72.0**									**118**	**5.1**	**10**	**1**	**2**	**6**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	437	3.9	15	1	1	1	7	9	11	0-17	971	3.6	9	1	1	3	5	9	10
18-34	46	4.8	3							18-34	86	4.2	4	1	3	3	6	7	7
35-49	0									35-49	32	3.0							
50-69	64	2.5								50-69	93	1.3							
70 +	0									70 +	0								
SUBTOTAL	**548**	**3.8**	**13**	**1**	**1**	**2**	**6**	**9**	**11**		**1182**	**3.5**	**8**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**562**	**5.5**	**128**	**1**	**1**	**2**	**7**	**11**	**13**		**1300**	**3.6**	**8**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	32	2.0							
SUBTOTAL	**32**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	96	2.7							
70-74	32	3.0							
75-79	46	1.6	1						
80-84	14	2.0							
85 +	0								
SUBTOTAL	**189**	**2.4**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**221**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	46	1.0							
35-49	64	1.0							
50-69	32	3.0							
70 +	0								
	142	**1.4**	**1**						
0-17	0								
18-34	107	1.0							
35-49	179	1.4	1	< 1	< 1	< 1	1	3	3
50-69	179	2.1	5	< 1	< 1	1	3	3	9
70 +	32	1.0							
	497	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**3**
	639	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	32	3.0							
70 +	0								
SUBTOTAL	**32**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**32**	**3.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	64	1.5							
50-69	0								
70 +	0								
	64	**1.5**							
	64	**1.5**							

DRG 343: Circumcision Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	29	1.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**29**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	86	1.3		< 1	< 1	1	2	2	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**86**	**1.3**		**< 1**	**< 1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**0**										**115**	**1.3**		**< 1**	**< 1**	**1**	**2**	**2**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	121	1.3		< 1	1	1	2	2	2	0-17	29	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**121**	**1.3**		**< 1**	**1**	**1**	**2**	**2**	**2**		**29**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	208	1.3		1	1	1	1	2	3	0-17	14	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**208**	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**		**14**	**1.0**							
GRAND TOTAL	**329**	**1.3**		**1**	**1**	**1**	**1**	**2**	**2**		**43**	**1.0**							

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	118	8.5	94	1	5	5	7	34	34	0-17	0								
70-74	200	5.1	5	2	3	6	6	7	10	18-34	0								
75-79	104	9.9	101	2	2	6	19	31	31	35-49	0								
80-84	125	12.2	50							50-69	93	4.2	1						
85 +	61	7.5	12							70 +	78	2.9	5						
SUBTOTAL	**607**	**8.3**	**55**	**2**	**4**	**6**	**8**	**19**	**19**		**171**	**3.6**	**3**	**1**	**3**	**3**	**5**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	161	6.2	17	3	5	5	6	7	19	0-17	0								
70-74	46	3.2	3							18-34	14	5.0							
75-79	78	3.6	2							35-49	0								
80-84	0									50-69	125	5.2	7						
85 +	0									70 +	0								
SUBTOTAL	**286**	**5.0**	**13**	**2**	**3**	**5**	**5**	**6**	**10**		**139**	**5.2**	**6**	**1**	**5**	**7**	**7**	**7**	**7**
GRAND TOTAL	**893**	**7.2**	**44**	**2**	**4**	**5**	**7**	**19**	**19**		**310**	**4.3**	**5**	**1**	**3**	**5**	**7**	**7**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	32	7.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32**	**7.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**32**	**7.0**									**0**								

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	142	4.9	12							0-17	0								
70-74	14	6.0								18-34	0								
75-79	78	7.5	2							35-49	0								
80-84	64	5.5								50-69	61	2.2	3						
85 +	14	4.0								70 +	0								
SUBTOTAL	314	5.7	7	2	4	5	7	11	11		61	2.2	3						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	125	5.4	16							0-17	29	2.0	1						
70-74	121	3.6	2	1	3	4	5	5	5	18-34	0								
75-79	14	2.0								35-49	0								
80-84	14	3.0								50-69	200	2.4	1	1	2	2	3	4	4
85 +	14	4.0								70 +	0								
SUBTOTAL	289	4.3	9	3	3	3	5	6	7		229	2.3	1	1	1	2	3	4	4
GRAND TOTAL	603	5.0	8	2	3	5	6	9	11		289	2.3	1	1	1	2	3	4	4

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	46	1.3							
18-34	0									18-34	0								
35-49	0									35-49	14	2.0							
50-69	0									50-69	0								
70 +	0									70 +	14	10.0							
SUBTOTAL	0										75	3.1	12						
GRAND TOTAL	0										75	3.1	12						

DRG 346: Malignancy, Male Reproductive System, w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	877	9.3	78	3	6	7	11	14	23	0-17	14	6.0							
70-74	474	5.9	12	1	3	6	8	10	13	18-34	43	3.7							
75-79	614	9.0	56	2	4	6	14	20	25	35-49	46	7.1	8						
80-84	702	6.4	27	2	3	5	7	9	19	50-69	382	6.8	44	1	2	5	10	12	26
85 +	520	10.0	275	2	2	4	7	30	69	70 +	78	7.8	16						
SUBTOTAL	**3188**	**8.2**	**87**	**2**	**4**	**6**	**9**	**15**	**24**		**564**	**6.7**	**34**	**1**	**4**	**5**	**9**	**12**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3188**	**8.2**	**87**	**2**	**4**	**6**	**9**	**15**	**24**		**564**	**6.7**	**34**	**1**	**4**	**5**	**9**	**12**	**26**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	29	9.0	9						
35-49	14	9.0								35-49	14	2.0							
50-69	0									50-69	29	9.0	9						
70 +	0									70 +	29	4.0	9						
SUBTOTAL	**14**	**9.0**									**100**	**6.6**	**16**	**1**	**2**	**6**	**12**	**12**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**14**	**9.0**									**100**	**6.6**	**16**	**1**	**2**	**6**	**12**	**12**	**12**

DRG 347: Malignancy, Male Reproductive System, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	93	2.7	1						
70-74	139	3.4	9	1	2	2	5	9	11
75-79	139	8.0	11	3	6	7	9	13	13
80-84	78	4.3	6						
85 +	0								
SUBTOTAL	**449**	**4.8**	**12**	**1**	**2**	**3**	**7**	**11**	**13**
GRAND TOTAL	**449**	**4.8**	**12**	**1**	**2**	**3**	**7**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	89	3.6	2						
18-34	29	2.0	1						
35-49	0								
50-69	150	6.0	39	1	2	4	5	12	23
70 +	0								
SUBTOTAL	**268**	**4.8**	**25**	**1**	**2**	**4**	**5**	**12**	**23**
GRAND TOTAL	**268**	**4.8**	**25**	**1**	**2**	**4**	**5**	**12**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	32	9.0							
SUBTOTAL	**46**	**6.5**	**14**						
GRAND TOTAL	**46**	**6.5**	**14**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	43	5.3	11						
50-69	0								
70 +	14	2.0							
SUBTOTAL	**57**	**4.5**	**10**						
GRAND TOTAL	**57**	**4.5**	**10**						

DRG 348: Benign Prostatic Hypertrophy w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	299	4.3	10	< 1	1	3	6	11	11
70-74	342	6.7	26	2	3	5	9	16	17
75-79	421	5.7	12	1	3	6	9	10	10
80-84	442	4.8	9	1	3	4	6	8	12
85 +	389	4.9	7	2	3	4	5	10	11
SUBTOTAL	**1893**	**5.3**	**13**	**1**	**3**	**5**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1893**	**5.3**	**13**	**1**	**3**	**5**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	14	4.0							
50-69	339	2.2	1	< 1	1	2	3	3	4
70 +	0								
	353	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**4**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	353	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	61	4.1	4						
70 +	32	1.0							
	93	**3.0**	**5**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	93	**3.0**	**5**						

DRG 349: Benign Prostatic Hypertrophy w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	243	4.3	10	1	2	3	5	10	12
70-74	203	4.1	12	1	1	2	8	8	10
75-79	253	2.9	8	1	1	2	3	10	10
80-84	78	3.6	5						
85 +	93	3.5	6						
SUBTOTAL	**870**	**3.7**	**9**	**1**	**1**	**2**	**6**	**8**	**10**
GRAND TOTAL	**870**	**3.7**	**9**	**1**	**1**	**2**	**6**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	32	1.0							
35-49	46	2.0							
50-69	307	1.6	1	< 1	1	1	2	2	4
70 +	32	8.0							
	417	**2.1**	**4**	**1**	**1**	**1**	**2**	**6**	**8**
	417	**2.1**	**4**	**1**	**1**	**1**	**2**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	32	3.0							
70 +	0								
SUBTOTAL	**32**	**3.0**							
GRAND TOTAL	**32**	**3.0**							

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	32	1.0							
70 +	0								
	32	**1.0**							
	32	**1.0**							

DRG 350: Inflammation of the Male Reproductive System

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1183	5.7	10	2	3	5	7	9	10	0-17	157	3.4		3	3	3	4	4	4
70-74	809	5.2	10	2	3	4	7	8	14	18-34	389	5.7	8	2	4	5	6	12	12
75-79	456	5.1	4	4	4	5	6	6	11	35-49	938	4.2	4	2	2	4	5	7	7
80-84	218	6.6	10	3	4	6	8	13	13	50-69	1422	5.2	6	3	3	5	6	9	10
85 +	142	6.6	17							70 +	0								
SUBTOTAL	**2808**	**5.6**	**10**	**2**	**4**	**5**	**7**	**9**	**13**		**2905**	**4.8**	**5**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	627	4.0	4	1	2	4	5	7	7	0-17	475	3.5	4	1	2	3	5	6	7
70-74	186	4.1	3	2	3	4	5	6	6	18-34	1391	3.9	4	2	2	4	5	7	7
75-79	203	6.0	5	3	4	6	7	10	10	35-49	1647	4.8	7	2	3	4	6	8	11
80-84	107	5.6	24							50-69	1546	4.5	5	2	3	4	5	8	9
85 +	128	6.0	2							70 +	32	8.0							
SUBTOTAL	**1251**	**4.7**	**6**	**2**	**3**	**4**	**6**	**7**	**8**		**5091**	**4.4**	**5**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**4059**	**5.3**	**9**	**2**	**3**	**5**	**6**	**9**	**11**		**7996**	**4.5**	**6**	**2**	**3**	**4**	**6**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	3.0								0-17	46	1.3							
18-34	0									18-34	235	4.4	2	2	3	5	5	5	8
35-49	14	10.0								35-49	93	3.6	2						
50-69	29	2.5								50-69	189	5.0	6	3	3	4	5	10	10
70 +	0									70 +	14	8.0							
SUBTOTAL	**57**	**4.5**	**10**								**578**	**4.3**	**5**	**2**	**3**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	197	2.4	1	1	2	2	3	5	5	0-17	197	2.8	4	1	1	2	4	6	7
18-34	93	5.3	1							18-34	803	3.2	3	1	2	3	4	7	7
35-49	0									35-49	371	3.7	6	1	2	4	4	7	10
50-69	14	5.0								50-69	107	4.4	11						
70 +	0									70 +	0								
SUBTOTAL	**304**	**3.4**	**3**	**1**	**2**	**3**	**5**	**6**	**6**		**1478**	**3.4**	**5**	**1**	**2**	**3**	**4**	**7**	**7**
GRAND TOTAL	**361**	**3.6**	**4**	**2**	**2**	**3**	**5**	**6**	**7**		**2055**	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 351: Sterilization, Male

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**0**								

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**0**								

DRG 352: Other Male Reproductive System Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	78	2.4	1							0-17	29	1.5							
70-74	64	6.5	12							18-34	14	1.0							
75-79	14	6.0								35-49	0								
80-84	0									50-69	46	2.4	1						
85 +	46	7.2	87							70 +	0								
SUBTOTAL	**203**	**5.0**	**28**	**1**	**2**	**3**	**6**	**10**	**21**		**89**	**1.9**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	61	3.9	9							0-17	444	1.7	2	1	1	1	2	4	6
70-74	64	4.0	1							18-34	107	1.6	1						
75-79	0									35-49	182	4.2	10	1	1	3	7	8	11
80-84	14	3.0								50-69	43	1.0							
85 +	0									70 +	0								
SUBTOTAL	**139**	**3.9**	**4**	**2**	**3**	**3**	**5**	**8**	**9**		**776**	**2.2**	**5**	**1**	**1**	**1**	**3**	**6**	**7**
GRAND TOTAL	**342**	**4.6**	**19**	**1**	**2**	**3**	**5**	**10**	**10**		**866**	**2.2**	**4**	**1**	**1**	**1**	**3**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	8.0								0-17	29	4.0	1						
18-34	0									18-34	14	1.0							
35-49	0									35-49	14	22.0							
50-69	0									50-69	0								
70 +	0									70 +	14	4.0							
SUBTOTAL	**14**	**8.0**									**72**	**7.0**	**59**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	168	1.0		< 1	1	1	1	1	1	0-17	215	1.2		1	1	1	1	2	3
18-34	0									18-34	157	2.4	4	1	1	2	3	6	6
35-49	0									35-49	29	2.0	1						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**168**	**1.0**		**< 1**	**1**	**1**	**1**	**1**	**1**		**401**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**182**	**1.6**	**4**	**< 1**	**1**	**1**	**1**	**1**	**8**		**472**	**2.5**	**14**	**1**	**1**	**1**	**3**	**5**	**6**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	61	10.7	75						
70-74	46	7.5	14						
75-79	0								
80-84	43	14.3	39						
85 +	0								
SUBTOTAL	**150**	**10.7**	**53**	**5**	**5**	**8**	**13**	**23**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	32	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**32**	**4.0**							
GRAND TOTAL	**182**	**9.5**	**50**	**4**	**5**	**5**	**11**	**23**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	7.0							
35-49	86	7.2	1	6	7	7	7	9	9
50-69	43	7.7	17						
70 +	0								
	158	**7.3**	**5**	**6**	**7**	**7**	**7**	**9**	**13**
0-17	32	6.0							
18-34	57	6.3	1						
35-49	215	6.2	4	4	4	6	7	8	11
50-69	161	6.9	2	6	6	7	8	8	10
70 +	0								
	466	**6.4**	**2**	**4**	**6**	**6**	**7**	**8**	**10**
	624	**6.6**	**3**	**4**	**6**	**7**	**7**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	14	6.0							
50-69	0								
70 +	0								
SUBTOTAL	**14**	**6.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	43	5.3	1						
50-69	0								
70 +	0								
SUBTOTAL	**43**	**5.3**	**1**						
GRAND TOTAL	**57**	**5.5**	**1**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	20.0							
35-49	32	10.0							
50-69	46	11.2	3						
70 +	0								
	93	**12.2**	**13**						
0-17	0								
18-34	0								
35-49	14	7.0							
50-69	14	6.0							
70 +	0								
	29	**6.5**							
	121	**10.8**	**16**	**6**	**10**	**10**	**10**	**20**	**20**

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	735	7.7	12	4	6	7	9	11	12		0-17	0								
70-74	564	6.9	4	5	6	6	9	9	10		18-34	272	5.5	4	4	4	5	6	7	12
75-79	475	12.1	210	5	6	7	10	19	64		35-49	304	6.5	18	2	4	5	6	17	17
80-84	164	8.7	36	5	5	7	10	11	27		50-69	601	6.6	20	4	4	5	7	10	12
85 +	32	20.0									70 +	32	9.0							
SUBTOTAL	**1971**	**8.8**	**65**	**5**	**6**	**7**	**9**	**11**	**20**			**1208**	**6.4**	**16**	**4**	**4**	**5**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**1971**	**8.8**	**65**	**5**	**6**	**7**	**9**	**11**	**20**			**1208**	**6.4**	**16**	**4**	**4**	**5**	**7**	**10**	**14**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	93	7.7	1								18-34	32	5.0							
35-49	61	7.0									35-49	89	8.5	12						
50-69	171	9.1	30	6	6	6	13	13	25		50-69	43	19.0	295						
70 +	0										70 +	0								
SUBTOTAL	**325**	**8.3**	**17**	**6**	**6**	**7**	**8**	**13**	**13**			**164**	**10.6**	**109**	**5**	**6**	**7**	**8**	**16**	**43**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**325**	**8.3**	**17**	**6**	**6**	**7**	**8**	**13**	**13**			**164**	**10.6**	**109**	**5**	**6**	**7**	**8**	**16**	**43**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	795	4.8	2	4	4	5	5	7	7
70-74	606	5.4	2	4	5	5	6	7	7
75-79	261	6.2	2	4	5	6	7	9	9
80-84	218	6.0	5	4	5	6	6	7	14
85 +	93	6.0	1						
SUBTOTAL	**1972**	**5.4**	**3**	**4**	**5**	**5**	**6**	**7**	**7**
GRAND TOTAL	**1972**	**5.4**	**3**	**4**	**5**	**5**	**6**	**7**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2102	4.1	1	3	3	4	4	5	7
35-49	2046	4.6	2	3	4	4	5	6	6
50-69	1645	5.1	3	3	4	5	6	7	9
70 +	32	3.0							
	5825	**4.5**	**2**	**3**	**4**	**4**	**5**	**6**	**7**
	5825	**4.5**	**2**	**3**	**4**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	418	4.2	1	3	3	4	5	6	6
35-49	157	5.0	2	4	4	4	6	7	7
50-69	78	4.6							
70 +	0								
SUBTOTAL	**654**	**4.4**	**1**	**3**	**4**	**4**	**5**	**6**	**7**
GRAND TOTAL	**654**	**4.4**	**1**	**3**	**4**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	46	4.8	3						
18-34	243	4.8	4	3	4	5	5	6	12
35-49	107	3.6	1						
50-69	357	5.6	3	4	4	6	6	7	10
70 +	0								
	753	**5.0**	**4**	**3**	**4**	**5**	**6**	**7**	**10**
	753	**5.0**	**4**	**3**	**4**	**5**	**6**	**7**	**10**

DRG 356: Female Reproductive System Reconstructive Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1416	6.1	5	3	4	6	8	9	9
70-74	1013	6.0	7	3	4	6	8	10	13
75-79	642	5.5	8	2	3	4	6	10	11
80-84	314	8.0	14	4	5	6	11	16	16
85 +	96	11.0	6						
SUBTOTAL	**3480**	**6.3**	**8**	**3**	**4**	**6**	**8**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2996	4.8	3	3	4	5	6	7	7
70-74	2307	4.9	4	3	3	5	6	8	8
75-79	1398	4.7	5	2	3	5	6	8	9
80-84	521	5.3	7	1	4	5	7	8	10
85 +	186	3.9	5	1	2	4	6	7	7
SUBTOTAL	**7408**	**4.8**	**4**	**2**	**3**	**5**	**6**	**7**	**8**
GRAND TOTAL	**10889**	**5.3**	**6**	**3**	**4**	**5**	**6**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	192	4.7	4	1	4	5	5	8	8
35-49	760	6.0	6	4	4	5	7	10	10
50-69	935	6.4	10	3	5	6	8	10	13
70 +	0								
	1887	**6.1**	**8**	**3**	**4**	**5**	**7**	**10**	**12**
0-17	29	4.5							
18-34	1130	4.3	4	2	3	4	5	6	9
35-49	5205	4.4	3	3	3	4	5	6	7
50-69	6451	4.7	4	2	4	5	6	7	8
70 +	93	3.8	1						
	12907	**4.6**	**3**	**2**	**3**	**4**	**5**	**7**	**8**
	14794	**4.7**	**4**	**3**	**3**	**5**	**6**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	46	4.1	2						
35-49	157	6.5	3	5	5	7	8	8	8
50-69	0								
70 +	0								
SUBTOTAL	**203**	**6.0**	**4**	**3**	**5**	**6**	**8**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	32	4.0							
18-34	331	3.8	2	2	3	3	5	5	7
35-49	285	5.2	4	3	4	5	6	9	9
50-69	256	4.5	6	< 1	2	4	6	9	9
70 +	14	6.0							
SUBTOTAL	**919**	**4.5**	**4**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**1122**	**4.7**	**4**	**2**	**3**	**5**	**6**	**8**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	32	5.0							
35-49	75	5.1	6						
50-69	46	5.9	8						
70 +	0								
	153	**5.3**	**5**	**4**	**4**	**4**	**5**	**10**	**10**
0-17	0								
18-34	46	2.3							
35-49	286	4.2	2	3	3	4	5	6	6
50-69	507	4.4	5	2	3	4	5	7	10
70 +	0								
	839	**4.2**	**4**	**2**	**3**	**4**	**6**	**7**	**7**
	993	**4.4**	**4**	**2**	**3**	**4**	**6**	**7**	**10**

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	332	11.7	44	6	8	11	19	34	99 +	0-17	14	11.0							
70-74	243	13.2	33	6	11	12	15	22	30	18-34	142	8.1	14						
75-79	293	10.4	13	6	7	10	12	18	18	35-49	332	11.0	103	5	5	6	13	19	22
80-84	186	11.6	22	5	8	11	15	19	19	50-69	454	10.8	29	7	8	9	11	24	25
85 +	61	16.8	112							70 +	0								
SUBTOTAL	**1114**	**12.0**	**36**	**6**	**8**	**11**	**13**	**22**	**34**		**943**	**10.5**	**53**	**5**	**6**	**8**	**12**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	328	6.7	4	5	5	7	8	10	10	0-17	14	5.0							
70-74	139	7.6	7	5	6	6	9	12	12	18-34	357	4.7	5	3	3	4	5	7	11
75-79	78	6.6								35-49	478	4.6	2	3	4	5	5	6	8
80-84	14	8.0								50-69	432	6.4	4	4	5	6	8	8	10
85 +	32	22.0								70 +	0								
SUBTOTAL	**592**	**7.7**	**15**	**5**	**6**	**7**	**8**	**12**	**22**		**1281**	**5.2**	**4**	**3**	**4**	**5**	**7**	**8**	**9**
GRAND TOTAL	**1706**	**10.5**	**33**	**5**	**6**	**9**	**12**	**19**	**22**		**2224**	**7.5**	**32**	**4**	**4**	**6**	**9**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	9.0								0-17	0								
18-34	14	7.0								18-34	75	6.2							
35-49	14	17.0								35-49	89	15.4	168						
50-69	29	13.5								50-69	153	8.9	17	4	6	9	9	16	16
70 +	0									70 +	0								
SUBTOTAL	**72**	**12.0**	**13**								**318**	**10.1**	**67**	**4**	**6**	**7**	**9**	**16**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	61	5.0	2						
18-34	14	7.0								18-34	75	6.3	3						
35-49	14	5.0								35-49	14	5.0							
50-69	32	7.0								50-69	182	5.6	3	4	4	5	8	8	8
70 +	0									70 +	0								
SUBTOTAL	**61**	**6.5**	**1**								**332**	**5.6**	**3**	**4**	**4**	**5**	**7**	**8**	**8**
GRAND TOTAL	**132**	**9.5**	**15**	**5**	**7**	**7**	**13**	**17**	**17**		**650**	**7.8**	**39**	**4**	**5**	**6**	**8**	**9**	**16**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3032	7.3	23	4	5	6	8	11	14	0-17	318	6.8	69	2	4	5	6	11	16
70-74	1373	7.9	21	4	5	7	8	12	15	18-34	7331	5.5	12	3	4	5	6	9	10
75-79	1045	9.2	27	5	6	7	10	16	22	35-49	16723	5.5	6	4	4	5	6	8	10
80-84	493	8.6	8	5	6	8	10	12	14	50-69	3649	6.5	12	4	5	6	7	11	13
85 +	221	11.8	58	5	6	10	13	27	27	70 +	46	8.5	5						
SUBTOTAL	**6163**	**8.0**	**24**	**4**	**5**	**7**	**9**	**12**	**16**		**28066**	**5.7**	**9**	**3**	**4**	**5**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6163**	**8.0**	**24**	**4**	**5**	**7**	**9**	**12**	**16**		**28066**	**5.7**	**9**	**3**	**4**	**5**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	14.0	4							0-17	125	3.8	3						
18-34	1937	6.2	7	4	5	5	7	10	11	18-34	1165	5.2	4	3	4	5	6	8	10
35-49	1531	6.7	13	4	5	6	8	10	15	35-49	2080	6.0	8	4	4	5	7	9	12
50-69	275	7.6	14	4	5	7	8	16	16	50-69	361	7.9	22	3	5	6	11	15	20
70 +	32	7.0								70 +	14	9.0							
SUBTOTAL	**3803**	**6.5**	**10**	**4**	**5**	**6**	**7**	**11**	**14**		**3745**	**5.9**	**9**	**3**	**4**	**5**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3803**	**6.5**	**10**	**4**	**5**	**6**	**7**	**11**	**14**		**3745**	**5.9**	**9**	**3**	**4**	**5**	**7**	**9**	**11**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4759	5.1	2	3	4	5	6	7	8
70-74	2700	6.0	3	4	5	6	7	8	8
75-79	1092	5.6	2	4	5	5	6	7	9
80-84	578	8.2	45	4	5	7	8	12	34
85 +	200	5.8	2	5	5	5	7	8	8
SUBTOTAL	**9329**	**5.6**	**6**	**4**	**4**	**5**	**6**	**8**	**8**
GRAND TOTAL	**9329**	**5.6**	**6**	**4**	**4**	**5**	**6**	**8**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2385	3.7	5	2	3	4	4	6	7
18-34	58500	4.1	2	3	3	4	5	6	6
35-49	89034	4.5	2	3	4	4	5	6	7
50-69	16916	5.0	3	3	4	5	6	7	8
70 +	157	5.1		5	5	5	5	6	6
SUBTOTAL	**166992**	**4.4**	**2**	**3**	**4**	**4**	**5**	**6**	**7**
GRAND TOTAL	**166992**	**4.4**	**2**	**3**	**4**	**4**	**5**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	307	3.8	3	1	3	4	5	6	6
18-34	9931	4.6	3	3	4	4	5	6	8
35-49	5164	5.4	9	4	4	5	6	7	8
50-69	535	5.0	3	3	4	5	6	8	8
70 +	61	6.0							
SUBTOTAL	**15997**	**4.9**	**5**	**3**	**4**	**5**	**5**	**7**	**8**
GRAND TOTAL	**15997**	**4.9**	**5**	**3**	**4**	**5**	**5**	**7**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	411	5.2	17	1	3	3	8	13	14
18-34	7723	4.2	4	2	3	4	5	6	7
35-49	6776	4.3	2	3	3	4	5	6	7
50-69	1331	4.9	4	3	4	5	6	7	7
70 +	32	2.0							
SUBTOTAL	**16272**	**4.3**	**4**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**16272**	**4.3**	**4**	**3**	**3**	**4**	**5**	**6**	**7**

DRG 360: Vagina, Cervix & Vulva Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	129	7.2	31	< 1	2	5	10	18	18	0-17	107	3.0	17						
70-74	57	13.5	151							18-34	218	1.2		1	1	1	1	2	2
75-79	93	8.2	27							35-49	61	3.5	5						
80-84	96	4.7	3							50-69	200	6.1	32	1	1	5	11	15	18
85 +	29	12.0	1							70 +	14	8.0							
SUBTOTAL	404	8.1	46	2	4	7	10	18	20		600	3.5	19	1	1	1	4	11	13
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	275	3.0	3	1	2	3	5	5	7	0-17	551	2.0	4	< 1	1	1	2	3	8
70-74	125	2.3	3							18-34	2090	1.6	2	< 1	< 1	< 1	2	3	4
75-79	61	2.0								35-49	1152	1.3		< 1	< 1	< 1	2	2	2
80-84	93	2.4	4							50-69	668	4.2	79	< 1	< 1	1	3	8	12
85 +	136	5.0	23	< 1	< 1	3	7	13	13	70 +	0								
SUBTOTAL	689	3.1	8	< 1	1	2	5	5	8		4461	2.0	14	< 1	< 1	1	2	3	5
GRAND TOTAL	1093	4.9	28	1	2	3	6	11	13		5061	2.2	15	< 1	< 1	1	2	4	8

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	46	4.1	22							0-17	136	5.4	16	1	3	5	7	15	15
18-34	93	2.2	5							18-34	78	2.2	2						
35-49	43	3.0	1							35-49	29	17.0	175						
50-69	43	10.7	86							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	225	4.4	33	1	1	2	6	11	23		243	5.7	49	1	1	4	6	15	30
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	230	2.4	2	< 1	1	2	3	5	6	0-17	254	3.4	15	1	1	2	3	13	13
18-34	342	3.0	16	< 1	< 1	2	3	3	15	18-34	289	2.6	5	< 1	1	2	3	8	8
35-49	93	2.7	2							35-49	61	2.6	2						
50-69	29	3.5	6							50-69	75	1.8	1						
70 +	32	2.0								70 +	0								
SUBTOTAL	725	2.8	9	< 1	1	2	3	5	6		679	2.8	8	< 1	1	2	3	6	8
GRAND TOTAL	951	3.2	15	< 1	1	2	3	6	11		922	3.6	20	1	1	2	4	7	13

DRG 361: Laparoscopy & Incisional Tubal Interruption

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	32	12.0								0-17	32	5.0							
70-74	0									18-34	749	3.5	6	1	1	2	6	8	8
75-79	0									35-49	257	8.6	120	1	3	6	7	37	37
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**32**	**12.0**									**1038**	**4.8**	**39**	**1**	**1**	**4**	**6**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	29	1.0								0-17	717	3.7	7	1	2	3	4	6	9
70-74	32	2.0								18-34	6282	2.7	6	< 1	< 1	2	4	6	7
75-79	14	8.0								35-49	2285	1.8	2	< 1	< 1	< 1	2	4	6
80-84	0									50-69	164	2.4	3	< 1	< 1	< 1	4	5	5
85 +	0									70 +	0								
SUBTOTAL	**75**	**2.8**	**7**								**9449**	**2.6**	**6**	**< 1**	**< 1**	**1**	**3**	**6**	**7**
GRAND TOTAL	**107**	**5.5**	**23**								**10487**	**2.8**	**9**	**< 1**	**< 1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	246	4.5	5	1	3	4	7	8	8	18-34	136	5.4	6	2	4	5	7	9	9
35-49	46	4.7								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**293**	**4.5**	**4**	**2**	**3**	**4**	**6**	**8**	**8**		**136**	**5.4**	**6**	**2**	**4**	**5**	**7**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	46	6.1	8							0-17	153	3.4	8	1	1	1	5	7	9
18-34	1199	3.0	3	1	1	3	4	6	6	18-34	1490	2.9	5	1	1	2	4	5	6
35-49	121	3.1	6	< 1	1	2	7	7	7	35-49	104	2.6	3	< 1	< 1	1	5	5	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1367**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**7**		**1747**	**2.9**	**5**	**< 1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**1660**	**3.3**	**4**	**1**	**1**	**3**	**5**	**7**	**7**		**1883**	**3.1**	**5**	**1**	**1**	**2**	**5**	**6**	**8**

DRG 362: Endoscopic Tubal Interruption

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**14**	**1.0**							
GRAND TOTAL	**14**	**1.0**							

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	118	1.1		< 1	< 1	1	1	2	2
35-49	46	2.2	3						
50-69	0								
70 +	0								
	164	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**5**
0-17	0								
18-34	1714	1.0		< 1	< 1	< 1	< 1	< 1	1
35-49	1452	1.0		< 1	< 1	< 1	< 1	< 1	< 1
50-69	0								
70 +	0								
	3166	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**
	3331	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	348	1.0		< 1	< 1	< 1	1	1	1
35-49	29	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**376**	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**
GRAND TOTAL	**376**	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	2.0							
18-34	0								
35-49	32	1.0							
50-69	0								
70 +	0								
	46	**1.3**							
0-17	0								
18-34	132	1.5	1	< 1	< 1	< 1	< 1	3	3
35-49	29	1.0							
50-69	0								
70 +	0								
	161	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**3**	**3**
	208	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**3**

DRG 363: D&C, Conization & Radio-implant, for Malignancy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	293	3.8	8	2	3	3	4	6	6
70-74	221	3.0	1	2	2	3	3	4	5
75-79	157	9.0	16	3	3	11	12	13	13
80-84	43	8.0	21						
85 +	64	3.5							
SUBTOTAL	**778**	**4.8**	**13**	**2**	**3**	**3**	**5**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	257	1.8	1	1	1	2	3	3	3
70-74	203	2.4	1	< 1	1	3	3	3	3
75-79	179	2.7	1	2	2	3	3	4	5
80-84	43	3.7	4						
85 +	29	2.0	1						
SUBTOTAL	**711**	**2.3**	**1**	**< 1**	**1**	**3**	**3**	**3**	**5**
GRAND TOTAL	**1489**	**3.6**	**9**	**1**	**2**	**3**	**3**	**9**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	61	1.0							
35-49	46	1.7							
50-69	61	4.7	6						
70 +	0								
	168	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**9**
0-17	0								
18-34	476	1.3	1	< 1	< 1	< 1	1	2	2
35-49	507	1.7	1	< 1	1	2	2	3	3
50-69	332	1.9	1	1	1	2	3	3	3
70 +	0								
	1315	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**
	1483	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	46	5.8	3						
50-69	14	12.0							
70 +	46	4.2	3						
SUBTOTAL	**107**	**5.9**	**9**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	57	2.0	1						
35-49	61	1.9	1						
50-69	14	2.0							
70 +	64	3.0							
SUBTOTAL	**197**	**2.3**	**1**	**< 1**	**1**	**3**	**3**	**3**	**3**
GRAND TOTAL	**304**	**3.6**	**7**	**1**	**3**	**3**	**3**	**7**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	32	17.0							
35-49	0								
50-69	61	4.2	7						
70 +	0								
	93	**8.6**	**42**						
0-17	0								
18-34	125	4.1	13						
35-49	61	1.2							
50-69	96	2.7							
70 +	0								
	282	**3.0**	**7**	**< 1**	**1**	**3**	**3**	**10**	**10**
	374	**4.4**	**22**	**< 1**	**2**	**3**	**3**	**10**	**17**

DRG 364: D&C, Conization except for Malignancy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	246	3.1	3	1	2	2	5	6	6
70-74	136	3.7	5	1	2	3	6	7	7
75-79	75	4.0	3						
80-84	107	4.7	5						
85 +	61	7.3	51						
SUBTOTAL	**625**	**4.0**	**10**	**1**	**2**	**3**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	364	2.3	5	< 1	< 1	1	3	5	8
70-74	307	1.7	1	< 1	< 1	2	2	3	3
75-79	150	1.7	1	< 1	< 1	1	2	2	5
80-84	139	1.7	1	< 1	1	1	2	3	3
85 +	75	5.1	35						
SUBTOTAL	**1036**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1661**	**2.8**	**8**	**< 1**	**1**	**2**	**3**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	2.6	1						
18-34	560	1.7	1	1	1	1	2	3	3
35-49	1134	2.5	5	< 1	1	2	3	4	6
50-69	278	1.3		< 1	1	1	2	2	2
70 +	0								
	2019	**2.1**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**
0-17	121	3.1	6	< 1	2	2	7	7	7
18-34	3121	1.6	2	< 1	< 1	1	1	3	4
35-49	4918	1.3	1	< 1	< 1	< 1	1	2	3
50-69	1742	1.4	1	< 1	< 1	< 1	1	3	3
70 +	14	1.0							
	9917	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**
	11936	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	246	2.8	2	1	1	3	4	5	6
35-49	235	3.2	6	1	2	2	4	6	10
50-69	46	1.7							
70 +	32	3.0							
SUBTOTAL	**560**	**2.9**	**4**	**1**	**2**	**2**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	816	2.2	3	1	1	2	3	4	7
35-49	121	1.6	1	< 1	1	1	3	3	3
50-69	61	1.0							
70 +	14	4.0							
SUBTOTAL	**1013**	**2.1**	**2**	**1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**1573**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	189	2.4	1	1	1	3	3	4	4
35-49	296	2.4	3	1	1	2	4	6	6
50-69	104	1.7	1	< 1	1	1	3	4	4
70 +	0								
	589	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
0-17	32	6.0							
18-34	627	1.7	1	< 1	1	1	2	2	6
35-49	385	1.4		< 1	1	1	2	2	2
50-69	118	1.3		< 1	< 1	1	2	2	2
70 +	0								
	1163	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**2**	**6**
	1752	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 365: Other Female Reproductive System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	250	11.2	88	1	4	8	22	29	29
70-74	218	18.2	70	9	9	17	25	34	34
75-79	75	18.6	70						
80-84	78	12.0	137						
85 +	32	14.0							
SUBTOTAL	**653**	**14.6**	**93**	**3**	**6**	**14**	**22**	**28**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	229	6.9	62	2	2	4	6	26	26
70-74	171	3.5	5	1	2	3	4	8	8
75-79	14	5.0							
80-84	0								
85 +	0								
SUBTOTAL	**414**	**5.4**	**39**	**2**	**2**	**3**	**5**	**8**	**26**
GRAND TOTAL	**1067**	**11.0**	**92**	**2**	**3**	**8**	**17**	**26**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	10.1	22						
18-34	374	7.1	30	3	4	5	8	9	24
35-49	257	6.3	10	2	4	6	9	10	13
50-69	325	9.9	55	3	6	7	12	21	26
70 +	32	35.0							
	1035	**8.8**	**56**	**3**	**4**	**7**	**9**	**21**	**26**
0-17	232	3.9	5	1	2	3	7	7	7
18-34	1078	4.2	3	2	3	4	5	7	8
35-49	956	4.4	2	3	3	5	5	6	7
50-69	670	5.1	14	1	2	4	8	11	11
70 +	0								
	2936	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
	3971	**5.6**	**22**	**2**	**3**	**5**	**7**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	43	8.0	5						
35-49	14	26.0							
50-69	46	4.6	1						
70 +	0								
SUBTOTAL	**104**	**9.0**	**52**	**4**	**4**	**6**	**10**	**26**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	6.5	14						
18-34	360	4.6	4	3	3	4	6	7	9
35-49	64	2.0	1						
50-69	64	4.5							
70 +	0								
SUBTOTAL	**535**	**4.4**	**5**	**2**	**3**	**4**	**6**	**7**	**9**
GRAND TOTAL	**638**	**5.2**	**15**	**2**	**3**	**4**	**6**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	36.0							
18-34	78	7.1	12						
35-49	0								
50-69	0								
70 +	0								
	93	**11.6**	**120**						
0-17	29	8.5	44						
18-34	293	7.0	279	1	2	4	5	5	7
35-49	46	9.9	22						
50-69	32	2.0							
70 +	0								
	400	**7.0**	**212**	**1**	**2**	**3**	**5**	**13**	**15**
	493	**7.9**	**198**	**1**	**2**	**4**	**7**	**13**	**36**

DRG 366: Malignancy, Female Reproductive System w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	385	9.0	88	2	4	6	9	18	20
70-74	250	14.9	103	3	6	13	26	34	34
75-79	153	11.9	92	3	3	10	20	20	35
80-84	139	8.6	111	1	1	2	21	25	28
85 +	221	3.7	5	< 1	2	3	6	6	7
SUBTOTAL	**1149**	**9.6**	**92**	**1**	**3**	**6**	**13**	**21**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1149**	**9.6**	**92**	**1**	**3**	**6**	**13**	**21**	**34**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	78	9.0	29						
35-49	488	7.9	39	2	4	5	9	15	23
50-69	820	6.4	27	2	4	5	8	10	11
70 +	0								
	1386	**7.1**	**32**	**2**	**4**	**6**	**8**	**12**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1386	**7.1**	**32**	**2**	**4**	**6**	**8**	**12**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	29	3.5							
35-49	0								
50-69	75	8.1	27						
70 +	32	31.0							
SUBTOTAL	**136**	**12.5**	**125**	**2**	**4**	**5**	**14**	**31**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**136**	**12.5**	**125**	**2**	**4**	[illegible]	**14**	**31**	**31**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	19.0							
18-34	0								
35-49	29	6.5	2						
50-69	43	4.0	5						
70 +	0								
	100	**9.0**	**44**	**1**	**5**	**6**	**19**	**19**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	100	**9.0**	**44**	**1**	**5**	**6**	**19**	**19**	**19**

DRG 367: Malignancy, Female Reproductive System w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	132	5.7	38	< 1	1	3	6	18	18
70-74	57	2.0	2						
75-79	125	3.5	3						
80-84	75	3.8							
85 +	0								
SUBTOTAL	**390**	**4.1**	**16**	**< 1**	**2**	**3**	**4**	**7**	**16**
GRAND TOTAL	**390**	**4.1**	**16**	**< 1**	**2**	**3**	**4**	**7**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	72	6.0	38						
18-34	121	2.9	1	< 1	2	3	4	4	4
35-49	214	2.8	3	1	1	2	3	6	7
50-69	363	2.3	17	1	1	1	2	4	4
70 +	0								
SUBTOTAL	**771**	**2.9**	**13**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**771**	**2.9**	**13**	**1**	**1**	**2**	**3**	**4**	**7**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	5.0							
18-34	29	3.0	1						
35-49	14	4.0							
50-69	14	10.0							
70 +	0								
SUBTOTAL	**72**	**5.0**	**7**						
GRAND TOTAL	**72**	**5.0**	**7**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	43	4.0	5						
18-34	46	6.8	3						
35-49	0								
50-69	203	1.1		1	1	1	1	2	2
70 +	0								
SUBTOTAL	**293**	**2.5**	**6**	**1**	**1**	**1**	**3**	**8**	**8**
GRAND TOTAL	**293**	**2.5**	**6**	**1**	**1**	**1**	**3**	**8**	**8**

DRG 368: Infections, Female Reproductive System

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	189	4.3	3	3	3	5	5	7	7	0-17	792	4.8	8	2	3	4	6	9	10		
70-74	110	9.2	15							18-34	2225	4.2	5	2	3	4	5	8	9		
75-79	93	18.8	83							35-49	620	6.3	13	2	3	6	9	11	16		
80-84	78	41.0	1893							50-69	64	6.5									
85 +	61	9.3	25							70 +	0										
SUBTOTAL	**531**	**13.8**	**450**	**3**	**5**	**7**	**11**	**31**	**93**		**3701**	**4.7**	**8**	**2**	**3**	**4**	**6**	**9**	**10**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	250	5.8	21	2	3	4	6	17	17	0-17	2959	4.0	7	2	2	4	5	7	7		
70-74	0									18-34	11373	3.9	4	2	3	4	5	6	8		
75-79	32	9.0								35-49	2264	4.7	5	2	3	4	6	8	9		
80-84	0									50-69	139	7.6	3	5	6	8	9	10	10		
85 +	0									70 +	46	2.0									
SUBTOTAL	**282**	**6.2**	**19**	**2**	**3**	**5**	**7**	**17**	**17**		**16782**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**		
GRAND TOTAL	**813**	**11.2**	**314**	**3**	**4**	**6**	**11**	**17**	**31**		**20483**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	386	5.1	11	2	2	5	7	10	11	0-17	343	4.3	5	2	2	4	6	7	7		
18-34	1923	4.0	3	2	3	4	5	6	7	18-34	1510	4.1	6	2	3	4	5	7	7		
35-49	253	6.3	4	3	5	7	8	9	9	35-49	139	4.6	5	2	2	5	7	8	8		
50-69	64	4.0								50-69	46	5.4	1								
70 +	0									70 +	0										
SUBTOTAL	**2626**	**4.4**	**5**	**2**	**3**	**4**	**6**	**7**	**8**		**2038**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	1935	5.1	9	2	3	5	7	8	10	0-17	1735	5.4	9	2	3	5	7	9	11		
18-34	5497	4.0	4	2	3	4	5	6	7	18-34	5968	4.1	5	2	3	4	5	7	8		
35-49	471	4.0	3	2	3	4	5	6	7	35-49	596	4.1	3	1	2	3	6	9	9		
50-69	32	3.0								50-69	46	2.6	1								
70 +	0									70 +	0										
SUBTOTAL	**7934**	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**8**		**8346**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**		
GRAND TOTAL	**10561**	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**8**		**10385**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		

Southern Region, July 1988 - June 1989

DRG 369: Menstrual & Other Female Reproductive System Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	293	4.1	14	< 1	1	3	5	9	9
70-74	157	6.3	23	1	2	6	10	14	14
75-79	75	7.5	16						
80-84	78	3.8	1						
85 +	64	2.5	2						
SUBTOTAL	667	4.8	16	1	2	4	6	12	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	218	5.3	22	1	3	4	5	16	16
70-74	78	2.4							
75-79	46	4.8	3						
80-84	110	4.9	1						
85 +	32	2.0							
SUBTOTAL	485	4.5	12	2	2	4	5	6	16
GRAND TOTAL	1152	4.7	14	1	2	4	5	10	14

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	535	2.8	2	1	2	3	3	5	5
18-34	1035	2.6	2	1	2	2	3	5	5
35-49	678	2.9	3	1	1	2	5	5	6
50-69	235	4.1	17	1	1	2	5	14	14
70 +	0								
	2483	2.8	4	1	2	2	4	5	6
0-17	2126	2.0	1	1	1	2	2	3	3
18-34	6438	2.3	2	1	1	2	3	4	5
35-49	2421	2.8	3	1	2	2	4	5	6
50-69	153	1.8	1	< 1	< 1	1	3	3	4
70 +	32	2.0							
	11170	2.3	2	1	1	2	3	4	5
	13653	2.4	2	1	1	2	3	4	5

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	2.5	3						
18-34	424	2.2	2	1	1	2	3	4	5
35-49	89	3.8	10						
50-69	46	4.7							
70 +	0								
SUBTOTAL	670	2.6	3	1	1	2	4	5	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	347	1.9	2	1	1	1	2	4	4
18-34	1487	2.4	3	1	1	2	3	4	4
35-49	139	2.3	1	< 1	1	2	3	4	4
50-69	64	3.0							
70 +	0								
SUBTOTAL	2037	2.3	2	1	1	2	3	4	4
GRAND TOTAL	2707	2.4	3	1	1	2	3	4	5

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	2.2		1	2	2	3	3	3
18-34	382	2.3	2	< 1	1	2	2	3	6
35-49	182	2.6	2	1	1	2	5	5	5
50-69	14	7.0							
70 +	0								
	665	2.4	3	1	2	2	3	5	6
0-17	347	1.5	1	< 1	1	1	2	3	4
18-34	1797	2.3	2	1	1	2	3	4	5
35-49	428	2.7	3	1	1	2	3	5	6
50-69	78	2.0	1						
70 +	0								
	2651	2.3	2	1	1	2	3	4	5
	3315	2.3	2	1	1	2	3	5	5

DRG 370: Cesarean Section w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	197	6.2	6	4	5	5	7	9	13	0-17	611	5.7	6	3	4	5	6	9	12
70-74	0									18-34	22011	5.5	11	4	4	5	6	8	10
75-79	0									35-49	2387	6.0	25	3	4	5	6	8	11
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**197**	**6.2**	**6**	**4**	**5**	**5**	**7**	**9**	**13**		**25009**	**5.5**	**12**	**4**	**4**	**5**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**197**	**6.2**	**6**	**4**	**5**	**5**	**7**	**9**	**13**		**25009**	**5.5**	**12**	**4**	**4**	**5**	**6**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2492	6.1	14	3	4	5	7	10	12	0-17	607	6.6	24	3	4	5	7	8	14
18-34	17183	6.2	28	3	4	5	6	10	13	18-34	5775	6.0	22	3	4	5	6	9	14
35-49	668	6.6	7	4	4	5	9	10	12	35-49	351	7.4	78	4	4	5	6	11	12
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**20344**	**6.2**	**26**	**3**	**4**	**5**	**7**	**10**	**13**		**6733**	**6.2**	**26**	**3**	**4**	**5**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**20344**	**6.2**	**26**	**3**	**4**	**5**	**7**	**10**	**13**		**6733**	**6.2**	**26**	**3**	**4**	**5**	**6**	**9**	**14**

DRG 371: Cesarean Section w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	432	5.0	9	3	4	5	5	5	15	0-17	2609	4.7	6	3	4	4	5	6	8
70-74	0									18-34	126678	4.2	3	3	4	4	5	5	6
75-79	0									35-49	13130	4.5	7	3	4	4	5	6	7
80-84	0									50-69	32	5.0							
85 +	0									70 +	0								
SUBTOTAL	**432**	**5.0**	**9**	**3**	**4**	**5**	**5**	**5**	**15**		**142450**	**4.2**	**3**	**3**	**4**	**4**	**5**	**5**	**6**
GRAND TOTAL	**432**	**5.0**	**9**	**3**	**4**	**5**	**5**	**5**	**15**		**142450**	**4.2**	**3**	**3**	**4**	**4**	**5**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7956	4.5	2	3	4	4	5	6	7	0-17	2194	4.5	2	3	4	4	5	6	7
18-34	57282	4.3	3	3	4	4	5	5	6	18-34	23269	4.3	8	3	3	4	5	5	6
35-49	2004	4.7	18	3	4	4	5	6	7	35-49	1898	4.4	2	3	4	4	5	6	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**67242**	**4.4**	**3**	**3**	**4**	**4**	**5**	**5**	**6**		**27361**	**4.3**	**7**	**3**	**3**	**4**	**5**	**5**	**6**
GRAND TOTAL	**67242**	**4.4**	**3**	**3**	**4**	**4**	**5**	**5**	**6**		**27361**	**4.3**	**7**	**3**	**3**	**4**	**5**	**5**	**6**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	75	4.5	7							0-17	390	4.8	6	2	3	4	6	9	10
70-74	0									18-34	6978	3.7	13	2	2	3	4	6	8
75-79	0									35-49	576	3.2	3	2	2	3	3	5	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**75**	**4.5**	**7**								**7944**	**3.7**	**12**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	78	2.5	2							0-17	882	3.4	4	2	2	3	4	5	6
70-74	0									18-34	19129	3.2	8	2	2	3	3	5	7
75-79	0									35-49	2045	3.0	3	2	2	2	3	5	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**78**	**2.5**	**2**								**22057**	**3.2**	**8**	**2**	**2**	**3**	**3**	**5**	**7**
GRAND TOTAL	**153**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**9**		**30000**	**3.3**	**9**	**2**	**2**	**3**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1483	4.2	9	2	2	3	5	7	9	0-17	407	4.1	29	2	2	3	3	7	7
18-34	6659	3.7	11	2	2	3	4	6	9	18-34	2775	3.9	11	2	2	3	4	7	8
35-49	243	3.3	5	2	2	2	4	4	12	35-49	233	3.1	1	2	2	4	4	5	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**8385**	**3.8**	**10**	**2**	**2**	**3**	**4**	**7**	**9**		**3416**	**3.9**	**13**	**2**	**2**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2728	3.2	5	2	2	3	3	5	7	0-17	1207	2.9	2	2	2	3	3	4	5
18-34	13742	2.9	3	2	2	3	3	4	6	18-34	6790	3.2	14	1	2	2	3	5	6
35-49	440	3.0	2	2	2	2	4	5	7	35-49	447	3.0	5	1	2	3	3	4	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16910**	**3.0**	**4**	**2**	**2**	**3**	**3**	**4**	**6**		**8444**	**3.1**	**12**	**1**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**25295**	**3.3**	**6**	**2**	**2**	**3**	**4**	**5**	**7**		**11860**	**3.4**	**12**	**1**	**2**	**3**	**3**	**5**	**7**

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	214	2.9	1	2	2	3	3	3	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**214**	**2.9**	**1**	**2**	**2**	**3**	**3**	**3**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1184	2.4	2	1	2	2	3	3	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**1184**	**2.4**	**2**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**1398**	**2.5**	**2**	**1**	**2**	**2**	**3**	**3**	**4**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	379	3.3	10	1	2	2	3	6	11
18-34	9656	3.0	5	2	2	3	3	4	5
35-49	626	2.9	2	2	2	2	4	5	5
50-69	0								
70 +	0								
	10661	**3.0**	**5**	**2**	**2**	**3**	**3**	**4**	**5**
0-17	13097	2.3	1	1	2	2	3	3	3
18-34	321429	2.2	1	1	2	2	3	3	3
35-49	21239	2.3	3	1	2	2	3	3	4
50-69	64	2.0							
70 +	0								
	355829	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
	366490	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**3**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1857	3.1	29	1	2	2	3	4	5
18-34	10524	2.6	3	1	2	2	3	4	5
35-49	315	2.7		2	2	3	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	**12696**	**2.7**	**7**	**1**	**2**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	35563	2.3	3	1	2	2	3	3	4
18-34	186828	2.2	1	1	2	2	3	3	3
35-49	3775	2.3	5	1	2	2	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	**226166**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**238861**	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**3**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	558	2.1	1	1	1	2	3	3	4
18-34	4465	3.0	23	1	2	2	3	4	6
35-49	293	1.8	1	< 1	1	1	2	3	4
50-69	0								
70 +	0								
	5315	**2.9**	**19**	**1**	**2**	**2**	**3**	**4**	**5**
0-17	13518	2.2	1	1	2	2	3	3	4
18-34	96279	2.1	1	1	2	2	2	3	3
35-49	4190	1.9	1	1	1	2	2	3	3
50-69	14	2.0							
70 +	0								
	114001	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
	119316	**2.1**	**2**	**1**	**2**	**2**	**2**	**3**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	93	4.3	2							0-17	46	2.3							
70-74	0									18-34	2205	3.4	4	2	2	3	3	5	6
75-79	0									35-49	465	2.9	1	2	2	3	3	4	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**93**	**4.3**	**2**								**2717**	**3.3**	**4**	**2**	**2**	**3**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	192	2.8		2	2	3	3	4	4	0-17	61	2.2							
70-74	0									18-34	46562	2.6	1	2	2	2	3	3	4
75-79	0									35-49	6730	2.7	2	2	2	3	3	4	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**192**	**2.8**		**2**	**2**	**3**	**3**	**4**	**4**		**53353**	**2.6**	**1**	**2**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**285**	**3.3**	**1**	**2**	**3**	**3**	**4**	**6**	**6**		**56070**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	32	3.0								0-17	46	6.8	3						
18-34	2311	3.0	1	2	2	3	3	5	5	18-34	404	3.5	5	2	2	3	4	6	10
35-49	307	3.2	2	1	2	3	4	5	5	35-49	78	2.7	2						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2650**	**3.0**	**2**	**2**	**2**	**3**	**3**	**5**	**5**		**529**	**3.7**	**5**	**2**	**2**	**3**	**4**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	142	3.9	1							0-17	14	2.0							
18-34	29946	2.6	1	2	2	2	3	4	4	18-34	6456	2.4	1	2	2	2	3	3	3
35-49	1987	2.7	1	2	2	3	3	4	4	35-49	628	2.6		2	2	3	3	3	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32075**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**		**7099**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**34725**	**2.7**	**1**	**2**	**2**	**2**	**3**	**4**	**4**		**7628**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14	2.0								0-17	0								
70-74	0									18-34	104	12.1	544	2	2	3	5	70	70
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**2.0**									**104**	**12.1**	**544**	**2**	**2**	**3**	**5**	**70**	**70**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	200	3.4	4	< 1	2	3	4	6	8
75-79	0									35-49	46	4.2	3						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**246**	**3.6**	**4**	**< 1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**14**	**2.0**									**350**	**6.1**	**178**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	43	6.3	6							18-34	14	8.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**43**	**6.3**	**6**								**14**	**8.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	29	2.0								18-34	75	3.7	4						
35-49	32	1.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**61**	**1.5**									**75**	**3.7**	**4**						
GRAND TOTAL	**104**	**3.5**	**9**	**1**	**1**	**2**	**7**	**9**	**9**		**89**	**4.4**	**6**						

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29	1.5								0-17	61	2.0							
70-74	0									18-34	586	4.5	14	1	2	3	5	10	10
75-79	0									35-49	72	9.8	97						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**29**	**1.5**									**719**	**4.8**	**24**	**1**	**2**	**3**	**5**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	46	2.0								0-17	350	2.7	2	1	1	2	4	5	5
70-74	0									18-34	2725	3.0	7	1	2	2	4	5	7
75-79	0									35-49	197	3.0	5	1	2	2	3	7	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**46**	**2.0**									**3272**	**3.0**	**7**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**75**	**1.8**									**3990**	**3.3**	**10**	**1**	**2**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	150	3.0	2	2	2	3	4	5	5	0-17	46	1.7							
18-34	965	3.1	3	1	2	3	4	5	6	18-34	379	4.3	10	1	2	3	7	9	9
35-49	0									35-49	43	5.7	28						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1115**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**468**	**4.2**	**11**	**1**	**2**	**3**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	659	2.4	1	1	2	2	3	4	4	0-17	296	2.3	1	1	1	2	3	3	3
18-34	2830	2.7	3	1	1	2	3	5	7	18-34	1472	2.2	2	1	1	2	2	4	5
35-49	89	1.8	1							35-49	110	5.7	30						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3579**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**1878**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4694**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**		**2346**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**9**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	29	2.5							
70-74	0										18-34	418	3.6	15	1	1	3	5	7	7
75-79	0										35-49	46	7.2	3						
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**493**	**3.9**	**15**	**1**	**1**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	32	3.0									0-17	61	1.7	2						
70-74	0										18-34	1011	2.3	3	< 1	1	2	2	4	7
75-79	0										35-49	121	3.5	10	1	1	1	5	11	11
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**32**	**3.0**										**1194**	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**32**	**3.0**										**1687**	**2.8**	**7**	**< 1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	61	6.6	4								0-17	46	6.3							
18-34	443	4.2	31	1	2	2	5	9	10		18-34	104	1.4	1	1	1	1	2	3	3
35-49	29	3.5									35-49	32	11.0							
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**532**	**4.4**	**27**	**1**	**2**	**2**	**6**	**9**	**10**			**182**	**4.3**	**14**	**1**	**1**	**3**	**7**	**11**	**11**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	128	2.5	4								0-17	14	2.0							
18-34	796	2.3	3	1	1	2	3	5	7		18-34	471	2.3	2	1	1	2	3	4	5
35-49	29	2.5									35-49	32	1.0							
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**953**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**			**518**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1485**	**3.1**	**13**	**1**	**1**	**2**	**3**	**7**	**9**			**700**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 378: Ectopic Pregnancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	46	3.7								0-17	78	4.4	1							
70-74	0									18-34	2616	3.9	2	3	3	4	5	6	6	
75-79	0									35-49	860	4.4	3	3	3	4	5	6	8	
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**46**	**3.7**									**3555**	**4.1**	**2**	**3**	**3**	**4**	**5**	**6**	**6**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	32	5.0								0-17	75	4.2								
70-74	0									18-34	8707	3.7	2	2	3	4	4	5	5	
75-79	0									35-49	1771	3.8	2	2	3	4	4	5	6	
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**32**	**5.0**									**10554**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**5**	
GRAND TOTAL	**78**	**4.2**	**1**								**14108**	**3.8**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	46	3.3								0-17	89	3.1	3							
18-34	1151	4.0	2	2	3	4	5	6	7	18-34	1486	4.1	3	3	3	4	4	6	7	
35-49	72	4.2	2							35-49	182	4.2	3	3	3	3	6	6	8	
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**1270**	**4.0**	**2**	**2**	**3**	**4**	**5**	**6**	**7**		**1758**	**4.1**	**3**	**3**	**3**	**4**	**4**	**6**	**7**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	75	3.2	2							0-17	32	3.0								
18-34	2235	3.9	3	2	3	4	4	5	6	18-34	4285	3.3	2	2	2	3	4	5	5	
35-49	168	3.5	1	2	2	4	4	5	5	35-49	471	2.9	2	1	2	3	4	4	6	
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**2478**	**3.8**	**3**	**2**	**3**	**4**	**4**	**5**	**6**		**4788**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	
GRAND TOTAL	**3748**	**3.9**	**3**	**2**	**3**	**4**	**5**	**5**	**7**		**6546**	**3.5**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	

DRG 379: Threatened Abortion

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	93	4.0	16							0-17	125	3.1	2						
70-74	0									18-34	3229	3.0	6	1	2	2	4	6	7
75-79	0									35-49	243	5.4	19	1	2	4	6	15	15
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**93**	**4.0**	**16**								**3597**	**3.2**	**7**	**1**	**2**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	93	2.2	1							0-17	1289	2.3	3	1	1	2	3	4	7
70-74	0									18-34	16716	2.6	8	1	1	2	3	4	6
75-79	0									35-49	995	3.5	10	1	1	2	5	8	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**93**	**2.2**	**1**								**19000**	**2.6**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**186**	**3.1**	**9**	**1**	**1**	**2**	**4**	**4**	**13**		**22597**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	789	2.6	2	1	2	3	3	4	5	0-17	197	2.4	1	1	2	2	4	4	4
18-34	3475	2.9	7	1	2	2	3	4	7	18-34	1512	3.4	34	1	1	2	3	5	12
35-49	29	1.5								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4292**	**2.8**	**6**	**1**	**2**	**2**	**3**	**4**	**6**		**1708**	**3.3**	**31**	**1**	**1**	**2**	**3**	**5**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1994	2.6	5	1	1	2	3	4	7	0-17	636	3.3	17	1	1	2	4	6	16
18-34	11163	2.4	8	1	1	2	3	4	6	18-34	5163	2.5	7	1	1	2	3	4	6
35-49	267	1.7	1	1	1	1	2	3	3	35-49	197	2.5	6	1	1	2	2	3	11
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**13424**	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**6**		**5996**	**2.6**	**8**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**17716**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**6**		**7704**	**2.7**	**13**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 380: Abortion w/o D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14	2.0								0-17	29	2.5	2						
70-74	0									18-34	278	2.0	1	1	1	2	3	4	5
75-79	0									35-49	57	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**14**	**2.0**									**364**	**1.9**	**1**	**1**	**1**	**1**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	14	1.0								0-17	250	1.2		< 1	1	1	1	2	2
70-74	0									18-34	2742	1.6	1	< 1	1	1	2	3	3
75-79	0									35-49	403	1.6	1	< 1	1	1	2	3	4
80-84	0									50-69	14	1.0							
85 +	0									70 +	0								
SUBTOTAL	**14**	**1.0**									**3409**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**29**	**1.5**									**3773**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	46	3.1	2						
18-34	350	2.7	4	1	1	2	3	6	6	18-34	197	2.1	1	1	1	2	3	3	4
35-49	14	2.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**364**	**2.7**	**3**	**1**	**1**	**2**	**3**	**6**	**6**		**243**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	335	1.5		< 1	1	1	2	2	3	0-17	246	1.1		1	1	1	1	1	2
18-34	1453	1.8	2	1	1	1	2	3	4	18-34	1576	1.8	3	< 1	1	1	2	3	6
35-49	46	1.7								35-49	168	1.1		1	1	1	1	1	2
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1834**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**1990**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**2199**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**5**		**2233**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**14**	**5.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	46	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**46**	**1.0**							
GRAND TOTAL	**61**	**1.9**	**3**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	2.4	1						
18-34	1510	2.8	6	1	1	2	4	6	8
35-49	218	2.1	1	1	1	1	3	3	5
50-69	0								
70 +	0								
	1774	**2.7**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	991	1.4	1	< 1	< 1	1	1	2	4
18-34	15678	1.4	2	< 1	< 1	1	1	2	3
35-49	2781	1.3	1	< 1	< 1	1	1	2	3
50-69	14	1.0							
70 +	0								
	19464	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
	21237	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	2.3							
18-34	963	3.3	12	1	1	2	4	6	7
35-49	14	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**1024**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	695	1.6	1	< 1	1	1	2	2	4
18-34	4131	1.6	1	< 1	1	1	2	3	3
35-49	243	1.7	2	1	1	1	2	4	7
50-69	0								
70 +	0								
SUBTOTAL	**5069**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**6092**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	1.0							
18-34	896	3.4	23	1	1	2	3	5	10
35-49	89	1.3	1						
50-69	0								
70 +	0								
	1017	**3.1**	**20**	**1**	**1**	**2**	**3**	**5**	**10**
0-17	948	1.2		< 1	1	1	1	2	2
18-34	6472	1.5	1	< 1	1	1	2	3	3
35-49	517	1.3		< 1	1	1	1	2	3
50-69	0								
70 +	0								
	7937	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
	8954	**1.6**	**4**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 382: False Labor

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	78	5.2	13						
70-74	0									18-34	389	2.3	2	< 1	1	2	3	5	5
75-79	0									35-49	32	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**499**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	336	1.4	1	< 1	1	1	1	3	3
70-74	0									18-34	5731	1.3	2	< 1	< 1	1	1	2	3
75-79	0									35-49	243	1.4		< 1	< 1	1	2	2	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**6310**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**6809**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	2.5	2							0-17	0								
18-34	438	2.8	8	< 1	1	2	4	4	12	18-34	218	1.7	1	< 1	1	2	2	2	5
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**503**	**2.8**	**7**	**< 1**	**1**	**2**	**4**	**4**	**12**		**218**	**1.7**	**1**	**< 1**	**1**	**2**	**2**	**2**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	810	1.3		< 1	< 1	1	1	2	3	0-17	342	1.5	1	< 1	< 1	1	1	2	5
18-34	4252	1.3		< 1	< 1	1	1	2	2	18-34	1399	1.5	2	< 1	< 1	1	1	2	4
35-49	46	3.8	3							35-49	61	1.5							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5108**	**1.3**		**< 1**	**< 1**	**1**	**1**	**2**	**2**		**1802**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**5611**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**		**2020**	**1.5**	**2**	**< 1**	**< 1**	**1**	**2**	**2**	**4**

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	190	5.5	14	2	3	4	7	9	16	0-17	756	3.2	2	2	2	3	4	5	6
70-74	0									18-34	10190	3.5	8	1	2	3	4	6	8
75-79	0									35-49	834	5.0	29	2	2	4	6	8	16
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**190**	**5.5**	**14**	**2**	**3**	**4**	**7**	**9**	**16**		**11780**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	75	3.2								0-17	1473	2.3	2	1	1	2	3	5	5
70-74	0									18-34	24037	3.1	5	1	2	3	4	5	7
75-79	0									35-49	1747	3.6	5	1	2	3	4	7	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**75**	**3.2**									**27257**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**265**	**4.8**	**11**	**2**	**3**	**3**	**6**	**9**	**16**		**39037**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1332	3.8	23	1	2	3	4	6	8	0-17	636	3.2	7	1	2	2	4	5	7
18-34	7655	3.9	13	1	2	3	5	7	9	18-34	3922	5.0	23	1	2	4	5	10	16
35-49	396	4.5	11	2	2	4	6	7	8	35-49	164	2.5	1	2	2	2	3	3	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9384**	**3.9**	**15**	**1**	**2**	**3**	**5**	**7**	**9**		**4722**	**4.7**	**21**	**1**	**2**	**3**	**5**	**9**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2112	2.8	4	1	1	2	3	6	6	0-17	1099	2.7	3	1	1	3	3	5	6
18-34	11330	2.7	4	1	2	2	3	5	6	18-34	5791	3.0	6	1	2	3	4	5	7
35-49	518	3.3	9	1	1	2	4	5	14	35-49	283	4.8	9	2	3	4	6	10	11
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**13960**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**		**7172**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**23343**	**3.2**	**9**	**1**	**2**	**3**	**4**	**6**	**7**		**11894**	**3.7**	**13**	**1**	**2**	**3**	**4**	**7**	**10**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	1007	2.7	9	1	1	2	3	5	8
75-79	0									35-49	200	3.9	8	1	2	3	3	7	12
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1207**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	78	2.6	2							0-17	339	1.6		1	1	2	2	2	3
70-74	0									18-34	10159	2.5	9	<1	1	2	3	4	6
75-79	0									35-49	1083	3.4	13	1	1	2	4	7	10
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**78**	**2.6**	**2**								**11581**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**78**	**2.6**	**2**								**12788**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	153	3.9	66	1	1	1	2	2	29	0-17	75	12.9	427						
18-34	676	4.0	33	1	1	2	4	10	12	18-34	386	3.7	33	1	1	2	2	16	20
35-49	32	4.0								35-49	29	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**861**	**3.9**	**37**	**1**	**1**	**2**	**4**	**10**	**12**		**490**	**4.9**	**103**	**1**	**1**	**2**	**2**	**16**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	589	1.9	4	<1	1	1	2	4	4	0-17	275	3.8	5	1	1	4	6	7	7
18-34	4955	2.6	11	<1	1	2	3	5	7	18-34	2585	2.7	15	<1	1	1	3	4	8
35-49	136	3.9	17	<1	1	1	4	11	11	35-49	204	3.3	7	<1	1	2	5	7	10
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5679**	**2.5**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**		**3064**	**2.8**	**14**	**<1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**6541**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**9**		**3554**	**3.1**	**26**	**1**	**1**	**2**	**3**	**6**	**10**

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
BIRTHWEIGHT																				
1-999 (GMS.)	0									1-999	402	70.7	141	56	70	85	99 +	99 +	99 +
1000-1499	0									1000-1499	731	44.8	264	25	32	40	58	75	89
1500-1749	0									1500-1749	373	34.5	108	23	29	36	41	50	63
1750-2499	0									1750-2499	1159	18.6	294	< 1	7	14	26	40	64
2500 +	0									2500 +	2018	6.4	26	1	3	5	9	13	15
SUBTOTAL	**0**										**4683**	**23.2**	**549**	**2**	**5**	**14**	**42**	**76**	**99 +**
2.PATIENTS W/OUT CCs																				
BIRTHWEIGHT																				
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	14	8.0							
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	14	40.0							
SUBTOTAL	**0**										**29**	**24.0**	**265**						
GRAND TOTAL	**0**										**4712**	**23.2**	**547**	**2**	**5**	**14**	**41**	**76**	**99 +**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
BIRTHWEIGHT																				
1-999 (GMS.)	273	72.8	292	52	78	94	99 +	99 +	99 +	1-999	172	68.1	401	59	69	96	99 +	99 +	99 +
1000-1499	821	48.4	316	27	36	47	58	80	99	1000-1499	233	45.7	443	21	32	41	73	86	99 +
1500-1749	326	31.4	88	22	25	31	39	44	60	1500-1749	201	30.6	142	21	24	28	38	48	55
1750-2499	1212	14.5	153	3	6	13	19	26	58	1750-2499	537	15.5	195	1	5	9	27	39	39
2500 +	957	6.8	27	3	4	5	8	11	23	2500 +	465	7.3	24	1	4	7	11	17	99 +
SUBTOTAL	**3589**	**26.2**	**588**	**4**	**7**	**22**	**49**	**92**	**99 +**		**1607**	**25.0**	**582**	**3**	**7**	**21**	**48**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																				
BIRTHWEIGHT																				
1-999	14	92.0								1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	14	1.0							
2500 +	14	5.0								2500 +	14	7.0							
SUBTOTAL	**29**	**48.5**	**1961**								**29**	**4.0**	**9**						
GRAND TOTAL	**3618**	**26.4**	**602**	**4**	**7**	**22**	**49**	**92**	**99 +**		**1636**	**24.7**	**580**	**3**	**7**	**21**	**45**	**99 +**	**99 +**

DRG 387: Prematurity w/ Major Problems

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	129	68.1	346	49	56	80	99+	99+	99+
1000-1499	0									1000-1499	459	41.8	166	23	38	44	55	99+	99+
1500-1749	29	26.0	17							1500-1749	440	23.1	65	15	18	21	28	34	36
1750-2499	14	33.0								1750-2499	2684	10.8	83	3	5	9	14	21	29
2500+	0									2500+	2405	5.7	35	2	3	5	6	10	12
SUBTOTAL	43	28.3	22								6117	13.2	232	3	4	8	17	38	56
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	57	36.8	74						
1500-1749	0									1500-1749	86	28.7	142	19	21	22	36	52	52
1750-2499	0									1750-2499	586	10.0	50	4	4	7	17	21	21
2500+	0									2500+	340	5.4	12	2	4	4	7	12	12
SUBTOTAL	0										1070	11.5	117	4	4	6	17	24	36
GRAND TOTAL	43	28.3	22								7187	12.9	215	3	4	7	17	35	54

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	57	54.3	198	38	46	75	99+	99+	99+	1-999	57	68.3	289	50	53	87	99+	99+	99+
1000-1499	273	45.3	234	30	36	39	57	74	90	1000-1499	319	39.5	198	23	30	36	57	99+	99+
1500-1749	369	24.9	153	16	18	25	27	79	99+	1500-1749	351	25.6	169	17	18	22	27	33	36
1750-2499	2326	9.7	66	3	4	7	12	19	22	1750-2499	2049	9.3	78	3	5	8	12	16	18
2500+	1587	5.1	7	3	3	4	6	9	10	2500+	847	5.2	8	2	4	5	7	8	10
SUBTOTAL	4611	12.0	184	3	4	7	16	31	52		3623	13.5	231	3	5	8	17	34	57
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	29	31.5	21							1000-1499	14	33.0							
1500-1749	104	18.9	13	16	17	17	21	27	27	1500-1749	100	20.6	44	13	15	18	27	33	33
1750-2499	548	10.1	56	3	4	8	16	21	26	1750-2499	147	10.2	43	4	5	8	14	18	25
2500+	240	5.4	1	4	4	5	7	7	7	2500+	186	4.3	1	3	4	4	5	6	6
SUBTOTAL	920	10.5	64	4	4	7	17	21	27		447	10.8	79	3	4	6	17	25	33
GRAND TOTAL	5531	11.7	165	3	4	7	16	27	42		4070	13.2	215	3	5	8	17	33	57

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	32	2.0							
2500 +	0								
SUBTOTAL	**32**	**2.0**							
GRAND TOTAL	**32**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	107	17.9	3						
1750-2499	293	11.1	52	3	6	11	13	28	28
2500 +	64	5.0							
	464	**11.8**	**49**	**5**	**6**	**11**	**17**	**20**	**28**
1-999	0								
1000-1499	72	24.0	213						
1500-1749	275	18.1	33	8	13	20	21	24	26
1750-2499	5061	5.9	20	2	3	4	7	12	16
2500 +	3589	3.3	2	2	2	3	4	5	6
	8997	**5.4**	**24**	**2**	**3**	**4**	**6**	**11**	**16**
	9460	**5.7**	**27**	**2**	**3**	**4**	**6**	**13**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	78	20.0	1						
1750-2499	317	11.1	45	3	4	14	17	18	18
2500 +	32	4.0							
SUBTOTAL	**427**	**12.2**	**51**	**4**	**4**	**16**	**18**	**21**	**21**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	14	44.0							
1000-1499	89	34.1	65						
1500-1749	225	16.6	31	7	14	16	20	21	30
1750-2499	4468	5.6	23	2	2	4	7	13	17
2500 +	3184	3.2	3	2	2	3	4	5	6
SUBTOTAL	**7980**	**5.3**	**33**	**2**	**2**	**3**	**6**	**13**	**17**
GRAND TOTAL	**8408**	**5.7**	**36**	**2**	**2**	**4**	**6**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	200	11.3	24	4	5	14	14	15	19
2500 +	0								
	200	**11.3**	**24**	**4**	**5**	**14**	**14**	**15**	**19**
1-999	0								
1000-1499	32	14.0							
1500-1749	136	16.2	16	7	14	16	19	22	22
1750-2499	2751	5.7	24	2	2	4	7	13	18
2500 +	2060	2.8	2	2	2	2	3	4	6
	4978	**4.9**	**21**	**2**	**2**	**3**	**5**	**12**	**15**
	5178	**5.1**	**23**	**2**	**2**	**3**	**5**	**13**	**15**

DRG 389: Full Term Neonate w/ Major Problems

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	61	17.9	9						
1500-1749	0									1500-1749	93	20.6	39						
1750-2499	0									1750-2499	965	6.0	21	2	3	5	7	13	16
2500 +	115	3.4	1	2	2	3	4	5	5	2500 +	26417	4.0	10	2	2	3	5	7	9
SUBTOTAL	**115**	**3.4**	**1**	**2**	**2**	**3**	**4**	**5**	**5**		**27536**	**4.2**	**12**	**2**	**2**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	32	49.0							
1000-1499	0									1000-1499	14	33.0							
1500-1749	0									1500-1749	14	23.0							
1750-2499	0									1750-2499	393	6.0	31	2	4	4	6	14	14
2500 +	14	3.0								2500 +	13671	3.8	2	3	3	4	4	5	6
SUBTOTAL	**14**	**3.0**									**14124**	**4.0**	**9**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**129**	**3.3**	**1**	**2**	**3**	**3**	**4**	**5**	**5**		**41660**	**4.1**	**11**	**2**	**3**	**4**	**4**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	29	49.5	1617						
1000-1499	57	42.0	223	29	29	55	99 +	99 +	99 +	1000-1499	0								
1500-1749	0									1500-1749	43	16.0	19						
1750-2499	990	5.5	22	2	3	3	7	11	17	1750-2499	952	7.1	95	2	3	4	7	14	15
2500 +	15181	4.5	15	2	2	4	5	8	10	2500 +	12606	4.3	18	2	2	3	5	7	10
SUBTOTAL	**16228**	**4.7**	**21**	**2**	**2**	**4**	**5**	**8**	**11**		**13629**	**4.6**	**32**	**2**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	29	29.0	501							1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	29	17.0	1						
1750-2499	943	4.6	12	2	3	4	5	8	14	1750-2499	161	6.3	21	3	3	6	7	13	17
2500 +	9289	3.9	4	3	3	4	4	5	7	2500 +	5624	4.1	11	2	3	3	4	6	8
SUBTOTAL	**10261**	**4.0**	**8**	**2**	**3**	**4**	**4**	**6**	**7**		**5814**	**4.3**	**12**	**2**	**3**	**3**	**4**	**6**	**9**
GRAND TOTAL	**26489**	**4.4**	**16**	**2**	**3**	**4**	**5**	**7**	**10**		**19443**	**4.5**	**26**	**2**	**3**	**3**	**5**	**7**	**10**

DRG 390: Neonate w/ Other Significant Problems

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	139	3.3	2	2	2	4	4	5	6
2500 +	0									2500 +	1790	3.1	2	2	2	3	4	5	6
SUBTOTAL	**0**										**1929**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	14	22.0							
1500-1749	0									1500-1749	64	14.5	21						
1750-2499	32	4.0								1750-2499	3364	3.9	7	2	2	3	5	7	9
2500 +	93	4.5	1							2500 +	44088	2.9	2	2	2	2	4	5	5
SUBTOTAL	**125**	**4.4**	**1**								**47531**	**3.0**	**3**	**2**	**2**	**2**	**4**	**5**	**5**
GRAND TOTAL	**125**	**4.4**	**1**								**49460**	**3.0**	**3**	**2**	**2**	**2**	**4**	**5**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	14	15.0							
1750-2499	171	5.3	5	2	2	6	7	8	8	1750-2499	142	8.6	25						
2500 +	1260	3.7	3	2	3	4	4	5	6	2500 +	585	3.1	6	1	2	3	4	5	5
SUBTOTAL	**1431**	**3.9**	**4**	**2**	**3**	**4**	**5**	**6**	**8**		**742**	**4.3**	**16**	**1**	**2**	**3**	**4**	**10**	**16**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	46	13.5	5							1000-1499	0								
1500-1749	14	18.0								1500-1749	78	17.3	7						
1750-2499	2800	4.0	8	2	2	3	5	8	10	1750-2499	1834	3.6	6	2	2	3	5	8	9
2500 +	31433	2.9	3	2	2	2	4	5	5	2500 +	21965	2.9	2	2	2	2	4	5	5
SUBTOTAL	**34294**	**3.0**	**4**	**2**	**2**	**2**	**4**	**5**	**6**		**23878**	**3.0**	**3**	**2**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**35725**	**3.0**	**4**	**2**	**2**	**2**	**4**	**5**	**6**		**24620**	**3.0**	**4**	**2**	**2**	**2**	**4**	**5**	**6**

DRG 391: Normal Newborn

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	14	27.0							
1500-1749	0									1500-1749	32	15.0							
1750-2499	46	3.7								1750-2499	6722	2.9	2	1	2	2	4	5	5
2500 +	670	2.4	2	1	1	2	3	4	5	2500 +	380289	2.6	1	2	2	2	3	4	4
SUBTOTAL	**717**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**387058**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**717**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**387058**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	14	44.0							
1500-1749	14	24.0								1500-1749	0								
1750-2499	8336	2.9	4	1	2	2	4	5	6	1750-2499	4885	2.8	6	1	2	2	3	4	5
2500 +	208916	2.4	1	1	2	2	3	4	5	2500 +	160692	2.3	1	1	2	2	3	4	4
SUBTOTAL	**217267**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**165592**	**2.3**	**2**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**217267**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**165592**	**2.3**	**2**	**1**	**2**	**2**	**3**	**4**	**4**

DRG 392: Splenectomy Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	186	14.5	126	4	5	14	18	37	99+	0-17	0								
70-74	43	13.0	3							18-34	500	12.8	214	5	5	8	12	23	49
75-79	93	10.7	7							35-49	139	10.5	29	6	6	8	17	19	20
80-84	46	16.6	210							50-69	168	12.1	35	3	8	13	15	21	21
85+	14	11.0								70+	0								
SUBTOTAL	**382**	**13.5**	**92**	**5**	**7**	**12**	**15**	**37**	**38**		**807**	**12.3**	**145**	**5**	**6**	**8**	**13**	**21**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	6.3	8							0-17	0								
70-74	29	18.5	94							18-34	339	6.9	13	4	5	6	8	13	13
75-79	0									35-49	197	5.4	2	4	4	5	7	7	8
80-84	14	29.0								50-69	89	8.4	26						
85+	0									70+	0								
SUBTOTAL	**86**	**14.2**	**109**	**3**	**6**	**9**	**28**	**29**	**29**		**625**	**6.7**	**12**	**4**	**4**	**5**	**8**	**13**	**15**
GRAND TOTAL	**468**	**13.7**	**95**	**5**	**7**	**11**	**15**	**37**	**38**		**1432**	**9.8**	**95**	**4**	**5**	**7**	**12**	**17**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	153	13.7	27	9	9	12	16	23	23	18-34	300	9.7	28	4	6	9	12	21	21
35-49	61	8.1	11							35-49	153	8.7	7	6	7	8	11	12	12
50-69	14	19.0								50-69	29	14.5	44						
70+	0									70+	0								
SUBTOTAL	**229**	**12.5**	**30**	**6**	**9**	**12**	**16**	**23**	**23**		**482**	**9.7**	**24**	**4**	**6**	**8**	**12**	**21**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	29	5.0								18-34	104	4.9		4	4	5	5	6	6
35-49	32	10.0								35-49	14	6.0							
50-69	0									50-69	14	7.0							
70+	0									70+	0								
SUBTOTAL	**61**	**7.6**	**6**								**132**	**5.2**	**1**	**4**	**5**	**5**	**6**	**7**	**7**
GRAND TOTAL	**289**	**11.5**	**29**	**5**	**7**	**10**	**14**	**23**	**23**		**615**	**8.7**	**22**	**4**	**5**	**7**	**11**	**17**	**21**

DRG 393: Splenectomy Age 0-17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	390	10.7	67	5	6	7	13	24	33
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**390**	**10.7**	**67**	**5**	**6**	**7**	**13**	**24**	**33**
2.PATIENTS W/OUT CCs									
0-17	520	5.7	4	4	4	5	7	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**520**	**5.7**	**4**	**4**	**4**	**5**	**7**	**8**	**11**
GRAND TOTAL	**910**	**7.8**	**37**	**4**	**5**	**6**	**8**	**13**	**24**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	8.0	26						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**29**	**8.0**	**26**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	100	6.9	8	5	5	5	8	13	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**100**	**6.9**	**8**	**5**	**5**	**5**	**8**	**13**	**13**
GRAND TOTAL	**129**	**7.1**	**12**	**3**	**5**	**5**	**8**	**13**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	93	8.9	32						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**93**	**8.9**	**32**						
2.PATIENTS W/OUT CCs									
0-17	29	6.5	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**29**	**6.5**	**2**						
GRAND TOTAL	**121**	**8.3**	**26**	**3**	**3**	**5**	**16**	**16**	**16**

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	104	18.2	280	4	4	12	37	51	51	0-17	251	8.6	132	2	4	6	8	54	99 +
70-74	57	8.3	11							18-34	118	8.5	33	1	4	8	17	17	17
75-79	64	15.5	43							35-49	43	3.7	1						
80-84	43	15.7	113							50-69	78	5.7	28						
85 +	0									70 +	0								
SUBTOTAL	**268**	**15.0**	**152**	**3**	**8**	**12**	**22**	**37**	**51**		**490**	**7.7**	**83**	**1**	**3**	**6**	**9**	**17**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	1.0								0-17	916	3.7	9	1	1	3	6	8	10
70-74	104	2.9	3	< 1	< 1	2	5	5	5	18-34	678	4.2	21	1	1	2	7	10	15
75-79	14	1.0								35-49	254	3.6	19	< 1	1	2	4	6	20
80-84	0									50-69	75	2.5	5						
85 +	64	4.5	12							70 +	0								
SUBTOTAL	**225**	**2.9**	**6**	**< 1**	**1**	**1**	**5**	**8**	**8**		**1923**	**3.9**	**14**	**1**	**1**	**3**	**6**	**9**	**10**
GRAND TOTAL	**493**	**9.5**	**122**	**1**	**1**	**5**	**12**	**22**	**37**		**2413**	**4.6**	**30**	**1**	**1**	**3**	**7**	**10**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	104	9.8	91	2	6	8	8	99 +	99 +	0-17	43	11.0	62						
18-34	43	15.3	167							18-34	29	5.5							
35-49	14	20.0								35-49	29	6.0	1						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**161**	**12.2**	**114**	**2**	**6**	**8**	**20**	**33**	**99 +**		**100**	**8.0**	**33**	**5**	**5**	**6**	**7**	**22**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	319	4.3	11	1	3	3	4	10	11	0-17	161	2.9	4	1	1	3	4	5	7
18-34	64	3.5								18-34	142	1.8	2						
35-49	14	4.0								35-49	32	3.0							
50-69	0									50-69	14	1.0							
70 +	0									70 +	0								
SUBTOTAL	**397**	**4.2**	**9**	**1**	**3**	**3**	**4**	**10**	**11**		**350**	**2.4**	**3**	**1**	**1**	**2**	**4**	**4**	**5**
GRAND TOTAL	**559**	**6.5**	**52**	**1**	**3**	**4**	**8**	**14**	**32**		**450**	**3.6**	**15**	**1**	**1**	**3**	**5**	**6**	**7**

DRG 395: Red Blood Cell Disorders Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5699	6.5	31	2	3	5	8	13	18
70-74	4089	5.5	15	1	3	5	7	11	14
75-79	4355	6.0	20	2	3	5	7	9	16
80-84	4110	6.4	46	2	3	5	8	11	14
85 +	3351	7.3	26	2	4	6	9	15	18
SUBTOTAL	**21604**	**6.3**	**28**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3326	6.0	30	2	3	5	7	11	16
70-74	991	5.8	40	2	3	4	6	8	11
75-79	1287	5.8	20	1	3	5	7	14	15
80-84	1131	4.7	16	1	2	4	5	10	14
85 +	1205	5.3	12	2	2	5	7	11	12
SUBTOTAL	**7940**	**5.6**	**25**	**2**	**3**	**4**	**7**	**10**	**15**
GRAND TOTAL	**29544**	**6.1**	**27**	**2**	**3**	**5**	**7**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1469	8.2	44	3	4	6	10	17	21
35-49	1080	5.5	23	1	2	4	8	11	17
50-69	2411	6.2	28	1	2	5	8	11	14
70 +	93	4.2	5						
	5052	**6.6**	**32**	**1**	**3**	**5**	**8**	**13**	**17**
0-17	0								
18-34	2390	5.1	22	1	3	4	6	9	13
35-49	1423	5.2	10	1	3	4	8	10	11
50-69	977	4.3	32	1	2	3	4	8	11
70 +	64	6.5	2						
	4855	**5.0**	**21**	**1**	**2**	**4**	**6**	**10**	**11**
	9907	**5.8**	**27**	**1**	**3**	**4**	**8**	**11**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1944	6.4	18	2	3	5	8	13	16
35-49	761	6.3	16	2	3	6	7	12	16
50-69	981	6.2	25	2	3	4	9	13	15
70 +	128	4.5	4						
SUBTOTAL	**3814**	**6.3**	**19**	**2**	**3**	**5**	**8**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	4866	5.1	12	2	3	4	7	9	11
35-49	390	5.9	21	1	3	5	7	11	19
50-69	299	5.4	10	2	2	5	8	12	12
70 +	32	1.0							
SUBTOTAL	**5587**	**5.1**	**13**	**2**	**3**	**4**	**7**	**9**	**12**
GRAND TOTAL	**9401**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	753	6.7	26	2	3	6	9	10	16
35-49	721	6.0	14	2	3	5	9	11	12
50-69	953	5.2	11	1	2	5	7	10	11
70 +	43	15.7	382						
	2470	**6.1**	**25**	**2**	**3**	**5**	**8**	**11**	**13**
0-17	0								
18-34	1338	4.0	6	1	2	3	5	8	9
35-49	403	3.6	4	1	2	3	6	6	6
50-69	310	5.5	8	2	3	5	6	10	11
70 +	29	4.5							
	2081	**4.1**	**6**	**1**	**2**	**4**	**6**	**8**	**9**
	4551	**5.2**	**17**	**2**	**2**	**4**	**7**	**9**	**11**

DRG 396: Red Blood Cell Disorders Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	176	4.7	12	1	2	5	7	9	12	0-17	2239	4.8	23	1	2	3	6	10	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**176**	**4.7**	**12**	**1**	**2**	**5**	**7**	**9**	**12**		**2239**	**4.8**	**23**	**1**	**2**	**3**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	6707	3.4	8	1	1	3	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**6707**	**3.4**	**8**	**1**	**1**	**3**	**4**	**7**	**9**
GRAND TOTAL	**176**	**4.7**	**12**	**1**	**2**	**5**	**7**	**9**	**12**		**8947**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2097	5.8	22	1	3	5	7	10	18	0-17	520	8.2	93	3	4	7	9	11	21
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2097**	**5.8**	**22**	**1**	**3**	**5**	**7**	**10**	**18**		**520**	**8.2**	**93**	**3**	**4**	**7**	**9**	**11**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7047	3.2	6	1	2	3	4	6	7	0-17	2526	4.1	20	1	2	3	5	7	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7047**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**		**2526**	**4.1**	**20**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**9144**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**		**3046**	**4.8**	**35**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 397: Coagulation Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	956	9.2	80	2	4	6	12	23	30	0-17	645	4.6	20	1	2	3	6	9	13
70-74	389	6.9	35	3	4	5	9	11	11	18-34	219	6.0	15	2	3	5	7	14	14
75-79	392	8.1	46	2	3	5	11	16	26	35-49	243	4.9	4	2	4	5	5	8	9
80-84	175	6.6	12	3	4	7	7	13	13	50-69	357	5.0	19	2	3	4	5	10	13
85 +	186	7.9	33	2	4	6	9	19	21	70 +	0								
SUBTOTAL	**2097**	**8.2**	**56**	**2**	**4**	**6**	**9**	**19**	**26**		**1463**	**4.9**	**17**	**1**	**3**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	222	7.6	70	2	3	4	12	14	35	0-17	2351	3.4	14	1	2	2	4	6	9
70-74	189	5.8	27	2	3	4	7	7	23	18-34	150	3.6	3	2	2	3	6	6	7
75-79	160	8.2	63							35-49	179	5.0	1	4	4	5	6	6	7
80-84	61	5.2	3							50-69	310	4.6	8	2	3	4	5	8	8
85 +	89	4.2	2							70 +	0								
SUBTOTAL	**721**	**6.6**	**45**	**2**	**3**	**5**	**7**	**14**	**23**		**2990**	**3.7**	**13**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**2818**	**7.8**	**54**	**2**	**3**	**5**	**9**	**17**	**23**		**4453**	**4.1**	**14**	**1**	**2**	**3**	**5**	**7**	**11**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	437	4.6	21	1	2	3	5	9	14	0-17	143	3.9	8	2	2	3	4	8	11
18-34	86	6.7	32	1	2	5	8	18	18	18-34	86	4.3	3	1	4	5	6	6	6
35-49	46	6.2	3							35-49	164	5.8	53	1	2	4	6	9	28
50-69	32	15.0								50-69	118	7.5	11	2	8	8	11	11	11
70 +	0									70 +	14	7.0							
SUBTOTAL	**602**	**5.6**	**26**	**1**	**2**	**4**	**8**	**14**	**15**		**527**	**5.4**	**23**	**1**	**2**	**4**	**8**	**11**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	462	2.7	3	< 1	1	3	3	5	5	0-17	964	3.4	8	1	1	3	4	7	7
18-34	104	4.7	5	3	3	4	5	10	10	18-34	139	3.6	4	1	2	4	6	6	6
35-49	14	2.0								35-49	72	3.6	4						
50-69	46	3.6	1							50-69	57	3.5	1						
70 +	0									70 +	32	46.0							
SUBTOTAL	**627**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**5**		**1264**	**4.5**	**51**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**1229**	**4.3**	**16**	**1**	**2**	**3**	**5**	**9**	**14**		**1790**	**4.8**	**43**	**1**	**2**	**3**	**6**	**8**	**11**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1090	7.7	33	3	4	6	9	14	21
70-74	689	6.5	24	2	4	6	8	10	10
75-79	802	7.3	23	3	4	7	8	12	22
80-84	378	11.6	56	4	6	10	20	20	29
85 +	157	7.5	60	2	4	5	8	8	31
SUBTOTAL	**3115**	**7.8**	**35**	**3**	**4**	**7**	**9**	**14**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3115**	**7.8**	**35**	**3**	**4**	**7**	**9**	**14**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3223	6.0	21	2	3	5	7	12	14
18-34	850	7.0	121	1	3	4	7	13	18
35-49	655	6.6	20	2	4	5	9	14	16
50-69	829	8.2	40	3	4	7	9	18	20
70 +	89	10.1	34						
	5646	**6.6**	**40**	**2**	**3**	**5**	**8**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5646	**6.6**	**40**	**2**	**3**	**5**	**8**	**13**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1147	6.4	20	2	3	5	7	13	16
18-34	354	8.5	39	< 1	2	9	14	17	20
35-49	197	7.1	32	2	5	5	6	15	21
50-69	189	6.2	3	4	5	6	7	8	11
70 +	32	9.0							
SUBTOTAL	**1919**	**6.9**	**24**	**2**	**3**	**6**	**8**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1919**	**6.9**	**24**	**2**	**3**	**6**	**8**	**15**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	509	7.7	47	2	3	5	10	17	20
18-34	397	12.6	239	2	5	9	17	18	19
35-49	190	8.2	26	3	4	6	11	15	20
50-69	182	8.0	48	1	5	7	8	21	25
70 +	0								
	1278	**9.3**	**108**	**2**	**4**	**7**	**11**	**18**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1278	**9.3**	**108**	**2**	**4**	**7**	**11**	**18**	**20**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	264	4.6	7	2	3	4	7	7	13	0-17	3694	4.5	34	1	2	4	5	7	9
70-74	121	4.7	6	2	4	4	4	11	11	18-34	504	4.6	13	1	3	4	6	7	12
75-79	168	5.2	3	3	3	5	7	7	8	35-49	407	5.5	16	2	2	4	8	12	14
80-84	129	3.9	11	2	2	3	3	13	13	50-69	200	3.8	2	2	3	4	5	5	6
85 +	0									70 +	32	20.0							
SUBTOTAL	**682**	**4.6**	**7**	**2**	**3**	**4**	**5**	**7**	**11**		**4837**	**4.7**	**30**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**682**	**4.6**	**7**	**2**	**3**	**4**	**5**	**7**	**11**		**4837**	**4.7**	**30**	**1**	**2**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1606	4.5	14	< 1	1	4	7	10	12	0-17	880	6.2	77	2	3	4	6	8	24
18-34	153	4.3	2	3	3	5	5	5	7	18-34	282	5.3	13	1	3	5	7	13	13
35-49	218	8.2	42	4	4	5	11	14	28	35-49	110	8.0	24						
50-69	78	4.7	8							50-69	32	6.0							
70 +	64	7.0	16							70 +	0								
SUBTOTAL	**2119**	**5.0**	**17**	**< 1**	**2**	**4**	**7**	**11**	**12**		**1304**	**6.2**	**57**	**2**	**3**	**4**	**7**	**11**	**13**
GRAND TOTAL	**2119**	**5.0**	**17**	**< 1**	**2**	**4**	**7**	**11**	**12**		**1304**	**6.2**	**57**	**2**	**3**	**4**	**7**	**11**	**13**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	446	10.5	47	3	4	10	15	19	23
70-74	357	14.3	103	5	5	8	22	27	36
75-79	179	17.2	202	5	7	13	16	41	53
80-84	139	23.1	150	4	18	25	28	40	41
85 +	14	28.0							
SUBTOTAL	**1135**	**14.5**	**120**	**4**	**5**	**10**	**22**	**28**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	186	8.2	20	1	5	9	13	14	14
70-74	72	8.6	25						
75-79	104	7.4	4	4	6	7	9	11	11
80-84	14	5.0							
85 +	29	9.5	2						
SUBTOTAL	**404**	**8.0**	**16**	**4**	**5**	**7**	**11**	**14**	**14**
GRAND TOTAL	**1539**	**12.8**	**100**	**4**	**5**	**9**	**17**	**27**	**36**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	39.7	164	26	32	40	49	54	66
18-34	86	33.0	992	2	3	28	42	94	94
35-49	294	24.7	396	7	9	22	36	39	58
50-69	283	12.8	91	1	6	12	16	25	37
70 +	29	13.0	1						
	834	**23.7**	**396**	**3**	**10**	**16**	**36**	**49**	**66**
0-17	247	11.7	103	4	6	7	12	30	42
18-34	247	10.6	190	4	6	7	8	21	64
35-49	193	9.6	69	3	5	9	10	12	37
50-69	300	9.1	55	2	5	8	9	12	21
70 +	0								
	988	**10.3**	**104**	**4**	**6**	**7**	**9**	**21**	**37**
	1822	**16.4**	**283**	**4**	**6**	**9**	**21**	**40**	**49**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	22.0	125						
18-34	14	50.0							
35-49	14	16.0							
50-69	32	10.0							
70 +	0								
SUBTOTAL	**89**	**21.2**	**224**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	4.0							
18-34	14	13.0							
35-49	32	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**75**	**5.7**	**13**						
GRAND TOTAL	**164**	**14.2**	**187**	**4**	**4**	**10**	**16**	**33**	**50**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	19.3	254						
18-34	46	8.4	1						
35-49	0								
50-69	29	15.5	75						
70 +	0								
	132	**14.6**	**148**	**5**	**7**	**9**	**14**	**46**	**46**
0-17	43	14.7	234						
18-34	0								
35-49	61	11.5	15						
50-69	78	5.8	23						
70 +	0								
	182	**9.8**	**82**	**1**	**3**	**7**	**15**	**15**	**36**
	315	**11.8**	**115**	**1**	**6**	**9**	**14**	**24**	**36**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	500	10.9	117	3	5	7	11	24	39
70-74	325	13.7	191	2	3	10	17	26	49
75-79	411	13.9	212	3	3	10	18	38	43
80-84	214	15.4	205	3	3	7	26	32	52
85 +	61	14.7	6						
SUBTOTAL	**1511**	**13.1**	**169**	**3**	**3**	**9**	**17**	**32**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1511**	**13.1**	**169**	**3**	**3**	**9**	**17**	**32**	**43**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	20.5	355						
18-34	0								
35-49	104	13.8	75	3	3	19	22	22	22
50-69	304	11.4	62	4	5	8	15	22	23
70 +	0								
	436	**12.6**	**89**	**4**	**5**	**8**	**19**	**22**	**34**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	436	**12.6**	**89**	**4**	**5**	**8**	**19**	**22**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	7.7	15						
18-34	0								
35-49	0								
50-69	61	7.1	12						
70 +	0								
SUBTOTAL	**104**	**7.3**	**13**	**4**	**4**	**6**	**12**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**104**	**7.3**	**13**	**4**	**4**	**6**	**12**	**13**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	83.0							
18-34	182	14.5	135	4	5	13	20	37	37
35-49	14	29.0							
50-69	61	4.1	11						
70 +	0								
	272	**16.5**	**373**	**1**	**4**	**10**	**20**	**37**	**83**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	272	**16.5**	**373**	**1**	**4**	**10**	**20**	**37**	**83**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	211	5.5	31	1	2	2	7	16	18	0-17	161	5.2	24	1	1	3	8	11	17
70-74	153	4.4	8	1	3	4	6	9	9	18-34	161	4.5	11	2	2	3	9	10	10
75-79	43	1.0								35-49	232	6.0	10	1	4	7	9	9	10
80-84	57	4.5	7							50-69	243	4.1	6	1	2	3	7	7	8
85 +	75	12.9	97							70 +	0								
SUBTOTAL	**540**	**5.7**	**38**	**1**	**1**	**3**	**7**	**16**	**24**		**797**	**4.9**	**12**	**1**	**2**	**4**	**8**	**9**	**10**
GRAND TOTAL	**540**	**5.7**	**38**	**1**	**1**	**3**	**7**	**16**	**24**		**797**	**4.9**	**12**	**1**	**2**	**4**	**8**	**9**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	7.5	6							0-17	14	8.0							
18-34	0									18-34	29	3.5	6						
35-49	14	14.0								35-49	14	3.0							
50-69	29	1.5								50-69	43	7.7	45						
70 +	0									70 +	0								
SUBTOTAL	**72**	**6.4**	**25**								**100**	**5.9**	**26**	**1**	**2**	**4**	**8**	**17**	**17**
GRAND TOTAL	**72**	**6.4**	**25**								**100**	**5.9**	**26**	**1**	**2**	**4**	**8**	**17**	**17**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1421	8.2	55	2	3	6	10	21	25
70-74	729	13.9	177	3	5	7	20	42	43
75-79	1213	8.9	77	2	3	6	12	20	33
80-84	966	10.7	91	3	6	8	14	19	25
85 +	688	10.1	62	3	5	8	10	21	28
SUBTOTAL	5017	10.0	89	2	4	7	13	22	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5017	10.0	89	2	4	7	13	22	29

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	258	10.3	152	2	4	5	13	21	55
18-34	286	12.6	86	1	4	12	23	28	28
35-49	548	9.6	129	1	2	6	12	21	30
50-69	1026	9.3	49	1	4	8	11	21	22
70 +	29	9.5	13						
	2146	9.9	87	1	4	7	13	21	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2146	9.9	87	1	4	7	13	21	26

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	100	4.7	11	1	2	3	9	10	10
18-34	14	11.0							
35-49	89	17.0	105						
50-69	197	11.6	107	3	4	6	14	29	29
70 +	32	6.0							
SUBTOTAL	433	10.7	91	3	4	7	12	29	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	433	10.7	91	3	4	7	12	29	29

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	7.9	92	1	1	6	9	30	30
18-34	72	14.2	48						
35-49	75	3.3	11						
50-69	104	8.9	9	5	6	8	13	13	13
70 +	32	13.0							
	383	8.9	51	1	3	8	13	21	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	383	8.9	51	1	3	8	13	21	23

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	539	7.2	16	3	4	7	9	12	15	0-17	603	4.9	13	2	2	4	6	9	13
70-74	315	6.1	10	2	3	6	8	9	11	18-34	164	1.7	1	1	1	2	2	3	3
75-79	321	7.3	19	2	4	6	11	13	13	35-49	586	5.6	48	1	1	3	5	16	28
80-84	278	10.0	37	3	7	8	14	18	23	50-69	668	4.2	13	1	2	3	5	8	11
85 +	142	6.5	16							70 +	0								
SUBTOTAL	**1596**	**7.4**	**21**	**2**	**4**	**7**	**9**	**13**	**15**		**2021**	**4.6**	**23**	**1**	**2**	**3**	**5**	**11**	**16**
GRAND TOTAL	**1596**	**7.4**	**21**	**2**	**4**	**7**	**9**	**13**	**15**		**2021**	**4.6**	**23**	**1**	**2**	**3**	**5**	**11**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	187	5.8	24	1	2	4	8	15	16	0-17	118	3.0	6	< 1	2	2	2	8	8
18-34	61	12.0	29							18-34	29	7.5							
35-49	14	1.0								35-49	14	1.0							
50-69	89	8.4	8							50-69	157	1.4	1	1	1	1	1	2	4
70 +	0									70 +	32	4.0							
SUBTOTAL	**351**	**7.3**	**27**	**1**	**3**	**7**	**9**	**16**	**17**		**350**	**2.6**	**5**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**351**	**7.3**	**27**	**1**	**3**	**7**	**9**	**16**	**17**		**350**	**2.6**	**5**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	2030	10.1	108	1	3	7	14	21	32
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2030**	**10.1**	**108**	**1**	**3**	**7**	**14**	**21**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2270	6.6	51	1	2	4	8	15	22
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2270**	**6.6**	**51**	**1**	**2**	**4**	**8**	**15**	**22**
GRAND TOTAL	**0**										**4300**	**8.3**	**81**	**1**	**2**	**6**	**11**	**17**	**24**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	674	13.2	232	1	3	10	20	31	37	0-17	603	12.5	251	1	3	7	18	27	38
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**674**	**13.2**	**232**	**1**	**3**	**10**	**20**	**31**	**37**		**603**	**12.5**	**251**	**1**	**3**	**7**	**18**	**27**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	933	5.9	76	1	2	3	6	12	14	0-17	430	6.8	57	1	2	5	8	11	27
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**933**	**5.9**	**76**	**1**	**2**	**3**	**6**	**12**	**14**		**430**	**6.8**	**57**	**1**	**2**	**5**	**8**	**11**	**27**
GRAND TOTAL	**1607**	**8.9**	**154**	**1**	**2**	**4**	**11**	**21**	**31**		**1033**	**10.2**	**178**	**1**	**3**	**6**	**11**	**24**	**37**

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	379	14.7	150	5	8	14	17	23	50
70-74	153	13.9	72	7	7	11	22	22	33
75-79	200	8.7	34	2	4	9	10	20	20
80-84	61	15.5	106						
85 +	78	6.2	2						
SUBTOTAL	**871**	**12.5**	**103**	**4**	**6**	**9**	**16**	**22**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**871**	**12.5**	**103**	**4**	**6**	**9**	**16**	**22**	**32**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	201	26.0	458	5	9	19	31	68	69
18-34	46	20.4	159						
35-49	89	26.1	270						
50-69	172	22.8	184	10	13	19	24	44	56
70 +	0								
	509	**24.4**	**307**	**9**	**12**	**19**	**31**	**53**	**68**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	509	**24.4**	**307**	**9**	**12**	**19**	**31**	**53**	**68**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	107	20.0	191						
70 +	0								
SUBTOTAL	**107**	**20.0**	**191**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**107**	**20.0**	**191**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	31.5	435						
18-34	0								
35-49	0								
50-69	46	8.8	3						
70 +	0								
	75	**17.5**	**289**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	75	**17.5**	**289**						

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	129	6.0	6	2	5	6	8	9	9	0-17	100	6.1	11	4	4	5	6	14	14
70-74	86	7.8	14	< 1	5	10	10	12	12	18-34	43	3.3	4						
75-79	75	5.6	8							35-49	200	5.5	55	1	1	3	5	14	29
80-84	0									50-69	436	8.9	41	4	6	7	10	13	27
85 +	0									70 +	0								
SUBTOTAL	**290**	**6.4**	**10**	**1**	**5**	**6**	**9**	**10**	**10**		**779**	**7.3**	**42**	**1**	**4**	**6**	**9**	**13**	**27**
GRAND TOTAL	**290**	**6.4**	**10**	**1**	**5**	**6**	**9**	**10**	**10**		**779**	**7.3**	**42**	**1**	**4**	**6**	**9**	**13**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	14	32.0							
18-34	0									18-34	14	5.0							
35-49	96	4.3	4							35-49	29	5.0	1						
50-69	29	7.0	4							50-69	61	9.1	74						
70 +	0									70 +	0								
SUBTOTAL	**125**	**4.9**	**5**								**118**	**10.4**	**107**	**1**	**5**	**6**	**6**	**32**	**32**
GRAND TOTAL	**125**	**4.9**	**5**								**118**	**10.4**	**107**	**1**	**5**	**6**	**6**	**32**	**32**

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	372	9.0	128	3	4	5	9	18	36	0-17	57	6.0	29						
70-74	279	7.1	47	2	3	3	11	23	23	18-34	75	7.4	2						
75-79	150	9.9	74	2	3	7	14	25	25	35-49	268	3.1	7	1	1	2	5	7	12
80-84	107	3.6	3							50-69	365	4.6	12	1	2	4	7	8	8
85 +	57	6.8	27							70 +	0								
SUBTOTAL	**966**	**7.9**	**79**	**2**	**3**	**4**	**9**	**18**	**25**		**766**	**4.5**	**13**	**1**	**2**	**3**	**7**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	469	3.5	9	1	2	3	3	9	11	0-17	100	8.3	36	< 1	4	6	11	21	21
70-74	262	4.0	17	1	2	3	3	15	15	18-34	121	5.1	13	1	1	7	10	10	10
75-79	132	3.6	4	2	2	3	4	7	7	35-49	394	3.1	7	1	2	2	4	6	11
80-84	72	2.4	1							50-69	637	4.3	35	1	2	3	4	7	13
85 +	136	3.7	3	2	3	3	4	8	8	70 +	0								
SUBTOTAL	**1071**	**3.6**	**9**	**1**	**2**	**3**	**3**	**7**	**11**		**1253**	**4.3**	**26**	**1**	**2**	**3**	**4**	**10**	**12**
GRAND TOTAL	**2037**	**5.6**	**47**	**2**	**2**	**3**	**6**	**13**	**18**		**2019**	**4.4**	**21**	**1**	**2**	**3**	**5**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	13.0	142							0-17	14	3.0							
18-34	14	3.0								18-34	46	4.4	1						
35-49	61	3.6	14							35-49	0								
50-69	75	12.2	23							50-69	89	20.0	207						
70 +	46	16.1	79							70 +	0								
SUBTOTAL	**240**	**10.4**	**74**	**1**	**3**	**10**	**16**	**22**	**29**		**150**	**13.6**	**185**	**3**	**5**	**8**	**24**	**28**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	57	4.5	12							0-17	14	5.0							
18-34	72	2.8	1							18-34	61	3.0	2						
35-49	129	2.8	1	2	2	3	3	4	4	35-49	14	3.0							
50-69	176	2.9	4	1	2	3	3	3	9	50-69	132	3.4	5	1	2	3	4	9	9
70 +	14	3.0								70 +	14	3.0							
SUBTOTAL	**448**	**3.0**	**4**	**1**	**2**	**3**	**3**	**4**	**8**		**236**	**3.4**	**3**	**1**	**3**	**3**	**4**	**5**	**9**
GRAND TOTAL	**688**	**5.6**	**40**	**1**	**2**	**3**	**8**	**16**	**22**		**386**	**7.3**	**98**	**2**	**3**	**3**	**8**	**24**	**28**

DRG 409: Radiotherapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	329	6.1	15	2	4	5	8	13	13	0-17	43	4.3	1						
70-74	435	9.4	43	3	4	6	15	20	21	18-34	46	2.4	1						
75-79	197	12.2	106	2	4	6	17	30	30	35-49	172	4.8	12	2	2	4	5	11	12
80-84	171	11.5	19	6	6	13	13	18	18	50-69	576	7.0	67	2	2	4	5	26	26
85 +	78	8.5	21							70 +	14	8.0							
SUBTOTAL	**1210**	**9.2**	**46**	**2**	**4**	**6**	**14**	**18**	**21**		**852**	**6.2**	**50**	**2**	**2**	**4**	**5**	**19**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	118	3.1	2	1	2	2	4	5	5	0-17	0								
70-74	61	1.9	3							18-34	86	1.3		1	1	1	2	2	2
75-79	14	2.0								35-49	147	2.0		1	2	2	2	3	3
80-84	43	4.0	2							50-69	161	2.2	1	< 1	1	2	4	4	4
85 +	0									70 +	0								
SUBTOTAL	**236**	**2.9**	**3**	**1**	**1**	**2**	**5**	**5**	**5**		**394**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**1447**	**8.2**	**44**	**2**	**4**	**5**	**13**	**17**	**21**		**1246**	**4.8**	**38**	**1**	**2**	**3**	**5**	**11**	**23**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	14	4.0							
18-34	14	4.0								18-34	29	4.5							
35-49	43	4.0	1							35-49	29	3.0	1						
50-69	89	3.7	2							50-69	46	2.3							
70 +	0									70 +	0								
SUBTOTAL	**147**	**3.8**	**1**	**3**	**3**	**4**	**5**	**5**	**5**		**118**	**3.2**	**1**	**2**	**2**	**3**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	61	1.5							
35-49	0									35-49	0								
50-69	0									50-69	14	5.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**75**	**2.2**	**2**						
GRAND TOTAL	**147**	**3.8**	**1**	**3**	**3**	**4**	**5**	**5**	**5**		**193**	**2.8**	**2**	**1**	**2**	**2**	**4**	**5**	**5**

DRG 410: Chemotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8859	3.3	7	1	2	3	4	5	6
70-74	4711	3.3	5	1	2	3	4	5	6
75-79	2342	3.7	4	2	2	4	4	5	6
80-84	732	4.7	14	2	4	4	4	11	13
85 +	250	4.5	1	4	4	5	5	6	6
SUBTOTAL	**16894**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2304	2.3	4	1	1	1	3	5	6
70-74	1468	2.2	2	1	1	2	2	5	5
75-79	743	2.5	2	1	1	2	4	4	5
80-84	275	2.1	3	1	1	1	2	6	6
85 +	0								
SUBTOTAL	**4789**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**21683**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12338	3.3	10	1	2	3	4	5	6
18-34	2485	3.3	10	1	1	2	4	5	8
35-49	3802	3.4	24	1	1	3	4	5	6
50-69	10882	2.8	5	1	2	2	4	5	6
70 +	219	3.6	3	1	2	5	5	5	5
	29725	**3.1**	**10**	**1**	**2**	**3**	**4**	**5**	**6**
0-17	6786	3.1	4	1	2	3	4	5	6
18-34	1203	3.0	3	1	1	3	4	5	6
35-49	1831	2.2	2	1	1	1	3	4	5
50-69	3369	2.0	2	1	1	2	2	4	5
70 +	14	1.0							
	13204	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**5**
	42929	**3.0**	**8**	**1**	**2**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3845	3.2	7	1	2	3	4	5	7
18-34	430	3.0	5	1	1	3	4	6	8
35-49	948	2.7	3	1	2	2	4	5	5
50-69	766	3.2	3	2	2	3	4	6	6
70 +	14	4.0							
SUBTOTAL	**6004**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2338	3.2	2	2	2	3	4	5	6
18-34	244	3.0	4	1	1	2	5	6	7
35-49	240	2.0	1	1	1	2	3	4	4
50-69	322	1.3		1	1	1	2	2	2
70 +	0								
SUBTOTAL	**3144**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**9148**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2012	3.5	4	1	2	3	5	5	6
18-34	423	5.4	105	1	1	4	5	6	6
35-49	517	3.0	4	1	2	2	4	6	7
50-69	1215	2.8	22	1	1	1	3	5	6
70 +	0								
	4166	**3.4**	**20**	**1**	**1**	**3**	**4**	**5**	**6**
0-17	775	3.6	4	2	3	3	4	5	6
18-34	401	3.9	2	1	3	4	4	6	6
35-49	232	2.6	2	1	2	2	5	5	5
50-69	272	2.1	2	1	1	1	2	5	6
70 +	14	1.0							
	1693	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
	5859	**3.4**	**15**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 411: History of Malignancy w/o Endoscopy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	509	4.6	4	3	3	4	4	7	9		0-17	14	4.0							
70-74	175	6.5	7	4	4	8	9	9	9		18-34	0								
75-79	224	3.3	2	1	2	4	4	5	5		35-49	128	4.8	3						
80-84	110	11.1	375								50-69	320	5.6	21	2	2	4	5	14	16
85 +	0										70 +	0								
SUBTOTAL	1018	5.3	49	3	3	4	5	9	9			463	5.3	16	2	2	4	5	13	16
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	75	1.9	1								0-17	14	2.0							
70-74	0										18-34	43	2.3							
75-79	32	6.0									35-49	64	2.0	1						
80-84	0										50-69	78	2.2	1						
85 +	0										70 +	0								
SUBTOTAL	107	3.1	4									200	2.2	1	1	2	2	3	3	3
GRAND TOTAL	1126	5.1	45	2	3	4	5	9	9			663	4.4	13	2	2	4	5	7	13

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	32	1.0							
70 +	0										70 +	0								
SUBTOTAL	0											32	1.0							
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	14	3.0									0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	14	1.0							
70 +	0										70 +	0								
SUBTOTAL	14	3.0										14	1.0							
GRAND TOTAL	14	3.0										46	1.0							

DRG 412: History of Malignancy w/ Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	96	3.0	2							0-17	0								
70-74	32	37.0								18-34	0								
75-79	46	6.1	2							35-49	0								
80-84	104	5.0	32	< 1	1	2	14	14	14	50-69	78	3.6	1						
85 +	0									70 +	0								
SUBTOTAL	**278**	**8.2**	**123**	**1**	**1**	**4**	**7**	**37**	**37**		**78**	**3.6**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	2.0	1							0-17	0								
70-74	14	2.0								18-34	0								
75-79	14	1.0								35-49	72	1.0							
80-84	46	2.0								50-69	14	2.0							
85 +	0									70 +	32	1.0							
SUBTOTAL	**118**	**1.9**		**< 1**	**2**	**2**	**2**	**3**	**3**		**118**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
GRAND TOTAL	**396**	**6.3**	**94**	**< 1**	**1**	**3**	**4**	**14**	**37**		**197**	**2.1**	**2**	**< 1**	**< 1**	**1**	**4**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	14	2.0							
SUBTOTAL	**0**										**14**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**14**	**2.0**							

DRG 413: Other Myeloprolif Dls or Poorly Diff Neopl Diag w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	728	11.0	181	2	4	6	11	24	32	0-17	0								
70-74	392	9.0	32	2	5	8	13	18	18	18-34	125	3.9	5						
75-79	610	9.4	71	2	3	7	13	20	34	35-49	232	6.0	14	2	2	5	10	11	14
80-84	239	7.0	63	1	1	4	7	26	26	50-69	371	12.1	177	1	4	6	13	29	31
85 +	107	10.2	33							70 +	14	5.0							
SUBTOTAL	**2075**	**9.6**	**101**	**2**	**4**	**7**	**11**	**20**	**26**		**742**	**8.7**	**105**	**1**	**3**	**5**	**11**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2075**	**9.6**	**101**	**2**	**4**	**7**	**11**	**20**	**26**		**742**	**8.7**	**105**	**1**	**3**	**5**	**11**	**22**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	11.0								0-17	29	37.5	31						
18-34	29	9.0	9							18-34	14	14.0							
35-49	0									35-49	0								
50-69	125	7.6	2							50-69	78	4.1	2						
70 +	32	4.0								70 +	14	5.0							
SUBTOTAL	**200**	**7.5**	**6**	**4**	**6**	**8**	**9**	**11**	**12**		**136**	**12.3**	**187**	**3**	**4**	**5**	**14**	**43**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**200**	**7.5**	**6**	**4**	**6**	**8**	**9**	**11**	**12**		**136**	**12.3**	**187**	**3**	**4**	**5**	**14**	**43**	**43**

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	346	5.6	21	2	4	5	6	7	19
70-74	243	6.7	10	2	5	6	9	12	12
75-79	182	11.0	58	3	3	11	15	15	30
80-84	104	13.0	126	< 1	2	11	16	37	37
85 +	128	11.0	55						
SUBTOTAL	**1003**	**8.3**	**47**	**1**	**4**	**6**	**12**	**16**	**21**
GRAND TOTAL	**1003**	**8.3**	**47**	**1**	**4**	**6**	**12**	**16**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	158	2.2	4	1	1	2	2	3	8
18-34	0								
35-49	125	6.6	13						
50-69	350	4.2	7	< 1	1	4	6	7	8
70 +	0								
	633	**4.2**	**10**	**< 1**	**1**	**3**	**6**	**8**	**11**
	633	**4.2**	**10**	**< 1**	**1**	**3**	**6**	**8**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	2.0	1						
18-34	43	5.7							
35-49	0								
50-69	46	9.5	5						
70 +	0								
SUBTOTAL	**132**	**5.8**	**12**	**1**	**3**	**6**	**8**	**13**	**13**
GRAND TOTAL	**132**	**5.8**	**12**	**1**	**3**	**6**	**8**	**13**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	14	1.0							
18-34	29	3.0	1						
35-49	14	6.0							
50-69	14	11.0							
70 +	14	1.0							
	86	**4.2**	**13**	**1**	**1**	**2**	**6**	**11**	**11**
	86	**4.2**	**13**	**1**	**1**	**2**	**6**	**11**	**11**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2012	18.3	238	5	8	14	22	38	48	0-17	308	14.4	187	2	4	9	29	38	52
70-74	939	20.2	135	9	12	16	26	41	45	18-34	550	11.4	56	4	4	10	12	23	30
75-79	864	20.9	202	8	11	17	26	45	57	35-49	715	17.1	218	6	9	12	19	35	51
80-84	654	22.4	235	7	12	16	28	46	59	50-69	647	15.3	103	4	8	13	22	31	35
85 +	656	18.1	238	6	9	13	26	32	42	70 +	14	28.0							
SUBTOTAL	**5124**	**19.6**	**215**	**7**	**10**	**15**	**25**	**41**	**47**		**2235**	**14.9**	**145**	**4**	**8**	**11**	**20**	**32**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	315	8.4	8	4	8	9	10	11	11	0-17	530	5.9	20	2	2	4	10	11	17
70-74	278	8.5	45	2	4	6	10	16	26	18-34	675	7.1	20	2	4	6	9	14	15
75-79	118	9.5	88	1	1	5	13	31	31	35-49	700	7.1	16	2	4	6	9	14	14
80-84	61	9.2	31							50-69	375	8.9	20	1	6	9	12	14	16
85 +	61	10.3	18							70 +	14	14.0							
SUBTOTAL	**833**	**8.8**	**34**	**2**	**4**	**9**	**11**	**14**	**17**		**2294**	**7.2**	**20**	**2**	**4**	**6**	**9**	**14**	**15**
GRAND TOTAL	**5956**	**18.1**	**204**	**5**	**9**	**14**	**23**	**37**	**46**		**4529**	**11.0**	**96**	**2**	**5**	**9**	**13**	**23**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	190	18.5	173	4	10	14	28	45	99 +	0-17	150	16.5	177	6	8	14	17	26	53
18-34	147	15.9	179	6	7	13	22	53	99 +	18-34	107	10.0	2						
35-49	89	24.0	46							35-49	104	14.6	44	7	10	14	24	99 +	99 +
50-69	211	24.7	563	7	9	12	51	69	69	50-69	139	24.8	184	4	19	24	36	45	99 +
70 +	0									70 +	0								
SUBTOTAL	**637**	**20.7**	**298**	**6**	**9**	**14**	**28**	**53**	**69**		**500**	**17.0**	**142**	**6**	**9**	**14**	**24**	**45**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	208	7.0	20	2	3	5	10	13	17	0-17	197	5.1	17	2	2	3	6	12	16
18-34	104	5.2	8	1	3	5	6	11	11	18-34	454	10.2	198	3	3	4	11	19	59
35-49	110	9.1	27							35-49	46	6.9	79						
50-69	29	8.5	21							50-69	104	9.0	52	3	4	7	9	26	26
70 +	0									70 +	0								
SUBTOTAL	**450**	**7.2**	**21**	**3**	**3**	**6**	**11**	**16**	**16**		**800**	**8.6**	**132**	**2**	**3**	**4**	**10**	**16**	**26**
GRAND TOTAL	**1087**	**15.1**	**228**	**3**	**6**	**10**	**[illegible]8**	**45**	**69**		**1301**	**11.8**	**153**	**2**	**4**	**8**	**14**	**34**	**53**

DRG 416: Septicemia Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5890	9.7	37	4	6	8	12	17	21	0-17	0								
70-74	5073	12.7	130	5	7	9	14	22	32	18-34	639	7.5	27	3	4	7	10	12	13
75-79	5675	10.1	39	4	6	9	12	17	21	35-49	1150	8.8	34	4	5	8	11	14	20
80-84	5958	11.4	57	5	7	10	13	21	28	50-69	2633	9.1	52	3	5	7	10	16	25
85 +	5783	10.7	52	5	6	9	12	20	26	70 +	207	9.7	5	5	9	10	11	12	12
SUBTOTAL	**28378**	**10.9**	**62**	**5**	**6**	**9**	**13**	**19**	**25**		**4628**	**8.9**	**42**	**3**	**5**	**7**	**10**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	417	8.5	55	4	6	7	8	11	23	0-17	0								
70-74	353	11.0	86	4	6	9	12	21	33	18-34	200	8.1	25	2	6	8	10	13	22
75-79	353	6.1	17	1	4	5	10	11	11	35-49	229	4.6	4	3	3	4	6	8	8
80-84	325	10.6	28	5	5	10	15	18	18	50-69	531	8.1	19	4	4	9	11	13	19
85 +	517	7.2	17	2	5	7	9	13	16	70 +	0								
SUBTOTAL	**1966**	**8.6**	**43**	**2**	**5**	**7**	**10**	**15**	**21**		**960**	**7.3**	**19**	**3**	**4**	**6**	**10**	**13**	**13**
GRAND TOTAL	**30344**	**10.7**	**61**	**5**	**6**	**9**	**12**	**18**	**25**		**5588**	**8.6**	**39**	**3**	**5**	**7**	**10**	**14**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	449	10.3	183	4	5	8	10	13	16	18-34	346	8.0	15	4	5	7	13	15	15
35-49	353	9.1	44	4	5	8	12	36	99 +	35-49	310	6.4	24	< 1	2	5	13	14	14
50-69	1034	11.8	54	5	7	10	16	20	29	50-69	382	8.3	20	5	5	6	12	16	17
70 +	427	11.2	57	5	6	9	12	17	34	70 +	157	20.7	246	6	7	17	19	50	50
SUBTOTAL	**2264**	**11.0**	**80**	**5**	**6**	**9**	**13**	**19**	**34**		**1195**	**9.4**	**69**	**3**	**5**	**7**	**13**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	61	20.4	311							18-34	61	4.7	3						
35-49	0									35-49	29	6.0	9						
50-69	14	4.0								50-69	128	7.8	22						
70 +	14	6.0								70 +	0								
SUBTOTAL	**89**	**15.5**	**263**	**4**	**6**	**15**	**99 +**	**99 +**	**99 +**		**218**	**6.7**	**17**	**2**	**3**	**6**	**8**	**15**	**15**
GRAND TOTAL	**2354**	**11.1**	**87**	**5**	**6**	**9**	**14**	**24**	**35**		**1413**	**8.9**	**62**	**3**	**5**	**6**	**13**	**16**	**18**

DRG 417: Septicemia Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	29	8.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**29**	**8.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**14**	**2.0**							
GRAND TOTAL	**43**	**6.0**	**9**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3161	6.6	29	2	3	5	9	13	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3161	**6.6**	**29**	**2**	**3**	**5**	**9**	**13**	**15**
0-17	5847	4.3	8	2	3	3	5	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5847	**4.3**	**8**	**2**	**3**	**3**	**5**	**7**	**11**
	9008	**5.1**	**17**	**2**	**3**	**4**	**6**	**10**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1838	8.4	66	3	3	5	11	17	28
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1838**	**8.4**	**66**	**3**	**3**	**5**	**11**	**17**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3916	5.4	14	2	3	4	7	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3916**	**5.4**	**14**	**2**	**3**	**4**	**7**	**10**	**11**
GRAND TOTAL	**5754**	**6.4**	**33**	**2**	**3**	**5**	**8**	**12**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1128	7.2	35	2	3	5	10	14	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1128	**7.2**	**35**	**2**	**3**	**5**	**10**	**14**	**16**
0-17	2802	4.5	8	3	3	3	5	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2802	**4.5**	**8**	**3**	**3**	**3**	**5**	**9**	**10**
	3930	**5.3**	**17**	**2**	**3**	**4**	**6**	**10**	**14**

DRG 418: Postoperative & Post-traumatic Infections

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	968	8.5	28	4	5	7	12	17	19	0-17	251	10.0	38	3	5	10	13	20	25
70-74	368	7.8	19	3	3	8	10	15	15	18-34	264	5.5	10	3	4	4	6	10	15
75-79	407	7.5	24	4	4	6	10	24	99+	35-49	364	5.4	20	2	3	4	6	8	18
80-84	153	9.5	33	3	4	10	12	18	18	50-69	371	10.9	64	4	5	8	17	20	25
85+	175	6.3	1	5	5	6	7	8	8	70+	14	6.0							
SUBTOTAL	**2072**	**8.1**	**24**	**3**	**5**	**6**	**10**	**17**	**19**		**1264**	**7.9**	**41**	**3**	**4**	**5**	**10**	**19**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	699	6.0	12	3	4	5	7	11	11	0-17	765	4.7	17	2	2	3	5	8	17
70-74	304	5.9	6	2	5	6	8	9	9	18-34	1068	4.6	20	2	3	4	5	7	8
75-79	282	9.0	22	3	4	9	14	16	16	35-49	911	6.2	11	3	4	6	8	10	11
80-84	142	7.1	3							50-69	709	6.2	15	2	4	5	8	10	13
85+	75	15.9	87							70+	0								
SUBTOTAL	**1502**	**7.1**	**21**	**3**	**4**	**6**	**9**	**14**	**16**		**3453**	**5.4**	**16**	**2**	**3**	**4**	**7**	**9**	**11**
GRAND TOTAL	**3573**	**7.7**	**23**	**3**	**5**	**6**	**10**	**15**	**18**		**4717**	**6.1**	**24**	**2**	**3**	**5**	**7**	**10**	**17**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	4.2	1							0-17	100	4.1	2	2	3	4	6	6	6
18-34	139	4.0	4	2	3	4	4	8	8	18-34	78	5.8	24						
35-49	43	13.7	234							35-49	153	4.9	5	3	4	4	5	7	11
50-69	168	5.0	13	3	3	3	6	7	16	50-69	107	12.8	111						
70+	0									70+	0								
SUBTOTAL	**411**	**5.5**	**39**	**2**	**3**	**4**	**5**	**8**	**16**		**439**	**6.8**	**45**	**3**	**3**	**4**	**6**	**16**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	401	3.7	4	1	2	3	5	6	7	0-17	208	5.7	9	3	3	6	8	10	11
18-34	342	3.7	2	2	3	4	4	6	6	18-34	465	4.6	7	2	2	4	6	7	12
35-49	168	6.8	12	3	3	5	11	12	12	35-49	211	4.8	9	2	3	3	8	8	12
50-69	75	4.3	12							50-69	193	4.4	6	1	3	4	6	6	11
70+	32	3.0								70+	0								
SUBTOTAL	**1018**	**4.2**	**6**	**2**	**2**	**4**	**5**	**8**	**10**		**1076**	**4.8**	**8**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**1429**	**4.6**	**16**	**2**	**3**	**4**	**5**	**8**	**11**		**1516**	**5.4**	**20**	**2**	**3**	**4**	**6**	**10**	**12**

DRG 419: Fever of Unknown Origin Age > 17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1820	7.4	36	2	3	5	8	17	21	0-17	0								
70-74	1213	6.8	21	2	4	5	9	11	19	18-34	711	5.3	11	2	3	5	6	11	12
75-79	1099	6.7	27	3	4	5	8	10	15	35-49	493	5.3	16	2	3	5	7	8	13
80-84	885	8.6	24	3	5	8	11	17	19	50-69	1203	5.9	14	3	4	5	7	10	14
85 +	656	7.8	29	4	5	6	10	14	14	70 +	32	8.0							
SUBTOTAL	**5672**	**7.4**	**29**	**3**	**4**	**6**	**9**	**14**	**19**		**2439**	**5.7**	**13**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5672**	**7.4**	**29**	**3**	**4**	**6**	**9**	**14**	**19**		**2439**	**5.7**	**13**	**2**	**3**	**5**	**7**	**10**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	153	6.6	24	1	3	5	10	14	14	18-34	100	5.0	18	1	1	4	9	13	13
35-49	125	4.9	1							35-49	153	4.2	9	1	1	3	8	8	9
50-69	139	6.1	27	1	4	4	9	16	19	50-69	171	3.8	3	1	2	4	5	6	6
70 +	32	4.0								70 +	57	4.3	5						
SUBTOTAL	**449**	**5.8**	**17**	**1**	**4**	**4**	**7**	**14**	**14**		**482**	**4.2**	**9**	**1**	**2**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**449**	**5.8**	**17**	**1**	**4**	**4**	**7**	**14**	**14**		**482**	**4.2**	**9**	**1**	**2**	**4**	**6**	**8**	**9**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	568	6.0	33	1	2	3	8	16	20
70-74	467	4.8	15	2	2	4	7	7	8
75-79	321	4.5	6	1	2	5	6	8	9
80-84	413	6.9	32	2	3	5	6	18	20
85 +	250	5.0	5	1	4	4	7	8	8
SUBTOTAL	**2019**	**5.5**	**22**	**2**	**3**	**4**	**7**	**11**	**18**
GRAND TOTAL	**2019**	**5.5**	**22**	**2**	**3**	**4**	**7**	**11**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	763	3.7	2	2	3	4	5	6	7
35-49	774	3.9	4	1	2	3	5	6	6
50-69	600	5.8	7	3	4	5	7	10	12
70 +	32	78.0							
	2169	**5.4**	**84**	**2**	**3**	**4**	**5**	**7**	**10**
	2169	**5.4**	**84**	**2**	**3**	**4**	**5**	**7**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	78	5.4	1						
35-49	32	3.0							
50-69	14	7.0							
70 +	0								
SUBTOTAL	**125**	**4.9**	**2**						
GRAND TOTAL	**125**	**4.9**	**2**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	435	3.6	2	2	3	3	4	4	7
35-49	189	3.2	7	1	1	2	3	8	8
50-69	128	4.5	5						
70 +	14	4.0							
	767	**3.6**	**4**	**1**	**2**	**3**	**4**	**7**	**8**
	767	**3.6**	**4**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 421: Viral Illness Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1568	5.6	26	2	3	4	7	9	12
70-74	788	4.7	6	2	3	4	6	9	9
75-79	706	7.3	29	3	4	5	8	20	20
80-84	752	6.9	31	2	4	6	8	12	12
85 +	442	6.8	16	3	4	5	8	13	17
SUBTOTAL	**4255**	**6.0**	**24**	**2**	**3**	**5**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	664	3.8	4	2	2	3	5	6	8
70-74	438	4.3	7	2	2	3	5	9	11
75-79	293	4.6	6	1	3	5	6	7	8
80-84	235	4.1	5	2	2	3	6	9	9
85 +	239	5.0	3	2	4	5	7	7	7
SUBTOTAL	**1869**	**4.2**	**5**	**2**	**2**	**4**	**5**	**7**	**9**
GRAND TOTAL	**6124**	**5.5**	**19**	**2**	**3**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2382	3.5	4	2	2	3	4	6	7
35-49	1214	4.4	9	2	2	4	5	8	10
50-69	1048	4.2	6	2	3	4	5	8	10
70 +	32	8.0							
	4676	**3.9**	**6**	**2**	**2**	**3**	**5**	**8**	**9**
0-17	0								
18-34	3499	3.6	13	1	2	3	4	6	7
35-49	2234	3.6	5	1	2	3	5	6	7
50-69	998	3.7	6	2	2	3	5	6	8
70 +	32	3.0							
	6764	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
	11440	**3.7**	**8**	**1**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	315	4.5	7	2	2	4	5	8	8
35-49	128	3.8	2						
50-69	107	8.7	20						
70 +	96	2.3							
SUBTOTAL	**646**	**4.7**	**11**	**2**	**2**	**3**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	253	2.5		2	2	3	3	3	3
35-49	46	1.9	2						
50-69	14	9.0							
70 +	32	9.0							
SUBTOTAL	**346**	**3.3**	**6**	**2**	**2**	**3**	**3**	**9**	**9**
GRAND TOTAL	**992**	**4.2**	**9**	**2**	**2**	**3**	**5**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	778	3.6	4	2	3	3	4	6	8
35-49	264	4.6	4	2	4	4	6	6	10
50-69	171	2.4	1	2	2	2	3	3	5
70 +	14	9.0							
	1228	**3.7**	**4**	**2**	**2**	**3**	**4**	**6**	**9**
0-17	0								
18-34	1052	3.5	5	1	2	3	4	7	8
35-49	328	1.9	1	1	1	2	3	3	3
50-69	168	3.1	3	1	1	4	5	5	6
70 +	32	1.0							
	1580	**3.1**	**5**	**1**	**1**	**3**	**4**	**7**	**7**
	2808	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	147	4.7	11	2	3	3	7	7	13	0-17	12045	3.6	7	1	2	3	4	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	147	4.7	11	2	3	3	7	7	13		12045	3.6	7	1	2	3	4	7	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	147	4.0	12	2	2	2	3	8	13	0-17	22777	2.9	3	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	147	4.0	12	2	2	2	3	8	13		22777	2.9	3	1	2	3	4	5	6
GRAND TOTAL	294	4.3	11	2	2	3	4	9	13		34822	3.2	4	1	2	3	4	5	7

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	4580	4.2	30	2	2	3	5	7	9	0-17	2918	3.8	20	1	2	3	4	7	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	4580	4.2	30	2	2	3	5	7	9		2918	3.8	20	1	2	3	4	7	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10647	3.0	2	1	2	3	4	5	6	0-17	7283	3.0	14	1	2	3	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	10647	3.0	2	1	2	3	4	5	6		7283	3.0	14	1	2	3	3	4	5
GRAND TOTAL	15227	3.4	11	2	2	3	4	5	7		10201	3.2	16	1	2	3	4	5	6

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	935	8.6	84	1	3	6	11	15	26	0-17	461	7.1	28	3	3	5	8	16	18
70-74	293	10.4	37	2	6	8	15	21	21	18-34	265	8.1	63	1	3	5	15	21	29
75-79	303	13.2	138	3	4	5	26	34	34	35-49	375	7.2	26	4	5	6	8	12	19
80-84	207	18.9	274	5	6	9	40	46	46	50-69	460	6.5	23	2	4	5	7	11	21
85 +	125	10.8	70							70 +	14	52.0							
SUBTOTAL	**1862**	**10.9**	**116**	**2**	**5**	**7**	**12**	**31**	**40**		**1577**	**7.5**	**50**	**3**	**4**	**5**	**8**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	250	9.9	122	2	3	5	9	25	44	0-17	1151	3.7	9	1	2	3	4	6	10
70-74	96	2.0	1							18-34	503	3.6	2	2	2	4	5	5	6
75-79	110	10.6	29							35-49	395	5.2	14	3	3	4	5	10	10
80-84	0									50-69	325	5.7	26	3	4	4	6	8	9
85 +	78	5.5	5							70 +	0								
SUBTOTAL	**535**	**8.0**	**74**	**2**	**3**	**5**	**8**	**19**	**25**		**2374**	**4.2**	**12**	**2**	**2**	**4**	**5**	**7**	**10**
GRAND TOTAL	**2397**	**10.3**	**108**	**2**	**4**	**7**	**12**	**25**	**40**		**3951**	**5.5**	**30**	**2**	**3**	**4**	**6**	**10**	**17**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	261	12.0	355	2	2	3	14	77	96	0-17	368	9.7	42	4	4	8	14	18	18
18-34	129	9.2	382	<1	<1	<1	4	64	64	18-34	251	16.0	440	2	4	7	11	54	70
35-49	61	6.3	1							35-49	204	17.5	600	3	3	8	18	67	85
50-69	78	6.6								50-69	46	9.8	3						
70 +	0									70 +	0								
SUBTOTAL	**529**	**9.9**	**273**	**<1**	**2**	**5**	**7**	**39**	**77**		**869**	**13.3**	**297**	**3**	**4**	**8**	**13**	**31**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	469	4.9	16	1	2	3	6	11	14	0-17	554	4.8	13	2	2	4	5	10	10
18-34	121	4.2	2	3	3	4	4	8	8	18-34	136	3.4	12	1	2	2	3	13	13
35-49	14	2.0								35-49	78	5.0	1						
50-69	0									50-69	64	4.0							
70 +	0									70 +	0								
SUBTOTAL	**605**	**4.7**	**13**	**1**	**2**	**4**	**6**	**10**	**12**		**833**	**4.5**	**11**	**2**	**2**	**4**	**5**	**10**	**10**
GRAND TOTAL	**1134**	**7.1**	**141**	**1**	**2**	**4**	**7**	**14**	**32**		**1701**	**9.0**	**177**	**2**	**3**	**5**	**10**	**14**	**31**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	418	22.4	131	8	16	23	29	37	50	0-17	32	4.0							
70-74	125	10.7	18	5	8	11	12	76	99 +	18-34	147	30.2	294	13	15	28	43	54	60
75-79	211	27.4	108	13	18	27	39	42	42	35-49	147	24.2	87	14	14	31	33	37	99 +
80-84	125	24.9	115	7	17	30	33	81	99 +	50-69	251	18.2	202	5	11	13	24	34	63
85 +	139	10.5	65	3	6	9	29	99 +	99 +	70 +	0								
SUBTOTAL	**1018**	**20.7**	**140**	**6**	**11**	**20**	**30**	**42**	**99 +**		**576**	**22.0**	**227**	**5**	**11**	**15**	**32**	**43**	**60**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	193	23.2	257	6	15	21	27	49	62	0-17	158	24.2	467	2	3	12	44	55	61
70-74	75	23.2	356							18-34	164	24.0	355	6	7	20	45	58	58
75-79	61	16.5	108							35-49	190	26.9	572	3	15	21	32	58	95
80-84	29	22.5	6							50-69	147	17.6	136	4	12	15	18	37	41
85 +	14	50.0								70 +	0								
SUBTOTAL	**372**	**23.1**	**257**	**2**	**9**	**20**	**32**	**49**	**50**		**659**	**23.4**	**405**	**3**	**10**	**18**	**32**	**58**	**58**
GRAND TOTAL	**1390**	**21.3**	**173**	**6**	**11**	**20**	**31**	**49**	**99 +**		**1235**	**22.8**	**322**	**4**	**11**	**16**	**32**	**55**	**60**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	56.7	1312							0-17	14	20.0							
18-34	86	14.3	37	4	12	13	20	23	23	18-34	125	12.7	85						
35-49	75	21.3	65							35-49	0								
50-69	14	20.0								50-69	0								
70 +	14	9.0								70 +	0								
SUBTOTAL	**233**	**24.4**	**522**	**9**	**13**	**20**	**20**	**63**	**97**		**139**	**13.5**	**81**	**2**	**4**	**11**	**20**	**26**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	344	12.3	568	1	1	1	29	95	99 +	0-17	0								
18-34	100	29.3	241	14	16	19	42	57	57	18-34	29	17.0	37						
35-49	129	16.9	27	11	12	17	18	28	28	35-49	78	9.9	9						
50-69	61	30.7	56							50-69	46	21.3	31						
70 +	0									70 +	0								
SUBTOTAL	**635**	**17.7**	**409**	**1**	**1**	**15**	**29**	**57**	**95**		**153**	**14.7**	**47**	**8**	**9**	**11**	**23**	**25**	**25**
GRAND TOTAL	**867**	**19.5**	**448**	**1**	**2**	**16**	**29**	**57**	**95**		**293**	**14.1**	**63**	**4**	**8**	**11**	**23**	**26**	**26**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1944	7.3	51	2	3	4	10	16	22	0-17	115	15.3	270	< 1	< 1	4	27	48	48
70-74	771	7.0	59	2	3	5	7	10	29	18-34	417	7.9	109	1	2	4	12	28	28
75-79	1077	5.8	20	2	2	5	8	14	18	35-49	681	5.1	30	1	1	3	7	15	18
80-84	778	8.8	57	2	3	6	12	20	24	50-69	949	6.3	37	1	2	4	8	16	18
85 +	991	7.9	106	2	4	5	8	12	25	70 +	29	3.0	1						
SUBTOTAL	**5560**	**7.3**	**58**	**2**	**3**	**5**	**9**	**15**	**25**		**2191**	**6.6**	**65**	**1**	**2**	**3**	**8**	**17**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1249	6.9	91	1	2	4	7	14	29	0-17	1211	10.1	295	< 1	1	3	13	29	42
70-74	1013	8.3	84	2	3	5	9	15	23	18-34	2590	5.5	61	1	1	3	6	14	22
75-79	581	6.0	51	1	2	4	5	12	28	35-49	3024	5.5	26	1	2	4	8	14	17
80-84	382	5.9	34	1	1	4	8	18	18	50-69	1320	6.5	53	1	2	4	9	16	20
85 +	467	4.3	20	2	2	3	5	7	8	70 +	32	3.0							
SUBTOTAL	**3692**	**6.7**	**69**	**1**	**2**	**4**	**7**	**14**	**23**		**8177**	**6.3**	**84**	**1**	**1**	**3**	**7**	**16**	**22**
GRAND TOTAL	**9252**	**7.1**	**62**	**2**	**3**	**5**	**8**	**15**	**25**		**10368**	**6.4**	**80**	**1**	**2**	**3**	**8**	**16**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	4.0	11							0-17	14	1.0							
18-34	268	8.4	59	2	3	6	9	25	29	18-34	400	4.1	18	1	1	3	5	11	12
35-49	261	7.5	41	1	3	5	12	17	24	35-49	432	5.2	15	2	3	4	6	9	10
50-69	474	3.9	5	2	2	4	5	10	99 +	50-69	246	7.7	49	1	4	4	12	13	30
70 +	0									70 +	43	3.0	3						
SUBTOTAL	**1060**	**5.9**	**32**	**2**	**2**	**4**	**7**	**13**	**25**		**1135**	**5.2**	**25**	**1**	**2**	**4**	**6**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	350	19.4	277	1	4	13	32	49	50	0-17	603	5.3	69	< 1	1	2	6	15	91
18-34	603	8.1	123	1	2	4	10	14	42	18-34	1217	4.7	27	1	2	3	6	13	19
35-49	321	5.9	34	2	3	5	7	7	9	35-49	838	4.7	20	< 1	2	3	6	11	16
50-69	278	10.6	150	1	2	10	12	42	42	50-69	200	5.5	46	1	1	3	6	10	27
70 +	32	1.0								70 +	14	4.0							
SUBTOTAL	**1585**	**10.4**	**166**	**1**	**2**	**5**	**12**	**32**	**42**		**2872**	**4.9**	**35**	**1**	**1**	**3**	**6**	**14**	**19**
GRAND TOTAL	**2645**	**8.6**	**117**	**1**	**2**	**5**	**10**	**25**	**42**		**4008**	**5.0**	**32**	**1**	**1**	**3**	**6**	**12**	**19**

DRG 426: Depressive Neuroses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1746	9.7	96	2	4	7	13	18	24	0-17	476	22.5	433	2	5	20	31	49	57
70-74	981	12.3	104	3	4	7	19	30	31	18-34	2196	9.0	52	2	3	7	12	20	24
75-79	610	14.7	213	3	5	9	17	44	45	35-49	2288	8.3	62	2	3	5	11	18	24
80-84	293	11.1	143	2	3	5	17	31	31	50-69	1118	9.7	44	3	6	8	14	18	21
85+	221	13.6	260	2	3	7	14	51	51	70+	14	25.0							
SUBTOTAL	**3850**	**11.5**	**133**	**3**	**4**	**7**	**14**	**30**	**38**		**6092**	**9.9**	**98**	**2**	**4**	**7**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2399	12.8	109	3	6	10	17	23	29	0-17	5569	18.6	291	2	6	15	26	42	48
70-74	1451	10.2	63	3	6	8	12	19	33	18-34	9100	7.6	67	1	2	5	10	18	24
75-79	696	11.7	59	3	5	9	19	24	24	35-49	6507	8.2	65	1	3	5	11	17	24
80-84	485	13.1	124	2	3	8	22	27	35	50-69	2722	10.0	80	2	4	8	14	19	26
85+	192	11.5	47	3	7	10	13	25	25	70+	78	14.5	96						
SUBTOTAL	**5223**	**11.9**	**90**	**3**	**5**	**9**	**16**	**24**	**28**		**23977**	**10.6**	**140**	**1**	**3**	**7**	**14**	**25**	**34**
GRAND TOTAL	**9072**	**11.7**	**108**	**3**	**5**	**9**	**15**	**24**	**31**		**30069**	**10.5**	**132**	**2**	**3**	**7**	**14**	**24**	**32**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	386	25.3	746	2	6	9	41	78	83	0-17	229	16.3	285	4	4	7	17	47	61
18-34	1349	7.1	24	2	3	6	10	15	16	18-34	2588	7.5	53	2	3	5	10	16	22
35-49	907	8.6	31	3	3	8	12	15	19	35-49	1235	7.1	59	2	3	6	8	13	17
50-69	317	10.2	100	3	4	5	15	16	17	50-69	321	14.9	444	4	5	6	12	57	76
70+	0									70+	32	6.0							
SUBTOTAL	**2959**	**10.3**	**163**	**2**	**4**	**7**	**11**	**17**	**31**		**4405**	**8.4**	**102**	**2**	**3**	**6**	**9**	**17**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3063	22.9	238	5	11	22	33	43	53	0-17	1085	10.7	131	1	3	7	16	27	42
18-34	2527	9.3	64	2	4	7	13	19	23	18-34	6118	5.6	31	1	2	4	7	13	16
35-49	1435	10.5	61	2	4	9	16	20	26	35-49	1764	5.8	20	1	2	5	8	12	14
50-69	718	10.3	50	3	4	8	12	24	26	50-69	546	7.3	56	< 1	2	5	10	19	29
70+	0									70+	61	5.6	14						
SUBTOTAL	**7742**	**15.0**	**172**	**2**	**5**	**11**	**22**	**33**	**43**		**9574**	**6.3**	**44**	**1**	**2**	**4**	**8**	**14**	**19**
GRAND TOTAL	**10701**	**13.7**	**174**	**2**	**4**	**10**	**17**	**31**	**42**		**13979**	**7.0**	**63**	**1**	**2**	**5**	**8**	**14**	**22**

DRG 427: Neuroses except Depressive

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	396	11.8	113	2	4	6	17	30	34	0-17	176	22.1	315	4	12	17	29	35	71
70-74	157	7.4	15	2	4	9	11	11	13	18-34	628	6.7	29	1	2	5	11	14	15
75-79	14	14.0								35-49	547	9.2	49	1	3	7	14	21	21
80-84	96	5.0	5							50-69	200	10.4	48	4	6	8	15	23	23
85 +	32	5.0								70 +	0								
SUBTOTAL	**696**	**9.6**	**76**	**2**	**4**	**6**	**14**	**19**	**30**		**1550**	**9.8**	**92**	**1**	**3**	**7**	**14**	**21**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	796	9.9	107	2	3	7	12	29	48	0-17	3375	17.1	275	1	5	12	25	44	50
70-74	139	20.1	70	6	18	19	25	30	30	18-34	3064	7.2	53	1	2	5	10	16	20
75-79	121	17.2	221	1	2	19	39	39	39	35-49	1804	8.1	43	2	3	6	11	16	23
80-84	29	13.5	6							50-69	515	8.8	66	2	2	7	13	18	28
85 +	75	11.3	17							70 +	0								
SUBTOTAL	**1161**	**12.1**	**120**	**2**	**4**	**8**	**19**	**30**	**48**		**8758**	**11.3**	**158**	**1**	**3**	**7**	**15**	**28**	**37**
GRAND TOTAL	**1856**	**11.2**	**105**	**2**	**4**	**8**	**15**	**29**	**39**		**10308**	**11.1**	**149**	**1**	**3**	**7**	**14**	**26**	**36**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	161	17.8	142	8	11	14	17	34	49	0-17	93	7.2	30						
18-34	168	6.7	31	3	3	4	12	17	17	18-34	847	6.2	35	1	2	4	9	16	19
35-49	110	8.5	16							35-49	221	10.8	314	1	1	3	11	53	53
50-69	78	5.8	16							50-69	107	2.7	5						
70 +	0									70 +	0								
SUBTOTAL	**518**	**10.4**	**85**	**3**	**4**	**8**	**14**	**17**	**34**		**1268**	**6.8**	**85**	**1**	**2**	**4**	**9**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2103	19.4	285	3	7	12	32	42	62	0-17	665	7.2	117	1	2	3	9	15	39
18-34	1056	10.4	79	2	5	8	14	22	32	18-34	1985	5.3	32	1	1	4	7	13	17
35-49	438	9.9	42	3	7	7	12	21	24	35-49	606	3.9	13	1	1	2	8	8	9
50-69	125	10.2	24							50-69	121	3.2	7	1	1	2	3	8	8
70 +	0									70 +	14	18.0							
SUBTOTAL	**3722**	**15.4**	**210**	**3**	**6**	**10**	**20**	**39**	**43**		**3392**	**5.4**	**46**	**1**	**1**	**3**	**7**	**13**	**16**
GRAND TOTAL	**4240**	**14.8**	**197**	**3**	**5**	**9**	**18**	**37**	**43**		**4660**	**5.8**	**57**	**1**	**1**	**3**	**7**	**14**	**19**

DRG 428: Disorders of Personality & Impulse Control

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	189	6.7	16	2	4	5	9	11	17	0-17	118	16.5	218	2	3	17	35	99 +	99 +
70-74	14	20.0								18-34	518	11.5	102	2	2	7	21	24	29
75-79	32	3.0								35-49	179	15.4	142	3	5	12	14	37	42
80-84	0									50-69	29	16.0	66						
85 +	0									70 +	32	12.0							
SUBTOTAL	235	7.0	25	2	3	5	9	17	20		876	13.1	125	2	2	12	21	29	37
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	289	10.6	57	2	4	10	14	21	23	0-17	669	24.8	521	2	7	19	37	53	82
70-74	29	15.0	125							18-34	851	16.3	240	1	4	13	25	42	52
75-79	29	17.0	175							35-49	401	8.8	63	1	3	6	12	23	25
80-84	0									50-69	43	12.7	28						
85 +	0									70 +	14	32.0							
SUBTOTAL	347	11.5	75	2	4	10	16	26	30		1978	17.7	328	1	4	12	25	43	53
GRAND TOTAL	582	9.7	60	2	4	7	14	21	28		2854	16.3	270	2	3	12	23	39	52

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	22.0	76							0-17	14	2.0							
18-34	236	17.9	186	1	11	15	19	46	48	18-34	439	11.0	118	2	5	9	12	22	24
35-49	32	12.0								35-49	93	3.3	12						
50-69	32	3.0								50-69	46	4.9	2						
70 +	0									70 +	0								
SUBTOTAL	343	16.4	161	2	7	14	20	33	46		593	9.1	100	1	3	7	12	22	22
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	529	29.4	776	5	8	18	43	92	92	0-17	264	12.4	427	< 1	2	7	13	26	93
18-34	838	12.1	80	2	5	9	19	24	33	18-34	1075	6.4	36	1	2	4	9	13	18
35-49	371	7.4	44	1	2	5	10	16	18	35-49	525	7.0	28	2	3	6	8	13	22
50-69	14	22.0								50-69	14	18.0							
70 +	0									70 +	0								
SUBTOTAL	1753	16.4	359	2	5	10	21	35	53		1878	7.5	93	1	2	5	9	16	22
GRAND TOTAL	2096	16.4	327	2	5	11	21	35	48		2471	7.9	95	1	2	6	9	17	22

DRG 429: Organic Disturbances & Mental Retardation

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1623	13.9	112	4	8	10	18	31	34	0-17	258	14.8	266	1	4	5	26	46	54
70-74	1792	11.8	115	3	4	8	15	24	31	18-34	147	19.0	275	3	3	7	27	44	49
75-79	2607	12.8	131	3	5	9	16	30	40	35-49	275	15.9	120	4	8	14	22	33	43
80-84	2043	13.0	122	3	6	10	16	27	35	50-69	400	9.1	27	2	3	9	13	16	18
85 +	2289	13.9	247	3	6	9	16	31	57	70 +	139	27.9	320	8	11	21	42	51	51
SUBTOTAL	**10354**	**13.1**	**150**	**3**	**6**	**9**	**16**	**29**	**36**		**1219**	**15.2**	**194**	**2**	**5**	**11**	**21**	**42**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1482	12.8	123	3	5	10	19	24	34	0-17	305	7.5	42	1	2	6	10	18	19
70-74	1510	12.3	69	3	7	10	15	22	29	18-34	254	9.4	68	3	3	5	14	25	28
75-79	1920	11.6	100	3	5	10	14	21	28	35-49	211	9.3	29	3	4	10	11	18	21
80-84	1588	10.2	88	3	4	7	12	24	27	50-69	385	9.3	38	2	4	8	14	19	19
85 +	1731	9.0	98	2	4	6	11	19	27	70 +	61	11.4	24						
SUBTOTAL	**8230**	**11.1**	**97**	**3**	**5**	**8**	**14**	**23**	**29**		**1216**	**9.0**	**44**	**2**	**3**	**8**	**14**	**19**	**21**
GRAND TOTAL	**18585**	**12.2**	**127**	**3**	**5**	**9**	**15**	**25**	**34**		**2434**	**12.1**	**129**	**2**	**4**	**9**	**16**	**26**	**42**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	219	9.4	33	1	7	9	12	13	25	0-17	100	24.0	419	1	12	19	29	70	70
18-34	300	12.3	74	2	5	12	15	22	30	18-34	147	12.9	169	3	3	5	23	36	37
35-49	218	14.9	258	2	7	7	14	50	50	35-49	78	11.4	54						
50-69	186	14.4	189	2	4	10	24	37	38	50-69	186	10.3	53	3	5	8	13	25	26
70 +	175	13.0	88	3	12	29	99 +	99 +	99 +	70 +	136	7.5	25	3	3	7	16	99 +	99 +
SUBTOTAL	**1096**	**12.7**	**127**	**2**	**5**	**12**	**22**	**99 +**	**99 +**		**647**	**12.6**	**157**	**3**	**4**	**8**	**19**	**36**	**70**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	251	12.1	135	1	3	9	17	45	99 +	0-17	75	5.0	5						
18-34	307	12.0	200	3	5	7	16	24	24	18-34	150	7.1	19	3	5	6	10	10	18
35-49	100	9.4	38	2	4	6	15	20	20	35-49	75	5.5	23						
50-69	153	14.9	93	4	4	16	22	25	32	50-69	297	9.0	180	2	3	4	6	22	33
70 +	46	8.5	14							70 +	186	6.4	27	< 1	2	6	15	99 +	99 +
SUBTOTAL	**858**	**12.1**	**135**	**3**	**4**	**11**	**20**	**45**	**99 +**		**783**	**7.3**	**83**	**1**	**3**	**4**	**10**	**18**	**58**
GRAND TOTAL	**1954**	**12.4**	**131**	**2**	**5**	**11**	**22**	**68**	**99 +**		**1430**	**9.7**	**123**	**2**	**3**	**6**	**13**	**26**	**70**

DRG 430: Psychoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8952	14.6	145	3	6	12	21	31	39	0-17	648	27.3	284	4	14	29	42	54	56
70-74	3439	15.7	174	4	7	11	23	32	41	18-34	3028	16.5	156	2	7	13	23	31	41
75-79	2361	14.5	113	4	6	11	21	28	36	35-49	4369	13.7	135	3	5	10	19	29	41
80-84	1642	14.4	210	3	5	9	16	34	40	50-69	3043	15.2	148	3	6	14	20	28	33
85 +	956	10.4	123	3	5	7	12	20	31	70 +	46	6.1	22						
SUBTOTAL	**17350**	**14.6**	**152**	**3**	**6**	**11**	**20**	**31**	**39**		**11135**	**15.6**	**162**	**3**	**6**	**12**	**21**	**33**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	22332	15.5	139	4	7	13	21	30	39	0-17	4375	24.0	301	5	11	21	34	49	63
70-74	4120	16.3	176	3	7	13	22	32	44	18-34	13552	13.9	131	2	6	11	19	28	33
75-79	3426	17.9	177	4	9	15	25	34	41	35-49	16412	14.8	136	3	7	12	20	29	38
80-84	1582	15.8	173	4	7	12	20	35	49	50-69	8171	15.5	140	3	7	12	22	30	40
85 +	940	14.0	122	3	5	13	16	30	35	70 +	243	18.6	170	4	4	19	35	36	36
SUBTOTAL	**32400**	**15.9**	**149**	**3**	**7**	**13**	**21**	**31**	**41**		**42752**	**15.6**	**160**	**3**	**7**	**13**	**21**	**31**	**42**
GRAND TOTAL	**49750**	**15.4**	**151**	**3**	**7**	**12**	**21**	**31**	**40**		**53887**	**15.6**	**161**	**3**	**7**	**13**	**21**	**31**	**42**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	440	30.5	455	5	11	28	44	68	94	0-17	158	23.9	447	6	11	14	34	55	73
18-34	2605	15.9	168	3	7	13	21	32	42	18-34	3116	11.6	72	2	6	9	16	22	29
35-49	2176	14.9	117	5	7	13	18	30	35	35-49	2591	11.3	70	3	5	9	15	24	29
50-69	2171	13.2	95	4	6	11	17	27	35	50-69	1435	14.0	124	3	6	13	21	34	42
70 +	64	6.0	4							70 +	29	9.5	13						
SUBTOTAL	**7456**	**15.6**	**163**	**4**	**7**	**12**	**20**	**33**	**41**		**7328**	**12.2**	**93**	**3**	**6**	**9**	**17**	**27**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3202	29.8	424	6	13	29	44	63	78	0-17	1091	16.4	315	3	4	9	23	42	58
18-34	9275	12.9	121	3	5	10	17	26	36	18-34	10122	10.1	92	1	3	7	14	22	28
35-49	7101	11.6	75	3	6	10	14	23	29	35-49	6116	10.7	100	2	4	8	15	21	28
50-69	3627	13.3	68	4	7	12	18	25	28	50-69	3277	11.5	93	2	5	9	16	26	32
70 +	14	7.0								70 +	182	13.3	81	5	7	10	25	25	33
SUBTOTAL	**23218**	**14.9**	**176**	**3**	**6**	**11**	**19**	**32**	**44**		**20789**	**10.9**	**108**	**2**	**4**	**8**	**15**	**24**	**30**
GRAND TOTAL	**30675**	**15.0**	**173**	**3**	**6**	**11**	**19**	**32**	**43**		**28116**	**11.2**	**105**	**2**	**4**	**8**	**15**	**24**	**30**

DRG 431: Childhood Mental Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29	31.5	13							0-17	362	16.8	134	5	7	15	25	37	37
70-74	0									18-34	29	10.0	1						
75-79	0									35-49	64	6.0	25						
80-84	64	7.5	2							50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**93**	**14.9**	**130**								**455**	**14.9**	**126**	**2**	**6**	**11**	**21**	**33**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	57	5.0	19							0-17	4700	21.3	281	3	8	17	32	45	50
70-74	0									18-34	57	11.0	6						
75-79	14	14.0								35-49	29	7.5	21						
80-84	0									50-69	29	10.5	58						
85 +	14	7.0								70 +	0								
SUBTOTAL	**86**	**6.8**	**23**	**1**	**2**	**6**	**12**	**14**	**14**		**4815**	**21.0**	**278**	**3**	**8**	**17**	**31**	**44**	**50**
GRAND TOTAL	**179**	**11.0**	**95**	**2**	**6**	**8**	**12**	**28**	**35**		**5269**	**20.5**	**267**	**3**	**8**	**16**	**30**	**43**	**50**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	533	16.2	352	2	6	8	20	49	89	0-17	382	19.3	229	3	7	15	25	43	46
18-34	0									18-34	32	1.0							
35-49	46	15.0	148							35-49	0								
50-69	32	5.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**612**	**15.5**	**324**	**2**	**5**	**8**	**18**	**42**	**61**		**414**	**17.9**	**235**	**1**	**5**	**15**	**25**	**43**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4892	23.6	322	6	10	18	37	49	57	0-17	1238	16.4	271	2	3	9	23	43	50
18-34	200	12.4	73	5	7	11	11	30	30	18-34	128	2.5	7						
35-49	64	9.5								35-49	0								
50-69	0									50-69	32	1.0							
70 +	0									70 +	0								
SUBTOTAL	**5156**	**23.0**	**315**	**5**	**9**	**17**	**36**	**49**	**56**		**1398**	**14.8**	**261**	**1**	**2**	**9**	**22**	**42**	**50**
GRAND TOTAL	**5768**	**22.2**	**322**	**5**	**9**	**15**	**35**	**49**	**56**		**1812**	**15.5**	**257**	**1**	**3**	**9**	**23**	**43**	**50**

DRG 432: Other Mental Disorder Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29	33.5	137							0-17	158	28.6	522	1	4	32	47	55	73
70-74	0									18-34	100	24.1	156	3	15	24	38	41	41
75-79	0									35-49	0								
80-84	32	2.0								50-69	43	11.3	28						
85 +	14	19.0								70 +	0								
SUBTOTAL	**75**	**17.3**	**255**								**301**	**24.7**	**362**	**3**	**14**	**18**	**38**	**47**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	24.0	609							0-17	760	15.0	389	1	1	2	28	45	61
70-74	0									18-34	502	24.3	416	2	7	22	38	58	60
75-79	32	4.0								35-49	150	19.7	406	1	2	18	29	54	59
80-84	0									50-69	14	26.0							
85 +	0									70 +	0								
SUBTOTAL	**75**	**15.5**	**445**								**1427**	**18.9**	**415**	**1**	**1**	**9**	**31**	**55**	**60**
GRAND TOTAL	**150**	**16.4**	**348**	**2**	**2**	**4**	**22**	**45**	**58**		**1728**	**19.9**	**410**	**1**	**2**	**14**	**32**	**54**	**60**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	22.0								0-17	0								
18-34	104	31.0	188	21	21	30	32	63	63	18-34	43	43.0	321						
35-49	43	26.3	476							35-49	0								
50-69	29	9.5	31							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**190**	**26.0**	**269**	**4**	**21**	**21**	**31**	**55**	**63**		**43**	**43.0**	**321**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	402	10.5	187	1	1	1	23	31	37	0-17	72	30.6	289						
18-34	158	26.2	296	6	9	22	38	55	57	18-34	29	10.0	66						
35-49	14	30.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**574**	**15.3**	**266**	**1**	**1**	**5**	**30**	**37**	**41**		**100**	**24.7**	**312**	**1**	**2**	**29**	**42**	**51**	**51**
GRAND TOTAL	**764**	**17.9**	**288**	**1**	**1**	**19**	**30**	**38**	**55**		**143**	**30.2**	**383**	**2**	**18**	**29**	**51**	**55**	**57**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6715	12.8	137	3	4	7	21	28	37	0-17	254	13.2	284	1	1	2	28	49	50
70-74	2429	11.5	142	3	4	7	16	27	34	18-34	2191	15.1	194	2	3	7	28	37	42
75-79	974	9.2	39	3	5	7	13	19	23	35-49	2570	13.2	144	2	4	7	24	31	33
80-84	728	8.4	39	2	4	7	9	17	24	50-69	3491	10.1	101	2	4	5	13	28	30
85 +	346	5.9	17	2	3	3	9	13	13	70 +	110	10.5	144						
SUBTOTAL	**11191**	**11.7**	**123**	**3**	**4**	**7**	**17**	**28**	**34**		**8616**	**12.4**	**148**	**2**	**3**	**6**	**23**	**30**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11191**	**11.7**	**123**	**3**	**4**	**7**	**17**	**28**	**34**		**8616**	**12.4**	**148**	**2**	**3**	**6**	**23**	**30**	**36**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	121	23.6	766	1	1	2	42	83	83	0-17	43	4.0	13						
18-34	1399	16.4	199	2	4	9	26	42	42	18-34	3264	7.5	60	1	2	4	9	18	26
35-49	1942	11.3	128	2	4	7	15	28	42	35-49	5652	8.6	71	2	3	5	11	22	28
50-69	1470	11.4	118	3	4	7	14	28	35	50-69	2520	6.2	31	2	3	5	8	12	17
70 +	32	3.0								70 +	78	6.5	15						
SUBTOTAL	**4965**	**13.0**	**168**	**2**	**4**	**7**	**18**	**34**	**42**		**11557**	**7.7**	**59**	**2**	**3**	**5**	**10**	**19**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4965**	**13.0**	**168**	**2**	**4**	**7**	**18**	**34**	**42**		**11557**	**7.7**	**59**	**2**	**3**	**5**	**10**	**19**	**28**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6809	14.6	154	2	4	9	27	33	36	0-17	3352	22.1	248	1	5	27	31	42	45
70-74	999	12.7	150	3	4	6	21	35	41	18-34	18991	19.8	196	2	4	27	32	36	39
75-79	713	10.3	107	2	4	6	9	27	30	35-49	11888	18.5	199	2	4	22	30	36	39
80-84	427	5.2	26	2	3	4	6	7	7	50-69	6322	13.1	160	2	3	5	28	30	35
85 +	168	3.7	4	1	1	4	5	6	7	70 +	78	11.8	68						
SUBTOTAL	**9117**	**13.4**	**148**	**2**	**4**	**7**	**25**	**33**	**36**		**40632**	**18.6**	**202**	**2**	**4**	**22**	**30**	**36**	**39**
GRAND TOTAL	**9117**	**13.4**	**148**	**2**	**4**	**7**	**25**	**33**	**36**		**40632**	**18.6**	**202**	**2**	**4**	**22**	**30**	**36**	**39**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1511	24.3	371	4	12	18	34	52	62	0-17	1159	10.8	127	1	1	6	18	29	30
18-34	4678	18.0	187	2	5	17	28	42	42	18-34	13557	8.5	92	1	2	4	11	27	31
35-49	2443	11.7	145	2	3	6	19	29	39	35-49	9943	6.4	49	1	2	4	7	16	25
50-69	1480	7.0	68	1	2	4	7	24	28	50-69	3190	6.1	38	2	3	4	6	12	23
70 +	64	5.0	1							70 +	93	2.5	1						
SUBTOTAL	**10175**	**15.7**	**215**	**2**	**3**	**11**	**27**	**39**	**42**		**27943**	**7.6**	**74**	**1**	**2**	**4**	**9**	**21**	**29**
GRAND TOTAL	**10175**	**15.7**	**215**	**2**	**3**	**11**	**27**	**39**	**42**		**27943**	**7.6**	**74**	**1**	**2**	**4**	**9**	**21**	**29**

The patient records used in these tables represent discharges prior to the addition of new procedure codes (10/1/89) necessary to group to this DRG.

The patient records used in these tables represent discharges prior to the addition of new procedure codes (10/1/89) necessary to group to this DRG.

DRG 439: Skin Grafts for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	110	11.7	251							0-17	43	26.3	365						
70-74	64	9.0	4							18-34	0								
75-79	0									35-49	14	7.0							
80-84	0									50-69	43	19.3	116						
85 +	14	7.0								70 +	0								
SUBTOTAL	**189**	**10.4**	**150**	**2**	**7**	**7**	**8**	**11**	**52**		**100**	**20.6**	**245**	**2**	**7**	**15**	**34**	**48**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	8.0	39							0-17	161	11.2	41	2	6	14	15	20	20
70-74	43	5.0	18							18-34	75	15.5	36						
75-79	14	1.0								35-49	72	5.8	10						
80-84	0									50-69	214	4.0	13	1	1	2	5	12	12
85 +	0									70 +	14	1.0							
SUBTOTAL	**100**	**5.7**	**30**	**1**	**1**	**2**	**11**	**16**	**16**		**537**	**7.9**	**43**	**1**	**2**	**6**	**12**	**18**	**20**
GRAND TOTAL	**289**	**8.8**	**113**	**1**	**2**	**7**	**11**	**11**	**18**		**637**	**9.9**	**96**	**1**	**2**	**7**	**15**	**20**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	7.0	1							0-17	0								
18-34	0									18-34	46	21.2	87						
35-49	0									35-49	0								
50-69	0									50-69	14	5.0							
70 +	0									70 +	0								
SUBTOTAL	**29**	**7.0**	**1**								**61**	**17.4**	**114**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	86	6.5	59	1	2	2	7	23	23	0-17	89	5.7	33						
18-34	29	9.5								18-34	86	7.5	32	1	5	5	8	19	19
35-49	14	2.0								35-49	0								
50-69	14	3.0								50-69	32	3.0							
70 +	0									70 +	0								
SUBTOTAL	**143**	**6.3**	**40**	**2**	**2**	**4**	**10**	**23**	**99 +**		**208**	**6.0**	**30**	**1**	**1**	**5**	**8**	**17**	**19**
GRAND TOTAL	**172**	**6.4**	**34**	**2**	**2**	**6**	**9**	**23**	**99 +**		**268**	**8.6**	**71**	**1**	**3**	**5**	**15**	**19**	**35**

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	515	18.2	196	5	10	14	24	32	36	0-17	57	10.3	16						
70-74	275	19.5	474	1	3	9	30	68	73	18-34	229	13.2	127	2	7	8	16	31	41
75-79	107	15.9	88							35-49	211	15.2	295	6	6	11	17	76	99 +
80-84	93	9.1	50							50-69	229	9.4	72	2	2	9	11	35	99 +
85 +	61	21.2	22							70 +	14	5.0							
SUBTOTAL	**1050**	**17.7**	**243**	**3**	**6**	**14**	**24**	**30**	**47**		**740**	**12.2**	**153**	**2**	**6**	**9**	**15**	**31**	**76**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	261	9.5	58	2	4	8	11	21	31	0-17	422	4.9	43	1	1	3	5	10	26
70-74	104	5.2	20	2	3	3	5	16	16	18-34	458	5.9	19	2	3	5	8	11	14
75-79	218	13.1	60	5	6	13	13	29	29	35-49	468	6.8	68	2	2	4	7	16	29
80-84	61	9.7	30							50-69	278	5.6	49	< 1	1	3	7	15	25
85 +	46	11.6	26							70 +	0								
SUBTOTAL	**689**	**10.2**	**55**	**3**	**5**	**8**	**13**	**21**	**29**		**1626**	**5.9**	**45**	**1**	**2**	**4**	**7**	**12**	**22**
GRAND TOTAL	**1739**	**14.7**	**182**	**3**	**6**	**11**	**21**	**30**	**32**		**2366**	**7.8**	**87**	**1**	**2**	**5**	**10**	**17**	**30**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	15.9	33							0-17	136	10.8	48	4	5	7	17	25	25
18-34	86	9.0	61	1	3	8	25	99 +	99 +	18-34	182	28.3	784	5	7	17	54	79	99 +
35-49	29	10.0	37							35-49	57	37.0	429						
50-69	29	33.5	1094							50-69	43	31.0	394						
70 +	0									70 +	0								
SUBTOTAL	**204**	**14.6**	**271**	**1**	**4**	**10**	**25**	**66**	**99 +**		**418**	**24.1**	**546**	**5**	**7**	**17**	**45**	**79**	**79**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	294	5.6	38	1	2	3	8	10	14	0-17	300	8.1	45	3	4	6	8	19	20
18-34	104	12.4	93	1	3	8	25	25	25	18-34	757	7.0	115	1	2	4	7	11	34
35-49	139	7.0	60	2	3	4	8	22	29	35-49	104	10.6	184	1	2	3	22	40	40
50-69	32	31.0								50-69	150	10.1	77	3	3	5	17	24	28
70 +	0									70 +	0								
SUBTOTAL	**569**	**8.7**	**87**	**1**	**2**	**4**	**9**	**28**	**31**		**1312**	**7.9**	**101**	**1**	**2**	**5**	**8**	**19**	**30**
GRAND TOTAL	**773**	**10.2**	**143**	**1**	**3**	**7**	**13**	**29**	**32**		**1730**	**11.8**	**257**	**2**	**3**	**6**	**11**	**32**	**56**

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	157	5.0	16	1	2	4	8	12	12	0-17	0								
70-74	0									18-34	14	3.0							
75-79	14	2.0								35-49	0								
80-84	0									50-69	32	4.0							
85 +	0									70 +	0								
SUBTOTAL	**171**	**4.7**	**16**	**1**	**2**	**4**	**8**	**12**	**12**		**46**	**3.7**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	186	2.7	6	1	1	1	4	5	9	0-17	318	3.0	10	< 1	1	2	4	6	8
70-74	0									18-34	342	3.2	10	1	1	2	3	9	9
75-79	0									35-49	278	2.2	2	< 1	< 1	1	3	5	6
80-84	0									50-69	211	6.2	57	< 1	1	2	12	20	25
85 +	14	5.0								70 +	0								
SUBTOTAL	**200**	**2.8**	**6**	**1**	**1**	**1**	**5**	**5**	**9**		**1150**	**3.4**	**19**	**< 1**	**1**	**2**	**3**	**9**	**12**
GRAND TOTAL	**371**	**3.7**	**11**	**1**	**1**	**2**	**5**	**9**	**12**		**1196**	**3.5**	**18**	**< 1**	**1**	**2**	**4**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	21.0								0-17	14	1.0							
18-34	0									18-34	14	14.0							
35-49	0									35-49	0								
50-69	0									50-69	32	31.0							
70 +	0									70 +	0								
SUBTOTAL	**14**	**21.0**									**61**	**19.9**	**160**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	214	1.6	2	1	1	1	1	2	7	0-17	121	1.9	1	1	1	1	2	4	4
18-34	0									18-34	211	2.3	1	1	1	2	3	4	5
35-49	14	5.0								35-49	125	1.4							
50-69	32	2.0								50-69	64	1.5							
70 +	0									70 +	0								
SUBTOTAL	**261**	**1.8**	**2**	**1**	**1**	**1**	**2**	**5**	**7**		**521**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**275**	**2.8**	**21**	**1**	**1**	**1**	**2**	**7**	**18**		**582**	**3.7**	**48**	**1**	**1**	**2**	**3**	**5**	**31**

DRG 442: Other O.R. Procedures for Injuries w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6689	8.1	78	2	2	5	10	18	26
70-74	1409	10.2	75	2	4	8	14	22	29
75-79	1540	9.8	131	2	3	7	11	20	26
80-84	733	11.5	148	1	3	8	15	26	36
85 +	454	15.3	113	4	10	14	20	27	27
SUBTOTAL	**10824**	**9.2**	**94**	**2**	**3**	**6**	**12**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10824**	**9.2**	**94**	**2**	**3**	**6**	**12**	**20**	**28**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	953	11.9	168	1	3	8	15	35	44
18-34	789	9.1	87	1	3	8	10	28	32
35-49	948	8.4	89	1	2	5	11	20	25
50-69	995	12.1	217	2	3	7	16	30	38
70 +	43	6.7	28						
	3728	**10.4**	**145**	**1**	**3**	**7**	**13**	**28**	**38**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3728	**10.4**	**145**	**1**	**3**	**7**	**13**	**28**	**38**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	473	18.9	353	2	3	10	29	47	63
18-34	444	12.4	152	2	2	8	17	39	41
35-49	247	12.6	154	2	6	7	15	32	52
50-69	415	6.1	21	2	3	5	7	10	15
70 +	96	3.7	14						
SUBTOTAL	**1676**	**12.2**	**195**	**2**	**3**	**7**	**15**	**35**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1676**	**12.2**	**195**	**2**	**3**	**7**	**15**	**35**	**45**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	273	13.9	280	1	2	8	24	57	99 +
18-34	722	8.2	58	1	3	6	10	15	24
35-49	164	12.0	412	2	5	6	8	11	77
50-69	265	13.9	133	1	2	10	25	31	31
70 +	29	5.5	21						
	1453	**10.7**	**160**	**1**	**3**	**7**	**14**	**29**	**41**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1453	**10.7**	**160**	**1**	**3**	**7**	**14**	**29**	**41**

DRG 443: Other O.R. Procedures for Injuries w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1345	6.6	62	1	2	4	8	14	22	0-17	1993	4.2	22	1	1	2	5	9	12
70-74	847	7.0	48	1	2	6	8	13	21	18-34	2605	2.8	9	1	1	2	4	7	9
75-79	746	8.0	108	2	2	7	9	13	17	35-49	1968	3.7	17	1	1	2	4	8	14
80-84	328	4.9	9	2	3	4	8	10	10	50-69	1679	5.0	32	1	1	3	7	11	16
85 +	121	5.7	11	1	2	7	7	10	10	70 +	14	2.0							
SUBTOTAL	**3388**	**6.8**	**62**	**1**	**2**	**5**	**8**	**12**	**21**		**8259**	**3.8**	**20**	**1**	**1**	**2**	**5**	**9**	**12**
GRAND TOTAL	**3388**	**6.8**	**62**	**1**	**2**	**5**	**8**	**12**	**21**		**8259**	**3.8**	**20**	**1**	**1**	**2**	**5**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	881	8.3	143	1	2	3	10	22	31	0-17	494	3.0	6	1	1	2	5	6	8
18-34	375	5.1	50	1	2	3	6	10	16	18-34	1497	3.6	10	1	1	3	5	8	12
35-49	250	4.8	8	1	2	6	8	9	9	35-49	530	4.8	109	1	1	2	4	7	31
50-69	104	3.9	5	< 1	3	3	4	9	9	50-69	325	5.5	11	1	3	5	8	11	12
70 +	0									70 +	0								
SUBTOTAL	**1610**	**6.7**	**95**	**1**	**2**	**3**	**8**	**14**	**26**		**2846**	**3.9**	**29**	**1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**1610**	**6.7**	**95**	**1**	**2**	**3**	**8**	**14**	**26**		**2846**	**3.9**	**29**	**1**	**1**	**3**	**5**	**8**	**11**

DRG 444: Multiple Trauma Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	745	7.3	25	2	3	5	9	15	18
70-74	200	4.6	11	2	2	3	5	8	14
75-79	363	7.1	21	2	4	5	11	14	14
80-84	282	6.1	22	1	2	5	7	15	15
85 +	250	4.8	6	2	3	4	8	8	8
SUBTOTAL	**1840**	**6.5**	**21**	**2**	**3**	**5**	**8**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1840**	**6.5**	**21**	**2**	**3**	**5**	**8**	**14**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	435	3.5	6	1	1	3	5	7	7
35-49	318	5.3	21	1	2	3	9	13	14
50-69	275	3.8	2	2	3	3	5	6	7
70 +	32	6.0							
	1060	**4.2**	**10**	**1**	**2**	**3**	**5**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1060	**4.2**	**10**	**1**	**2**	**3**	**5**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	57	6.8	28						
35-49	61	3.9	3						
50-69	46	9.0							
70 +	32	8.0							
SUBTOTAL	**197**	**6.6**	**13**	**3**	**3**	**7**	**9**	**9**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**197**	**6.6**	**13**	**3**	**3**	**7**	**9**	**9**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	511	3.9	8	1	2	3	4	9	10
35-49	364	6.7	75	2	3	4	6	8	34
50-69	121	7.5	57	2	2	4	20	20	20
70 +	0								
	997	**5.4**	**41**	**1**	**2**	**3**	**6**	**9**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	997	**5.4**	**41**	**1**	**2**	**3**	**6**	**9**	**20**

DRG 445: Multiple Trauma Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	325	5.5	59	1	1	2	6	17	27	0-17	0								
70-74	314	5.4	10	1	3	6	7	11	11	18-34	2241	2.6	3	1	1	2	3	5	6
75-79	285	3.3	4	1	2	3	5	7	7	35-49	1216	3.2	7	1	1	2	4	7	9
80-84	171	6.1	10	2	5	6	6	8	15	50-69	760	3.8	6	1	1	3	5	7	8
85+	110	7.3	10							70+	32	2.0							
SUBTOTAL	**1205**	**5.2**	**23**	**1**	**2**	**5**	**6**	**11**	**12**		**4249**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1205**	**5.2**	**23**	**1**	**2**	**5**	**6**	**11**	**12**		**4249**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	272	2.7	2	1	1	3	4	4	5	18-34	2162	3.0	7	1	1	2	4	7	9
35-49	104	2.9		2	3	3	3	3	3	35-49	617	2.8	2	1	2	2	4	5	5
50-69	14	6.0								50-69	261	4.9	10	<1	2	4	6	11	11
70+	32	2.0								70+	14	9.0							
SUBTOTAL	**422**	**2.8**	**2**	**1**	**2**	**3**	**4**	**4**	**6**		**3054**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**422**	**2.8**	**2**	**1**	**2**	**3**	**4**	**4**	**6**		**3054**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 446: Multiple Trauma Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	411	5.3	46	1	2	3	5	11	25
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	411	**5.3**	**46**	**1**	**2**	**3**	**5**	**11**	**25**
0-17	2062	2.4	6	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2062	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
	2473	**2.9**	**14**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	171	8.7	370	2	2	3	5	5	72
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**171**	**8.7**	**370**	**2**	**2**	**3**	**5**	**5**	**72**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	530	2.9	4	1	1	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**530**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**701**	**4.3**	**99**	**1**	**2**	**2**	**4**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	150	7.5	113	2	2	3	4	20	36
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	150	**7.5**	**113**	**2**	**2**	**3**	**4**	**20**	**36**
0-17	1016	2.7	12	1	1	2	3	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1016	**2.7**	**12**	**1**	**1**	**2**	**3**	**5**	**9**
	1166	**3.3**	**27**	**1**	**1**	**2**	**3**	**5**	**13**

DRG 447: Allergic Reactions Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	331	4.6	4	2	2	5	6	7	8	0-17	0								
70-74	285	3.5	17	1	2	2	4	5	11	18-34	107	3.4	14						
75-79	61	2.2	1							35-49	282	3.4	12	1	1	2	3	12	12
80-84	96	3.7	4							50-69	328	3.6	4	1	2	3	5	6	7
85 +	64	2.0								70 +	0								
SUBTOTAL	**837**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**8**		**717**	**3.5**	**8**	**1**	**1**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	288	4.0	2	2	3	4	5	6	6	0-17	0								
70-74	64	1.0								18-34	617	1.8	1	< 1	1	1	2	3	3
75-79	32	1.0								35-49	930	2.6	5	1	1	2	3	4	6
80-84	128	3.5	5							50-69	368	2.2	2	1	1	2	3	4	5
85 +	32	1.0								70 +	0								
SUBTOTAL	**545**	**3.2**	**4**	**1**	**1**	**3**	**5**	**6**	**7**		**1915**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1382**	**3.5**	**7**	**1**	**2**	**3**	**5**	**6**	**7**		**2632**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	14	2.0								18-34	32	1.0							
35-49	32	10.0								35-49	29	2.5	2						
50-69	93	7.9	22							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**139**	**7.8**	**19**	**2**	**4**	**8**	**10**	**14**	**14**		**61**	**1.7**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	110	1.9	1							18-34	218	1.5	1	1	1	1	1	3	4
35-49	46	2.7								35-49	157	1.8	2	< 1	1	1	3	3	5
50-69	0									50-69	207	2.6	5	1	1	1	3	7	7
70 +	32	2.0								70 +	0								
SUBTOTAL	**189**	**2.1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**		**581**	**2.0**	**3**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**328**	**4.5**	**16**	**1**	**2**	**3**	**4**	**10**	**14**		**642**	**1.9**	**3**	**1**	**1**	**1**	**3**	**4**	**6**

DRG 448: Allergic Reactions Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	121	4.0	3	1	3	4	4	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**121**	**4.0**	**3**	**1**	**3**	**4**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs									
0-17	703	2.0	1	1	1	2	3	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**703**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
GRAND TOTAL	**825**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	75	1.8	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**75**	**1.8**	**1**						
GRAND TOTAL	**75**	**1.8**	**1**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	46	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**46**	**1.0**							
2.PATIENTS W/OUT CCs									
0-17	243	2.1	4	1	1	1	3	4	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**243**	**2.1**	**4**	**1**	**1**	**1**	**3**	**4**	**9**
GRAND TOTAL	**289**	**2.0**	**3**	**1**	**1**	**1**	**3**	**3**	**5**

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3854	5.2	49	1	2	3	6	10	14	0-17	0								
70-74	1996	6.1	20	2	3	5	7	11	12	18-34	2235	3.9	42	1	1	2	4	7	13
75-79	2438	6.2	36	2	3	4	7	11	23	35-49	2409	4.8	47	1	2	3	5	8	13
80-84	1821	6.0	12	2	4	6	8	10	13	50-69	1702	5.0	20	1	2	4	5	11	16
85 +	1754	6.3	35	2	3	5	8	11	15	70 +	43	8.0	33						
SUBTOTAL	**11863**	**5.8**	**34**	**2**	**3**	**4**	**7**	**10**	**14**		**6389**	**4.5**	**38**	**1**	**2**	**3**	**5**	**8**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11863**	**5.8**	**34**	**2**	**3**	**4**	**7**	**10**	**14**		**6389**	**4.5**	**38**	**1**	**2**	**3**	**5**	**8**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1829	2.7	6	1	1	2	3	5	7	18-34	3742	3.1	9	1	1	2	4	6	9
35-49	971	3.4	8	1	2	3	4	6	10	35-49	2330	3.3	10	1	1	2	4	7	10
50-69	649	5.2	19	1	2	4	8	13	15	50-69	746	5.3	26	1	2	4	8	10	16
70 +	78	5.4								70 +	46	4.2	3						
SUBTOTAL	**3527**	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**10**		**6865**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3527**	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**10**		**6865**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1939	3.9	30	1	1	2	4	8	18	0-17	0								
70-74	770	4.1	7	1	2	4	5	8	9	18-34	7569	2.2	4	1	1	2	2	4	5
75-79	485	4.2	7	1	2	3	6	9	10	35-49	4804	2.6	5	1	1	2	3	5	6
80-84	314	3.5	3	< 1	2	4	5	6	6	50-69	2328	2.7	18	1	1	2	3	4	6
85 +	524	4.5	2	3	3	5	5	7	7	70 +	32	1.0							
SUBTOTAL	4031	4.0	17	1	2	3	5	7	10		14734	2.4	7	1	1	2	3	4	6
GRAND TOTAL	4031	4.0	17	1	2	3	5	7	10		14734	2.4	7	1	1	2	3	4	6

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2322	2.6	10	1	1	1	3	5	8	18-34	7287	2.1	5	< 1	1	2	2	4	5
35-49	1013	3.0	7	1	2	2	3	5	11	35-49	2503	2.8	7	1	1	2	3	6	7
50-69	278	2.8	10	1	1	2	3	5	12	50-69	589	4.0	6	1	2	4	5	7	9
70 +	0									70 +	32	1.0							
SUBTOTAL	3613	2.8	9	1	1	2	3	5	8		10410	2.4	6	1	1	2	3	4	6
GRAND TOTAL	3613	2.8	9	1	1	2	3	5	8		10410	2.4	6	1	1	2	3	4	6

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	14	3.0								0-17	1567	3.6	33	1	1	2	4	6	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	14	3.0									1567	3.6	33	1	1	2	4	6	14
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	64	1.5								0-17	11522	2.2	13	1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	64	1.5									11522	2.2	13	1	1	1	2	4	6
GRAND TOTAL	78	1.8	1								13088	2.4	16	1	1	1	2	4	6

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	1158	3.3	24	1	2	2	4	5	7	0-17	833	3.2	9	1	1	2	5	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1158	3.3	24	1	2	2	4	5	7		833	3.2	9	1	1	2	5	6	8
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	5598	2.7	27	1	1	1	2	4	6	0-17	6435	2.0	4	1	1	1	2	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	5598	2.7	27	1	1	1	2	4	6		6435	2.0	4	1	1	1	2	4	5
GRAND TOTAL	6756	2.8	27	1	1	2	2	5	7		7267	2.1	5	1	1	1	2	4	5

DRG 452: Complications of Treatment w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3507	5.6	35	2	2	4	7	10	14	0-17	1207	5.7	25	1	2	4	9	12	14
70-74	1528	7.4	93	2	3	5	8	14	22	18-34	615	3.2	4	1	2	3	4	6	7
75-79	1227	5.1	14	2	2	4	7	12	12	35-49	911	6.6	59	1	2	4	8	11	13
80-84	865	6.9	27	2	4	6	8	12	22	50-69	1390	5.7	33	1	2	4	7	13	16
85 +	699	8.4	51	3	4	5	10	15	21	70 +	0								
SUBTOTAL	**7826**	**6.3**	**44**	**2**	**3**	**4**	**8**	**12**	**16**		**4123**	**5.5**	**33**	**1**	**2**	**4**	**7**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7826**	**6.3**	**44**	**2**	**3**	**4**	**8**	**12**	**16**		**4123**	**5.5**	**33**	**1**	**2**	**4**	**7**	**12**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	878	10.9	168	1	3	7	13	22	40	0-17	244	6.9	54	1	2	3	10	22	23
18-34	204	6.4	23	1	2	5	10	15	17	18-34	240	5.6	43	1	1	3	6	14	28
35-49	208	7.4	28	3	5	5	8	11	24	35-49	147	3.5	1	2	3	3	5	5	5
50-69	353	5.6	24	2	2	4	6	16	18	50-69	121	7.7	44	1	3	4	18	18	18
70 +	14	6.0								70 +	0								
SUBTOTAL	**1657**	**8.7**	**106**	**1**	**3**	**6**	**10**	**18**	**27**		**752**	**5.9**	**41**	**1**	**2**	**3**	**6**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1657**	**8.7**	**106**	**1**	**3**	**6**	**10**	**18**	**27**		**752**	**5.9**	**41**	**1**	**2**	**3**	**6**	**18**	**22**

DRG 453: Complications of Treatment w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1356	4.9	38	1	2	3	5	10	12
70-74	547	5.9	74	1	2	3	6	11	38
75-79	692	3.3	11	1	2	2	4	5	7
80-84	257	4.4	13	1	3	3	4	8	17
85 +	89	4.2	24						
SUBTOTAL	**2942**	**4.6**	**36**	**1**	**2**	**3**	**4**	**10**	**15**
GRAND TOTAL	**2942**	**4.6**	**36**	**1**	**2**	**3**	**4**	**10**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1272	4.3	44	< 1	1	2	4	10	19
18-34	1258	2.5	5	1	1	2	3	4	6
35-49	1293	3.2	7	1	1	3	4	6	7
50-69	1397	3.3	13	1	1	2	4	7	10
70 +	57	4.0	2						
	5276	**3.3**	**17**	**1**	**1**	**2**	**4**	**6**	**10**
	5276	**3.3**	**17**	**1**	**1**	**2**	**4**	**6**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	641	5.2	45	1	1	3	6	11	14
18-34	164	5.4	49	1	2	3	5	8	27
35-49	225	4.5	10	1	2	4	6	10	10
50-69	136	3.7	5	1	2	2	6	7	7
70 +	0								
SUBTOTAL	**1167**	**4.9**	**34**	**1**	**1**	**3**	**6**	**10**	**12**
GRAND TOTAL	**1167**	**4.9**	**34**	**1**	**1**	**3**	**6**	**10**	**12**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	412	3.5	11	< 1	1	2	6	9	10
18-34	304	3.0	9	1	1	2	3	5	9
35-49	72	3.2	3						
50-69	118	4.2	13	1	1	2	5	12	12
70 +	0								
	905	**3.4**	**10**	**1**	**1**	**2**	**5**	**7**	**10**
	905	**3.4**	**10**	**1**	**1**	**2**	**5**	**7**	**10**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	453	5.3	18	1	2	5	7	10	10	0-17	538	4.2	69	1	1	2	3	9	16
70-74	189	7.1	25	2	3	6	8	11	21	18-34	314	2.5	11	1	1	2	3	3	3
75-79	353	6.6	42	2	3	4	7	15	15	35-49	218	4.7	21	1	2	2	4	15	15
80-84	481	6.7	80	1	3	4	6	14	38	50-69	157	20.3	866	2	5	5	10	78	78
85 +	595	7.2	30	1	3	6	10	12	23	70 +	32	3.0							
SUBTOTAL	**2071**	**6.6**	**41**	**1**	**3**	**5**	**8**	**12**	**21**		**1258**	**5.8**	**174**	**1**	**1**	**2**	**4**	**10**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2071**	**6.6**	**41**	**1**	**3**	**5**	**8**	**12**	**21**		**1258**	**5.8**	**174**	**1**	**1**	**2**	**4**	**10**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	390	6.1	103	1	2	3	5	11	38	0-17	340	8.1	390	1	1	3	4	7	44
18-34	75	1.6	1							18-34	446	1.8	1	1	1	1	3	3	4
35-49	32	1.0								35-49	331	6.2	46	1	1	2	12	17	17
50-69	64	7.5	12							50-69	200	5.5	25	1	2	4	9	12	17
70 +	0									70 +	0								
SUBTOTAL	**561**	**5.4**	**77**	**1**	**1**	**3**	**5**	**11**	**27**		**1317**	**5.1**	**122**	**1**	**1**	**2**	**4**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**561**	**5.4**	**77**	**1**	**1**	**3**	**5**	**11**	**27**		**1317**	**5.1**	**122**	**1**	**1**	**2**	**4**	**12**	**17**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	125	3.4	8							0-17	1293	1.5	1	1	1	1	2	2	3
70-74	221	3.0	1	2	2	3	4	5	5	18-34	1063	2.2	13	1	1	2	2	3	4
75-79	192	2.7	1	1	2	3	4	4	4	35-49	186	1.8	1	1	1	2	2	2	5
80-84	93	2.0	2							50-69	189	1.7		1	1	2	2	2	2
85 +	125	3.9	10							70 +	0								
SUBTOTAL	**756**	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**8**		**2730**	**1.8**	**6**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**756**	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**8**		**2730**	**1.8**	**6**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	889	2.0	3	1	1	1	3	4	4	0-17	1247	1.6	2	1	1	1	2	3	5
18-34	118	1.6	1	< 1	1	1	2	3	3	18-34	685	2.2	9	1	1	1	2	3	5
35-49	14	5.0								35-49	125	1.2							
50-69	14	3.0								50-69	107	4.4	54						
70 +	0									70 +	14	1.0							
SUBTOTAL	**1035**	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**5**		**2178**	**1.9**	**7**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**1035**	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**5**		**2178**	**1.9**	**7**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 457: Extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	29	18.5	31						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	64	3.5	6						
85 +	0									70 +	0								
SUBTOTAL	**0**										93	8.1	62						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	29	12.0	17						
70-74	0									18-34	0								
75-79	0									35-49	46	2.9	8						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										75	6.4	31						
GRAND TOTAL	**0**										168	7.3	49	< 1	1	6	13	16	24

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	14	10.0								18-34	14	4.0							
35-49	0									35-49	0								
50-69	14	14.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**29**	**12.0**	4								14	4.0							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	14	10.0							
35-49	0									35-49	14	4.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										29	7.0	9						
GRAND TOTAL	**29**	**12.0**	4								43	6.0	8						

DRG 458: Non-extensive Burns w/ Skin Graft

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	300	30.3	277	14	18	32	40	53	56
70-74	57	28.3	262						
75-79	104	35.5	315	9	24	34	39	73	73
80-84	125	17.1	53	7	16	18	27	78	99 +
85 +	107	22.7	152						
SUBTOTAL	**693**	**27.4**	**257**	**8**	**16**	**27**	**36**	**53**	**73**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	11.7	274						
70-74	75	19.7	127						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**164**	**15.3**	**222**	**3**	**4**	**9**	**32**	**35**	**49**
GRAND TOTAL	**858**	**25.1**	**272**	**7**	**12**	**20**	**36**	**52**	**58**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	35.3	216						
18-34	43	21.3	83						
35-49	43	42.7	312						
50-69	89	27.1	180						
70 +	0								
	233	**30.9**	**245**	**14**	**18**	**20**	**43**	**54**	**56**
0-17	531	16.7	120	4	8	16	23	26	31
18-34	414	9.8	90	2	3	7	15	18	37
35-49	179	15.9	184	3	3	13	16	35	49
50-69	46	2.9	2						
70 +	0								
	1170	**13.6**	**129**	**2**	**4**	**11**	**18**	**26**	**37**
	1403	**16.5**	**190**	**2**	**5**	**14**	**22**	**37**	**50**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	204	26.4	388	5	14	19	36	47	82
18-34	57	37.8	819						
35-49	89	26.6	288						
50-69	75	25.2	298						
70 +	0								
SUBTOTAL	**426**	**27.8**	**422**	**9**	**12**	**24**	**38**	**53**	**82**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	587	15.1	204	3	5	11	23	28	36
18-34	118	13.9	33	7	7	16	19	20	20
35-49	14	7.0							
50-69	0								
70 +	14	50.0							
SUBTOTAL	**734**	**15.4**	**194**	**3**	**5**	**12**	**23**	**28**	**50**
GRAND TOTAL	**1160**	**20.0**	**313**	**3**	**7**	**17**	**25**	**42**	**53**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	21.0	11						
18-34	61	19.5	24						
35-49	75	19.7	207						
50-69	14	18.0							
70 +	0								
	193	**19.8**	**90**	**13**	**13**	**17**	**24**	**25**	**49**
0-17	749	17.4	112	3	12	17	21	28	37
18-34	121	18.1	131	3	6	23	33	33	33
35-49	132	14.8	48	6	10	14	18	26	26
50-69	32	6.0							
70 +	0								
	1035	**16.8**	**107**	**3**	**10**	**17**	**22**	**28**	**33**
	1229	**17.3**	**105**	**6**	**11**	**17**	**22**	**28**	**33**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	203	12.5	90	6	7	9	14	33	37
70-74	64	12.0	9						
75-79	78	14.6	195						
80-84	0								
85 +	93	24.9	233						
SUBTOTAL	**438**	**15.4**	**151**	**6**	**8**	**9**	**23**	**37**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	160	5.8	8						
70-74	0								
75-79	0								
80-84	46	11.0	148						
85 +	0								
SUBTOTAL	**207**	**7.0**	**43**	**2**	**3**	**7**	**8**	**9**	**29**
GRAND TOTAL	**645**	**12.7**	**132**	**3**	**7**	**9**	**14**	**33**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	18.0							
18-34	32	9.0							
35-49	0								
50-69	0								
70 +	0								
	64	**13.5**	**21**						
0-17	222	6.5	23	1	2	5	8	13	20
18-34	110	7.1	27						
35-49	171	5.9	12	1	4	5	8	9	13
50-69	93	9.5	37						
70 +	0								
	596	**6.9**	**24**	**1**	**4**	**5**	**9**	**14**	**14**
	660	**7.5**	**27**	**1**	**4**	**8**	**10**	**14**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	93	5.4	4						
18-34	0								
35-49	32	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**125**	**4.8**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	204	13.4	276	1	3	7	16	25	68
18-34	14	1.0							
35-49	0								
50-69	32	3.0							
70 +	0								
SUBTOTAL	**251**	**11.4**	**244**	**1**	**3**	**6**	**15**	**25**	**68**
GRAND TOTAL	**375**	**9.2**	**174**	**1**	**3**	**4**	**9**	**20**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	38.5	1094						
18-34	75	15.9	308						
35-49	43	16.3	93						
50-69	46	8.0	37						
70 +	0								
	193	**17.5**	**394**	**2**	**4**	**6**	**29**	**41**	**71**
0-17	161	9.7	24	2	6	10	13	15	18
18-34	72	8.4	9						
35-49	0								
50-69	0								
70 +	0								
	233	**9.3**	**20**	**2**	**7**	**9**	**12**	**15**	**18**
	426	**13.0**	**206**	**2**	**4**	**9**	**14**	**31**	**41**

DRG 460: Non-extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	214	6.7	11	2	5	8	11	99 +	99 +	0-17	118	10.4	98	2	2	2	18	28	28
70-74	29	7.0								18-34	214	8.5	132	2	3	4	9	15	48
75-79	78	6.8	1							35-49	243	13.4	114	4	4	8	22	29	39
80-84	61	5.2	11							50-69	189	11.0	44	4	5	7	16	21	21
85 +	78	10.3	28							70 +	32	3.0							
SUBTOTAL	**460**	**7.2**	**14**	**3**	**5**	**7**	**11**	**14**	**99 +**		**796**	**10.6**	**101**	**2**	**3**	**7**	**16**	**26**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	303	8.6	64	1	4	7	9	30	30	0-17	3438	5.2	22	1	2	4	7	10	14
70-74	78	10.1	55							18-34	1502	5.3	16	1	2	4	8	12	15
75-79	29	8.0	37							35-49	934	5.3	25	1	2	3	7	11	12
80-84	78	11.8	18							50-69	410	9.8	76	3	3	6	16	24	24
85 +	96	11.3	18							70 +	0								
SUBTOTAL	**584**	**9.7**	**49**	**2**	**4**	**8**	**12**	**19**	**30**		**6284**	**5.5**	**26**	**1**	**2**	**4**	**7**	**12**	**16**
GRAND TOTAL	**1045**	**8.6**	**35**	**2**	**4**	**8**	**11**	**19**	**30**		**7080**	**6.1**	**37**	**1**	**2**	**4**	**8**	**13**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	240	6.8	119	1	2	2	7	11	48	0-17	121	11.7	174	3	5	8	9	47	47
18-34	93	7.2	8							18-34	121	6.8	133	2	2	2	3	38	38
35-49	46	7.2	18							35-49	182	7.1	19	4	4	5	8	15	18
50-69	46	7.3	43							50-69	150	11.0	126	1	1	5	17	29	34
70 +	0									70 +	0								
SUBTOTAL	**425**	**7.0**	**75**	**1**	**2**	**4**	**10**	**11**	**17**		**575**	**9.0**	**108**	**2**	**3**	**5**	**9**	**18**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3217	5.3	17	1	2	4	7	10	13	0-17	3633	7.0	33	1	3	6	10	14	16
18-34	214	6.2	11	2	4	6	8	9	15	18-34	986	6.3	40	1	2	4	8	13	17
35-49	142	7.9	36							35-49	150	3.8	12	1	1	1	8	8	10
50-69	75	7.4	17							50-69	136	5.4	12	1	1	5	8	11	11
70 +	0									70 +	0								
SUBTOTAL	**3649**	**5.5**	**17**	**1**	**3**	**4**	**7**	**11**	**13**		**4905**	**6.7**	**34**	**1**	**3**	**5**	**9**	**14**	**16**
GRAND TOTAL	**4074**	**5.6**	**24**	**1**	**2**	**4**	**7**	**11**	**13**		**5481**	**6.9**	**42**	**1**	**3**	**5**	**9**	**14**	**17**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	530	15.8	343	1	2	3	25	48	54
70-74	86	10.3	222	1	3	3	9	43	43
75-79	204	13.3	138	1	2	3	27	28	31
80-84	104	10.8	66	1	4	11	22	23	23
85 +	118	11.7	122	1	1	7	17	34	34
SUBTOTAL	**1042**	**13.9**	**244**	**1**	**2**	**4**	**23**	**35**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	193	3.7	43	1	1	1	3	7	26
70-74	107	5.0	83						
75-79	168	1.4		1	1	1	2	2	2
80-84	29	1.0							
85 +	29	9.0	26						
SUBTOTAL	**526**	**3.4**	**38**	**1**	**1**	**1**	**2**	**7**	**26**
GRAND TOTAL	**1568**	**10.4**	**199**	**1**	**1**	**2**	**19**	**29**	**43**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	4.4	23	1	1	2	7	15	15
18-34	29	1.0							
35-49	121	15.9	337	1	10	10	10	64	64
50-69	193	15.5	522	1	2	13	97	99 +	99 +
70 +	46	15.9	79						
	490	**12.5**	**329**	**1**	**2**	**10**	**29**	**99 +**	**99 +**
0-17	677	4.5	189	1	1	1	3	7	8
18-34	510	2.7	22	< 1	1	2	2	4	9
35-49	415	2.3	3	< 1	1	2	3	6	5
50-69	254	7.4	104	< 1	1	3	9	24	42
70 +	0								
	1856	**3.9**	**92**	**< 1**	**1**	**2**	**3**	**7**	**9**
	2346	**5.7**	**154**	**1**	**1**	**2**	**6**	**20**	**89**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	100	5.7	43	1	1	3	7	21	21
18-34	32	2.0							
35-49	14	41.0							
50-69	29	39.5	842						
70 +	0								
SUBTOTAL	**176**	**13.4**	**391**	**1**	**2**	**3**	**11**	**41**	**68**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	483	3.4	30	1	1	1	2	16	21
18-34	153	2.3	2	1	1	1	4	4	4
35-49	89	3.6	2						
50-69	0								
70 +	0								
SUBTOTAL	**726**	**3.2**	**21**	**1**	**1**	**1**	**4**	**7**	**21**
GRAND TOTAL	**902**	**5.2**	**109**	**1**	**1**	**2**	**4**	**16**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	15.0							
18-34	0								
35-49	0								
50-69	78	13.3	153						
70 +	0								
	110	**13.8**	**109**						
0-17	121	4.2	12	1	1	3	6	9	9
18-34	129	4.4	52	< 1	1	1	3	24	24
35-49	14	1.0							
50-69	29	2.0	1						
70 +	0								
	294	**3.9**	**28**	**1**	**1**	**1**	**6**	**9**	**9**
	404	**6.6**	**69**	**1**	**1**	**3**	**15**	**28**	**99 +**

DRG 462: Rehabilitation

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	1110	20.4	206	6	11	18	27	37	53		0-17	14	40.0								
70-74	881	17.5	109	9	11	14	24	37	50		18-34	72	60.4	760							
75-79	860	18.6	99	8	10	17	26	30	33		35-49	89	9.0	15	4	11	13	99 +	99 +	99 +	
80-84	931	15.6	119	6	8	12	22	24	38		50-69	648	23.9	193	6	14	26	38	67	99 +	
85 +	677	18.9	209	8	12	16	23	33	61		70 +	14	24.0								
SUBTOTAL	**4458**	**18.3**	**151**	**7**	**10**	**15**	**24**	**33**	**45**			**838**	**25.7**	**354**	**6**	**14**	**26**	**42**	**99 +**	**99 +**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	344	16.8	163	6	8	10	21	40	42		0-17	61	36.3	607							
70-74	533	15.9	127	7	9	12	18	32	43		18-34	72	5.8	5							
75-79	487	14.1	70	7	8	11	22	25	32		35-49	72	20.2	151							
80-84	279	15.0	86	5	8	11	22	32	35		50-69	373	20.3	196	7	10	13	32	45	45	
85 +	176	18.1	83	9	11	15	19	34	39		70 +	14	8.0								
SUBTOTAL	**1819**	**15.7**	**109**	**5**	**9**	**11**	**21**	**32**	**39**			**592**	**19.9**	**259**	**4**	**8**	**12**	**30**	**45**	**59**	
GRAND TOTAL	**6277**	**17.5**	**140**	**7**	**10**	**15**	**23**	**32**	**42**			**1429**	**23.3**	**323**	**5**	**11**	**20**	**38**	**67**	**99 +**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	14	53.0									0-17	64	36.0	25							
18-34	14	41.0									18-34	157	12.6	254	1	1	99 +	99 +	99 +	99 +	
35-49	29	36.5	2								35-49	142	30.8	438	1	24	49	99 +	99 +	99 +	
50-69	75	10.0	44								50-69	75	30.3	248							
70 +	0										70 +	14	38.0								
SUBTOTAL	**132**	**23.8**	**294**	**5**	**6**	**22**	**41**	**58**	**99 +**			**453**	**25.4**	**360**	**1**	**31**	**62**	**99 +**	**99 +**	**99 +**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	72	23.4	364								18-34	43	20.3	296							
35-49	0										35-49	0									
50-69	0										50-69	89	27.2	815							
70 +	32	28.0									70 +	0									
SUBTOTAL	**104**	**24.8**	**255**	**2**	**11**	**28**	**34**	**55**	**55**			**132**	**25.0**	**653**	**3**	**3**	**26**	**87**	**99 +**	**99 +**	
GRAND TOTAL	**236**	**24.2**	**276**	**4**	**11**	**28**	**38**	**55**	**99 +**			**585**	**25.3**	**426**	**1**	**24**	**54**	**99 +**	**99 +**	**99 +**	

DRG 463: Signs & Symptoms w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1163	6.2	36	2	3	4	6	16	21	0-17	176	4.0	9	2	2	4	5	5	13
70-74	685	6.5	29	1	2	5	8	15	19	18-34	107	2.0							
75-79	816	6.9	26	2	3	6	8	13	15	35-49	321	5.1	26	1	2	4	5	12	12
80-84	616	8.7	69	1	3	7	12	22	33	50-69	663	3.8	10	1	2	2	6	8	10
85 +	467	7.0	12	3	5	6	10	11	14	70 +	14	5.0							
SUBTOTAL	**3747**	**6.9**	**35**	**2**	**3**	**5**	**8**	**14**	**19**		**1281**	**4.0**	**13**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3747**	**6.9**	**35**	**2**	**3**	**5**	**8**	**14**	**19**		**1281**	**4.0**	**13**	**1**	**2**	**3**	**5**	**8**	**12**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	240	2.8	4	1	1	2	5	6	6	0-17	104	5.1	12	< 1	1	5	8	10	10
18-34	14	3.0								18-34	175	3.3	7	1	2	2	7	8	8
35-49	171	14.9	544	1	2	4	12	63	63	35-49	425	9.4	46	2	3	7	14	22	22
50-69	438	6.4	12	2	4	5	9	12	13	50-69	235	7.1	17	3	3	7	8	16	16
70 +	32	2.0								70 +	0								
SUBTOTAL	**896**	**6.9**	**128**	**1**	**2**	**4**	**7**	**12**	**13**		**939**	**7.2**	**33**	**2**	**2**	**7**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**896**	**6.9**	**128**	**1**	**2**	**4**	**7**	**12**	**13**		**939**	**7.2**	**33**	**2**	**2**	**7**	**9**	**15**	**20**

DRG 464: Signs & Symptoms w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	424	4.1	6	2	2	4	5	6	6
70-74	342	4.3	7	2	3	3	5	8	10
75-79	182	5.4	4	3	4	5	8	8	9
80-84	363	5.1	12	3	3	4	6	8	15
85 +	189	5.0	25	1	2	3	6	6	21
SUBTOTAL	**1501**	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**1501**	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	551	2.6	4	< 1	1	2	3	5	6
18-34	261	3.2	3	1	2	3	5	5	8
35-49	546	3.3	6	1	1	2	5	8	9
50-69	553	3.5	3	1	2	3	4	6	8
70 +	0								
	1910	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**8**
	1910	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	100	2.3		2	2	2	3	3	3
18-34	75	4.2	20						
35-49	93	2.7	1						
50-69	57	4.8	6						
70 +	64	3.5							
SUBTOTAL	**390**	**3.3**	**6**	**1**	**2**	**3**	**3**	**7**	**8**
GRAND TOTAL	**390**	**3.3**	**6**	**1**	**2**	**3**	**3**	**7**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	168	1.8	1	1	1	1	2	3	5
18-34	125	3.8	4						
35-49	64	2.0							
50-69	0								
70 +	0								
	357	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
	357	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	61	14.7	37							18-34	0								
75-79	72	15.4	188							35-49	0								
80-84	43	20.0	117							50-69	57	3.5	1						
85 +	72	15.0	39							70 +	32	5.0							
SUBTOTAL	**247**	**15.9**	**98**	**4**	**10**	**14**	**17**	**35**	**41**		**89**	**4.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	86	1.2		< 1	< 1	< 1	< 1	2	2	0-17	0								
70-74	104	1.0		< 1	< 1	1	1	1	1	18-34	0								
75-79	72	1.0								35-49	14	1.0							
80-84	46	14.8	3							50-69	265	1.3		< 1	< 1	< 1	2	2	2
85 +	29	12.5								70 +	0								
SUBTOTAL	**337**	**3.9**	**29**	**< 1**	**< 1**	**< 1**	**2**	**13**	**16**		**279**	**1.3**		**< 1**	**< 1**	**< 1**	**2**	**2**	**2**
GRAND TOTAL	**584**	**9.0**	**94**	**< 1**	**< 1**	**6**	**15**	**17**	**25**		**369**	**1.9**	**2**	**< 1**	**< 1**	**1**	**2**	**5**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	14	15.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**14**	**15.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	14	1.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	14	1.0							
70 +	0									70 +	0								
SUBTOTAL	**14**	**1.0**									**14**	**1.0**							
GRAND TOTAL	**14**	**1.0**									**29**	**8.0**	**51**						

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1139	11.6	171	1	2	4	18	33	41
70-74	666	14.1	82	4	8	12	21	27	27
75-79	687	16.6	264	4	9	12	27	77	99+
80-84	780	19.0	271	6	8	17	24	30	31
85+	527	13.5	43	4	9	14	16	24	27
SUBTOTAL	**3798**	**14.7**	**182**	**2**	**6**	**12**	**21**	**29**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	412	10.2	149	1	1	7	14	22	25
70-74	72	9.6	73	1	1	12	99+	99+	99+
75-79	214	20.0	583	5	9	9	14	77	77
80-84	176	10.8	47	4	5	10	17	20	24
85+	164	16.3	178	1	9	12	19	41	41
SUBTOTAL	**1038**	**13.3**	**236**	**1**	**4**	**10**	**15**	**41**	**77**
GRAND TOTAL	**4836**	**14.4**	**194**	**2**	**5**	**12**	**20**	**29**	**48**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	275	4.2	6	2	2	4	6	7	10
18-34	229	4.0	15	1	2	3	4	13	13
35-49	373	2.2	3	1	1	2	2	3	6
50-69	523	11.9	541	1	2	3	12	26	96
70+	139	51.7	871	12	52	67	88	99+	99+
	1539	**10.6**	**450**	**1**	**2**	**3**	**6**	**53**	**88**
0-17	604	6.7	85	1	1	2	6	27	27
18-34	190	2.2	3	1	1	1	3	5	5
35-49	290	1.6	1	1	1	1	2	2	3
50-69	132	10.3	248	<1	<1	1	4	38	38
70+	64	4.5							
	1281	**5.1**	**75**	**1**	**1**	**1**	**4**	**21**	**27**
	2819	**8.1**	**287**	**1**	**1**	**2**	**5**	**24**	**53**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	208	5.0	53	1	1	2	3	22	22
18-34	104	7.9	122	1	1	2	17	32	32
35-49	29	5.5	13						
50-69	236	17.0	804	<1	1	5	15	87	87
70+	0								
SUBTOTAL	**576**	**10.5**	**401**	**1**	**1**	**2**	**10**	**22**	**87**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	283	3.2	10	1	1	1	6	9	9
18-34	43	1.3							
35-49	0								
50-69	14	1.0							
70+	14	4.0							
SUBTOTAL	**354**	**2.9**	**8**	**1**	**1**	**1**	**6**	**7**	**9**
GRAND TOTAL	**931**	**7.6**	**265**	**1**	**1**	**2**	**7**	**17**	**23**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	3.9	7						
18-34	61	6.9	8						
35-49	29	8.5	6						
50-69	136	20.0	465	2	5	12	13	58	58
70+	78	19.4	22						
	379	**13.7**	**223**	**2**	**6**	**10**	**20**	**58**	**99+**
0-17	168	8.1	55	1	1	6	14	20	20
18-34	100	1.7	1	1	1	1	3	4	4
35-49	43	1.3							
50-69	57	4.3	21						
70+	46	26.6	159						
	415	**7.4**	**98**	**1**	**1**	**2**	**12**	**20**	**35**
	794	**10.4**	**167**	**1**	**2**	**7**	**14**	**35**	**58**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	326	18.8	118	9	9	13	27	35	42
70-74	219	21.3	85	11	13	19	30	38	38
75-79	107	11.2	32						
80-84	43	25.7	23						
85 +	110	20.3	33						
SUBTOTAL	**805**	**19.0**	**93**	**9**	**11**	**19**	**27**	**31**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	187	14.4	27	9	10	13	20	23	23
70-74	190	12.3	8	10	10	12	14	17	18
75-79	104	14.0	19	9	10	15	19	21	21
80-84	43	26.3	203						
85 +	61	10.1	3						
SUBTOTAL	**584**	**14.1**	**44**	**9**	**10**	**12**	**15**	**21**	**23**
GRAND TOTAL	**1389**	**16.9**	**78**	**9**	**10**	**14**	**21**	**28**	**38**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	14	17.0							
50-69	161	20.3	59	12	12	20	24	30	36
70 +	29	9.5							
	204	**18.5**	**60**	**10**	**12**	**17**	**24**	**30**	**36**
0-17	0								
18-34	0								
35-49	29	9.5	2						
50-69	129	14.2	14	9	11	14	18	19	19
70 +	0								
	158	**13.4**	**15**	**9**	**9**	**14**	**18**	**19**	**19**
	362	**16.3**	**47**	**9**	**11**	**15**	**19**	**24**	**30**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	14	33.0							
SUBTOTAL	**14**	**33.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	43	20.3	21						
70 +	0								
SUBTOTAL	**43**	**20.3**	**21**						
GRAND TOTAL	**57**	**23.5**	**46**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	14	25.0							
70 +	0								
	14	**25.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	14	12.0							
70 +	0								
	14	**12.0**							
	29	**18.5**	**44**						

DRG 472: Extensive Burns w/ O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	29	32.0	125						
70-74	14	38.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	43	34.0	91						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	43	34.0	91						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	32.3	123	16	33	40	99 +	99 +	99 +
18-34	14	37.0							
35-49	14	36.0							
50-69	14	44.0							
70 +	0								
	100	35.1	86	16	33	37	47	99 +	99 +
0-17	72	43.8	926						
18-34	14	1.0							
35-49	29	20.0	17						
50-69	0								
70 +	0								
	115	32.5	825	1	9	23	51	91	91
	215	33.7	480	2	23	36	47	99 +	99 +

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	79.0							
18-34	43	43.3	506						
35-49	14	51.0							
50-69	0								
70 +	0								
SUBTOTAL	72	52.0	494						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	61.3	1245						
18-34	14	88.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	57	68.0	1064						
GRAND TOTAL	129	59.1	805	17	34	75	88	97	99 +

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	68.7	107						
18-34	0								
35-49	14	26.0							
50-69	14	57.0							
70 +	0								
	72	57.8	341						
0-17	29	38.5	44						
18-34	14	88.0							
35-49	0								
50-69	0								
70 +	0								
	43	55.0	586						
	115	56.8	430	26	38	58	73	88	88

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	275	12.4	147	3	3	10	16	99 +	99 +	0-17	0								
70-74	179	6.6	135	1	2	2	5	9	45	18-34	230	25.9	347	3	8	27	33	46	78
75-79	171	9.2	139	2	2	7	9	10	47	35-49	57	19.5	182						
80-84	142	10.7	45							50-69	193	27.2	264	5	24	24	38	47	61
85 +	75	25.3	436							70 +	32	4.0							
SUBTOTAL	**843**	**11.4**	**174**	**2**	**3**	**7**	**14**	**45**	**49**		**512**	**24.3**	**307**	**4**	**5**	**25**	**33**	**46**	**61**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	46	2.9	3							0-17	0								
70-74	0									18-34	72	5.4	26						
75-79	0									35-49	86	15.2	133	4	8	10	30	34	34
80-84	32	5.0								50-69	75	9.1	91						
85 +	46	5.9	8							70 +	0								
SUBTOTAL	**125**	**4.5**	**8**								**233**	**10.6**	**106**	**1**	**3**	**7**	**11**	**30**	**34**
GRAND TOTAL	**967**	**10.5**	**158**	**2**	**3**	**7**	**13**	**45**	**49**		**745**	**20.0**	**285**	**3**	**5**	**23**	**32**	**38**	**47**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	129	14.7	330	1	1	5	22	56	56	18-34	86	26.2	117	3	26	33	33	34	34
35-49	29	31.0	4							35-49	32	1.0							
50-69	32	1.0								50-69	43	19.7	412						
70 +	0									70 +	0								
SUBTOTAL	**190**	**14.8**	**297**	**1**	**1**	**5**	**29**	**33**	**56**		**161**	**19.4**	**263**	**1**	**3**	**26**	**33**	**34**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	14	1.0								18-34	43	11.3	145						
35-49	0									35-49	64	1.5							
50-69	14	1.0								50-69	14	21.0							
70 +	0									70 +	0								
SUBTOTAL	**29**	**1.0**									**121**	**7.3**	**97**	**< 1**	**1**	**2**	**5**	**28**	**28**
GRAND TOTAL	**219**	**13.0**	**279**	**1**	**1**	**1**	**29**	**33**	**56**		**283**	**14.2**	**227**	**1**	**1**	**5**	**28**	**34**	**41**

DRG 474: Respiratory System Diagnosis with Tracheostomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	457	37.8	506	8	22	36	56	75	99+
70-74	278	36.5	552	1	26	38	59	82	87
75-79	157	34.3	615	6	11	40	99+	99+	99+
80-84	125	37.6	121	24	31	41	52	99+	99+
85+	32	49.0							
SUBTOTAL	**1049**	**37.3**	**478**	**8**	**24**	**40**	**59**	**99+**	**99+**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	3.0							
70-74	0								
75-79	0								
80-84	0								
85+	32	9.0							
SUBTOTAL	**46**	**7.1**	**8**						
GRAND TOTAL	**1096**	**36.0**	**495**	**6**	**22**	**38**	**59**	**99+**	**99+**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	158	37.8	738	10	21	55	99	99+	99+
18-34	29	36.0	4						
35-49	32	38.0							
50-69	311	40.5	307	24	30	41	52	94	99+
70+	14	79.0							
	544	**40.3**	**431**	**21**	**28**	**41**	**64**	**99+**	**99+**
0-17	57	17.5	225						
18-34	29	4.0	1						
35-49	0								
50-69	89	18.7	800						
70+	0								
	176	**15.9**	**506**	**3**	**5**	**8**	**12**	**42**	**83**
	720	**34.4**	**559**	**6**	**14**	**38**	**55**	**99+**	**99+**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	172	37.1	728	13	17	64	99+	99+	99+
18-34	46	54.2	238						
35-49	14	30.0							
50-69	75	48.2	641	14	22	60	99+	99+	99+
70+	0								
SUBTOTAL	**308**	**42.0**	**648**	**13**	**30**	**60**	**99+**	**99+**	**99+**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	115	17.9	134	6	10	11	23	40	40
18-34	[illegible]								
35-49	14	10.0							
50-69	0								
70+	0								
SUBTOTAL	**129**	**17.0**	**125**	**6**	**10**	**11**	**20**	**40**	**40**
GRAND TOTAL	**437**	**34.6**	**623**	**10**	**13**	**43**	**96**	**99+**	**99+**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	5.0							
18-34	43	38.0	377						
35-49	43	45.0	571						
50-69	86	54.7	928	19	30	61	95	99+	99+
70+	0								
	187	**44.8**	**819**	**14**	**30**	**61**	**95**	**99+**	**99+**
0-17	0								
18-34	14	6.0							
35-49	0								
50-69	0								
70+	0								
	14	**6.0**							
	201	**42.0**	**860**	**6**	**24**	**39**	**92**	**99+**	**99+**

DRG 475: Respiratory System Diagnosis with Ventilator Support

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4346	15.0	99	4	8	12	21	28	34	0-17	502	14.8	149	3	6	10	23	30	44
70-74	2023	15.6	151	5	7	12	20	31	43	18-34	121	8.8	11	3	7	9	13	13	13
75-79	1640	16.2	97	6	9	15	20	31	32	35-49	382	9.1	40	3	4	8	12	18	23
80-84	1437	15.7	149	7	10	12	18	25	39	50-69	1035	17.3	270	6	7	12	20	32	36
85 +	723	17.6	164	9	12	14	18	29	29	70 +	46	14.6	26						
SUBTOTAL	**10169**	**15.6**	**121**	**5**	**8**	**13**	**20**	**29**	**36**		**2087**	**14.6**	**189**	**4**	**7**	**11**	**18**	**30**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	250	11.4	80	< 1	1	7	15	25	32	0-17	408	7.8	34	2	4	7	9	14	20
70-74	0									18-34	32	12.0							
75-79	61	15.2								35-49	128	5.3	2						
80-84	0									50-69	139	5.5	17	1	3	4	8	12	14
85 +	46	10.5	14							70 +	0								
SUBTOTAL	**357**	**11.9**	**60**	**1**	**7**	**13**	**15**	**20**	**25**		**708**	**7.1**	**26**	**2**	**3**	**6**	**8**	**13**	**14**
GRAND TOTAL	**10526**	**15.5**	**120**	**5**	**8**	**13**	**20**	**28**	**36**		**2795**	**12.7**	**158**	**3**	**6**	**9**	**16**	**28**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	445	14.8	110	3	7	13	24	28	31	0-17	208	10.1	72	3	3	7	14	28	29
18-34	132	9.8	133	2	4	4	7	39	39	18-34	89	12.6	85						
35-49	57	13.8	30							35-49	232	11.9	101	4	6	7	22	28	38
50-69	482	16.2	171	5	7	11	19	37	44	50-69	557	14.6	67	5	7	14	20	28	29
70 +	32	8.0								70 +	29	8.5	13						
SUBTOTAL	**1149**	**14.6**	**136**	**4**	**7**	**11**	**18**	**31**	**44**		**1114**	**12.9**	**78**	**3**	**6**	**10**	**20**	**28**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	215	10.0	38	4	6	8	13	23	23	0-17	86	7.8	18	3	4	7	9	16	16
18-34	0									18-34	0								
35-49	32	14.0								35-49	32	6.0							
50-69	0									50-69	46	5.7							
70 +	0									70 +	0								
SUBTOTAL	**247**	**10.5**	**35**	**4**	**7**	**9**	**14**	**23**	**23**		**164**	**6.9**	**10**	**4**	**5**	**6**	**8**	**9**	**16**
GRAND TOTAL	**1396**	**13.9**	**120**	**4**	**7**	**11**	**15**	**31**	**39**		**1279**	**12.1**	**74**	**3**	**6**	**8**	**19**	**28**	**28**

Appendix 1

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Appendix 2

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc. except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc. except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
105	Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic or Vascular Procedures, w/ Pump
109	Other Cardiothoracic Procedures w/o Pump
110	Major Reconstructive Vascular Proc w/o Pump w/ CC
111	Major Reconstructive Vascular Proc w/o Pump w/o CC
112	Vascular Procedures except Major Reconstruction w/o Pump
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures, Age >17 w/ CC
313	Urethral Procedures, Age >17 w/o CC
314	Urethral Procedures, Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC
444	Multiple Trauma Age >17 w/ CC
445	Multiple Trauma Age >17 w/o CC
446	Multiple Trauma Age 0-17
447	Allergic Reactions Age > 17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid As Discharge Diagnosis
470	Ungroupable
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	Respiratory System Diagnosis with Tracheostomy
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis

B 4465-5.5F

LOS

LENGTH OF STAY
BY DRG

HKS PUBLICATIONS

United States, Western Region, 1988-89

Healthcare Knowledge Systems
Ann Arbor, Michigan
December, 1989

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1988-89
Length of Stay by DRG and Payment Source, Northeastern Region, 1988-89
Length of Stay by DRG and Payment Source, North Central Region, 1988-89
Length of Stay by DRG and Payment Source, Southern Region, 1988-89
Length of Stay by DRG and Payment Source, Western Region, 1988-89

Length of Stay data have been published annually since 1963. In addition to Length of Stay by DRG and Payment Source, other volumes in the Cost Containment Series are:

Length of Stay by Diagnosis and Operation
Length of Stay by Psychiatric Diagnosis
(Available for the United States, Northeastern, North Central, Southern, and Western regions)

Pediatric Length of Stay by Diagnosis and Operation
Geriatric Length of Stay by Diagnosis and Operation
(Available for the United States only)

Copyright © 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Preface iv

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Database Characteristics
Projecting to the Universe

Organization of the Tables x

Explanation of the Statistics xii

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: State Inclusions by Region 469

Appendix 2: Diagnosis Related Groups 470

PREFACE

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The Length of Stay by DRG and Payment Source series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings.

These statistics provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, employers, and healthcare researchers interested in cost containment and quality of care.

1988-89 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Healthcare Knowledge Systems
Tracey Stewart, Publications Specialist, Normative Publications

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Stacey Cavanaugh, Customer Service Representative, HKS,
Robert Travis, Librarian,
Linda Vanek, Assistant Manager, Normative Publications, HKS,
Roger Wroblewski, Director, Database Research, CPHA.

INTRODUCTION

The Length of Stay by DRG and Payment Source series has been designed as a companion to the standard reference, LOS by Diagnosis and Operation, to provide length of stay data by another patient classification system. Similar to the Diagnosis and Operation series, this five volume set is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the Length of Stay by DRG and Payment Source series and the Length of Stay by Diagnosis and Operation series are primarily with the data source. Data used for the Length of Stay by DRG and Payment Source series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 570 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in the Length of Stay by DRG and Payment source represent projections rather than actual numbers.

Additionally, the Length of Stay by DRG and Payment Source series adds power by providing length of stay by the following four principal payment sources: Medicare, Medicaid, Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay by DRG and Payment Source tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay by DRG and Payment Source series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay by DRG and Payment Source series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1988. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The characteristics of all hospitals with discharge data included in the books are displayed in the table below. The hospital universe is based on facility and discharge records collected for the 1987 Annual Survey of Hospitals of the American Hospital Association (AHA).

1988-89 Length of Stay by DRG and Payment Source
Sample Hospital Characteristics

	Universe	LOS by DRG Sample
Total Number of Hospitals	5512	570
Northeastern	786	150
North Central	1609	181
Southern	2089	104
Western	1028	135
Number of Urban[1] Hospitals	2893	284
Number of High/Medium Teaching Intensity[2] Hospitals	925	122

---

1. Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

2. The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Projecting to the Universe

To make the LOS by DRG and Payment Source sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the 570 hospitals are stratified by factors known to affect inpatient utilization. The two factors used are:

1. **Program Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

   - Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
   - Cancer Program approved by the American College of Surgeons (CP)
   - Residency approved by the American Medical Association (RES)
   - Medical School Affiliation reported by the American Medical Association (MS)
   - Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
   - Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Nonteaching Institution
- Minor Teaching Institution
- Major Teaching Institution

The statistical formula is:

$$Ip = 9.9\ (JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the Length of Stay by DRG and Payment Source series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0+	Teaching Institution

---

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

2. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	**Division**
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, West, South). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1988 to June 1989 discharges from the U.S. nonfederal, short-term general hospital universe.

ORGANIZATION OF THE TABLES

The Length of Stay by DRG and Payment Source series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 1 lists the states comprising each region.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Length of Stay by DRG and Payment Source Patient Variables

The length of stay data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 477 DRGs in the 1988-89 LOS by DRG and Payment Source series. These DRGs are based on the sixth revision, effective October 1, 1989. Appendix 2 provides a listing of all DRGs for the sixth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence , Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468, 476, 477	Unrelated Operating Room Procedures
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable

In the 1988-89 LOS by DRG and Payment Source series a table is not created for the excluded DRGs listed above. Additionally, new procedure codes were added 10/1/89 for grouping to DRGs 436 and 437 (Alcohol and Drug Dependence with Rehab and with Rehab and Detox). The patient records used in this book represent

discharges prior to the addition of these new codes, and therefore do not contain the procedure codes anticipated to group to these DRGs. As a result, no patient records have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources.

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1989.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates without a birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the LOS by DRG and Payment Source series is drawn from patient discharges from 570 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.*

Since the LOS by DRG and Payment Source series is drawn from discharges that have been projected to the universe of U.S. hospitals, one actual patient discharge represents multiple projected patients. The average projection factor is 10.5.

If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay.

Variance

The variance is a measure of the spread of the data around the average. For the LOS by DRG and Payment Source tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+. Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups. The Grand Total represents the total number of projected patients in the DRG and Payment Source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay by DRG and Payment Source series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population.

For this reason, the LOS by DRG and Payment Source series share most applications of the present LOS by Diagnosis and Operation and the Psychiatric LOS series. Among them:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay by DRG and Payment Source regional or national volumes:

Step 1: Consult Appendix 2 of the appropriate Length of Stay by DRG and Payment Source book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the Length of Stay by DRG and Payment Source book.

Step 3: Depending on the purpose of the review, find the appropriate table category:

Payment Source
Complication/Comorbidity Status
Age Group

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

The differences between the Length of Stay by DRG and Payment Source and the other LOS series make it an important new contribution to the array of quantitative measures that assist healthcare professionals in evaluating cost containment and quality assurance programs for institutions or special populations.

While the LOS by Diagnosis and Operation series offers a diagnosis and procedure-specific profile of inpatient utilization, and the Psychiatric LOS series provides the same for a special population, the LOS by DRG and Payment Source series describes the impact of financing mechanisms through highlighting the four payment source categories. Simultaneously, it takes into account other patient attributes, such as complication and comorbidity status, that may affect length of stay, thereby reporting DRG length of stay patterns in U.S. nonfederal, short-term general hospitals.

Finally, increasing concern about costs and quality care, paired with the need for more sophisticated and accountable performance measures to conduct these cost and quality reviews, make the Length of Stay by DRG and Payment Source tables an accessible, convenient, and essential tool for the healthcare industry.

DRG Length of Stay Tables

Length of Stay by DRG and Payment Source

DRG number and title

Payment source

Presence or absence of Complications/ Comorbidities

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4114	20.9	306	6	9	15	26	54	66
70-74	2483	21.5	323	6	10	16	29	47	78
75-79	1971	21.3	242	7	9	18	29	46	56
80-84	1292	23.3	315	7	12	19	30	55	80
85 +	571	23.8	324	8	13	20	26	54	68
SUBTOTAL	**10431**	**21.6**	**300**	**6**	**9**	**17**	**29**	**52**	**69**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2490	10.6	39	4	7	9	14	19	25
70-74	1578	11.0	86	5	7	9	12	17	22
75-79	1301	12.4	99	5	6	9	14	28	38
80-84	570	11.5	39	5	7	10	14	21	26
85 +	319	11.1	35	6	7	9	14	16	27
SUBTOTAL	**6258**	**11.2**	**64**	**5**	**7**	**9**	**13**	**20**	**27**
GRAND TOTAL	**16689**	**17.7**	**237**	**5**	**8**	**13**	**22**	**39**	**59**

Length of stay (in days) by percentile

Patient age group
(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

All DRGS

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	261234	7.2	54	2	3	5	9	14	20	0-17	84308	5.8	75	1	2	3	6	13	22
70-74	202893	7.1	42	2	3	5	9	14	18	18-34	79546	4.9	35	1	2	3	5	10	15
75-79	188773	7.3	44	2	3	6	9	14	19	35-49	83400	5.9	46	1	2	4	7	12	17
80-84	147781	7.5	42	2	3	6	9	14	18	50-69	150838	6.5	45	1	3	5	8	13	18
85 +	135493	7.6	39	2	4	6	9	14	18	70 +	21140	7.9	64	2	3	6	10	16	22
SUBTOTAL	**936174**	**7.3**	**45**	**2**	**3**	**6**	**9**	**14**	**19**		**419232**	**6.0**	**51**	**1**	**2**	**4**	**7**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	172910	4.6	21	1	2	3	6	9	12	0-17	461068	2.8	19	1	1	2	3	4	6
70-74	121237	4.5	15	1	2	3	6	9	11	18-34	455576	3.0	15	1	1	2	3	5	7
75-79	96557	4.9	19	1	2	4	6	9	12	35-49	250704	3.8	19	1	2	3	4	7	9
80-84	67212	5.0	19	1	2	4	7	10	12	50-69	204929	4.0	16	1	2	3	5	8	10
85 +	53138	5.2	18	1	2	4	7	10	13	70 +	14759	4.9	23	1	2	3	6	10	14
SUBTOTAL	**511055**	**4.7**	**19**	**1**	**2**	**4**	**6**	**9**	**12**		**1387037**	**3.3**	**18**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1447228**	**6.4**	**37**	**2**	**3**	**5**	**8**	**12**	**17**		**1806270**	**3.9**	**27**	**1**	**1**	**2**	**4**	**7**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	44292	6.5	96	1	2	3	6	15	25	0-17	74758	6.2	97	1	2	3	6	13	23
18-34	34845	4.9	39	1	2	3	5	9	14	18-34	95618	4.9	34	1	2	3	5	10	14
35-49	18806	6.7	61	2	3	4	8	13	19	35-49	78593	6.2	44	1	2	4	7	12	17
50-69	26432	6.5	45	2	3	5	8	13	18	50-69	124890	7.1	54	2	3	5	9	14	20
70 +	4521	8.1	66	2	3	6	10	17	24	70 +	21094	7.9	62	2	3	6	10	16	22
SUBTOTAL	**128896**	**6.2**	**64**	**1**	**2**	**4**	**7**	**13**	**20**		**394952**	**6.3**	**56**	**1**	**2**	**4**	**7**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	195685	3.0	28	1	1	2	3	5	7	0-17	498315	2.2	8	1	1	2	3	4	5
18-34	141846	2.5	6	1	1	2	3	4	6	18-34	470169	2.5	8	1	1	2	3	4	6
35-49	25711	3.9	16	1	2	3	5	7	10	35-49	182549	3.4	11	1	1	3	4	6	8
50-69	14135	4.8	24	1	2	3	6	9	13	50-69	140950	4.0	14	1	2	3	5	8	10
70 +	2032	5.6	40	1	2	4	7	10	14	70 +	11816	4.8	40	1	2	3	6	9	12
SUBTOTAL	**379409**	**3.0**	**19**	**1**	**1**	**2**	**3**	**5**	**7**		**1303799**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**508305**	**3.8**	**33**	**1**	**1**	**2**	**4**	**7**	**11**		**1698751**	**3.5**	**23**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	647	17.7	177	5	7	14	23	35	50	0-17	0								
70-74	447	14.9	165	5	7	14	19	23	35	18-34	199	9.1	27	2	6	7	15	16	17
75-79	366	14.9	112	5	7	13	20	36	38	35-49	348	19.6	259	6	9	14	27	54	78
80-84	245	23.0	287	6	12	16	30	40	69	50-69	662	15.6	165	5	8	12	18	28	38
85 +	78	20.0	45	9	18	19	22	33	33	70 +	78	15.7	109	6	7	13	19	37	37
SUBTOTAL	**1782**	**17.3**	**177**	**5**	**8**	**14**	**22**	**35**	**42**		**1286**	**15.7**	**176**	**5**	**7**	**12**	**18**	**34**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	503	8.5	14	4	6	8	11	14	15	0-17	0								
70-74	321	10.0	32	4	6	9	12	16	20	18-34	320	7.5	16	3	4	7	9	13	19
75-79	335	9.2	17	4	7	9	11	15	17	35-49	564	9.0	40	3	5	7	12	16	18
80-84	107	9.3	11	7	7	8	11	14	17	50-69	798	9.0	33	4	6	8	11	15	18
85 +	25	18.8	106							70 +	25	16.9	26						
SUBTOTAL	**1291**	**9.4**	**23**	**4**	**7**	**9**	**11**	**15**	**17**		**1706**	**8.8**	**33**	**3**	**5**	**8**	**11**	**15**	**18**
GRAND TOTAL	**3073**	**13.9**	**128**	**4**	**7**	**10**	**18**	**28**	**37**		**2992**	**11.8**	**106**	**4**	**6**	**9**	**14**	**22**	**34**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	47	21.2	979	1	7	9	11	90	90	18-34	149	14.5	196	3	5	11	18	49	51
35-49	37	14.5	36							35-49	317	18.0	288	6	8	12	23	36	59
50-69	26	11.2	19							50-69	483	18.3	219	6	9	13	22	38	61
70 +	19	19.5								70 +	40	16.7	141						
SUBTOTAL	**129**	**17.0**	**380**	**7**	**8**	**11**	**20**	**90**	**99 +**		**990**	**17.6**	**236**	**6**	**8**	**12**	**22**	**38**	**49**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	98	7.3	11	3	4	7	9	11	14	18-34	194	9.8	110	4	5	8	10	12	12
35-49	19	5.0	10							35-49	278	11.3	49	4	6	9	15	21	25
50-69	36	5.1	8							50-69	479	9.6	64	4	6	8	10	14	18
70 +	0									70 +	19	13.5	117						
SUBTOTAL	**152**	**6.5**	**11**	**2**	**3**	**7**	**8**	**11**	**14**		**970**	**10.2**	**70**	**4**	**6**	**9**	**11**	**18**	**23**
GRAND TOTAL	**281**	**11.3**	**207**	**2**	**7**	**8**	**11**	**20**	**90**		**1959**	**13.9**	**168**	**4**	**7**	**10**	**17**	**26**	**39**

Western Region, July 1988 - June 1989

DRG 2: Craniotomy for Trauma Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	76	11.3	64	3	6	7	17	27	28	0-17	0								
70-74	79	15.3	58	6	7	14	22	26	26	18-34	163	22.0	314	6	10	17	34	37	79
75-79	50	11.1	15	7	7	10	15	17	17	35-49	108	31.5	863	8	14	15	44	87	95
80-84	26	28.7	161							50-69	64	14.8	60	4	7	14	25	25	25
85 +	67	17.5	100	9	12	15	21	40	40	70 +	53	31.6	219	9	18	39	42	52	52
SUBTOTAL	**298**	**15.2**	**94**	**6**	**7**	**12**	**20**	**28**	**40**		**387**	**24.8**	**449**	**7**	**10**	**17**	**36**	**52**	**79**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	8.5								0-17	0								
70-74	57	9.5	19	4	5	9	14	16	16	18-34	119	6.6	10	4	5	5	9	11	14
75-79	119	9.1	16	5	6	9	10	16	17	35-49	113	9.2	41	3	5	8	10	17	26
80-84	31	9.8	5							50-69	36	9.7	43						
85 +	19	12.0	10							70 +	28	10.7	67						
SUBTOTAL	**242**	**9.5**	**14**	**5**	**6**	**9**	**12**	**16**	**16**		**296**	**8.4**	**33**	**3**	**5**	**6**	**10**	**17**	**22**
GRAND TOTAL	**540**	**12.7**	**66**	**5**	**7**	**10**	**16**	**22**	**28**		**683**	**17.7**	**335**	**4**	**6**	**11**	**23**	**39**	**54**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	45	33.6	731							18-34	161	17.5	184	4	9	10	25	44	47
35-49	9	30.0								35-49	79	23.9	328	7	12	20	39	70	99 +
50-69	19	27.5	45							50-69	51	21.5	178	6	11	25	26	45	45
70 +	17	17.4	26							70 +	16	49.5	1199						
SUBTOTAL	**90**	**28.9**	**412**	**12**	**21**	**30**	**89**	**99 +**	**99 +**		**307**	**21.5**	**316**	**6**	**9**	**14**	**26**	**47**	**80**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	26	18.7	77							18-34	169	8.3	19	2	5	7	12	14	16
35-49	9	7.0								35-49	75	7.7	27	2	5	6	8	20	20
50-69	9	17.0								50-69	19	4.5	7						
70 +	17	28.7	380							70 +	9	7.0							
SUBTOTAL	**62**	**19.4**	**181**	**7**	**7**	**17**	**25**	**46**	**46**		**271**	**7.8**	**21**	**2**	**5**	**7**	**11**	**14**	**16**
GRAND TOTAL	**152**	**25.0**	**338**	**7**	**15**	**24**	**36**	**99 +**	**99 +**		**578**	**15.0**	**224**	**4**	**6**	**11**	**20**	**39**	**47**

DRG 3: Craniotomy Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1850	12.1	282	1	2	6	18	35	83
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1850	**12.1**	**282**	**1**	**2**	**6**	**18**	**35**	**83**
0-17	2110	5.8	22	2	3	4	7	13	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2110	**5.8**	**22**	**2**	**3**	**4**	**7**	**13**	**15**
	3960	**8.8**	**153**	**2**	**3**	**5**	**10**	**21**	**34**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	742	14.9	387	2	3	8	20	53	94
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**742**	**14.9**	**387**	**2**	**3**	**8**	**20**	**53**	**94**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	803	6.5	53	2	2	4	8	18	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**803**	**6.5**	**53**	**2**	**2**	**4**	**8**	**18**	**21**
GRAND TOTAL	**1545**	**10.5**	**231**	**2**	**3**	**5**	**13**	**26**	**57**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	982	12.9	253	2	3	8	17	36	50
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	982	**12.9**	**253**	**2**	**3**	**8**	**17**	**36**	**50**
0-17	1107	6.0	20	2	3	5	8	12	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1107	**6.0**	**20**	**2**	**3**	**5**	**8**	**12**	**15**
	2089	**9.2**	**141**	**2**	**3**	**5**	**10**	**21**	**35**

DRG 4: Spinal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	258	11.4	45	2	7	12	15	17	21	0-17	244	15.5	208	4	6	9	25	47	99 +
70-74	81	9.4	83	1	1	6	15	28	28	18-34	96	9.8	29	3	8	10	12	13	23
75-79	116	15.8	123	4	9	12	19	32	42	35-49	149	12.0	102	5	6	9	11	33	43
80-84	34	9.2	55							50-69	177	10.6	79	3	5	8	12	17	34
85 +	19	10.0	26							70 +	0								
SUBTOTAL	**507**	**11.9**	**73**	**1**	**6**	**11**	**15**	**21**	**29**		**666**	**12.6**	**129**	**3**	**6**	**9**	**15**	**30**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	223	7.2	13	4	5	7	9	12	14	0-17	486	14.0	85	4	7	10	25	28	29
70-74	34	7.6	9							18-34	216	6.6	40	2	2	5	8	13	23
75-79	71	7.5	52	2	3	4	9	25	25	35-49	415	5.5	16	3	4	5	6	8	10
80-84	17	5.6	26							50-69	327	5.5	14	2	3	5	7	9	12
85 +	0									70 +	17	11.8	13						
SUBTOTAL	**346**	**7.2**	**22**	**2**	**4**	**7**	**9**	**12**	**17**		**1461**	**8.6**	**57**	**2**	**4**	**6**	**10**	**25**	**27**
GRAND TOTAL	**853**	**10.0**	**58**	**2**	**5**	**8**	**13**	**19**	**25**		**2127**	**9.8**	**83**	**3**	**4**	**7**	**11**	**26**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	78	21.5	94	7	9	24	26	33	35	0-17	62	11.4	123	2	5	7	13	38	38
18-34	17	31.8	401							18-34	70	16.5	172	1	4	11	33	33	33
35-49	9	3.0								35-49	105	11.1	128	2	4	7	13	19	43
50-69	8	22.0								50-69	192	11.9	177	1	1	5	26	28	38
70 +	0									70 +	19	1.0							
SUBTOTAL	**112**	**21.6**	**168**	**5**	**9**	**24**	**26**	**35**	**53**		**448**	**11.9**	**157**	**1**	**1**	**7**	**18**	**33**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	140	12.1	82	3	6	9	19	28	30	0-17	142	10.1	72	4	5	6	8	26	29
18-34	26	7.3	21							18-34	133	6.1	21	2	2	5	9	13	17
35-49	0									35-49	169	5.7	30	2	3	4	7	8	11
50-69	9	3.0								50-69	160	6.8	29	1	2	5	10	15	19
70 +	0									70 +	9	1.0							
SUBTOTAL	**176**	**10.9**	**75**	**3**	**6**	**7**	**14**	**26**	**28**		**613**	**7.0**	**40**	**2**	**3**	**5**	**8**	**17**	**25**
GRAND TOTAL	**288**	**15.0**	**138**	**3**	**6**	**9**	**26**	**30**	**35**		**1062**	**9.1**	**95**	**1**	**2**	**6**	**11**	**26**	**32**

DRG 5: Extracranial Vascular Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	845	5.4	16	2	3	4	6	11	13	0-17	8	1.0							
70-74	1000	6.0	13	3	3	5	8	12	14	18-34	0								
75-79	807	5.4	23	2	3	4	6	10	18	35-49	54	9.4	70	2	2	5	18	23	23
80-84	459	6.8	24	3	4	5	7	12	19	50-69	515	5.1	14	2	3	4	6	9	14
85 +	155	10.0	52	4	5	7	12	18	33	70 +	131	6.0	12	3	4	5	8	13	14
SUBTOTAL	**3265**	**6.0**	**21**	**2**	**3**	**4**	**7**	**12**	**15**		**707**	**5.5**	**19**	**2**	**3**	**4**	**6**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1599	3.8	3	2	2	3	5	6	7	0-17	9	5.0							
70-74	1417	3.8	4	2	2	3	4	6	7	18-34	0								
75-79	1029	3.9	4	2	3	3	5	6	8	35-49	51	5.8	30	2	2	2	13	14	14
80-84	507	4.3	8	2	3	4	5	8	10	50-69	904	3.8	3	2	3	3	4	6	7
85 +	166	4.9	23	2	3	4	5	8	12	70 +	99	3.4	1	3	3	3	4	4	6
SUBTOTAL	**4718**	**3.9**	**5**	**2**	**3**	**3**	**4**	**6**	**8**		**1064**	**3.9**	**4**	**2**	**3**	**3**	**4**	**6**	**7**
GRAND TOTAL	**7984**	**4.7**	**12**	**2**	**3**	**4**	**5**	**8**	**12**		**1771**	**4.6**	**11**	**2**	**3**	**4**	**5**	**7**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	9	4.0							
35-49	0									35-49	16	9.0	27						
50-69	54	4.9	5	3	3	4	6	9	9	50-69	284	6.1	37	3	3	4	7	12	25
70 +	0									70 +	75	7.8	72	3	4	5	6	32	32
SUBTOTAL	**54**	**4.9**	**5**	**3**	**3**	**4**	**6**	**9**	**9**		**384**	**6.5**	**43**	**3**	**3**	**4**	**7**	**14**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	16	1.5							
18-34	0									18-34	17	1.0							
35-49	28	4.3	1							35-49	39	2.0							
50-69	78	3.5	1	2	2	4	4	5	5	50-69	503	2.9	2	2	2	3	3	4	5
70 +	16	15.0	129							70 +	70	4.7	7	2	3	4	5	11	11
SUBTOTAL	**121**	**5.2**	**31**	**2**	**3**	**4**	**5**	**5**	**26**		**644**	**3.0**	**3**	**2**	**2**	**3**	**3**	**4**	**7**
GRAND TOTAL	**175**	**5.1**	**23**	**2**	**3**	**4**	**5**	**7**	**9**		**1028**	**4.3**	**21**	**2**	**2**	**3**	**4**	**8**	**11**

DRG 6: Carpal Tunnel Release

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	3.1	1							0-17	0								
70-74	23	2.7	2							18-34	0								
75-79	17	1.0								35-49	8	15.0							
80-84	9	1.0								50-69	19	1.5							
85 +	8	2.0								70 +	0								
SUBTOTAL	**75**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**26**	**5.5**	**40**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	1.3	1	< 1	< 1	1	1	3	3	0-17	9	1.0							
70-74	70	1.5		1	1	2	2	2	2	18-34	130	1.2		< 1	< 1	1	1	2	2
75-79	9	1.0								35-49	232	1.3		< 1	1	1	1	2	2
80-84	9	1.0								50-69	129	1.4		< 1	1	1	2	2	3
85 +	26	1.0								70 +	9	3.0							
SUBTOTAL	**178**	**1.3**		**< 1**	**< 1**	**1**	**2**	**2**	**3**		**509**	**1.3**		**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**253**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**		**536**	**1.5**	**3**	**< 1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	9	12.0							
35-49	0									35-49	17	2.9	1						
50-69	0									50-69	16	2.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**42**	**4.6**	**17**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	19	2.0	1							18-34	34	1.5							
35-49	28	1.7	1							35-49	87	2.5	12	< 1	1	1	2	4	13
50-69	19	1.0								50-69	81	1.0		< 1	1	1	1	1	1
70 +	0									70 +	9	1.0							
SUBTOTAL	**65**	**1.6**	**1**	**< 1**	**< 1**	**1**	**3**	**3**	**3**		**211**	**1.7**	**5**	**< 1**	**1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**65**	**1.6**	**1**	**< 1**	**< 1**	**1**	**3**	**3**	**3**		**253**	**2.2**	**8**	**< 1**	**1**	**1**	**2**	**4**	**12**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	149	23.7	947	2	3	10	24	91	92	0-17	89	11.0	243	1	2	4	10	41	47
70-74	82	16.4	258	1	2	9	35	39	45	18-34	82	8.6	79	1	3	6	8	25	31
75-79	71	14.7	101	3	4	11	20	35	35	35-49	62	4.0	6	1	2	2	7	7	7
80-84	99	9.1	37	3	3	8	13	13	24	50-69	116	8.6	151	1	3	4	9	14	48
85 +	23	21.0	59							70 +	17	3.0							
SUBTOTAL	**425**	**17.2**	**441**	**2**	**3**	**10**	**22**	**37**	**75**		**366**	**8.1**	**131**	**1**	**2**	**4**	**7**	**19**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**425**	**17.2**	**441**	**2**	**3**	**10**	**22**	**37**	**75**		**366**	**8.1**	**131**	**1**	**2**	**4**	**7**	**19**	**41**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	19.5	403	1	3	14	25	59	59	0-17	33	4.5	9						
18-34	9	7.0								18-34	129	7.7	44	2	2	7	16	20	99 +
35-49	19	30.0	86							35-49	68	13.1	38	4	9	12	20	21	21
50-69	9	8.0								50-69	60	7.5	16	1	4	8	11	13	13
70 +	9	19.0								70 +	9	2.0							
SUBTOTAL	**93**	**19.2**	**268**	**3**	**7**	**19**	**25**	**39**	**59**		**299**	**8.4**	**40**	**2**	**2**	**8**	**14**	**20**	**84**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**93**	**19.2**	**268**	**3**	**7**	**19**	**25**	**39**	**59**		**299**	**8.4**	**40**	**2**	**2**	**8**	**14**	**20**	**84**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	244	3.0	9	1	1	2	4	7	10	0-17	455	2.3	10	< 1	< 1	1	3	6	8
70-74	135	2.8	9	1	1	2	2	10	10	18-34	442	2.9	8	1	1	2	3	7	10
75-79	122	3.6	20	1	1	1	3	9	17	35-49	454	2.8	11	1	1	1	4	6	11
80-84	67	5.0	39	1	1	2	10	18	18	50-69	518	2.3	4	1	1	2	3	4	7
85 +	0									70 +	9	1.0							
SUBTOTAL	**568**	**3.3**	**15**	**1**	**1**	**2**	**3**	**10**	**13**		**1878**	**2.6**	**8**	**1**	**1**	**1**	**3**	**6**	**9**
GRAND TOTAL	**568**	**3.3**	**15**	**1**	**1**	**2**	**3**	**10**	**13**		**1878**	**2.6**	**8**	**1**	**1**	**1**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	143	2.8	5	< 1	< 1	2	3	7	9	0-17	364	3.0	15	1	1	2	3	6	8
18-34	88	2.7	1	< 1	2	3	4	4	4	18-34	523	2.9	20	1	1	2	3	5	7
35-49	37	3.5	3							35-49	371	2.0	3	< 1	1	1	2	4	6
50-69	9	1.0								50-69	182	3.3	18	1	1	1	4	9	10
70 +	0									70 +	16	7.5	45						
SUBTOTAL	**278**	**2.8**	**4**	**< 1**	**1**	**3**	**4**	**6**	**7**		**1455**	**2.8**	**15**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**278**	**2.8**	**4**	**< 1**	**1**	**3**	**4**	**6**	**7**		**1455**	**2.8**	**15**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 9: Spinal Disorders & Injuries

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	45	14.9	337						
70-74	33	16.8	45						
75-79	19	19.0	271						
80-84	36	11.6	100						
85 +	36	8.7	13						
SUBTOTAL	**167**	**13.7**	**161**	**2**	**5**	**9**	**18**	**33**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	3.5	6						
70-74	9	16.0							
75-79	17	2.5							
80-84	17	2.4	2						
85 +	0								
SUBTOTAL	**70**	**4.6**	**23**	**1**	**1**	**3**	**4**	**16**	**16**
GRAND TOTAL	**237**	**11.1**	**138**	**2**	**3**	**7**	**16**	**27**	**35**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	42	20.7	695						
18-34	46	6.8	22	1	2	9	13	99 +	99 +
35-49	56	11.2	76	2	2	7	21	24	24
50-69	56	17.7	333	2	5	9	27	54	54
70 +	8	3.0							
SUBTOTAL	**208**	**13.5**	**282**	**2**	**4**	**9**	**13**	**54**	**75**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	278	2.0	4	< 1	< 1	< 1	2	5	7
18-34	53	3.9	12	< 1	1	3	4	11	11
35-49	53	5.1	25	1	1	3	7	15	15
50-69	0								
70 +	0								
SUBTOTAL	**384**	**2.7**	**9**	**< 1**	**< 1**	**1**	**3**	**7**	**9**
GRAND TOTAL	**591**	**6.5**	**131**	**< 1**	**< 1**	**3**	**8**	**15**	**27**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	34	3.7	8						
18-34	25	9.4	73						
35-49	26	3.1	11						
50-69	0								
70 +	0								
SUBTOTAL	**85**	**5.1**	**34**	**1**	**1**	**3**	**8**	**20**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	151	1.8	3	< 1	< 1	< 1	2	3	7
18-34	23	4.7	28						
35-49	9	22.0							
50-69	0								
70 +	0								
SUBTOTAL	**184**	**3.1**	**26**	**< 1**	**< 1**	**< 1**	**3**	**8**	**15**
GRAND TOTAL	**269**	**3.8**	**29**	**< 1**	**< 1**	**1**	**3**	**8**	**20**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	31	6.0	11						
18-34	60	4.9	17	1	2	3	8	14	14
35-49	43	9.1	53						
50-69	8	42.0							
70 +	17	13.8	85						
SUBTOTAL	**160**	**9.0**	**95**	**1**	**2**	**5**	**14**	**22**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	56	7.1	150	< 1	1	2	7	37	37
18-34	78	6.5	38	1	2	3	10	17	17
35-49	53	7.7	21	1	3	8	13	13	13
50-69	17	8.8	76						
70 +	0								
SUBTOTAL	**203**	**7.2**	**67**	**1**	**2**	**3**	**10**	**17**	**18**
GRAND TOTAL	**363**	**8.0**	**80**	**1**	**2**	**4**	**13**	**17**	**22**

DRG 10: Nervous System Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	890	7.3	35	2	3	6	9	16	20
70-74	611	6.4	23	2	4	5	8	13	15
75-79	391	8.1	28	3	4	7	11	17	20
80-84	161	7.6	15	3	5	7	11	14	14
85 +	146	8.0	26	2	4	8	9	15	22
SUBTOTAL	**2199**	**7.3**	**29**	**2**	**4**	**6**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2199**	**7.3**	**29**	**2**	**4**	**6**	**9**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	4.1	19	< 1	1	2	6	11	15
18-34	62	7.5	43	1	1	3	16	16	16
35-49	210	5.6	44	1	2	4	6	11	16
50-69	583	7.1	35	2	3	5	9	16	19
70 +	70	5.8	13	2	3	5	8	13	13
	1169	**6.1**	**34**	**1**	**2**	**4**	**8**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1169	**6.1**	**34**	**1**	**2**	**4**	**8**	**14**	[illegible]

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	148	16.4	433	1	3	8	27	52	78
18-34	9	9.0							
35-49	45	9.2	44						
50-69	62	8.4	55	2	4	6	8	27	27
70 +	9	2.0							
SUBTOTAL	**273**	**12.6**	**271**	**2**	**4**	**8**	**11**	**34**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**273**	**12.6**	**271**	**2**	**4**	**8**	**11**	**34**	**52**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	5.6	14	1	2	7	9	11	11
18-34	75	6.6	45	1	2	4	7	24	24
35-49	252	5.0	19	1	2	4	7	8	13
50-69	655	7.0	22	2	3	6	9	12	17
70 +	51	10.2	29	3	6	14	16	16	16
	1097	**6.6**	**24**	**1**	**3**	**6**	**9**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1097	**6.6**	**24**	**1**	**3**	**6**	**9**	**13**	**16**

DRG 11: Nervous System Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	240	5.3	62	1	1	4	5	8	17	0-17	291	3.0	11	1	1	2	3	10	10
70-74	108	6.2	20	2	3	4	9	14	15	18-34	60	3.2	7	1	1	2	6	8	8
75-79	101	5.4	7	2	3	5	8	9	9	35-49	181	4.3	10	1	1	4	7	9	11
80-84	64	6.1	29	1	2	6	8	17	17	50-69	270	5.2	24	1	2	3	7	11	17
85 +	53	3.4	4	1	2	4	4	7	7	70 +	8	4.0							
SUBTOTAL	**566**	**5.4**	**35**	**1**	**2**	**4**	**7**	**10**	**15**		**810**	**4.0**	**15**	**1**	**1**	**3**	**6**	**10**	**11**
GRAND TOTAL	**566**	**5.4**	**35**	**1**	**2**	**4**	**7**	**10**	**15**		**810**	**4.0**	**15**	**1**	**1**	**3**	**6**	**10**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	149	3.8	13	1	1	2	7	11	12	0-17	176	2.9	8	1	1	1	4	8	8
18-34	9	7.0								18-34	34	2.9	2						
35-49	9	1.0								35-49	148	6.6	26	1	2	7	8	14	22
50-69	28	3.0	3							50-69	266	8.9	310	1	2	5	9	15	19
70 +	0									70 +	19	13.5	117						
SUBTOTAL	**196**	**3.7**	**11**	**1**	**1**	**3**	**6**	**9**	**11**		**642**	**6.6**	**148**	**1**	**1**	**3**	**8**	**11**	**19**
GRAND TOTAL	**196**	**3.7**	**11**	**1**	**1**	**3**	**6**	**9**	**11**		**642**	**6.6**	**148**	**1**	**1**	**3**	**8**	**11**	**19**

DRG 12: Degenerative Nervous System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	369	8.2	61	2	3	6	10	16	17
70-74	376	7.3	28	2	3	5	10	15	18
75-79	406	8.1	57	2	3	7	9	16	22
80-84	343	8.8	44	2	5	8	11	17	20
85 +	320	6.7	15	3	4	6	8	15	19
SUBTOTAL	**1814**	**7.8**	**43**	**2**	**3**	**6**	**10**	**16**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	202	4.5	7	1	2	4	6	7	7
70-74	240	7.0	139	2	3	4	6	9	14
75-79	262	7.3	239	2	2	3	6	10	16
80-84	218	10.5	410	2	3	5	7	46	97
85 +	143	5.0	8	1	3	4	8	9	10
SUBTOTAL	**1065**	**7.0**	**180**	**2**	**3**	**4**	**6**	**10**	**14**
GRAND TOTAL	**2879**	**7.5**	**94**	**2**	**3**	**5**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	3.3	4	1	1	3	5	6	7
18-34	25	4.3	2						
35-49	26	4.3	20						
50-69	85	18.6	533	1	4	9	14	59	69
70 +	82	16.5	739	1	3	6	17	40	97
	309	**11.2**	**393**	**1**	**2**	**4**	**11**	**26**	**69**
0-17	184	3.0	7	< 1	1	2	4	6	8
18-34	53	20.7	995	1	4	9	10	88	88
35-49	79	5.1	31	1	1	2	8	18	18
50-69	189	5.9	18	1	2	4	11	11	12
70 +	25	12.9	157						
	529	**6.6**	**145**	**1**	**1**	**3**	**8**	**11**	**15**
	838	**8.3**	**241**	**1**	**2**	**4**	**9**	**14**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	6.8	53	1	2	3	9	24	24
18-34	0								
35-49	9	2.0							
50-69	26	4.3	20						
70 +	17	3.5							
SUBTOTAL	**130**	**5.5**	**38**	**1**	**2**	**3**	**8**	**13**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	4.0	6	< 1	2	4	5	8	9
18-34	19	5.0	1						
35-49	36	3.6	15						
50-69	19	7.5	32						
70 +	8	3.0							
SUBTOTAL	**161**	**4.4**	**11**	**< 1**	**2**	**4**	**7**	**13**	**95**
GRAND TOTAL	**292**	**4.9**	**24**	**< 1**	**2**	**3**	**7**	**13**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	10.3	105	2	4	7	11	34	34
18-34	48	8.5	27	2	2	11	16	99 +	99 +
35-49	26	4.5	3						
50-69	146	7.9	42	1	3	5	13	19	22
70 +	95	5.1	13	2	3	4	6	7	16
	379	**7.4**	**44**	**2**	**3**	**5**	**11**	**17**	**22**
0-17	110	2.6	3	< 1	1	2	4	5	6
18-34	78	3.9	5	< 1	2	3	5	8	8
35-49	67	15.1	775	1	2	3	16	99 +	99 +
50-69	119	4.9	12	1	1	4	7	10	11
70 +	101	10.9	713	1	1	2	4	8	94
	475	**6.9**	**281**	**1**	**1**	**3**	**6**	**10**	**83**
	854	**7.1**	**176**	**1**	**2**	**4**	**7**	**16**	**34**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	219	8.9	110	2	4	6	9	14	29	0-17	25	7.2	48						
70-74	60	7.0	2	4	6	7	8	9	9	18-34	56	13.5	270	2	4	4	13	49	49
75-79	17	8.5								35-49	112	6.3	20	2	3	6	7	11	20
80-84	19	8.5	13							50-69	70	12.9	55	3	6	14	20	23	23
85 +	8	4.0								70 +	0								
SUBTOTAL	323	8.4	77	3	5	7	9	12	29		262	9.7	95	2	3	6	13	21	23
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	301	6.4	11	3	4	5	9	11	13	0-17	33	2.2	1						
70-74	9	13.0								18-34	158	5.8	12	1	4	5	8	12	14
75-79	0									35-49	524	4.6	11	1	2	4	5	10	11
80-84	8	8.0								50-69	183	6.2	16	3	4	5	9	10	13
85 +	8	5.0								70 +	8	5.0							
SUBTOTAL	326	6.6	11	3	4	5	9	12	13		905	5.0	13	1	3	4	7	10	12
GRAND TOTAL	648	7.5	45	3	4	6	9	12	13		1167	6.1	35	1	3	4	8	12	16

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9	2.0								0-17	8	3.0							
18-34	17	4.9	1							18-34	48	12.8	78	4	5	10	22	26	26
35-49	25	6.1	3							35-49	57	5.8	14	1	2	5	10	11	11
50-69	8	5.0								50-69	64	9.1	42	2	3	8	13	21	21
70 +	0									70 +	0								
SUBTOTAL	59	5.0	3	2	4	5	6	8	8		177	8.8	49	2	3	7	11	21	24
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	2.0								0-17	17	5.3	9						
18-34	0									18-34	101	4.5	13	1	2	4	5	7	14
35-49	28	8.0	13							35-49	112	6.4	30	1	2	5	9	12	22
50-69	17	4.0								50-69	40	5.1	5						
70 +	0									70 +	9	2.0							
SUBTOTAL	62	5.2	13	2	2	4	6	13	13		279	5.3	19	1	2	4	8	9	14
GRAND TOTAL	121	5.1	8	2	4	5	6	8	13		457	6.7	33	2	2	5	9	14	22

DRG 14: Specific Cerebrovascular Disorders except TIA

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4857	7.9	47	2	4	6	9	15	21	0-17	25	2.4	1						
70-74	5180	8.3	46	3	4	7	10	14	19	18-34	74	7.9	16	4	4	6	13	13	13
75-79	5797	7.7	31	3	4	6	10	14	19	35-49	339	11.0	236	2	3	5	9	26	51
80-84	5485	8.1	38	3	4	7	10	15	19	50-69	1869	8.3	36	2	4	7	10	16	21
85 +	5797	7.7	28	3	4	6	9	14	18	70 +	808	10.5	115	3	5	7	12	22	33
SUBTOTAL	**27116**	**7.9**	**37**	**3**	**4**	**6**	**10**	**14**	**19**		**3115**	**9.1**	**79**	**3**	**4**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2926	5.3	14	2	3	4	7	9	13	0-17	50	7.9	17	4	4	7	10	15	15
70-74	3452	5.3	11	2	3	5	7	10	11	18-34	146	3.4	4	1	2	3	4	5	9
75-79	3523	5.9	17	2	3	5	8	11	14	35-49	490	5.0	19	1	2	4	6	10	16
80-84	3077	6.0	31	2	3	5	8	10	11	50-69	1970	5.9	25	2	2	5	8	11	15
85 +	2708	6.2	21	2	3	5	8	11	14	70 +	467	7.8	110	2	3	5	7	20	26
SUBTOTAL	**15686**	**5.7**	**18**	**2**	**3**	**5**	**7**	**10**	**13**		**3122**	**6.0**	**37**	**2**	**2**	**4**	**7**	**12**	**16**
GRAND TOTAL	**42802**	**7.1**	**32**	**2**	**4**	**6**	**9**	**13**	**17**		**6238**	**7.5**	**61**	**2**	**3**	**5**	**9**	**15**	**21**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	59	10.2	109	1	4	6	12	33	33	0-17	39	8.6	44						
18-34	9	4.0								18-34	109	7.9	39	3	4	5	9	20	22
35-49	98	9.1	31	3	5	7	14	19	19	35-49	437	8.7	46	3	3	7	12	21	23
50-69	428	8.2	38	3	4	6	10	15	22	50-69	2422	7.5	37	2	4	6	10	15	19
70 +	152	8.4	31	3	4	7	14	19	67	70 +	598	7.6	45	2	4	6	9	14	17
SUBTOTAL	**746**	**8.5**	**41**	**3**	**4**	**6**	**11**	**19**	**22**		**3604**	**7.7**	**40**	**2**	**4**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9	5.0								0-17	25	3.8	5						
18-34	36	3.9	19							18-34	148	5.1	14	1	2	4	7	9	17
35-49	56	6.3	17	2	2	5	8	14	14	35-49	608	5.0	11	2	3	4	7	10	12
50-69	280	5.7	26	1	2	4	6	12	15	50-69	2339	5.3	17	2	3	4	7	10	12
70 +	82	5.1	14	1	2	4	7	12	12	70 +	309	5.6	11	2	3	5	6	11	13
SUBTOTAL	**463**	**5.5**	**22**	**1**	**2**	**4**	**7**	**12**	**15**		**3429**	**5.3**	**15**	**2**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**1209**	**7.3**	**36**	**2**	**3**	**5**	**10**	**15**	**21**		**7033**	**6.5**	**29**	**2**	**3**	**5**	**8**	**12**	**17**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1809	4.4	31	1	2	3	5	8	10	0-17	16	4.0	10						
70-74	1881	4.0	8	1	2	3	5	7	8	18-34	25	3.7	4						
75-79	2187	4.0	9	1	2	3	5	7	10	35-49	135	3.5	4	2	2	3	5	7	7
80-84	1942	4.2	13	1	2	3	5	8	10	50-69	1019	4.1	12	1	2	3	5	8	12
85 +	1999	4.6	15	2	2	4	5	8	12	70 +	252	4.3	18	1	2	4	5	6	11
SUBTOTAL	**9818**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**10**		**1446**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1657	2.8	4	1	1	2	3	5	7	0-17	0								
70-74	1540	2.8	4	1	1	2	4	6	7	18-34	65	1.9	2	1	1	1	2	5	5
75-79	1685	3.0	4	1	2	2	4	5	7	35-49	191	2.1	2	1	1	2	2	3	4
80-84	1575	3.4	5	1	2	3	5	6	8	50-69	1240	2.6	5	1	1	2	3	5	8
85 +	1418	3.3	4	1	2	3	4	6	8	70 +	301	3.3	7	< 1	1	2	4	7	9
SUBTOTAL	**7874**	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**7**		**1797**	**2.6**	**5**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**17692**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**9**		**3243**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	2.0								0-17	8	2.0							
18-34	0									18-34	36	4.8	25						
35-49	28	1.7	1							35-49	140	4.2	9	1	2	4	6	7	12
50-69	116	4.2	11	1	2	4	5	8	13	50-69	599	3.7	7	1	2	3	5	7	10
70 +	56	4.3	5	1	3	5	5	8	8	70 +	219	4.8	11	1	2	4	8	10	11
SUBTOTAL	**208**	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**8**		**1001**	**4.0**	**9**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	9	1.0							
18-34	19	2.5	2							18-34	28	2.3	2						
35-49	19	1.5								35-49	309	3.7	14	1	2	3	5	6	9
50-69	161	1.8	1	1	1	1	2	4	4	50-69	888	2.7	3	1	1	2	4	4	7
70 +	45	2.2	1							70 +	226	2.2	2	1	1	2	3	4	4
SUBTOTAL	**243**	**1.9**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**1460**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**451**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**8**		**2462**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**9**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	260	6.6	50	2	3	4	7	13	15
70-74	290	5.9	24	2	3	5	7	13	20
75-79	259	7.6	44	2	3	6	9	18	21
80-84	443	6.9	18	2	4	6	9	13	15
85 +	372	7.6	29	3	4	6	9	15	17
SUBTOTAL	**1624**	**7.0**	**31**	**2**	**3**	**6**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1624**	**7.0**	**31**	**2**	**3**	**6**	**8**	**13**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	48	5.2	6	2	3	5	7	9	9
18-34	46	14.4	254						
35-49	87	5.4	15	2	4	4	6	6	17
50-69	129	8.4	98	2	3	4	10	15	41
70 +	17	5.0							
	327	**7.8**	**88**	**2**	**3**	**5**	**8**	**17**	**41**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	327	**7.8**	**88**	**2**	**3**	**5**	**8**	**17**	**41**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	59	2.1	1	1	1	2	3	4	4
18-34	0								
35-49	8	7.0							
50-69	37	7.5	11						
70 +	28	6.7	15						
SUBTOTAL	**132**	**4.9**	**13**	**1**	**2**	**4**	**7**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**132**	**4.9**	**13**	**1**	**2**	**4**	**7**	**12**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	6.0							
18-34	60	3.4	4	1	2	3	5	7	7
35-49	31	9.8	34						
50-69	76	4.2	33	1	1	2	2	18	20
70 +	34	8.2	29						
	210	**5.5**	**28**	**1**	**2**	**3**	**7**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	210	**5.5**	**28**	**1**	**2**	**3**	**7**	**14**	**19**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	112	4.1	7	1	2	3	5	9	9
70-74	98	4.0	14	1	2	3	4	5	15
75-79	150	5.5	16	1	3	4	7	12	16
80-84	158	4.1	5	2	3	4	5	8	10
85 +	138	5.8	17	2	3	5	8	10	19
SUBTOTAL	**656**	**4.8**	**12**	**1**	**3**	**4**	**6**	**10**	**12**
GRAND TOTAL	**656**	**4.8**	**12**	**1**	**3**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	84	12.6	898	1	2	2	3	97	97
18-34	26	5.6	18						
35-49	46	2.6	1	< 1	2	3	4	99 +	99 +
50-69	116	3.3	12	1	1	2	3	8	13
70 +	43	1.4							
	316	**5.6**	**261**	**1**	**1**	**2**	**3**	**11**	**97**
	316	**5.6**	**261**	**1**	**1**	**2**	**3**	**11**	**97**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	4.7	14						
18-34	9	8.0							
35-49	0								
50-69	9	2.0							
70 +	0								
SUBTOTAL	**59**	**4.8**	**13**	**1**	**2**	**3**	**8**	**11**	**11**
GRAND TOTAL	**59**	**4.8**	**13**	**1**	**2**	**3**	**8**	**11**	**11**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	57	6.5	109	< 1	1	2	4	30	30
18-34	60	5.3	41	1	2	4	20	99 +	99 +
35-49	56	5.1	15	2	2	4	10	12	12
50-69	57	3.1	8	1	1	2	3	10	10
70 +	36	4.8	9						
	267	**5.0**	**40**	**1**	**2**	**3**	**5**	**12**	**30**
	267	**5.0**	**40**	**1**	**2**	**3**	**5**	**12**	**30**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	698	5.8	12	2	3	5	8	9	11	0-17	62	10.3	231	1	1	2	24	41	41
70-74	403	5.6	16	1	3	4	7	13	14	18-34	90	4.3	14	1	1	3	8	8	13
75-79	310	7.3	26	2	4	6	10	13	19	35-49	237	11.0	142	2	3	5	14	32	39
80-84	214	5.9	13	3	3	5	7	11	14	50-69	282	8.3	214	1	2	3	7	20	24
85 +	105	6.6	9	3	3	7	9	10	12	70 +	26	33.7	1495						
SUBTOTAL	**1730**	**6.1**	**16**	**2**	**3**	**5**	**8**	**11**	**14**		**698**	**9.8**	**238**	**1**	**2**	**4**	**8**	**26**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1730**	**6.1**	**16**	**2**	**3**	**5**	**8**	**11**	**14**		**698**	**9.8**	**238**	**1**	**2**	**4**	**8**	**26**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	5.0	9							0-17	25	5.2	11						
18-34	85	4.4	9	1	3	4	5	12	12	18-34	119	8.6	151	1	3	4	7	20	48
35-49	8	8.0								35-49	234	9.2	78	2	4	6	15	18	19
50-69	56	8.5	46	1	2	8	11	21	21	50-69	214	9.6	68	2	3	5	18	21	28
70 +	0									70 +	8	3.0							
SUBTOTAL	**172**	**6.0**	**24**	**1**	**2**	**4**	**8**	**12**	**19**		**601**	**9.0**	**86**	**2**	**3**	**5**	**13**	**20**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**172**	**6.0**	**24**	**1**	**2**	**4**	**8**	**12**	**19**		**601**	**9.0**	**86**	**2**	**3**	**5**	**13**	**20**	**28**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	425	4.6	19	1	1	3	6	10	12
70-74	282	4.2	24	1	1	2	6	7	13
75-79	197	6.3	24	2	2	4	10	15	15
80-84	146	3.6	5	1	2	4	5	6	9
85 +	59	4.2	9	1	1	3	7	10	10
SUBTOTAL	**1109**	**4.6**	**20**	**1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**1109**	**4.6**	**20**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	249	7.1	38	1	2	4	10	18	21
18-34	353	3.1	5	1	1	3	4	7	9
35-49	499	3.1	9	1	1	2	4	8	9
50-69	612	3.3	8	1	1	2	4	8	8
70 +	8	3.0							
SUBTOTAL	**1721**	**3.7**	**14**	**1**	**1**	**2**	**5**	**9**	**10**
GRAND TOTAL	**1721**	**3.7**	**14**	**1**	**1**	**2**	**5**	**9**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	16.5	579	1	2	5	16	62	70
18-34	74	2.9	4	1	2	2	3	8	8
35-49	37	2.3							
50-69	36	2.4	1						
70 +	0								
SUBTOTAL	**228**	**7.5**	**250**	**1**	**2**	**2**	**5**	**16**	**59**
GRAND TOTAL	**228**	**7.5**	**250**	**1**	**2**	**2**	**5**	**16**	**59**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	106	8.2	87	2	4	4	10	11	39
18-34	278	4.1	10	1	1	4	6	9	10
35-49	354	5.5	34	1	2	3	7	13	20
50-69	285	4.7	22	1	2	3	5	11	18
70 +	23	6.0	27						
SUBTOTAL	**1046**	**5.2**	**31**	**1**	**2**	**3**	**6**	**11**	**18**
GRAND TOTAL	**1046**	**5.2**	**31**	**1**	**2**	**3**	**6**	**11**	**18**

DRG 20: Nervous System Infection except Viral Meningitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	140	11.5	57	4	6	11	12	24	36	0-17	737	11.5	33	5	9	11	14	16	26
70-74	122	11.2	80	2	5	9	16	28	32	18-34	73	13.2	88	2	5	9	23	28	28
75-79	113	9.5	33	4	4	10	12	20	21	35-49	59	11.4	14	5	8	13	14	17	17
80-84	45	11.3	40							50-69	124	11.6	68	3	5	10	15	23	31
85 +	25	7.0	10							70 +	0								
SUBTOTAL	**445**	**10.6**	**54**	**4**	**6**	**10**	**13**	**21**	**28**		**992**	**11.7**	**40**	**3**	**8**	**11**	**14**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	70	7.6	24	1	3	8	14	15	15	0-17	968	8.8	9	4	7	10	10	12	14
70-74	78	7.2	35	1	3	3	12	18	18	18-34	218	6.7	65	1	2	5	7	11	12
75-79	26	5.4	2							35-49	144	6.2	25	1	1	5	10	15	16
80-84	26	8.5	34							50-69	37	11.3	1						
85 +	28	11.0	55							70 +	9	2.0							
SUBTOTAL	**228**	**7.7**	**32**	**2**	**3**	**7**	**12**	**17**	**18**		**1377**	**8.2**	**21**	**2**	**6**	**10**	**10**	**12**	**14**
GRAND TOTAL	**673**	**9.6**	**48**	**3**	**4**	**8**	**12**	**20**	**21**		**2369**	**9.6**	**32**	**3**	**6**	**10**	**11**	**15**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	317	13.7	95	6	9	11	16	23	30	0-17	513	13.2	89	6	10	11	14	21	43
18-34	17	13.0	32							18-34	148	12.6	132	2	7	10	15	37	47
35-49	34	17.1	314							35-49	79	9.4	13	4	6	11	12	14	15
50-69	36	15.0	269							50-69	121	12.5	104	2	6	9	16	38	99 +
70 +	0									70 +	9	8.0							
SUBTOTAL	**404**	**14.1**	**126**	**5**	**8**	**11**	**16**	**25**	**42**		**870**	**12.6**	**91**	**4**	**8**	**11**	**14**	**24**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	373	8.4	14	2	6	10	11	12	13	0-17	784	9.0	17	3	7	10	11	13	17
18-34	19	2.5	2							18-34	126	9.4	119	2	3	5	11	23	43
35-49	0									35-49	73	5.6	18	1	2	4	8	14	14
50-69	8	3.0								50-69	112	10.6	33	6	8	10	11	15	27
70 +	0									70 +	0								
SUBTOTAL	**399**	**8.0**	**16**	**2**	**4**	**10**	**11**	**12**	**13**		**1095**	**9.0**	**31**	**3**	**5**	**9**	**11**	**14**	**20**
GRAND TOTAL	**803**	**11.1**	**80**	**3**	**7**	**10**	**12**	**18**	**25**		**1965**	**10.6**	**61**	**3**	**7**	**10**	**12**	**17**	**25**

DRG 21: Viral Meningitis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	46	15.8	416						
70-74	8	3.0							
75-79	9	13.0							
80-84	0								
85 +	17	13.0	32						
SUBTOTAL	**81**	**13.7**	**258**	**3**	**4**	**8**	**13**	**56**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	36	2.7	1						
70-74	34	6.1	8						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**70**	**4.3**	**7**	**1**	**2**	**3**	**6**	**9**	**9**
GRAND TOTAL	**150**	**9.3**	**162**	**2**	**3**	**6**	**8**	**19**	**56**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	169	5.2	21	2	3	4	5	13	16
18-34	79	3.2	2	1	2	4	4	5	5
35-49	71	5.4	10	2	3	5	8	12	12
50-69	0								
70 +	0								
	320	**4.8**	**15**	**2**	**3**	**4**	**5**	**11**	**16**
0-17	1175	3.1	3	1	2	3	4	5	6
18-34	510	3.6	10	1	2	3	4	6	10
35-49	138	3.8	7	2	2	3	5	5	13
50-69	68	3.9	2	2	3	4	5	6	6
70 +	0								
	1890	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
	2210	**3.5**	**7**	**2**	**2**	**3**	**4**	**5**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	131	4.0	8	2	2	3	5	10	10
18-34	0								
35-49	9	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**140**	**3.9**	**8**	**2**	**2**	**3**	**4**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	435	3.2	3	1	2	3	4	5	8
18-34	28	4.0	2						
35-49	17	4.5							
50-69	0								
70 +	0								
SUBTOTAL	**480**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**620**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	5.9	59	2	3	3	5	10	35
18-34	152	4.6	6	2	3	4	6	9	10
35-49	48	6.3	39	1	4	4	5	20	20
50-69	9	4.0							
70 +	8	6.0							
	346	**5.3**	**30**	**2**	**3**	**4**	**6**	**9**	**10**
0-17	1250	3.0	3	1	2	3	4	5	6
18-34	641	3.1	4	1	2	3	4	5	8
35-49	227	3.6	5	2	2	3	4	6	9
50-69	67	7.3	41	2	3	5	11	22	22
70 +	0								
	2185	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
	2532	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 22: Hypertensive Encephalopathy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	265	4.9	8	2	3	4	7	10	10	0-17	8	6.0							
70-74	172	4.8	6	2	3	4	6	7	8	18-34	9	2.0							
75-79	248	3.7	6	1	2	4	5	7	7	35-49	19	5.0	10						
80-84	129	4.2	10	1	2	3	5	11	11	50-69	121	4.3	12	2	2	3	4	11	12
85 +	87	5.8	13	2	4	5	7	7	16	70 +	19	10.0	68						
SUBTOTAL	**900**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**11**		**175**	**4.9**	**19**	**2**	**2**	**3**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	136	3.1	3	1	2	3	4	6	7	0-17	0								
70-74	91	3.5	10	1	2	2	3	9	12	18-34	36	2.0							
75-79	46	2.4	2							35-49	138	2.1	2	1	1	1	3	4	6
80-84	74	2.9	2	1	2	3	4	5	5	50-69	181	2.6	2	1	2	2	4	5	5
85 +	65	3.7	4	1	1	4	5	7	7	70 +	0								
SUBTOTAL	**413**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**355**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1313**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**10**		**530**	**3.2**	**9**	**1**	**2**	**2**	**4**	**6**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	9	11.0								18-34	26	3.1	3						
35-49	9	1.0								35-49	60	4.3	6	2	2	3	8	8	8
50-69	65	6.3	17	2	3	5	10	14	14	50-69	98	5.7	30	2	2	3	6	14	19
70 +	0									70 +	0								
SUBTOTAL	**84**	**6.2**	**19**	**1**	**3**	**5**	**10**	**14**	**14**		**184**	**4.9**	**19**	**2**	**2**	**3**	**5**	**8**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	8	1.0								35-49	26	3.8	6						
50-69	28	2.0	2							50-69	59	3.5	4	2	2	3	4	8	8
70 +	0									70 +	0								
SUBTOTAL	**36**	**1.8**	**2**								**85**	**3.6**	**4**	**2**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**119**	**4.9**	**18**	**1**	**1**	**3**	**7**	**11**	**14**		**270**	**4.5**	**15**	**2**	**2**	**3**	**5**	**8**	**14**

DRG 23: Nontraumatic Stupor & Coma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	136	4.2	9	1	2	3	5	9	11	0-17	26	1.9	2						
70-74	129	5.9	25	1	1	3	9	9	19	18-34	46	3.0	4						
75-79	46	3.4	2							35-49	19	2.0	1						
80-84	46	4.6	11							50-69	90	7.6	50	1	3	5	11	20	26
85 +	98	5.3	11	2	2	4	9	10	11	70 +	8	1.0							
SUBTOTAL	**455**	**4.9**	**14**	**1**	**2**	**3**	**8**	**9**	**11**		**189**	**4.8**	**32**	**1**	**1**	**3**	**7**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	36	2.7	1							0-17	17	1.0							
70-74	9	3.0								18-34	19	2.5	2						
75-79	88	3.8	11	1	2	2	4	8	12	35-49	40	4.5	12						
80-84	19	7.5	13							50-69	19	2.5	2						
85 +	25	3.2	3							70 +	0								
SUBTOTAL	**177**	**3.8**	**9**	**1**	**2**	**3**	**4**	**8**	**11**		**95**	**3.1**	**8**	**1**	**1**	**3**	**4**	**5**	**11**
GRAND TOTAL	**632**	**4.6**	**13**	**1**	**2**	**3**	**7**	**9**	**11**		**284**	**4.3**	**25**	**1**	**1**	**3**	**5**	**11**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	25	2.4	2						
18-34	19	15.0	179							18-34	42	2.6	2						
35-49	19	2.5	2							35-49	93	1.8	1	1	1	2	2	3	4
50-69	0									50-69	37	2.8	2						
70 +	0									70 +	16	8.0	27						
SUBTOTAL	**37**	**8.8**	**128**								**212**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	25	3.9	5							0-17	36	1.0							
18-34	8	6.0								18-34	43	1.9	1						
35-49	8	3.0								35-49	9	4.0							
50-69	0									50-69	8	11.0							
70 +	0									70 +	9	6.0							
SUBTOTAL	**40**	**4.1**	**4**								**105**	**2.8**	**8**	**1**	**1**	**1**	**4**	**6**	**11**
GRAND TOTAL	**78**	**6.3**	**68**	**1**	**2**	**3**	**6**	**28**	**28**		**318**	**2.7**	**6**	**1**	**1**	**2**	**4**	**5**	**9**

DRG 24: Seizure & Headache Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2336	5.0	24	1	2	4	6	9	12	0-17	0								
70-74	1347	5.2	20	2	3	4	6	10	12	18-34	737	3.2	7	1	2	2	4	7	8
75-79	1423	5.3	25	2	2	4	6	11	13	35-49	896	3.4	15	1	1	2	4	6	8
80-84	745	5.5	21	1	2	4	8	11	13	50-69	848	4.9	24	1	2	3	7	11	15
85 +	798	7.2	52	2	3	5	8	15	29	70 +	121	4.8	9	1	2	3	5	12	14
SUBTOTAL	**6649**	**5.4**	**27**	**2**	**2**	**4**	**6**	**10**	**13**		**2602**	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6649**	**5.4**	**27**	**2**	**2**	**4**	**6**	**10**	**13**		**2602**	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	505	4.4	17	1	2	3	5	11	13	18-34	833	3.2	11	1	2	2	4	7	9
35-49	301	3.1	5	1	1	2	4	7	9	35-49	931	3.6	13	1	2	2	4	8	11
50-69	322	5.3	26	1	2	4	6	10	19	50-69	785	5.0	46	1	2	3	5	8	17
70 +	42	4.2	3							70 +	107	5.8	14	1	3	6	7	9	16
SUBTOTAL	**1170**	**4.3**	**17**	**1**	**2**	**3**	**5**	**9**	**12**		**2657**	**4.0**	**23**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1170**	**4.3**	**17**	**1**	**2**	**3**	**5**	**9**	**12**		**2657**	**4.0**	**23**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 25: Seizure & Headache Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1638	2.8	5	1	2	2	4	5	6
70-74	809	3.0	10	1	2	2	3	5	8
75-79	541	3.5	5	1	2	3	4	6	8
80-84	386	4.0	13	1	2	3	5	6	7
85 +	332	3.6	5	1	2	3	4	7	8
SUBTOTAL	**3705**	**3.2**	**7**	**1**	**2**	**2**	**4**	**6**	**7**
GRAND TOTAL	**3705**	**3.2**	**7**	**1**	**2**	**2**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2361	2.6	8	1	1	2	3	5	7
35-49	2189	2.8	6	1	1	2	3	6	7
50-69	1387	2.8	7	1	1	2	4	5	7
70 +	95	2.3	2	1	1	2	4	4	5
	6031	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
	6031	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	985	2.9	5	1	1	2	3	6	8
35-49	350	2.5	3	1	1	2	4	5	6
50-69	183	3.4	4	1	2	3	4	6	7
70 +	9	2.0							
SUBTOTAL	**1527**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1527**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1715	2.5	6	1	1	2	3	5	7
35-49	1232	2.6	7	1	1	2	3	6	8
50-69	763	2.8	5	1	1	2	3	6	6
70 +	71	2.8	4	< 1	1	2	3	7	7
	3782	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	3782	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 26: Seizure & Headache Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	11.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**11.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	25	3.9	5						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**25**	**3.9**	**5**						
GRAND TOTAL	**33**	**5.6**	**13**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1179	2.8	10	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1179	**2.8**	**10**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	5476	2.2	7	1	1	2	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5476	**2.2**	**7**	**1**	**1**	**2**	**2**	**4**	**5**
	6654	**2.3**	**7**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	932	5.1	44	1	2	3	5	12	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**932**	**5.1**	**44**	**1**	**2**	**3**	**5**	**12**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2424	2.8	12	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2424**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**3356**	**3.4**	**22**	**1**	**1**	**2**	**3**	**6**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	956	3.3	11	1	1	2	4	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	956	**3.3**	**11**	**1**	**1**	**2**	**4**	**8**	**11**
0-17	4378	2.4	8	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4378	**2.4**	**8**	**1**	**1**	**2**	**3**	**4**	**6**
	5334	**2.5**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	16.0	38							0-17	109	11.9	116	2	4	8	20	40	99 +
70-74	8	5.0								18-34	95	11.3	112	2	2	4	20	27	30
75-79	9	4.0								35-49	54	13.8	102	3	5	7	26	29	29
80-84	9	7.0								50-69	9	22.0							
85 +	9	7.0								70 +	0								
SUBTOTAL	**51**	**8.9**	**35**	**4**	**5**	**7**	**10**	**22**	**22**		**267**	**12.4**	**111**	**2**	**3**	**8**	**21**	**29**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	28	1.7								0-17	167	4.3	20	1	1	2	6	9	15
70-74	17	4.8	4							18-34	88	2.7	9	< 1	1	1	3	9	11
75-79	8	10.0								35-49	70	3.6	25	< 1	1	1	3	16	16
80-84	19	9.0	52							50-69	56	2.2	1	1	1	2	3	4	4
85 +	0									70 +	0								
SUBTOTAL	**71**	**5.2**	**25**	**< 1**	**2**	**2**	**7**	**16**	**16**		**381**	**3.5**	**16**	**1**	**1**	**2**	**4**	**9**	**14**
GRAND TOTAL	**122**	**6.8**	**32**	**2**	**2**	**5**	**10**	**16**	**22**		**648**	**7.2**	**74**	**1**	**1**	**3**	**11**	**21**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	48	11.8	117	1	6	8	16	34	34	0-17	33	7.2	58						
18-34	37	51.8	1276							18-34	186	10.4	95	1	2	8	13	25	33
35-49	0									35-49	53	13.7	204	2	3	9	14	43	43
50-69	0									50-69	0								
70 +	0									70 +	8	15.0							
SUBTOTAL	**85**	**29.2**	**1009**	**1**	**8**	**16**	**34**	**93**	**93**		**279**	**10.8**	**111**	**2**	**2**	**9**	**14**	**33**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	43	3.3	12							0-17	95	5.4	44	< 1	1	1	11	15	21
18-34	19	7.5	2							18-34	191	6.9	258	1	2	3	4	8	10
35-49	19	1.5								35-49	26	1.4							
50-69	0									50-69	16	12.0	38						
70 +	0									70 +	0								
SUBTOTAL	**81**	**3.9**	**12**	**1**	**1**	**2**	**6**	**10**	**10**		**327**	**6.3**	**168**	**1**	**1**	**2**	**5**	**14**	**21**
GRAND TOTAL	**166**	**16.9**	**683**	**1**	**1**	**8**	**16**	**80**	**93**		**606**	**8.4**	**147**	**1**	**2**	**4**	**11**	**20**	**35**

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	160	9.3	152	1	2	4	10	22	51
70-74	158	6.9	59	1	2	5	9	12	27
75-79	174	9.5	74	2	4	8	12	19	30
80-84	163	8.0	39	2	4	6	10	22	23
85 +	202	6.3	61	1	2	3	6	16	17
SUBTOTAL	856	7.9	77	1	2	5	9	19	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	856	7.9	77	1	2	5	9	19	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	212	3.0	7	1	1	2	4	8	9
35-49	155	4.4	10	1	1	5	7	10	10
50-69	101	3.1	2	2	2	3	4	5	6
70 +	36	8.0	63						
	504	3.8	12	1	2	2	5	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	504	3.8	12	1	2	2	5	8	10

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	90	3.8	10	1	2	3	4	6	13
35-49	36	4.6	13						
50-69	36	9.2	45						
70 +	0								
SUBTOTAL	161	5.2	23	1	2	3	6	13	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	161	5.2	23	1	2	3	6	13	18

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	542	4.8	68	< 1	1	2	5	12	19
35-49	205	6.3	51	1	2	3	10	14	14
50-69	99	5.8	24	2	3	3	9	11	18
70 +	45	4.9	8						
	891	5.3	56	< 1	1	3	7	13	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	891	5.3	56	< 1	1	3	7	13	18

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	90	2.6	3	1	1	2	3	6	6	0-17	0								
70-74	121	4.4	7	1	2	4	6	7	10	18-34	981	3.0	9	1	1	2	4	7	10
75-79	112	5.5	15	1	2	4	7	12	13	35-49	471	3.4	14	1	1	2	5	9	11
80-84	146	3.4	13	1	1	2	4	6	16	50-69	215	3.0	5	1	1	2	4	5	6
85 +	180	3.6	10	1	1	3	5	7	8	70 +	46	4.8	14						
SUBTOTAL	**648**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**12**		**1714**	**3.2**	**10**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**648**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**12**		**1714**	**3.2**	**10**	**1**	**1**	**2**	**4**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	144	3.4	9	1	1	2	5	9	10	18-34	993	3.5	20	< 1	1	2	5	7	10
35-49	19	1.5								35-49	290	3.8	17	1	1	2	5	8	13
50-69	9	6.0								50-69	85	2.3	2	1	1	2	3	4	6
70 +	17	1.9	1							70 +	19	2.0							
SUBTOTAL	**189**	**3.2**	**7**	**1**	**1**	**2**	**5**	**7**	**9**		**1387**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**189**	**3.2**	**7**	**1**	**1**	**2**	**5**	**7**	**9**		**1387**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**11**

DRG 30: Traumatic Stupor & Coma, Coma < 1 Hr Age 0-17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	433	4.2	42	1	1	2	5	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**433**	**4.2**	**42**	**1**	**1**	**2**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs									
0-17	3524	2.2	16	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3524**	**2.2**	**16**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**3957**	**2.4**	**19**	**1**	**1**	**1**	**2**	**4**	**6**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	216	5.1	40	1	1	3	5	12	25
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**216**	**5.1**	**40**	**1**	**1**	**3**	**5**	**12**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1235	2.3	10	1	1	1	2	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1235**	**2.3**	**10**	**1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**1451**	**2.7**	**15**	**1**	**1**	**1**	**3**	**5**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	242	3.3	24	< 1	1	2	4	8	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**242**	**3.3**	**24**	**< 1**	**1**	**2**	**4**	**8**	**15**
2.PATIENTS W/OUT CCs									
0-17	2809	1.6	2	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2809**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**3052**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 31: Concussion Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	127	3.3	7	1	2	2	3	9	10	0-17	0								
70-74	73	4.0	11	1	2	3	5	12	12	18-34	531	2.4	4	< 1	1	2	3	5	6
75-79	71	5.5	13	1	3	4	6	14	14	35-49	318	2.6	5	1	1	2	3	5	7
80-84	125	4.2	10	1	2	3	6	8	13	50-69	98	3.8	8	1	1	3	7	8	8
85 +	189	4.6	14	2	2	4	5	11	13	70 +	65	7.4	13	2	3	7	11	12	12
SUBTOTAL	586	4.3	12	1	2	3	6	10	12		1011	2.9	7	< 1	1	2	3	7	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	586	4.3	12	1	2	3	6	10	12		1011	2.9	7	< 1	1	2	3	7	9

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	45	2.4	4							18-34	678	2.1	5	< 1	1	2	3	4	4
35-49	9	4.0								35-49	183	2.6	3	< 1	1	2	3	4	6
50-69	37	2.0	2							50-69	64	2.1	2	1	1	2	3	5	5
70 +	8	6.0								70 +	23	2.3	4						
SUBTOTAL	99	2.7	3	1	1	2	4	6	6		948	2.2	5	< 1	1	2	3	4	5
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	99	2.7	3	1	1	2	4	6	6		948	2.2	5	< 1	1	2	3	4	5

DRG 32: Concussion Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	203	2.2	2	1	1	2	3	4	5
70-74	119	2.6	2	1	2	3	3	4	7
75-79	107	2.4	1	1	2	2	3	4	4
80-84	206	3.4	17	1	1	2	4	7	10
85 +	88	3.0	4	1	1	2	5	6	7
SUBTOTAL	**723**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**723**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1615	1.8	2	< 1	1	1	2	3	4
35-49	709	1.9	3	1	1	1	2	4	5
50-69	407	2.0	2	1	1	1	3	4	5
70 +	93	3.2	2	1	2	3	4	5	6
	2825	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
	2825	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	138	1.3		1	1	1	2	2	2
35-49	64	1.8		1	1	2	2	3	3
50-69	19	1.5							
70 +	9	2.0							
SUBTOTAL	**229**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**229**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1463	1.8	2	< 1	1	1	2	3	4
35-49	363	2.0	2	1	1	2	2	4	5
50-69	181	1.7	1	1	1	2	2	3	4
70 +	26	1.6	1						
	2033	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	2033	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 33: Concussion Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	369	2.2	4	1	1	1	2	4	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**369**	**2.2**	**4**	**1**	**1**	**1**	**2**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3482	1.4	2	1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3482**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**3851**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	118	3.6	22	1	1	2	3	7	20	0-17	155	1.8	2	1	1	1	2	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**118**	**3.6**	**22**	**1**	**1**	**2**	**3**	**7**	**20**		**155**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1081	1.3	1	1	1	1	1	2	2	0-17	2142	1.2		1	1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1081**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**		**2142**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**1199**	**1.5**	**3**	**1**	**1**	**1**	**1**	**2**	**4**		**2297**	**1.3**		**1**	**1**	**1**	**1**	**2**	**2**

DRG 34: Other Disorders of Nervous System w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	566	6.8	31	2	3	5	9	12	21	0-17	350	5.5	99	1	1	2	3	10	30
70-74	327	7.2	30	2	3	6	11	13	20	18-34	172	8.3	232	< 1	2	2	6	50	81
75-79	356	5.2	15	2	2	4	7	10	13	35-49	219	8.9	307	1	2	4	7	19	22
80-84	259	5.1	7	2	3	5	7	9	11	50-69	203	5.7	25	2	2	4	7	14	17
85 +	192	6.9	11	3	4	6	10	11	12	70 +	33	8.6	16						
SUBTOTAL	**1701**	**6.3**	**22**	**2**	**3**	**5**	**9**	**12**	**15**		**976**	**6.9**	**152**	**1**	**2**	**3**	**7**	**17**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1701**	**6.3**	**22**	**2**	**3**	**5**	**9**	**12**	**15**		**976**	**6.9**	**152**	**1**	**2**	**3**	**7**	**17**	**43**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	247	5.7	61	1	2	3	9	16	42	0-17	213	7.5	91	1	2	4	11	37	99 +
18-34	53	8.6	187	< 1	3	3	5	41	41	18-34	115	8.3	44	3	4	6	10	16	28
35-49	82	3.8	3	2	2	3	5	7	7	35-49	64	8.9	110	1	1	4	10	35	35
50-69	71	5.5	12	2	2	3	9	11	11	50-69	199	6.3	33	2	3	4	8	10	18
70 +	0									70 +	33	4.1	5						
SUBTOTAL	**453**	**5.7**	**58**	**1**	**2**	**3**	**6**	**12**	**41**		**623**	**7.3**	**62**	**1**	**2**	**4**	**10**	**19**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**453**	**5.7**	**58**	**1**	**2**	**3**	**6**	**12**	**41**		**623**	**7.3**	**62**	**1**	**2**	**4**	**10**	**19**	**36**

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	220	4.4	22	1	2	2	7	10	13
70-74	135	3.5	9	< 1	1	2	5	9	9
75-79	93	6.1	72	2	2	3	7	8	33
80-84	127	3.5	2	2	2	3	5	6	7
85 +	54	3.8	4	1	3	3	5	7	7
SUBTOTAL	**630**	**4.2**	**22**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**630**	**4.2**	**22**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	558	5.1	103	< 1	1	2	4	15	19
18-34	135	2.9	5	1	1	2	4	7	9
35-49	290	2.5	6	1	1	1	3	5	9
50-69	321	2.4	3	1	1	2	3	5	7
70 +	36	3.1	9						
	1339	**3.6**	**47**	**1**	**1**	**2**	**3**	**7**	**11**
	1339	**3.6**	**47**	**1**	**1**	**2**	**3**	**7**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	344	3.5	67	1	1	2	3	4	5
18-34	68	1.4	1	< 1	1	1	2	3	3
35-49	45	4.0	3						
50-69	8	1.0							
70 +	0								
SUBTOTAL	**465**	**3.2**	**51**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**465**	**3.2**	**51**	**1**	**1**	**2**	**3**	**4**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	427	2.1	3	1	1	2	2	4	6
18-34	164	1.8	1	< 1	1	2	2	4	4
35-49	135	3.6	7	1	2	3	4	9	9
50-69	178	3.7	10	1	2	3	5	8	9
70 +	0								
	905	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**8**
	905	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 36: Retinal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	460	3.7	13	1	2	3	4	5	10	0-17	0								
70-74	295	3.4	3	2	2	3	4	5	7	18-34	53	4.2	4	1	3	4	6	7	7
75-79	144	3.1	3	1	2	3	4	6	8	35-49	96	3.3	7	1	2	3	3	3	11
80-84	65	5.9	46	3	3	3	5	24	24	50-69	278	2.5	2	1	2	2	3	4	5
85 +	60	3.2	3	1	2	3	4	6	6	70 +	8	1.0							
SUBTOTAL	**1025**	**3.6**	**11**	**1**	**2**	**3**	**4**	**5**	**7**		**435**	**2.9**	**3**	**1**	**2**	**3**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1022	2.5	2	1	1	2	3	5	6	0-17	148	2.1	1	< 1	1	2	3	3	4
70-74	768	2.6	2	1	2	2	3	5	5	18-34	364	2.0	1	1	1	2	2	3	4
75-79	587	2.4	2	1	2	2	3	4	4	35-49	547	2.4	2	1	1	2	3	5	5
80-84	236	2.6	2	1	1	3	3	5	5	50-69	1145	2.2	1	1	1	2	3	4	4
85 +	138	2.7	2	1	1	3	4	4	5	70 +	116	2.0		1	2	2	2	3	3
SUBTOTAL	**2752**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**5**		**2319**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**3777**	**2.8**	**5**	**1**	**2**	**3**	**3**	**5**	**6**		**2755**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	16	8.5	7						
18-34	28	5.0	9							18-34	112	5.5	64	2	3	3	3	9	34
35-49	17	2.5								35-49	177	4.8	19	1	3	3	6	10	12
50-69	48	3.6	5	1	2	3	5	8	8	50-69	429	3.5	11	1	1	3	4	6	9
70 +	0									70 +	72	3.0	5	1	1	2	4	8	8
SUBTOTAL	**93**	**3.8**	**6**	**2**	**2**	**3**	**5**	**8**	**9**		**805**	**4.1**	**21**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	42	1.7	1							0-17	234	3.8	21	1	2	3	4	7	17
18-34	36	2.0								18-34	372	3.1	6	1	2	2	4	7	8
35-49	17	2.0								35-49	821	2.7	3	1	2	2	3	4	6
50-69	26	1.7	1							50-69	1544	2.7	8	1	2	2	3	4	7
70 +	9	2.0								70 +	221	2.1	1	1	1	2	3	4	4
SUBTOTAL	**130**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**		**3192**	**2.8**	**7**	**1**	**2**	**2**	**3**	**4**	**7**
GRAND TOTAL	**223**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**8**		**3997**	**3.1**	**10**	**1**	**2**	**2**	**3**	**5**	**8**

DRG 37: Orbital Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	51	6.6	34	2	2	4	9	19	19	0-17	62	13.8	664	1	2	4	8	81	81
70-74	37	4.3	10							18-34	42	5.8	59						
75-79	45	5.2	10							35-49	33	2.7	4						
80-84	17	6.8	13							50-69	17	3.2	4						
85 +	68	9.8	53	1	4	8	14	23	23	70 +	0								
SUBTOTAL	**219**	**6.9**	**33**	**2**	**2**	**5**	**9**	**18**	**19**		**154**	**8.1**	**307**	**1**	**1**	**3**	**6**	**20**	**65**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	2.0								0-17	227	2.4	5	1	1	2	3	7	7
70-74	51	3.3	4	1	2	3	4	7	7	18-34	116	1.4		1	1	1	2	2	3
75-79	72	3.7	10	1	1	2	7	9	9	35-49	104	1.6	1	1	1	1	3	3	3
80-84	67	5.7	14	1	2	6	9	12	12	50-69	92	1.6	1	1	1	1	2	2	5
85 +	43	5.9	4							70 +	17	2.1	1						
SUBTOTAL	**270**	**4.2**	**9**	**1**	**2**	**3**	**7**	**8**	**10**		**556**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**489**	**5.4**	**22**	**1**	**2**	**4**	**8**	**11**	**18**		**710**	**3.3**	**75**	**1**	**1**	**1**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	17	4.2	4						
18-34	9	2.0								18-34	40	4.4	25						
35-49	0									35-49	40	9.6	198						
50-69	9	8.0								50-69	34	2.7	2						
70 +	0									70 +	16	2.5							
SUBTOTAL	**19**	**5.0**	**10**								**148**	**5.2**	**69**	**1**	**1**	**2**	**5**	**14**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	89	2.6	5	1	1	2	4	4	9	0-17	121	3.2	6	1	1	2	5	7	8
18-34	54	3.1	4	1	2	2	4	7	7	18-34	135	2.6	4	1	1	2	4	5	9
35-49	17	1.5								35-49	140	1.9	2	1	1	2	2	4	6
50-69	9	1.0								50-69	81	2.7	8	1	1	1	2	8	9
70 +	0									70 +	0								
SUBTOTAL	**169**	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**		**476**	**2.5**	**5**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**188**	**2.8**	**5**	**1**	**1**	**2**	**4**	**7**	**8**		**624**	**3.2**	**21**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 38: Primary Iris Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	2.0	1							0-17	0								
70-74	0									18-34	0								
75-79	39	1.8	1							35-49	0								
80-84	9	1.0								50-69	0								
85+	0									70+	9	1.0							
SUBTOTAL	**64**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**		**9**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	2.0								0-17	0								
70-74	26	1.0								18-34	0								
75-79	36	2.7	2							35-49	0								
80-84	8	1.0								50-69	17	2.5							
85+	33	2.3	1							70+	0								
SUBTOTAL	**119**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**5**		**17**	**2.5**							
GRAND TOTAL	**183**	**1.9**	**1**	**1**	**1**	**1**	**3**	**3**	**4**		**26**	**2.0**	**1**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	8	5.0								18-34	16	3.5							
35-49	0									35-49	8	3.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**8**	**5.0**									**23**	**3.3**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	9	1.0							
35-49	8	6.0								35-49	0								
50-69	0									50-69	8	7.0							
70+	0									70+	0								
SUBTOTAL	**8**	**6.0**									**17**	**3.7**	**9**						
GRAND TOTAL	**16**	**5.5**									**40**	**3.5**	**4**						

DRG 39: Lens Procedures with or without Vitrectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	196	1.9	2	< 1	1	1	2	4	6	0-17	19	1.5							
70-74	166	1.7	1	< 1	< 1	1	2	2	4	18-34	0								
75-79	104	1.6	2	< 1	< 1	1	1	3	6	35-49	0								
80-84	90	2.3	3	< 1	1	2	3	5	6	50-69	57	1.4		< 1	< 1	1	2	2	2
85 +	42	1.6								70 +	0								
SUBTOTAL	**597**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**6**		**76**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**2**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	339	1.2	1	< 1	< 1	< 1	1	2	4	0-17	160	1.0		< 1	< 1	1	1	1	1
70-74	558	1.1		< 1	< 1	< 1	1	1	1	18-34	25	2.7							
75-79	515	1.1		< 1	< 1	< 1	< 1	1	2	35-49	43	1.8	1						
80-84	465	1.4	1	< 1	< 1	< 1	1	2	3	50-69	158	1.1		< 1	< 1	< 1	< 1	1	2
85 +	328	1.1		< 1	< 1	< 1	< 1	1	2	70 +	73	1.1		< 1	< 1	< 1	1	2	2
SUBTOTAL	**2205**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**		**459**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**2802**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**		**535**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	1.0								0-17	0								
18-34	0									18-34	40	2.7	7						
35-49	9	2.0								35-49	47	1.5	1	< 1	1	1	2	3	3
50-69	19	1.5								50-69	90	1.6	1	< 1	1	1	2	3	3
70 +	0									70 +	0								
SUBTOTAL	**36**	**1.5**									**177**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	42	1.0								0-17	39	2.6	8						
18-34	19	1.0								18-34	36	1.5							
35-49	16	3.0	1							35-49	28	1.0							
50-69	19	1.0								50-69	185	1.5	1	< 1	< 1	1	2	3	4
70 +	28	1.0								70 +	26	1.0							
SUBTOTAL	**122**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**4**		**314**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**158**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**		**491**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

DRG 40: Extraocular Procedures except Orbit Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	42	2.8	3							0-17	0								
70-74	34	1.8	1							18-34	33	3.8	3						
75-79	17	4.6	2							35-49	17	1.0							
80-84	53	2.8	3	1	1	2	4	6	6	50-69	26	4.2	19						
85 +	17	4.1	1							70 +	9	4.0							
SUBTOTAL	**163**	**2.9**	**3**	**1**	**1**	**3**	**5**	**6**	**6**		**85**	**3.4**	**8**	**1**	**1**	**2**	**5**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	169	1.8	3	< 1	1	1	2	3	6	0-17	0								
70-74	93	1.2		< 1	1	1	1	2	2	18-34	185	1.4		< 1	< 1	1	2	2	3
75-79	92	2.0	2	< 1	1	1	3	4	5	35-49	112	2.8	9	1	1	1	4	6	12
80-84	109	1.7	3	1	1	1	1	3	7	50-69	155	1.8	2	1	1	1	2	3	7
85 +	101	4.2	16	< 1	< 1	2	7	11	12	70 +	0								
SUBTOTAL	**564**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**5**	**7**		**452**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**727**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**5**	**7**		**537**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	68	2.3	3	< 1	1	2	2	7	7
35-49	0									35-49	36	3.2	1						
50-69	9	10.0								50-69	50	4.3	14	1	1	2	9	10	10
70 +	0									70 +	9	2.0							
SUBTOTAL	**9**	**10.0**									**163**	**3.1**	**6**	**1**	**1**	**2**	**4**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	36	2.0	2							18-34	152	1.6	1	< 1	1	1	2	2	4
35-49	26	1.0								35-49	166	1.4	2	< 1	1	1	1	3	5
50-69	8	3.0								50-69	171	2.1	10	< 1	1	1	2	3	4
70 +	0									70 +	19	3.5	7						
SUBTOTAL	**70**	**1.7**	**1**	**< 1**	**< 1**	**1**	**2**	**4**	**4**		**508**	**1.8**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**79**	**2.7**	**8**	**< 1**	**1**	**1**	**3**	**10**	**10***		**671**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**7**

DRG 41: Extraocular Procedures except Orbit Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	50	1.8	1	<1	<1	1	3	4	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**50**	**1.8**	**1**	**<1**	**<1**	**1**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2231	1.2	1	<1	<1	<1	<1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**2231**	**1.2**	**1**	**<1**	**<1**	**<1**	**<1**	**1**	**1**
GRAND TOTAL	**0**										**2281**	**1.2**	**1**	**<1**	**<1**	**<1**	**<1**	**1**	**2**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	56	1.7	1	<1	1	1	3	4	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**56**	**1.7**	**1**	**<1**	**1**	**1**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	447	1.2	1	<1	<1	<1	<1	1	2	0-17	551	1.3	1	<1	<1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**447**	**1.2**	**1**	**<1**	**<1**	**<1**	**<1**	**1**	**2**		**551**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**447**	**1.2**	**1**	**<1**	**<1**	**<1**	**<1**	**1**	**2**		**607**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**4**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	276	4.4	21	1	2	2	5	9	12	0-17	8	1.0							
70-74	160	4.0	17	1	2	3	4	12	15	18-34	57	1.7		1	1	2	2	2	2
75-79	194	3.6	4	2	2	3	5	7	7	35-49	50	1.8	1	1	1	1	3	3	3
80-84	132	3.8	8	1	2	3	4	9	11	50-69	172	2.5	3	1	1	2	3	5	6
85 +	85	2.4	1	1	2	2	3	3	4	70 +	23	4.0	13						
SUBTOTAL	**848**	**3.8**	**13**	**1**	**2**	**3**	**4**	**8**	**11**		**311**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	542	3.2	7	1	2	2	4	6	10	0-17	298	2.6	2	1	1	2	4	4	5
70-74	560	2.6	7	1	1	2	3	4	6	18-34	192	2.4	3	1	1	2	2	5	7
75-79	563	3.0	5	1	2	2	3	6	7	35-49	264	2.2	1	1	2	2	2	4	4
80-84	441	2.1	2	1	1	2	3	3	4	50-69	327	2.5	3	1	2	2	3	5	5
85 +	264	3.0	6	1	1	2	4	5	7	70 +	102	1.4		1	1	1	2	2	2
SUBTOTAL	**2370**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**7**		**1184**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3218**	**3.0**	**8**	**1**	**2**	**2**	**3**	**6**	**8**		**1494**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	33	2.5	1						
18-34	8	3.0								18-34	8	1.0							
35-49	25	3.2	5							35-49	73	4.6	17	1	3	3	5	16	16
50-69	33	3.8	1							50-69	145	4.6	18	1	2	3	6	14	17
70 +	0									70 +	16	8.0							
SUBTOTAL	**65**	**3.5**	**3**	**1**	**2**	**4**	**5**	**6**	**6**		**274**	**4.5**	**16**	**1**	**2**	**3**	**5**	**8**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	67	2.9	2	< 1	1	4	4	4	4	0-17	178	2.9	5	1	1	2	4	5	7
18-34	34	4.3	14							18-34	259	3.0	2	1	2	3	4	5	5
35-49	19	1.5								35-49	221	4.6	17	1	2	3	6	12	13
50-69	67	2.1		1	2	2	3	3	3	50-69	404	3.5	13	1	1	2	4	10	10
70 +	0									70 +	34	2.2	2						
SUBTOTAL	**186**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**4**		**1097**	**3.5**	**10**	**1**	**1**	**3**	**4**	**7**	**10**
GRAND TOTAL	**252**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**		**1370**	**3.7**	**11**	**1**	**2**	**3**	**4**	**8**	**12**

DRG 43: Hyphema

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	8	2.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	9	5.0							
70-74	8	4.0							
75-79	0								
80-84	0								
85 +	9	5.0							
SUBTOTAL	26	4.7							
GRAND TOTAL	34	4.1	1						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	9	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9	2.0							
0-17	141	3.4	2	1	2	4	4	5	7
18-34	96	3.5	4	1	2	3	5	5	9
35-49	19	4.0	1						
50-69	0								
70 +	0								
	256	3.4	3	1	2	3	4	5	7
	265	3.4	3	1	2	3	4	5	7

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	4.3							
18-34	0								
35-49	8	3.0							
50-69	0								
70 +	0								
SUBTOTAL	31	4.0	1						
GRAND TOTAL	31	4.0	1						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	19	5.0	1						
18-34	25	2.3	4						
35-49	0								
50-69	0								
70 +	0								
	43	3.4	4						
0-17	168	3.7	4	1	3	4	5	6	7
18-34	71	3.5	2	< 1	2	3	5	6	6
35-49	23	4.7	4						
50-69	8	1.0							
70 +	0								
	270	3.7	4	1	2	4	5	6	7
	314	3.6	4	1	2	4	5	6	7

DRG 44: Acute Major Eye Infections

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	28	5.7	4							0-17	137	3.8	4	2	2	4	4	8	8
70-74	9	8.0								18-34	0								
75-79	16	4.5								35-49	9	6.0							
80-84	19	6.5								50-69	19	8.0	4						
85+	53	8.7	36	2	3	8	11	21	21	70+	0								
SUBTOTAL	**124**	**7.1**	**19**	**3**	**4**	**7**	**8**	**11**	**21**		**164**	**4.4**	**6**	**2**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	4.9	12							0-17	1253	2.7	2	2	2	2	3	4	5
70-74	43	6.4	2							18-34	73	3.1	2	2	2	2	5	5	5
75-79	50	11.8	195	3	4	5	13	43	43	35-49	46	4.2	2						
80-84	59	5.5	1	4	5	5	6	8	8	50-69	62	4.7	5	2	2	5	6	9	9
85+	36	4.5	1							70+	26	5.5	3						
SUBTOTAL	**231**	**6.8**	**52**	**3**	**4**	**5**	**7**	**10**	**13**		**1460**	**2.9**	**2**	**2**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**355**	**6.9**	**40**	**3**	**4**	**6**	**7**	**10**	**13**		**1625**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	89	4.3	11	2	2	3	5	6	14	0-17	157	3.0	2	2	2	3	3	5	6
18-34	0									18-34	9	6.0							
35-49	0									35-49	8	6.0							
50-69	0									50-69	9	6.0							
70+	0									70+	16	12.5	22						
SUBTOTAL	**89**	**4.3**	**11**	**2**	**2**	**3**	**5**	**6**	**14**		**199**	**4.1**	**10**	**2**	**2**	**3**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	636	3.3	3	1	2	3	4	6	8	0-17	1165	3.4	7	2	2	3	4	6	8
18-34	19	2.0								18-34	144	4.9	35	2	3	4	4	5	29
35-49	8	2.0								35-49	48	5.8	16	2	3	5	7	14	14
50-69	9	4.0								50-69	16	6.5	7						
70+	0									70+	0								
SUBTOTAL	**672**	**3.3**	**3**	**2**	**2**	**3**	**4**	**6**	**8**		**1373**	**3.7**	**10**	**2**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**760**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**8**		**1572**	**3.8**	**10**	**2**	**2**	**3**	**4**	**6**	**9**

DRG 45: Neurological Eye Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	67	2.8	2	1	2	3	4	5	5	0-17	8	2.0							
70-74	36	3.0	4							18-34	0								
75-79	60	2.8	4	1	1	2	4	7	7	35-49	19	3.0	1						
80-84	9	3.0								50-69	50	3.0	1	2	2	3	3	5	5
85 +	17	2.5								70 +	0								
SUBTOTAL	**189**	**2.8**	**3**	**1**	**2**	**3**	**3**	**5**	**6**		**76**	**2.9**	**1**	**2**	**2**	**3**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	4.4	27	1	1	3	4	15	15	0-17	33	1.0							
70-74	70	3.5	3	1	2	2	5	6	6	18-34	8	1.0							
75-79	37	2.3	3							35-49	37	1.5	1						
80-84	9	4.0								50-69	57	2.2	1	1	1	2	3	4	4
85 +	17	2.1	1							70 +	8	2.0							
SUBTOTAL	**184**	**3.4**	**10**	**1**	**1**	**2**	**4**	**6**	**9**		**143**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**374**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**6**		**219**	**2.1**	**1**	**< 1**	**1**	**2**	**3**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	8	3.0								18-34	19	3.0	1						
35-49	9	1.0								35-49	48	2.6	3	1	1	1	4	5	5
50-69	0									50-69	23	2.0	1						
70 +	0									70 +	0								
SUBTOTAL	**17**	**1.9**	**1**								**90**	**2.5**	**2**	**1**	**1**	**2**	**4**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	1.0								0-17	33	1.2							
18-34	9	3.0								18-34	48	4.1	7	1	2	3	6	9	9
35-49	0									35-49	43	2.5	3						
50-69	0									50-69	57	3.4	4	1	2	3	4	7	7
70 +	0									70 +	8	8.0							
SUBTOTAL	**25**	**1.7**	**1**								**190**	**3.2**	**5**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**42**	**1.8**	**1**								**280**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	138	4.2	11	1	2	3	6	8	14	0-17	0								
70-74	79	5.3	19	< 1	3	5	5	14	16	18-34	46	4.6	24						
75-79	101	3.8	12	< 1	1	2	5	10	11	35-49	28	1.3							
80-84	121	5.1	13	2	3	4	6	9	16	50-69	19	4.5	2						
85 +	90	2.7	4	1	2	2	3	3	9	70 +	8	4.0							
SUBTOTAL	**529**	**4.3**	**12**	**1**	**2**	**3**	**5**	**9**	**11**		**101**	**3.6**	**13**	**< 1**	**1**	**3**	**4**	**6**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**529**	**4.3**	**12**	**1**	**2**	**3**	**5**	**9**	**11**		**101**	**3.6**	**13**	**< 1**	**1**	**3**	**4**	**6**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	17	1.5								18-34	109	8.7	205	1	2	3	9	16	57
35-49	9	1.0								35-49	137	9.8	34	1	5	10	14	18	20
50-69	19	2.0								50-69	104	5.7	19	2	2	5	8	14	14
70 +	0									70 +	8	4.0							
SUBTOTAL	**45**	**1.6**									**357**	**8.1**	**84**	**1**	**2**	**5**	**14**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**45**	**1.6**									**357**	**8.1**	**84**	**1**	**2**	**5**	**14**	**15**	**18**

DRG 47: Other Disorders of the Eye Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	121	2.9	4	1	1	2	5	6	7	0-17	0								
70-74	98	2.6	4	1	1	2	4	4	8	18-34	99	2.5	5	1	1	1	3	7	7
75-79	70	3.3	6	< 1	2	3	4	9	9	35-49	95	1.8	1	1	1	2	2	3	4
80-84	82	3.0	6	1	2	2	3	9	9	50-69	108	2.2	2	1	1	2	3	3	6
85 +	42	6.5	90							70 +	8	5.0							
SUBTOTAL	**412**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**9**		**310**	**2.2**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**412**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**9**		**310**	**2.2**	**3**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	28	2.7								18-34	177	2.7	7	1	1	2	3	7	10
35-49	19	1.0								35-49	113	2.7	6	< 1	1	2	4	5	10
50-69	28	1.3								50-69	112	3.1	5	< 1	1	2	5	6	7
70 +	0									70 +	9	2.0							
SUBTOTAL	**74**	**1.8**	**1**	**1**	**1**	**2**	**3**	**3**	**3**		**411**	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**7**	**7**
GRAND TOTAL	**74**	**1.8**	**1**	**1**	**1**	**2**	**3**	**3**	**3**		**411**	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**7**	**7**

DRG 48: Other Disorders of the Eye Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	59	4.0	9	1	1	5	6	9	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**59**	**4.0**	**9**	**1**	**1**	**5**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	359	2.1	3	< 1	< 1	1	3	5	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**359**	**2.1**	**3**	**< 1**	**< 1**	**1**	**3**	**5**	**5**
GRAND TOTAL	**0**										**418**	**2.4**	**4**	**< 1**	**< 1**	**1**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	40	2.7	6						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**40**	**2.7**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	149	2.6	3	< 1	1	2	4	6	7	0-17	390	3.3	34	1	1	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**149**	**2.6**	**3**	**< 1**	**1**	**2**	**4**	**6**	**7**		**390**	**3.3**	**34**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**149**	**2.6**	**3**	**< 1**	**1**	**2**	**4**	**6**	**7**		**431**	**3.3**	**31**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	237	12.1	95	3	4	9	15	21	29	0-17	16	7.0							
70-74	179	13.7	65	7	8	12	17	27	30	18-34	26	14.0	136						
75-79	168	9.6	40	2	4	8	14	18	21	35-49	9	2.0							
80-84	33	9.3	20							50-69	314	11.7	39	5	8	10	14	21	26
85 +	25	11.6	86							70 +	57	11.0	38	4	4	10	19	21	21
SUBTOTAL	**641**	**11.7**	**70**	**4**	**5**	**10**	**15**	**21**	**29**		**422**	**11.4**	**45**	**3**	**7**	**9**	**14**	**21**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	175	7.7	34	2	3	5	11	16	16	0-17	62	2.3	1	1	1	2	3	3	3
70-74	118	6.5	15	2	3	7	8	12	15	18-34	48	2.5		2	2	2	3	3	3
75-79	68	7.5	32	1	4	7	8	20	20	35-49	54	3.7	7	1	1	4	6	8	8
80-84	16	16.0	27							50-69	202	6.4	26	1	2	5	9	12	13
85 +	17	1.5								70 +	31	3.8	4						
SUBTOTAL	**394**	**7.4**	**30**	**2**	**3**	**6**	**9**	**16**	**20**		**398**	**4.7**	**18**	**1**	**2**	**3**	**7**	**9**	**12**
GRAND TOTAL	**1035**	**10.1**	**60**	**2**	**4**	**8**	**14**	**20**	**25**		**820**	**8.1**	**43**	**2**	**3**	**7**	**10**	**19**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	7.0							
18-34	0									18-34	8	10.0							
35-49	0									35-49	54	19.4	201	4	8	14	32	46	46
50-69	19	8.5	2							50-69	274	11.4	66	3	6	10	14	19	29
70 +	0									70 +	0								
SUBTOTAL	**19**	**8.5**	**2**								**344**	**12.5**	**94**	**4**	**6**	**10**	**14**	**28**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	11.0								0-17	16	2.0	1						
18-34	0									18-34	17	1.5							
35-49	9	2.0								35-49	62	5.6	28	1	1	3	10	16	16
50-69	0									50-69	182	8.7	27	2	4	8	13	15	17
70 +	0									70 +	0								
SUBTOTAL	**17**	**6.1**	**21**								**277**	**7.2**	**30**	**1**	**2**	**6**	**12**	**15**	**17**
GRAND TOTAL	**36**	**7.4**	**13**								**620**	**10.1**	**72**	**2**	**4**	**9**	**14**	**17**	**29**

DRG 50: Sialoadenectomy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	95	2.7	3	1	1	2	4	5	6
70-74	95	2.1	1	1	1	2	2	3	5
75-79	43	1.9	1						
80-84	25	3.9	3						
85 +	8	10.0							
SUBTOTAL	**265**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	354	1.9	1	1	1	2	2	3	3
70-74	270	1.9	1	1	1	2	2	3	3
75-79	104	2.0	1	1	1	2	3	3	4
80-84	42	2.4							
85 +	40	2.2	1						
SUBTOTAL	**810**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**1075**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	8	2.0							
35-49	17	1.9	1						
50-69	71	2.2	1	1	2	2	2	5	5
70 +	8	4.0							
	112	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
0-17	93	1.6		1	1	2	2	2	2
18-34	253	1.7	2	1	1	1	2	3	4
35-49	432	1.5		1	1	1	2	2	3
50-69	392	1.8	1	1	1	2	2	3	3
70 +	0								
	1171	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
	1282	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**8**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9	1.0							
18-34	19	1.5							
35-49	28	1.3							
50-69	9	1.0							
70 +	9	3.0							
SUBTOTAL	**74**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**82**	**1.5**		**< 1**	**1**	**1**	**2**	**3**	**3**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	33	2.8							
35-49	19	2.0							
50-69	48	1.8	1	1	1	1	3	3	3
70 +	26	4.9	11						
	134	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**9**
0-17	25	1.7	1						
18-34	253	1.7	1	1	1	1	2	3	3
35-49	346	1.7	1	1	1	1	2	3	4
50-69	416	2.0	1	1	1	2	2	3	4
70 +	26	1.7	1						
	1067	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	1200	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	3.3	7							0-17	8	4.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**17**	**3.3**	**7**								**8**	**4.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	1.0								0-17	47	1.5	1	< 1	< 1	1	2	3	3
70-74	8	1.0								18-34	25	2.3	1						
75-79	9	1.0								35-49	46	2.4	2						
80-84	28	1.3								50-69	43	2.1	1						
85 +	0									70 +	0								
SUBTOTAL	**82**	**1.1**		**< 1**	**1**	**1**	**1**	**2**	**2**		**161**	**2.0**	**1**	**< 1**	**1**	**2**	**3**	**3**	**5**
GRAND TOTAL	**99**	**1.5**	**2**	**1**	**1**	**1**	**1**	**2**	**6**		**169**	**2.1**	**1**	**< 1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	8	1.0								18-34	0								
35-49	0									35-49	8	3.0							
50-69	0									50-69	9	1.0							
70 +	9	3.0								70 +	0								
SUBTOTAL	**17**	**2.1**	**1**								**17**	**1.9**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	2.0								0-17	23	2.3	1						
18-34	25	1.0								18-34	16	1.0							
35-49	0									35-49	47	1.5	1	1	1	1	2	3	3
50-69	0									50-69	56	2.8	11	1	1	2	2	11	11
70 +	0									70 +	0								
SUBTOTAL	**33**	**1.2**									**142**	**2.1**	**5**	**1**	**1**	**1**	**2**	**3**	**11**
GRAND TOTAL	**50**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**		**159**	**2.1**	**5**	**1**	**1**	**1**	**2**	**3**	**7**

DRG 52: Cleft Lip & Palate Repair

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	118	3.3	5	1	1	2	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	9	14.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**128**	**4.1**	**13**	**1**	**2**	**3**	**6**	**8**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1884	2.0	1	1	1	2	2	3	4
70-74	0									18-34	17	1.5							
75-79	0									35-49	26	1.0							
80-84	0									50-69	36	2.6	1						
85 +	0									70 +	0								
SUBTOTAL	**0**										**1963**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**0**										**2091**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	86	2.5		2	2	2	3	3	4	0-17	73	2.9	2	1	2	3	3	6	6
18-34	9	4.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	9	2.0							
70 +	0									70 +	0								
SUBTOTAL	**95**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**		**82**	**2.8**	**2**	**1**	**2**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	607	1.8	2	1	1	1	2	3	4	0-17	965	1.9	1	1	1	2	2	3	4
18-34	0									18-34	50	1.8	1	1	1	2	3	3	3
35-49	0									35-49	25	1.7							
50-69	0									50-69	25	1.3							
70 +	0									70 +	0								
SUBTOTAL	**607**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**1065**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**702**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**		**1147**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

DRG 53: Sinus & Mastoid Procedures Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	90	4.6	12	1	1	4	9	10	10		0-17	0								
70-74	54	2.7	1	1	2	3	3	4	4		18-34	126	5.1	35	1	1	4	7	8	26
75-79	33	2.0	2								35-49	143	3.4	9	1	1	2	3	9	11
80-84	8	2.0									50-69	127	2.8	5	1	1	2	4	6	8
85 +	26	3.2	4								70 +	0								
SUBTOTAL	**211**	**3.4**	**7**	**1**	**1**	**3**	**4**	**9**	**10**			**395**	**3.7**	**17**	**1**	**1**	**3**	**4**	**8**	**9**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	473	1.6	3	1	1	1	2	2	4		0-17	0								
70-74	293	1.7	2	1	1	1	2	4	5		18-34	1034	1.5	3	1	1	1	1	3	3
75-79	157	1.6	1	1	1	1	2	3	4		35-49	1548	1.3	1	1	1	1	1	2	3
80-84	68	2.3	2	1	1	2	3	6	6		50-69	1125	1.4	1	1	1	1	1	2	4
85 +	46	1.6									70 +	25	1.0							
SUBTOTAL	**1037**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**			**3732**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1249**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**6**			**4128**	**1.6**	**3**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	8	7.0									18-34	39	1.4							
35-49	8	1.0									35-49	129	4.3	44	1	1	2	4	13	28
50-69	0										50-69	73	4.4	30	1	2	2	2	18	18
70 +	9	1.0									70 +	17	3.3	7						
SUBTOTAL	**25**	**2.9**	**8**									**258**	**3.8**	**32**	**1**	**1**	**2**	**3**	**7**	**18**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	121	1.5	1	1	1	1	2	3	4		18-34	418	1.5	2	1	1	1	1	3	5
35-49	46	1.2									35-49	708	1.9	6	1	1	1	2	3	5
50-69	26	2.5	5								50-69	556	1.6	1	1	1	1	2	2	3
70 +	0										70 +	8	1.0							
SUBTOTAL	**194**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**			**1690**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**219**	**1.7**	**2**	**1**	**1**	**1**	**2**	**4**	**6**			**1948**	**2.0**	**8**	**1**	**1**	**1**	**2**	**3**	**6**

DRG 54: Sinus & Mastoid Procedures Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	82	2.2	4	1	1	1	2	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**82**	**2.2**	**4**	**1**	**1**	**1**	**2**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	1325	1.3	1	< 1	< 1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**1325**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**8**	**1.0**									**1407**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9	9.0								0-17	48	4.0	17	1	2	3	3	13	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9**	**9.0**									**48**	**4.0**	**17**	**1**	**2**	**3**	**3**	**13**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	205	1.6	4	< 1	1	1	1	4	6	0-17	284	1.8	3	1	1	1	2	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**205**	**1.6**	**4**	**< 1**	**1**	**1**	**1**	**4**	**6**		**284**	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**214**	**2.0**	**6**	**< 1**	**1**	**1**	**1**	**6**	**9**		**333**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	51	3.1	5	1	1	3	4	7	7	0-17	90	8.9	250	< 1	< 1	1	16	19	56
70-74	34	2.0	2							18-34	129	3.6	37	1	1	2	3	5	25
75-79	43	2.3	6							35-49	127	1.8	2	1	1	1	2	3	6
80-84	31	18.0	235							50-69	78	2.9	3	1	2	3	3	6	6
85 +	0									70 +	9	1.0							
SUBTOTAL	160	5.5	86	1	1	2	7	13	29		432	4.0	70	1	1	2	3	6	19
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	282	1.6	4	1	1	1	1	2	3	0-17	1530	1.3	2	< 1	< 1	1	1	2	3
70-74	172	1.2		1	1	1	1	2	2	18-34	1134	1.4	1	< 1	1	1	1	2	3
75-79	161	1.3	1	< 1	1	1	1	2	4	35-49	1076	1.3	1	1	1	1	1	2	3
80-84	60	2.5	5	1	1	1	5	7	7	50-69	601	1.5	9	< 1	1	1	1	2	2
85 +	45	7.2	27							70 +	0								
SUBTOTAL	721	1.8	6	1	1	1	2	3	7		4340	1.4	2	< 1	1	1	1	2	3
GRAND TOTAL	881	2.5	22	1	1	1	2	5	8		4773	1.6	9	< 1	1	1	1	2	3

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	10.2	68							0-17	73	4.6	15	1	2	2	9	11	11
18-34	0									18-34	42	4.8	4						
35-49	0									35-49	59	1.5	1	1	1	1	2	3	3
50-69	0									50-69	67	3.1	5	1	1	2	6	6	6
70 +	0									70 +	0								
SUBTOTAL	39	10.2	68								241	3.4	8	1	1	2	5	9	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	334	1.8	3	< 1	< 1	1	2	3	5	0-17	778	1.4	2	< 1	1	1	1	2	3
18-34	158	1.2		1	1	1	1	2	3	18-34	668	1.6	2	1	1	1	1	3	5
35-49	17	1.0								35-49	675	1.2		< 1	1	1	1	2	2
50-69	19	1.0								50-69	619	1.3	2	< 1	1	1	1	2	3
70 +	9	1.0								70 +	26	1.0							
SUBTOTAL	537	1.5	2	< 1	1	1	1	3	3		2767	1.4	1	< 1	1	1	1	2	3
GRAND TOTAL	576	2.1	11	< 1	1	1	2	3	7		3007	1.5	2	< 1	1	1	1	3	4

DRG 56: Rhinoplasty

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9	5.0								0-17	0								
70-74	0									18-34	28	3.3	11						
75-79	9	12.0								35-49	19	2.0	1						
80-84	0									50-69	0								
85 +	9	4.0								70 +	0								
SUBTOTAL	**28**	**7.0**	**13**								**46**	**2.8**	**8**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	78	1.2		1	1	1	1	2	2	0-17	205	1.3		< 1	1	1	2	2	2
70-74	42	1.4	1							18-34	291	1.3		< 1	1	1	2	2	2
75-79	45	1.6	1							35-49	322	1.3		< 1	1	1	2	2	2
80-84	0									50-69	158	1.4		1	1	1	2	2	3
85 +	0									70 +	0								
SUBTOTAL	**164**	**1.4**		**1**	**1**	**1**	**2**	**3**	**3**		**977**	**1.3**		**< 1**	**1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**192**	**2.2**	**6**	**1**	**1**	**1**	**2**	**4**	**5**		**1023**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	2.0							
18-34	0									18-34	9	1.0							
35-49	0									35-49	0								
50-69	0									50-69	16	2.0	1						
70 +	0									70 +	0								
SUBTOTAL	**0**										**33**	**1.7**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	1.5	1							0-17	113	1.1		< 1	1	1	1	2	2
18-34	8	3.0								18-34	517	1.1		< 1	1	1	1	1	1
35-49	0									35-49	199	1.0		< 1	1	1	1	1	1
50-69	8	1.0								50-69	175	1.0		< 1	1	1	1	1	1
70 +	0									70 +	0								
SUBTOTAL	**47**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**		**1005**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**47**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**		**1037**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	0								
70-74	19	13.5	140							18-34	68	3.1	8	< 1	1	3	4	10	10
75-79	0									35-49	26	3.1	2						
80-84	0									50-69	40	6.6	22						
85 +	0									70 +	0								
SUBTOTAL	**26**	**10.1**	**125**								**135**	**4.2**	**13**	**1**	**1**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	1.9	1							0-17	0								
70-74	26	4.1	9							18-34	490	1.7	1	1	1	2	2	3	4
75-79	9	4.0								35-49	166	2.0	3	1	1	1	2	4	5
80-84	0									50-69	82	2.3	2	< 1	1	2	3	5	5
85 +	0									70 +	0								
SUBTOTAL	**79**	**2.9**	**5**	**1**	**1**	**2**	**3**	**8**	**8**		**738**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**105**	**4.7**	**44**	**1**	**2**	**2**	**4**	**8**	**25**		**873**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	9	1.0								18-34	68	4.7	26	1	2	3	4	17	17
35-49	0									35-49	42	4.4	9						
50-69	0									50-69	8	2.0							
70 +	0									70 +	0								
SUBTOTAL	**9**	**1.0**									**118**	**4.4**	**18**	**1**	**1**	**3**	**5**	**8**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	54	1.6	1	1	1	1	3	3	3	18-34	356	1.9	1	1	1	2	2	3	4
35-49	0									35-49	201	2.0	1	1	1	2	3	4	4
50-69	0									50-69	57	2.5	4	1	1	2	3	7	7
70 +	0									70 +	0								
SUBTOTAL	**54**	**1.6**	**1**	**1**	**1**	**1**	**3**	**3**	**3**		**614**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**64**	**1.5**	**1**	**1**	**1**	**1**	**3**	**3**	**3**		**732**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	239	2.4	6	1	1	1	3	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**239**	**2.4**	**6**	**1**	**1**	**1**	**3**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1694	1.4	2	< 1	< 1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1694**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**1933**	**1.5**	**3**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	1.8	2							0-17	119	1.5	1	1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**31**	**1.8**	**2**								**119**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	378	1.4	3	< 1	1	1	1	2	2	0-17	1375	1.3	1	< 1	< 1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**378**	**1.4**	**3**	**< 1**	**1**	**1**	**1**	**2**	**2**		**1375**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**409**	**1.4**	**3**	**< 1**	**1**	**1**	**1**	**2**	**2**		**1494**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	9	1.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**9**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	33	2.1	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**33**	**2.1**	**2**						
GRAND TOTAL	**42**	**1.9**	**1**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	79	1.7	1	1	1	2	2	3	3
35-49	19	1.0							
50-69	0								
70 +	0								
	98	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
0-17	0								
18-34	1587	1.2	1	< 1	1	1	1	2	3
35-49	211	1.2		1	1	1	1	2	2
50-69	26	4.2	19						
70 +	9	1.0							
	1834	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
	1931	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	19	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**19**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	140	1.4		1	1	1	2	2	3
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**147**	**1.3**		**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**166**	**1.3**		**1**	**1**	**1**	**2**	**2**	**3**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	75	1.1		1	1	1	1	2	2
35-49	8	1.0							
50-69	0								
70 +	0								
	82	**1.1**		**1**	**1**	**1**	**1**	**2**	**2**
0-17	0								
18-34	862	1.1		1	1	1	1	1	1
35-49	172	1.2		1	1	1	1	2	2
50-69	16	1.0							
70 +	0								
	1050	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
	1132	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	337	1.6	1	1	1	1	2	3	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**337**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	1.0								0-17	6757	1.1		< 1	< 1	1	1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**39**	**1.0**									**6757**	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**39**	**1.0**									**7094**	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**1**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	85	3.6	11	1	1	2	5	7	12	0-17	160	1.7	1	1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**85**	**3.6**	**11**	**1**	**1**	**2**	**5**	**7**	**12**		**160**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1269	1.3	1	< 1	< 1	1	1	2	3	0-17	3438	1.1		< 1	1	1	1	1	1
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1269**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**3438**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**1355**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**4**		**3598**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	8.0								0-17	0								
70-74	0									18-34	9	2.0							
75-79	0									35-49	0								
80-84	19	4.5	2							50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**5.5**	**4**								**9**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	28	1.3								0-17	0								
70-74	0									18-34	53	1.5	1	1	1	1	2	3	3
75-79	0									35-49	71	1.7	4	1	1	1	1	7	7
80-84	0									50-69	25	1.0							
85 +	0									70 +	0								
SUBTOTAL	**28**	**1.3**									**149**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**7**
GRAND TOTAL	**54**	**3.4**	**7**	**1**	**1**	**2**	**6**	**8**	**8**		**158**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	8	1.0								18-34	17	1.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**17**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	25	1.0								18-34	31	1.0							
35-49	0									35-49	26	1.4							
50-69	0									50-69	8	1.0							
70 +	0									70 +	0								
SUBTOTAL	**25**	**1.0**									**65**	**1.1**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**33**	**1.0**									**82**	**1.1**		**< 1**	**1**	**1**	**1**	**2**	**2**

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	87	2.6	11	< 1	< 1	< 1	2	10	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**87**	**2.6**	**11**	**< 1**	**< 1**	**< 1**	**2**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	5266	1.2	5	< 1	< 1	< 1	< 1	< 1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**5266**	**1.2**	**5**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**
GRAND TOTAL	**0**										**5353**	**1.2**	**5**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	1.6	2							0-17	78	5.7	39	< 1	1	3	7	16	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**43**	**1.6**	**2**								**78**	**5.7**	**39**	**< 1**	**1**	**3**	**7**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1210	1.5	11	< 1	< 1	< 1	< 1	1	2	0-17	633	1.4	2	< 1	< 1	< 1	1	2	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1210**	**1.5**	**11**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**		**633**	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**
GRAND TOTAL	**1253**	**1.5**	**11**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**3**		**711**	**1.9**	**7**	**< 1**	**< 1**	**< 1**	**1**	**4**	**7**

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	239	6.0	16	2	2	6	8	14	14	0-17	169	8.7	170	1	2	3	7	32	42
70-74	129	7.3	50	1	1	6	8	19	27	18-34	310	4.7	28	1	1	3	5	9	22
75-79	75	8.3	53	1	2	4	11	23	23	35-49	169	5.9	88	1	2	4	5	13	43
80-84	62	8.4	32	2	3	6	13	18	18	50-69	125	7.5	57	1	2	5	9	21	27
85 +	9	2.0								70 +	0								
SUBTOTAL	**513**	**6.8**	**33**	**1**	**2**	**6**	**9**	**14**	**19**		**774**	**6.3**	**79**	**1**	**2**	**3**	**6**	**13**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	216	1.9	1	1	1	2	3	3	4	0-17	1490	2.3	4	1	1	2	3	4	5
70-74	178	3.2	5	1	2	2	4	7	9	18-34	2544	2.2	11	1	1	2	2	3	4
75-79	51	5.5	18	1	1	7	8	12	12	35-49	1342	2.1	2	1	1	2	2	4	5
80-84	43	2.5	1							50-69	310	2.5	4	1	1	2	3	4	10
85 +	0									70 +	9	3.0							
SUBTOTAL	**489**	**2.8**	**6**	**1**	**1**	**2**	**3**	**7**	**8**		**5695**	**2.2**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1002**	**4.9**	**23**	**1**	**2**	**3**	**7**	**12**	**14**		**6468**	**2.7**	**17**	**1**	**1**	**2**	**3**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	101	6.1	45	1	2	3	5	15	24	0-17	121	4.6	30	1	1	2	6	17	18
18-34	54	2.6	2	1	1	3	4	4	4	18-34	405	4.3	37	1	1	2	5	10	12
35-49	36	4.3	6							35-49	205	4.2	23	1	1	2	4	12	16
50-69	0									50-69	123	4.6	14	1	1	4	7	9	15
70 +	0									70 +	9	7.0							
SUBTOTAL	**191**	**4.8**	**28**	**1**	**2**	**3**	**5**	**13**	**15**		**864**	**4.4**	**29**	**1**	**1**	**2**	**5**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	272	2.9	16	1	1	2	3	5	7	0-17	726	1.9	2	1	1	1	2	3	5
18-34	127	2.3	1	1	2	2	3	3	4	18-34	2188	1.9	2	1	1	2	2	3	5
35-49	56	2.3	5	1	1	2	2	7	7	35-49	1043	1.6	1	1	1	1	2	3	3
50-69	9	4.0								50-69	384	2.5	4	1	1	2	3	6	7
70 +	0									70 +	17	2.0							
SUBTOTAL	**464**	**2.7**	**10**	**1**	**1**	**2**	**3**	**5**	**7**		**4357**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**655**	**3.3**	**16**	**1**	**1**	**2**	**3**	**5**	**9**		**5221**	**2.3**	**7**	**1**	**1**	**2**	**2**	**4**	**6**

DRG 64: Ear, Nose, Mouth & Throat Malignancy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	154	6.5	17	1	4	5	8	13	14
70-74	71	5.1	16	1	1	7	9	11	11
75-79	71	8.0	18	3	4	7	13	14	14
80-84	26	7.8	6						
85 +	33	5.6	19						
SUBTOTAL	**355**	**6.5**	**17**	**1**	**3**	**6**	**11**	**13**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	54	3.0	2	< 1	1	3	4	5	5
70-74	33	1.0							
75-79	0								
80-84	19	1.5							
85 +	16	4.5							
SUBTOTAL	**121**	**2.4**	**3**	**< 1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**476**	**5.5**	**17**	**1**	**2**	**4**	**8**	**13**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	23.5	366						
18-34	0								
35-49	19	3.0	1						
50-69	99	3.2	6	1	1	2	5	7	8
70 +	16	15.0	68						
	149	**6.5**	**94**	**1**	**1**	**4**	**7**	**23**	**42**
0-17	23	3.3	4						
18-34	0								
35-49	8	6.0							
50-69	23	8.7	10						
70 +	0								
	54	**6.0**	**12**	**2**	**2**	**6**	**7**	**13**	**13**
	203	**6.4**	**72**	**1**	**2**	**4**	**7**	**13**	**23**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	9	2.0							
50-69	43	12.1	110						
70 +	0								
SUBTOTAL	**53**	**10.3**	**106**	**2**	**2**	**7**	**13**	**33**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	0								
35-49	8	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**16**	**3.0**	**1**						
GRAND TOTAL	**68**	**8.6**	**91**	**2**	**2**	**5**	**9**	**33**	**33**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	25.0							
18-34	0								
35-49	17	4.2	13						
50-69	141	7.8	108	1	2	3	9	19	42
70 +	0								
	166	**8.2**	**108**	**1**	**2**	**3**	**9**	**23**	**42**
0-17	8	3.0							
18-34	19	1.5							
35-49	59	2.1	4	< 1	< 1	1	3	7	7
50-69	126	3.4	10	1	1	2	6	7	12
70 +	0								
	211	**2.8**	**8**	**< 1**	**1**	**1**	**5**	**7**	**7**
	378	**5.2**	**59**	**< 1**	**1**	**3**	**6**	**12**	**19**

DRG 65: Dysequilibrium

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	508	3.0	5	1	2	2	4	5	7	0-17	19	2.0	1							
70-74	400	3.3	7	1	2	3	3	5	11	18-34	82	2.4	2	1	1	2	3	6	6	
75-79	429	4.5	9	2	2	4	5	9	11	35-49	155	2.7	2	1	2	3	3	4	7	
80-84	450	2.9	2	1	2	3	4	5	5	50-69	327	2.9	3	1	2	3	3	5	7	
85 +	310	2.9	3	1	2	2	3	5	7	70 +	76	2.7	4	< 1	1	2	3	7	7	
SUBTOTAL	**2097**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**9**		**658**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**7**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	814	2.7	2	1	2	2	3	4	6	0-17	8	1.0								
70-74	693	2.1	2	1	1	2	2	4	5	18-34	189	2.2	2	< 1	1	2	3	3	4	
75-79	559	2.9	4	1	2	2	4	5	7	35-49	525	2.2	4	1	1	2	3	4	6	
80-84	494	3.1	6	1	2	3	4	5	9	50-69	844	2.0	2	1	1	2	3	4	5	
85 +	361	3.2	7	1	2	2	4	7	9	70 +	60	1.6	1	1	1	1	3	3	3	
SUBTOTAL	**2922**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**7**		**1627**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	
GRAND TOTAL	**5019**	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**7**		**2285**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	19	2.5	2						
18-34	9	1.0								18-34	60	2.4	1	1	2	2	3	4	4
35-49	0									35-49	84	4.7	26	2	2	3	4	5	20
50-69	56	3.7	5	1	2	3	5	8	8	50-69	223	3.0	2	2	2	3	3	6	6
70 +	8	8.0								70 +	54	4.9	4	2	3	5	5	9	9
SUBTOTAL	73	3.8	7	1	1	3	5	8	8		**441**	**3.4**	**8**	**2**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	0								
18-34	37	3.3	2							18-34	163	2.8	4	1	1	2	5	6	7
35-49	36	3.3	7							35-49	206	2.5	3	1	1	2	3	5	6
50-69	45	1.4								50-69	352	2.6	2	1	2	2	3	5	6
70 +	19	2.0								70 +	51	2.3	1	1	2	2	3	3	3
SUBTOTAL	**144**	**2.4**	3	1	1	2	2	5	8		**773**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**217**	**2.9**	5	1	1	2	3	8	8		**1214**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 66: Epistaxis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	167	3.5	4	1	2	3	6	7	7	0-17	0								
70-74	195	3.2	3	1	2	3	5	6	6	18-34	28	9.0	27						
75-79	99	3.9	7	2	2	4	4	5	12	35-49	54	3.2	4	1	2	3	4	7	7
80-84	127	3.4	5	1	2	3	4	7	8	50-69	127	3.2	11	1	1	2	3	8	13
85 +	156	3.2	4	2	2	3	3	8	9	70 +	17	5.0							
SUBTOTAL	**745**	**3.4**	**5**	**1**	**2**	**3**	**4**	**7**	**8**		**226**	**4.0**	**14**	**1**	**2**	**3**	**5**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	229	2.8	5	1	2	2	3	5	5	0-17	23	1.3							
70-74	245	3.3	5	1	2	2	5	6	9	18-34	88	2.7	1	1	2	3	4	4	4
75-79	118	2.4	3	< 1	1	2	3	4	7	35-49	223	2.7	2	1	2	3	3	5	5
80-84	84	2.2	2	1	1	2	3	6	6	50-69	267	3.1	3	1	2	3	4	5	6
85 +	71	2.0	1	1	1	2	3	3	3	70 +	9	2.0							
SUBTOTAL	**746**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**611**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**1492**	**3.1**	**4**	**1**	**2**	**2**	**4**	**6**	**7**		**837**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	1.7	1							0-17	25	1.3							
18-34	8	3.0								18-34	26	3.6	6						
35-49	9	4.0								35-49	65	5.3	7	2	3	5	7	10	10
50-69	0									50-69	75	4.5	31	1	1	2	5	18	20
70 +	17	1.5								70 +	25	4.4	1						
SUBTOTAL	**60**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**216**	**4.3**	**15**	**1**	**2**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	17	1.0							
18-34	9	3.0								18-34	81	3.6	7	1	1	3	4	10	10
35-49	16	3.0	4							35-49	76	3.4	3	1	2	4	4	6	6
50-69	43	3.3	2							50-69	175	3.3	4	1	2	3	5	6	6
70 +	17	1.0								70 +	34	3.0	1						
SUBTOTAL	**93**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**5**		**384**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**154**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**5**		**599**	**3.6**	**8**	**1**	**2**	**3**	**5**	**6**	**8**

DRG 67: Epiglottitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	4.0								0-17	34	5.8	3						
70-74	0									18-34	34	2.7	1						
75-79	0									35-49	45	5.3	28						
80-84	0									50-69	26	4.4							
85 +	9	4.0								70 +	0								
SUBTOTAL	**17**	**4.0**									**140**	**4.6**	**11**	**1**	**3**	**4**	**6**	**7**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9	3.0								0-17	161	2.5	3	1	1	2	4	6	6
70-74	9	1.0								18-34	172	2.3	1	1	1	2	3	4	5
75-79	17	2.5								35-49	98	3.3	5	2	2	3	5	5	10
80-84	0									50-69	54	2.5	1	1	2	2	4	4	4
85 +	0									70 +	0								
SUBTOTAL	**36**	**2.3**	**1**								**485**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**53**	**2.8**	**1**	[illegible]	**2**	**3**	**4**	**4**	**4**		**625**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	3.0								0-17	62	5.9	6	3	4	5	8	10	10
18-34	0									18-34	19	3.0	1						
35-49	0									35-49	8	1.0							
50-69	0									50-69	42	6.7	11						
70 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**131**	**5.4**	**9**	**2**	**3**	**5**	**8**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	40	3.0	1							0-17	76	3.5	2	2	3	3	4	6	6
18-34	9	3.0								18-34	112	2.9	1	2	2	3	4	4	5
35-49	0									35-49	65	4.1	3	2	3	4	6	7	7
50-69	0									50-69	50	6.6	10	3	4	6	9	12	12
70 +	0									70 +	0								
SUBTOTAL	**50**	**3.0**	**1**	**2**	**2**	**3**	**3**	**5**	**5**		**303**	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**57**	**3.0**	**1**	**2**	**2**	**3**	**3**	**5**	**5**		**433**	**4.4**	**6**	**2**	**3**	**4**	**5**	**8**	**10**

DRG 68: Otitis Media & URI Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	786	5.0	9	2	3	4	6	9	11	0-17	0								
70-74	558	4.9	8	2	3	4	6	8	10	18-34	882	2.8	2	1	2	2	3	4	5
75-79	491	5.6	12	2	3	5	8	10	13	35-49	500	3.3	4	1	2	3	4	7	7
80-84	409	5.4	13	2	3	5	6	10	12	50-69	573	3.5	5	1	2	3	5	6	8
85+	369	5.7	8	2	4	5	8	10	11	70+	51	5.2	15	<1	2	4	9	12	12
SUBTOTAL	**2613**	**5.3**	**10**	**2**	**3**	**4**	**7**	**10**	**11**		**2006**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2613**	**5.3**	**10**	**2**	**3**	**4**	**7**	**10**	**11**		**2006**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	153	3.6	4	1	2	3	4	6	9	18-34	636	2.9	4	1	2	2	3	5	8
35-49	88	4.8	2	3	4	4	6	7	8	35-49	410	4.1	9	2	2	3	5	9	12
50-69	116	6.1	15	2	3	5	8	13	14	50-69	318	6.4	24	1	3	5	7	15	18
70+	19	3.5	2							70+	40	4.3	2						
SUBTOTAL	**376**	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**9**		**1404**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**376**	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**9**		**1404**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**12**

DRG 69: Otitis Media & URI Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	280	3.6	7	1	2	2	5	7	8
70-74	240	3.9	7	1	2	3	5	8	10
75-79	197	4.3	6	2	3	4	6	7	8
80-84	146	4.3	5	2	3	4	5	6	11
85 +	95	3.5	4	1	2	3	5	7	8
SUBTOTAL	**958**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**958**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1047	2.5	2	1	2	2	3	4	5
35-49	685	2.9	3	1	2	3	4	5	6
50-69	429	3.6	6	1	2	3	4	7	10
70 +	36	2.8	2						
	2197	**2.9**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
	2197	**2.9**	**3**	**1**	**2**	**2**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	301	3.5	5	1	2	3	5	7	9
35-49	45	2.2	1						
50-69	19	2.0							
70 +	0								
SUBTOTAL	**364**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**364**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1196	2.6	4	1	2	2	3	4	6
35-49	517	2.6	2	1	1	2	3	5	5
50-69	317	3.4	4	1	2	3	5	6	7
70 +	9	1.0							
	2040	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
	2040	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 70: Otitis Media & URI Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9	9.0								0-17	2028	2.7	4	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**9**	**9.0**									**2028**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	3.0								0-17	3493	2.5	3	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**3493**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**17**	**6.3**	**9**								**5521**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1054	3.0	3	1	2	3	4	5	6	0-17	1353	3.0	8	1	2	2	3	5	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1054**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**1353**	**3.0**	**8**	**1**	**2**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2251	2.5	3	1	1	2	3	4	5	0-17	3842	2.5	3	1	1	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2251**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**3842**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3305**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**		**5195**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 71: Laryngotracheitis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	2.0								0-17	385	2.9	7	1	1	2	3	6	9
70-74	0									18-34	0								
75-79	9	18.0								35-49	9	3.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**17**	**10.7**	**67**								**394**	**2.9**	**6**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	4106	1.8	1	1	1	1	2	3	4
70-74	8	2.0								18-34	8	1.0							
75-79	0									35-49	9	2.0							
80-84	9	1.0								50-69	0								
85 +	8	6.0								70 +	0								
SUBTOTAL	**33**	**2.4**	**4**								**4123**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**50**	**5.3**	**41**	**< 1**	**1**	**2**	**6**	**18**	**18**		**4517**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	116	2.4	1	1	1	2	3	4	5	0-17	207	3.0	3	1	2	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	16	3.5							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**116**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**5**		**222**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1283	2.2	2	1	1	2	3	4	5	0-17	2584	1.8	1	1	1	1	2	3	4
18-34	9	2.0								18-34	9	2.0							
35-49	0									35-49	9	2.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1292**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**2602**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1408**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**2824**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 72: Nasal Trauma & Deformity

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	26	5.6	13						
70-74	9	1.0								18-34	54	1.8	2	< 1	< 1	1	2	5	5
75-79	0									35-49	37	1.8	2						
80-84	9	3.0								50-69	0								
85 +	42	5.7	31							70 +	8	1.0							
SUBTOTAL	**60**	**4.6**	**24**	**1**	**2**	**3**	**5**	**17**	**17**		**125**	**2.5**	**7**	**< 1**	**1**	**1**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	138	1.3		< 1	< 1	< 1	1	3	3
70-74	8	2.0								18-34	146	1.8	3	< 1	< 1	1	2	3	8
75-79	0									35-49	17	1.0							
80-84	0									50-69	9	1.0							
85 +	19	1.5								70 +	0								
SUBTOTAL	**26**	**1.6**									**310**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**87**	**3.7**	**19**	**1**	**2**	**2**	**3**	**5**	**17**		**436**	**1.8**	**3**	**< 1**	**< 1**	**1**	**1**	**4**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	33	1.7	1						
18-34	9	6.0								18-34	70	1.7	2	< 1	< 1	1	1	6	6
35-49	8	10.0								35-49	8	8.0							
50-69	0									50-69	19	2.5	2						
70 +	0									70 +	0								
SUBTOTAL	**17**	**7.8**	**4**								**129**	**2.2**	**4**	**< 1**	**1**	**1**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	19	1.0								0-17	293	1.1		< 1	< 1	1	1	1	1
18-34	46	1.0								18-34	187	1.7	4	< 1	< 1	1	1	3	8
35-49	0									35-49	34	3.1	4						
50-69	0									50-69	8	1.0							
70 +	0									70 +	19	1.5							
SUBTOTAL	**65**	**1.0**		**< 1**	**< 1**	**1**	**1**	**1**	**1**		**541**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**82**	**2.4**	**9**	**< 1**	**< 1**	**1**	**1**	**7**	**10**		**670**	**1.6**	**3**	**< 1**	**< 1**	**1**	**1**	**3**	**6**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	153	4.1	7	1	2	3	6	9	9		0-17	0									
70-74	167	7.5	63	1	3	5	10	19	33		18-34	54	4.4	7	1	2	5	6	9	9
75-79	125	5.2	22	2	2	3	7	8	20		35-49	71	3.1	4	1	2	3	3	8	8
80-84	95	8.0	20	3	5	8	11	13	18		50-69	116	4.5	7	2	2	4	7	8	10
85 +	141	5.9	25	1	2	3	8	15	18		70 +	8	7.0							
SUBTOTAL	**682**	**6.0**	**31**	**1**	**2**	**5**	**8**	**13**	**18**			**249**	**4.1**	**7**	**1**	**2**	**3**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	191	2.6	6	1	1	1	3	6	8		0-17	0									
70-74	119	2.7	10	1	1	2	3	5	14		18-34	222	3.2	4	1	2	3	4	5	6
75-79	98	2.8	7	< 1	1	3	3	4	11		35-49	322	3.0	4	1	1	3	4	6	6
80-84	79	2.6	5	1	1	2	2	7	7		50-69	231	2.9	5	< 1	1	2	3	6	8
85 +	59	6.2	13	2	3	6	8	13	13		70 +	17	8.4	26						
SUBTOTAL	**546**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**10**			**792**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1228**	**4.7**	**23**	**1**	**1**	**3**	**7**	**10**	**14**			**1041**	**3.4**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0										0-17	0									
18-34	50	1.6	1	< 1	1	1	2	3	3		18-34	68	3.8	14	1	1	2	6	12	12
35-49	8	2.0									35-49	57	3.5	4	1	2	3	6	7	7
50-69	0										50-69	155	10.4	173	1	3	7	12	14	60
70 +	0										70 +	9	12.0							
SUBTOTAL	**57**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**			**290**	**7.5**	**108**	**1**	**2**	**6**	**10**	**12**	**14**
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	26	1.9	1								18-34	293	2.7	5	1	1	2	3	5	9
35-49	9	3.0									35-49	371	2.7	4	< 1	1	2	4	6	7
50-69	17	1.5									50-69	241	2.3	4	< 1	1	1	3	6	7
70 +	0										70 +	17	2.4	2						
SUBTOTAL	**53**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**			**923**	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**110**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**			**1213**	**3.8**	**34**	**< 1**	**1**	**2**	**5**	**8**	**11**

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	131	3.2	4	1	1	3	4	7	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**131**	**3.2**	**4**	**1**	**1**	**3**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	1258	2.2	14	< 1	< 1	1	2	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**1258**	**2.2**	**14**	**< 1**	**< 1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**8**	**1.0**									**1389**	**2.3**	**13**	**< 1**	**< 1**	**1**	**2**	**4**	**7**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	118	2.1	1	1	1	2	3	4	4	0-17	171	4.0	9	< 1	1	4	6	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**118**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**171**	**4.0**	**9**	**< 1**	**1**	**4**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	605	2.2	5	< 1	1	1	2	5	8	0-17	948	2.1	3	< 1	1	1	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**605**	**2.2**	**5**	**< 1**	**1**	**1**	**2**	**5**	**8**		**948**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**723**	**2.2**	**5**	**< 1**	**1**	**1**	**2**	**4**	**7**		**1118**	**2.4**	**5**	**< 1**	**1**	**1**	**3**	**5**	**7**

DRG 75: Major Chest Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1643	12.3	70	5	7	9	15	25	28	0-17	247	11.6	64	4	5	9	16	21	25
70-74	1123	11.6	52	5	7	10	13	21	27	18-34	219	13.3	241	4	5	7	14	37	46
75-79	689	13.4	80	6	7	11	19	25	28	35-49	431	10.9	115	4	6	8	12	21	23
80-84	195	12.7	53	5	8	10	16	22	28	50-69	1337	10.1	55	4	6	8	12	21	27
85+	87	12.4	66	5	7	8	16	16	34	70+	65	9.4	9	6	7	9	12	16	16
SUBTOTAL	**3737**	**12.3**	**66**	**5**	**7**	**10**	**15**	**24**	**28**		**2299**	**10.7**	**84**	**4**	**6**	**8**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	469	7.7	14	4	6	7	9	13	16	0-17	338	7.0	56	3	4	4	6	12	28
70-74	354	7.5	7	4	6	7	9	11	12	18-34	301	7.7	21	3	4	6	12	14	17
75-79	270	7.0	9	3	4	7	9	10	14	35-49	374	6.4	15	2	4	6	8	12	14
80-84	25	7.9	1							50-69	687	7.0	20	4	5	6	8	11	13
85+	8	10.0								70+	81	6.3	9	2	4	6	9	11	12
SUBTOTAL	**1125**	**7.5**	**11**	**4**	**6**	**7**	**9**	**11**	**14**		**1780**	**7.0**	**26**	**3**	**4**	**6**	**8**	**12**	**14**
GRAND TOTAL	**4861**	**11.2**	**57**	**5**	**7**	**9**	**13**	**21**	**26**		**4079**	**9.1**	**62**	**3**	**5**	**7**	**10**	**16**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	48	11.1	23	4	5	15	15	15	15	0-17	112	7.2	13	4	5	7	7	11	17
18-34	42	10.8	43							18-34	287	11.7	40	5	7	10	15	22	25
35-49	46	12.4	35							35-49	311	9.5	38	4	5	7	13	19	24
50-69	85	8.1	10	5	7	8	10	10	14	50-69	1266	10.1	43	5	7	8	12	17	21
70+	25	12.4	15							70+	42	9.1	5						
SUBTOTAL	**247**	**10.4**	**26**	**4**	**7**	**10**	**15**	**18**	**18**		**2018**	**10.0**	**40**	**5**	**6**	**8**	**12**	**17**	**23**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	54	5.9	16	2	4	4	7	15	15	0-17	174	7.5	25	3	4	6	10	12	20
18-34	53	5.4	3	4	4	5	7	8	8	18-34	284	8.3	26	3	5	7	12	15	19
35-49	19	4.0	4							35-49	266	6.0	7	4	4	5	8	9	10
50-69	40	11.1	18							50-69	722	7.5	19	4	5	7	8	11	14
70+	0									70+	9	9.0							
SUBTOTAL	**166**	**6.8**	**17**	**3**	**4**	**5**	**8**	**15**	**15**		**1456**	**7.4**	**19**	**4**	**5**	**6**	**8**	**12**	**15**
GRAND TOTAL	**413**	**9.0**	**26**	**4**	**5**	**7**	**14**	**15**	**18**		**3474**	**8.9**	**33**	**4**	**6**	**7**	**11**	**15**	**21**

DRG 76: Other Resp System O.R. Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1299	10.8	81	2	4	8	13	25	30	0-17	67	13.1	231	1	5	8	20	48	48
70-74	1148	11.0	67	3	6	9	13	20	24	18-34	241	12.1	69	2	5	11	17	22	32
75-79	748	11.1	90	2	4	9	15	26	29	35-49	309	7.5	52	1	2	5	12	19	22
80-84	445	11.4	75	3	5	10	15	21	29	50-69	940	9.5	58	2	4	8	12	22	26
85 +	282	12.1	195	4	6	9	13	17	58	70 +	70	8.1	22	1	6	9	10	16	16
SUBTOTAL	**3922**	**11.1**	**86**	**3**	**5**	**9**	**14**	**23**	**28**		**1626**	**9.6**	**66**	**2**	**4**	**8**	**13**	**20**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3922**	**11.1**	**86**	**3**	**5**	**9**	**14**	**23**	**28**		**1626**	**9.6**	**66**	**2**	**4**	**8**	**13**	**20**	**26**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	33	10.8	70							0-17	33	10.1	132						
18-34	68	19.8	358	2	6	11	27	62	62	18-34	161	14.8	95	5	7	13	16	35	40
35-49	70	12.9	225	1	3	8	13	52	52	35-49	258	12.7	102	1	4	11	19	30	32
50-69	138	13.9	58	6	8	14	18	28	31	50-69	511	12.0	138	2	4	9	15	24	33
70 +	26	12.5	8							70 +	53	11.1	100	2	2	8	14	30	30
SUBTOTAL	**335**	**14.5**	**158**	**2**	**7**	**11**	**18**	**29**	**46**		**1015**	**12.5**	**121**	**2**	**5**	**10**	**17**	**27**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**335**	**14.5**	**158**	**2**	**7**	**11**	**18**	**29**	**46**		**1015**	**12.5**	**121**	**2**	**5**	**10**	**17**	**27**	**33**

DRG 77: Other Resp System O.R. Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	264	4.3	26	< 1	1	2	7	15	17	0-17	103	6.1	87	< 1	< 1	1	4	15	34
70-74	194	6.0	22	1	2	4	10	13	15	18-34	153	3.3	11	1	1	1	4	9	12
75-79	129	6.6	29	1	2	4	12	14	19	35-49	132	4.5	19	1	1	2	7	13	14
80-84	91	4.7	10	< 1	1	5	6	9	11	50-69	278	4.1	17	1	1	2	7	9	10
85+	43	13.8	143							70+	17	5.4	17						
SUBTOTAL	**721**	**5.8**	**35**	**1**	**1**	**3**	**8**	**15**	**17**		**683**	**4.3**	**27**	**1**	**1**	**2**	**7**	**10**	**14**
GRAND TOTAL	**721**	**5.8**	**35**	**1**	**1**	**3**	**8**	**15**	**17**		**683**	**4.3**	**27**	**1**	**1**	**2**	**7**	**10**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	33	3.0	5							0-17	39	7.6	71						
18-34	28	9.7								18-34	118	3.8	13	1	1	2	5	11	11
35-49	17	7.0	32							35-49	124	4.9	31	1	1	2	8	15	19
50-69	25	7.0	59							50-69	168	4.3	29	1	1	1	4	13	16
70+	0									70+	8	11.0							
SUBTOTAL	**102**	**6.4**	**28**	**1**	**2**	**7**	**10**	**13**	**18**		**457**	**4.7**	**30**	**1**	**1**	**2**	**7**	**13**	**17**
GRAND TOTAL	**102**	**6.4**	**28**	**1**	**2**	**7**	**10**	**13**	**18**		**457**	**4.7**	**30**	**1**	**1**	**2**	**7**	**13**	**17**

DRG 78: Pulmonary Embolism

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	691	9.1	24	5	6	8	10	18	19
70-74	775	9.3	13	6	7	9	11	14	16
75-79	662	9.8	20	5	7	9	11	17	17
80-84	530	9.2	17	6	7	8	11	13	19
85 +	335	10.3	29	5	7	8	13	17	22
SUBTOTAL	**2994**	**9.5**	**20**	**5**	**7**	**8**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	485	7.5	6	5	6	7	9	10	13
70-74	332	7.9	4	6	6	7	9	10	11
75-79	316	7.4	7	5	6	7	8	10	12
80-84	130	7.3	8	3	5	8	10	11	11
85 +	78	8.7	11	4	7	8	9	16	16
SUBTOTAL	**1341**	**7.6**	**6**	**5**	**6**	**7**	**9**	**10**	**11**
GRAND TOTAL	**4335**	**8.9**	**16**	**5**	**6**	**8**	**10**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	98	7.6	15	3	6	7	9	15	15
35-49	315	8.3	11	5	6	8	10	12	16
50-69	525	9.4	19	6	7	8	11	18	19
70 +	45	9.2	7						
	982	**8.9**	**16**	**5**	**6**	**8**	**10**	**15**	**18**
0-17	9	3.0							
18-34	180	5.1	6	< 1	4	5	6	7	9
35-49	302	7.6	7	5	6	7	9	10	14
50-69	514	8.0	8	4	6	8	10	11	14
70 +	23	6.3							
	1029	**7.3**	**8**	**4**	**6**	**7**	**9**	**11**	**13**
	2011	**8.0**	**12**	**4**	**6**	**7**	**10**	**12**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	51	6.2	3	4	5	6	8	9	9
35-49	36	6.5	1						
50-69	53	8.5	1	8	8	8	9	10	10
70 +	0								
SUBTOTAL	**140**	**7.2**	**3**	**5**	**6**	**8**	**8**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9	9.0							
18-34	26	6.5	4						
35-49	28	7.7	11						
50-69	9	7.0							
70 +	0								
SUBTOTAL	**73**	**7.3**	**6**	[illegible]	**6**	**9**	**10**	**10**	**10**
GRAND TOTAL	**212**	**7.2**	**4**	**4**	**6**	**8**	**9**	**10**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	119	10.1	37	5	6	8	12	20	25
35-49	160	10.0	18	4	7	10	12	15	23
50-69	385	9.4	15	5	7	8	12	14	15
70 +	140	8.4	10	5	7	8	10	13	16
	804	**9.4**	**18**	**5**	**7**	**8**	**12**	**15**	**16**
0-17	16	3.0	4						
18-34	98	6.6	8	2	5	8	9	9	10
35-49	158	6.7	8	2	4	7	8	10	12
50-69	295	7.4	4	5	6	7	8	10	11
70 +	60	7.2	15	2	5	7	8	16	16
	628	**7.0**	**7**	**4**	**6**	**7**	**8**	**10**	**11**
	1432	**8.4**	**15**	**4**	**6**	**8**	**10**	**13**	**15**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2666	10.6	62	4	6	9	12	21	26
70-74	2571	9.8	48	4	5	8	12	18	22
75-79	2461	9.7	38	4	5	8	13	17	22
80-84	2822	10.1	43	4	6	8	13	18	23
85 +	3589	10.8	46	4	6	9	13	19	25
SUBTOTAL	**14108**	**10.2**	**47**	**4**	**6**	**8**	**13**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14108**	**10.2**	**47**	**4**	**6**	**8**	**13**	**18**	**24**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	422	9.5	36	3	5	8	13	19	24
35-49	401	10.2	44	4	5	8	14	21	22
50-69	702	10.9	166	4	5	7	11	20	40
70 +	292	10.2	67	4	5	7	13	18	35
	1817	**10.3**	**93**	**4**	**5**	**8**	**13**	**20**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1817	**10.3**	**93**	**4**	**5**	**8**	**13**	**20**	**25**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	212	10.2	70	3	6	8	11	17	25
35-49	155	8.3	30	4	4	7	10	20	23
50-69	333	9.0	30	4	5	8	12	18	21
70 +	157	9.7	34	4	6	8	12	22	24
SUBTOTAL	**857**	**9.3**	**41**	**4**	**5**	**8**	**11**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**857**	**9.3**	**41**	**4**	**5**	**8**	**11**	**18**	**23**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	760	11.7	81	4	6	10	14	22	25
35-49	942	11.6	73	4	6	10	14	21	29
50-69	939	11.4	71	4	6	8	14	23	30
70 +	234	12.3	135	3	4	7	16	31	40
	2874	**11.6**	**80**	**4**	**6**	**9**	**14**	**23**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2874	**11.6**	**80**	**4**	**6**	**9**	**14**	**23**	**29**

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	361	6.1	14	2	4	5	7	11	16	0-17	0								
70-74	315	6.6	12	2	4	6	8	11	14	18-34	144	6.4	33	2	3	4	7	13	24
75-79	367	8.2	56	3	5	6	9	15	17	35-49	214	5.9	15	2	3	5	7	10	11
80-84	437	7.8	24	3	4	7	10	13	17	50-69	283	6.3	11	3	4	6	8	10	15
85 +	412	7.1	24	2	4	6	9	11	14	70 +	68	10.3	57	2	6	6	13	27	27
SUBTOTAL	**1892**	**7.2**	**27**	**2**	**4**	**6**	**9**	**12**	**16**		**710**	**6.6**	**22**	**2**	**3**	**6**	**8**	**12**	**15**
GRAND TOTAL	**1892**	**7.2**	**27**	**2**	**4**	**6**	**9**	**12**	**16**		**710**	**6.6**	**22**	**2**	**3**	**6**	**8**	**12**	**15**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	43	6.8	24							18-34	205	6.5	12	1	4	7	8	10	12
35-49	26	9.2	19							35-49	272	7.8	26	3	3	7	11	16	17
50-69	43	17.1	119							50-69	281	8.4	42	3	3	6	12	20	23
70 +	28	13.0	19							70 +	16	4.5	2						
SUBTOTAL	**141**	**11.6**	**69**	3	**6**	**9**	**15**	**25**	**35**		**774**	**7.6**	**29**	**3**	**3**	**7**	**9**	**16**	**20**
GRAND TOTAL	**141**	**11.6**	**69**	**3**	**6**	**9**	**15**	**25**	**35**		**774**	**7.6**	**29**	**3**	**3**	**7**	**9**	**16**	**20**

DRG 81: Respiratory Infections & Inflammations Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	419	7.6	38	2	3	7	10	15	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	419	**7.6**	**38**	**2**	**3**	**7**	**10**	**15**	**17**
0-17	326	5.1	33	1	2	4	6	10	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	326	**5.1**	**33**	**1**	**2**	**4**	**6**	**10**	**15**
	745	**6.5**	**37**	**2**	**2**	**5**	**9**	**14**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	395	10.6	142	2	3	8	14	21	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**395**	**10.6**	**142**	**2**	**3**	**8**	**14**	**21**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	289	4.6	12	1	2	4	6	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**289**	**4.6**	**12**	**1**	**2**	**4**	**6**	**8**	**12**
GRAND TOTAL	**683**	**8.1**	**96**	**1**	**3**	**5**	**10**	**17**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	258	8.3	39	2	3	7	13	16	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	258	**8.3**	**33**	**2**	**3**	**7**	**13**	**16**	**20**
0-17	171	7.1	35	1	2	6	10	15	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	171	**7.1**	**35**	**1**	**2**	**6**	**10**	**15**	**18**
	429	**7.8**	**38**	**1**	**3**	**6**	**12**	**16**	**20**

DRG 82: Respiratory Neoplasms

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1819	8.3	40	3	4	7	10	17	21
70-74	1914	7.7	35	2	3	6	10	14	20
75-79	1231	7.7	36	2	4	6	10	15	22
80-84	881	7.5	40	3	3	5	10	17	20
85 +	417	8.5	64	2	4	7	10	15	25
SUBTOTAL	**6262**	**7.9**	**39**	**2**	**4**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	289	4.1	8	1	2	3	6	8	11
70-74	140	5.6	11	2	3	5	7	13	14
75-79	175	6.5	31	2	2	6	9	10	22
80-84	113	6.2	28	2	2	4	7	11	21
85 +	99	4.9	4	2	3	5	6	8	9
SUBTOTAL	**816**	**5.3**	**17**	**1**	**2**	**4**	**7**	**9**	**13**
GRAND TOTAL	**7078**	**7.6**	**37**	**2**	**3**	**6**	**10**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	14.3	131						
18-34	8	6.0							
35-49	394	6.7	17	2	4	6	8	13	15
50-69	1583	6.6	26	2	3	6	9	12	15
70 +	138	7.8	29	2	4	7	10	18	21
	2153	**6.8**	**27**	**2**	**3**	**6**	**9**	**14**	**16**
0-17	16	11.5	118						
18-34	26	3.5	3						
35-49	105	5.0	9	1	3	5	8	9	10
50-69	256	4.0	15	< 1	1	3	4	13	13
70 +	17	1.5							
	420	**4.4**	**18**	**1**	**2**	**3**	**6**	**10**	**13**
	2573	**6.4**	**26**	**1**	**3**	**5**	**8**	**13**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	4.0	10						
18-34	8	7.0							
35-49	91	6.1	10	2	4	5	9	10	11
50-69	218	6.8	49	2	3	4	7	14	17
70 +	59	8.2	92	2	2	3	11	31	31
SUBTOTAL	**392**	**6.7**	**44**	**2**	**3**	**4**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	3.3	3						
18-34	0								
35-49	26	9.7	130						
50-69	9	2.0							
70 +	0								
SUBTOTAL	**59**	**6.0**	**70**	**1**	**2**	**3**	**5**	**27**	**27**
GRAND TOTAL	**451**	**6.6**	**48**	**2**	**3**	**4**	**8**	**12**	**27**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	9	3.0							
18-34	95	4.9	7	1	3	5	6	9	10
35-49	346	8.0	23	2	5	7	11	13	19
50-69	1453	7.5	36	2	4	6	9	14	21
70 +	248	5.4	12	2	2	5	6	10	11
	2152	**7.2**	**30**	**2**	**4**	**6**	**9**	**13**	**19**
0-17	9	3.0							
18-34	33	3.8	3						
35-49	123	8.0	37	1	3	7	13	16	21
50-69	266	4.7	7	2	3	4	6	8	10
70 +	36	5.4	7						
	466	**5.5**	**17**	**1**	**3**	**5**	**7**	**10**	**16**
	2617	**6.9**	**28**	**2**	**3**	**6**	**8**	**13**	**18**

DRG 83: Major Chest Trauma w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	291	6.7	17	3	4	6	8	13	15	0-17	43	4.1	3						
70-74	253	6.2	21	3	3	4	7	11	19	18-34	164	3.6	7	1	2	3	4	5	13
75-79	304	7.5	21	3	4	6	10	14	19	35-49	294	4.8	8	2	3	4	7	8	10
80-84	206	7.7	27	3	4	6	11	14	20	50-69	477	5.2	16	1	2	4	8	10	12
85 +	310	6.8	14	4	4	6	9	13	14	70 +	56	13.3	24	7	9	13	16	22	22
SUBTOTAL	1364	7.0	20	3	4	6	9	13	16		1035	5.2	16	2	2	4	7	10	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	1364	7.0	20	3	4	6	9	13	16		1035	5.2	16	2	2	4	7	10	12

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	2.5								0-17	45	2.9	4						
18-34	26	3.4	2							18-34	169	4.1	5	1	3	4	6	7	8
35-49	8	4.0								35-49	225	5.4	23	1	2	4	7	9	19
50-69	26	4.5	3							50-69	189	5.4	18	2	2	4	7	9	13
70 +	0									70 +	19	9.0	17						
SUBTOTAL	76	3.6	2	2	2	3	5	6	6		646	5.0	16	1	2	4	6	9	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	76	3.6	2	2	2	3	5	6	6		646	5.0	16	1	2	4	6	9	13

DRG 84: Major Chest Trauma w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	3.0	1	2	2	3	4	5	5	0-17	25	2.3	2						
70-74	60	3.8	5	1	2	3	7	7	7	18-34	222	2.4	2	1	1	2	3	5	5
75-79	62	2.7	2	1	2	2	3	6	6	35-49	152	2.1	1	1	1	2	2	5	5
80-84	99	3.9	6	2	2	3	5	6	10	50-69	248	2.8	4	1	1	2	4	6	6
85 +	54	3.4	1	2	3	3	4	5	5	70 +	59	6.0	24	1	1	4	12	14	14
SUBTOTAL	**339**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**		**705**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**339**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**		**705**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	36	2.7	1						
18-34	19	3.0								18-34	222	2.7	7	1	1	2	3	5	7
35-49	19	2.0	1							35-49	181	2.7	2	1	2	2	4	5	6
50-69	9	2.0								50-69	144	3.1	5	1	1	2	4	7	8
70 +	0									70 +	8	2.0							
SUBTOTAL	**54**	**2.2**	**1**	**< 1**	**1**	**3**	**3**	**3**	**3**		**591**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**54**	**2.2**	**1**	**< 1**	**1**	**3**	**3**	**3**	**3**		**591**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 85: Pleural Effusion w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	588	6.7	37	1	3	5	9	18	20	0-17	56	5.3	52	1	1	2	4	21	21
70-74	499	5.2	14	2	3	4	7	8	9	18-34	16	4.0							
75-79	462	7.1	26	3	3	6	8	14	22	35-49	34	3.6	3						
80-84	417	7.0	40	2	3	5	8	13	23	50-69	240	5.6	36	2	2	3	7	9	20
85 +	402	8.3	39	3	4	7	10	15	17	70 +	25	7.2	9						
SUBTOTAL	**2367**	**6.8**	**32**	**2**	**3**	**5**	**8**	**13**	**20**		**371**	**5.4**	**32**	**1**	**2**	**3**	**6**	**9**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2367**	**6.8**	**32**	**2**	**3**	**5**	**8**	**13**	**20**		**371**	**5.4**	**32**	**1**	**2**	**3**	**6**	**9**	**20**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	5.5	3	3	3	6	7	7	7	0-17	16	3.0	4						
18-34	9	6.0								18-34	115	6.3	21	2	2	6	9	11	17
35-49	36	10.4	29							35-49	50	4.2	4	< 1	3	4	6	7	7
50-69	73	5.6	8	1	3	5	8	10	10	50-69	177	7.3	24	1	4	6	12	15	15
70 +	0									70 +	79	4.2	11	1	2	4	4	11	13
SUBTOTAL	**164**	**6.6**	**15**	**2**	**3**	**6**	**9**	**13**	**16**		**436**	**6.0**	**20**	**1**	**2**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**164**	**6.6**	**15**	**2**	**3**	**6**	**9**	**13**	**16**		**436**	**6.0**	**20**	**1**	**2**	**5**	**8**	**12**	**15**

DRG 86: Pleural Effusion w/o CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	146	3.6	5	1	2	3	5	7	9
70-74	78	3.7	5	1	2	2	5	7	7
75-79	60	6.0	6	2	4	6	9	10	10
80-84	67	4.1	3	2	3	4	4	8	8
85 +	45	5.7	31						
SUBTOTAL	**396**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**396**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	4.0							
18-34	28	8.0	13						
35-49	70	3.1	3	2	2	3	3	8	8
50-69	125	4.0	21	1	1	2	5	6	19
70 +	9	4.0							
	240	**4.2**	**16**	**1**	**2**	**3**	**5**	**10**	**11**
	240	**4.2**	**16**	**1**	**2**	**3**	**5**	**10**	**11**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	9	7.0							
70 +	9	1.0							
SUBTOTAL	**19**	**4.0**	**10**						
GRAND TOTAL	**19**	**4.0**	**10**						

NO INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	23	7.7	7						
18-34	16	7.0							
35-49	104	9.1	88	2	2	3	15	26	28
50-69	98	7.5	39	1	3	6	11	12	24
70 +	9	4.0							
	250	**8.0**	**53**	**2**	**3**	**6**	**11**	**20**	**26**
	250	**8.0**	**53**	**2**	**3**	**6**	**11**	**20**	**26**

DRG 87: Pulmonary Edema & Respiratory Failure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2914	6.8	21	3	4	6	8	12	15	0-17	50	7.8	15	2	5	7	11	14	14
70-74	1610	6.8	19	3	4	6	9	12	14	18-34	51	3.6	2	2	3	3	4	6	6
75-79	1408	7.0	24	3	4	6	9	12	17	35-49	108	4.7	9	1	3	4	6	10	11
80-84	931	7.2	36	3	4	6	9	13	15	50-69	869	7.0	29	2	4	6	8	15	20
85+	804	7.7	41	3	4	6	9	12	16	70+	104	6.0	12	3	4	4	7	12	13
SUBTOTAL	**7667**	**7.0**	**25**	**3**	**4**	**6**	**9**	**12**	**15**		**1182**	**6.5**	**24**	**2**	**3**	**5**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	161	5.3	14	1	2	5	7	10	16	0-17	17	1.5							
70-74	118	3.1	4	1	1	3	5	6	6	18-34	9	4.0							
75-79	175	5.4	7	3	4	4	7	10	11	35-49	42	3.8	7						
80-84	98	4.7	14	1	2	3	9	9	13	50-69	149	3.7	7	2	2	3	4	8	12
85+	81	4.0	5	2	3	4	4	7	10	70+	19	3.5	7						
SUBTOTAL	**632**	**4.7**	**10**	**1**	**2**	**4**	**6**	**9**	**10**		**236**	**3.5**	**6**	**1**	**2**	**3**	**4**	**8**	**8**
GRAND TOTAL	**8299**	**6.8**	**24**	**3**	**4**	**6**	**8**	**12**	**15**		**1418**	**6.0**	**23**	**2**	**3**	**5**	**7**	**12**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	5.0								0-17	31	13.8	196						
18-34	37	9.5	145							18-34	62	3.4	4	1	1	3	6	6	6
35-49	82	4.6	9	1	4	4	4	12	12	35-49	104	3.7	5	2	2	3	5	5	10
50-69	262	9.1	38	3	5	7	12	19	21	50-69	638	6.5	36	2	3	5	8	12	17
70+	37	8.8	6							70+	110	8.6	112	2	4	6	7	13	45
SUBTOTAL	**426**	**8.2**	**41**	**2**	**4**	**6**	**10**	**17**	**21**		**945**	**6.5**	**48**	**2**	**3**	**4**	**7**	**11**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	4.0								0-17	17	2.1	1						
18-34	9	3.0								18-34	45	3.4	2						
35-49	0									35-49	26	7.5	6						
50-69	56	3.7	2	2	3	3	4	6	6	50-69	43	4.6	4						
70+	8	12.0								70+	19	3.5							
SUBTOTAL	**81**	**4.4**	**7**	**2**	**3**	**4**	**4**	**9**	**12**		**150**	**4.3**	**6**	**1**	**3**	**4**	**5**	**8**	**10**
GRAND TOTAL	**507**	**7.6**	**38**	**2**	**4**	**5**	**10**	**15**	**21**		**1096**	**6.2**	**43**	**2**	**3**	**4**	**7**	**11**	**15**

DRG 88: Chronic Obstructive Pulmonary Disease

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2779	6.1	15	2	4	5	8	11	14	0-17	16	1.5							
70-74	2602	6.0	13	2	3	5	8	10	13	18-34	19	2.0							
75-79	1891	5.8	15	2	3	5	7	11	14	35-49	175	5.5	14	2	3	4	6	8	15
80-84	971	6.2	21	2	3	5	8	12	14	50-69	1130	5.9	19	2	3	5	7	10	15
85 +	446	6.1	16	2	3	5	7	10	14	70 +	122	5.6	11	2	4	5	7	9	14
SUBTOTAL	**8689**	**6.0**	**15**	**2**	**3**	**5**	**8**	**11**	**14**		**1462**	**5.7**	**18**	**2**	**3**	**4**	**7**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2200	5.2	20	2	3	4	6	11	13	0-17	34	2.2	3						
70-74	1792	5.1	14	2	3	4	6	10	11	18-34	9	6.0							
75-79	1161	5.2	9	2	3	5	7	9	10	35-49	161	4.5	11	2	2	4	5	8	16
80-84	718	5.0	8	2	3	5	6	9	10	50-69	1148	4.7	13	1	3	4	6	8	11
85 +	234	4.0	6	1	3	3	5	7	9	70 +	95	2.8	3	1	1	3	4	5	6
SUBTOTAL	**6104**	**5.1**	**14**	**2**	**3**	**4**	**6**	**9**	**12**		**1447**	**4.5**	**12**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**14793**	**5.6**	**15**	**2**	**3**	**5**	**7**	**10**	**13**		**2909**	**5.1**	**15**	**2**	**3**	**4**	**6**	**8**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9	7.0								0-17	8	13.0							
18-34	0									18-34	0								
35-49	70	4.8	12	2	2	3	5	13	13	35-49	115	6.5	32	2	3	5	7	12	23
50-69	516	5.8	25	2	3	4	7	12	15	50-69	778	6.3	16	2	4	5	8	11	14
70 +	19	9.5	21							70 +	140	9.2	72	3	5	7	11	16	40
SUBTOTAL	**613**	**5.8**	**23**	**2**	**3**	**4**	**7**	**13**	**15**		**1040**	**6.8**	**26**	**2**	**4**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9	2.0								0-17	25	2.6	3						
18-34	28	2.3	1							18-34	50	3.9	2	1	3	4	5	5	5
35-49	119	4.2	4	2	3	4	5	7	9	35-49	228	3.5	3	1	3	3	4	6	7
50-69	537	5.2	12	2	3	4	7	10	11	50-69	1132	4.6	6	2	3	4	6	8	9
70 +	9	3.0								70 +	121	5.8	9	2	3	5	8	10	12
SUBTOTAL	**703**	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**11**		**1556**	**4.4**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1316**	**5.3**	**17**	**2**	**3**	**4**	**7**	**11**	**14**		**2596**	**5.4**	**16**	**2**	**3**	**4**	**7**	**9**	**12**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11158	6.9	18	3	4	6	9	12	15	0-17	0								
70-74	10488	7.0	25	3	4	6	9	12	14	18-34	1272	5.0	11	2	3	4	6	9	12
75-79	10955	7.3	25	3	4	6	9	13	16	35-49	2045	5.7	13	2	3	5	7	11	13
80-84	9930	7.3	21	3	4	6	9	12	15	50-69	4917	6.4	18	2	4	5	8	11	14
85 +	11621	7.9	27	3	5	7	10	14	17	70 +	959	6.4	16	3	4	6	8	11	13
SUBTOTAL	**54152**	**7.3**	**23**	**3**	**4**	**6**	**9**	**12**	**15**		**9193**	**6.0**	**16**	**2**	**3**	**5**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**54152**	**7.3**	**23**	**3**	**4**	**6**	**9**	**12**	**15**		**9193**	**6.0**	**16**	**2**	**3**	**5**	**8**	**11**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	556	5.7	14	2	3	4	7	11	15	18-34	1366	5.7	21	2	3	4	6	11	14
35-49	677	7.2	28	3	4	6	9	14	19	35-49	1870	6.1	18	2	3	5	8	11	14
50-69	1299	6.5	13	3	4	6	8	11	13	50-69	3932	6.9	18	3	4	6	9	12	15
70 +	358	8.2	16	3	5	7	11	14	19	70 +	1098	8.1	43	3	4	6	9	15	23
SUBTOTAL	**2890**	**6.7**	**17**	**3**	**4**	**6**	**8**	**12**	**15**		**8266**	**6.7**	**22**	**2**	**4**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2890**	**6.7**	**17**	**3**	**4**	**6**	**8**	**12**	**15**		**8266**	**6.7**	**22**	**2**	**4**	**5**	**8**	**12**	**15**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2353	5.0	7	2	3	5	6	9	10
70-74	2277	5.6	8	3	4	5	7	9	11
75-79	1952	5.6	9	2	4	5	7	9	11
80-84	1796	5.6	8	3	3	5	7	9	11
85 +	2527	6.5	15	3	4	6	8	11	13
SUBTOTAL	**10905**	**5.7**	**10**	**2**	**4**	**5**	**7**	**9**	**11**
GRAND TOTAL	**10905**	**5.7**	**10**	**2**	**4**	**5**	**7**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2027	3.7	4	2	2	3	4	6	8
35-49	2450	3.8	4	2	3	4	5	6	8
50-69	2184	4.5	6	2	3	4	6	8	10
70 +	307	5.5	22	3	3	4	5	15	16
	6969	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
	6969	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	528	4.3	4	2	3	4	5	6	8
35-49	362	3.5	2	2	3	3	5	5	6
50-69	268	5.6	11	2	3	4	7	11	13
70 +	74	4.4	3	3	3	4	5	8	8
SUBTOTAL	**1233**	**4.4**	**5**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**1233**	**4.4**	**5**	**2**	**3**	**4**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1903	4.1	6	2	2	4	5	7	9
35-49	1882	4.6	5	2	3	4	5	8	9
50-69	1589	5.4	14	2	3	5	6	9	10
70 +	222	4.4	5	2	3	4	5	8	9
	5596	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**9**
	5596	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**9**

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	82	12.6	92	3	5	9	18	30	30
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**82**	**12.6**	**92**	**3**	**5**	**9**	**18**	**30**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	62	4.0	4	2	3	3	5	8	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**62**	**4.0**	**4**	**2**	**3**	**3**	**5**	**8**	**8**
GRAND TOTAL	**144**	**8.9**	**72**	**3**	**3**	**5**	**9**	**27**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3949	4.1	14	2	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3949	**4.1**	**14**	**2**	**2**	**3**	**5**	**7**	**10**
0-17	8923	3.3	6	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8923	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**7**
	12873	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3101	4.6	14	2	3	4	5	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3101**	**4.6**	**14**	**2**	**3**	**4**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6997	3.5	5	2	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6997**	**3.5**	**5**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**10098**	**3.9**	**8**	**2**	**2**	**3**	**5**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2976	4.5	12	2	2	3	6	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2976	**4.5**	**12**	**2**	**2**	**3**	**6**	**9**	**11**
0-17	6531	3.2	4	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6531	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
	9507	**3.6**	**7**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 92: Interstitial Lung Disease w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	225	5.3	15	2	3	4	6	9	9
70-74	370	6.3	14	2	3	7	8	11	12
75-79	354	7.9	26	4	4	8	9	13	22
80-84	175	9.0	48	4	5	7	9	26	28
85 +	144	7.9	14	3	6	7	11	14	16
SUBTOTAL	**1269**	**7.1**	**24**	**2**	**4**	**6**	**9**	**11**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1269**	**7.1**	**24**	**2**	**4**	**6**	**9**	**11**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	6.9	76	2	2	4	6	29	29
18-34	8	2.0							
35-49	60	7.3	16	2	3	7	11	13	13
50-69	225	5.6	11	2	3	5	8	11	11
70 +	36	5.0	5						
	389	**5.9**	**22**	**2**	**3**	**5**	**8**	**11**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	389	**5.9**	**22**	**2**	**3**	**5**	**8**	**11**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	17	2.5							
18-34	17	5.8	4						
35-49	28	6.0	9						
50-69	53	7.8	15	3	4	6	12	12	12
70 +	25	5.7	4						
SUBTOTAL	**140**	**6.2**	**11**	**2**	**3**	**6**	**8**	**12**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**140**	**6.2**	**11**	**2**	**3**	**6**	**8**	**12**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.5	2						
18-34	68	5.7	13	1	3	4	9	11	11
35-49	82	9.7	47	3	4	7	13	20	25
50-69	171	9.4	114	2	3	6	11	16	22
70 +	28	8.0	5						
	365	**8.4**	**70**	**2**	**3**	**6**	**10**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	365	**8.4**	**70**	**2**	**3**	**6**	**10**	**16**	**22**

DRG 93: Interstitial Lung Disease w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	149	4.8	2	3	4	5	6	7	8	0-17	132	3.4	6	< 1	1	3	5	7	10
70-74	36	4.7	2							18-34	45	4.0	1						
75-79	99	4.9	7	2	3	4	7	8	11	35-49	46	4.0	2						
80-84	33	3.2	1							50-69	45	4.2	2						
85 +	51	10.8	47	3	3	8	18	19	19	70 +	19	7.0	1						
SUBTOTAL	**368**	**5.5**	**14**	**3**	**3**	**4**	**6**	**8**	**15**		**287**	**3.9**	**5**	**1**	**2**	**4**	**5**	**6**	**8**
GRAND TOTAL	**368**	**5.5**	**14**	**3**	**3**	**4**	**6**	**8**	**15**		**287**	**3.9**	**5**	**1**	**2**	**4**	**5**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	54	3.1	3	1	1	3	5	5	5	0-17	25	4.7	2						
18-34	17	4.6	2							18-34	65	3.4	5	< 1	1	3	5	6	6
35-49	19	6.0	10							35-49	68	4.6	5	1	3	4	6	9	9
50-69	17	3.7	7							50-69	56	7.4	7	4	5	7	11	11	11
70 +	0									70 +	9	1.0							
SUBTOTAL	**107**	**3.9**	**6**	**1**	**3**	**3**	**6**	**6**	**9**		**224**	**4.8**	**7**	**1**	**3**	**5**	**6**	**9**	**11**
GRAND TOTAL	**107**	**3.9**	**6**	**1**	**3**	**3**	**6**	**6**	**9**		**224**	**4.8**	**7**	**1**	**3**	**5**	**6**	**9**	**11**

DRG 94: Pneumothorax w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	480	9.2	77	3	4	6	10	22	34	0-17	90	5.2	13	< 1	2	4	9	10	10
70-74	254	6.6	35	2	3	4	9	13	22	18-34	249	8.3	246	1	3	5	9	10	11
75-79	339	6.7	20	2	3	5	10	14	16	35-49	164	5.6	6	3	4	4	7	9	10
80-84	254	6.7	10	3	4	5	8	12	13	50-69	407	7.0	25	2	3	5	9	14	17
85 +	135	7.4	16	3	4	6	12	13	15	70 +	59	6.2	8	3	4	5	10	10	10
SUBTOTAL	**1463**	**7.6**	**40**	**3**	**3**	**6**	**10**	**14**	**17**		**970**	**6.9**	**77**	**2**	**3**	**5**	**9**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1463**	**7.6**	**40**	**3**	**3**	**6**	**10**	**14**	**17**		**970**	**6.9**	**77**	**2**	**3**	**5**	**9**	**11**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	36	5.7	15							0-17	84	5.3	16	1	2	4	9	12	12
18-34	34	8.5	50							18-34	363	5.0	11	2	3	4	6	8	10
35-49	37	12.0	201							35-49	304	5.7	11	2	3	5	8	11	14
50-69	25	8.8	9							50-69	220	7.7	31	3	4	6	10	17	17
70 +	8	13.0								70 +	45	10.2	73						
SUBTOTAL	**140**	**9.0**	**76**	**1**	**2**	**7**	**13**	**16**	**36**		**1016**	**6.1**	**20**	**2**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**140**	**9.0**	**76**	**1**	**2**	**7**	**13**	**16**	**36**		**1016**	**6.1**	**20**	**2**	**3**	**5**	**8**	**11**	**14**

DRG 95: Pneumothorax w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	155	4.0	7	2	2	3	5	9	11
70-74	54	6.8	14	2	4	6	11	12	12
75-79	153	6.8	59	2	4	4	6	17	34
80-84	25	4.3	2						
85 +	28	5.0	6						
SUBTOTAL	**415**	**5.5**	**29**	**2**	**2**	**4**	**6**	**11**	**12**
GRAND TOTAL	**415**	**5.5**	**29**	**2**	**2**	**4**	**6**	**11**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	191	3.4	6	1	2	3	4	7	8
18-34	671	4.0	8	1	2	4	5	7	9
35-49	327	4.6	10	2	2	4	5	9	12
50-69	141	5.7	9	2	3	4	8	10	11
70 +	17	5.2	4						
	1346	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**10**
	1346	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	1.5							
18-34	118	4.3	7	2	3	4	5	6	12
35-49	34	3.0	2						
50-69	9	3.0							
70 +	0								
SUBTOTAL	**178**	**3.8**	**6**	**2**	**2**	**3**	**5**	**6**	**9**
GRAND TOTAL	**178**	**3.8**	**6**	**2**	**2**	**3**	**5**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	119	3.2	3	1	2	3	4	5	8
18-34	1287	4.3	9	1	2	4	6	8	11
35-49	446	4.3	6	1	2	4	6	8	9
50-69	225	5.5	18	1	3	4	7	13	13
70 +	9	4.0							
	2087	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**11**
	2087	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**11**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11495	5.6	15	2	3	5	7	10	12	0-17	0								
70-74	8369	5.8	16	2	3	5	7	10	13	18-34	891	4.9	34	2	2	3	6	10	14
75-79	7031	6.0	16	2	4	5	7	10	13	35-49	1420	4.2	7	2	2	4	5	8	9
80-84	4407	5.8	15	2	3	5	7	10	12	50-69	3881	5.2	12	2	3	4	7	9	11
85 +	3162	5.8	11	2	3	5	7	10	13	70 +	580	6.0	20	2	3	5	8	9	13
SUBTOTAL	**34464**	**5.8**	**15**	**2**	**3**	**5**	**7**	**10**	**12**		**6772**	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**34464**	**5.8**	**15**	**2**	**3**	**5**	**7**	**10**	**12**		**6772**	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	499	3.8	4	2	2	3	4	7	8	18-34	936	3.7	9	1	2	3	4	6	8
35-49	643	4.8	9	2	3	4	6	7	10	35-49	1369	4.6	8	2	3	4	6	8	10
50-69	1461	5.5	11	2	3	5	7	10	13	50-69	4171	5.1	11	2	3	4	6	9	10
70 +	178	5.3	6	1	3	5	7	9	10	70 +	482	6.3	28	3	3	5	7	12	19
SUBTOTAL	**2781**	**5.0**	**9**	**2**	**3**	**4**	**6**	**9**	**11**		**6958**	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2781**	**5.0**	**9**	**2**	**3**	**4**	**6**	**9**	**11**		**6958**	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 97: Bronchitis & Asthma Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3241	4.3	7	2	3	4	5	7	9	0-17	0								
70-74	2221	4.8	9	2	3	4	6	9	11	18-34	2521	2.9	3	1	2	3	4	5	6
75-79	1646	4.8	11	2	3	4	6	8	11	35-49	3538	3.6	5	1	2	3	5	7	8
80-84	1128	4.6	9	2	3	4	6	7	10	50-69	2993	4.0	7	1	2	4	5	7	9
85 +	660	4.5	7	2	3	4	5	7	10	70 +	200	3.3	4	1	2	2	5	6	7
SUBTOTAL	**8896**	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**10**		**9251**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**8896**	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**10**		**9251**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1140	3.0	3	1	2	3	4	5	6	18-34	3909	3.1	4	1	2	3	4	5	6
35-49	719	3.4	5	1	2	3	5	6	9	35-49	3706	3.6	4	2	2	3	4	6	8
50-69	516	5.1	9	2	3	4	6	10	13	50-69	3275	4.1	5	2	2	4	5	7	9
70 +	37	3.3	5							70 +	173	3.3	3	2	2	3	4	6	7
SUBTOTAL	**2412**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**11064**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**2412**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**11064**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 98: Bronchitis & Asthma Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**9**	**4.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	1.8	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**43**	**1.8**	**1**						
GRAND TOTAL	**53**	**2.1**	**2**	**1**	**1**	**2**	**4**	**4**	**4**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3066	3.2	6	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3066	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	16458	2.5	6	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16458	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
	19524	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2537	3.9	6	2	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2537**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9808	2.9	4	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**9808**	**2.9**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**12345**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3402	3.2	8	1	2	3	3	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3402	**3.2**	**8**	**1**	**2**	**3**	**3**	**6**	**7**
0-17	19114	2.3	2	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	19114	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	22516	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 99: Respiratory Signs & Symptoms w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1827	4.4	11	1	2	4	6	9	10	0-17	471	4.4	105	1	1	2	4	6	12
70-74	923	4.5	16	1	2	3	6	9	12	18-34	108	4.3	50	1	2	2	3	6	27
75-79	812	4.4	9	2	2	3	6	9	11	35-49	330	3.1	4	1	1	3	4	6	8
80-84	702	4.2	8	2	2	3	5	8	10	50-69	897	3.7	7	1	2	3	4	7	9
85 +	459	4.5	8	1	2	4	6	8	9	70 +	101	5.3	14	2	3	4	7	10	14
SUBTOTAL	**4724**	**4.4**	**11**	**1**	**2**	**3**	**6**	**9**	**11**		**1907**	**3.9**	**34**	**1**	**2**	**3**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4724**	**4.4**	**11**	**1**	**2**	**3**	**6**	**9**	**11**		**1907**	**3.9**	**34**	**1**	**2**	**3**	**4**	**6**	**10**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	435	5.2	40	1	2	3	5	14	22	0-17	238	4.4	63	1	1	3	5	7	8
18-34	87	4.4	21	1	2	3	5	6	18	18-34	109	3.0	8	1	1	2	3	6	11
35-49	101	3.3	8	1	2	2	3	6	11	35-49	358	3.0	4	1	2	2	4	6	8
50-69	287	4.5	13	1	2	3	7	9	14	50-69	798	2.8	3	1	2	2	4	5	6
70 +	26	1.9	1							70 +	199	4.0	7	2	2	3	5	8	9
SUBTOTAL	**936**	**4.6**	**26**	**1**	**2**	**3**	**5**	**11**	**18**		**1701**	**3.3**	**13**	**1**	**2**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**936**	**4.6**	**26**	**1**	**2**	**3**	**5**	**11**	**18**		**1701**	**3.3**	**13**	**1**	**2**	**2**	**4**	**6**	**8**

DRG 100: Respiratory Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	705	2.7	3	1	1	2	4	5	6	0-17	1329	2.0	2	1	1	1	2	4	5
70-74	447	2.7	5	1	1	2	3	5	8	18-34	367	2.7	8	1	1	2	3	6	13
75-79	375	2.7	2	1	2	2	3	5	5	35-49	1357	1.9	2	1	1	1	2	4	4
80-84	258	2.4	1	1	2	2	3	4	4	50-69	1399	2.4	8	1	1	2	2	4	7
85 +	178	1.9		1	1	2	2	2	3	70 +	96	2.7	5	1	1	2	3	4	9
SUBTOTAL	**1963**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**4548**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**6**
GRAND TOTAL	**1963**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**4548**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1113	2.8	7	1	1	2	3	5	7	0-17	775	2.9	7	1	1	2	4	6	7
18-34	84	3.1	7	< 1	2	2	3	10	10	18-34	299	2.1	3	< 1	1	2	2	4	7
35-49	153	2.7	4	2	2	2	2	5	10	35-49	1108	2.0	2	1	1	2	2	4	5
50-69	166	2.2	2	< 1	1	2	3	4	5	50-69	1333	2.5	3	1	1	2	3	4	5
70 +	0									70 +	96	3.1	5	1	1	2	4	6	8
SUBTOTAL	**1516**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**		**3613**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1516**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**		**3613**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 101: Other Respiratory System Diagnoses w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	916	5.4	18	2	2	4	7	11	13	0-17	194	2.8	5	1	1	2	4	6	8
70-74	795	5.9	24	1	3	5	7	11	15	18-34	251	4.7	10	1	2	4	6	10	11
75-79	657	5.7	17	2	3	5	8	10	12	35-49	223	3.7	8	1	2	3	5	8	9
80-84	529	5.5	21	1	3	4	7	10	13	50-69	693	4.6	8	1	2	4	7	8	11
85 +	439	5.8	10	2	3	6	7	10	12	70 +	98	6.7	38	1	1	5	10	11	22
SUBTOTAL	**3335**	**5.7**	**19**	**2**	**3**	**5**	**7**	**10**	**13**		**1458**	**4.4**	**11**	**1**	**2**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3335**	**5.7**	**19**	**2**	**3**	**5**	**7**	**10**	**13**		**1458**	**4.4**	**11**	**1**	**2**	**4**	**6**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	187	4.1	8	1	2	3	6	7	8	0-17	101	4.5	29	1	2	3	5	6	22
18-34	36	12.0	69							18-34	355	4.3	13	1	2	3	5	8	10
35-49	9	3.0								35-49	326	5.3	28	1	2	4	6	10	22
50-69	71	4.7	15	2	2	3	5	14	14	50-69	389	5.5	14	2	3	4	8	9	12
70 +	0									70 +	62	5.2	5	2	3	6	7	8	8
SUBTOTAL	**303**	**5.1**	**23**	**1**	**2**	**3**	**6**	**13**	**17**		**1232**	**5.0**	**19**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**303**	**5.1**	**23**	**1**	**2**	**3**	**6**	**13**	**17**		**1232**	**5.0**	**19**	**1**	**2**	**4**	**6**	**9**	**12**

DRG 102: Other Respiratory System Diagnoses w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	271	3.3	7	1	1	2	6	8	9	0-17	1108	1.7	1	< 1	1	1	2	4	4
70-74	177	3.2	4	1	2	3	5	6	8	18-34	198	2.0	1	1	1	2	3	4	4
75-79	150	3.4	8	< 1	1	2	4	9	10	35-49	284	2.7	3	1	1	2	3	6	6
80-84	147	4.3	38	< 1	1	2	6	10	28	50-69	315	2.6	3	1	1	2	3	5	6
85 +	121	4.8	11	1	2	4	6	10	12	70 +	88	3.4	2	2	2	3	4	6	7
SUBTOTAL	**867**	**3.7**	**13**	**1**	**1**	**3**	**5**	**8**	**10**		**1993**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**867**	**3.7**	**13**	**1**	**1**	**3**	**5**	**8**	**10**		**1993**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	415	2.9	10	< 1	1	2	4	5	10	0-17	648	1.7	1	< 1	1	1	2	3	4
18-34	37	2.5	2							18-34	279	2.5	4	1	1	2	3	5	6
35-49	19	3.5	2							35-49	180	2.6	6	1	1	1	3	5	8
50-69	19	2.0	1							50-69	230	3.7	8	1	2	3	4	9	11
70 +	0									70 +	43	2.4	2						
SUBTOTAL	**490**	**2.9**	**9**	**< 1**	**1**	**2**	**4**	**5**	**6**		**1380**	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**490**	**2.9**	**9**	**< 1**	**1**	**2**	**4**	**5**	**6**		**1380**	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**6**

DRG 103: Heart Transplant

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	23.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	23.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8	23.0							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	8	34.0							
35-49	0								
50-69	0								
70 +	0								
	8	34.0							
	8	34.0							

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 104: Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	384	17.3	140	9	11	15	20	25	35
70-74	343	15.7	34	9	11	16	20	22	25
75-79	272	18.8	124	10	12	15	23	33	44
80-84	135	24.7	185	13	16	20	23	51	55
85 +	33	15.9	20						
SUBTOTAL	**1166**	**18.0**	**114**	**9**	**12**	**16**	**20**	**30**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	12.5	42	6	8	12	13	25	30
70-74	59	16.9	106	9	10	12	27	39	39
75-79	54	14.1	18	8	9	15	18	19	19
80-84	0								
85 +	0								
SUBTOTAL	**191**	**14.3**	**58**	**8**	**9**	**12**	**16**	**27**	**30**
GRAND TOTAL	**1357**	**17.5**	**108**	**9**	**11**	**15**	**20**	**29**	**36**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	23.8	408	6	8	20	32	99 +	99 +
18-34	17	14.4	2						
35-49	82	12.4	41	8	9	9	14	21	30
50-69	286	13.5	16	8	10	13	17	19	20
70 +	59	13.3	23	9	10	11	17	23	23
	506	**14.6**	**80**	**8**	**10**	**13**	**18**	**21**	**30**
0-17	23	7.3	2						
18-34	16	6.5							
35-49	16	7.0	4						
50-69	129	12.5	28	8	9	11	16	21	28
70 +	9	14.0							
	193	**11.0**	**26**	**6**	**8**	**10**	**12**	**16**	**21**
	699	**13.6**	**67**	**8**	**9**	**11**	**16**	**21**	**28**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	10.3	2						
18-34	9	14.0							
35-49	17	25.0	128						
50-69	43	11.6	9						
70 +	0								
SUBTOTAL	**93**	**14.0**	**56**	**9**	**9**	**12**	**15**	**15**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	17	14.4	2						
50-69	9	13.0							
70 +	0								
SUBTOTAL	**26**	**13.9**	**2**						
GRAND TOTAL	**119**	**13.9**	**44**	**9**	**9**	**13**	**15**	**16**	**37**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	10.0	4						
18-34	39	13.0	136						
35-49	70	10.7	15	5	8	9	13	17	17
50-69	268	15.4	77	8	10	14	18	24	29
70 +	93	16.5	82	7	10	15	20	29	38
	486	**14.6**	**75**	**7**	**8**	**12**	**17**	**24**	**30**
0-17	8	6.0							
18-34	0								
35-49	0								
50-69	8	8.0							
70 +	8	10.0							
	23	**8.0**	**3**						
	509	**14.3**	**73**	**7**	**8**	**12**	**17**	**24**	**29**

DRG 105: Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	659	13.6	75	8	9	11	16	22	41
70-74	514	14.2	69	8	9	12	17	25	31
75-79	266	15.8	109	9	9	13	20	24	38
80-84	84	17.0	136	8	10	12	21	29	49
85 +	19	19.5	222						
SUBTOTAL	**1541**	**14.5**	**85**	**8**	**9**	**12**	**17**	**25**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	67	10.5	10	7	9	9	10	17	17
70-74	73	12.9	45	8	8	9	16	30	30
75-79	48	11.2	12	7	8	10	15	16	16
80-84	23	9.0	2						
85 +	8	11.0							
SUBTOTAL	**219**	**11.3**	**22**	**7**	**8**	**10**	**15**	**16**	**17**
GRAND TOTAL	**1761**	**14.1**	**78**	**8**	**9**	**11**	**16**	**24**	**35**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	171	10.8	75	5	7	8	12	14	15
18-34	57	9.5	4	6	9	9	11	13	13
35-49	214	13.0	113	7	8	9	12	26	43
50-69	545	11.2	25	7	8	10	12	22	24
70 +	67	10.0	3	8	8	11	12	13	13
	1055	**11.4**	**49**	**6**	**8**	**9**	**12**	**18**	**26**
0-17	125	7.1	3	5	6	7	8	10	12
18-34	50	7.4	1	6	7	7	8	9	9
35-49	57	8.3	1	6	8	8	9	10	10
50-69	165	9.2	3	7	8	9	10	11	13
70 +	9	7.0							
	406	**8.2**	**4**	**6**	**7**	**8**	**9**	**11**	**12**
	1461	**10.5**	**39**	**6**	**8**	**9**	**11**	**15**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	54	26.4	523	6	9	17	41	75	75
18-34	43	15.6	65						
35-49	42	9.6	5						
50-69	59	17.3	29	9	11	19	21	25	25
70 +	8	91.0							
SUBTOTAL	**207**	**20.6**	**388**	**7**	**9**	**13**	**21**	**41**	**75**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	9.1	5	6	8	9	11	13	13
18-34	0								
35-49	17	7.5							
50-69	9	8.0							
70 +	0								
SUBTOTAL	**96**	**8.7**	**4**	**6**	**7**	**8**	**10**	**11**	**13**
GRAND TOTAL	**303**	**16.8**	**296**	**7**	**8**	**11**	**18**	**29**	**75**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	13.4	92	4	7	11	20	99 +	99 +
18-34	39	12.4	20						
35-49	289	10.2	15	7	8	9	10	16	21
50-69	524	13.0	71	7	8	10	15	22	29
70 +	78	13.7	53	7	10	12	14	25	34
	993	**12.2**	**54**	**7**	**8**	**10**	**14**	**21**	**29**
0-17	47	6.5	1	5	6	6	7	8	8
18-34	8	6.0							
35-49	40	5.5	2						
50-69	31	8.0	2						
70 +	16	7.5	2						
	142	**6.6**	**2**	**4**	**6**	**7**	**8**	**9**	**10**
	1135	**11.5**	**51**	**6**	**7**	**9**	**14**	**21**	**28**

DRG 106: Coronary Bypass w/ Cardiac Cath

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1671	13.7	99	8	9	11	14	20	29	0-17	0								
70-74	1268	13.8	36	8	9	12	17	23	28	18-34	0								
75-79	804	15.5	49	8	10	15	18	22	27	35-49	328	9.5	6	6	8	9	11	13	14
80-84	261	19.2	166	10	13	15	21	28	49	50-69	1592	11.3	22	7	8	10	13	18	20
85 +	42	23.8	99							70 +	177	14.1	39	8	9	13	16	21	29
SUBTOTAL	**4046**	**14.5**	**77**	**8**	**9**	**12**	**17**	**23**	**28**		**2097**	**11.2**	**22**	**7**	**8**	**10**	**13**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	449	11.0	12	7	8	10	13	16	17	0-17	0								
70-74	400	11.0	17	6	8	11	13	16	18	18-34	0								
75-79	202	12.6	10	8	10	12	15	17	17	35-49	214	8.7	7	6	7	8	9	12	15
80-84	51	15.7	7	12	13	15	18	19	19	50-69	912	10.0	13	6	8	9	11	14	16
85 +	45	10.0	5							70 +	23	10.0	6						
SUBTOTAL	**1147**	**11.5**	**14**	**7**	**9**	**11**	**14**	**17**	**18**		**1149**	**9.8**	**12**	**6**	**8**	**9**	**11**	**14**	**16**
GRAND TOTAL	**5193**	**13.9**	**65**	**8**	**9**	**12**	**16**	**21**	**27**		**3246**	**10.7**	**19**	**7**	**8**	**10**	**12**	**16**	**19**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	289	11.5	81	7	8	9	11	17	30
50-69	51	14.0	157	7	7	8	12	43	43	50-69	1303	11.2	38	6	8	10	13	17	21
70 +	9	18.0								70 +	148	10.7	22	6	7	9	13	21	22
SUBTOTAL	**60**	**14.6**	**135**	**7**	**7**	**10**	**18**	**43**	**43**		**1740**	**11.2**	**44**	**6**	**8**	**10**	**13**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	8	9.0								18-34	0								
35-49	8	11.0								35-49	65	8.6	9	5	6	7	10	15	15
50-69	42	8.1	10							50-69	261	9.9	8	6	7	10	11	14	14
70 +	0									70 +	23	10.0	5						
SUBTOTAL	**57**	**8.6**	**8**	**5**	**6**	**9**	**11**	**13**	**13**		**350**	**9.6**	**8**	**6**	**7**	**10**	**11**	**14**	**14**
GRAND TOTAL	**118**	**11.7**	**81**	**6**	**7**	**9**	**12**	**18**	**43**		**2089**	**10.9**	**38**	**6**	**7**	**10**	**12**	**16**	**20**

DRG 107: Coronary Bypass w/o Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1506	11.4	99	7	8	9	11	16	25
70-74	898	10.8	36	7	8	9	12	15	17
75-79	419	12.1	42	8	9	10	12	18	30
80-84	113	10.9	10	8	9	10	12	17	19
85 +	9	9.0							
SUBTOTAL	**2946**	**11.3**	**68**	**7**	**8**	**9**	**12**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	334	8.3	5	6	7	8	10	12	12
70-74	273	8.8	2	7	8	9	10	11	12
75-79	146	10.3	8	7	8	9	13	14	16
80-84	40	17.1	208						
85 +	0								
SUBTOTAL	**793**	**9.3**	**19**	**6**	**7**	**9**	**10**	**12**	**14**
GRAND TOTAL	**3739**	**10.8**	**58**	**7**	**8**	**9**	**11**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	10.0	1						
35-49	340	8.1	7	5	7	8	9	11	12
50-69	1409	8.9	15	6	7	8	9	11	14
70 +	93	9.0	8	7	7	8	11	13	16
	1857	**8.8**	**13**	**6**	**7**	**8**	**9**	**11**	**14**
0-17	0								
18-34	0								
35-49	188	7.2	3	5	6	7	8	10	10
50-69	694	7.7	2	6	7	8	9	9	10
70 +	42	7.9	1						
	924	**7.6**	**2**	**6**	**7**	**7**	**9**	**10**	**10**
	2781	**8.4**	**10**	**6**	**7**	**8**	**9**	**11**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	17	8.7	7						
50-69	93	9.0	12	5	7	8	12	14	17
70 +	16	8.5	2						
SUBTOTAL	**126**	**8.9**	**10**	**5**	**7**	**8**	**11**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	59	7.6	1	6	7	8	8	9	9
70 +	8	8.0							
SUBTOTAL	**67**	**7.7**	**1**	**6**	**7**	**8**	**8**	**9**	**9**
GRAND TOTAL	**193**	**8.4**	**7**	**6**	**7**	**8**	**9**	**12**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	278	7.6	3	6	6	7	8	10	11
50-69	1533	9.2	18	6	7	8	10	13	18
70 +	93	11.3	38	6	7	11	15	15	28
	1905	**9.1**	**17**	**6**	**7**	**8**	**10**	**13**	**17**
0-17	0								
18-34	0								
35-49	31	7.8	7						
50-69	207	7.0	5	3	6	7	8	9	11
70 +	25	9.2	4						
	263	**7.3**	**5**	**4**	**6**	**7**	**8**	**11**	**12**
	2168	**8.9**	**16**	**6**	**7**	**8**	**10**	**13**	**15**

DRG 108: Other Cardiothoracic or Vascular Procedures, w/ Pump

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	834	16.5	113	8	10	13	18	29	35	0-17	909	11.9	106	6	6	10	13	18	34
70-74	543	15.2	88	8	9	13	18	29	49	18-34	40	8.7	4						
75-79	290	17.9	101	10	11	15	21	37	53	35-49	182	9.7	31	6	7	8	11	12	18
80-84	50	19.4	150	9	10	16	19	46	46	50-69	810	12.2	62	7	8	10	13	19	30
85 +	8	6.0								70 +	90	16.9	33	8	15	17	19	27	27
SUBTOTAL	**1725**	**16.4**	**105**	**8**	**10**	**13**	**18**	**30**	**45**		**2031**	**12.0**	**78**	**6**	**7**	**10**	**13**	**19**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	160	10.6	14	7	8	9	14	18	19	0-17	462	7.6	35	4	5	7	8	10	13
70-74	71	14.3	4	12	13	14	17	18	18	18-34	50	6.1	6	1	5	7	7	9	9
75-79	36	19.0	102							35-49	102	9.6	10	6	7	9	13	14	15
80-84	34	11.4	2							50-69	313	10.5	15	7	8	9	12	16	20
85 +	0									70 +	17	9.5							
SUBTOTAL	**301**	**12.6**	**28**	**8**	**9**	**11**	**14**	**18**	**25**		**945**	**8.7**	**26**	**5**	**6**	**7**	**10**	**13**	**16**
GRAND TOTAL	**2026**	**15.8**	**96**	**8**	**10**	**13**	**18**	**29**	**38**		**2976**	**11.0**	**64**	**6**	**7**	**9**	**12**	**18**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	389	15.4	119	6	7	12	19	34	43	0-17	304	11.1	37	6	7	8	15	23	25
18-34	17	12.6	52							18-34	39	11.4	13						
35-49	62	9.7	12	6	8	8	15	16	16	35-49	118	10.1	41	7	7	8	9	14	31
50-69	96	11.7	46	7	7	9	14	19	29	50-69	672	14.2	125	8	9	11	17	21	25
70 +	16	18.0	38							70 +	78	17.2	189	5	7	11	21	42	43
SUBTOTAL	**580**	**14.2**	**95**	**6**	**8**	**11**	**18**	**29**	**38**		**1211**	**13.1**	**99**	**7**	**8**	**10**	**16**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	205	7.9	8	5	6	6	10	11	15	0-17	202	6.4	2	5	5	6	7	9	9
18-34	25	5.7								18-34	31	6.5	5						
35-49	34	11.5	13							35-49	42	9.6	8						
50-69	25	10.4	22							50-69	82	9.8	9	7	8	9	11	13	17
70 +	0									70 +	0								
SUBTOTAL	**289**	**8.3**	**12**	**5**	**6**	**7**	**10**	**15**	**17**		**358**	**7.5**	**7**	**5**	**6**	**7**	**9**	**11**	**12**
GRAND TOTAL	**869**	**12.3**	**75**	**6**	**6**	**9**	**15**	**23**	**32**		**1569**	**11.9**	**83**	**6**	**7**	**9**	**13**	**20**	**25**

DRG 109: Other Cardiothoracic Procedures w/o Pump

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	199	14.9	148	2	4	12	23	29	34	0-17	447	11.9	175	4	5	8	13	29	51
70-74	144	13.7	44	6	8	13	17	21	30	18-34	23	4.3	23						
75-79	101	15.9	332	3	6	9	20	27	73	35-49	76	9.7	46	2	6	7	11	23	25
80-84	104	10.4	61	2	4	8	16	22	25	50-69	145	10.2	67	2	2	9	15	23	29
85 +	67	12.6	112	4	5	6	22	33	33	70 +	17	10.1	45						
SUBTOTAL	**615**	**13.8**	**137**	**3**	**5**	**11**	**20**	**26**	**33**		**708**	**11.0**	**133**	**2**	**5**	**8**	**14**	**25**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	84	7.7	52	2	2	6	8	17	27	0-17	806	5.2	11	1	4	5	7	10	10
70-74	48	7.6	39	1	1	5	11	18	18	18-34	16	3.5	7						
75-79	45	5.4	11							35-49	8	1.0							
80-84	26	3.7	3							50-69	50	5.5	15	1	1	5	8	12	12
85 +	17	1.5								70 +	8	14.0							
SUBTOTAL	**220**	**6.2**	**35**	**1**	**2**	**5**	**8**	**15**	**18**		**887**	**5.2**	**12**	**1**	**4**	**5**	**7**	**10**	**11**
GRAND TOTAL	**835**	**11.8**	**121**	**2**	**4**	**9**	**17**	**25**	**30**		**1595**	**7.8**	**74**	**1**	**4**	**6**	**9**	**15**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	233	18.1	256	5	7	14	29	33	81	0-17	280	11.8	127	4	5	9	14	27	38
18-34	0									18-34	68	8.6	32	5	5	6	9	22	22
35-49	8	12.0								35-49	106	10.1	79	2	4	9	11	13	36
50-69	17	7.9	21							50-69	151	9.2	146	1	2	7	10	14	51
70 +	0									70 +	0								
SUBTOTAL	**258**	**17.2**	**240**	**5**	**7**	**12**	**26**	**33**	**81**		**605**	**10.5**	**114**	**2**	**5**	**8**	**12**	**19**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	291	6.6	15	4	4	6	8	12	17	0-17	251	4.1	6	1	3	4	5	7	10
18-34	0									18-34	31	4.0	14						
35-49	8	8.0								35-49	47	5.0	16	1	1	4	9	11	11
50-69	9	1.0								50-69	39	5.6	28						
70 +	0									70 +	0								
SUBTOTAL	**308**	**6.4**	**15**	**1**	**4**	**6**	**8**	**12**	**17**		**367**	**4.4**	**10**	**1**	**2**	**4**	**6**	**10**	**11**
GRAND TOTAL	**566**	**11.4**	**146**	**4**	**5**	**7**	**13**	**29**	**33**		**972**	**8.2**	**83**	**1**	**3**	**6**	**10**	**14**	**26**

DRG 110: Major Reconstructive Vascular Proc w/o Pump w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2825	11.7	79	5	7	9	14	21	28	0-17	101	8.5	24	5	6	6	8	16	20
70-74	2580	12.1	70	5	7	10	15	23	30	18-34	9	14.0							
75-79	1956	12.1	68	5	7	9	14	22	28	35-49	171	8.3	19	4	5	7	10	13	21
80-84	1050	12.9	74	5	8	11	15	23	28	50-69	1535	10.2	60	5	7	8	11	15	23
85 +	467	12.4	45	5	8	11	16	24	28	70 +	216	15.6	226	5	8	10	17	29	48
SUBTOTAL	**8877**	**12.1**	**72**	**5**	**7**	**10**	**14**	**22**	**29**		**2032**	**10.5**	**75**	**5**	**6**	**8**	**11**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	8877	12.1	72	5	7	10	14	22	29		2032	10.5	75	5	6	8	11	17	24

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	9.0								0-17	39	10.8	24						
18-34	0									18-34	9	7.0							
35-49	43	12.0	170							35-49	172	11.8	79	5	6	8	13	28	29
50-69	184	15.0	110	7	8	11	20	28	39	50-69	1124	12.3	130	4	6	8	14	27	37
70 +	25	20.0	81							70 +	225	13.8	217	5	6	9	15	21	30
SUBTOTAL	**261**	**14.8**	**118**	**4**	**7**	**10**	**25**	**28**	**39**		**1569**	**12.4**	**134**	**4**	**6**	**8**	**14**	**27**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	261	14.8	118	4	7	10	25	28	39		1569	12.4	134	4	6	8	14	27	31

DRG 111: Major Reconstructive Vascular Proc w/o Pump w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1101	7.1	7	4	5	7	8	10	12
70-74	760	7.4	12	3	5	7	9	11	13
75-79	630	7.9	7	4	6	8	10	11	13
80-84	347	7.4	7	4	6	7	9	12	12
85 +	84	9.3	9	5	8	9	11	15	15
SUBTOTAL	**2922**	**7.5**	**9**	**4**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**2922**	**7.5**	**9**	**4**	**5**	**7**	**9**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	109	6.1	3	4	5	6	6	8	11
18-34	28	5.0	5						
35-49	149	5.7	10	2	4	5	7	10	14
50-69	1113	6.3	6	4	5	6	8	9	10
70 +	112	8.4	8	5	6	8	10	11	15
	1511	**6.4**	**6**	**4**	**5**	**6**	**8**	**9**	**11**
	1511	**6.4**	**6**	**4**	**5**	**6**	**8**	**9**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	9.0							
18-34	9	8.0							
35-49	9	10.0							
50-69	68	7.9	18	3	5	7	9	18	18
70 +	16	5.5							
SUBTOTAL	**110**	**7.8**	**12**	**4**	**6**	**8**	**9**	**10**	**18**
GRAND TOTAL	**110**	**7.8**	**12**	**4**	**6**	**8**	**9**	**10**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	5.7	2	4	5	5	6	8	8
18-34	8	3.0							
35-49	116	6.1	3	4	4	7	7	8	9
50-69	680	6.6	6	3	5	7	8	9	10
70 +	39	8.4	9						
	889	**6.6**	**6**	**3**	**5**	**7**	**8**	**9**	**11**
	889	**6.6**	**6**	**3**	**5**	**7**	**8**	**9**	**11**

DRG 112: Vascular Procedures except Major Reconstruction w/o Pump

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3449	6.0	31	1	2	5	8	12	16	0-17	121	12.0	113	1	2	10	23	30	31
70-74	2557	6.1	32	1	2	4	8	13	17	18-34	110	4.9	10	1	1	6	8	9	9
75-79	1796	6.9	31	2	3	5	9	15	19	35-49	1035	5.1	17	2	2	4	7	10	12
80-84	926	8.8	57	3	4	7	12	16	24	50-69	3615	5.5	25	2	2	4	7	11	16
85 +	484	8.1	35	3	4	7	11	14	22	70 +	272	5.4	10	2	3	4	7	10	11
SUBTOTAL	**9213**	**6.6**	**35**	**1**	**3**	**5**	**8**	**13**	**17**		**5153**	**5.6**	**25**	**2**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3169	3.5	6	1	2	3	5	7	8	0-17	95	4.5	19	1	1	2	8	10	14
70-74	2153	3.8	9	1	2	3	5	8	10	18-34	112	3.1	4	1	2	2	5	5	7
75-79	1198	3.9	9	1	2	3	5	8	10	35-49	1929	3.7	7	1	2	3	5	7	9
80-84	543	4.4	9	1	2	4	6	9	11	50-69	5192	3.6	7	1	2	3	5	7	8
85 +	199	5.6	19	2	3	4	6	9	17	70 +	236	3.3	5	1	2	3	5	7	8
SUBTOTAL	**7261**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**		**7563**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**16474**	**5.3**	**25**	**1**	**2**	**4**	**7**	**11**	**14**		**12717**	**4.4**	**15**	**1**	**2**	**3**	**6**	**9**	**11**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	36.5	541							0-17	31	2.5	7						
18-34	0									18-34	65	5.7	19	1	3	4	6	16	16
35-49	87	5.0	28	2	2	2	6	17	18	35-49	647	4.6	21	1	2	3	6	10	11
50-69	205	7.0	39	1	3	4	12	15	19	50-69	2323	5.0	28	1	2	3	6	11	13
70 +	16	28.5	406							70 +	310	5.4	26	1	2	3	8	12	16
SUBTOTAL	**323**	**8.9**	**137**	**1**	**2**	**4**	**12**	**18**	**32**		**3376**	**4.9**	**26**	**1**	**2**	**3**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	62	4.4	11	1	1	4	6	11	11	0-17	23	1.0							
18-34	40	3.0	4							18-34	98	4.1	5	1	2	4	6	7	8
35-49	220	3.1	5	1	2	2	4	7	7	35-49	833	3.7	7	1	2	3	5	8	9
50-69	205	3.8	4	1	2	3	5	6	7	50-69	2222	4.0	19	1	2	3	5	8	10
70 +	31	10.8	126							70 +	190	3.1	4	2	2	2	4	6	6
SUBTOTAL	**559**	**3.9**	**14**	**1**	**2**	**3**	**5**	**7**	**9**		**3366**	**3.9**	**15**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**882**	**5.8**	**65**	**1**	**2**	**3**	**6**	**12**	**18**		**6742**	**4.4**	**21**	**1**	**2**	**3**	**6**	**9**	**11**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1050	16.0	116	6	8	13	21	33	42
70-74	699	15.6	172	6	8	10	20	33	40
75-79	595	13.9	113	5	7	9	15	31	40
80-84	508	12.9	69	5	7	10	18	24	30
85 +	552	9.8	55	3	6	8	12	15	18
SUBTOTAL	**3404**	**14.1**	**115**	**5**	**7**	**11**	**18**	**29**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	11.0	9						
70-74	81	10.3	155	1	4	6	8	32	45
75-79	19	22.5	222						
80-84	93	6.4	9	3	4	5	9	11	11
85 +	36	5.0	12						
SUBTOTAL	**265**	**9.2**	**86**	**2**	**4**	**7**	**10**	**16**	**37**
GRAND TOTAL	**3669**	**13.7**	**115**	**5**	**7**	**10**	**17**	**29**	**38**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	11.0							
35-49	54	17.2	79	9	10	11	21	34	34
50-69	240	15.2	104	6	8	11	20	29	43
70 +	95	13.9	208	6	7	8	15	22	55
	397	**15.1**	**124**	**6**	**7**	**11**	**20**	**31**	**43**
0-17	0								
18-34	0								
35-49	8	7.0							
50-69	45	7.5	13						
70 +	0								
	53	**7.4**	**11**	**4**	**4**	**7**	**10**	**13**	**13**
	450	**14.2**	**117**	**6**	**7**	**10**	**18**	**28**	**43**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	37	9.0	4						
50-69	37	6.0	26						
70 +	26	20.9	332						
SUBTOTAL	**101**	**11.0**	**132**	**1**	**3**	**10**	**12**	**47**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	9	12.0							
70 +	0								
SUBTOTAL	**9**	**12.0**							
GRAND TOTAL	**110**	**11.1**	**121**	**1**	**6**	**10**	**12**	**47**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	57	14.2	43	4	7	14	18	25	25
50-69	363	15.4	91	6	9	14	19	28	34
70 +	53	9.3	61	1	6	6	13	26	26
	473	**14.6**	**85**	**4**	**7**	**13**	**18**	**28**	**34**
0-17	0								
18-34	0								
35-49	0								
50-69	8	9.0							
70 +	9	3.0							
	17	**5.7**	**9**						
	491	**14.3**	**85**	**4**	**7**	**13**	**18**	**27**	**34**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	515	9.3	65	2	4	6	11	22	26	0-17	0								
70-74	186	8.7	41	3	6	7	9	13	25	18-34	9	12.0							
75-79	225	11.1	71	3	4	10	14	24	26	35-49	16	19.5	45						
80-84	143	9.0	67	2	4	7	9	25	32	50-69	189	9.6	25	3	7	9	13	16	19
85+	81	9.9	26	3	7	10	13	18	21	70+	8	1.0							
SUBTOTAL	**1149**	**9.6**	**60**	**3**	**4**	**7**	**12**	**23**	**26**		**222**	**10.1**	**34**	**2**	**7**	**9**	**13**	**19**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	3.5								0-17	8	3.0							
70-74	51	6.1	11	1	3	8	9	10	10	18-34	8	2.0							
75-79	9	3.0								35-49	9	1.0							
80-84	45	8.7	15							50-69	73	5.0	31	1	2	4	4	19	19
85+	17	8.6	52							70+	9	2.0							
SUBTOTAL	**140**	**6.7**	**19**	**1**	**3**	**5**	**11**	**12**	**15**		**107**	**4.0**	**23**	**1**	**2**	**2**	**4**	**5**	**19**
GRAND TOTAL	**1288**	**9.2**	**57**	**3**	**4**	**7**	**12**	**22**	**26**		**329**	**8.1**	**39**	**2**	**2**	**7**	**12**	**19**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	69.0								0-17	0								
18-34	9	10.0								18-34	0								
35-49	9	8.0								35-49	59	21.8	216	8	10	13	31	53	53
50-69	26	3.5	4							50-69	207	12.5	162	1	5	10	12	28	47
70+	8	26.0								70+	8	26.0							
SUBTOTAL	**60**	**16.5**	**467**	**<1**	**4**	**8**	**26**	**69**	**69**		**273**	**14.9**	**186**	**1**	**7**	**11**	**16**	**31**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	17	3.1	1						
18-34	0									18-34	0								
35-49	17	23.9	361							35-49	8	4.0							
50-69	0									50-69	8	26.0							
70+	0									70+	0								
SUBTOTAL	**17**	**23.9**	**361**								**33**	**8.8**	**97**						
GRAND TOTAL	**78**	**18.1**	**448**	**<1**	**6**	**8**	**26**	**64**	**69**		**306**	**14.3**	**180**	**2**	**5**	**10**	**16**	**31**	**53**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	79	12.1	59	3	6	8	19	24	24
70-74	87	9.3	19	3	7	7	14	15	16
75-79	125	9.1	17	4	6	8	14	15	15
80-84	99	9.3	22	4	6	8	14	15	18
85 +	121	7.5	20	3	4	6	10	15	17
SUBTOTAL	**512**	**9.3**	**27**	3	6	8	14	16	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	8	6.0							
75-79	0								
80-84	0								
85 +	9	10.0							
SUBTOTAL	**17**	**8.2**	**4**						
GRAND TOTAL	**529**	**9.2**	**27**	3	6	8	14	15	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	17	21.8	4						
70 +	0								
SUBTOTAL	**17**	**21.8**	**4**						
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17**	**21.8**	**4**						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	9	9.0							
70 +	0								
SUBTOTAL	**9**	**9.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9**	**9.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	25	7.8	5						
70 +	0								
SUBTOTAL	**25**	**7.8**	**5**						
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**25**	**7.8**	**5**						

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	900	5.6	21	2	2	4	8	12	16	0-17	39	4.0	3						
70-74	1205	5.9	18	2	3	4	8	12	16	18-34	17	5.6	26						
75-79	1491	6.1	25	2	3	5	8	12	14	35-49	82	5.7	27	1	2	4	5	16	16
80-84	1364	6.4	23	2	3	5	8	12	15	50-69	405	5.7	17	1	3	4	9	12	13
85 +	1169	6.6	25	2	4	5	7	11	15	70 +	140	5.9	21	2	3	4	7	12	20
SUBTOTAL	**6129**	**6.1**	**23**	**2**	**3**	**5**	**8**	**12**	**15**		**682**	**5.6**	**18**	**2**	**3**	**4**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	588	3.3	5	1	2	3	4	7	9	0-17	40	2.8	2						
70-74	789	3.6	8	1	2	3	4	7	10	18-34	36	4.4	5						
75-79	776	3.5	8	1	2	2	4	7	8	35-49	68	2.3	2	< 1	1	2	4	5	5
80-84	642	3.6	5	1	2	3	5	7	8	50-69	380	3.7	11	1	2	2	4	8	9
85 +	594	4.1	6	1	2	4	6	7	7	70 +	93	2.9	3	< 1	1	3	4	5	6
SUBTOTAL	**3388**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**618**	**3.4**	**8**	**1**	**2**	**2**	**4**	**7**	**8**
GRAND TOTAL	**9517**	**5.2**	**18**	**1**	**2**	**4**	**7**	**10**	**13**		**1300**	**4.6**	**15**	**1**	**2**	**3**	**6**	**11**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	4.3	7							0-17	9	1.0							
18-34	8	2.0								18-34	17	4.5							
35-49	9	2.0								35-49	72	3.2	7	1	2	2	4	10	10
50-69	8	41.0								50-69	314	5.9	60	1	2	4	6	10	17
70 +	0									70 +	145	5.2	9	2	3	4	8	10	11
SUBTOTAL	**48**	**9.4**	**201**	**2**	**2**	**2**	**8**	**41**	**41**		**557**	**5.2**	**38**	**1**	**2**	**4**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	23	3.0							
18-34	9	3.0								18-34	40	3.6	1						
35-49	0									35-49	50	3.1	2	1	1	4	4	5	5
50-69	0									50-69	278	3.4	4	1	2	3	5	6	8
70 +	19	5.0	17							70 +	116	2.9	3	1	1	2	5	5	7
SUBTOTAL	**28**	**4.3**	**12**								**508**	**3.3**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**76**	**7.6**	**137**	**1**	**2**	**3**	**8**	**37**	**41**		**1065**	**4.3**	**22**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	53	5.1	12	1	2	4	9	10	10	0-17	31	3.0	1						
70-74	34	10.3	181							18-34	0								
75-79	79	3.4	5	1	2	3	4	8	8	35-49	0								
80-84	25	2.4								50-69	19	4.5	13						
85 +	34	4.2	2							70 +	17	6.4	17						
SUBTOTAL	225	4.9	38	1	2	3	6	9	10		67	4.3	10	1	2	3	8	10	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	60	2.1	2	< 1	1	2	3	5	5	0-17	8	4.0							
70-74	46	2.4	6							18-34	0								
75-79	88	2.1	3	1	1	2	2	5	6	35-49	0								
80-84	88	1.6	1	1	1	1	2	3	3	50-69	19	1.0							
85 +	23	3.7	2							70 +	8	1.0							
SUBTOTAL	307	2.1	2	1	1	2	3	5	6		34	1.7	2						
GRAND TOTAL	532	3.3	19	1	1	2	3	6	8		101	3.4	8	1	1	2	4	8	10

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	9.0	52							0-17	0								
18-34	0									18-34	23	4.3	9						
35-49	0									35-49	16	5.0	1						
50-69	0									50-69	25	1.9	1						
70 +	0									70 +	16	3.0							
SUBTOTAL	23	9.0	52								79	3.5	4	< 1	2	3	4	7	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	1.0							
18-34	0									18-34	16	2.0	1						
35-49	0									35-49	16	1.0							
50-69	0									50-69	57	2.4	3	1	1	1	4	6	6
70 +	0									70 +	16	2.0							
SUBTOTAL	0										112	2.0	2	1	1	1	3	4	6
GRAND TOTAL	23	9.0	52								191	2.6	4	1	1	2	3	6	6

DRG 118: Cardiac Pacemaker Device Replacement

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	79	4.6	23	< 1	2	2	5	14	14	0-17	8	1.0							
70-74	143	3.5	11	1	2	2	3	8	14	18-34	8	6.0							
75-79	178	3.8	14	1	2	2	4	12	13	35-49	9	2.0							
80-84	85	3.0	8	1	1	2	4	10	10	50-69	79	5.7	36	< 1	1	1	10	16	16
85 +	155	4.3	22	1	1	2	5	15	17	70 +	0								
SUBTOTAL	**640**	**3.9**	**16**	**1**	**1**	**2**	**5**	**11**	**14**		**104**	**5.0**	**30**	**1**	**1**	**2**	**9**	**15**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	36	1.0								0-17	31	2.8	2						
70-74	205	1.9	1	< 1	1	1	3	3	4	18-34	0								
75-79	93	2.5	5	1	1	2	3	6	8	35-49	0								
80-84	87	1.5	1	< 1	1	1	2	3	4	50-69	90	1.7	1	< 1	< 1	1	2	4	4
85 +	158	2.6	3	1	1	2	3	5	8	70 +	0								
SUBTOTAL	**578**	**2.1**	**2**	**< 1**	**1**	**1**	**3**	**4**	**5**		**121**	**2.0**	**2**	**< 1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**1219**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**12**		**225**	**3.4**	**17**	**< 1**	**1**	**1**	**4**	**10**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	2.0								0-17	23	3.3	2						
18-34	0									18-34	0								
35-49	0									35-49	9	4.0							
50-69	0									50-69	51	13.6	397	< 1	1	2	25	56	56
70 +	9	4.0								70 +	40	4.5	12						
SUBTOTAL	**17**	**3.1**	**1**								**124**	**8.0**	**188**	**1**	**1**	**4**	**6**	**25**	**56**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	16	1.5							
35-49	0									35-49	25	3.1	2						
50-69	0									50-69	33	1.2							
70 +	8	11.0								70 +	0								
SUBTOTAL	**8**	**11.0**									**73**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**25**	**5.6**	**15**								**197**	**5.7**	**127**	**1**	**1**	**2**	**4**	**10**	**25**

DRG 119: Vein Ligation & Stripping

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	59	9.2	115	1	2	3	16	33	33	0-17	0								
70-74	60	5.8	68	2	2	3	4	27	27	18-34	19	3.0							
75-79	43	5.5	24							35-49	51	2.0	1	1	1	2	3	3	3
80-84	0									50-69	53	8.1	79	1	2	3	13	25	25
85 +	19	9.5	7							70 +	9	27.0							
SUBTOTAL	**181**	**7.2**	**69**	**2**	**2**	**3**	**9**	**16**	**27**		**132**	**6.3**	**72**	**1**	**2**	**3**	**4**	**25**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	212	2.6	13	1	1	2	2	3	11	0-17	0								
70-74	121	1.8	1	1	1	1	3	3	4	18-34	446	1.8	1	1	1	2	2	3	4
75-79	115	1.5		1	1	1	2	2	3	35-49	1097	1.7	1	1	1	2	2	3	3
80-84	34	5.0	16							50-69	578	1.8	1	1	1	2	2	3	3
85 +	9	1.0								70 +	9	2.0							
SUBTOTAL	**491**	**2.3**	**8**	**1**	**1**	**1**	**2**	**3**	**9**		**2130**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**673**	**3.6**	**29**	**1**	**1**	**2**	**3**	**9**	**14**		**2262**	**2.0**	**6**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	19	3.0	1							18-34	26	5.6	40						
35-49	0									35-49	53	4.3	8	2	2	3	8	8	8
50-69	17	14.9	152							50-69	34	1.5	1						
70 +	9	1.0								70 +	0								
SUBTOTAL	**45**	**7.1**	**95**								**113**	**3.7**	**15**	**1**	**1**	**2**	**4**	**8**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	34	1.2								18-34	208	1.3		1	1	1	1	2	3
35-49	28	1.3								35-49	453	1.7	4	1	1	1	2	2	5
50-69	43	1.4								50-69	337	1.9	2	< 1	1	2	2	3	5
70 +	0									70 +	8	1.0							
SUBTOTAL	**105**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**		**1006**	**1.7**	**3**	**1**	**1**	**1**	**2**	**2**	**4**
GRAND TOTAL	**150**	**3.1**	**35**	**1**	**1**	**1**	**2**	**4**	**26**		**1119**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 120: Other Circulatory System O.R. Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	802	11.3	182	1	3	6	14	22	41	0-17	9	10.0							
70-74	386	13.2	146	3	5	10	17	25	44	18-34	25	3.4	3						
75-79	296	14.3	81	3	6	13	22	28	32	35-49	98	9.0	58	1	1	11	14	16	25
80-84	192	11.6	173	2	5	7	12	23	31	50-69	270	13.5	109	3	7	9	16	27	37
85 +	186	14.6	159	2	5	12	20	26	45	70 +	51	7.2	15	3	4	6	9	15	15
SUBTOTAL	**1863**	**12.5**	**157**	**2**	**4**	**9**	**17**	**24**	**37**		**453**	**11.2**	**88**	**2**	**4**	**8**	**16**	**22**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	110	11.1	96	1	4	9	15	30	32	0-17	42	2.1	4						
70-74	42	10.1	58							18-34	53	6.6	38	1	2	4	11	19	19
75-79	76	4.7	15	< 1	1	5	6	12	14	35-49	71	10.5	89	1	3	4	19	26	26
80-84	54	7.6	43	1	3	4	12	21	21	50-69	50	21.3	889	2	3	7	18	82	82
85 +	45	17.5	297							70 +	19	16.5	7						
SUBTOTAL	**327**	**9.8**	**106**	**1**	**3**	**7**	**14**	**21**	**32**		**234**	**10.9**	**266**	**1**	**2**	**5**	**18**	**22**	**26**
GRAND TOTAL	**2190**	**12.1**	**150**	**1**	**4**	**8**	**17**	**24**	**37**		**687**	**11.1**	**149**	**1**	**3**	**7**	**16**	**22**	**31**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	2.0							
18-34	9	24.0								18-34	36	5.7	15						
35-49	17	29.5	305							35-49	73	8.4	95	1	2	5	11	34	34
50-69	43	20.1	134	4	8	29	99 +	99 +	99 +	50-69	183	12.7	126	1	5	11	20	26	32
70 +	17	4.3	7							70 +	51	15.7	71	3	11	13	25	27	27
SUBTOTAL	**87**	**19.3**	**193**	**4**	**8**	**25**	**32**	**99 +**	**99 +**		**351**	**11.3**	**107**	**1**	**3**	**8**	**17**	**26**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	26	1.6	1						
18-34	0									18-34	8	1.0							
35-49	19	9.5	7							35-49	42	4.5	12						
50-69	16	23.0	4							50-69	96	5.9	12	1	4	6	8	9	14
70 +	0									70 +	9	17.0							
SUBTOTAL	**34**	**15.7**	**52**								**181**	**5.3**	**19**	**1**	**1**	**4**	**8**	**9**	**15**
GRAND TOTAL	**121**	**18.3**	**155**	**4**	**8**	**22**	**30**	**99 +**	**99 +**		**532**	**9.3**	**85**	**1**	**2**	**6**	**12**	**21**	**27**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2386	8.3	24	4	5	7	10	14	16	0-17	0								
70-74	2746	8.4	16	4	6	8	10	13	17	18-34	9	14.0							
75-79	2917	9.2	30	4	6	8	11	16	20	35-49	220	8.7	31	5	6	8	9	11	13
80-84	3042	9.0	19	5	6	8	11	14	16	50-69	1332	7.6	21	2	5	7	9	13	17
85 +	2289	9.5	22	5	7	9	11	15	17	70 +	347	8.6	19	5	6	8	10	12	16
SUBTOTAL	**13380**	**8.9**	**23**	**4**	**6**	**8**	**10**	**14**	**17**		**1908**	**7.9**	**22**	**3**	**5**	**7**	**9**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	73	4.9	3	2	3	5	7	7	7	0-17	0								
70-74	110	6.7	18	2	3	6	8	13	16	18-34	0								
75-79	98	7.0	10	4	5	6	8	10	15	35-49	19	4.0	4						
80-84	71	5.7	7	3	3	4	9	10	10	50-69	28	4.0	2						
85 +	46	6.6	5							70 +	0								
SUBTOTAL	**398**	**6.3**	**10**	**3**	**4**	**5**	**8**	**10**	**13**		**46**	**4.0**	**3**						
GRAND TOTAL	**13778**	**8.8**	**22**	**4**	**6**	**8**	**10**	**14**	**17**		**1955**	**7.8**	**22**	**3**	**5**	**7**	**9**	**12**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	25	6.8	7						
35-49	19	7.5								35-49	247	6.8	6	2	6	7	9	10	10
50-69	158	7.8	16	4	5	7	9	13	16	50-69	1555	8.6	17	4	6	8	10	14	15
70 +	62	8.6	6	6	6	9	10	13	13	70 +	302	8.5	18	4	5	8	10	16	17
SUBTOTAL	**239**	**8.0**	**12**	**4**	**6**	**7**	**9**	**13**	**13**		**2129**	**8.3**	**16**	**4**	**6**	**8**	**10**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	17	4.6	2						
50-69	9	6.0								50-69	102	6.2	5	4	5	6	7	10	10
70 +	0									70 +	9	5.0							
SUBTOTAL	**9**	**6.0**									**129**	**5.9**	**4**	**3**	**4**	**6**	**7**	**10**	**10**
GRAND TOTAL	**248**	**7.9**	**12**	**4**	**6**	**7**	**9**	**13**	**13**		**2258**	**8.2**	**15**	**4**	**6**	**8**	**10**	**13**	**15**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1415	7.2	40	3	5	7	8	10	13
70-74	1123	7.6	23	4	5	7	9	11	13
75-79	1011	7.6	9	4	6	7	9	11	14
80-84	865	8.0	11	4	6	8	10	13	14
85 +	490	7.8	17	3	5	7	10	12	14
SUBTOTAL	**4904**	**7.6**	**22**	**4**	**5**	**7**	**9**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2127	6.0	10	2	4	6	7	9	10
70-74	1707	6.6	9	3	5	6	8	10	11
75-79	1396	6.6	6	4	5	7	8	10	10
80-84	958	6.3	7	3	4	6	8	10	11
85 +	701	6.8	5	4	5	7	8	10	11
SUBTOTAL	**6889**	**6.4**	**8**	**3**	**5**	**6**	**8**	**9**	**10**
GRAND TOTAL	**11792**	**6.9**	**14**	**3**	**5**	**7**	**8**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	9	4.0							
35-49	226	5.8	9	2	4	5	7	9	10
50-69	872	6.4	7	3	5	6	8	9	11
70 +	158	7.4	5	4	6	7	9	10	11
	1266	**6.4**	**7**	**2**	**5**	**6**	**8**	**10**	**11**
0-17	0								
18-34	46	3.6	6						
35-49	855	4.9	7	1	3	5	7	8	10
50-69	2269	5.3	6	2	3	6	7	8	9
70 +	172	6.5	9	2	5	7	8	9	14
	3342	**5.2**	**7**	**1**	**3**	**5**	**7**	**8**	**10**
	4607	**5.5**	**7**	**2**	**4**	**6**	**7**	**9**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	56	8.2	4	5	6	9	10	10	10
50-69	82	5.2	7	2	3	5	6	9	12
70 +	8	7.0							
SUBTOTAL	**146**	**6.4**	**8**	**3**	**5**	**6**	**9**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	82	5.1	4	2	4	5	6	8	8
50-69	133	6.7	15	3	4	6	8	10	18
70 +	0								
SUBTOTAL	**215**	**6.1**	**11**	**3**	**4**	**6**	**8**	**8**	**10**
GRAND TOTAL	**361**	**6.2**	**10**	**3**	**4**	**6**	**8**	**10**	**10**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	33	5.8	2						
35-49	228	5.5	10	2	3	5	7	9	10
50-69	1063	7.3	9	4	5	7	9	10	13
70 +	112	6.0	8	2	5	6	8	11	11
	1436	**6.9**	**9**	**3**	**5**	**7**	**8**	**10**	**12**
0-17	0								
18-34	50	5.3	10	1	2	6	7	10	10
35-49	1060	6.0	6	2	5	6	7	9	10
50-69	2929	6.1	5	3	5	6	8	9	10
70 +	129	6.1	7	3	3	6	7	11	11
	4167	**6.1**	**6**	**3**	**5**	**6**	**8**	**9**	**10**
	5603	**6.3**	**7**	**3**	**5**	**6**	**8**	**9**	**10**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2783	6.3	25	1	3	5	8	12	15	0-17	103	6.3	16	< 1	3	6	9	12	14
70-74	2024	6.1	26	1	2	5	8	13	16	18-34	60	5.2	8	1	2	6	7	10	10
75-79	1328	6.9	22	2	4	6	9	13	16	35-49	488	5.6	22	1	2	5	8	12	15
80-84	549	6.4	20	2	3	5	10	13	14	50-69	2310	4.8	17	1	2	4	7	11	12
85 +	194	8.0	44	1	3	6	11	14	14	70 +	242	4.8	32	< 1	1	2	5	16	18
SUBTOTAL	**6879**	**6.4**	**25**	**1**	**3**	**5**	**9**	**13**	**15**		**3204**	**5.0**	**19**	**1**	**1**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1221	4.0	7	1	2	3	6	7	8	0-17	16	1.0							
70-74	849	4.3	12	1	2	3	6	9	10	18-34	16	3.0	4						
75-79	489	4.6	21	1	2	3	6	10	15	35-49	481	3.2	9	1	1	2	4	6	11
80-84	189	4.9	18	1	1	3	8	10	13	50-69	1480	2.6	4	1	1	2	3	5	6
85 +	50	7.1	13	1	6	6	10	11	11	70 +	106	2.9	3	1	1	3	4	6	6
SUBTOTAL	**2797**	**4.3**	**12**	**1**	**2**	**3**	**6**	**8**	**10**		**2098**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**6**
GRAND TOTAL	**9676**	**5.8**	**22**	**1**	**2**	**5**	**8**	**11**	**15**		**5302**	**4.1**	**15**	**1**	**1**	**3**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	33	8.9	35							0-17	93	3.8	14	1	1	3	4	6	15
18-34	36	7.5	23							18-34	60	4.7	5	2	2	5	8	8	8
35-49	87	7.9	45	1	2	7	10	14	25	35-49	558	6.3	19	1	3	5	9	12	15
50-69	299	5.2	16	1	1	5	8	12	13	50-69	1575	7.1	24	1	4	6	9	12	17
70 +	0									70 +	173	5.7	17	1	2	6	8	11	12
SUBTOTAL	**454**	**6.2**	**25**	**1**	**1**	**6**	**8**	**14**	**15**		**2459**	**6.6**	**22**	**1**	**3**	**6**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	17	2.4	2						
18-34	9	2.0								18-34	23	6.7							
35-49	26	4.1	1							35-49	281	4.9	7	1	3	4	7	9	10
50-69	113	3.2	6	1	1	3	6	7	8	50-69	1061	4.7	8	1	3	4	6	8	9
70 +	9	3.0								70 +	39	3.2	4						
SUBTOTAL	**158**	**3.3**	**5**	**1**	**1**	**3**	**5**	**7**	**8**		**1422**	**4.7**	**8**	**1**	**3**	**4**	**7**	**8**	**9**
GRAND TOTAL	**612**	**5.4**	**21**	**1**	**1**	**5**	**8**	**13**	**14**		**3881**	**5.9**	**18**	**1**	**3**	**5**	**8**	**11**	**13**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2220	3.8	15	1	1	2	6	9	11	0-17	478	2.8	22	< 1	< 1	1	2	7	18
70-74	1482	4.2	17	1	1	3	6	10	13	18-34	135	3.3	9	1	1	2	6	8	10
75-79	729	4.9	15	1	1	4	7	10	13	35-49	770	3.0	8	< 1	1	2	5	8	9
80-84	352	5.2	25	1	1	4	8	10	13	50-69	2908	2.7	7	< 1	1	1	3	7	8
85 +	92	5.8	8	1	4	7	8	8	8	70 +	349	2.1	5	< 1	1	1	2	5	8
SUBTOTAL	**4875**	**4.2**	**16**	**1**	**1**	**2**	**7**	**10**	**12**		**4639**	**2.7**	**9**	**< 1**	**1**	**1**	**3**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2962	3.4	10	1	1	2	5	8	10	0-17	782	1.8	6	< 1	< 1	< 1	1	4	7
70-74	1802	3.3	8	1	1	2	5	8	10	18-34	187	3.1	6	1	1	2	5	6	7
75-79	940	3.4	10	< 1	1	2	5	8	10	35-49	2805	2.5	5	< 1	1	1	3	6	7
80-84	216	5.3	14	1	2	5	8	11	12	50-69	6493	2.5	6	< 1	1	1	3	6	8
85 +	92	3.0	5	< 1	1	2	4	7	7	70 +	449	2.2	5	< 1	< 1	1	3	5	6
SUBTOTAL	**6011**	**3.4**	**10**	**1**	**1**	**2**	**5**	**8**	**10**		**10716**	**2.4**	**6**	**< 1**	**1**	**1**	**3**	**6**	**8**
GRAND TOTAL	**10886**	**3.8**	**13**	**1**	**1**	**2**	**6**	**9**	**11**		**15355**	**2.5**	**7**	**< 1**	**1**	**1**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	184	4.1	46	< 1	1	1	6	9	34	0-17	168	1.6	2	< 1	< 1	1	1	4	6
18-34	0									18-34	73	3.3	5	< 1	2	2	5	7	7
35-49	93	4.7	14	1	1	5	8	9	12	35-49	555	4.0	9	1	1	3	6	8	9
50-69	163	3.3	7	1	1	2	6	8	9	50-69	1518	4.8	14	1	1	4	7	10	12
70 +	19	5.5	21							70 +	251	4.2	24	1	1	1	6	10	13
SUBTOTAL	**458**	**4.0**	**25**	**< 1**	**1**	**2**	**6**	**9**	**12**		**2564**	**4.3**	**13**	**1**	**1**	**3**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	328	2.0	5	< 1	< 1	1	2	4	7	0-17	436	1.4	3	< 1	< 1	1	1	1	2
18-34	33	3.6	9							18-34	82	2.6	5	1	1	2	4	5	9
35-49	172	2.5	7	< 1	1	1	3	6	9	35-49	1268	3.9	9	1	1	3	6	8	9
50-69	288	2.2	3	1	1	1	3	5	6	50-69	2885	4.0	11	1	1	3	6	9	10
70 +	0									70 +	148	2.2	5	1	1	1	3	8	9
SUBTOTAL	**821**	**2.2**	**5**	**< 1**	**1**	**1**	**3**	**5**	**7**		**4819**	**3.7**	**10**	**1**	**1**	**2**	**6**	**8**	**10**
GRAND TOTAL	**1280**	**2.8**	**13**	**< 1**	**1**	**1**	**4**	**7**	**9**		**7382**	**3.9**	**11**	**1**	**1**	**2**	**6**	**9**	**10**

DRG 126: Acute & Subacute Endocarditis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	158	22.1	204	5	12	19	29	42	54	0-17	16	14.0	1						
70-74	183	21.0	194	8	10	16	31	48	50	18-34	62	10.1	21	4	6	9	13	18	18
75-79	104	19.5	176	6	7	13	33	39	40	35-49	98	19.9	101	7	13	20	26	32	42
80-84	28	8.7	32							50-69	85	12.0	55	5	6	10	15	29	29
85 +	88	20.1	137	6	13	19	23	44	47	70 +	40	8.7	76						
SUBTOTAL	**562**	**20.3**	**183**	**6**	**10**	**16**	**29**	**42**	**48**		**301**	**13.9**	**82**	**5**	**7**	**11**	**19**	**26**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	10.1	5							0-17	0								
70-74	19	12.5	13							18-34	17	7.7	9						
75-79	8	14.0								35-49	45	5.5	6						
80-84	17	6.7	7							50-69	19	17.5							
85 +	0									70 +	0								
SUBTOTAL	**70**	**10.3**	**13**	**4**	**9**	**9**	**13**	**16**	**16**		**81**	**8.8**	**29**	**2**	**5**	**7**	**11**	**18**	**18**
GRAND TOTAL	**631**	**19.2**	**174**	**6**	**9**	**15**	**29**	**42**	**48**		**382**	**12.8**	**75**	**4**	**6**	**10**	**17**	**26**	**29**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	23	18.3	149						
18-34	75	21.4	135	8	12	19	27	46	46	18-34	89	21.4	164	5	14	15	32	38	43
35-49	17	25.2	76							35-49	90	15.3	76	6	8	13	21	30	31
50-69	0									50-69	134	18.3	108	9	11	16	22	34	43
70 +	0									70 +	0								
SUBTOTAL	**92**	**22.1**	**125**	**10**	**12**	**19**	**32**	**33**	**46**		**335**	**18.3**	**121**	**6**	**10**	**15**	**29**	**34**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	16	8.5	2						
18-34	9	3.0								18-34	26	18.0	253						
35-49	0									35-49	8	29.0							
50-69	0									50-69	28	16.0	92						
70 +	0									70 +	0								
SUBTOTAL	**9**	**3.0**									**78**	**16.5**	**146**	**5**	**7**	**10**	**28**	**39**	**42**
GRAND TOTAL	**101**	**20.4**	**145**	**8**	**11**	**16**	**32**	**33**	**46**		**413**	**18.0**	**126**	**6**	**10**	**15**	**29**	**34**	**42**

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12028	6.1	26	2	3	5	7	12	16	0-17	128	7.5	23	4	5	6	9	11	24
70-74	10796	6.1	23	2	3	5	8	11	14	18-34	124	3.8	5	1	2	4	5	6	9
75-79	12281	6.4	20	2	3	5	8	12	15	35-49	504	4.4	8	2	3	4	6	9	10
80-84	11042	6.4	20	2	3	5	8	12	15	50-69	3604	5.6	14	2	3	5	7	10	14
85 +	11672	6.8	28	3	4	5	8	12	16	70 +	1212	6.1	20	2	3	5	7	11	14
SUBTOTAL	**57820**	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**15**		**5571**	**5.6**	**15**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1938	4.3	15	2	2	4	5	8	9	0-17	47	6.0	26	1	1	4	12	13	13
70-74	2040	4.6	10	2	2	4	6	8	11	18-34	0								
75-79	2397	4.7	11	2	3	4	6	9	11	35-49	99	3.2	4	1	2	3	5	6	7
80-84	2497	4.9	11	2	3	4	6	9	11	50-69	858	3.7	6	2	2	3	5	7	9
85 +	2780	5.0	11	2	3	4	6	8	10	70 +	267	4.1	6	2	2	3	6	7	10
SUBTOTAL	**11653**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**10**		**1271**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**69473**	**6.1**	**22**	**2**	**3**	**5**	**7**	**11**	**15**		**6843**	**5.3**	**14**	**2**	**3**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	149	6.2	26	2	3	5	10	11	23	0-17	106	6.5	25	2	3	5	8	15	18
18-34	153	4.6	7	2	2	5	6	9	11	18-34	258	4.8	10	2	2	4	7	10	11
35-49	358	5.4	20	2	2	4	7	11	14	35-49	938	6.2	34	2	3	5	7	12	20
50-69	1345	6.1	26	2	3	5	7	12	17	50-69	5000	5.7	23	2	3	4	7	11	14
70 +	293	5.1	6	2	3	5	7	9	9	70 +	1348	6.6	49	2	3	5	8	12	19
SUBTOTAL	**2299**	**5.8**	**22**	**2**	**3**	**5**	**7**	**11**	**15**		**7650**	**5.9**	**29**	**2**	**3**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	2.5								0-17	17	1.5							
18-34	62	3.0	2	2	2	2	5	5	5	18-34	16	2.5	2						
35-49	25	6.7	4							35-49	279	4.3	15	1	2	3	5	9	16
50-69	181	5.2	9	1	3	5	6	10	11	50-69	1098	4.2	8	2	2	3	5	8	11
70 +	54	4.2	3	2	3	4	5	7	7	70 +	206	3.7	6	1	2	3	5	7	8
SUBTOTAL	**338**	**4.6**	**7**	**2**	**2**	**4**	**6**	**9**	**10**		**1616**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**2637**	**5.6**	**20**	**2**	**3**	**5**	**7**	**11**	**14**		**9266**	**5.6**	**26**	**2**	**3**	**4**	**7**	**11**	**14**

DRG 128: Deep Vein Thrombophlebitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	631	7.6	17	3	5	7	10	12	14	0-17	8	5.0							
70-74	634	7.8	9	5	6	8	9	11	14	18-34	53	3.6	6	1	1	4	4	8	8
75-79	448	8.0	19	4	5	7	9	12	15	35-49	205	7.0	6	4	5	7	8	9	12
80-84	369	7.9	11	5	6	7	10	12	14	50-69	547	7.7	11	4	6	7	10	11	12
85 +	383	9.1	26	4	6	8	11	18	18	70 +	0								
SUBTOTAL	**2464**	**8.0**	**16**	**4**	**5**	**7**	**10**	**13**	**15**		**812**	**7.2**	**10**	**4**	**5**	**7**	**9**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	652	7.7	11	4	5	7	10	13	14	0-17	71	5.2	4	1	4	6	6	7	7
70-74	562	6.6	5	4	5	7	7	9	11	18-34	270	5.6	8	2	4	5	7	10	13
75-79	417	6.7	4	4	6	7	8	10	10	35-49	689	6.4	9	2	5	6	7	9	13
80-84	384	7.0	8	4	5	7	8	10	12	50-69	807	6.5	10	3	5	6	7	10	11
85 +	226	8.3	5	6	6	8	10	11	12	70 +	82	6.9	4	4	6	7	9	9	10
SUBTOTAL	**2242**	**7.2**	**7**	**4**	**5**	**7**	**8**	**11**	**12**		**1920**	**6.3**	**9**	**3**	**4**	**6**	**7**	**9**	**11**
GRAND TOTAL	**4706**	**7.6**	**12**	**4**	**5**	**7**	**9**	**12**	**14**		**2732**	**6.6**	**10**	**3**	**5**	**6**	**8**	**10**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	6.0	1							0-17	8	11.0							
18-34	34	6.1	19							18-34	45	5.9	9						
35-49	25	11.7	14							35-49	101	8.7	7	5	7	9	10	11	15
50-69	54	7.6	12	4	5	6	9	15	15	50-69	318	8.8	15	5	6	7	10	13	20
70 +	8	11.0								70 +	64	8.0	1	7	7	8	9	10	10
SUBTOTAL	**144**	**7.9**	**16**	**3**	**5**	**7**	**11**	**15**	**15**		**536**	**8.5**	**12**	**5**	**6**	**8**	**10**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9	16.0								0-17	8	8.0							
18-34	46	3.4	4							18-34	116	6.9	11	2	5	7	8	11	14
35-49	74	6.6	3	5	5	6	9	9	9	35-49	213	6.8	6	4	5	7	7	11	13
50-69	56	5.0	7	< 1	3	5	7	9	9	50-69	326	6.5	8	3	5	7	7	10	12
70 +	19	6.0	1							70 +	34	7.8	1						
SUBTOTAL	**204**	**5.8**	**10**	**1**	**5**	**5**	**7**	**9**	**9**		**697**	**6.7**	**8**	**4**	**5**	**7**	**8**	**11**	**12**
GRAND TOTAL	**349**	**6.7**	**14**	**2**	**5**	**6**	**8**	**13**	**15**		**1233**	**7.5**	**10**	**4**	**5**	**7**	**9**	**11**	**13**

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	81	8.7	46	1	2	10	13	19	21	0-17	0								
70-74	53	8.8	32	2	4	9	11	19	19	18-34	9	25.0							
75-79	64	11.3	23	4	6	13	16	17	17	35-49	19	3.0							
80-84	54	6.9	20	1	3	5	12	13	13	50-69	0								
85 +	42	5.9	9							70 +	0								
SUBTOTAL	**293**	**8.6**	**31**	**2**	**4**	**8**	**13**	**17**	**19**		**28**	**10.3**	**112**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	19	7.0								18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	8	6.0							
85 +	0									70 +	0								
SUBTOTAL	**19**	**7.0**									**8**	**6.0**							
GRAND TOTAL	**311**	**8.5**	**29**	**2**	**4**	**8**	**13**	**17**	**19**		**36**	**9.4**	**90**						

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	20.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	9	2.0							
50-69	16	23.5								50-69	34	11.7	136						
70 +	0									70 +	0								
SUBTOTAL	**23**	**22.3**	**3**								**43**	**9.6**	**122**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	28	11.3	7						
70 +	0									70 +	0								
SUBTOTAL	**0**										**28**	**11.3**	**7**						
GRAND TOTAL	**23**	**22.3**	**3**								**71**	**10.3**	**77**	**2**	**2**	**9**	**14**	**30**	**30**

DRG 130: Peripheral Vascular Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2258	7.2	21	2	4	7	9	12	16
70-74	1705	6.9	19	2	4	6	8	13	17
75-79	1597	7.7	54	2	5	7	9	12	15
80-84	1201	7.1	13	3	5	6	9	11	14
85 +	1057	6.9	13	2	4	7	9	12	14
SUBTOTAL	7818	7.2	25	2	4	7	9	12	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7818	7.2	25	2	4	7	9	12	15

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	4.1	15	< 1	1	2	8	12	12
18-34	175	7.8	18	3	6	7	9	11	12
35-49	473	7.1	16	2	5	7	9	12	15
50-69	1223	7.2	22	1	4	7	9	14	15
70 +	182	7.4	33	1	3	7	8	13	16
	2110	7.1	21	1	4	7	9	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2110	7.1	21	1	4	7	9	12	15

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	5.5	7						
18-34	121	8.4	50	2	3	7	9	21	26
35-49	104	7.9	20	4	5	7	8	11	20
50-69	167	5.6	13	1	2	5	8	10	12
70 +	0								
SUBTOTAL	408	7.0	27	2	3	7	9	12	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	408	7.0	27	2	3	7	9	12	20

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	7.3	5						
18-34	119	7.8	12	4	5	9	10	13	14
35-49	459	7.1	14	3	5	7	8	12	14
50-69	1187	7.6	28	2	4	7	9	14	18
70 +	158	5.9	10	1	3	6	8	9	11
	1955	7.4	22	2	4	7	9	13	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1955	7.4	22	2	4	7	9	13	15

DRG 131: Peripheral Vascular Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1730	5.1	10	1	2	5	7	9	10
70-74	1131	4.9	10	1	2	5	7	9	10
75-79	861	5.5	11	1	2	5	8	10	11
80-84	574	6.8	27	1	5	6	8	11	13
85 +	378	7.0	13	3	5	7	9	13	13
SUBTOTAL	**4674**	**5.5**	**13**	**1**	**2**	**5**	**8**	**9**	**11**
GRAND TOTAL	**4674**	**5.5**	**13**	**1**	**2**	**5**	**8**	**9**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	113	6.7	48	1	2	6	8	9	28
18-34	518	5.9	6	3	4	6	7	9	10
35-49	879	5.3	10	1	2	6	8	9	10
50-69	1738	4.9	11	< 1	2	5	7	9	10
70 +	236	4.6	14	< 1	< 1	4	7	10	11
	3484	**5.2**	**11**	**< 1**	**2**	**5**	**7**	**9**	**10**
	3484	**5.2**	**11**	**< 1**	**2**	**5**	**7**	**9**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	9.0	27						
18-34	28	7.0	5						
35-49	60	6.1	23	< 1	3	4	8	17	17
50-69	64	8.5	9	4	7	8	13	13	13
70 +	28	4.0	5						
SUBTOTAL	**195**	**6.9**	**16**	**3**	**4**	**7**	**8**	**13**	**14**
GRAND TOTAL	**195**	**6.9**	**16**	**3**	**4**	**7**	**8**	**13**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	50	4.4	6	1	1	5	7	7	7
18-34	568	5.9	14	2	4	6	7	8	10
35-49	900	5.6	6	2	4	6	7	9	9
50-69	1153	6.0	9	1	4	6	8	9	10
70 +	200	4.6	8	1	1	5	7	8	10
	2871	**5.7**	**9**	**1**	**4**	**6**	**7**	**9**	**10**
	2871	**5.7**	**9**	**1**	**4**	**6**	**7**	**9**	**10**

DRG 132: Atherosclerosis w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	386	5.4	114	2	2	3	5	8	9
70-74	410	4.0	11	2	2	3	5	6	10
75-79	457	4.3	9	2	2	3	6	9	11
80-84	245	4.8	13	2	2	4	6	10	12
85+	305	5.0	8	2	3	5	6	9	11
SUBTOTAL	1803	4.7	32	2	2	4	5	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	1803	4.7	32	2	2	4	5	9	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	62	2.3		1	2	2	3	3	3
50-69	388	3.2	5	1	2	3	4	5	7
70+	34	4.2	19						
	484	3.1	6	1	2	3	4	5	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	484	3.1	6	1	2	3	4	5	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	28	3.3	1						
50-69	122	3.7	5	<1	2	3	5	6	9
70+	16	7.0							
SUBTOTAL	166	4.0	5	<1	2	4	5	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	166	4.0	5	<1	2	4	5	7	9

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	79	3.6	3	1	2	3	6	6	6
50-69	369	3.4	4	1	2	3	5	6	7
70+	127	3.6	5	2	2	3	5	6	10
	576	3.5	4	1	2	3	5	6	7
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	576	3.5	4	1	2	3	5	6	7

DRG 133: Atherosclerosis w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	183	3.0	3	1	2	3	4	4	7
70-74	196	3.3	3	1	2	3	4	6	6
75-79	133	3.5	5	1	2	4	5	6	9
80-84	124	3.9	5	1	2	5	6	6	7
85 +	90	5.5	8	3	4	4	7	8	13
SUBTOTAL	**726**	**3.6**	**5**	**1**	**2**	**4**	**5**	**6**	**7•**
GRAND TOTAL	**726**	**3.6**	**5**	**1**	**2**	**4**	**5**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	26	3.0							
35-49	180	2.4	1	1	2	2	3	4	5
50-69	288	2.4	2	1	1	2	3	4	5
70 +	8	6.0							
	502	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
	502	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	1.5							
18-34	8	1.0							
35-49	56	3.2	3	1	2	3	5	5	5
50-69	37	2.5							
70 +	9	7.0							
SUBTOTAL	**127**	**2.9**	**3**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**127**	**2.9**	**3**	**1**	**2**	**2**	**4**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	25	3.9	2						
35-49	196	2.7	5	1	1	2	3	7	8
50-69	290	2.8	4	1	1	2	4	5	7
70 +	8	6.0							
	518	**2.9**	**4**	**1**	**1**	**2**	**4**	**7**	**8**
	518	**2.9**	**4**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 134: Hypertension

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	645	3.8	7	2	2	3	5	7	8
70-74	463	4.3	15	1	2	4	5	8	10
75-79	437	4.3	12	2	2	3	5	10	11
80-84	318	4.5	10	2	2	3	6	9	11
85 +	200	4.4	7	2	2	4	5	8	8
SUBTOTAL	2063	4.2	10	2	2	3	5	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	423	3.0	7	1	1	2	4	6	6
70-74	465	2.7	7	1	1	2	3	5	6
75-79	271	3.0	2	1	2	3	4	5	6
80-84	291	3.8	9	1	2	3	5	7	10
85 +	191	3.1	2	1	2	3	4	5	6
SUBTOTAL	1642	3.1	6	1	2	2	4	6	6
GRAND TOTAL	3705	3.7	9	1	2	3	5	7	9

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	3.0	4	1	1	3	4	6	6
18-34	28	2.3	1						
35-49	194	4.3	16	1	2	3	5	9	11
50-69	485	3.7	13	1	2	3	4	6	9
70 +	42	2.4	2						
	822	3.7	12	1	2	3	4	6	9
0-17	65	2.8	2	1	2	2	4	6	6
18-34	79	2.8	5	1	1	2	3	7	8
35-49	429	2.1	1	1	1	2	3	3	4
50-69	812	3.0	7	1	2	2	3	6	7
70 +	70	2.0		1	2	2	2	3	3
	1455	2.7	5	1	2	2	3	5	6
	2277	3.0	8	1	2	2	4	6	7

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	9	3.0							
18-34	19	6.5	7						
35-49	28	4.3	7						
50-69	107	3.3	6	< 1	2	3	4	5	10
70 +	0								
SUBTOTAL	163	3.9	7	< 1	2	3	4	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	25	1.9	1						
18-34	46	3.2	7						
35-49	25	3.6	2						
50-69	37	1.5							
70 +	0								
SUBTOTAL	133	2.6	4	1	1	2	4	5	8
GRAND TOTAL	296	3.3	6	1	2	3	4	8	9

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	2.6	3						
18-34	68	3.4	6	1	1	3	4	9	9
35-49	303	3.7	5	1	2	3	5	7	8
50-69	452	4.2	10	2	2	3	5	7	13
70 +	16	3.5							
	863	3.9	8	1	2	3	5	7	10
0-17	16	1.0							
18-34	95	2.5	1	1	1	3	3	4	5
35-49	455	3.0	4	1	2	3	4	5	8
50-69	615	2.9	3	1	2	2	4	5	7
70 +	45	2.2	1						
	1224	2.8	3	1	2	2	4	5	7
	2088	3.3	5	1	2	3	4	6	8

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	154	4.4	9	1	2	4	5	8	13
70-74	79	3.8	5	1	2	3	6	7	8
75-79	166	4.4	7	2	2	4	5	7	8
80-84	170	5.5	8	2	4	5	6	12	13
85 +	257	6.3	49	2	3	4	7	12	26
SUBTOTAL	826	5.2	21	2	3	4	6	8	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	826	5.2	21	2	3	4	6	8	13

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	8.5	13						
35-49	53	4.1	6	< 1	2	4	6	8	8
50-69	124	4.7	10	2	2	4	7	10	12
70 +	8	7.0							
	200	4.9	10	2	2	4	7	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	200	4.9	10	2	2	4	7	10	12

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	54	3.4	3	1	1	5	5	5	5
35-49	0								
50-69	28	6.0	8						
70 +	16	8.5	13						
SUBTOTAL	98	5.0	10	1	3	5	5	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	98	5.0	10	1	3	5	5	10	12

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	57	3.9	9	1	2	3	5	10	10
35-49	48	3.3	13	< 1	1	1	3	11	11
50-69	138	4.2	8	1	2	3	6	9	10
70 +	34	20.0	381						
	278	5.9	81	1	2	3	7	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	278	5.9	81	1	2	3	7	10	13

DHG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	129	2.6	2	1	1	2	3	5	6
70-74	73	6.8	52	< 1	3	4	6	25	25
75-79	28	4.0	5						
80-84	53	2.2	2	1	1	2	3	4	4
85 +	43	3.6	1						
SUBTOTAL	**326**	**3.7**	**16**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**326**	**3.7**	**16**	**1**	**2**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	73	2.2	2	< 1	1	1	3	6	6
35-49	211	4.5	50	1	1	2	3	18	20
50-69	172	2.5	5	1	1	1	4	4	9
70 +	0								
	455	**3.4**	**26**	**1**	**1**	**2**	**3**	**4**	**18**
	455	**3.4**	**26**	**1**	**1**	**2**	**3**	**4**	**18**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	36	2.5	1						
35-49	19	2.0	1						
50-69	19	1.5							
70 +	0								
SUBTOTAL	**73**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**73**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	95	2.8	5	1	2	2	2	7	8
35-49	169	2.6	2	1	2	2	3	5	5
50-69	146	2.4	1	1	2	2	3	4	4
70 +	8	6.0							
	417	**2.6**	**2**	**1**	**2**	**2**	**3**	**5**	**6**
	417	**2.6**	**2**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	252	5.4	44	< 1	1	2	8	17	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**252**	**5.4**	**44**	**< 1**	**1**	**2**	**8**	**17**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	314	3.8	7	< 1	1	3	6	8	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**314**	**3.8**	**7**	**< 1**	**1**	**3**	**6**	**8**	**8**
GRAND TOTAL	**0**										**566**	**4.5**	**24**	**< 1**	**1**	**2**	**6**	**10**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	210	7.9	142	< 1	1	6	10	15	16	0-17	171	8.4	85	< 1	3	5	10	17	31
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**210**	**7.9**	**142**	**< 1**	**1**	**6**	**10**	**15**	**16**		**171**	**8.4**	**85**	**< 1**	**3**	**5**	**10**	**17**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	233	3.2	6	< 1	< 1	3	6	8	9	0-17	216	2.5	4	< 1	1	2	4	5	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**233**	**3.2**	**6**	**< 1**	**< 1**	**3**	**6**	**8**	**9**		**216**	**2.5**	**4**	**< 1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**443**	**5.4**	**76**	**< 1**	**1**	**3**	**7**	**10**	**16**		**387**	**5.1**	**48**	**< 1**	**1**	**3**	**6**	**11**	**17**

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6486	4.3	16	1	2	3	5	8	10	0-17	112	4.0	16	1	1	3	5	10	15
70-74	6019	4.0	10	1	2	3	5	8	10	18-34	228	2.8	7	1	1	2	3	6	7
75-79	5538	4.5	12	2	2	4	6	9	12	35-49	792	2.5	3	1	1	2	3	4	7
80-84	4720	4.9	24	2	2	4	6	9	12	50-69	2794	3.7	14	1	2	3	4	7	10
85 +	4218	5.1	15	2	2	4	6	10	13	70 +	506	4.1	11	2	2	3	4	8	11
SUBTOTAL	**26981**	**4.5**	**15**	**1**	**2**	**3**	**6**	**8**	**11**		**4431**	**3.5**	**12**	**1**	**2**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**26981**	**4.5**	**15**	**1**	**2**	**3**	**6**	**8**	**11**		**4431**	**3.5**	**12**	**1**	**2**	**3**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	137	4.8	25	1	1	3	6	16	17	0-17	128	5.8	42	1	1	4	8	14	25
18-34	111	2.3	3	1	1	1	3	5	6	18-34	197	2.4	4	1	1	2	3	4	6
35-49	107	3.9	21	1	1	3	3	5	18	35-49	832	3.3	10	1	1	2	4	7	11
50-69	486	3.8	6	1	2	3	5	6	10	50-69	2695	3.8	11	1	2	3	5	7	9
70 +	143	6.5	49	1	3	3	7	19	27	70 +	425	4.7	13	1	2	3	6	10	11
SUBTOTAL	**984**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**12**		**4276**	**3.8**	**12**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**984**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**12**		**4276**	**3.8**	**12**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4142	2.4	3	1	1	2	3	4	6	0-17	399	3.4	18	< 1	1	2	4	7	9
70-74	3616	2.6	3	1	1	2	3	5	6	18-34	522	1.5	1	< 1	1	1	2	3	3
75-79	2955	3.1	6	1	2	2	4	5	7	35-49	1489	2.1	3	< 1	1	2	2	4	5
80-84	2184	3.2	6	1	2	3	4	6	8	50-69	3884	2.3	3	1	1	2	3	4	6
85 +	1623	3.3	4	1	2	3	4	6	7	70 +	287	2.8	15	1	1	2	3	5	8
SUBTOTAL	**14519**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**7**		**6582**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**14519**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**7**		**6582**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	123	3.7	8	1	1	2	7	8	9	0-17	306	2.7	6	< 1	1	2	3	6	10
18-34	64	2.0	3	< 1	1	1	2	6	6	18-34	629	1.9	1	< 1	1	2	2	3	4
35-49	129	1.6		1	1	2	2	2	3	35-49	1321	2.0	2	1	1	2	2	3	4
50-69	270	2.8	3	1	1	2	4	5	6	50-69	2764	2.5	2	1	1	2	3	5	5
70 +	51	2.5	1	1	2	2	3	4	4	70 +	392	4.9	74	1	2	3	4	8	12
SUBTOTAL	**636**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**5412**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**636**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**5412**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 140: Angina Pectoris

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6785	3.5	7	1	2	3	4	6	8	0-17	0								
70-74	5479	3.7	6	2	2	3	5	7	8	18-34	37	2.3	1						
75-79	5744	3.8	18	2	2	3	5	7	8	35-49	560	3.1	14	1	2	2	4	5	5
80-84	4296	4.1	9	2	2	3	5	8	9	50-69	2050	3.1	5	1	2	2	4	5	7
85 +	3450	4.2	9	2	2	4	5	7	9	70 +	540	3.3	4	1	2	3	4	6	9
SUBTOTAL	**25754**	**3.8**	**10**	**2**	**2**	**3**	**5**	**7**	**9**		**3187**	**3.1**	**7**	**1**	**2**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8008	2.8	3	1	2	2	3	5	6	0-17	0								
70-74	5295	2.8	2	1	2	2	4	5	5	18-34	111	1.7	1	1	1	1	2	4	4
75-79	5038	3.1	4	1	2	3	4	5	7	35-49	1434	2.0	2	1	1	2	2	3	4
80-84	3540	2.9	4	1	2	2	4	5	6	50-69	4697	2.2	2	1	1	2	3	4	5
85 +	2192	3.3	6	1	2	3	4	6	7	70 +	395	2.8	5	1	1	2	3	5	6
SUBTOTAL	**24073**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**6638**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**49827**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**9825**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	36	2.8	2							18-34	19	2.0							
35-49	209	2.9	3	1	2	3	4	6	6	35-49	752	3.1	3	1	2	3	4	5	6
50-69	933	3.5	4	1	2	3	4	7	8	50-69	3258	3.6	5	2	2	3	4	7	8
70 +	133	5.0	22	2	3	3	7	7	22	70 +	404	3.8	6	2	2	3	4	8	10
SUBTOTAL	**1311**	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**8**		**4433**	**3.5**	**5**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	45	3.7	4							18-34	124	2.8	3	1	1	2	4	5	7
35-49	347	2.0	1	1	1	2	2	3	5	35-49	2364	2.8	2	1	2	2	4	5	6
50-69	688	2.9	4	1	2	2	4	6	7	50-69	7131	2.9	3	1	2	3	4	5	6
70 +	43	2.9	5							70 +	485	2.5	1	1	2	3	3	4	5
SUBTOTAL	**1123**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**7**		**10104**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2434**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**14537**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 141: Syncope & Collapse w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1766	3.7	8	1	2	3	5	7	9
70-74	2038	4.0	14	1	2	3	5	7	9
75-79	2221	3.8	7	1	2	3	5	7	9
80-84	2213	4.1	8	2	2	3	5	8	10
85 +	2290	4.1	9	2	2	3	5	8	11
SUBTOTAL	**10528**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10528**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	1.8	1	1	1	2	2	4	4
18-34	239	2.0	1	1	1	2	2	4	5
35-49	345	2.8	18	1	1	2	3	4	5
50-69	913	2.7	4	1	1	2	3	5	6
70 +	154	2.9	5	1	1	3	3	6	10
	1713	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1713	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	9	2.0							
18-34	56	2.8	1	2	2	3	4	4	4
35-49	70	3.8	6	1	2	3	5	8	8
50-69	212	3.4	2	2	2	3	4	6	6
70 +	53	7.0	26	2	4	5	11	17	17
SUBTOTAL	**400**	**3.8**	**7**	**2**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**400**	**3.8**	**7**	**2**	**2**	**3**	**5**	**6**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	2.4	2						
18-34	143	2.1	1	1	1	2	3	4	5
35-49	270	3.5	11	1	2	2	4	7	10
50-69	607	3.5	7	1	2	3	4	7	9
70 +	326	4.5	27	1	2	3	6	8	9
	1373	**3.5**	**12**	**1**	**2**	**3**	**4**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1373	**3.5**	**12**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 142: Syncope & Collapse w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1353	2.1	2	1	1	2	2	4	5
70-74	1495	2.5	2	1	1	2	3	4	6
75-79	1409	2.8	6	1	1	2	3	5	8
80-84	1460	2.8	6	1	1	2	4	6	7
85 +	1413	3.4	11	1	2	3	4	6	8
SUBTOTAL	**7130**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**7130**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	239	1.6	1	1	1	1	2	3	3
18-34	421	1.8	2	< 1	1	2	2	3	5
35-49	737	1.6	1	1	1	1	2	2	3
50-69	1455	2.0	2	1	1	2	2	3	4
70 +	279	2.5	1	1	2	2	3	4	5
	3131	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
	3131	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	1.8	1						
18-34	54	2.6	2	1	2	2	3	6	6
35-49	43	2.8	2						
50-69	102	2.5	1	2	2	2	3	4	4
70 +	25	2.3	1						
SUBTOTAL	**265**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**265**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	182	2.1	1	1	1	2	3	3	3
18-34	343	1.7	1	1	1	1	2	3	3
35-49	514	2.1	2	1	1	2	2	4	5
50-69	931	2.3	2	1	1	2	3	4	5
70 +	182	2.6	2	1	1	2	3	5	6
	2152	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	2152	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 143: Chest Pain

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3194	2.8	3	1	2	2	3	5	6	0-17	8	3.0							
70-74	2229	3.0	5	1	2	2	3	5	7	18-34	288	1.8	1	1	1	1	2	3	4
75-79	1902	3.2	7	1	2	3	4	6	8	35-49	1257	2.0	2	1	1	2	2	3	4
80-84	1141	3.2	5	1	2	3	4	5	7	50-69	2392	2.5	4	1	1	2	3	4	6
85 +	844	2.9	4	1	2	2	4	6	7	70 +	143	3.0	4	1	1	3	4	7	7
SUBTOTAL	**9312**	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**7**		**4088**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4601	2.3	2	1	1	2	3	4	5	0-17	53	1.5		1	1	1	2	2	2
70-74	2876	2.3	3	1	1	2	3	4	5	18-34	965	1.7	1	1	1	1	2	3	3
75-79	2042	2.4	2	1	1	2	3	4	5	35-49	5587	1.8	1	1	1	1	2	3	4
80-84	1134	2.3	2	1	1	2	3	4	5	50-69	6499	1.8	1	1	1	2	2	3	4
85 +	727	2.5	2	1	1	2	3	5	5	70 +	267	2.4	2	1	1	2	3	5	5
SUBTOTAL	**11380**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**13371**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**20691**	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**6**		**17459**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	1.0								0-17	8	1.0							
18-34	81	1.9	1	< 1	1	1	3	4	4	18-34	380	1.9	1	1	1	2	2	4	4
35-49	228	2.7	5	1	1	2	3	5	7	35-49	1362	2.3	2	1	1	2	3	4	5
50-69	476	2.8	2	1	2	3	3	4	5	50-69	2500	3.1	6	1	2	2	4	6	7
70 +	56	4.7	5	2	3	4	7	8	8	70 +	182	2.6	4	1	1	2	4	5	8
SUBTOTAL	**848**	**2.8**	**3**	**1**	**2**	**3**	**3**	**5**	**6**		**4431**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9	1.0								0-17	56	2.7	7	< 1	1	1	5	8	8
18-34	146	2.1	1	1	1	2	3	4	4	18-34	826	2.2	17	1	1	1	2	4	6
35-49	497	1.9	2	1	1	2	2	3	4	35-49	5283	2.1	1	1	1	2	3	3	4
50-69	628	2.3	2	1	1	2	3	4	5	50-69	7484	2.4	2	1	2	2	3	4	5
70 +	54	2.3	2	< 1	1	2	4	4	4	70 +	249	2.0	1	1	1	2	3	3	4
SUBTOTAL	**1334**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**		**13897**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2182**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**18328**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 144: Other Circulatory System Diagnoses w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	2475	5.5	27	2	3	4	7	9	12		0-17	134	7.2	53	1	3	5	6	20	30	
70-74	1523	5.5	16	1	2	5	7	11	14		18-34	251	3.5	4	1	2	4	5	6	7	
75-79	1439	6.0	38	2	3	4	7	11	16		35-49	380	4.4	19	1	2	3	5	8	8	
80-84	893	6.1	22	2	3	5	7	11	14		50-69	1211	5.4	21	2	2	4	7	10	13	
85 +	487	7.1	72	2	3	5	8	13	19		70 +	203	4.7	14	1	2	4	7	9	14	
SUBTOTAL	**6815**	**5.8**	**29**	**2**	**3**	**5**	**7**	**11**	**14**			**2179**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	0										0-17	0									
70-74	0										18-34	0									
75-79	0										35-49	0									
80-84	0										50-69	0									
85 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**6815**	**5.8**	**29**	**2**	**3**	**5**	**7**	**11**	**14**			**2179**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	109	5.9	32	1	2	4	8	15	21		0-17	67	10.5	71	3	3	8	15	30	30	
18-34	70	3.3	5	< 1	2	3	4	8	8		18-34	193	4.2	18	1	2	3	4	14	15	
35-49	203	6.2	17	2	2	5	9	13	13		35-49	579	4.8	14	2	2	4	6	9	11	
50-69	253	9.2	168	1	2	6	8	25	48		50-69	1177	5.9	27	2	3	5	7	12	14	
70 +	19	6.5	21								70 +	178	7.1	19	3	4	5	11	12	14	
SUBTOTAL	**653**	**7.0**	**80**	**1**	**2**	**5**	**8**	**13**	**21**			**2194**	**5.7**	**25**	**2**	**3**	**4**	**7**	**12**	**14**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	0										50-69	0									
70 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**653**	**7.0**	**80**	**1**	**2**	**5**	**8**	**13**	**21**			**2194**	**5.7**	**25**	**2**	**3**	**4**	**7**	**12**	**14**	

DRG 145: Other Circulatory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	524	3.1	4	1	1	3	4	5	7	0-17	143	2.7	4	< 1	1	2	5	6	6
70-74	323	2.9	2	1	2	2	4	5	7	18-34	305	2.3	2	1	1	2	3	4	6
75-79	307	3.2	7	1	2	2	4	6	8	35-49	570	2.0	2	1	1	2	2	4	4
80-84	226	2.8	3	1	2	2	3	5	6	50-69	666	3.0	4	1	1	2	4	6	7
85 +	121	2.9	3	1	2	3	3	6	7	70 +	42	3.9	11						
SUBTOTAL	**1501**	**3.0**	**4**	**1**	**2**	**2**	**4**	**5**	**7**		**1727**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1501**	**3.0**	**4**	**1**	**2**	**2**	**4**	**5**	**7**		**1727**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	2.4	4							0-17	138	5.8	50	1	2	4	5	16	29
18-34	26	2.0	1							18-34	354	3.0	5	1	1	2	3	7	7
35-49	87	4.5	3	3	3	4	6	7	7	35-49	472	2.3	2	1	1	2	3	4	5
50-69	26	8.3	53							50-69	509	3.3	5	1	2	3	4	5	6
70 +	9	1.0								70 +	34	2.7	1						
SUBTOTAL	**188**	**4.1**	**14**	**< 1**	**2**	**3**	**5**	**7**	**8**		**1508**	**3.1**	**9**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**188**	**4.1**	**14**	**< 1**	**2**	**3**	**5**	**7**	**8**		**1508**	**3.1**	**9**	**1**	**2**	**2**	**4**	**5**	**7**

DRG 146: Rectal Resection w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	361	11.6	20	7	8	11	14	18	23	0-17	16	13.5	13						
70-74	273	12.2	19	8	9	11	14	20	20	18-34	17	14.4	52						
75-79	288	12.2	29	7	8	11	15	19	21	35-49	68	8.8	4	6	6	9	11	11	11
80-84	200	17.4	316	7	9	13	18	25	43	50-69	217	10.1	18	6	8	9	11	15	17
85 +	70	13.4	22	8	9	14	15	23	23	70 +	82	11.5	18	7	9	10	14	16	21
SUBTOTAL	**1192**	**13.0**	**75**	**7**	**8**	**11**	**15**	**20**	**24**		**400**	**10.5**	**19**	**6**	**8**	**10**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1192**	**13.0**	**75**	**7**	**8**	**11**	**15**	**20**	**24**		**400**	**10.5**	**19**	**6**	**8**	**10**	**12**	**17**	**21**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	13.0	10							0-17	16	9.0	27						
18-34	0									18-34	9	16.0							
35-49	9	15.0								35-49	42	14.1	27						
50-69	19	7.5								50-69	324	10.5	18	6	7	10	12	19	20
70 +	0									70 +	9	7.0							
SUBTOTAL	**43**	**11.1**	**14**								**400**	**10.9**	**21**	**6**	**7**	**10**	**13**	**20**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**43**	**11.1**	**14**								**400**	**10.9**	**21**	**6**	**7**	**10**	**13**	**20**	**21**

DRG 147: Rectal Resection w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	152	8.3	4	5	7	8	9	11	12	0-17	132	6.1	5	4	5	7	7	8	12
70-74	121	10.8	46	6	8	8	11	21	31	18-34	9	16.0							
75-79	125	9.6	9	6	7	9	13	14	15	35-49	68	6.8	5	3	5	7	9	9	9
80-84	45	10.6	2							50-69	146	7.6	7	2	7	8	9	10	11
85 +	53	7.0	8	2	5	8	8	11	11	70 +	9	8.0							
SUBTOTAL	**496**	**9.3**	**17**	**6**	**7**	**9**	**11**	**13**	**15**		**365**	**7.1**	**8**	**4**	**6**	**7**	**9**	**10**	**11**
GRAND TOTAL	**496**	**9.3**	**17**	**6**	**7**	**9**	**11**	**13**	**15**		**365**	**7.1**	**8**	**4**	**6**	**7**	**9**	**10**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	62	5.9	2	4	4	6	7	7	7	0-17	78	9.0	61	5	6	7	7	25	32
18-34	0									18-34	26	8.9	7						
35-49	0									35-49	33	9.4	4						
50-69	9	11.0								50-69	178	9.4	16	6	7	9	11	13	14
70 +	0									70 +	19	8.5							
SUBTOTAL	**72**	**6.5**	**4**	**4**	**5**	**7**	**7**	**11**	**11**		**334**	**9.2**	**24**	**6**	**7**	**8**	**11**	**12**	**14**
GRAND TOTAL	**72**	**6.5**	**4**	**4**	**5**	**7**	**7**	**11**	**11**		**334**	**9.2**	**24**	**6**	**7**	**8**	**11**	**12**	**14**

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5097	14.0	102	7	8	11	16	24	35	0-17	504	10.2	113	4	6	7	12	54	99 +
70-74	4825	13.5	71	7	8	11	16	23	29	18-34	741	10.3	35	5	6	9	12	17	24
75-79	4509	13.5	70	7	9	11	16	24	31	35-49	1744	11.3	60	6	7	9	12	20	29
80-84	3196	15.6	114	8	9	12	18	28	36	50-69	4276	12.1	49	7	8	10	15	20	24
85 +	2319	15.2	83	8	9	13	18	26	30	70 +	468	13.7	75	6	8	10	16	24	35
SUBTOTAL	**19946**	**14.2**	**88**	**7**	**9**	**11**	**16**	**24**	**32**		**7733**	**11.7**	**57**	**6**	**7**	**9**	**14**	**20**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**19946**	**14.2**	**88**	**7**	**9**	**11**	**16**	**24**	**32**		**7733**	**11.7**	**57**	**6**	**7**	**9**	**14**	**20**	**27**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	284	14.2	190	4	6	9	20	56	99 +	0-17	294	10.2	68	4	6	8	12	18	49
18-34	116	15.7	140	7	9	10	17	30	49	18-34	754	12.3	70	5	7	9	15	24	31
35-49	191	14.1	116	5	7	10	16	29	38	35-49	1182	13.5	94	6	8	11	16	24	32
50-69	310	13.3	71	7	8	10	15	27	28	50-69	2614	13.9	152	7	8	10	15	24	37
70 +	34	19.2	171							70 +	548	14.1	62	7	8	12	16	29	31
SUBTOTAL	**935**	**14.3**	**129**	**5**	**7**	**10**	**17**	**35**	**47**		**5391**	**13.4**	**115**	**6**	**8**	**10**	**15**	**24**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**935**	**14.3**	**129**	**5**	**7**	**10**	**17**	**35**	**47**		**5391**	**13.4**	**115**	**6**	**8**	**10**	**15**	**24**	**32**

DRG 149: Major Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1752	8.7	13	5	7	8	10	12	16	0-17	530	5.7	8	2	4	5	7	9	9
70-74	1422	8.7	13	6	7	8	10	12	14	18-34	622	8.0	33	3	4	7	9	14	18
75-79	1066	9.9	16	6	7	9	11	15	18	35-49	1155	7.7	12	4	6	7	9	12	14
80-84	807	8.6	6	6	7	8	9	12	14	50-69	1963	7.9	6	5	6	8	9	11	13
85 +	349	10.8	28	7	7	9	13	17	23	70 +	110	8.8	8	5	7	9	10	11	14
SUBTOTAL	**5396**	**9.0**	**14**	**6**	**7**	**8**	**10**	**13**	**16**		**4380**	**7.6**	**13**	**4**	**6**	**7**	**9**	**11**	**14**
GRAND TOTAL	**5396**	**9.0**	**14**	**6**	**7**	**8**	**10**	**13**	**16**		**4380**	**7.6**	**13**	**4**	**6**	**7**	**9**	**11**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	210	7.2	8	4	5	6	8	12	13	0-17	334	5.5	15	2	3	4	7	9	17
18-34	74	5.6	7	2	4	4	8	10	10	18-34	593	8.0	28	3	5	7	9	13	22
35-49	99	10.9	67	5	7	8	12	27	27	35-49	716	7.7	11	5	6	7	8	10	11
50-69	102	10.6	77	7	7	8	9	11	38	50-69	1536	8.7	48	6	7	8	9	11	13
70 +	9	7.0								70 +	92	11.1	32	7	8	9	11	19	26
SUBTOTAL	**495**	**8.4**	**38**	**4**	**5**	**7**	**9**	**12**	**27**		**3270**	**8.1**	**34**	**4**	**6**	**7**	**9**	**11**	**14**
GRAND TOTAL	**495**	**8.4**	**38**	**4**	**5**	**7**	**9**	**12**	**27**		**3270**	**8.1**	**34**	**4**	**6**	**7**	**9**	**11**	**14**

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	829	14.0	131	5	8	10	16	28	37	0-17	158	15.3	98	7	8	13	20	32	41
70-74	721	11.4	75	5	7	10	13	20	21	18-34	201	8.9	17	4	6	9	11	12	13
75-79	615	14.0	95	7	8	11	15	26	38	35-49	442	9.8	19	5	7	9	12	15	19
80-84	483	13.3	61	7	9	12	15	21	24	50-69	730	12.4	69	5	7	11	15	22	26
85 +	391	13.5	56	6	8	12	17	24	28	70 +	93	13.8	45	8	10	12	15	21	30
SUBTOTAL	**3039**	**13.2**	**91**	**6**	**8**	**11**	**15**	**22**	**31**		**1624**	**11.6**	**54**	**5**	**7**	**10**	**14**	**19**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3039**	**13.2**	**91**	**6**	**8**	**11**	**15**	**22**	**31**		**1624**	**11.6**	**54**	**5**	**7**	**10**	**14**	**19**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	7.3	5							0-17	160	14.1	266	3	5	9	19	29	49
18-34	101	7.4	17	3	5	7	8	9	19	18-34	180	8.6	34	3	4	7	12	16	21
35-49	28	7.7	56							35-49	273	11.3	125	4	6	8	9	23	39
50-69	90	11.7	56	4	7	7	16	20	30	50-69	402	12.1	52	7	8	10	13	20	25
70 +	37	22.5	155							70 +	71	15.7	27	9	10	16	22	23	23
SUBTOTAL	**287**	**10.7**	**73**	**3**	**5**	**7**	**12**	**20**	**30**		**1086**	**11.9**	**100**	**4**	**7**	**9**	**13**	**23**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**287**	**10.7**	**73**	**3**	**5**	**7**	**12**	**20**	**30**		**1086**	**11.9**	**100**	**4**	**7**	**9**	**13**	**23**	**29**

DRG 151: Peritoneal Adhesiolysis w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	470	7.4	17	3	4	7	9	14	16	0-17	244	5.8	3	3	4	6	7	8	8
70-74	271	10.0	16	6	7	9	11	17	18	18-34	567	5.3	10	2	3	4	7	10	10
75-79	214	9.8	14	5	8	10	13	15	15	35-49	803	5.7	7	3	4	6	7	9	11
80-84	132	13.2	35	7	9	11	16	22	28	50-69	762	7.7	16	4	5	7	10	13	14
85 +	79	10.5	39	1	7	8	12	23	23	70 +	16	13.5	96						
SUBTOTAL	**1166**	**9.3**	**23**	**4**	**6**	**8**	**12**	**16**	**18**		**2392**	**6.3**	**12**	**3**	**4**	**6**	**8**	**10**	**13**
GRAND TOTAL	**1166**	**9.3**	**23**	**4**	**6**	**8**	**12**	**16**	**18**		**2392**	**6.3**	**12**	**3**	**4**	**6**	**8**	**10**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	4.0	5							0-17	149	6.4	11	3	5	6	8	10	16
18-34	175	5.5	7	2	4	5	7	10	11	18-34	256	5.8	6	2	4	6	8	9	10
35-49	110	7.1	20	3	3	6	10	12	18	35-49	449	8.2	22	3	5	7	10	14	17
50-69	19	9.0	10							50-69	320	8.2	26	3	5	7	9	13	23
70 +	0									70 +	9	7.0							
SUBTOTAL	**327**	**6.1**	**13**	**2**	**4**	**6**	**7**	**11**	**12**		**1183**	**7.4**	**19**	**3**	**5**	**7**	**9**	**12**	**16**
GRAND TOTAL	**327**	**6.1**	**13**	**2**	**4**	**6**	**7**	**11**	**12**		**1183**	**7.4**	**19**	**3**	**5**	**7**	**9**	**12**	**16**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	237	8.1	12	4	6	7	11	13	14	0-17	56	6.4	3	4	5	6	8	9	9
70-74	247	9.2	30	3	4	9	11	17	20	18-34	45	3.7	10						
75-79	197	5.8	14	2	2	5	8	10	10	35-49	82	6.5	12	1	6	7	8	12	12
80-84	175	7.2	21	2	4	6	9	13	17	50-69	178	7.6	23	3	4	7	10	15	19
85 +	118	7.7	29	4	4	6	9	18	22	70 +	8	7.0							
SUBTOTAL	**974**	**7.7**	**22**	**2**	**4**	**7**	**10**	**14**	**17**		**369**	**6.7**	**17**	**2**	**4**	**7**	**9**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**974**	**7.7**	**22**	**2**	**4**	**7**	**10**	**14**	**17**		**369**	**6.7**	**17**	**2**	**4**	**7**	**9**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	18.4	118							0-17	23	28.7	854						
18-34	0									18-34	60	7.8	10	2	5	9	11	11	11
35-49	9	8.0								35-49	48	7.7	12	3	5	8	11	13	13
50-69	9	5.0								50-69	76	8.1	6	3	8	9	9	11	11
70 +	0									70 +	34	11.6	25						
SUBTOTAL	**57**	**14.6**	**111**	**4**	**5**	**10**	**22**	**35**	**35**		**242**	**10.4**	**127**	**3**	**6**	**9**	**11**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**57**	**14.6**	**111**	**4**	**5**	**10**	**22**	**35**	**35**		**242**	**10.4**	**127**	**3**	**6**	**9**	**11**	**13**	**19**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	199	6.8	8	2	5	7	8	10	10	0-17	181	6.0	4	4	5	6	7	8	9
70-74	153	7.5	15	2	6	7	9	15	16	18-34	189	4.0	8	1	2	3	6	8	9
75-79	187	6.3	5	3	5	7	8	8	10	35-49	226	3.9	14	1	1	3	6	8	9
80-84	124	5.8	8	1	5	6	7	10	10	50-69	294	6.1	8	2	4	6	8	9	10
85 +	51	7.7	14	2	6	7	10	14	14	70 +	17	7.8	13						
SUBTOTAL	**715**	**6.7**	**9**	**3**	**5**	**7**	**8**	**10**	**10**		**907**	**5.1**	**10**	**1**	**2**	**5**	**7**	**8**	**10**
GRAND TOTAL	**715**	**6.7**	**9**	**3**	**5**	**7**	**8**	**10**	**10**		**907**	**5.1**	**10**	**1**	**2**	**5**	**7**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	93	4.9	6	1	3	6	7	8	8	0-17	145	5.4	8	1	2	6	7	9	10
18-34	19	6.5								18-34	186	5.7	5	3	5	5	7	8	9
35-49	54	6.7	5	5	5	5	8	11	11	35-49	194	5.6	10	1	3	6	8	9	10
50-69	43	8.2	14							50-69	217	6.4	9	2	4	6	8	11	12
70 +	0									70 +	17	7.3	9						
SUBTOTAL	**210**	**6.2**	**8**	**2**	**5**	**6**	**8**	**9**	**11**		**759**	**5.8**	**8**	**2**	**4**	**6**	**8**	**10**	**11**
GRAND TOTAL	**210**	**6.2**	**8**	**2**	**5**	**6**	**8**	**9**	**11**		**759**	**5.8**	**8**	**2**	**4**	**6**	**8**	**10**	**11**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2177	13.5	128	5	7	10	17	23	40
70-74	1676	13.3	119	4	7	10	16	28	41
75-79	1891	13.0	92	4	7	10	16	26	30
80-84	1114	16.2	233	4	7	11	18	37	51
85 +	882	14.1	117	5	8	11	17	24	40
SUBTOTAL	**7740**	**13.8**	**132**	**4**	**7**	**10**	**16**	**27**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7740**	**13.8**	**132**	**4**	**7**	**10**	**16**	**27**	**40**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	359	7.6	32	3	4	6	8	17	22
35-49	1074	10.6	73	3	5	8	13	20	31
50-69	2027	11.0	76	4	6	9	14	21	28
70 +	203	12.5	79	3	6	9	16	28	32
	3664	**10.6**	**72**	**4**	**5**	**8**	**13**	**21**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3664	**10.6**	**72**	**4**	**5**	**8**	**13**	**21**	**29**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	140	13.6	233	4	5	8	16	32	69
35-49	200	11.0	106	4	6	7	12	21	31
50-69	200	12.3	86	4	6	9	14	28	32
70 +	25	7.9	2						
SUBTOTAL	**564**	**12.0**	**127**	**4**	**6**	**8**	**13**	**28**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**564**	**12.0**	**127**	**4**	**6**	**8**	**13**	**28**	**32**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	347	8.9	25	3	6	8	12	16	20
35-49	618	10.2	65	4	6	8	10	18	21
50-69	1444	12.6	90	4	7	10	16	22	31
70 +	163	16.7	95	7	9	16	21	35	37
	2572	**11.8**	**79**	**4**	**7**	**9**	**14**	**21**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2572	**11.8**	**79**	**4**	**7**	**9**	**14**	**21**	**29**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	589	6.9	12	3	4	6	9	11	12	0-17	0								
70-74	426	6.8	10	3	4	7	8	11	13	18-34	425	6.6	12	4	4	5	7	11	13
75-79	356	8.6	43	3	4	7	9	16	23	35-49	936	6.7	11	4	5	6	8	9	11
80-84	200	7.8	24	3	4	6	10	14	19	50-69	952	6.9	11	4	5	6	9	11	13
85 +	124	8.9	23	4	6	8	10	13	23	70 +	53	5.3	6	2	3	5	8	9	9
SUBTOTAL	**1696**	**7.5**	**21**	**3**	**4**	**7**	**9**	**12**	**15**		**2365**	**6.7**	**11**	**4**	**5**	**6**	**8**	**10**	**13**
GRAND TOTAL	**1696**	**7.5**	**21**	**3**	**4**	**7**	**9**	**12**	**15**		**2365**	**6.7**	**11**	**4**	**5**	**6**	**8**	**10**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	102	7.0	3	5	5	7	8	10	10	18-34	270	7.1	21	3	5	7	7	10	22
35-49	82	6.6	3	4	6	6	8	10	10	35-49	507	7.9	18	4	6	7	9	12	19
50-69	110	7.8	2	6	6	7	10	10	10	50-69	432	7.8	15	4	5	7	10	12	14
70 +	9	13.0								70 +	23	10.0	5						
SUBTOTAL	**303**	**7.4**	**4**	**5**	**6**	**7**	**8**	**10**	**10**		**1232**	**7.7**	**17**	**4**	**5**	**7**	**9**	**12**	**18**
GRAND TOTAL	**303**	**7.4**	**4**	**5**	**6**	**7**	**8**	**10**	**10**		**1232**	**7.7**	**17**	**4**	**5**	**7**	**9**	**12**	**18**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9	11.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**9**	**11.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	13.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**13.0**							
GRAND TOTAL	**17**	**11.9**	**1**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	566	7.2	71	2	3	4	8	17	42
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	566	**7.2**	**71**	**2**	**3**	**4**	**8**	**17**	**42**
0-17	1353	3.8	9	1	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1353	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
	1919	**4.8**	**30**	**2**	**2**	**3**	**5**	**10**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	325	10.3	202	2	4	5	10	27	50
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**325**	**10.3**	**202**	**2**	**4**	**5**	**10**	**27**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	606	4.6	45	1	2	3	5	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**606**	**4.6**	**45**	**1**	**2**	**3**	**5**	**8**	**12**
GRAND TOTAL	**931**	**6.6**	**107**	**1**	**2**	**4**	**6**	**13**	**42**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	325	10.0	172	2	3	4	12	35	45
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	325	**10.0**	**172**	**2**	**3**	**4**	**12**	**35**	**45**
0-17	912	3.8	5	2	2	3	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	912	**3.8**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
	1236	**5.4**	**56**	**2**	**3**	**3**	**5**	**8**	**16**

DRG 157: Anal & Stomal Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	884	5.2	35	1	2	3	6	9	15
70-74	656	4.8	12	2	2	4	6	9	11
75-79	457	6.4	28	1	3	4	8	13	17
80-84	401	6.0	29	2	3	4	7	16	19
85 +	269	7.9	41	2	3	6	11	16	17
SUBTOTAL	**2667**	**5.7**	**29**	**1**	**2**	**4**	**7**	**11**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2667**	**5.7**	**29**	**1**	**2**	**4**	**7**	**11**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	81	5.0	11	1	1	5	8	10	11
18-34	184	2.4	3	1	1	2	3	4	6
35-49	493	3.4	6	1	2	3	4	7	8
50-69	680	4.7	18	1	2	3	6	10	10
70 +	50	7.8	27	3	3	6	11	18	18
	1488	**4.1**	**13**	**1**	**2**	**3**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1488	**4.1**	**13**	**1**	**2**	**3**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	5.0	6						
18-34	45	3.2	1						
35-49	62	2.6	2	1	1	2	4	5	5
50-69	45	5.2	14						
70 +	25	7.3	19						
SUBTOTAL	**200**	**4.2**	**10**	**1**	**2**	**4**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**200**	**4.2**	**10**	**1**	**2**	**4**	**5**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	6.5	75	1	1	3	6	26	26
18-34	208	5.7	34	1	2	4	8	9	11
35-49	432	5.2	18	2	2	4	7	8	11
50-69	399	5.8	37	1	3	4	6	14	16
70 +	26	6.4	5						
	1115	**5.6**	**30**	**1**	**2**	**4**	**7**	**10**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1115	**5.6**	**30**	**1**	**2**	**4**	**7**	**10**	**16**

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1231	2.7	3	1	1	2	3	5	6
70-74	804	3.1	10	1	1	2	3	5	7
75-79	465	3.6	9	1	1	3	4	7	10
80-84	246	3.9	16	1	2	3	4	8	16
85 +	277	3.5	5	1	2	3	5	6	7
SUBTOTAL	**3024**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3024**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	451	2.7	4	< 1	< 1	2	4	5	7
18-34	1781	2.2	2	1	1	2	3	4	5
35-49	3436	2.3	3	1	1	2	3	4	5
50-69	2548	2.4	2	1	1	2	3	4	5
70 +	45	2.3	1						
	8261	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	8261	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	146	4.1	7	< 1	1	4	6	9	9
18-34	231	2.1	1	1	1	2	3	3	3
35-49	229	2.5	2	1	2	2	3	4	4
50-69	90	4.2	17	1	1	3	5	7	16
70 +	17	3.1	1						
SUBTOTAL	**713**	**2.9**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**713**	**2.9**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	266	3.0	6	< 1	1	2	4	6	7
18-34	1289	2.5	4	1	1	2	3	5	6
35-49	1978	2.0	2	1	1	2	2	4	4
50-69	1426	2.6	5	1	1	2	3	5	7
70 +	45	3.5	5						
	5003	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
	5003	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	840	5.5	23	2	3	4	7	11	15
70-74	685	4.4	6	1	3	4	6	8	9
75-79	411	5.0	10	1	2	5	7	9	11
80-84	201	4.8	12	2	3	4	5	9	11
85 +	107	6.9	24	2	2	7	9	12	20
SUBTOTAL	**2244**	**5.1**	**15**	**2**	**3**	**4**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2244**	**5.1**	**15**	**2**	**3**	**4**	**7**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	46	3.2	1						
35-49	177	6.5	89	2	3	4	6	10	35
50-69	629	4.3	6	2	3	4	5	8	9
70 +	51	9.9	93	4	5	5	8	30	30
	903	**5.0**	**29**	**2**	**3**	**4**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	903	**5.0**	**29**	**2**	**3**	**4**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	19	4.5	2						
35-49	119	6.9	154	1	3	4	5	7	49
50-69	156	4.7	10	2	3	4	5	7	16
70 +	9	9.0							
SUBTOTAL	**303**	**5.7**	**67**	**1**	**3**	**4**	**5**	**7**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**303**	**5.7**	**67**	**1**	**3**	**4**	**5**	**7**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	9.6	11						
35-49	196	5.3	12	1	2	5	8	11	12
50-69	354	5.3	40	1	2	4	7	9	10
70 +	36	4.4	8						
	628	**5.5**	**29**	**1**	**2**	**4**	**8**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	628	**5.5**	**29**	**1**	**2**	**4**	**8**	**10**	**12**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	959	2.9	3	1	1	3	4	5	6	0-17	0								
70-74	848	3.1	4	1	2	3	4	6	7	18-34	440	2.1	2	< 1	1	2	3	4	5
75-79	507	3.7	6	1	2	3	5	6	9	35-49	1137	2.7	4	1	1	2	4	5	6
80-84	220	3.5	10	1	1	3	5	6	6	50-69	1746	2.9	2	1	2	3	4	5	6
85 +	105	3.1	5	1	1	3	5	5	9	70 +	26	1.7							
SUBTOTAL	**2640**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**3349**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**2640**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**3349**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	84	2.0	1	< 1	1	2	3	3	3	18-34	256	2.3	2	1	1	2	4	5	5
35-49	214	2.2	3	1	1	2	3	4	5	35-49	927	2.7	4	1	1	2	3	5	7
50-69	136	3.3	3	2	2	3	4	4	8	50-69	1150	2.6	3	1	1	2	4	5	6
70 +	25	5.7	4							70 +	59	1.9	1	< 1	< 1	2	3	3	3
SUBTOTAL	**458**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**7**		**2392**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**458**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**7**		**2392**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	786	3.2	6	1	2	3	4	7	8
70-74	868	4.1	30	1	2	3	4	7	11
75-79	883	4.1	16	1	2	3	4	10	13
80-84	700	4.3	17	1	2	3	5	8	13
85 +	383	4.8	30	1	1	2	6	14	16
SUBTOTAL	**3620**	**4.0**	**19**	**1**	**2**	**3**	**4**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3620**	**4.0**	**19**	**1**	**2**	**3**	**4**	**9**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	1.0							
35-49	124	1.6	1	1	1	1	2	3	4
50-69	737	2.6	4	1	1	2	3	5	7
70 +	118	4.2	11	1	2	3	5	8	13
	1005	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1005	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	9	1.0							
50-69	42	3.4	3						
70 +	19	4.5							
SUBTOTAL	**70**	**3.4**	**3**	**1**	**1**	**4**	**5**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**70**	**3.4**	**3**	**1**	**1**	**4**	**5**	**5**	**5**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	59	3.7	16	1	1	1	6	12	12
35-49	81	3.9	17	1	2	2	3	13	13
50-69	226	3.4	11	1	1	2	4	11	12
70 +	129	3.4	13	1	1	2	4	8	15
	495	**3.5**	**13**	**1**	**1**	**2**	**4**	**11**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	495	**3.5**	**13**	**1**	**1**	**2**	**4**	**11**	**12**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1490	1.8	2	1	1	1	2	3	4	0-17	0								
70-74	1272	2.0	2	1	1	2	3	3	4	18-34	976	1.6	1	< 1	1	1	2	3	4
75-79	1196	2.2	6	1	1	1	3	4	5	35-49	1515	1.5	1	1	1	1	2	2	3
80-84	826	2.3	4	1	1	1	3	5	6	50-69	2539	1.7	1	1	1	1	2	3	4
85 +	463	2.4	3	1	1	2	3	4	7	70 +	158	2.0	2	1	1	2	3	4	5
SUBTOTAL	**5248**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**5189**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**5248**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**5189**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	93	2.0	2	1	1	2	3	4	5	18-34	500	1.4	1	< 1	1	1	2	2	3
35-49	105	1.5	1	< 1	< 1	1	2	2	4	35-49	734	1.4	1	1	1	1	2	3	3
50-69	73	1.6	2	1	1	1	1	5	5	50-69	945	1.6	1	< 1	1	1	2	2	4
70 +	26	1.4								70 +	173	1.7	1	< 1	< 1	1	2	3	4
SUBTOTAL	**297**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**5**		**2353**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**297**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**5**		**2353**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**

DRG 163: Hernia Procedures Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	325	3.3	35	1	1	1	3	6	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										325	3.3	35	1	1	1	3	6	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9	2.0								0-17	4653	1.1	1	< 1	< 1	< 1	1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	9	2.0									4653	1.1	1	< 1	< 1	< 1	1	1	2
GRAND TOTAL	9	2.0									4977	1.3	3	< 1	< 1	< 1	1	1	2

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	103	3.7	34	1	1	2	3	22	99 +	0-17	165	1.9	1	1	1	1	3	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	103	3.7	34	1	1	2	3	22	99 +		165	1.9	1	1	1	1	3	3	4
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1250	1.7	10	< 1	< 1	1	1	2	4	0-17	2280	1.2		< 1	< 1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1250	1.7	10	< 1	< 1	1	1	2	4		2280	1.2		< 1	< 1	1	1	2	2
GRAND TOTAL	1353	1.9	12	< 1	< 1	1	1	2	4		2444	1.3	1	< 1	< 1	1	1	2	3

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	287	10.3	29	6	7	8	12	16	23
70-74	223	9.7	10	5	8	10	12	14	15
75-79	158	11.2	31	6	7	10	13	17	26
80-84	127	10.4	18	6	7	9	13	14	22
85 +	62	8.6	9	5	6	7	12	13	13
SUBTOTAL	**857**	**10.2**	**22**	**6**	**7**	**9**	**12**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**857**	**10.2**	**22**	**6**	**7**	**9**	**12**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	341	7.5	13	4	5	7	8	12	19
18-34	270	6.9	9	3	5	7	8	11	13
35-49	266	8.0	11	5	6	7	9	14	14
50-69	386	10.0	30	5	7	9	12	15	18
70 +	36	7.0	8						
SUBTOTAL	**1298**	**8.2**	**18**	**4**	**5**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1298**	**8.2**	**18**	**4**	**5**	**7**	**9**	**13**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	141	7.9	21	3	5	6	9	15	18
18-34	56	10.5	38	5	6	8	12	23	23
35-49	28	8.3	15						
50-69	28	13.3	12						
70 +	0								
SUBTOTAL	**253**	**9.1**	**26**	**3**	**6**	**7**	**12**	**18**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**253**	**9.1**	**26**	**3**	**6**	**7**	**12**	**18**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	455	10.4	26	5	7	9	12	20	21
18-34	312	8.5	14	5	5	8	12	13	15
35-49	273	10.5	34	4	7	9	11	21	24
50-69	259	9.4	16	5	7	9	11	18	18
70 +	23	12.3	10						
SUBTOTAL	**1322**	**9.8**	**23**	**5**	**7**	**9**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1322**	**9.8**	**23**	**5**	**7**	**9**	**12**	**17**	**21**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	369	7.1	11	4	5	6	8	12	13	0-17	2238	5.6	6	3	4	5	7	8	10
70-74	101	8.0	10	4	5	8	11	11	14	18-34	1438	5.3	5	3	4	5	7	8	10
75-79	91	9.1	14	6	7	7	10	15	17	35-49	1067	5.9	5	3	4	6	7	9	10
80-84	28	4.7								50-69	707	6.6	10	3	5	6	8	10	11
85 +	19	3.5								70 +	9	7.0							
SUBTOTAL	**607**	**7.4**	**12**	**4**	**5**	**7**	**9**	**12**	**14**		**5460**	**5.7**	**6**	**3**	**4**	**5**	**7**	**9**	**10**
GRAND TOTAL	**607**	**7.4**	**12**	**4**	**5**	**7**	**9**	**12**	**14**		**5460**	**5.7**	**6**	**3**	**4**	**5**	**7**	**9**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	464	5.9	5	3	4	6	7	8	10	0-17	1901	6.4	9	3	5	6	8	9	12
18-34	158	5.6	6	2	4	5	8	9	10	18-34	1480	5.9	6	3	4	6	8	9	10
35-49	65	7.4	4	5	5	8	9	11	11	35-49	914	6.8	7	3	5	7	8	10	11
50-69	9	10.0								50-69	731	7.0	10	3	5	7	9	11	11
70 +	0									70 +	17	5.5							
SUBTOTAL	**696**	**6.0**	**5**	**3**	**4**	**6**	**8**	**9**	**10**		**5044**	**6.4**	**8**	**3**	**5**	**6**	**8**	**10**	**11**
GRAND TOTAL	**696**	**6.0**	**5**	**3**	**4**	**6**	**8**	**9**	**10**		**5044**	**6.4**	**8**	**3**	**5**	**6**	**8**	**10**	**11**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	189	6.2	10	3	4	5	7	12	12
70-74	149	7.2	8	3	6	7	9	12	12
75-79	85	6.5	22	3	4	5	6	10	20
80-84	53	10.2	32	5	5	5	17	17	17
85 +	19	8.5	7						
SUBTOTAL	**494**	**7.0**	**15**	**3**	**4**	**6**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**494**	**7.0**	**15**	**3**	**4**	**6**	**9**	**12**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	392	4.6	9	2	3	4	5	9	11
18-34	807	4.1	4	2	3	4	5	6	7
35-49	342	5.3	8	2	3	5	7	9	11
50-69	229	6.5	20	3	3	5	8	13	16
70 +	9	3.0							
	1781	**4.7**	**8**	**2**	**3**	**4**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1781	**4.7**	**8**	**2**	**3**	**4**	**5**	**8**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	105	3.4	3	2	2	3	5	6	7
18-34	144	4.4	2	2	4	4	5	6	8
35-49	46	5.8	7						
50-69	9	8.0							
70 +	0								
SUBTOTAL	**305**	**4.4**	**4**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**305**	**4.4**	**4**	**2**	**3**	**4**	**5**	**7**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	406	6.1	159	2	3	4	6	8	9
18-34	745	4.0	3	2	3	3	4	7	8
35-49	311	5.7	32	2	3	4	6	10	12
50-69	151	5.9	17	3	3	4	7	9	21
70 +	0								
	1613	**5.0**	**50**	**2**	**3**	**4**	**5**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1613	**5.0**	**50**	**2**	**3**	**4**	**5**	**8**	**9**

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	422	3.4	2	2	2	3	4	5	5
70-74	212	4.6	5	2	3	4	5	8	9
75-79	122	4.6	9	3	3	4	4	11	12
80-84	33	4.9	2						
85 +	9	7.0							
SUBTOTAL	**799**	**4.0**	**4**	**2**	**3**	**3**	**5**	**7**	**8**
GRAND TOTAL	**799**	**4.0**	**4**	**2**	**3**	**3**	**5**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	7963	2.7	1	2	2	3	3	4	4
18-34	8456	2.9	1	2	2	3	3	4	5
35-49	3142	3.2	2	2	2	3	4	5	6
50-69	906	3.9	3	2	3	3	5	7	8
70 +	28	2.3	2						
SUBTOTAL	**20496**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**20496**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1579	3.0	2	2	2	3	3	4	6
18-34	861	3.1	2	2	2	3	4	4	5
35-49	164	3.4	1	2	3	3	4	5	6
50-69	37	3.5							
70 +	0								
SUBTOTAL	**2641**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**5**
GRAND TOTAL	**2641**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	6936	2.8	1	2	2	3	3	4	5
18-34	8689	2.9	1	2	2	3	3	4	5
35-49	2868	3.3	2	2	2	3	4	5	6
50-69	938	3.8	3	2	3	3	4	6	8
70 +	25	2.6	3						
SUBTOTAL	**19456**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**19456**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	60	6.2	14	2	3	6	7	14	14
70-74	78	4.8	13	1	2	3	7	11	13
75-79	16	3.5	2						
80-84	28	3.0	8						
85+	0								
SUBTOTAL	**181**	**4.9**	**13**	**1**	**2**	**5**	**7**	**8**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**181**	**4.9**	**13**	**1**	**2**	**5**	**7**	**8**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	3.9	8						
18-34	43	2.2	1						
35-49	43	6.6	27						
50-69	78	4.2	15	1	1	3	5	12	12
70+	0								
	189	**4.2**	**16**	**1**	**2**	**3**	**5**	**11**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	189	**4.2**	**16**	**1**	**2**	**3**	**5**	**11**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	3.7	2						
18-34	17	9.1	21						
35-49	8	4.0							
50-69	0								
70+	0								
SUBTOTAL	**50**	**5.6**	**14**	**2**	**4**	**4**	**5**	**14**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**50**	**5.6**	**14**	**2**	**4**	**4**	**5**	**14**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	34	2.6	6						
18-34	70	5.3	4	3	4	4	6	10	10
35-49	42	3.4	4						
50-69	81	4.8	6	3	3	4	6	9	11
70+	16	21.0	181						
	242	**5.4**	**33**	**1**	**3**	**4**	**7**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	242	**5.4**	**33**	**1**	**3**	**4**	**7**	**9**	**11**

DRG 169: Mouth Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	172	2.0	3	< 1	1	1	3	4	6
70-74	122	2.8	7	1	1	2	3	7	10
75-79	53	2.1	5	1	1	1	1	7	7
80-84	39	4.2	9						
85 +	54	1.6	1	1	1	1	2	3	3
SUBTOTAL	**441**	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**441**	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	303	1.9	3	< 1	1	1	2	3	7
18-34	116	2.8	5	1	1	2	2	7	8
35-49	183	1.8	2	< 1	1	1	2	4	4
50-69	194	3.0	16	< 1	1	1	2	8	9
70 +	8	7.0							
	804	**2.3**	**7**	**< 1**	**1**	**1**	**2**	**7**	**8**
	804	**2.3**	**7**	**< 1**	**1**	**1**	**2**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	120	2.0	3	1	1	1	2	5	7
18-34	17	1.0							
35-49	8	2.0							
50-69	25	6.5	36						
70 +	0								
SUBTOTAL	**169**	**2.6**	**10**	**< 1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**169**	**2.6**	**10**	**< 1**	**1**	**1**	**2**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	256	1.7	1	1	1	1	2	3	5
18-34	73	4.3	11	1	2	2	7	10	10
35-49	213	2.3	3	1	1	2	3	4	7
50-69	204	2.4	5	1	1	1	3	5	6
70 +	8	1.0							
	753	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**7**
	753	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**7**

DRG 170: Other Digestive System O.R. Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	544	11.1	76	4	6	8	14	21	24	0-17	62	11.7	197	1	1	6	15	43	43
70-74	432	10.6	37	4	7	9	13	20	25	18-34	181	6.2	6	3	5	6	7	9	11
75-79	208	11.4	56	2	8	10	14	18	29	35-49	281	8.6	36	2	5	6	12	14	23
80-84	211	11.6	35	6	7	12	16	20	20	50-69	332	9.6	49	2	5	9	12	15	22
85 +	150	11.3	29	5	7	10	14	21	22	70 +	42	22.2	95						
SUBTOTAL	1546	11.1	52	4	6	10	14	20	24		897	9.3	59	2	5	7	12	17	24
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	1546	11.1	52	4	6	10	14	20	24		897	9.3	59	2	5	7	12	17	24

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	67	8.9	33	4	5	9	10	23	23	0-17	118	8.1	48	2	4	5	10	18	29
18-34	64	6.7	9	3	4	6	8	13	13	18-34	240	6.2	10	3	4	5	8	12	13
35-49	17	9.0	32							35-49	219	10.6	51	5	6	8	11	24	24
50-69	36	10.5	75							50-69	208	11.9	63	4	7	9	17	25	27
70 +	28	19.0	171							70 +	26	16.5	65						
SUBTOTAL	211	9.8	64	4	4	6	13	23	24		812	9.5	49	3	5	7	11	20	27
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	211	9.8	64	4	4	6	13	23	24		812	9.5	49	3	5	7	11	20	27

DRG 171: Other Digestive System O.R. Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	140	7.2	31	3	4	5	6	20	21
70-74	59	3.8	6	1	1	4	6	7	7
75-79	36	4.4	4						
80-84	26	11.9	30						
85 +	19	7.0							
SUBTOTAL	**279**	**6.5**	**25**	**1**	**4**	**6**	**7**	**14**	**20**
GRAND TOTAL	**279**	**6.5**	**25**	**1**	**4**	**6**	**7**	**14**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	250	3.7	5	1	2	3	5	7	8
18-34	556	3.6	4	1	2	3	5	6	7
35-49	359	4.2	8	1	2	3	5	8	11
50-69	208	6.1	24	2	3	5	7	12	12
70 +	0								
	1373	**4.2**	**9**	**1**	**2**	**4**	**5**	**7**	**9**
	1373	**4.2**	**9**	**1**	**2**	**4**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	118	3.5	8	1	2	3	4	5	13
18-34	115	3.4	3	1	2	3	5	6	7
35-49	64	5.2	7	1	3	5	7	10	10
50-69	26	5.8	8						
70 +	0								
SUBTOTAL	**323**	**4.0**	**7**	**1**	**2**	**4**	**5**	**7**	**10**
GRAND TOTAL	**323**	**4.0**	**7**	**1**	**2**	**4**	**5**	**7**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	226	3.6	3	2	2	3	4	6	8
18-34	544	3.7	9	1	1	3	5	7	8
35-49	311	5.4	14	2	3	5	6	8	13
50-69	138	6.4	18	2	3	5	7	14	15
70 +	19	15.0	1						
	1238	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**13**
	1238	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**13**

DRG 172: Digestive Malignancy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	957	8.9	74	2	4	6	11	18	24	0-17	8	3.0							
70-74	628	6.5	23	2	3	5	9	14	17	18-34	45	10.6	120						
75-79	738	6.6	20	2	3	6	8	12	13	35-49	181	6.0	18	2	3	4	7	11	16
80-84	507	7.8	43	1	4	5	11	16	25	50-69	687	6.9	53	1	2	5	9	14	16
85 +	705	7.6	31	2	4	6	9	13	15	70 +	60	8.9	47	2	2	5	19	19	19
SUBTOTAL	**3535**	**7.6**	**42**	**2**	**4**	**6**	**9**	**14**	**21**		**981**	**7.0**	**50**	**1**	**3**	**5**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3535**	**7.6**	**42**	**2**	**4**	**6**	**9**	**14**	**21**		**981**	**7.0**	**50**	**1**	**3**	**5**	**9**	**15**	**19**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	9.0								0-17	8	8.0							
18-34	0									18-34	9	3.0							
35-49	46	10.0	31							35-49	104	8.8	103	2	3	5	10	20	40
50-69	56	5.0	18	1	1	1	9	11	11	50-69	670	9.2	105	2	3	6	12	19	22
70 +	0									70 +	54	9.1	6	5	7	10	10	13	13
SUBTOTAL	**110**	**7.4**	**28**	**1**	**1**	**7**	**10**	**15**	**18**		**845**	**9.1**	**97**	**2**	**3**	**6**	**12**	**18**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**110**	**7.4**	**28**	**1**	**1**	**7**	**10**	**15**	**18**		**845**	**9.1**	**97**	**2**	**3**	**6**	**12**	**18**	**21**

DRG 173: Digestive Malignancy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	151	4.0	8	<1	2	3	6	9	10
70-74	149	4.6	21	<1	1	2	8	13	16
75-79	143	5.3	20	1	2	4	6	13	15
80-84	115	2.5	5	<1	1	1	3	7	7
85+	87	3.9	8	<1	1	4	6	8	8
SUBTOTAL	**644**	**4.1**	**14**	**<1**	**1**	**3**	**6**	**10**	**13**
GRAND TOTAL	**644**	**4.1**	**14**	**<1**	**1**	**3**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	8	1.0							
18-34	0								
35-49	82	2.7	5	<1	<1	2	3	7	7
50-69	192	3.9	7	<1	2	3	5	8	8
70+	16	3.0							
	297	**3.4**	**6**	**<1**	**1**	**3**	**5**	**8**	**8**
-	**297**	**3.4**	**6**	**<1**	**1**	**3**	**5**	**8**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	1.0							
18-34	0								
35-49	0								
50-69	8	15.0							
70+	0								
SUBTOTAL	**16**	**8.0**	**52**						
GRAND TOTAL	**16**	**8.0**	**52**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	8	3.0							
35-49	109	3.8	7	<1	1	4	4	7	10
50-69	213	4.5	19	1	2	3	6	9	15
70+	19	1.5							
	348	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**10**
	348	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 174: G.I. Hemorrhage w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5963	5.2	21	2	3	4	6	9	12	0-17	276	7.1	213	1	2	4	6	13	20
70-74	4800	5.2	14	2	3	4	6	9	13	18-34	634	3.1	4	1	2	3	4	5	7
75-79	4924	5.2	14	2	3	4	6	9	11	35-49	1519	3.8	7	2	2	3	4	6	8
80-84	4234	5.5	12	2	3	5	7	10	12	50-69	2778	4.2	11	2	2	3	5	7	10
85 +	4694	5.9	17	2	3	5	7	11	14	70 +	467	5.1	22	2	3	4	6	10	12
SUBTOTAL	**24615**	**5.4**	**16**	**2**	**3**	**4**	**6**	**10**	**13**		**5674**	**4.2**	**21**	**2**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**24615**	**5.4**	**16**	**2**	**3**	**4**	**6**	**10**	**13**		**5674**	**4.2**	**21**	**2**	**2**	**3**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	73	9.7	139	< 1	3	3	9	37	37	0-17	99	3.3	5	2	2	3	4	4	10
18-34	172	5.3	6	2	4	5	6	10	10	18-34	1172	3.3	9	1	2	3	4	6	6
35-49	531	4.1	4	2	3	4	5	6	9	35-49	2617	4.4	13	2	2	4	5	7	10
50-69	508	6.1	31	2	3	5	7	10	17	50-69	3481	4.5	12	2	3	4	5	7	10
70 +	92	8.3	68	2	3	4	14	22	27	70 +	460	4.7	9	2	3	4	6	8	11
SUBTOTAL	**1376**	**5.6**	**28**	**2**	**3**	**4**	**6**	**9**	**11**		**7829**	**4.3**	**12**	**2**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1376**	**5.6**	**28**	**2**	**3**	**4**	**6**	**9**	**11**		**7829**	**4.3**	**12**	**2**	**2**	**3**	**5**	**7**	**10**

DRG 175: G.I. Hemorrhage w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1414	3.6	6	2	2	3	4	6	8	0-17	262	1.6	1	1	1	1	2	3	4
70-74	1214	3.4	5	1	2	3	4	6	7	18-34	793	2.5	2	1	2	2	3	4	5
75-79	1157	3.8	4	2	2	3	5	7	7	35-49	1151	2.9	3	1	2	3	4	5	6
80-84	1026	3.6	4	2	2	3	5	6	8	50-69	2000	3.0	2	1	2	3	4	5	6
85 +	944	4.2	5	2	3	4	5	7	9	70 +	152	3.6	6	2	2	3	5	6	11
SUBTOTAL	**5755**	**3.7**	**5**	**2**	**2**	**3**	**5**	**7**	**8**		**4359**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**5755**	**3.7**	**5**	**2**	**2**	**3**	**5**	**7**	**8**		**4359**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	109	2.4	6	1	1	2	2	5	10	0-17	257	2.2	2	1	1	2	3	4	6
18-34	184	2.8	3	1	1	2	4	5	6	18-34	832	2.3	2	1	1	2	3	4	5
35-49	108	2.1	1	< 1	1	2	3	3	5	35-49	1204	2.8	3	1	2	2	3	5	6
50-69	90	4.6	7	2	3	3	6	9	10	50-69	1848	3.3	4	2	2	3	4	5	6
70 +	33	2.2	1							70 +	163	3.2	2	2	2	3	4	6	6
SUBTOTAL	**524**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**4303**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**524**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**4303**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	408	5.3	19	2	3	4	6	9	16
70-74	265	6.1	23	2	3	4	8	15	15
75-79	346	6.3	22	2	3	5	8	14	19
80-84	322	6.2	9	3	4	5	9	10	12
85 +	211	8.9	71	4	4	6	9	25	29
SUBTOTAL	1551	6.3	26	2	3	5	8	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	107	4.8	8	2	2	4	9	9	9
70-74	143	4.5	12	1	3	3	6	10	16
75-79	93	4.1	4	1	4	4	5	6	8
80-84	53	4.1	3	1	3	4	6	6	6
85 +	45	4.7	6						
SUBTOTAL	440	4.4	8	1	3	4	6	9	9
GRAND TOTAL	1991	5.9	23	2	3	4	7	11	15

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	10.6	2						
18-34	43	5.6	11						
35-49	124	2.9	4	1	2	2	3	7	8
50-69	215	4.4	6	3	3	4	5	7	10
70 +	34	11.9	79						
	434	4.9	18	1	2	4	6	11	12
0-17	25	5.1	17						
18-34	73	2.2	2	< 1	1	2	2	5	5
35-49	161	4.2	13	2	2	3	4	8	17
50-69	90	5.1	17	2	2	4	6	13	16
70 +	17	3.1	1						
	366	4.0	12	1	2	3	4	7	12
	800	4.5	15	1	2	3	5	9	12

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	9	3.0							
18-34	25	6.4	35						
35-49	17	5.8	4						
50-69	26	10.8	115						
70 +	9	4.0							
SUBTOTAL	87	7.0	52	2	3	4	8	15	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	19	5.0	1						
18-34	0								
35-49	9	4.0							
50-69	26	6.5	12						
70 +	0								
SUBTOTAL	54	5.6	7	3	4	5	6	11	11
GRAND TOTAL	141	6.4	35	3	3	4	6	15	27

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	5.0							
18-34	78	6.0	33	1	2	3	7	18	18
35-49	105	3.8	4	2	2	3	5	7	8
50-69	165	5.8	17	2	3	4	8	10	19
70 +	33	4.7	5						
	388	5.2	16	2	3	4	7	9	13
0-17	16	1.5							
18-34	53	4.4	5	2	2	4	6	8	8
35-49	85	3.8	4	2	2	4	4	5	9
50-69	121	5.3	8	2	2	6	6	8	12
70 +	8	7.0							
	262	4.5	7	2	2	4	6	8	9
	670	4.9	12	2	2	4	6	9	12

DRG 177: Uncomplicated Peptic Ulcer w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	768	4.7	10	2	2	4	6	8	12	0-17	31	3.8	2						
70-74	583	4.8	9	2	3	4	6	8	11	18-34	248	2.9	4	1	2	3	3	4	6
75-79	634	5.6	20	2	3	4	7	10	14	35-49	450	3.6	6	1	2	3	4	6	8
80-84	449	5.8	25	2	3	4	6	11	17	50-69	511	3.7	4	1	2	3	5	6	8
85 +	271	5.8	8	3	4	5	7	9	13	70 +	68	4.3	2	3	3	4	5	7	7
SUBTOTAL	**2705**	**5.2**	**15**	**2**	**3**	**4**	**7**	**10**	**13**		**1308**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2705**	**5.2**	**15**	**2**	**3**	**4**	**7**	**10**	**13**		**1308**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	25	4.2	9						
18-34	65	3.4	3	1	3	3	4	7	7	18-34	90	3.4	8	1	1	3	4	8	11
35-49	101	3.4	5	2	2	3	4	5	9	35-49	253	3.4	4	1	2	3	5	5	8
50-69	135	5.9	15	2	3	5	8	12	17	50-69	312	5.0	56	1	2	4	5	7	8
70 +	9	3.0								70 +	40	6.7	44						
SUBTOTAL	**310**	**4.5**	**10**	**2**	**2**	**3**	**6**	**8**	**12**		**720**	**4.3**	**30**	**1**	**2**	**3**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**310**	**4.5**	**10**	**2**	**2**	**3**	**6**	**8**	**12**		**720**	**4.3**	**30**	**1**	**2**	**3**	**5**	**8**	**8**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	412	3.5	3	2	2	3	4	6	7	0-17	104	1.9	1	< 1	1	2	3	3	3
70-74	267	4.2	7	2	2	3	5	8	10	18-34	380	2.8	4	1	1	2	4	5	6
75-79	288	3.4	2	2	2	3	4	5	7	35-49	770	2.4	2	1	1	2	3	4	5
80-84	143	3.0	2	2	2	3	3	7	7	50-69	581	3.2	5	1	2	2	4	6	7
85 +	143	4.4	4	1	3	5	6	6	8	70 +	9	2.0							
SUBTOTAL	**1252**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**8**		**1843**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1252**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**8**		**1843**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	33	1.7	2						
18-34	121	2.5	2	1	2	2	3	4	6	18-34	225	3.3	8	1	2	2	4	5	7
35-49	119	2.9	3	1	2	2	4	6	6	35-49	385	2.6	2	1	2	2	4	4	5
50-69	53	5.1	28	1	2	3	7	17	17	50-69	343	3.3	3	1	2	3	5	5	6
70 +	0									70 +	19	3.5							
SUBTOTAL	**293**	**3.1**	**8**	**1**	**2**	**2**	**3**	**6**	**7**		**1004**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**293**	**3.1**	**8**	**1**	**2**	**2**	**3**	**6**	**7**		**1004**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 179: Inflammatory Bowel Disease

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	292	6.5	16	3	4	6	7	11	18	0-17	90	13.2	105	3	4	8	24	29	29
70-74	265	8.7	33	4	5	6	12	16	23	18-34	435	8.1	56	2	3	5	12	18	22
75-79	197	6.9	25	3	3	5	10	12	14	35-49	445	7.0	63	2	3	4	6	15	29
80-84	160	11.7	59	4	7	9	13	22	33	50-69	279	8.2	31	3	4	7	10	12	24
85 +	81	8.2	45	3	5	6	8	26	26	70 +	8	3.0							
SUBTOTAL	**994**	**8.2**	**35**	**3**	**4**	**6**	**11**	**14**	**22**		**1257**	**8.1**	**59**	**2**	**3**	**5**	**10**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	175	4.9	9	2	3	4	6	7	9	0-17	308	7.2	75	2	2	4	7	24	27
70-74	75	7.6	17	< 1	6	7	11	14	14	18-34	346	5.5	16	1	3	4	7	11	14
75-79	65	5.1	16	< 1	3	3	9	13	13	35-49	329	4.1	7	1	2	4	6	8	9
80-84	45	8.5	45							50-69	155	6.6	33	2	3	4	7	17	22
85 +	26	9.9	29							70 +	0								
SUBTOTAL	**386**	**6.2**	**20**	**2**	**3**	**5**	**7**	**13**	**16**		**1137**	**5.7**	**33**	**2**	**3**	**4**	**6**	**12**	**17**
GRAND TOTAL	**1380**	**7.6**	**31**	**3**	**4**	**6**	**11**	**14**	**21**		**2394**	**6.9**	**48**	**2**	**3**	**5**	**8**	**16**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	75	16.8	290	3	9	13	15	64	64	0-17	48	8.8	18	3	4	9	13	14	14
18-34	43	7.4	19							18-34	312	7.6	76	2	3	5	7	13	21
35-49	26	9.0	16							35-49	252	7.1	39	2	3	4	9	16	22
50-69	28	5.0	1							50-69	149	7.6	42	1	3	6	9	16	30
70 +	0									70 +	8	4.0							
SUBTOTAL	**172**	**11.3**	**156**	**3**	**5**	**7**	**14**	**17**	**20**		**769**	**7.5**	**53**	**2**	**3**	**5**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	5.5	2							0-17	112	6.5	23	1	4	6	8	14	19
18-34	34	7.9	6							18-34	363	5.4	15	2	3	5	7	10	11
35-49	9	5.0								35-49	303	5.3	7	2	3	5	7	9	10
50-69	9	5.0								50-69	154	9.1	32	3	4	8	11	19	21
70 +	0									70 +	25	6.8	9						
SUBTOTAL	**68**	**6.5**	**6**	**4**	**5**	**5**	**7**	**12**	**12**		**956**	**6.1**	**18**	**2**	**3**	**5**	**8**	**10**	**14**
GRAND TOTAL	**240**	**10.0**	**118**	**4**	**5**	**7**	**12**	**15**	**20**		**1725**	**6.7**	**34**	**2**	**3**	**5**	**8**	**12**	**18**

DRG 180: G.I. Obstruction w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1962	6.0	24	2	3	5	7	12	15
70-74	1903	5.6	18	2	3	4	8	11	13
75-79	1980	5.7	14	2	3	5	7	12	13
80-84	1506	5.9	19	2	3	5	8	11	12
85 +	1565	7.2	28	2	3	5	9	14	19
SUBTOTAL	**8917**	**6.1**	**21**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8917**	**6.1**	**21**	**2**	**3**	**5**	**8**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	202	5.0	19	1	2	3	6	9	17
18-34	150	4.4	7	1	2	4	6	8	11
35-49	415	4.7	14	1	2	4	6	11	11
50-69	1006	5.0	19	1	2	4	6	9	15
70 +	233	6.2	15	3	4	5	7	12	13
	2006	**5.0**	**17**	**1**	**2**	**4**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2006	**5.0**	**17**	**1**	**2**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	5.4	29	1	2	3	8	17	20
18-34	65	3.1		2	3	3	4	4	4
35-49	130	5.8	20	1	2	4	8	14	16
50-69	240	4.8	14	2	3	4	5	8	16
70 +	17	5.6	2						
SUBTOTAL	**581**	**5.0**	**17**	**2**	**3**	**4**	**7**	**8**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**581**	**5.0**	**17**	**2**	**3**	**4**	**7**	**8**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	3.9	43	1	1	2	4	5	29
18-34	177	5.0	20	2	2	3	5	10	16
35-49	328	7.0	81	1	2	4	8	17	28
50-69	708	6.1	24	2	3	5	7	11	16
70 +	253	6.0	37	2	2	4	7	13	18
	1594	**6.0**	**39**	**1**	**3**	**4**	**7**	**11**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1594	**6.0**	**39**	**1**	**3**	**4**	**7**	**11**	**18**

DRG 181: G.I. Obstruction w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1628	3.7	5	1	2	3	5	6	8	0-17	586	2.2	2	< 1	1	2	3	5	5
70-74	1176	4.1	7	1	2	3	5	7	9	18-34	555	3.0	4	1	1	2	4	5	6
75-79	1172	3.8	6	1	2	3	5	7	8	35-49	1068	3.6	10	1	2	3	4	6	8
80-84	794	3.8	5	1	2	3	5	7	8	50-69	1627	3.2	5	1	2	3	4	6	8
85 +	716	4.3	8	1	2	3	5	9	11	70 +	70	5.0	6	2	3	5	6	10	10
SUBTOTAL	**5486**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**3905**	**3.2**	**6**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**5486**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**3905**	**3.2**	**6**	**1**	**2**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	228	3.0	11	< 1	1	2	4	7	11	0-17	391	2.7	7	1	1	2	3	6	7
18-34	93	3.9	9	1	2	3	5	8	11	18-34	559	3.6	4	2	2	3	4	7	7
35-49	212	3.3	3	1	2	3	4	6	6	35-49	807	4.0	7	1	2	3	5	7	11
50-69	95	3.4	5	1	2	3	4	7	8	50-69	985	4.1	7	2	2	4	5	7	11
70 +	46	3.8	4							70 +	127	4.6	7	2	3	4	6	10	10
SUBTOTAL	**674**	**3.3**	**7**	**1**	**1**	**3**	**4**	**7**	**8**		**2870**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**674**	**3.3**	**7**	**1**	**1**	**3**	**4**	**7**	**8**		**2870**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10697	4.6	11	2	2	4	6	9	11
70-74	8766	4.8	15	2	2	4	6	9	12
75-79	8483	5.1	15	2	3	4	6	10	12
80-84	6983	4.9	15	2	3	4	6	9	12
85 +	5947	5.7	24	2	3	4	7	10	13
SUBTOTAL	40875	5.0	15	2	3	4	6	9	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	40875	5.0	15	2	3	4	6	9	12

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4671	2.8	7	1	1	2	3	5	8
35-49	5146	3.3	7	1	2	3	4	6	8
50-69	6900	3.9	12	1	2	3	5	7	9
70 +	734	5.6	21	2	3	4	7	12	15
	17451	3.5	10	1	2	3	4	7	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	17451	3.5	10	1	2	3	4	7	9

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1492	3.3	5	1	2	3	4	6	8
35-49	1109	4.3	10	2	2	3	5	9	10
50-69	1372	4.2	9	1	2	4	5	8	10
70 +	257	5.1	17	2	2	4	6	11	12
SUBTOTAL	4230	4.0	9	1	2	3	5	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	4230	4.0	9	1	2	3	5	8	10

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3683	3.2	7	1	1	2	4	6	8
35-49	4449	4.0	16	1	2	3	5	7	9
50-69	4877	4.3	11	1	2	3	5	8	11
70 +	754	5.0	14	1	3	4	6	10	11
	13764	3.9	12	1	2	3	5	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	13764	3.9	12	1	2	3	5	8	10

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4938	3.3	7	1	2	3	4	6	8	0-17	0								
70-74	3783	3.6	18	1	2	3	4	6	8	18-34	8288	2.2	2	1	1	2	3	4	5
75-79	2666	3.6	6	1	2	3	5	7	8	35-49	8281	2.6	4	1	1	2	3	5	6
80-84	2159	3.9	7	1	2	3	5	7	9	50-69	7687	2.8	4	1	1	2	4	5	6
85 +	1710	3.4	6	1	2	3	4	7	8	70 +	363	2.9	4	1	1	2	4	6	7
SUBTOTAL	**15256**	**3.5**	**9**	**1**	**2**	**3**	**5**	**7**	**8**		**24619**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**15256**	**3.5**	**9**	**1**	**2**	**3**	**5**	**7**	**8**		**24619**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1965	2.5	3	1	1	2	3	5	6	18-34	6384	2.5	7	1	1	2	3	5	6
35-49	870	3.6	9	1	2	3	4	6	9	35-49	4997	3.0	5	1	1	2	4	6	8
50-69	626	3.4	7	1	2	2	4	8	9	50-69	4369	3.6	8	1	2	3	5	7	9
70 +	64	3.5	7	< 1	1	3	6	8	8	70 +	471	3.8	7	1	2	3	5	8	9
SUBTOTAL	**3524**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**		**16222**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3524**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**		**16222**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	42	2.5	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**42**	**2.5**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	2.6							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**42**	**2.6**							
GRAND TOTAL	**84**	**2.6**	**1**	**1**	**2**	**3**	**3**	**5**	**5**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	7871	2.5	6	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7871	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
0-17	8756	2.2	7	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8756	**2.2**	**7**	**1**	**1**	**2**	**3**	**4**	**5**
	16627	**2.3**	**7**	**1**	**1**	**2**	**3**	**4**	**5**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4443	3.3	16	1	2	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4443**	**3.3**	**16**	**1**	**2**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3733	2.6	22	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3733**	**2.6**	**22**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**8177**	**3.0**	**19**	**1**	**1**	**2**	**3**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6524	2.9	15	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6524	**2.9**	**15**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	7361	2.2	6	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7361	**2.2**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
	13885	**2.5**	**10**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	107	6.6	32	1	3	5	8	16	20	0-17	0								
70-74	125	6.1	16	2	3	5	8	13	14	18-34	187	3.1	9	1	1	2	3	7	9
75-79	45	6.0	12							35-49	96	4.0	15	1	1	3	4	6	15
80-84	71	5.7	22	1	1	3	7	16	16	50-69	81	6.5	34	1	4	5	7	17	23
85 +	46	5.0	3							70 +	0								
SUBTOTAL	**395**	**6.0**	**19**	**1**	**3**	**5**	**7**	**13**	**16**		**364**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	45	1.4								0-17	0								
70-74	36	2.3	1							18-34	318	2.4	11	< 1	1	1	2	4	7
75-79	73	2.4	1	< 1	1	2	4	4	4	35-49	98	2.0	1	1	1	2	3	3	5
80-84	46	4.2	7							50-69	46	3.6	10						
85 +	19	4.5	2							70 +	9	3.0							
SUBTOTAL	**218**	**2.7**	**3**	**1**	**1**	**2**	**4**	**6**	**6**		**471**	**2.4**	**9**	**< 1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**613**	**4.8**	**16**	**1**	**2**	**4**	**7**	**9**	**14**		**835**	**3.2**	**13**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	71	3.3	4	1	1	3	5	6	6	18-34	232	4.1	21	1	1	3	4	9	12
35-49	25	7.1	48							35-49	132	4.5	29	1	2	4	5	7	25
50-69	0									50-69	105	4.7	11	1	1	4	7	9	11
70 +	0									70 +	9	3.0							
SUBTOTAL	**96**	**4.3**	**18**	**1**	**1**	**3**	**6**	**6**	**17**		**479**	**4.3**	**21**	**1**	**2**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	53	1.4		< 1	1	1	2	2	2	18-34	577	2.0	1	< 1	1	2	3	4	4
35-49	19	1.0								35-49	146	2.6	4	1	1	2	3	7	7
50-69	9	2.0								50-69	113	3.2	10	< 1	1	2	4	10	11
70 +	9	3.0								70 +	0								
SUBTOTAL	**90**	**1.5**		**< 1**	**1**	**1**	**2**	**3**	**3**		**836**	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**186**	**3.0**	**11**	**< 1**	**1**	**2**	**3**	**6**	**6**		**1315**	**3.0**	**10**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**9**	**4.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9**	**4.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	362	3.5	7	1	2	3	4	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**362**	**3.5**	**7**	**1**	**2**	**3**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs									
0-17	629	1.8	2	< 1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**629**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**991**	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	246	3.3	4	1	2	3	5	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**246**	**3.3**	**4**	**1**	**2**	**3**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	255	1.8	1	< 1	< 1	1	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**255**	**1.8**	**1**	**< 1**	**< 1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**502**	**2.5**	**3**	**< 1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	220	3.6	11	1	2	3	4	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**220**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs									
0-17	738	2.2	4	1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**738**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**958**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 187: Dental Extractions & Restorations

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	59	2.3	2	1	1	2	4	5	5	0-17	56	1.7	1	< 1	< 1	1	3	4	4
70-74	9	3.0								18-34	54	2.5	2	1	1	2	3	5	5
75-79	0									35-49	19	3.0	4						
80-84	25	2.3	2							50-69	17	2.5							
85 +	23	2.3								70 +	0								
SUBTOTAL	**116**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**146**	**2.3**	**2**	**< 1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	19	2.0								0-17	980	1.2	3	< 1	< 1	< 1	< 1	1	1
70-74	9	2.0								18-34	50	1.5	1	1	1	1	2	3	3
75-79	9	1.0								35-49	37	2.3	2						
80-84	9	2.0								50-69	26	3.2	3						
85 +	0									70 +	0								
SUBTOTAL	**46**	**1.8**									**1094**	**1.3**	**3**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**3**
GRAND TOTAL	**163**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**5**		**1239**	**1.4**	**3**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	93	2.3	15	< 1	< 1	1	2	2	15	0-17	59	1.7	1	1	1	1	3	3	3
18-34	51	1.4	1	< 1	< 1	1	1	3	3	18-34	25	2.1	2						
35-49	9	2.0								35-49	19	7.0	1						
50-69	0									50-69	16	4.5	13						
70 +	0									70 +	0								
SUBTOTAL	**154**	**2.0**	**9**	**< 1**	**< 1**	**1**	**2**	**3**	**12**		**118**	**3.0**	**6**	**1**	**1**	**2**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1813	1.0		< 1	< 1	< 1	< 1	< 1	< 1	0-17	308	1.4	1	< 1	< 1	< 1	< 1	3	3
18-34	23	2.3	4							18-34	31	4.3	33						
35-49	0									35-49	16	5.5	22						
50-69	0									50-69	8	2.0							
70 +	0									70 +	0								
SUBTOTAL	**1837**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**		**363**	**1.9**	**6**	**< 1**	**< 1**	**< 1**	**1**	**3**	**7**
GRAND TOTAL	**1991**	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**		**481**	**2.1**	**6**	**< 1**	**< 1**	**< 1**	**2**	**6**	**8**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1622	6.5	56	2	3	5	7	12	15	0-17	0								
70-74	1179	6.7	47	1	3	5	8	13	20	18-34	225	3.1	4	1	1	3	4	7	7
75-79	1064	6.9	68	2	3	5	8	14	18	35-49	589	5.1	24	1	2	4	7	9	12
80-84	803	6.4	33	2	3	5	7	13	17	50-69	851	4.9	24	1	2	4	5	11	15
85 +	745	6.6	43	1	2	5	9	15	18	70 +	148	9.8	85	3	5	7	11	23	42
SUBTOTAL	**5413**	**6.6**	**51**	**2**	**3**	**5**	**8**	**13**	**18**		**1812**	**5.1**	**29**	**1**	**2**	**4**	**6**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5413**	**6.6**	**51**	**2**	**3**	**5**	**8**	**13**	**18**		**1812**	**5.1**	**29**	**1**	**2**	**4**	**6**	**10**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	82	5.0	20	1	2	4	5	16	16	18-34	287	3.5	7	1	2	2	5	7	11
35-49	84	6.8	26	1	3	5	11	17	17	35-49	573	4.6	19	1	1	3	6	10	15
50-69	174	5.6	11	2	3	4	9	11	11	50-69	868	6.9	56	2	3	4	9	14	18
70 +	0									70 +	89	9.0	133	1	3	4	10	17	43
SUBTOTAL	**339**	**5.8**	**17**	**2**	**3**	**4**	**9**	**11**	**16**		**1817**	**5.7**	**43**	**1**	**2**	**4**	**7**	**11**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**339**	**5.8**	**17**	**2**	**3**	**4**	**9**	**11**	**16**		**1817**	**5.7**	**43**	**1**	**2**	**4**	**7**	**11**	**17**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	609	3.6	7	< 1	2	3	5	8	8	0-17	0								
70-74	414	3.3	9	< 1	1	2	5	7	9	18-34	701	2.2	4	1	1	1	3	5	5
75-79	308	3.3	4	< 1	1	3	5	6	6	35-49	649	2.5	6	< 1	1	2	3	5	8
80-84	275	3.8	14	< 1	1	3	4	10	13	50-69	874	2.9	7	< 1	1	2	4	6	8
85 +	270	3.7	12	1	1	2	5	8	12	70 +	37	1.5	1						
SUBTOTAL	**1876**	**3.5**	**9**	**< 1**	**1**	**3**	**5**	**8**	**10**		**2261**	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1876**	**3.5**	**9**	**< 1**	**1**	**3**	**5**	**8**	**10**		**2261**	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	136	2.3	2	1	1	2	2	5	6	18-34	759	2.7	8	1	1	2	3	6	8
35-49	101	3.4	5	1	1	3	5	7	7	35-49	612	3.1	10	< 1	1	2	4	8	10
50-69	36	5.3	17							50-69	570	3.1	6	1	1	2	4	6	8
70 +	0									70 +	45	2.7	4						
SUBTOTAL	**273**	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**7**		**1985**	**2.9**	**8**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**273**	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**7**		**1985**	**2.9**	**8**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 190: Other Digestive System Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	39	7.2	42							0-17	313	4.5	45	1	1	3	4	8	23
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**39**	**7.2**	**42**								**313**	**4.5**	**45**	**1**	**1**	**3**	**4**	**8**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2161	2.1	7	< 1	1	1	2	4	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2161**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**39**	**7.2**	**42**								**2473**	**2.4**	**12**	**< 1**	**1**	**1**	**2**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	238	5.1	64	1	1	3	5	9	18	0-17	230	4.9	148	1	1	2	4	6	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**238**	**5.1**	**64**	**1**	**1**	**3**	**5**	**9**	**18**		**230**	**4.9**	**148**	**1**	**1**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	902	2.3	8	< 1	1	1	2	6	8	0-17	1562	2.0	8	< 1	1	1	2	4	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**902**	**2.3**	**8**	**< 1**	**1**	**1**	**2**	**6**	**8**		**1562**	**2.0**	**8**	**< 1**	**1**	**1**	**2**	**4**	**8**
GRAND TOTAL	**1139**	**2.9**	**21**	**< 1**	**1**	**1**	**3**	**7**	**8**		**1792**	**2.4**	**27**	**< 1**	**1**	**1**	**2**	**4**	**8**

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	340	16.4	88	8	10	14	21	28	53		0-17	60	11.0	18	7	7	10	16	18	18	
70-74	355	16.9	138	7	9	12	22	38	42		18-34	152	11.2	54	5	8	8	12	22	34	
75-79	206	21.4	368	6	9	12	35	44	67		35-49	242	15.8	230	6	7	11	18	29	42	
80-84	144	10.9	26	7	8	9	13	18	25		50-69	509	17.7	250	5	8	12	21	36	53	
85 +	78	17.6	254	4	8	10	26	51	56		70 +	36	13.9	28							
SUBTOTAL	**1123**	**16.8**	**167**	**7**	**9**	**12**	**21**	**38**	**49**			**998**	**15.7**	**200**	**5**	**7**	**12**	**17**	**34**	**42**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	0										0-17	0									
70-74	0										18-34	0									
75-79	0										35-49	0									
80-84	0										50-69	0									
85 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**1123**	**16.8**	**167**	**7**	**9**	**12**	**21**	**38**	**49**			**998**	**15.7**	**200**	**5**	**7**	**12**	**17**	**34**	**42**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	23	15.0	59								0-17	34	21.5	342							
18-34	45	11.9	189								18-34	318	13.1	109	4	7	9	15	33	41	
35-49	71	15.8	145	4	6	13	17	44	44		35-49	326	14.8	295	3	7	10	15	29	76	
50-69	36	8.0	17								50-69	331	16.2	119	6	8	13	21	30	44	
70 +	8	25.0									70 +	9	9.0								
SUBTOTAL	**183**	**13.6**	**126**	**3**	**7**	**10**	**17**	**25**	**42**			**1018**	**14.9**	**181**	**5**	**8**	**11**	**17**	**31**	**45**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	0										50-69	0									
70 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**183**	**13.6**	**126**	**3**	**7**	**10**	**17**	**25**	**42**			**1018**	**14.9**	**181**	**5**	**8**	**11**	**17**	**31**	**45**	

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	98	14.5	74	5	8	11	23	28	30	0-17	40	13.2	73						
70-74	78	9.9	50	1	4	9	17	21	21	18-34	88	5.7	3	4	5	5	6	9	10
75-79	53	11.8	66	4	7	8	16	29	29	35-49	172	7.4	11	5	5	7	8	13	17
80-84	26	14.1	43							50-69	220	10.2	36	4	6	9	13	15	24
85 +	28	7.7	2							70 +	0								
SUBTOTAL	**282**	**12.0**	**61**	**4**	**6**	**9**	**16**	**24**	**29**		**521**	**8.8**	**30**	**4**	**5**	**8**	**10**	**15**	**24**
GRAND TOTAL	**282**	**12.0**	**61**	**4**	**6**	**9**	**16**	**24**	**29**		**521**	**8.8**	**30**	**4**	**5**	**8**	**10**	**15**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	8.0	2							0-17	31	11.5	73						
18-34	54	8.9	32	5	6	6	8	21	21	18-34	140	7.6	15	3	5	7	10	12	18
35-49	19	7.5	2							35-49	98	11.7	74	4	5	9	16	27	31
50-69	8	25.0								50-69	119	11.5	43	5	6	11	14	20	30
70 +	0									70 +	9	5.0							
SUBTOTAL	**104**	**9.6**	**37**	**6**	**6**	**7**	**9**	**21**	**25**		**397**	**10.0**	**46**	**4**	**5**	**7**	**12**	**20**	**27**
GRAND TOTAL	**104**	**9.6**	**37**	**6**	**6**	**7**	**9**	**21**	**25**		**397**	**10.0**	**46**	**4**	**5**	**7**	**12**	**20**	**27**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	474	13.8	65	6	8	13	18	25	36	0-17	47	20.5	138	5	6	23	30	36	36
70-74	539	12.3	72	6	7	10	15	21	25	18-34	71	6.3	15	4	4	5	6	17	17
75-79	434	13.4	50	6	8	12	16	25	29	35-49	125	9.2	30	4	5	7	16	18	20
80-84	405	13.9	86	7	8	12	17	23	29	50-69	290	12.2	75	5	7	10	13	25	34
85 +	229	14.1	101	7	8	11	18	24	30	70 +	46	16.8	12						
SUBTOTAL	**2082**	**13.4**	**72**	**6**	**8**	**11**	**17**	**24**	**30**		**580**	**11.9**	**71**	**4**	**6**	**9**	**16**	**24**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2082**	**13.4**	**72**	**6**	**8**	**11**	**17**	**24**	**30**		**580**	**11.9**	**71**	**4**	**6**	**9**	**16**	**24**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	16	9.5							
18-34	19	14.0	4							18-34	53	7.0	14	3	5	5	9	14	14
35-49	28	8.3	10							35-49	85	12.6	82	5	5	9	21	26	29
50-69	54	10.4	12	6	7	10	13	16	16	50-69	267	13.1	122	6	7	10	14	22	31
70 +	0									70 +	33	10.1	26						
SUBTOTAL	**101**	**10.5**	**13**	**6**	**7**	**10**	**13**	**16**	**16**		**453**	**11.9**	**94**	**5**	**7**	**9**	**14**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**101**	**10.5**	**13**	**6**	**7**	**10**	**13**	**16**	**16**		**453**	**11.9**	**94**	**5**	**7**	**9**	**14**	**22**	**29**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	124	9.3	29	4	5	7	14	15	24	0-17	39	7.6	4						
70-74	105	10.1	7	7	7	11	12	13	14	18-34	26	12.6	87						
75-79	102	12.4	32	7	9	10	13	22	27	35-49	90	5.7	4	3	4	5	7	9	10
80-84	45	7.3	10							50-69	116	7.3	7	4	6	7	9	10	11
85 +	46	6.8	18							70 +	0								
SUBTOTAL	**423**	**9.7**	**24**	**4**	**7**	**9**	**12**	**15**	**22**		**271**	**7.3**	**17**	**4**	**5**	**7**	**9**	**10**	**11**
GRAND TOTAL	**423**	**9.7**	**24**	**4**	**7**	**9**	**12**	**15**	**22**		**271**	**7.3**	**17**	**4**	**5**	**7**	**9**	**10**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	8.7	4							0-17	23	7.0	5						
18-34	19	5.5	7							18-34	68	7.2	7	3	5	7	8	13	13
35-49	0									35-49	50	6.7	11	1	4	7	9	11	11
50-69	19	3.5								50-69	102	10.9	12	8	8	9	13	16	17
70 +	9	7.0								70 +	9	7.0							
SUBTOTAL	**70**	**6.2**	**7**	**3**	**3**	**6**	**8**	**11**	**11**		**253**	**8.6**	**13**	**4**	**7**	**8**	**11**	**13**	**16**
GRAND TOTAL	**70**	**6.2**	**7**	**3**	**3**	**6**	**8**	**11**	**11**		**253**	**8.6**	**13**	**4**	**7**	**8**	**11**	**13**	**16**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	966	9.9	48	5	6	8	11	17	23	0-17	9	5.0							
70-74	872	9.4	23	5	7	8	11	17	20	18-34	615	6.7	9	4	5	6	8	9	13
75-79	854	9.7	25	5	7	9	11	14	17	35-49	689	7.1	11	4	5	6	8	10	13
80-84	522	10.1	21	6	7	9	12	14	15	50-69	919	8.7	80	5	6	7	9	11	14
85 +	462	13.2	61	8	9	11	14	18	25	70 +	70	11.1	45	5	6	9	13	27	27
SUBTOTAL	**3675**	**10.2**	**36**	**5**	**7**	**9**	**12**	**16**	**19**		**2303**	**7.7**	**40**	**4**	**5**	**7**	**9**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3675**	**10.2**	**36**	**5**	**7**	**9**	**12**	**16**	**19**		**2303**	**7.7**	**40**	**4**	**5**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	6.1	1							0-17	8	4.0							
18-34	300	6.4	9	4	4	5	7	12	14	18-34	599	7.4	12	4	5	7	8	12	15
35-49	73	7.1	8	4	4	6	8	13	13	35-49	458	8.2	19	4	6	7	9	13	15
50-69	99	9.1	15	5	5	9	14	14	14	50-69	635	9.5	118	4	5	7	9	14	20
70 +	17	12.4	2							70 +	59	11.8	22	7	9	11	12	22	22
SUBTOTAL	**507**	**7.2**	**12**	**4**	**5**	**6**	**9**	**14**	**14**		**1758**	**8.5**	**53**	**4**	**5**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**507**	**7.2**	**12**	**4**	**5**	**6**	**9**	**14**	**14**		**1758**	**8.5**	**53**	**4**	**5**	**7**	**9**	**13**	**16**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	188	7.2	7	4	5	7	9	10	12	0-17	9	5.0							
70-74	248	9.5	46	4	6	8	10	16	24	18-34	388	5.4	4	3	4	5	6	8	10
75-79	171	7.7	8	4	6	7	9	13	13	35-49	383	5.6	4	3	4	5	7	9	9
80-84	98	8.9	14	4	6	9	12	13	16	50-69	602	6.2	5	4	5	6	7	9	10
85 +	54	10.6	15	6	9	10	11	19	19	70 +	17	6.4	2						
SUBTOTAL	**758**	**8.5**	**23**	**4**	**6**	**8**	**10**	**13**	**16**		**1398**	**5.8**	**4**	**4**	**4**	**5**	**7**	**9**	**10**
GRAND TOTAL	**758**	**8.5**	**23**	**4**	**6**	**8**	**10**	**13**	**16**		**1398**	**5.8**	**4**	**4**	**4**	**5**	**7**	**9**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	34	6.2	9						
18-34	163	5.1	9	3	4	4	5	8	16	18-34	429	6.3	7	4	4	5	8	10	12
35-49	53	6.5	15	3	4	4	8	15	15	35-49	407	5.9	8	3	4	5	7	10	12
50-69	45	8.0	1							50-69	354	6.1	7	3	4	6	7	11	12
70 +	9	5.0								70 +	9	8.0							
SUBTOTAL	**270**	**5.9**	**10**	**3**	**4**	**5**	**7**	**9**	**15**		**1234**	**6.1**	**8**	**3**	**4**	**5**	**7**	**10**	**12**
GRAND TOTAL	**270**	**5.9**	**10**	**3**	**4**	**5**	**7**	**9**	**15**		**1234**	**6.1**	**8**	**3**	**4**	**5**	**7**	**10**	**12**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3596	7.9	25	4	5	7	9	13	17	0-17	26	3.6							
70-74	2410	7.9	28	4	5	7	9	12	15	18-34	1732	4.6	4	3	3	4	5	6	8
75-79	1858	9.1	30	4	6	8	11	15	20	35-49	3256	5.7	10	3	4	5	6	9	11
80-84	860	10.1	34	5	6	8	12	19	23	50-69	4037	6.2	16	3	4	5	7	9	12
85 +	607	11.4	51	6	7	10	13	17	21	70 +	132	9.4	9	5	7	9	12	14	15
SUBTOTAL	**9330**	**8.6**	**30**	**4**	**5**	**7**	**10**	**14**	**18**		**9184**	**5.8**	**12**	**3**	**4**	**5**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9330**	**8.6**	**30**	**4**	**5**	**7**	**10**	**14**	**18**		**9184**	**5.8**	**12**	**3**	**4**	**5**	**7**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	19	6.0	4							0-17	48	3.8	2	2	3	3	6	6	6
18-34	641	5.4	16	3	3	4	6	11	13	18-34	1807	5.3	17	3	3	4	6	9	11
35-49	400	4.9	3	3	4	4	6	7	7	35-49	2170	5.6	9	3	4	5	7	10	12
50-69	376	5.9	9	3	4	5	7	9	12	50-69	2223	6.7	33	3	4	5	8	11	14
70 +	46	8.8	60							70 +	222	11.1	22	5	8	10	15	19	19
SUBTOTAL	**1482**	**5.5**	**12**	**3**	**3**	**4**	**6**	**9**	**12**		**6470**	**6.1**	**21**	**3**	**4**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1482**	**5.5**	**12**	**3**	**3**	**4**	**6**	**9**	**12**		**6470**	**6.1**	**21**	**3**	**4**	**5**	**7**	**10**	**13**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3652	5.0	5	3	4	5	6	7	9
70-74	2123	5.1	4	3	4	5	6	8	9
75-79	1134	6.1	8	4	4	6	7	9	11
80-84	507	6.6	7	4	5	6	8	10	13
85 +	234	7.9	29	4	4	7	10	11	12
SUBTOTAL	**7650**	**5.4**	**6**	**3**	**4**	**5**	**6**	**8**	**10**
GRAND TOTAL	**7650**	**5.4**	**6**	**3**	**4**	**5**	**6**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	195	4.8	15	3	3	4	5	7	9
18-34	6196	4.1	2	3	3	4	5	6	7
35-49	8067	4.3	2	3	3	4	5	6	7
50-69	6923	4.8	4	3	4	4	6	7	8
70 +	186	6.2	8	4	4	5	8	10	11
	21567	**4.4**	**3**	**3**	**3**	**4**	**5**	**6**	**7**
	21567	**4.4**	**3**	**3**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	64	4.2	2	3	3	4	6	7	7
18-34	2233	3.8	2	2	3	4	5	6	6
35-49	788	4.4	3	2	3	4	5	7	8
50-69	407	4.4	2	3	3	4	6	7	7
70 +	36	5.2	14						
SUBTOTAL	**3527**	**4.0**	**2**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**3527**	**4.0**	**2**	**2**	**3**	**4**	**5**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	151	4.0	2	3	3	3	5	7	7
18-34	4819	4.0	2	3	3	4	5	6	7
35-49	5703	4.2	3	3	3	4	5	6	7
50-69	4805	4.5	4	3	3	4	5	7	8
70 +	150	6.0	5	4	5	6	7	9	12
	15628	**4.2**	**3**	**3**	**3**	**4**	**5**	**6**	**8**
	15628	**4.2**	**3**	**3**	**3**	**4**	**5**	**6**	**8**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	85	14.5	254	1	5	8	16	54	54	0-17	8	16.0							
70-74	122	10.3	45	4	5	11	14	19	27	18-34	9	2.0							
75-79	76	10.7	36	2	6	13	16	18	19	35-49	16	10.0	10						
80-84	26	18.1	45							50-69	122	10.1	117	4	6	7	11	12	50
85 +	45	18.4	117							70 +	0								
SUBTOTAL	**355**	**13.0**	**111**	**4**	**6**	**12**	**16**	**27**	**30**		**155**	**9.9**	**98**	**3**	**6**	**7**	**12**	**15**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	9.0								0-17	0								
70-74	45	6.0	12							18-34	9	4.0							
75-79	34	5.5	1							35-49	0								
80-84	0									50-69	17	7.4	2						
85 +	0									70 +	9	15.0							
SUBTOTAL	**87**	**6.1**	**7**	**4**	**4**	**5**	**8**	**10**	**11**		**36**	**8.5**	**18**						
GRAND TOTAL	**442**	**11.7**	**98**	**4**	**5**	**9**	**16**	**25**	**30**		**191**	**9.6**	**84**	**4**	**6**	**7**	**12**	**15**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	7.0								0-17	8	9.0							
18-34	0									18-34	16	10.5	45						
35-49	9	7.0								35-49	36	13.6	40						
50-69	0									50-69	101	8.0	12	5	5	7	10	14	16
70 +	0									70 +	0								
SUBTOTAL	**17**	**7.0**									**160**	**9.6**	**26**	**4**	**5**	**8**	**14**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	3.0								0-17	0								
18-34	0									18-34	8	18.0							
35-49	0									35-49	0								
50-69	9	2.0								50-69	50	6.0	2	4	4	7	7	7	7
70 +	0									70 +	0								
SUBTOTAL	**17**	**2.5**									**57**	**7.6**	**19**	**4**	**4**	**7**	**7**	**18**	**18**
GRAND TOTAL	**34**	**4.7**	**5**								**217**	**9.1**	**25**	**4**	**5**	**7**	**13**	**17**	**18**

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	81	16.1	339	1	6	9	14	61	61	0-17	23	6.7	28						
70-74	64	11.1	32	3	6	11	17	18	18	18-34	46	5.6	14						
75-79	33	19.5	138							35-49	19	11.5	2						
80-84	9	7.0								50-69	42	11.1	55						
85 +	9	9.0								70 +	0								
SUBTOTAL	195	14.3	185	3	7	10	17	31	39		130	8.4	35	3	3	6	13	14	25
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	6.7	1							0-17	40	5.6	2						
70-74	19	7.5								18-34	43	7.4	15						
75-79	19	16.5	165							35-49	26	7.1	5						
80-84	0									50-69	8	5.0							
85 +	0									70 +	0								
SUBTOTAL	64	9.8	66	4	6	7	8	29	29		118	6.5	8	3	5	6	7	10	13
GRAND TOTAL	259	13.2	159	3	6	9	16	30	39		248	7.5	23	3	5	6	10	13	14

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	26.5	7							0-17	9	6.0							
18-34	36	6.6	7							18-34	17	3.0							
35-49	0									35-49	40	15.4	125						
50-69	19	9.5	7							50-69	60	7.4	53	1	3	7	8	25	25
70 +	9	12.0								70 +	9	10.0							
SUBTOTAL	79	11.8	62	3	7	10	12	27	29		137	9.3	78	3	3	6	10	28	30
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	7.5	2							0-17	16	6.0	17						
18-34	9	3.0								18-34	42	6.6	4						
35-49	0									35-49	28	8.3	3						
50-69	0									50-69	28	4.7							
70 +	0									70 +	0								
SUBTOTAL	25	5.8	6								113	6.4	6	4	5	6	9	10	10
GRAND TOTAL	104	10.4	55	3	6	8	12	24	29		250	8.0	47	3	4	6	10	11	28

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	294	8.4	41	3	4	6	9	20	23	0-17	23	4.7	7						
70-74	60	6.1	19	2	2	6	8	16	16	18-34	34	10.3	87						
75-79	79	16.5	153	3	6	14	27	38	41	35-49	95	5.4	4	3	4	5	8	8	8
80-84	42	9.8	14							50-69	181	6.7	6	4	5	7	9	10	10
85 +	9	13.0								70 +	8	1.0							
SUBTOTAL	**485**	**9.6**	**64**	**3**	**4**	**7**	**13**	**22**	**25**		**341**	**6.4**	**16**	**3**	**4**	**6**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	0								
70-74	9	7.0								18-34	0								
75-79	0									35-49	9	13.0							
80-84	8	7.0								50-69	37	7.5	48						
85 +	0									70 +	0								
SUBTOTAL	**25**	**5.1**	**8**								**46**	**8.6**	**43**						
GRAND TOTAL	**510**	**9.4**	**62**	**2**	**4**	**7**	**13**	**21**	**24**		**388**	**6.7**	**20**	**2**	**4**	**7**	**8**	**10**	**13**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	11.5	300							0-17	8	8.0							
18-34	65	12.0	93	2	5	6	19	31	31	18-34	67	6.4	21	2	4	5	7	18	18
35-49	73	7.8	47	1	1	5	11	23	23	35-49	227	6.6	14	3	4	6	9	9	10
50-69	36	6.9	8							50-69	301	9.5	74	4	4	7	10	21	28
70 +	0									70 +	0								
SUBTOTAL	**205**	**9.5**	**96**	**1**	**3**	**6**	**14**	**23**	**31**		**602**	**8.0**	**45**	**3**	**4**	**6**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	17	2.5							
70 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**17**	**2.5**							
GRAND TOTAL	**212**	**9.2**	**95**	**1**	**3**	**6**	**11**	**23**	**31**		**620**	**7.9**	**46**	**3**	**4**	**6**	**9**	**15**	**21**

DRG 202: Cirrhosis & Alcoholic Hepatitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1101	7.6	30	3	4	6	10	15	18	0-17	8	1.0							
70-74	409	7.1	18	3	4	7	8	12	17	18-34	107	10.6	102	3	4	9	13	19	39
75-79	298	8.2	18	3	5	8	10	14	17	35-49	355	8.4	58	2	3	7	9	20	23
80-84	211	7.7	12	4	4	8	11	11	12	50-69	617	8.4	68	3	3	5	11	17	22
85 +	8	8.0								70 +	26	6.9	2						
SUBTOTAL	**2026**	**7.6**	**24**	**3**	**4**	**6**	**10**	**14**	**17**		**1113**	**8.6**	**67**	**2**	**3**	**6**	**10**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	68	4.0	10	1	1	4	7	10	10	0-17	0								
70-74	26	1.4								18-34	9	1.0							
75-79	9	7.0								35-49	53	4.1	6	1	1	4	6	8	8
80-84	9	6.0								50-69	62	3.5	11	1	1	1	8	9	9
85 +	0									70 +	0								
SUBTOTAL	**113**	**3.8**	**9**	**1**	**1**	**2**	**6**	**7**	**10**		**124**	**3.6**	**9**	**1**	**1**	**3**	**6**	**8**	**9**
GRAND TOTAL	**2139**	**7.4**	**24**	**3**	**4**	**6**	**10**	**14**	**17**		**1237**	**8.1**	**63**	**1**	**3**	**5**	**9**	**17**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	7.0								0-17	0								
18-34	36	15.6	186							18-34	177	6.2	19	3	3	5	8	10	12
35-49	245	7.2	24	3	4	6	9	13	20	35-49	701	8.4	72	3	3	5	10	14	22
50-69	283	5.0	18	2	2	4	7	8	10	50-69	863	7.5	31	2	4	6	9	14	18
70 +	8	56.0								70 +	57	9.4	39	2	4	10	14	21	21
SUBTOTAL	**579**	**7.3**	**68**	**2**	**3**	**6**	**8**	**11**	**22**		**1798**	**7.8**	**46**	**2**	**3**	**6**	**10**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	0								
18-34	0									18-34	9	5.0							
35-49	19	4.0	4							35-49	26	4.1	9						
50-69	19	5.0	4							50-69	115	3.1	11	< 1	< 1	2	3	10	11
70 +	0									70 +	0								
SUBTOTAL	**45**	**3.9**	**5**								**151**	**3.4**	**10**	**< 1**	**1**	**2**	**5**	**10**	**11**
GRAND TOTAL	**624**	**7.0**	**65**	**2**	**3**	**6**	**8**	**11**	**22**		**1949**	**7.4**	**45**	**2**	**3**	**5**	**9**	**14**	**21**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	850	7.7	38	2	4	6	10	16	18	0-17	8	6.0							
70-74	639	8.0	55	2	3	6	9	17	23	18-34	25	4.3	4						
75-79	588	7.5	28	2	4	6	11	16	18	35-49	217	13.1	332	3	4	8	14	21	29
80-84	552	6.3	12	3	3	6	8	11	13	50-69	476	6.8	34	2	3	5	8	15	24
85 +	275	7.8	27	2	4	7	9	17	18	70 +	40	7.3	8						
SUBTOTAL	**2903**	**7.5**	**34**	**2**	**3**	**6**	**10**	**15**	**18**		**766**	**8.5**	**124**	**2**	**4**	**6**	**9**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	222	5.3	28	1	1	4	8	11	13	0-17	31	3.3	8						
70-74	164	4.6	21	1	1	3	6	16	16	18-34	9	6.0							
75-79	126	7.5	33	2	3	7	10	20	20	35-49	28	6.0	5						
80-84	88	3.7	10	< 1	1	2	7	9	9	50-69	281	5.1	22	1	2	4	7	10	18
85 +	96	6.3	23	3	4	5	8	11	20	70 +	8	4.0							
SUBTOTAL	**697**	**5.5**	**25**	**1**	**2**	**4**	**8**	**11**	**16**		**357**	**5.0**	**19**	**1**	**2**	**4**	**7**	**9**	**13**
GRAND TOTAL	**3600**	**7.1**	**33**	**2**	**3**	**6**	**9**	**14**	**18**		**1123**	**7.4**	**93**	**2**	**3**	**5**	**8**	**15**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	27.0								0-17	0								
18-34	9	3.0								18-34	56	8.4	47	2	2	8	9	24	24
35-49	9	5.0								35-49	147	9.2	105	2	3	8	10	20	47
50-69	84	4.8	4	2	3	4	7	8	8	50-69	448	7.6	30	2	3	6	11	16	19
70 +	17	7.2	4							70 +	48	8.2	26	3	3	9	12	17	17
SUBTOTAL	**127**	**6.3**	**32**	**3**	**3**	**5**	**7**	**9**	**27**		**699**	**8.0**	**47**	**2**	**3**	**6**	**11**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	1.8								0-17	16	5.0	4						
18-34	0									18-34	26	4.9	5						
35-49	53	7.1	33	1	4	5	10	19	19	35-49	25	8.4	44						
50-69	8	2.0								50-69	228	5.6	12	1	2	6	8	9	11
70 +	0									70 +	16	2.0							
SUBTOTAL	**92**	**4.8**	**26**	**1**	**2**	**2**	**6**	**10**	**19**		**311**	**5.5**	**14**	**2**	**2**	**6**	**7**	**9**	**15**
GRAND TOTAL	**219**	**5.7**	**30**	**2**	**2**	**4**	**7**	**10**	**19**		**1010**	**7.3**	**38**	**2**	**3**	**6**	**9**	**15**	**18**

DRG 204: Disorders of Pancreas except Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1501	7.7	42	3	4	6	9	14	18	0-17	28	1.7	1						
70-74	744	9.0	75	3	5	6	11	18	23	18-34	522	7.4	51	2	3	5	7	15	23
75-79	601	7.6	52	2	4	6	9	15	18	35-49	880	6.8	23	3	4	5	8	13	15
80-84	449	6.6	23	2	3	5	9	11	18	50-69	855	6.3	22	2	3	5	8	12	16
85 +	489	6.8	16	2	3	6	9	13	14	70 +	51	11.6	178	1	4	8	10	39	39
SUBTOTAL	**3785**	**7.7**	**45**	**3**	**4**	**6**	**9**	**14**	**18**		**2337**	**6.8**	**33**	**2**	**3**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	741	5.7	14	2	3	4	8	11	14	0-17	62	4.7	2	3	4	4	6	7	7
70-74	409	4.9	15	1	2	4	6	10	14	18-34	494	4.6	8	1	3	4	6	9	10
75-79	313	6.0	11	2	4	5	8	12	13	35-49	1045	5.4	24	2	3	4	7	10	12
80-84	274	5.5	11	2	3	5	7	9	14	50-69	948	4.8	9	2	2	4	6	8	10
85 +	214	5.0	5	3	3	4	6	9	9	70 +	42	4.4	5						
SUBTOTAL	**1952**	**5.5**	**13**	**2**	**3**	**5**	**7**	**10**	**13**		**2591**	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**5736**	**6.9**	**35**	**2**	**4**	**6**	**8**	**13**	**17**		**4926**	**5.8**	**24**	**2**	**3**	**4**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	6.0	4							0-17	23	4.3	2						
18-34	208	7.6	61	3	4	5	8	13	15	18-34	973	7.9	100	2	3	5	7	18	25
35-49	274	7.3	31	3	3	6	9	12	21	35-49	1566	6.9	23	3	4	6	8	12	15
50-69	293	6.8	38	2	4	6	9	10	13	50-69	1175	6.9	49	2	3	5	8	12	20
70 +	28	3.0	1							70 +	82	6.7	15	2	4	5	11	11	12
SUBTOTAL	**818**	**7.0**	**40**	**3**	**3**	**5**	**8**	**12**	**16**		**3821**	**7.1**	**51**	**2**	**3**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	25	2.6								0-17	62	4.6	5	2	2	4	7	8	8
18-34	136	4.5	11	2	2	4	6	10	15	18-34	790	5.2	10	2	3	4	7	10	12
35-49	149	4.7	5	2	3	5	6	8	9	35-49	932	4.7	7	2	3	4	6	8	10
50-69	73	6.8	22	2	2	4	10	15	15	50-69	827	4.9	8	2	3	5	6	8	10
70 +	19	5.5	13							70 +	62	4.2	6	< 1	2	4	7	8	8
SUBTOTAL	**401**	**4.9**	**11**	**2**	**2**	**4**	**6**	**10**	**13**		**2673**	**4.9**	**8**	**2**	**3**	**4**	**6**	**9**	**10**
GRAND TOTAL	**1220**	**6.3**	**32**	**2**	**3**	**5**	**8**	**11**	**15**		**6494**	**6.2**	**34**	**2**	**3**	**5**	**7**	**11**	**14**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1286	6.7	35	2	3	5	8	14	18
70-74	625	8.6	83	2	3	6	9	15	28
75-79	420	7.7	28	2	4	7	9	16	20
80-84	150	8.2	50	3	4	5	8	18	32
85 +	199	8.5	28	2	4	6	13	16	18
SUBTOTAL	**2680**	**7.5**	**46**	**2**	**4**	**6**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2680**	**7.5**	**46**	**2**	**4**	**6**	**9**	**15**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	266	3.3	8	1	2	3	4	5	9
18-34	367	5.1	18	1	3	4	6	8	13
35-49	298	5.0	15	2	2	4	7	11	16
50-69	561	7.3	60	2	3	5	8	15	15
70 +	64	8.2	27	2	4	9	11	18	18
	1556	**5.7**	**33**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1556	**5.7**	**33**	**1**	**2**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	99	3.5	7	1	2	3	5	7	10
18-34	136	6.3	10	3	4	5	9	11	13
35-49	229	8.5	89	3	4	6	9	11	32
50-69	297	6.2	11	2	4	6	9	11	12
70 +	8	11.0							
SUBTOTAL	**770**	**6.6**	**36**	**2**	**3**	**5**	**9**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**770**	**6.6**	**36**	**2**	**3**	**5**	**9**	**11**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	134	7.2	108	1	1	2	7	15	45
18-34	358	4.6	11	1	2	4	6	8	9
35-49	435	7.6	40	3	3	5	10	17	20
50-69	811	6.6	32	2	3	5	7	14	22
70 +	9	4.0							
	1746	**6.4**	**37**	**2**	**3**	**5**	**7**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1746	**6.4**	**37**	**2**	**3**	**5**	**7**	**14**	**19**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	164	4.5	10	1	2	4	7	9	13
70-74	141	3.9	11	1	1	3	5	11	12
75-79	50	2.2	2	1	1	2	4	4	4
80-84	56	6.7	11	2	4	6	10	11	11
85 +	82	4.1	2	2	4	4	5	6	6
SUBTOTAL	**493**	**4.3**	**9**	**1**	**2**	**4**	**5**	**9**	**11**
GRAND TOTAL	**493**	**4.3**	**9**	**1**	**2**	**4**	**5**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	417	2.5	3	1	1	2	3	5	6
18-34	298	3.4	4	1	2	3	4	7	7
35-49	447	3.2	8	1	1	2	4	8	8
50-69	341	4.7	25	1	1	4	5	9	19
70 +	0								
	1503	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**9**
	1503	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	206	3.4	7	1	1	2	5	7	9
18-34	135	2.2	1	1	1	2	3	4	4
35-49	26	1.0							
50-69	53	4.2	18	1	1	3	4	14	14
70 +	0								
SUBTOTAL	**420**	**3.0**	**7**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**420**	**3.0**	**7**	**1**	**1**	**2**	**3**	**6**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	315	3.3	4	1	2	3	4	7	8
18-34	484	3.5	9	1	1	3	4	8	10
35-49	276	4.2	8	1	2	3	7	9	10
50-69	270	4.4	19	1	1	3	6	7	16
70 +	23	7.3	35						
	1369	**3.9**	**11**	**1**	**1**	**3**	**5**	**8**	**10**
	1369	**3.9**	**11**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 207: Disorders of the Biliary Tract w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	995	5.1	13	2	3	4	7	10	12	0-17	39	7.4	36						
70-74	1066	5.5	21	1	2	4	7	11	14	18-34	234	4.4	16	1	2	3	7	8	12
75-79	823	5.2	15	2	3	4	7	10	12	35-49	359	3.5	8	1	1	3	5	6	8
80-84	738	6.6	35	2	3	5	8	11	14	50-69	571	4.8	34	1	2	4	5	9	14
85 +	810	6.7	17	2	4	6	9	13	16	70 +	102	6.3	14	2	4	6	8	10	16
SUBTOTAL	**4432**	**5.8**	**20**	**2**	**3**	**5**	**7**	**11**	**14**		**1305**	**4.6**	**23**	**1**	**2**	**3**	**5**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4432**	**5.8**	**20**	**2**	**3**	**5**	**7**	**11**	**14**		**1305**	**4.6**	**23**	**1**	**2**	**3**	**5**	**9**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9	4.0								0-17	93	4.4	26	1	1	2	4	14	16
18-34	99	3.6	14	1	2	3	3	4	15	18-34	197	4.8	22	< 1	2	3	5	11	16
35-49	45	6.1	26							35-49	335	6.4	84	1	2	4	6	10	17
50-69	45	7.8	149							50-69	525	4.8	8	1	3	4	6	8	11
70 +	19	12.0	38							70 +	169	5.4	9	2	3	4	8	11	11
SUBTOTAL	**217**	**5.7**	**52**	**1**	**1**	**3**	**6**	**15**	**18**		**1320**	**5.2**	**31**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**217**	**5.7**	**52**	**1**	**1**	**3**	**6**	**15**	**18**		**1320**	**5.2**	**31**	**1**	**2**	**4**	**6**	**10**	**14**

DRG 208: Disorders of the Biliary Tract w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	767	3.9	8	1	2	3	5	9	10	0-17	104	6.4	30	1	3	5	8	14	21
70-74	666	3.5	8	1	2	3	4	6	9	18-34	734	2.2	2	1	1	2	3	4	5
75-79	493	4.3	13	1	2	3	6	10	13	35-49	1198	2.3	2	1	1	2	3	4	5
80-84	391	4.0	7	1	2	3	5	8	8	50-69	1089	2.8	4	1	1	2	3	5	6
85 +	313	5.2	14	1	2	4	7	10	13	70 +	16	4.5							
SUBTOTAL	**2630**	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**10**		**3141**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2630**	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**10**		**3141**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	109	5.6	11	1	3	5	8	11	12	0-17	79	3.8	5	1	2	3	6	7	8
18-34	217	1.8	1	< 1	1	1	2	4	4	18-34	839	2.5	4	1	1	2	3	5	7
35-49	93	3.2	4	1	2	3	5	6	7	35-49	826	3.1	13	< 1	1	2	4	6	7
50-69	121	2.2	2	1	1	2	2	4	6	50-69	735	3.2	8	1	1	2	4	6	8
70 +	9	3.0								70 +	43	4.4	10						
SUBTOTAL	**548**	**2.9**	**6**	**< 1**	**1**	**2**	**4**	**6**	**8**		**2522**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**548**	**2.9**	**6**	**< 1**	**1**	**2**	**4**	**6**	**8**		**2522**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 209: Major Joint & Limb Reattachment Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4798	9.8	24	6	7	9	11	15	17	0-17	86	5.0	2	3	4	5	7	7	7
70-74	4666	10.0	21	6	7	9	11	15	17	18-34	81	8.9	5	6	7	9	11	12	13
75-79	4970	11.0	41	6	8	9	13	17	22	35-49	451	9.8	19	6	7	9	10	15	22
80-84	3777	10.8	24	6	8	10	13	16	19	50-69	2046	9.4	17	6	7	9	11	13	16
85 +	3393	11.5	39	7	8	10	13	17	21	70 +	424	10.0	19	6	8	9	11	13	20
SUBTOTAL	**21603**	**10.6**	**30**	**6**	**8**	**9**	**12**	**16**	**19**		**3087**	**9.4**	**18**	**6**	**7**	**9**	**11**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6857	8.2	6	5	7	8	9	11	13	0-17	76	4.8	5	1	4	5	7	8	8
70-74	6043	8.5	8	6	7	8	10	12	13	18-34	327	7.0	9	2	5	7	9	10	12
75-79	5443	8.7	9	5	7	8	10	12	14	35-49	1135	7.5	7	4	6	7	9	11	12
80-84	3234	9.2	11	6	7	9	11	13	15	50-69	5320	7.8	7	5	6	8	9	11	12
85 +	2205	9.5	10	6	7	9	11	14	15	70 +	621	7.7	5	5	6	7	9	10	12
SUBTOTAL	**23782**	**8.6**	**8**	**6**	**7**	**8**	**10**	**12**	**14**		**7479**	**7.7**	**7**	**5**	**6**	**7**	**9**	**11**	**12**
GRAND TOTAL	**45385**	**9.5**	**20**	**6**	**7**	**9**	**11**	**14**	**16**		**10566**	**8.2**	**11**	**5**	**6**	**8**	**9**	**12**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	4.1	3	2	3	4	5	8	8	0-17	31	7.3	4						
18-34	64	7.5	11	3	6	7	9	15	15	18-34	75	6.5	5	2	5	7	7	11	11
35-49	95	12.2	18	7	10	11	14	16	23	35-49	286	8.0	5	6	6	7	9	11	13
50-69	211	9.9	11	6	7	10	12	15	16	50-69	1395	8.9	15	6	7	8	10	13	15
70 +	70	12.8	18	8	9	11	17	20	20	70 +	456	10.5	16	6	8	9	13	16	19
SUBTOTAL	**503**	**9.7**	**20**	**4**	**7**	**9**	**12**	**15**	**18**		**2243**	**9.0**	**14**	**6**	**7**	**8**	**10**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	47	3.5	2	2	2	3	5	6	6	0-17	54	2.9	2	1	2	2	5	5	5
18-34	71	6.6	2	5	6	6	7	10	10	18-34	178	6.3	17	1	2	7	8	10	11
35-49	116	7.6	4	6	6	7	8	11	12	35-49	466	6.4	6	3	5	6	8	10	11
50-69	222	7.8	6	5	6	7	8	11	13	50-69	2186	7.6	6	5	6	7	9	10	12
70 +	85	8.7	3	7	8	9	10	10	12	70 +	387	9.6	14	6	7	9	11	14	16
SUBTOTAL	**541**	**7.3**	**6**	**5**	**6**	**7**	**8**	**11**	**12**		**3271**	**7.5**	**9**	**4**	**6**	**7**	**9**	**11**	**12**
GRAND TOTAL	**1044**	**8.5**	**14**	**4**	**6**	**8**	**10**	**13**	**15**		**5514**	**8.1**	**11**	**5**	**6**	**8**	**9**	**12**	**14**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1677	10.9	44	5	7	9	13	18	24
70-74	2032	10.8	56	5	7	9	12	17	26
75-79	2691	10.7	39	6	7	10	12	17	21
80-84	3312	11.1	36	6	7	10	13	17	23
85 +	5386	10.3	33	6	7	9	12	16	20
SUBTOTAL	**15097**	**10.7**	**39**	**5**	**7**	**9**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**15097**	**10.7**	**39**	**5**	**7**	**9**	**12**	**17**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	301	11.7	49	5	7	10	14	23	27
35-49	285	9.5	41	4	6	7	12	19	28
50-69	682	11.1	63	5	6	9	12	19	31
70 +	248	11.1	32	7	8	10	11	14	25
	1516	**10.9**	**51**	**5**	**7**	**9**	**12**	**20**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1516	**10.9**	**51**	**5**	**7**	**9**	**12**	**20**	**27**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	85	13.9	115	6	8	12	15	16	46
35-49	108	9.8	22	4	8	8	11	14	21
50-69	127	10.1	27	6	7	9	12	13	26
70 +	59	16.2	154	6	7	10	29	41	41
SUBTOTAL	**380**	**11.8**	**70**	**6**	**7**	**9**	**13**	**21**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**380**	**11.8**	**70**	**6**	**7**	**9**	**13**	**21**	**29**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	394	12.7	106	4	7	10	14	22	28
35-49	244	12.6	113	5	6	9	13	21	39
50-69	504	12.7	118	5	7	10	14	23	24
70 +	450	13.6	86	7	9	12	16	19	27
	1592	**12.9**	**105**	**5**	**7**	**10**	**15**	**21**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1592	**12.9**	**105**	**5**	**7**	**10**	**15**	**21**	**27**

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	0									0-17	0										
70-74	0									18-34	0										
75-79	0									35-49	0										
80-84	0									50-69	0										
85 +	0									70 +	0										
SUBTOTAL	0										0										
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	1048	7.5	9	4	5	7	9	12	13	0-17	0										
70-74	992	8.8	40	4	6	7	10	13	16	18-34	695	6.8	35	2	4	6	7	14	18		
75-79	1584	7.9	10	4	6	8	10	12	14	35-49	471	7.1	45	3	4	6	8	12	15		
80-84	1811	8.5	13	5	6	8	10	12	14	50-69	806	7.3	10	4	5	7	9	12	14		
85 +	2505	8.6	14	5	6	8	10	13	14	70 +	301	7.6	7	5	6	7	9	11	12		
SUBTOTAL	7940	8.3	16	5	6	8	10	13	14		2273	7.1	25	3	4	6	8	12	15		
GRAND TOTAL	7940	8.3	16	5	6	8	10	13	14		2273	7.1	25	3	4	6	8	12	15		

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	105	8.0	32	2	4	7	11	18	19	18-34	614	7.7	23	3	4	6	10	15	18
35-49	70	6.5	15	< 1	4	6	12	13	13	35-49	374	8.4	41	3	4	7	10	19	23
50-69	54	6.8	12	1	5	6	9	12	12	50-69	675	6.6	11	3	4	5	9	12	13
70 +	71	6.7	5	3	5	7	8	11	11	70 +	231	8.8	8	5	7	9	11	12	14
SUBTOTAL	301	7.1	19	2	4	6	9	12	18		1894	7.6	21	3	4	7	10	13	17
GRAND TOTAL	301	7.1	19	2	4	6	9	12	18		1894	7.6	21	3	4	7	10	13	17

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	36	10.7	43							0-17	636	7.4	142	2	2	4	8	13	25
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**36**	**10.7**	**43**								**636**	**7.4**	**142**	**2**	**2**	**4**	**8**	**13**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	15.5	222							0-17	2554	5.3	57	1	2	3	5	11	20
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**25**	**15.5**	**222**								**2554**	**5.3**	**57**	**1**	**2**	**3**	**5**	**11**	**20**
GRAND TOTAL	**60**	**12.7**	**120**	**4**	**5**	**7**	**21**	**37**	**37**		**3190**	**5.7**	**75**	**1**	**2**	**3**	**6**	**12**	**20**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	605	6.7	139	2	2	3	5	14	27	0-17	315	8.4	44	2	4	6	12	21	24
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**605**	**6.7**	**139**	**2**	**2**	**3**	**5**	**14**	**27**		**315**	**8.4**	**44**	**2**	**4**	**6**	**12**	**21**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	776	4.5	18	1	2	3	5	10	14	0-17	1424	6.4	45	2	2	4	8	14	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**776**	**4.5**	**18**	**1**	**2**	**3**	**5**	**10**	**14**		**1424**	**6.4**	**45**	**2**	**2**	**4**	**8**	**14**	**22**
GRAND TOTAL	**1381**	**5.5**	**72**	**1**	**2**	**3**	**5**	**12**	**17**		**1739**	**6.8**	**45**	**2**	**2**	**4**	**8**	**16**	**22**

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	287	11.2	82	2	4	8	18	26	31	0-17	26	6.5	7						
70-74	119	6.7	14	1	5	6	9	13	14	18-34	0								
75-79	71	9.5	30	1	6	9	13	20	20	35-49	19	9.5	7						
80-84	28	11.0	21							50-69	87	9.8	64	5	6	7	12	12	34
85 +	45	11.6	30							70 +	8	9.0							
SUBTOTAL	**550**	**10.0**	**56**	**2**	**4**	**7**	**15**	**20**	**26**		**140**	**9.1**	**44**	**5**	**6**	**7**	**10**	**12**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	121	6.3	16	3	4	5	6	9	19	0-17	56	3.6	2	1	3	4	4	6	6
70-74	54	5.4	3	2	4	6	6	8	8	18-34	45	2.7	3						
75-79	28	10.3	42							35-49	8	1.0							
80-84	64	8.3	28	2	3	6	14	16	16	50-69	28	4.7	15						
85 +	33	11.8	32							70 +	0								
SUBTOTAL	**299**	**7.5**	**24**	**3**	**4**	**6**	**8**	**16**	**19**		**137**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**850**	**9.2**	**46**	**3**	**4**	**7**	**14**	**19**	**21**		**276**	**6.3**	**33**	**1**	**3**	**5**	**7**	**12**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	17	3.5								18-34	17	11.3	9						
35-49	19	6.5	13							35-49	16	6.0	4						
50-69	9	1.0								50-69	42	19.2	219						
70 +	0									70 +	9	1.0							
SUBTOTAL	**45**	**4.2**	**10**								**84**	**13.1**	**156**	**< 1**	**5**	**8**	**19**	**44**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	54	3.0	6	< 1	< 1	2	5	8	8	0-17	50	2.2	1	1	1	2	3	4	4
18-34	8	12.0								18-34	8	2.0							
35-49	0									35-49	39	7.2	17						
50-69	0									50-69	57	4.8	9	2	3	4	5	12	12
70 +	0									70 +	0								
SUBTOTAL	**62**	**4.1**	**14**	**< 1**	**1**	**2**	**7**	**12**	**12**		**154**	**4.4**	**12**	**1**	**2**	**3**	**5**	**12**	**13**
GRAND TOTAL	**107**	**4.2**	**12**	**< 1**	**2**	**3**	**5**	**10**	**12**		**238**	**7.5**	**80**	**1**	**3**	**4**	**8**	**19**	**20**

DRG 214: Back & Neck Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2100	9.6	42	4	6	8	10	20	24	0-17	244	9.5	42	6	7	8	10	14	15
70-74	1755	9.7	32	5	7	8	11	15	18	18-34	525	8.2	35	3	5	6	10	16	24
75-79	1123	10.4	79	4	6	8	12	17	21	35-49	1465	7.2	34	3	4	6	8	12	18
80-84	690	10.7	24	6	7	9	14	17	20	50-69	1918	9.0	48	3	5	7	10	19	23
85 +	112	11.5	24	7	8	10	13	17	23	70 +	119	9.1	16	5	6	8	12	16	18
SUBTOTAL	**5779**	**9.9**	**44**	**4**	**6**	**8**	**12**	**17**	**23**		**4272**	**8.3**	**41**	**3**	**4**	**7**	**10**	**15**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5779**	**9.9**	**44**	**4**	**6**	**8**	**12**	**17**	**23**		**4272**	**8.3**	**41**	**3**	**4**	**7**	**10**	**15**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	125	12.4	107	6	7	8	16	22	48	0-17	187	9.3	24	5	6	8	11	17	20
18-34	59	6.3	13	3	3	4	11	12	12	18-34	185	12.1	81	3	6	8	19	23	28
35-49	202	7.7	22	4	5	7	8	18	23	35-49	474	6.9	22	3	3	6	8	12	14
50-69	50	5.9	7	3	4	5	6	11	11	50-69	657	9.8	47	4	6	8	13	17	25
70 +	0									70 +	122	10.3	38	6	7	8	12	21	24
SUBTOTAL	**435**	**8.6**	**49**	**4**	**5**	**7**	**10**	**18**	**23**		**1625**	**9.2**	**43**	**3**	**5**	**7**	**11**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**435**	**8.6**	**49**	**4**	**5**	**7**	**10**	**18**	**23**		**1625**	**9.2**	**43**	**3**	**5**	**7**	**11**	**18**	**24**

DRG 215: Back & Neck Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3313	6.4	12	3	4	6	8	11	12	0-17	860	7.4	8	4	6	7	8	12	14
70-74	2120	7.0	10	4	5	7	9	11	12	18-34	4734	4.7	9	2	3	4	6	7	10
75-79	1423	7.6	16	4	5	7	9	12	15	35-49	10686	4.7	7	2	3	4	6	8	9
80-84	523	8.1	15	4	5	7	10	12	15	50-69	7186	5.4	11	2	3	5	6	9	11
85 +	164	8.4	12	5	6	7	11	15	18	70 +	238	5.4	4	3	4	6	7	7	9
SUBTOTAL	**7543**	**7.0**	**13**	**3**	**5**	**6**	**8**	**11**	**13**		**23703**	**5.0**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**7543**	**7.0**	**13**	**3**	**5**	**6**	**8**	**11**	**13**		**23703**	**5.0**	**9**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	176	6.6	8	4	5	6	7	11	12	0-17	233	7.4	8	4	6	7	8	10	12
18-34	387	4.8	7	2	3	4	6	8	9	18-34	1746	4.7	12	2	3	4	6	8	11
35-49	576	5.3	11	2	3	4	6	9	12	35-49	2964	5.0	11	2	3	4	6	8	10
50-69	173	6.7	15	3	3	6	11	12	13	50-69	2360	5.6	10	2	4	5	7	10	13
70 +	0									70 +	102	6.8	12	4	5	6	8	8	18
SUBTOTAL	**1313**	**5.5**	**11**	**2**	**3**	**5**	**7**	**10**	**12**		**7406**	**5.2**	**11**	**2**	**3**	**4**	**7**	**9**	**11**
GRAND TOTAL	**1313**	**5.5**	**11**	**2**	**3**	**5**	**7**	**10**	**12**		**7406**	**5.2**	**11**	**2**	**3**	**4**	**7**	**9**	**11**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	164	10.2	19	5	7	9	13	18	18
70-74	122	13.5	133	4	6	10	15	27	49
75-79	102	8.0	21	3	5	7	13	15	16
80-84	45	25.2	235						
85 +	50	8.6	21	3	6	8	10	17	17
SUBTOTAL	**484**	**11.8**	**90**	**4**	**6**	**9**	**15**	**19**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	79	5.8	26	< 1	2	3	8	16	16
70-74	109	6.1	61	1	1	3	6	19	28
75-79	91	8.4	74	1	2	5	19	20	26
80-84	17	7.4	26						
85 +	26	7.0	25						
SUBTOTAL	**323**	**6.8**	**52**	**1**	**2**	**3**	**8**	**19**	**22**
GRAND TOTAL	**807**	**9.8**	**81**	**1**	**3**	**7**	**13**	**19**	**27**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	47	14.0	66	3	5	15	22	24	24
18-34	25	15.4	49						
35-49	0								
50-69	85	12.1	114	1	3	9	16	27	35
70 +	8	23.0							
SUBTOTAL	**165**	**13.7**	**90**	**2**	**5**	**13**	**22**	**26**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	336	3.2	17	< 1	1	2	4	7	10
18-34	98	4.6	21	< 1	1	2	8	11	15
35-49	105	4.1	18	1	1	2	5	11	14
50-69	70	5.9	25	2	2	3	10	15	15
70 +	9	2.0							
SUBTOTAL	**618**	**3.9**	**19**	**< 1**	**1**	**2**	**6**	**10**	**14**
GRAND TOTAL	**782**	**5.9**	**50**	**1**	**1**	**2**	**8**	**16**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	5.3							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**23**	**5.3**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	93	7.2	155	1	2	2	6	12	47
18-34	8	1.0							
35-49	0								
50-69	9	3.0							
70 +	9	8.0							
SUBTOTAL	**120**	**6.5**	**124**	**1**	**2**	**2**	**6**	**12**	**47**
GRAND TOTAL	**143**	**6.3**	**104**	**1**	**2**	**3**	**6**	**12**	**47**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	23	31.3	190						
35-49	50	18.4	256	3	13	14	14	54	54
50-69	75	10.9	54	3	4	11	13	26	28
70 +	8	12.0							
SUBTOTAL	**155**	**16.4**	**184**	**3**	**10**	**13**	**16**	**44**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	113	5.8	28	1	1	3	8	15	16
18-34	104	5.9	129	1	1	2	3	8	45
35-49	102	2.8	6	1	1	2	3	4	10
50-69	110	9.6	93	1	2	4	19	21	30
70 +	34	10.5	61						
SUBTOTAL	**464**	**6.4**	**70**	**1**	**1**	**3**	**8**	**19**	**21**
GRAND TOTAL	**620**	**8.9**	**117**	**1**	**2**	**4**	**13**	**21**	**31**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	428	18.4	163	4	10	15	24	40	46	0-17	273	13.9	136	4	6	11	16	35	39
70-74	229	16.9	170	3	7	15	22	38	47	18-34	370	13.6	179	3	5	9	18	25	41
75-79	203	20.6	165	8	11	17	28	39	47	35-49	280	20.7	297	4	9	17	23	48	58
80-84	177	19.1	250	6	8	13	25	29	58	50-69	184	17.2	344	3	6	9	19	41	62
85 +	110	22.6	403	6	8	16	34	50	74	70 +	42	21.4	308						
SUBTOTAL	**1148**	**19.0**	**203**	**5**	**8**	**15**	**25**	**42**	**52**		**1150**	**16.2**	**237**	**3**	**5**	**11**	**20**	**39**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	141	5.7	84	1	2	3	4	9	39	0-17	530	4.4	24	1	2	3	6	9	12
70-74	132	7.0	22	1	2	6	12	14	14	18-34	751	5.9	55	1	2	4	7	12	20
75-79	70	8.8	124	1	2	5	14	35	35	35-49	400	6.4	45	1	2	5	7	16	19
80-84	56	18.2	312	2	3	9	42	43	43	50-69	329	5.2	18	1	2	3	8	13	15
85 +	59	8.2	76	1	2	4	11	27	27	70 +	0								
SUBTOTAL	**457**	**8.4**	**112**	**1**	**2**	**4**	**9**	**14**	**39**		**2010**	**5.5**	**39**	**1**	**2**	**3**	**7**	**12**	**18**
GRAND TOTAL	**1605**	**16.0**	**200**	**2**	**6**	**12**	**22**	**38**	**47**		**3161**	**9.4**	**138**	**1**	**2**	**5**	**11**	**22**	**32**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	42	14.1	104							0-17	104	8.7	45	3	3	7	12	21	22
18-34	91	12.9	47	5	7	14	22	26	99 +	18-34	265	18.0	214	2	7	13	29	43	47
35-49	107	25.9	812	3	5	11	37	71	93	35-49	90	10.9	75	3	4	10	14	24	32
50-69	8	19.0								50-69	171	20.2	200	6	13	16	33	62	99 +
70 +	17	12.8	4							70 +	45	8.5	37						
SUBTOTAL	**265**	**18.5**	**396**	**4**	**7**	**14**	**22**	**47**	**93**		**674**	**15.6**	**175**	**3**	**5**	**13**	**21**	**39**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	151	3.1	5	1	1	2	4	8	8	0-17	251	9.1	212	1	1	3	11	29	35
18-34	133	6.3	15	3	4	5	9	13	16	18-34	732	6.4	54	1	2	4	8	14	18
35-49	0									35-49	262	8.1	125	1	1	4	9	18	40
50-69	19	2.5								50-69	160	6.1	39	1	2	3	10	14	21
70 +	0									70 +	9	23.0							
SUBTOTAL	**303**	**4.5**	**11**	**1**	**2**	**4**	**5**	**9**	**13**		**1414**	**7.2**	**96**	**1**	**1**	**3**	**9**	**16**	**26**
GRAND TOTAL	**568**	**11.0**	**240**	**2**	**3**	**5**	**14**	**26**	**37**		**2089**	**9.9**	**136**	**1**	**2**	**6**	**14**	**26**	**39**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	884	6.9	16	3	4	6	9	12	14		0-17	0								
70-74	525	7.2	37	2	4	6	9	13	15		18-34	409	5.6	19	2	2	4	7	12	14
75-79	454	7.7	17	3	4	7	10	15	16		35-49	473	6.6	32	3	3	5	8	11	20
80-84	282	7.0	23	3	4	6	9	12	21		50-69	545	6.5	30	2	3	5	8	13	18
85 +	178	8.4	24	4	5	7	9	16	21		70 +	81	12.5	59	2	7	12	16	26	26
SUBTOTAL	**2323**	**7.3**	**22**	**3**	**4**	**6**	**9**	**13**	**16**			**1508**	**6.6**	**31**	**2**	**3**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**2323**	**7.3**	**22**	**3**	**4**	**6**	**9**	**13**	**16**			**1508**	**6.6**	**31**	**2**	**3**	**5**	**8**	**13**	**18**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	81	6.6	16	< 1	4	6	8	16	16		18-34	513	9.4	133	2	3	5	12	22	25
35-49	101	4.8	7	2	3	4	7	8	11		35-49	299	6.7	21	3	3	5	8	14	18
50-69	93	8.9	24	3	4	8	14	16	17		50-69	497	6.6	18	2	4	5	9	12	15
70 +	0										70 +	60	9.8	60	3	3	7	17	26	26
SUBTOTAL	**274**	**6.7**	**18**	**3**	**4**	**6**	**8**	**14**	**16**			**1369**	**7.8**	**66**	**2**	**3**	**5**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**274**	**6.7**	**18**	**3**	**4**	**6**	**8**	**14**	**16**			**1369**	**7.8**	**66**	**2**	**3**	**5**	**10**	**16**	**22**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1699	4.5	12	2	3	4	5	8	10
70-74	1005	4.8	7	2	3	4	6	9	10
75-79	721	5.1	10	2	3	4	6	8	11
80-84	364	4.9	10	2	3	4	6	7	9
85 +	251	5.9	15	3	4	5	6	15	15
SUBTOTAL	**4040**	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**4040**	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3946	3.1	7	1	2	3	4	5	7
35-49	3700	3.4	4	1	2	3	4	6	8
50-69	3347	3.8	5	1	2	3	5	7	8
70 +	126	3.8	5	2	2	4	4	5	11
	11119	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
	11119	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	666	3.7	9	1	2	3	4	7	9
35-49	267	3.8	12	2	2	3	5	6	7
50-69	144	2.8	1	1	2	3	3	4	5
70 +	0								
SUBTOTAL	**1077**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**1077**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3611	3.5	8	1	2	3	4	7	8
35-49	2333	3.7	6	1	2	3	5	7	8
50-69	1788	4.1	11	2	2	3	5	7	9
70 +	108	7.2	38	2	3	4	8	15	23
	7841	**3.8**	**8**	**1**	**2**	**3**	**4**	**7**	**8**
	7841	**3.8**	**8**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	315	4.7	21	2	2	3	5	10	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**315**	**4.7**	**21**	**2**	**2**	**3**	**5**	**10**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9	6.0								0-17	3763	2.6	17	1	1	2	3	4	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**9**	**6.0**									**3763**	**2.6**	**17**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**9**	**6.0**									**4079**	**2.8**	**18**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	123	7.4	146	1	1	2	9	19	46	0-17	157	3.9	14	1	2	2	6	7	15
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**123**	**7.4**	**146**	**1**	**1**	**2**	**9**	**19**	**46**		**157**	**3.9**	**14**	**1**	**2**	**2**	**6**	**7**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	990	2.9	9	1	1	2	3	5	10	0-17	2807	2.4	6	1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**990**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**10**		**2807**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1112**	**3.4**	**26**	**1**	**1**	**2**	**3**	**7**	**11**		**2964**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 221: Knee Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	253	7.6	65	2	4	5	8	14	32
70-74	140	8.8	58	1	3	7	10	22	27
75-79	152	8.0	41	3	4	6	8	20	26
80-84	143	6.4	42	1	4	5	7	10	29
85 +	28	6.7	46						
SUBTOTAL	**715**	**7.6**	**53**	**2**	**3**	**6**	**8**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**715**	**7.6**	**53**	**2**	**3**	**6**	**8**	**20**	**27**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	5.3	11	1	3	5	8	9	13
18-34	319	3.3	5	1	1	3	4	7	8
35-49	211	5.8	17	1	3	4	9	12	14
50-69	214	5.9	37	1	2	5	8	14	22
70 +	9	7.0							
	837	**4.8**	**18**	**1**	**2**	**4**	**7**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	837	**4.8**	**18**	**1**	**2**	**4**	**7**	**9**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	2.3	2						
18-34	9	2.0							
35-49	8	13.0							
50-69	0								
70 +	0								
SUBTOTAL	**40**	**4.3**	**19**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**40**	**4.3**	**19**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	223	5.3	11	2	3	5	6	11	13
35-49	60	7.5	33	2	3	5	16	17	17
50-69	118	11.5	301	1	2	4	10	48	58
70 +	9	7.0							
	411	**7.5**	**104**	**2**	**3**	**5**	**7**	**15**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	411	**7.5**	**104**	**2**	**3**	**5**	**7**	**15**	**17**

DRG 222: Knee Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	900	3.7	12	< 1	1	3	5	7	11
70-74	585	3.8	8	1	2	3	5	8	9
75-79	181	3.9	22	< 1	< 1	2	4	11	15
80-84	209	4.6	10	< 1	2	4	7	8	9
85 +	36	4.3	14						
SUBTOTAL	1911	3.9	11	< 1	1	3	6	8	10
GRAND TOTAL	1911	3.9	11	< 1	1	3	6	8	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2739	2.7	3	1	2	2	3	4	5
18-34	7713	2.6	2	1	2	2	3	4	5
35-49	3230	2.6	2	< 1	1	2	4	5	5
50-69	1504	2.5	5	< 1	1	2	3	4	7
70 +	26	3.6	4						
	15212	2.6	3	1	2	2	3	4	5
	15212	2.6	3	1	2	2	3	4	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	168	2.9	10	< 1	1	2	3	5	10
18-34	353	3.0	3	< 1	2	3	4	4	6
35-49	124	3.0	3	1	2	3	4	5	6
50-69	64	2.8	4	< 1	1	2	4	7	7
70 +	0								
SUBTOTAL	708	2.9	5	< 1	1	2	4	5	7
GRAND TOTAL	708	2.9	5	< 1	1	2	4	[illegible]	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	828	2.5	4	1	1	2	3	4	6
18-34	2939	2.7	2	1	2	2	3	4	6
35-49	1112	2.5	3	1	1	2	3	5	6
50-69	776	3.1	9	1	1	2	4	8	9
70 +	19	2.0	1						
	5673	2.7	4	1	1	2	3	5	6
	5673	2.7	4	1	1	2	3	5	6

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	341	4.1	8	1	2	3	5	8	12
70-74	273	4.2	15	2	2	3	5	7	10
75-79	248	4.5	10	2	2	3	6	10	11
80-84	88	3.8	3	1	2	3	5	6	7
85 +	28	4.0	2						
SUBTOTAL	**978**	**4.2**	**10**	**2**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	813	2.9	3	1	2	2	3	4	7
70-74	400	2.8	2	2	2	3	3	4	5
75-79	301	3.3	2	2	2	3	4	5	6
80-84	64	3.9	4	1	2	3	6	7	7
85 +	34	3.1	6						
SUBTOTAL	**1611**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2590**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	2.3	2	< 1	1	2	3	5	5
18-34	129	5.1	68	1	2	3	4	7	34
35-49	136	2.9	2	2	2	2	4	5	5
50-69	383	4.7	32	2	2	3	5	7	12
70 +	36	5.5	3						
	745	**4.3**	**30**	**1**	**2**	**3**	**5**	**6**	**10**
0-17	107	4.1	37	1	1	1	5	8	24
18-34	624	1.7	1	1	1	2	2	3	3
35-49	919	1.8	1	1	1	2	2	3	4
50-69	1530	2.5	2	1	2	2	3	4	5
70 +	23	4.7	16						
	3204	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**4**
	3949	**2.6**	**9**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	1.0							
18-34	46	2.4	4						
35-49	9	9.0							
50-69	36	2.9	2						
70 +	0								
SUBTOTAL	**99**	**3.1**	**7**	**1**	**1**	**2**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	6.0	27						
18-34	37	1.5							
35-49	56	2.5	1	1	2	2	3	4	4
50-69	28	4.0	1						
70 +	0								
SUBTOTAL	**136**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**11**
GRAND TOTAL	**235**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	9.8	127						
18-34	146	6.1	12	2	3	6	7	12	13
35-49	87	3.1	4	1	1	3	4	6	7
50-69	124	3.9	16	1	2	3	3	8	18
70 +	34	5.2	19						
	430	**5.1**	**26**	**1**	**2**	**3**	**7**	**11**	**13**
0-17	67	2.4	3	1	1	2	4	5	5
18-34	248	1.6		1	1	2	2	2	3
35-49	362	1.9	1	1	1	2	2	3	3
50-69	329	2.3	1	1	1	2	3	4	4
70 +	9	1.0							
	1015	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	1445	**2.9**	**10**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 224: Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	915	2.8	5	1	2	2	3	4	6	0-17	1715	1.8	1	1	1	1	2	3	4
70-74	636	2.4	3	1	1	2	3	4	6	18-34	2651	2.0	2	1	1	2	2	3	4
75-79	350	3.0	3	1	2	2	4	6	6	35-49	1425	2.0	2	1	1	2	2	3	4
80-84	155	3.3	4	1	1	3	5	7	8	50-69	1660	2.3	2	1	1	2	3	4	4
85 +	62	2.3	1	1	1	2	3	4	4	70 +	110	2.5	1	1	2	3	3	4	4
SUBTOTAL	**2118**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**		**7562**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**2118**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**		**7562**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	241	1.9	1	1	1	2	3	3	4	0-17	834	1.9	4	1	1	1	2	3	4
18-34	170	2.4	1	1	1	2	3	4	4	18-34	1782	2.0	1	1	1	2	3	3	4
35-49	164	2.8	4	1	1	2	4	6	7	35-49	834	2.2	3	1	1	2	2	3	4
50-69	9	4.0								50-69	567	2.1	1	1	1	2	3	4	4
70 +	19	1.5								70 +	45	1.8							
SUBTOTAL	**603**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**4061**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**603**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**4061**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 225: Foot Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	248	6.8	21	2	3	5	9	14	15
70-74	155	6.3	23	1	2	5	8	14	17
75-79	122	7.6	57	1	2	3	15	20	25
80-84	45	5.2	9						
85 +	26	5.1	5						
SUBTOTAL	**597**	**6.6**	**28**	**2**	**3**	**5**	**9**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1014	2.6	6	1	1	2	3	4	6
70-74	493	2.5	3	1	1	2	3	5	8
75-79	366	2.4	2	1	1	2	3	5	6
80-84	119	2.9	6	1	1	2	4	4	10
85 +	37	7.5	26						
SUBTOTAL	**2030**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2627**	**3.6**	**13**	**1**	**1**	**2**	**4**	**8**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	101	3.1	18	1	1	2	3	5	17
18-34	19	11.5	117						
35-49	91	5.4	8	2	3	5	9	10	10
50-69	189	3.9	7	1	2	3	6	8	8
70 +	17	1.5							
	417	**4.3**	**17**	**1**	**2**	**3**	**6**	**9**	**11**
0-17	1397	1.7	2	1	1	1	2	3	3
18-34	1058	2.0	2	1	1	2	2	4	5
35-49	1297	2.0	1	1	1	2	2	3	4
50-69	1522	2.1	3	1	1	2	3	4	4
70 +	17	1.0							
	5292	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
	5709	**2.1**	**4**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	3.3	8						
18-34	28	5.3	6						
35-49	28	5.3	3						
50-69	9	6.0							
70 +	0								
SUBTOTAL	**96**	**4.7**	**6**	**1**	**2**	**6**	**7**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	336	2.2	11	1	1	1	2	4	4
18-34	82	2.0	1	1	1	2	2	5	5
35-49	9	1.0							
50-69	28	4.0	3						
70 +	0								
SUBTOTAL	**455**	**2.3**	**9**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**551**	**2.7**	**9**	**1**	**1**	**2**	**3**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	28.7	1208						
18-34	43	2.8	2						
35-49	116	5.9	14	2	3	6	8	12	14
50-69	152	5.9	28	2	2	3	10	12	21
70 +	9	1.0							
	346	**7.0**	**139**	**2**	**2**	**4**	**8**	**12**	**15**
0-17	847	2.0	2	1	1	2	2	3	4
18-34	831	2.2	1	1	1	2	3	4	5
35-49	1047	2.6	5	1	1	2	3	5	6
50-69	1189	2.5	4	1	1	2	3	4	5
70 +	51	5.1	51	< 1	1	2	3	20	20
	3964	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
	4310	**2.8**	**16**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 226: Soft Tissue Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	367	6.0	64	1	2	3	5	16	22	0-17	473	1.9	1	< 1	1	2	3	3	4
70-74	211	6.5	29	1	3	5	8	17	18	18-34	178	5.5	12	2	3	5	8	11	13
75-79	173	8.3	77	2	3	5	10	16	38	35-49	195	5.4	53	1	1	2	7	10	25
80-84	64	4.5	6	1	2	5	6	9	9	50-69	169	7.8	133	1	2	3	5	23	26
85 +	51	12.9	29	3	13	13	15	21	21	70 +	28	5.0	19						
SUBTOTAL	866	6.9	55	1	3	4	9	16	20		1043	4.2	39	1	1	2	4	8	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	866	6.9	55	1	3	4	9	16	20		1043	4.2	39	1	1	2	4	8	12

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	486	2.6	7	< 1	1	2	3	4	5	0-17	314	3.9	39	1	1	2	4	9	23
18-34	31	3.8	2							18-34	121	5.1	19	1	2	4	8	10	17
35-49	17	14.5								35-49	106	3.4	8	1	1	3	6	10	99 +
50-69	9	2.0								50-69	189	10.2	172	2	3	5	9	29	42
70 +	0									70 +	26	6.2	5						
SUBTOTAL	543	3.1	11	1	2	2	3	5	14		756	5.7	71	1	1	3	6	10	29
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	543	3.1	11	1	2	2	3	5	14		756	5.7	71	1	1	3	6	10	29

DRG 227: Soft Tissue Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1020	3.3	11	1	1	2	4	6	8
70-74	606	3.2	5	1	2	3	4	5	7
75-79	391	3.8	16	1	2	3	5	7	8
80-84	129	6.3	19	1	2	6	10	13	15
85 +	46	4.6	10						
SUBTOTAL	**2192**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**2192**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2024	2.1	7	< 1	1	1	2	3	5
18-34	1320	2.1	3	1	1	1	3	4	6
35-49	1801	2.1	2	1	1	2	2	4	4
50-69	1817	2.5	6	1	1	2	3	4	5
70 +	62	2.6	2	1	1	3	4	5	5
	7024	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
	7024	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	742	2.0	6	< 1	1	1	2	3	4
18-34	144	2.2	1	1	1	2	3	4	5
35-49	88	3.7	3	1	3	3	5	6	7
50-69	36	2.0	2						
70 +	0								
SUBTOTAL	**1010**	**2.2**	**5**	**< 1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**1010**	**2.2**	**5**	**< 1**	**1**	**2**	**2**	**4**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	932	2.4	8	1	1	2	2	4	7
18-34	1112	2.4	4	1	1	2	3	5	7
35-49	1203	2.3	3	1	1	2	3	5	6
50-69	831	2.5	4	1	1	2	3	6	6
70 +	28	5.3	12						
	4106	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	4106	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	132	3.7	17	1	1	2	4	12	15	0-17	36	4.7	7						
70-74	105	5.2	32	1	1	3	9	13	19	18-34	64	1.9	2	1	1	1	3	5	5
75-79	45	2.0	1							35-49	64	2.6	4	< 1	1	2	3	7	7
80-84	45	3.9	15							50-69	121	4.8	31	1	2	3	5	11	22
85 +	36	5.0	10							70 +	0								
SUBTOTAL	**363**	**4.1**	**19**	**1**	**1**	**2**	**4**	**11**	**14**		**284**	**3.6**	**17**	**1**	**1**	**2**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	612	2.4	2	1	2	2	3	4	6	0-17	98	2.6	6	< 1	1	1	2	7	8
70-74	251	2.4	4	1	1	2	3	7	7	18-34	212	1.8	1	1	1	1	2	4	4
75-79	46	1.6	1							35-49	307	2.4	6	1	1	2	3	4	6
80-84	28	1.3								50-69	607	1.8	1	1	1	1	2	3	4
85 +	0									70 +	19	1.5							
SUBTOTAL	**937**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**		**1243**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1300**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**8**		**1527**	**2.3**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	1.7								0-17	50	3.2	10	1	1	1	6	9	9
18-34	9	2.0								18-34	93	2.8	3	1	2	2	5	5	6
35-49	8	12.0								35-49	62	3.4	29	< 1	1	1	2	16	16
50-69	0									50-69	78	6.1	94	< 1	1	1	4	31	31
70 +	0									70 +	8	44.0							
SUBTOTAL	**51**	**3.3**	**14**	**1**	**2**	**2**	**2**	**12**	**12**		**290**	**5.0**	**77**	**1**	**1**	**2**	**5**	**10**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	4.5	24							0-17	65	2.9	6	< 1	1	2	7	7	7
18-34	17	3.8	4							18-34	214	2.9	9	< 1	1	2	3	7	9
35-49	0									35-49	208	2.4	4	1	1	2	3	5	5
50-69	28	2.0	1							50-69	370	2.1	2	1	1	2	3	3	6
70 +	0									70 +	0								
SUBTOTAL	**71**	**3.4**	**11**	**< 1**	**1**	**2**	**3**	**11**	**11**		**857**	**2.4**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**122**	**3.4**	**12**	**1**	**1**	**2**	**3**	**11**	**12**		**1147**	**3.1**	**24**	**1**	**1**	**2**	**3**	**6**	**9**

Western Region, July 1988 - June 1989

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	455	2.0	5	< 1	1	1	2	3	6
70-74	267	1.9	2	< 1	1	1	2	4	4
75-79	129	1.3	1	1	1	1	1	3	3
80-84	26	2.4	2						
85 +	85	1.7	2	1	1	1	2	6	6
SUBTOTAL	**962**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**962**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	722	1.2		< 1	< 1	1	1	2	2
18-34	1120	1.8	4	< 1	1	1	2	3	4
35-49	699	1.5	1	< 1	1	1	2	3	3
50-69	851	1.5	1	< 1	1	1	2	3	3
70 +	16	1.0							
	3408	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**3**	**3**
	3408	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	244	1.6	1	< 1	< 1	1	2	3	4
18-34	149	1.4	1	< 1	1	1	2	2	4
35-49	84	1.6	1	< 1	1	1	2	3	3
50-69	9	1.0							
70 +	0								
SUBTOTAL	**485**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**485**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	877	1.4	1	< 1	1	1	1	2	4
18-34	1392	2.2	5	1	1	1	2	4	7
35-49	722	1.7	2	< 1	1	1	2	3	4
50-69	533	1.8	2	1	1	1	2	4	5
70 +	54	1.1		< 1	< 1	1	1	2	2
	3578	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**
	3578	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	34	13.3	104							0-17	95	3.3	16	1	1	1	4	11	13
70-74	46	6.4	24							18-34	26	2.0							
75-79	26	6.8	20							35-49	9	3.0							
80-84	16	15.0	52							50-69	17	3.1	1						
85 +	19	7.0	10							70 +	0								
SUBTOTAL	**141**	**9.2**	**55**	**3**	**4**	**8**	**11**	**22**	**29**		**148**	**3.0**	**11**	**1**	**1**	**2**	**3**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	143	2.4	2	1	1	2	3	4	7	0-17	863	1.6	2	< 1	1	1	2	3	5
70-74	90	2.1	2	1	1	2	2	5	5	18-34	350	1.9	1	1	1	2	2	3	3
75-79	85	4.1	8	1	1	4	6	10	10	35-49	186	1.8	1	1	1	1	2	3	4
80-84	60	3.8	4	1	2	4	5	7	7	50-69	124	2.1	2	1	1	2	2	5	5
85 +	51	3.8	13	1	1	2	7	11	11	70 +	17	4.8	13						
SUBTOTAL	**429**	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**7**		**1540**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**571**	**4.6**	**25**	**1**	**1**	**3**	**5**	**10**	**11**		**1688**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	78	2.3	5	< 1	< 1	1	2	7	7	0-17	82	4.7	48	1	1	2	4	23	23
18-34	8	2.0								18-34	33	3.9	4						
35-49	0									35-49	0								
50-69	0									50-69	25	6.1	8						
70 +	0									70 +	9	3.0							
SUBTOTAL	**86**	**2.3**	**4**	**< 1**	**< 1**	**1**	**2**	**6**	**7**		**149**	**4.7**	**29**	**1**	**1**	**3**	**7**	**8**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	232	3.6	49	< 1	1	1	2	3	21	0-17	534	1.9	2	1	1	1	3	4	4
18-34	64	2.8	5	1	1	1	5	7	7	18-34	312	2.0	1	1	1	2	3	3	5
35-49	73	3.3	3	1	2	3	4	7	7	35-49	143	5.1	143	1	1	2	3	5	50
50-69	0									50-69	127	2.1	3	1	1	2	2	5	7
70 +	0									70 +	0								
SUBTOTAL	**368**	**3.4**	**32**	**1**	**1**	**2**	**3**	**6**	**9**		**1117**	**2.4**	**21**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**454**	**3.2**	**27**	**< 1**	**1**	**2**	**3**	**6**	**7**		**1266**	**2.6**	**22**	**1**	**1**	**2**	**3**	**4**	**7**

Western Region, July 1988 - June 1989

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	183	9.4	131	2	3	5	8	31	36
70-74	129	6.9	26	2	3	5	8	14	20
75-79	71	5.9	13	2	4	6	7	14	14
80-84	54	4.5	7	2	2	3	8	8	8
85 +	28	3.7	3						
SUBTOTAL	**465**	**7.3**	**65**	**2**	**3**	**5**	**8**	**14**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	650	2.3	2	1	1	2	3	5	5
70-74	231	2.2	2	1	1	2	3	4	4
75-79	181	2.7	5	< 1	1	2	4	5	7
80-84	51	4.2	5	2	3	3	5	9	9
85 +	19	1.5							
SUBTOTAL	**1132**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1597**	**3.8**	**26**	**1**	**1**	**2**	**4**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	96	4.8	15	1	1	4	8	11	12
18-34	78	5.5	23	< 1	1	4	8	14	14
35-49	153	5.6	91	1	1	2	3	24	37
50-69	188	8.7	226	1	2	3	10	18	19
70 +	0								
	515	**6.6**	**118**	**1**	**1**	**3**	**8**	**14**	**19**
0-17	1362	2.6	19	< 1	1	1	2	6	7
18-34	1547	2.1	6	< 1	1	1	2	4	6
35-49	1211	2.2	3	< 1	1	2	3	4	6
50-69	1020	3.1	26	< 1	1	2	3	4	8
70 +	36	3.0	2						
	5176	**2.4**	**13**	**< 1**	**1**	**1**	**3**	**5**	**7**
	5691	**2.8**	**24**	**< 1**	**1**	**1**	**3**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	56	13.1	293	< 1	< 1	3	31	46	46
18-34	45	3.7	12						
35-49	9	1.0							
50-69	19	2.0	1						
70 +	0								
SUBTOTAL	**129**	**7.3**	**157**	**< 1**	**1**	**2**	**5**	**31**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	172	4.7	55	< 1	1	1	4	12	24
18-34	104	6.2	138	1	1	2	5	7	43
35-49	88	4.6	27	< 1	1	3	4	14	16
50-69	17	1.0							
70 +	0								
SUBTOTAL	**382**	**4.9**	**69**	**< 1**	**1**	**1**	**4**	**14**	**24**
GRAND TOTAL	**511**	**5.5**	**92**	**< 1**	**1**	**1**	**4**	**15**	**31**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	6.0	33						
18-34	71	4.4	29	1	1	1	10	16	16
35-49	95	8.2	34	3	3	8	10	13	23
50-69	127	8.9	148	1	2	3	9	25	49
70 +	0								
	317	**7.5**	**82**	**1**	**2**	**4**	**9**	**16**	**25**
0-17	541	3.8	62	< 1	1	2	3	8	11
18-34	1153	2.2	5	< 1	1	1	2	4	8
35-49	630	2.8	8	1	1	2	3	5	12
50-69	306	2.8	11	1	1	2	3	6	7
70 +	34	4.4	6						
	2665	**2.8**	**18**	**1**	**1**	**2**	**3**	**6**	**9**
	2981	**3.3**	**27**	**1**	**1**	**2**	**3**	**8**	**11**

DRG 232: Arthroscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	34	4.8	26							0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	19	1.5							
80-84	0									50-69	0								
85 +	9	4.0								70 +	0								
SUBTOTAL	**43**	**4.6**	**21**								**19**	**1.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	78	2.0	2	< 1	< 1	2	2	5	5	0-17	242	1.6	1	< 1	< 1	1	1	4	4
70-74	37	2.3	2							18-34	434	1.5	1	< 1	< 1	1	2	3	3
75-79	26	3.1	9							35-49	267	2.2	3	< 1	1	2	2	4	5
80-84	9	4.0								50-69	160	3.1	12	< 1	1	2	3	10	14
85 +	0									70 +	0								
SUBTOTAL	**150**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**5**	**7**		**1102**	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**194**	**2.9**	**8**	**< 1**	**1**	**2**	**4**	**5**	**7**		**1121**	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	9	1.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**9**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	73	3.7	19	< 1	1	1	6	15	15	0-17	103	2.8	2	1	1	3	4	5	5
18-34	28	1.7	1							18-34	249	1.4	1	< 1	1	1	1	2	3
35-49	0									35-49	60	2.2	5	< 1	1	1	2	8	8
50-69	9	2.0								50-69	78	1.8	4	< 1	1	1	1	7	7
70 +	0									70 +	0								
SUBTOTAL	**110**	**3.0**	**14**	**< 1**	**< 1**	**1**	**3**	**6**	**15**		**489**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**110**	**3.0**	**14**	**< 1**	**< 1**	**1**	**3**	**6**	**15**		**499**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	110	7.9	30	3	4	8	10	14	21	0-17	145	6.2	27	< 1	2	4	9	16	18
70-74	231	9.9	35	3	7	8	11	21	22	18-34	141	6.1	24	2	3	5	7	11	21
75-79	208	10.9	57	2	5	10	14	23	25	35-49	130	5.0	24	1	1	3	9	15	15
80-84	197	11.7	115	2	5	9	14	24	32	50-69	198	9.4	49	1	5	7	14	17	21
85 +	99	8.6	6	6	6	9	10	12	13	70 +	28	7.3	10						
SUBTOTAL	**845**	**10.1**	**56**	**3**	**5**	**9**	**12**	**21**	**25**		**642**	**7.0**	**34**	**1**	**2**	**5**	**10**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**845**	**10.1**	**56**	**3**	**5**	**9**	**12**	**21**	**25**		**642**	**7.0**	**34**	**1**	**2**	**5**	**10**	**15**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	48	6.4	17	3	4	4	10	14	14	0-17	64	4.5	12	< 1	1	3	8	10	10
18-34	33	7.0	23							18-34	243	6.9	26	2	4	6	9	17	18
35-49	19	14.0	4							35-49	84	8.7	42	< 1	1	7	14	17	19
50-69	8	14.0								50-69	126	12.0	42	5	5	12	15	25	25
70 +	0									70 +	0								
SUBTOTAL	**107**	**8.5**	**25**	**3**	**4**	**9**	**13**	**14**	**16**		**517**	**8.1**	**36**	**1**	**4**	**7**	**12**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**107**	**8.5**	**25**	**3**	**4**	**9**	**13**	**14**	**16**		**517**	**8.1**	**36**	**1**	**4**	**7**	**12**	**16**	**21**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	343	4.3	14	1	2	3	6	10	12
70-74	184	5.5	17	1	2	4	9	11	11
75-79	105	3.9	7	1	1	4	5	6	10
80-84	99	4.5	9	1	2	4	7	8	10
85 +	85	6.3	15	2	2	5	10	11	13
SUBTOTAL	**817**	**4.7**	**14**	**1**	**2**	**4**	**6**	**10**	**11**
GRAND TOTAL	**817**	**4.7**	**14**	**1**	**2**	**4**	**6**	**10**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1587	3.3	4	1	2	3	4	6	6
18-34	865	2.5	3	1	1	2	3	5	6
35-49	677	2.8	6	1	1	2	4	6	9
50-69	513	3.6	18	1	1	2	4	8	10
70 +	50	4.7	3	3	3	4	6	8	8
	3692	**3.1**	**6**	**1**	**1**	**3**	**4**	**6**	**7**
	3692	**3.1**	**6**	**1**	**1**	**3**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	292	3.9	4	2	3	4	4	7	8
18-34	99	2.7	6	1	1	2	4	4	9
35-49	43	3.1	1						
50-69	54	3.7	8	1	2	2	7	8	8
70 +	9	14.0							
SUBTOTAL	**499**	**3.8**	**6**	**1**	**2**	**3**	**4**	**8**	**8**
GRAND TOTAL	**499**	**3.8**	**6**	**1**	**2**	**3**	**4**	**8**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	712	2.7	4	1	1	2	4	6	7
18-34	667	2.7	5	1	1	2	3	6	8
35-49	390	2.6	5	1	1	2	3	5	7
50-69	292	4.8	33	1	1	3	5	15	19
70 +	17	1.5							
	2078	**3.0**	**9**	**1**	**1**	**2**	**3**	**6**	**8**
	2078	**3.0**	**9**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 235: Fractures of Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	60	8.1	38	2	4	5	14	20	20	0-17	275	13.5	101	1	3	14	23	27	31
70-74	54	12.7	110	3	5	13	13	34	34	18-34	19	5.5	13						
75-79	118	16.7	172	5	6	11	29	37	42	35-49	28	26.0	959						
80-84	121	19.1	296	6	8	10	23	49	61	50-69	8	20.0							
85 +	175	11.7	149	3	4	7	14	31	45	70 +	43	15.6	99						
SUBTOTAL	**529**	**14.2**	**183**	**3**	**6**	**8**	**15**	**36**	**49**		**373**	**14.4**	**171**	**2**	**4**	**13**	**20**	**29**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	70	10.9	87	3	3	6	17	29	29	0-17	1059	11.5	93	1	3	9	20	23	28
70-74	74	5.6	7	1	4	5	8	10	10	18-34	26	3.7	1						
75-79	62	17.7	383	2	2	8	32	58	58	35-49	37	2.5	1						
80-84	59	17.2	739	1	2	8	11	79	79	50-69	19	19.0	152						
85 +	135	8.7	141	2	3	4	9	16	50	70 +	8	9.0							
SUBTOTAL	**400**	**11.1**	**250**	**2**	**3**	**5**	**10**	**29**	**50**		**1149**	**11.1**	**93**	**1**	**3**	**7**	**18**	**23**	**28**
GRAND TOTAL	**928**	**12.9**	**214**	**3**	**4**	**7**	**14**	**34**	**49**		**1522**	**11.9**	**114**	**2**	**3**	**9**	**19**	**25**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	124	16.8	118	1	5	18	25	30	37	0-17	82	16.4	229	2	3	6	23	42	45
18-34	9	22.0								18-34	34	19.2	56						
35-49	36	20.5	856							35-49	0								
50-69	9	17.0								50-69	25	4.6	1						
70 +	8	2.0								70 +	8	7.0							
SUBTOTAL	**186**	**17.2**	**251**	**2**	**3**	**17**	**24**	**30**	**44**		**149**	**14.6**	**165**	**2**	**4**	**9**	**23**	**41**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	506	9.3	99	1	2	5	17	22	33	0-17	876	14.0	134	1	2	13	21	28	39
18-34	0									18-34	43	5.8	8						
35-49	28	3.0	8							35-49	8	7.0							
50-69	0									50-69	25	14.8	307						
70 +	0									70 +	0								
SUBTOTAL	**534**	**9.0**	**96**	**1**	**2**	**4**	**17**	**21**	**26**		**952**	**13.6**	**134**	**1**	**3**	**12**	**20**	**28**	**39**
GRAND TOTAL	**720**	**11.1**	**149**	**1**	**2**	**5**	**18**	**25**	**33**		**1101**	**13.7**	**138**	**1**	**3**	**12**	**21**	**30**	**40**

DRG 236: Fractures of Hip & Pelvis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	363	9.3	110	3	5	7	10	18	19	0-17	105	8.2	46	3	4	6	11	22	22
70-74	340	9.8	68	4	5	7	13	19	25	18-34	225	8.6	94	2	3	5	9	14	34
75-79	617	9.0	45	3	4	7	12	18	23	35-49	147	7.2	18	2	4	6	11	14	14
80-84	783	7.1	18	2	4	6	10	14	16	50-69	161	9.5	76	3	5	7	9	21	39
85 +	1280	9.2	64	3	5	7	12	18	21	70 +	244	12.0	51	4	6	12	17	20	28
SUBTOTAL	**3382**	**8.8**	**56**	**3**	**4**	**7**	**11**	**16**	**21**		**882**	**9.4**	**64**	**3**	**4**	**6**	**13**	**20**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	268	5.0	7	2	3	4	6	10	10	0-17	277	4.4	27	1	2	3	4	9	20
70-74	423	6.4	26	1	4	6	8	10	11	18-34	197	4.5	7	1	2	3	7	8	8
75-79	575	5.8	11	2	3	5	8	10	12	35-49	220	7.0	33	1	4	6	7	17	18
80-84	625	6.0	24	2	2	5	8	13	14	50-69	220	9.2	89	3	4	5	11	31	32
85 +	902	5.1	11	2	3	4	6	9	11	70 +	176	10.3	34	4	5	9	16	19	20
SUBTOTAL	**2793**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**13**		**1090**	**6.9**	**44**	**1**	**2**	**5**	**8**	**17**	**20**
GRAND TOTAL	**6175**	**7.4**	**40**	**2**	**4**	**6**	**9**	**14**	**18**		**1972**	**8.0**	**54**	**2**	**3**	**6**	**10**	**18**	**22**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	33	6.4	9							0-17	130	5.1	24	1	3	4	6	7	23
18-34	28	6.0								18-34	237	8.5	82	1	4	5	11	21	21
35-49	17	39.4	886							35-49	124	9.1	42	3	5	7	13	19	25
50-69	54	5.4	38	1	2	3	5	20	20	50-69	99	7.5	18	2	3	7	11	13	15
70 +	19	6.5	2							70 +	105	8.4	41	1	2	6	14	18	18
SUBTOTAL	**150**	**9.7**	**225**	**2**	**4**	**6**	**8**	**20**	**71**		**696**	**7.8**	**50**	**1**	**3**	**6**	**10**	**18**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	84	8.0	30	2	2	5	13	14	16	0-17	163	3.7	12	1	2	3	4	8	16
18-34	54	7.3	81	1	1	2	12	27	27	18-34	212	9.1	94	1	3	7	11	22	23
35-49	19	33.0	951							35-49	146	4.5	5	2	2	5	6	8	9
50-69	9	5.0								50-69	160	5.5	5	3	4	5	6	9	10
70 +	28	7.3	6							70 +	60	4.7	7	2	2	5	7	10	10
SUBTOTAL	**194**	**10.0**	**180**	**1**	**2**	**5**	**12**	**16**	**27**		**742**	**5.9**	**36**	**1**	**2**	**4**	**7**	**10**	**16**
GRAND TOTAL	**344**	**9.9**	**199**	**1**	**3**	**5**	**11**	**16**	**36**		**1438**	**6.8**	**44**	**1**	**3**	**5**	**8**	**15**	**20**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9	13.0								0-17	8	1.0							
70-74	19	4.0	4							18-34	19	5.5	2						
75-79	17	6.3	7							35-49	9	1.0							
80-84	43	5.0	24							50-69	9	2.0							
85 +	25	11.4	32							70 +	9	6.0							
SUBTOTAL	**113**	**7.1**	**28**	**2**	**3**	**4**	**12**	**14**	**18**		**54**	**3.6**	**6**	**< 1**	**1**	**4**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	3.9	9							0-17	71	2.9	4	< 1	1	4	5	5	5
70-74	26	3.9	5							18-34	107	2.0	3	1	1	2	2	3	7
75-79	37	3.5	7							35-49	9	4.0							
80-84	78	2.9	2	1	2	3	4	6	6	50-69	43	3.8	3						
85 +	42	3.6	3							70 +	16	1.5							
SUBTOTAL	**208**	**3.4**	**5**	**1**	**1**	**3**	**5**	**6**	**7**		**246**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**321**	**4.7**	**16**	**1**	**2**	**4**	**6**	**12**	**14**		**301**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	6.0								0-17	25	6.0	6						
18-34	0									18-34	19	3.5	2						
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**8**	**6.0**									**43**	**4.9**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	1.5								0-17	42	2.4	2						
18-34	8	2.0								18-34	60	3.1	6	< 1	1	2	7	7	7
35-49	0									35-49	26	4.1	8						
50-69	0									50-69	26	4.5	17						
70 +	0									70 +	25	6.8	9						
SUBTOTAL	**23**	**1.7**									**180**	**3.8**	**9**	**1**	**2**	**2**	**7**	**8**	**10**
GRAND TOTAL	**31**	**2.8**	**4**								**223**	**4.0**	**9**	**1**	**2**	**3**	**7**	**9**	**10**

DRG 238: Osteomyelitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	219	11.8	58	4	7	10	13	22	31	0-17	62	11.8	61	3	4	10	20	21	21
70-74	71	15.5	174	3	4	11	18	38	38	18-34	19	6.5							
75-79	65	10.1	84	1	3	7	15	30	30	35-49	17	39.6	886						
80-84	70	8.8	30	3	5	6	11	22	22	50-69	17	7.6	2						
85 +	37	21.0	208							70 +	25	13.0	111						
SUBTOTAL	**462**	**12.4**	**97**	**3**	**6**	**9**	**14**	**30**	**36**		**140**	**14.2**	**244**	**3**	**5**	**8**	**20**	**27**	**66**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	79	8.4	19	2	5	9	12	15	15	0-17	342	6.8	12	2	5	7	8	12	13
70-74	33	8.1	15							18-34	43	6.3	9						
75-79	36	16.5	298							35-49	36	5.6	29						
80-84	37	5.8	8							50-69	45	8.4	52						
85 +	9	17.0								70 +	9	16.0							
SUBTOTAL	**194**	**9.7**	**80**	**3**	**5**	**8**	**12**	**15**	**17**		**475**	**7.0**	**18**	**2**	**4**	**7**	**8**	**13**	**16**
GRAND TOTAL	**656**	**11.6**	**93**	**3**	**5**	**9**	**13**	**30**	**36**		**615**	**8.6**	**78**	**2**	**5**	**7**	**10**	**16**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	12.0	155							0-17	92	10.8	25	5	7	10	15	18	20
18-34	26	6.8	22							18-34	51	7.9	32	1	3	5	13	17	17
35-49	0									35-49	87	8.6	12	3	7	9	12	13	13
50-69	9	13.0								50-69	144	11.7	58	1	6	11	16	26	29
70 +	9	21.0								70 +	9	2.0							
SUBTOTAL	**68**	**11.4**	**81**	**1**	**4**	**13**	**15**	**29**	**29**		**383**	**10.0**	**38**	**2**	**5**	**9**	**14**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	96	10.8	77	3	5	8	17	28	29	0-17	378	7.9	28	3	4	6	10	15	21
18-34	9	5.0								18-34	76	6.4	32	1	4	4	7	20	21
35-49	9	11.0								35-49	112	6.9	28	1	2	8	10	10	21
50-69	25	31.5	121							50-69	73	10.6	52	1	6	12	16	22	22
70 +	19	8.0	1							70 +	0								
SUBTOTAL	**158**	**13.4**	**129**	**4**	**6**	**9**	**18**	**34**	**40**		**638**	**7.9**	**32**	**2**	**4**	**6**	**10**	**18**	**21**
GRAND TOTAL	**227**	**12.8**	**115**	**3**	**5**	**9**	**18**	**29**	**36**		**1022**	**8.7**	**36**	**2**	**4**	**7**	**12**	**17**	**21**

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1575	8.3	47	3	4	6	11	17	22	0-17	366	5.1	13	1	3	4	7	11	12
70-74	1447	8.1	42	3	4	6	11	15	18	18-34	101	4.8	23	1	2	3	5	12	17
75-79	1440	7.5	27	2	4	6	9	13	17	35-49	85	8.1	82	2	3	5	9	11	35
80-84	1271	8.4	34	3	4	7	10	15	19	50-69	456	8.7	44	4	5	7	10	16	21
85 +	1075	6.9	24	2	3	6	9	14	17	70 +	165	10.2	30	5	5	9	15	18	20
SUBTOTAL	**6808**	**7.9**	**36**	**3**	**4**	**6**	**10**	**15**	**19**		**1173**	**7.4**	**37**	**2**	**4**	**5**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	431	8.3	77	2	4	6	10	13	18	0-17	307	2.7	3	1	1	2	4	5	8
70-74	588	6.2	15	3	3	6	8	10	15	18-34	53	5.6	30	1	2	4	5	17	17
75-79	719	6.0	21	2	3	5	7	11	12	35-49	95	6.9	40	2	2	6	7	17	22
80-84	670	5.5	9	2	3	5	7	10	12	50-69	278	4.2	11	1	1	3	6	9	10
85 +	811	5.6	11	3	4	5	7	8	11	70 +	56	7.0	33	< 1	4	6	8	20	20
SUBTOTAL	**3219**	**6.1**	**23**	**2**	**3**	**5**	**7**	**10**	**13**		**787**	**4.3**	**16**	**1**	**2**	**3**	**6**	**8**	**15**
GRAND TOTAL	**10027**	**7.3**	**33**	**3**	**4**	**6**	**9**	**14**	**18**		**1961**	**6.1**	**31**	**1**	**2**	**5**	**8**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	163	7.1	45	1	3	5	8	16	22	0-17	135	11.3	105	2	5	6	16	31	31
18-34	33	10.0	66							18-34	23	9.7	41						
35-49	36	9.7	21							35-49	148	11.5	76	2	5	9	16	27	30
50-69	62	5.2	7	2	3	5	6	11	11	50-69	514	9.8	44	4	5	8	12	22	22
70 +	19	3.5								70 +	109	10.5	81	3	5	7	13	20	36
SUBTOTAL	**312**	**7.1**	**37**	**2**	**3**	**5**	**8**	**16**	**23**		**929**	**10.4**	**62**	**3**	**5**	**8**	**14**	**22**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	95	7.1	50	2	3	5	7	14	28	0-17	211	4.7	18	1	2	4	6	9	14
18-34	8	3.0								18-34	34	6.7	55						
35-49	26	4.0	22							35-49	140	6.9	24	1	2	7	10	14	16
50-69	46	3.8	3							50-69	243	7.2	19	3	4	7	10	12	12
70 +	0									70 +	79	9.0	26	3	4	7	11	17	20
SUBTOTAL	**175**	**5.6**	**34**	**1**	**2**	**4**	**6**	**11**	**14**		**707**	**6.6**	**24**	**1**	**3**	**4**	**10**	**12**	**16**
GRAND TOTAL	**488**	**6.5**	**36**	**1**	**3**	**5**	**8**	**15**	**22**		**1637**	**8.7**	**49**	**2**	**4**	**7**	**11**	**20**	**22**

DRG 240: Connective Tissue Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	510	7.6	45	2	3	6	8	15	26
70-74	352	10.7	70	2	5	9	13	23	31
75-79	310	7.8	40	3	4	6	7	17	26
80-84	265	7.0	67	2	3	5	8	10	15
85 +	140	8.0	40	4	5	7	8	14	31
SUBTOTAL	**1577**	**8.3**	**54**	**2**	**4**	**6**	**10**	**15**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1577**	**8.3**	**54**	**2**	**4**	**6**	**10**	**15**	**26**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	134	4.9	6	1	4	4	6	9	10
18-34	194	5.3	12	1	3	5	7	8	14
35-49	112	8.1	66	2	3	3	15	23	23
50-69	270	6.7	29	2	3	5	8	11	19
70 +	19	4.0							
	727	**6.1**	**26**	**2**	**3**	**4**	**8**	**11**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	727	**6.1**	**26**	**2**	**3**	**4**	**8**	**11**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	9.2	52	2	5	7	11	21	28
18-34	138	6.8	68	1	2	3	7	22	33
35-49	107	6.5	47	2	2	3	6	15	25
50-69	56	4.5	3	2	4	4	5	8	8
70 +	9	3.0							
SUBTOTAL	**388**	**6.8**	**50**	**2**	**2**	**4**	**8**	**15**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**388**	**6.8**	**50**	**2**	**2**	**4**	**8**	**15**	**25**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	152	8.4	106	1	3	5	8	19	44
18-34	322	5.6	27	1	2	4	8	15	23
35-49	340	9.9	75	3	4	7	12	20	26
50-69	208	6.9	27	2	4	6	9	14	21
70 +	16	6.5	2						
	1038	**7.7**	**57**	**2**	**3**	**6**	**10**	**18**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1038	**7.7**	**57**	**2**	**3**	**6**	**10**	**18**	**23**

DRG 241: Connective Tissue Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	307	4.8	18	1	2	4	6	11	14
70-74	125	4.1	9	2	2	3	5	7	13
75-79	167	5.8	14	2	4	5	7	10	12
80-84	90	4.9	2	3	4	5	6	6	8
85 +	45	5.3	3						
SUBTOTAL	**735**	**5.0**	**13**	**1**	**2**	**4**	**6**	**10**	**11**
GRAND TOTAL	**735**	**5.0**	**13**	**1**	**2**	**4**	**6**	**10**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	854	3.7	22	1	1	2	4	8	12
18-34	273	3.2	8	1	1	2	4	6	12
35-49	172	2.8	2	1	2	2	4	5	5
50-69	200	3.6	7	1	2	3	4	8	10
70 +	8	11.0							
	1507	**3.5**	**15**	**1**	**1**	**2**	**4**	**7**	**11**
	1507	**3.5**	**15**	**1**	**1**	**2**	**4**	**7**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	330	8.2	205	1	2	4	9	16	18
18-34	48	4.7	18	< 1	1	3	7	13	13
35-49	16	6.0	10						
50-69	37	8.3	8						
70 +	0								
SUBTOTAL	**431**	**7.7**	**161**	**1**	**2**	**4**	**9**	**15**	**18**
GRAND TOTAL	**431**	**7.7**	**161**	**1**	**2**	**4**	**9**	**15**	**18**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	527	4.4	9	1	3	4	5	8	10
18-34	269	3.6	7	1	2	3	4	7	10
35-49	270	4.4	12	1	2	4	5	9	11
50-69	118	4.8	16	2	2	3	5	10	17
70 +	8	3.0							
	1192	**4.3**	**10**	**1**	**2**	**4**	**5**	**8**	**10**
	1192	**4.3**	**10**	**1**	**2**	**4**	**5**	**8**	**10**

DRG 242: Septic Arthritis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	78	9.7	17	2	7	10	13	15	15
70-74	36	8.5	9						
75-79	64	6.2	2	3	6	6	8	8	8
80-84	53	9.6	16	5	8	8	12	17	17
85 +	42	6.6	7						
SUBTOTAL	**271**	**8.2**	**13**	**5**	**6**	**8**	**10**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	62	6.2	4	3	5	6	8	9	9
70-74	37	3.5	2						
75-79	25	4.0	3						
80-84	17	15.2	85						
85 +	37	4.8	2						
SUBTOTAL	**178**	**5.9**	**21**	**2**	**3**	**5**	**7**	**8**	**9**
GRAND TOTAL	**450**	**7.3**	**17**	**3**	**5**	**6**	**8**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	7.1	11						
18-34	36	3.4	3						
35-49	8	42.0							
50-69	26	16.0	20						
70 +	0								
	112	**10.5**	**107**	**2**	**4**	**6**	**13**	**22**	**42**
0-17	281	7.6	31	2	3	5	12	17	18
18-34	115	5.3	21	1	3	4	7	8	19
35-49	45	5.3	27						
50-69	19	5.5	7						
70 +	0								
	459	**6.7**	**28**	**1**	**3**	**5**	**10**	**16**	**18**
	571	**7.5**	**45**	**2**	**3**	**5**	**11**	**16**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	6.5	2						
18-34	8	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**23**	**5.0**	**6**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	115	7.7	12	3	5	8	10	12	14
18-34	0								
35-49	9	12.0							
50-69	9	4.0							
70 +	0								
SUBTOTAL	**134**	**7.7**	**13**	**3**	**5**	**8**	**10**	**12**	**14**
GRAND TOTAL	**157**	**7.3**	**12**	**2**	**5**	**7**	**10**	**12**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	10.8	52	3	5	8	20	22	22
18-34	34	8.0	13						
35-49	53	11.6	32	6	7	10	14	23	23
50-69	23	8.0	9						
70 +	0								
	161	**10.1**	**33**	**4**	**6**	**9**	**13**	**21**	**22**
0-17	230	5.9	18	1	3	5	8	14	14
18-34	104	4.5	5	2	3	4	5	7	10
35-49	33	7.4	8						
50-69	59	5.2	2	3	4	6	7	7	7
70 +	0								
	426	**5.6**	**12**	**2**	**3**	**5**	**7**	**10**	**14**
	587	**6.8**	**22**	**2**	**4**	**6**	**8**	**13**	**19**

DRG 243: Medical Back Problems

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1595	6.8	35	2	3	5	9	12	16
70-74	1604	6.2	16	2	3	6	8	12	14
75-79	1772	6.1	15	2	3	5	7	12	13
80-84	1546	6.4	22	2	3	5	8	12	16
85+	1764	6.8	26	3	3	6	8	13	18
SUBTOTAL	**8281**	**6.5**	**23**	**2**	**3**	**5**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2939	3.8	9	1	1	3	5	8	9
70-74	1875	3.9	8	1	1	3	6	8	9
75-79	1635	4.4	12	1	1	4	6	9	11
80-84	1406	4.9	11	1	2	4	6	9	12
85+	1201	4.9	10	1	3	4	6	9	12
SUBTOTAL	**9057**	**4.3**	**10**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**17338**	**5.3**	**17**	**1**	**3**	**4**	**7**	**10**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	197	3.6	8	<1	1	3	6	8	9
18-34	668	4.5	31	1	2	3	5	11	16
35-49	1020	4.3	10	1	2	3	6	8	11
50-69	1260	5.9	38	1	3	4	7	12	17
70+	225	4.2	8	1	2	3	6	8	11
	3370	**4.9**	**25**	**1**	**2**	**4**	**6**	**9**	**14**
0-17	684	3.3	10	1	1	2	4	7	9
18-34	4310	3.4	8	1	1	3	5	7	9
35-49	7507	3.6	19	1	1	3	5	7	9
50-69	5338	3.3	7	1	1	3	5	7	9
70+	406	3.6	8	1	1	3	5	8	10
	18246	**3.5**	**12**	**1**	**1**	**3**	**5**	**7**	**9**
	21616	**3.7**	**15**	**1**	**1**	**3**	**5**	**7**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	64	4.2	8	1	2	3	6	10	10
18-34	176	4.2	6	1	2	4	7	8	9
35-49	202	7.0	59	2	3	5	8	10	30
50-69	158	4.7	7	2	3	3	7	8	10
70+	25	7.4	11						
SUBTOTAL	**625**	**5.3**	**25**	**1**	**3**	**4**	**7**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	141	3.8	44	1	1	1	3	9	30
18-34	536	3.8	7	1	2	3	5	7	9
35-49	598	3.9	14	1	1	3	6	7	9
50-69	214	5.2	23	1	1	4	7	11	14
70+	19	5.5	7						
SUBTOTAL	**1508**	**4.1**	**16**	**1**	**1**	**3**	**6**	**8**	**11**
GRAND TOTAL	**2133**	**4.4**	**19**	**1**	**2**	**3**	**6**	**8**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	95	3.6	7	1	1	3	4	7	10
18-34	705	6.0	48	1	2	4	7	11	21
35-49	431	5.5	20	1	3	5	7	10	15
50-69	580	5.7	26	1	2	4	8	13	17
70+	309	7.6	25	1	5	6	10	14	21
	2120	**6.0**	**32**	**1**	**2**	**4**	**7**	**11**	**19**
0-17	216	2.9	5	1	1	2	4	6	7
18-34	2201	3.8	11	1	1	3	5	8	9
35-49	2235	4.3	12	1	2	4	6	8	10
50-69	1700	4.7	27	1	2	4	6	9	12
70+	220	3.7	14	<1	1	2	5	8	14
	6571	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**10**
	8691	**4.6**	**20**	**1**	**2**	**3**	**6**	**9**	**12**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	338	5.3	21	1	2	4	8	11	16
70-74	287	6.6	33	2	3	4	8	16	20
75-79	316	7.0	45	1	3	5	9	16	26
80-84	297	7.0	22	2	4	6	10	15	17
85 +	346	5.4	16	2	3	5	6	10	15
SUBTOTAL	**1585**	**6.2**	**28**	**1**	**2**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1585**	**6.2**	**28**	**1**	**2**	**5**	**8**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	9	2.0							
18-34	8	2.0							
35-49	28	1.7							
50-69	85	6.2	17	3	3	6	8	15	15
70 +	25	8.2	36						
	155	**5.3**	**20**	**1**	**2**	**3**	**8**	**15**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	155	**5.3**	**20**	**1**	**2**	**3**	**8**	**15**	**15**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	11.0	4						
35-49	19	2.0	1						
50-69	9	5.0							
70 +	0								
SUBTOTAL	**43**	**5.9**	**18**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**43**	**5.9**	**18**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	9	2.0							
35-49	23	4.3	7						
50-69	104	3.0	4	< 1	1	2	5	6	7
70 +	40	5.7	8						
	185	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	185	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	280	3.0	4	1	1	3	4	6	7	0-17	205	2.5	6	< 1	1	1	3	5	5
70-74	267	3.3	10	1	1	2	4	8	10	18-34	108	2.3	1	1	1	2	3	4	4
75-79	177	3.6	6	1	1	3	6	8	9	35-49	119	2.5	1	< 1	2	2	3	4	5
80-84	228	5.2	14	1	2	4	8	14	15	50-69	177	2.4	3	1	1	2	3	5	7
85 +	212	4.5	11	1	2	4	5	9	10	70 +	56	5.9	8	1	3	7	8	10	10
SUBTOTAL	**1164**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**		**665**	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**1164**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**		**665**	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**5**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	2.3								0-17	174	5.7	12	2	2	5	7	11	12
18-34	8	12.0								18-34	57	3.3	2	1	2	3	4	6	6
35-49	36	3.1	4							35-49	112	2.8	4	< 1	1	3	3	5	9
50-69	8	1.0								50-69	126	2.6	3	1	1	2	4	6	6
70 +	0									70 +	34	18.5	727						
SUBTOTAL	**75**	**3.6**	**11**	**< 1**	**2**	**2**	**3**	**12**	**12**		**503**	**4.9**	**69**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**75**	**3.6**	**11**	**< 1**	**2**	**2**	**3**	**12**	**12**		**503**	**4.9**	**69**	**1**	**2**	**3**	**5**	**9**	**12**

DRG 246: Non-specific Arthropathies

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	4.8	3							0-17	8	19.0							
70-74	28	7.3	25							18-34	17	6.9	21						
75-79	50	8.6	41	2	3	10	11	21	21	35-49	19	4.5							
80-84	60	4.6	2	3	3	4	6	7	7	50-69	9	3.0							
85+	28	5.0	5							70+	17	5.7	9						
SUBTOTAL	**192**	**6.1**	**19**	**3**	**3**	**4**	**8**	**11**	**13**		**70**	**6.8**	**28**	**2**	**3**	**4**	**9**	**19**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	4.1	1							0-17	25	1.6							
70-74	8	4.0								18-34	28	2.0	2						
75-79	19	5.5	7							35-49	26	2.4	2						
80-84	34	6.6	14							50-69	17	1.5							
85+	42	2.3	2							70+	8	1.0							
SUBTOTAL	**129**	**4.4**	**8**	**1**	**2**	**4**	**7**	**8**	**11**		**104**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**321**	**5.4**	**15**	**1**	**3**	**4**	**7**	**11**	**13**		**174**	**3.8**	**18**	**1**	**1**	**2**	**4**	**10**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	8	18.0								18-34	0								
35-49	0									35-49	16	4.0	4						
50-69	9	9.0								50-69	23	3.3							
70+	0									70+	9	2.0							
SUBTOTAL	**17**	**13.1**	**21**								**48**	**3.3**	**2**	**2**	**2**	**3**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	2.5	2							0-17	23	3.3	2						
18-34	9	1.0								18-34	31	3.0	3						
35-49	9	6.0								35-49	8	3.0							
50-69	9	6.0								50-69	16	3.0	4						
70+	0									70+	9	8.0							
SUBTOTAL	**43**	**3.7**	**5**								**87**	**3.6**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**60**	**6.3**	**28**	**1**	**1**	**6**	**9**	**18**	**18**		**135**	**3.5**	**4**	**2**	**2**	**3**	**5**	**6**	**8**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	146	3.2	4	1	2	3	5	7	8	0-17	50	2.3	1	1	1	2	3	4	4
70-74	135	3.8	4	1	2	4	5	7	7	18-34	101	5.7	15	2	2	4	9	10	13
75-79	231	5.0	24	1	2	3	5	16	17	35-49	144	5.6	67	1	2	3	5	15	34
80-84	141	3.6	8	1	1	4	4	5	13	50-69	98	2.2	2	1	1	2	4	4	4
85 +	124	6.4	15	1	3	7	9	11	14	70 +	33	3.1	6						
SUBTOTAL	**777**	**4.4**	**14**	**1**	**2**	**3**	**5**	**8**	**13**		**425**	**4.3**	**30**	**1**	**1**	**3**	**4**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	281	2.6	4	1	1	2	3	5	7	0-17	200	2.5	3	1	1	2	4	5	5
70-74	189	2.5	2	1	2	2	4	4	4	18-34	189	2.2	4	1	1	1	2	4	7
75-79	191	3.2	3	1	2	3	4	6	6	35-49	434	2.5	5	1	1	2	3	5	6
80-84	125	2.3	2	1	1	2	3	5	5	50-69	375	3.1	13	1	1	2	4	5	7
85 +	220	3.8	8	1	1	3	6	8	9	70 +	73	2.3	3	1	1	2	3	6	6
SUBTOTAL	**1007**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**		**1271**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1784**	**3.6**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**1696**	**3.0**	**13**	**1**	**1**	**2**	**4**	**5**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	9.0	118							0-17	8	1.0							
18-34	9	4.0								18-34	60	4.4	9	1	2	2	7	9	9
35-49	37	3.5	15							35-49	67	3.2	4	1	2	2	5	7	7
50-69	56	4.8	1	3	4	5	6	6	6	50-69	208	4.1	6	2	2	4	5	8	9
70 +	8	1.0								70 +	0								
SUBTOTAL	**133**	**4.9**	**29**	**1**	**1**	**4**	**6**	**10**	**24**		**343**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	2.6	1							0-17	166	3.0	2	1	2	3	4	5	6
18-34	110	2.1	1	1	1	2	4	4	4	18-34	240	2.9	2	1	2	3	4	5	5
35-49	79	3.2	7	1	2	2	3	10	10	35-49	318	2.8	8	< 1	1	2	3	6	7
50-69	19	2.0								50-69	371	3.2	13	1	2	2	4	5	8
70 +	0									70 +	19	6.5	2						
SUBTOTAL	**246**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**4**		**1115**	**3.1**	**7**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**380**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**10**		**1458**	**3.3**	**7**	**1**	**2**	**2**	**4**	**6**	**8**

DRG 248: Tendonitis, Myositis & Bursitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	183	4.4	7	1	2	4	6	8	8	0-17	45	5.9	57						
70-74	102	8.6	28	3	5	7	11	17	19	18-34	71	5.0	14	< 1	2	4	8	13	13
75-79	115	8.1	52	3	3	6	8	14	29	35-49	108	4.1	14	1	2	3	4	9	14
80-84	53	5.8	35	1	1	4	7	19	19	50-69	71	5.1	5	3	3	4	7	10	10
85 +	42	5.2	14							70 +	8	41.0							
SUBTOTAL	**494**	**6.3**	**28**	**1**	**3**	**4**	**8**	**13**	**19**		**304**	**5.8**	**51**	**1**	**2**	**4**	**6**	**13**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	113	2.6	3	< 1	2	2	3	4	8	0-17	358	1.9	1	1	1	2	2	4	4
70-74	88	5.0	12	< 1	2	3	8	10	11	18-34	141	2.1	2	< 1	< 1	2	2	3	6
75-79	115	5.0	8	2	3	5	7	7	12	35-49	208	2.3	3	1	1	2	3	5	6
80-84	62	3.0	5	1	1	2	4	8	8	50-69	197	3.0	3	1	1	3	4	5	6
85 +	54	3.4	8	< 1	1	2	5	9	9	70 +	0								
SUBTOTAL	**432**	**3.9**	**8**	**1**	**2**	**3**	**6**	**8**	**10**		**904**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**927**	**5.2**	**20**	**1**	**2**	**4**	**7**	**11**	**13**		**1208**	**3.1**	**17**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	3.3	1							0-17	64	8.5	79	2	3	5	11	29	29
18-34	8	18.0								18-34	116	4.7	13	1	2	3	7	9	15
35-49	37	6.8	5							35-49	42	4.4	4						
50-69	0									50-69	109	5.4	17	1	3	4	8	9	16
70 +	0									70 +	8	5.0							
SUBTOTAL	**68**	**6.9**	**22**	**2**	**4**	**5**	**9**	**18**	**18**		**339**	**5.6**	**27**	**1**	**3**	**4**	**7**	**9**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	90	2.6	2	1	1	3	3	4	5	0-17	360	3.5	12	1	1	2	5	7	10
18-34	19	4.0	4							18-34	161	3.2	6	< 1	1	2	4	8	10
35-49	9	2.0								35-49	177	3.6	7	1	2	3	5	6	10
50-69	0									50-69	185	3.8	7	1	2	3	4	8	10
70 +	0									70 +	0								
SUBTOTAL	**118**	**2.8**	**2**	**1**	**2**	**3**	**3**	**5**	**6**		**884**	**3.5**	**9**	**1**	**1**	**3**	**5**	**7**	**10**
GRAND TOTAL	**186**	**4.3**	**13**	**1**	**2**	**3**	**5**	**9**	**9**		**1223**	**4.1**	**15**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	107	4.4	6	1	3	4	5	8	10
70-74	93	8.1	79	2	4	6	9	11	36
75-79	88	8.9	71	2	4	4	13	19	31
80-84	81	6.1	12	2	3	6	7	12	13
85 +	99	5.1	13	3	3	4	7	15	99 +
SUBTOTAL	**468**	**6.4**	**38**	**2**	**3**	**5**	**8**	**13**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	281	4.1	10	1	2	3	5	7	13
70-74	332	2.8	7	1	1	2	4	7	8
75-79	184	4.1	7	1	2	4	6	9	9
80-84	186	4.2	9	1	2	3	4	8	12
85 +	119	2.7	2	1	2	3	3	5	6
SUBTOTAL	**1102**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1571**	**4.4**	**19**	**1**	**2**	**3**	**6**	**9**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.5	22						
18-34	0								
35-49	19	4.5	7						
50-69	54	6.1	4	4	4	5	8	9	9
70 +	8	1.0							
	96	**5.5**	**9**	**2**	**2**	**5**	**8**	**9**	**11**
0-17	79	1.6	1	< 1	< 1	1	2	4	4
18-34	37	2.0	1						
35-49	65	2.6	1	1	1	3	4	4	4
50-69	267	3.4	16	< 1	1	1	4	8	14
70 +	16	5.0	17						
	464	**2.9**	**11**	**< 1**	**1**	**1**	**4**	**6**	**9**
	560	**3.4**	**11**	**< 1**	**1**	**2**	**4**	**8**	**9**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	2.5	2						
18-34	0								
35-49	9	6.0							
50-69	9	4.0							
70 +	9	5.0							
SUBTOTAL	**43**	**4.1**	**3**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	33	2.0	1						
18-34	0								
35-49	9	13.0							
50-69	0								
70 +	0								
SUBTOTAL	**42**	**4.4**	**22**						
GRAND TOTAL	**85**	**4.2**	**12**	**1**	**1**	**4**	**5**	**13**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	9	5.0							
35-49	8	1.0							
50-69	25	4.9	9						
70 +	8	13.0							
	50	**5.6**	**17**	**< 1**	**2**	**4**	**9**	**13**	**13**
0-17	84	1.3		< 1	< 1	1	1	3	3
18-34	50	2.4	8	1	1	1	2	9	9
35-49	19	1.0							
50-69	34	2.0							
70 +	36	3.3	3						
	222	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**3**	**6**
	272	**2.6**	**7**	**< 1**	**1**	**2**	**3**	**6**	**9**

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	124	5.3	22	1	2	4	6	12	19
70-74	46	2.2	1						
75-79	78	3.5	4	1	2	3	4	7	8
80-84	65	6.0	23	1	2	5	11	15	15
85 +	124	5.0	12	2	3	3	7	11	13
SUBTOTAL	**437**	**4.7**	**15**	**1**	**2**	**3**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**437**	**4.7**	**15**	**1**	**2**	**3**	**6**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	118	4.0	19	1	2	3	4	6	18
35-49	65	2.6	3	1	1	2	3	6	6
50-69	98	3.9	6	1	2	3	7	7	9
70 +	26	3.4	1						
SUBTOTAL	**307**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**307**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	28	3.3							
35-49	9	4.0							
50-69	8	2.0							
70 +	9	4.0							
SUBTOTAL	**54**	**3.4**	**1**	**2**	**3**	**4**	**4**	**4**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**54**	**3.4**	**1**	**2**	**3**	**4**	**4**	**4**	**4**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	118	2.8	5	1	1	2	4	7	7
35-49	60	2.5	2	< 1	1	2	4	5	5
50-69	71	5.0	6	1	4	5	8	8	8
70 +	34	10.5	163						
SUBTOTAL	**284**	**4.2**	**29**	**1**	**1**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**284**	**4.2**	**29**	**1**	**1**	**3**	**5**	**7**	**8**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	253	2.4	5	1	1	1	3	5	8	0-17	0								
70-74	220	2.4	3	1	1	2	3	5	5	18-34	305	2.4	3	1	1	2	3	6	6
75-79	152	3.0	5	1	2	2	4	7	9	35-49	311	2.2	2	1	1	2	3	5	5
80-84	166	2.8	9	1	1	2	3	8	10	50-69	311	2.3	9	1	1	2	2	3	6
85 +	110	2.2	2	1	1	2	2	4	6	70 +	25	5.4	15						
SUBTOTAL	**901**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**8**		**953**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**901**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**8**		**953**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	82	1.8		< 1	1	2	2	3	3	18-34	488	2.0	2	< 1	1	2	2	4	5
35-49	37	2.0	2							35-49	191	2.2	2	1	1	2	4	4	4
50-69	0									50-69	200	2.0	1	< 1	1	1	3	3	4
70 +	0									70 +	46	1.6	1						
SUBTOTAL	**119**	**1.8**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**		**926**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**119**	**1.8**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**		**926**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	122	1.4	1	1	1	1	2	2	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**122**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1737	1.4	2	< 1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1737**	**1.4**	**2**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**1860**	**1.4**	**2**	**< 1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	25	3.2	9							0-17	42	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**25**	**3.2**	**9**								**42**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	335	1.3		< 1	1	1	1	2	3	0-17	785	1.6	8	< 1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**335**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**		**785**	**1.6**	**8**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**360**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**3**	**3**		**827**	**1.5**	**8**	**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	429	4.6	8	1	2	4	6	9	10	0-17	0								
70-74	370	5.4	12	2	3	5	7	8	11	18-34	268	3.6	8	1	1	3	5	7	9
75-79	443	6.0	15	2	3	5	9	12	13	35-49	163	5.9	78	< 1	1	2	4	18	37
80-84	397	5.8	13	2	3	4	8	12	13	50-69	198	4.4	12	1	2	4	5	10	11
85 +	564	6.0	32	2	3	5	7	11	19	70 +	95	5.7	16	1	3	5	7	10	15
SUBTOTAL	**2204**	**5.6**	**17**	**2**	**3**	**4**	**7**	**10**	**12**		**724**	**4.6**	**26**	**1**	**1**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**2204**	**5.6**	**17**	**2**	**3**	**4**	**7**	**10**	**12**		**724**	**4.6**	**26**	**1**	**1**	**3**	**6**	**10**	**12**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	45	9.6	73							18-34	349	2.6	3	1	1	2	3	5	6
35-49	36	5.4	41							35-49	135	2.9	5	1	1	2	4	6	10
50-69	81	5.7	89	< 1	2	3	3	20	34	50-69	215	4.7	31	1	2	3	6	9	20
70 +	9	3.0								70 +	124	4.8	15	1	2	3	7	12	14
SUBTOTAL	**170**	**6.5**	**73**	**1**	**2**	**3**	**7**	**16**	**28**		**823**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**170**	**6.5**	**73**	**1**	**2**	**3**	**7**	**16**	**28**		**823**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	606	3.4	6	1	2	3	4	7	8	0-17	0								
70-74	388	3.5	4	1	2	3	5	6	7	18-34	971	2.2	3	< 1	1	2	3	4	6
75-79	423	5.6	54	1	2	3	6	12	24	35-49	906	2.5	3	1	1	2	3	5	7
80-84	460	3.2	4	1	2	3	4	7	8	50-69	742	3.0	8	1	1	2	3	7	9
85 +	423	3.4	8	1	1	3	5	6	7	70 +	85	3.0	5	1	1	2	5	7	7
SUBTOTAL	**2301**	**3.8**	**15**	**1**	**2**	**3**	**5**	**7**	**8**		**2705**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2301**	**3.8**	**15**	**1**	**2**	**3**	**5**	**7**	**8**		**2705**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	141	4.6	27	1	2	3	5	8	24	18-34	1094	2.6	4	1	1	2	3	5	6
35-49	98	3.7	8	1	2	3	5	6	11	35-49	596	3.1	6	1	1	3	4	7	8
50-69	56	13.3	678	< 1	1	1	4	71	71	50-69	352	2.7	3	1	1	2	4	5	5
70 +	8	5.0								70 +	50	6.6	66	2	2	3	6	25	25
SUBTOTAL	**302**	**5.9**	**151**	**1**	**2**	**3**	**5**	**8**	**24**		**2092**	**2.8**	**6**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**302**	**5.9**	**151**	**1**	**2**	**3**	**5**	**8**	**24**		**2092**	**2.8**	**6**	**1**	**1**	**2**	**4**	**5**	**8**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	9.0								0-17	234	3.2	6	1	1	3	5	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**17**	**9.0**									**234**	**3.2**	**6**	**1**	**1**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1949	2.0	5	< 1	1	1	2	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1949**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**17**	**9.0**									**2183**	**2.1**	**6**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	81	1.9	1	1	1	1	2	4	5	0-17	129	3.1	3	1	2	2	5	6	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**81**	**1.9**	**1**	**1**	**1**	**1**	**2**	**4**	**5**		**129**	**3.1**	**3**	**1**	**2**	**2**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	540	2.4	6	1	1	1	3	6	7	0-17	1222	2.2	7	1	1	1	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**540**	**2.4**	**6**	**1**	**1**	**1**	**3**	**6**	**7**		**1222**	**2.2**	**7**	**1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**621**	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**7**		**1351**	**2.3**	**7**	**1**	**1**	**1**	**3**	**4**	**6**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	264	5.4	60	1	2	4	6	8	15
70-74	116	3.7	5	2	2	3	4	6	10
75-79	81	5.4	38	1	2	3	3	20	20
80-84	115	8.2	263	1	2	3	5	9	62
85 +	115	4.4	14	2	2	3	4	8	15
SUBTOTAL	**690**	**5.4**	**76**	**1**	**2**	**3**	**5**	**10**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	304	4.1	34	< 1	1	3	4	11	14
70-74	127	2.8	8	1	1	2	3	5	13
75-79	105	2.2		1	2	2	3	3	99 +
80-84	84	3.0	4	1	2	3	3	8	8
85 +	79	4.7	15	1	2	4	6	14	14
SUBTOTAL	**700**	**3.5**	**19**	**1**	**1**	**2**	**4**	**8**	**14**
GRAND TOTAL	**1390**	**4.5**	**48**	**1**	**2**	**3**	**4**	**9**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	95	5.0	28	1	2	3	6	8	21
18-34	45	3.7	6						
35-49	153	3.4	9	1	1	2	5	10	10
50-69	36	5.7	12						
70 +	17	7.2	13						
	346	**4.3**	**15**	**1**	**1**	**3**	**6**	**10**	**10**
0-17	767	2.1	7	< 1	< 1	1	2	3	6
18-34	149	2.5	5	< 1	1	2	2	7	8
35-49	359	2.6	5	< 1	1	2	3	5	8
50-69	294	2.3	3	1	1	2	3	3	5
70 +	50	7.5	41	1	2	7	8	21	21
	1619	**2.4**	**7**	**< 1**	**1**	**1**	**3**	**5**	**8**
	1965	**2.8**	**9**	**< 1**	**1**	**2**	**3**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	81	4.6	100	< 1	< 1	1	2	15	35
18-34	19	8.0							
35-49	37	5.5	29						
50-69	56	4.3	10	1	1	4	8	8	8
70 +	0								
SUBTOTAL	**192**	**5.0**	**51**	**< 1**	**1**	**2**	**8**	**8**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	356	2.4	6	< 1	< 1	1	3	5	8
18-34	46	2.0	1						
35-49	37	7.8	17						
50-69	9	1.0							
70 +	0								
SUBTOTAL	**449**	**2.8**	**9**	**< 1**	**1**	**1**	**3**	**6**	**11**
GRAND TOTAL	**641**	**3.4**	**22**	**< 1**	**1**	**1**	**4**	**8**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	6.6	108	< 1	1	3	6	35	35
18-34	98	2.8	4	1	1	2	4	6	7
35-49	85	1.9	2	1	1	2	2	4	5
50-69	202	3.6	6	1	2	3	4	8	8
70 +	17	6.0							
	486	**3.8**	**24**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	435	2.5	11	< 1	< 1	1	2	5	12
18-34	344	2.0	3	< 1	1	2	2	3	4
35-49	247	2.8	11	1	1	2	3	5	5
50-69	296	2.2	1	1	1	2	3	4	5
70 +	8	1.0							
	1331	**2.3**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**
	1816	**2.7**	**12**	**< 1**	**1**	**2**	**3**	**5**	**8**

DRG 257: Total Mastectomy for Malignancy w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1498	4.0	6	2	2	4	5	6	9
70-74	1195	4.0	4	2	3	4	5	7	8
75-79	922	4.5	5	2	3	4	5	7	9
80-84	637	5.5	13	3	3	4	7	10	14
85 +	401	4.6	7	2	3	3	6	9	9
SUBTOTAL	**4654**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4654**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	76	3.9	1	2	4	4	4	5	5
35-49	1000	3.8	7	2	2	3	4	6	8
50-69	1373	3.5	4	2	2	3	4	6	7
70 +	51	4.0	4	2	2	4	4	8	8
	2501	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2501	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	9	3.0							
35-49	51	3.8	3	2	2	3	5	6	6
50-69	36	3.8	8						
70 +	0								
SUBTOTAL	**96**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**96**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	138	3.3	2	2	3	3	4	5	6
35-49	559	3.1	2	2	2	3	4	5	6
50-69	1284	3.2	2	2	2	3	4	5	6
70 +	160	3.8	3	2	3	3	4	7	8
	2141	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2141	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 258: Total Mastectomy for Malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2443	3.2	2	2	2	3	4	5	6	0-17	0								
70-74	1930	3.4	2	2	2	3	4	5	6	18-34	164	3.1	3	1	2	3	4	5	6
75-79	1334	3.7	3	2	2	3	5	7	7	35-49	1620	3.0	1	2	2	3	4	4	5
80-84	806	3.7	4	2	3	3	4	5	6	50-69	2798	3.0	1	2	2	3	4	4	5
85 +	442	3.7	4	2	3	3	4	6	8	70 +	213	3.6	2	2	3	4	4	5	6
SUBTOTAL	**6955**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**7**		**4795**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**5**
GRAND TOTAL	**6955**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**7**		**4795**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	28	2.3	2							18-34	129	2.9	1	2	2	3	3	4	4
35-49	135	2.8	2	1	2	2	4	5	6	35-49	1368	2.7	1	1	2	3	3	4	5
50-69	79	4.1	4	1	3	4	6	7	7	50-69	2582	3.0	2	2	2	3	4	5	6
70 +	45	4.5	10							70 +	157	3.6	3	2	3	3	4	6	8
SUBTOTAL	**287**	**3.4**	**5**	**1**	**2**	**3**	**5**	**7**	**7**		**4236**	**2.9**	**2**	**2**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**287**	**3.4**	**5**	**1**	**2**	**3**	**5**	**7**	**7**		**4236**	**2.9**	**2**	**2**	**2**	**3**	**4**	**5**	**5**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	138	3.9	6	1	2	3	6	7	10
70-74	126	5.1	71	1	1	3	3	13	36
75-79	104	6.0	7	3	4	6	8	8	12
80-84	45	3.0	3						
85 +	46	2.4	6						
SUBTOTAL	**459**	**4.5**	**25**	**1**	**2**	**3**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**459**	**4.5**	**25**	**1**	**2**	**3**	**6**	**8**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	4.0	3						
35-49	118	3.6	6	2	2	3	4	7	10
50-69	154	2.0		< 1	2	2	2	3	3
70 +	8	2.0							
	305	**2.8**	**3**	**2**	**2**	**2**	**3**	**4**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	305	**2.8**	**3**	**2**	**2**	**2**	**3**	**4**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	17	6.4	17						
70 +	0								
SUBTOTAL	**17**	**6.4**	**17**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17**	**6.4**	**17**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	155	2.2	1	1	1	2	3	4	4
50-69	166	2.4	3	1	1	2	3	4	5
70 +	0								
	321	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	321	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	279	2.0	1	1	1	2	2	4	5
70-74	121	1.6		1	1	2	2	2	3
75-79	138	2.3	2	1	1	2	3	4	6
80-84	98	1.6	1	< 1	1	1	2	3	4
85 +	28	7.0	15						
SUBTOTAL	**664**	**2.2**	**3**	**1**	**1**	**2**	**2**	**4**	**6**
GRAND TOTAL	**664**	**2.2**	**3**	**1**	**1**	**2**	**2**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	56	2.2		< 1	2	2	3	3	3
35-49	491	1.9	1	< 1	1	2	2	3	4
50-69	373	2.1	1	< 1	1	2	3	4	4
70 +	26	1.7	1						
	947	**2.0**	**1**	**< 1**	**1**	**2**	**3**	**3**	**4**
	947	**2.0**	**1**	**< 1**	**1**	**2**	**3**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	9	2.0							
50-69	8	4.0							
70 +	0								
SUBTOTAL	**17**	**2.9**	**1**						
GRAND TOTAL	**17**	**2.9**	**1**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	42	1.6							
35-49	388	2.0	4	1	1	2	2	3	3
50-69	514	1.9	1	< 1	1	2	2	3	4
70 +	28	1.0							
	971	**1.9**	**2**	**< 1**	**1**	**2**	**2**	**3**	**4**
	971	**1.9**	**2**	**< 1**	**1**	**2**	**2**	**3**	**4**

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	95	3.2	2	2	2	3	4	5	6	0-17	17	1.5							
70-74	53	2.1	1	1	1	2	3	4	4	18-34	54	2.8	2	1	2	2	4	5	5
75-79	0									35-49	126	2.5	2	1	1	3	3	5	5
80-84	0									50-69	115	3.3	3	1	2	3	4	5	8
85 +	0									70 +	0								
SUBTOTAL	**147**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**6**		**312**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	453	2.4	3	1	1	2	3	4	6	0-17	242	1.7		1	1	2	2	3	3
70-74	205	2.3	2	1	1	2	3	4	4	18-34	1182	1.9	1	1	1	2	2	3	3
75-79	105	2.0	1	1	1	2	3	3	4	35-49	1668	2.1	1	1	1	2	3	4	4
80-84	0									50-69	1329	2.2	2	1	1	2	3	4	5
85 +	17	1.5								70 +	19	3.0	1						
SUBTOTAL	**780**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**4439**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**927**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**4751**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	3.0								0-17	8	3.0							
18-34	9	1.0								18-34	65	5.6	38	2	2	4	5	22	22
35-49	9	3.0								35-49	16	6.5	7						
50-69	34	4.5								50-69	73	3.2	4	1	2	2	4	8	8
70 +	0									70 +	0								
SUBTOTAL	**60**	**3.5**	**2**	**1**	**3**	**4**	**5**	**5**	**5**		**162**	**4.5**	**20**	**2**	**2**	**3**	**5**	**8**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	2.0								0-17	169	1.9	1	1	1	2	2	3	3
18-34	81	2.2	1	< 1	1	2	3	4	4	18-34	877	2.0	1	1	1	2	2	3	4
35-49	84	2.2	1	1	1	2	3	4	4	35-49	1323	2.1	2	1	1	2	3	4	5
50-69	9	3.0								50-69	900	2.2	2	1	1	2	3	4	5
70 +	0									70 +	0								
SUBTOTAL	**191**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**3269**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**251**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**3431**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	46	1.6	1							0-17	0								
70-74	19	1.0								18-34	8	3.0							
75-79	17	20.0	287							35-49	46	1.4							
80-84	17	1.0								50-69	46	1.4	1						
85 +	0									70 +	0								
SUBTOTAL	**99**	**4.5**	**98**	**1**	**1**	**1**	**2**	**4**	**35**		**101**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	127	2.5	16	< 1	< 1	< 1	2	3	18	0-17	26	1.0							
70-74	53	1.4		< 1	< 1	1	2	2	2	18-34	136	1.3		< 1	< 1	< 1	< 1	3	3
75-79	54	1.2		< 1	< 1	1	1	2	2	35-49	427	1.3	1	< 1	< 1	< 1	< 1	2	3
80-84	54	1.1		< 1	< 1	1	1	2	2	50-69	256	1.1		< 1	< 1	< 1	1	1	2
85 +	9	1.0								70 +	0								
SUBTOTAL	**297**	**1.7**	**7**	**< 1**	**< 1**	**< 1**	**2**	**2**	**3**		**846**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**397**	**2.4**	**31**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**946**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	1.0							
35-49	28	2.3	1							35-49	9	5.0							
50-69	0									50-69	36	1.3							
70 +	0									70 +	0								
SUBTOTAL	**28**	**2.3**	**1**								**53**	**1.9**	**2**	**< 1**	**< 1**	**1**	**2**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	51	1.2		< 1	1	1	1	2	2
18-34	19	1.0								18-34	64	1.4	1	< 1	< 1	< 1	1	4	4
35-49	34	2.6	9							35-49	172	1.8	7	< 1	< 1	< 1	1	3	6
50-69	19	5.0	17							50-69	217	1.4	2	< 1	< 1	< 1	1	2	2
70 +	0									70 +	37	1.0							
SUBTOTAL	**71**	**2.8**	**11**	**< 1**	**< 1**	**1**	**1**	**9**	**9**		**541**	**1.5**	**3**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**
GRAND TOTAL	**99**	**2.7**	**8**	**< 1**	**< 1**	**1**	**3**	**8**	**9**		**594**	**1.5**	**3**	**< 1**	**< 1**	**< 1**	**1**	**2**	**5**

Western Region, July 1988 - June 1989

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	955	21.8	375	4	8	15	31	60	77
70-74	329	18.4	202	5	7	14	27	40	53
75-79	470	16.3	220	4	6	11	22	46	55
80-84	392	17.3	185	6	8	14	22	35	39
85 +	347	15.5	99	5	8	13	22	28	33
SUBTOTAL	**2493**	**18.7**	**261**	**4**	**7**	**14**	**26**	**44**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2493**	**18.7**	**261**	**4**	**7**	**14**	**26**	**44**	**58**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	24.2	337	4	13	17	30	61	61
18-34	138	14.2	145	3	6	11	22	26	47
35-49	96	17.0	226	3	3	15	23	42	47
50-69	305	19.6	492	4	6	12	20	50	79
70 +	68	20.0	164	9	10	14	31	42	42
	679	**18.7**	**341**	**4**	**6**	**13**	**22**	**47**	**55**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	679	**18.7**	**341**	**4**	**6**	**13**	**22**	**47**	**55**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	12.0	104						
18-34	91	16.3	148	6	7	9	23	34	45
35-49	87	10.8	82	2	5	8	26	99 +	99 +
50-69	70	21.2	182	6	10	15	28	49	49
70 +	9	8.0							
SUBTOTAL	**288**	**15.1**	**143**	**4**	**6**	**13**	**26**	**45**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**288**	**15.1**	**143**	**4**	**6**	**13**	**26**	**45**	**99 +**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	8.1	8						
18-34	115	25.1	261	6	14	16	39	45	61
35-49	248	13.0	100	4	6	9	16	30	31
50-69	275	19.8	394	3	7	13	27	43	61
70 +	25	6.7	4						
	695	**17.2**	**261**	**4**	**7**	**11**	**26**	**39**	**45**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	695	**17.2**	**261**	**4**	**7**	**11**	**26**	**39**	**45**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	284	13.8	195	4	5	10	14	26	59	0-17	42	6.3	83						
70-74	152	8.3	43	1	3	7	10	21	23	18-34	161	7.8	89	2	4	5	7	18	43
75-79	150	8.4	40	1	3	8	9	20	21	35-49	101	6.2	15	2	3	5	9	13	13
80-84	133	16.0	121	7	8	11	21	39	41	50-69	231	5.8	19	1	3	5	8	11	13
85 +	147	9.7	45	2	6	7	15	21	22	70 +	51	9.9	76	2	3	6	13	28	28
SUBTOTAL	**867**	**11.5**	**113**	**2**	**5**	**8**	**14**	**21**	**35**		**586**	**6.8**	**48**	**1**	**3**	**5**	**8**	**13**	**19**
GRAND TOTAL	**867**	**11.5**	**113**	**2**	**5**	**8**	**14**	**21**	**35**		**586**	**6.8**	**48**	**1**	**3**	**5**	**8**	**13**	**19**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9	3.0								0-17	51	3.8	11	1	1	2	8	9	9
18-34	74	8.9	86	2	3	4	11	31	31	18-34	183	6.3	44	2	3	4	7	11	24
35-49	79	14.2	214	1	6	9	16	38	55	35-49	129	5.9	9	2	4	6	7	9	13
50-69	36	4.8	6							50-69	152	7.5	21	2	3	7	9	15	17
70 +	8	35.0								70 +	26	10.6	93						
SUBTOTAL	**206**	**10.9**	**150**	**2**	**3**	**6**	**13**	**31**	**35**		**542**	**6.5**	**30**	**2**	**3**	**6**	**8**	**14**	**17**
GRAND TOTAL	**206**	**10.9**	**150**	**2**	**3**	**6**	**13**	**31**	**35**		**542**	**6.5**	**30**	**2**	**3**	**6**	**8**	**14**	**17**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	226	8.5	92	1	2	5	9	24	30
70-74	124	3.9	5	2	2	3	5	7	9
75-79	154	6.7	15	3	4	7	9	13	47
80-84	137	5.9	15	2	3	6	8	11	16
85 +	107	4.0	10	1	1	3	6	9	10
SUBTOTAL	**748**	**6.2**	**39**	**2**	**2**	**5**	**7**	**12**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**748**	**6.2**	**39**	**2**	**2**	**5**	**7**	**12**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	101	2.9	5	< 1	1	2	5	6	7
18-34	132	4.7	9	1	3	4	6	10	11
35-49	155	6.0	41	2	3	4	6	19	27
50-69	163	5.8	54	1	2	3	6	11	33
70 +	59	5.6	4	2	4	5	7	9	9
	609	**5.1**	**29**	**1**	**2**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	609	**5.1**	**29**	**1**	**2**	**4**	**6**	**9**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	6.1	50						
18-34	45	8.0	29						
35-49	19	3.0	4						
50-69	9	14.0							
70 +	0								
SUBTOTAL	**118**	**7.0**	**37**	**1**	**3**	**5**	**12**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**118**	**7.0**	**37**	**1**	**3**	**5**	**12**	**16**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	87	3.5	10	1	1	2	6	10	11
18-34	192	6.2	62	1	2	4	9	10	12
35-49	208	7.5	74	1	3	4	8	25	26
50-69	155	8.6	75	1	3	5	17	25	28
70 +	9	5.0							
	652	**6.8**	**64**	**1**	**2**	**4**	**9**	**17**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	652	**6.8**	**64**	**1**	**2**	**4**	**9**	**17**	**26**

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	433	2.9	5	1	1	2	4	6	8	0-17	603	2.5	6	< 1	1	1	3	5	7
70-74	356	2.4	4	< 1	1	2	3	6	8	18-34	624	3.1	4	1	2	3	4	6	7
75-79	205	4.4	23	< 1	1	2	6	12	13	35-49	499	3.0	10	1	1	2	4	6	7
80-84	130	3.8	14	< 1	2	2	6	8	16	50-69	461	2.7	3	1	1	2	4	5	6
85 +	155	4.8	24	1	2	3	6	10	20	70 +	17	1.5							
SUBTOTAL	**1279**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**		**2203**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1279**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**		**2203**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	208	2.8	16	1	1	1	3	6	7	0-17	432	2.6	5	1	1	2	3	6	7
18-34	99	4.6	19	1	2	3	6	9	16	18-34	738	3.0	8	1	1	2	4	7	8
35-49	71	3.9	10	1	2	3	3	12	12	35-49	500	3.7	12	1	1	2	5	8	10
50-69	36	2.2	1							50-69	460	3.4	7	< 1	1	2	6	7	8
70 +	8	5.0								70 +	43	1.6	1						
SUBTOTAL	**422**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**12**		**2173**	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**422**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**12**		**2173**	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 267: Perianal & Pilonidal Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	7.6	73							0-17	17	1.0							
70-74	9	3.0								18-34	37	1.5							
75-79	0									35-49	0								
80-84	0									50-69	8	3.0							
85 +	0									70 +	0								
SUBTOTAL	**34**	**6.4**	**57**								**62**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	34	1.5								0-17	135	1.4		1	1	1	2	2	3
70-74	9	4.0								18-34	380	1.9	5	< 1	1	1	2	3	5
75-79	9	1.0								35-49	158	1.9	1	1	1	1	2	4	5
80-84	8	2.0								50-69	45	2.4	4						
85 +	9	8.0								70 +	0								
SUBTOTAL	**70**	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**8**	**8**		**717**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**104**	**3.9**	**25**	**< 1**	**1**	**2**	**4**	**8**	**20**		**779**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9	2.0								0-17	8	2.0							
18-34	0									18-34	25	4.1	5						
35-49	9	4.0								35-49	9	9.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**19**	**3.0**	**1**								**42**	**4.8**	**9**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	42	1.6								0-17	109	2.1	4	1	1	2	2	5	8
18-34	102	2.3	2	1	1	2	4	4	5	18-34	430	1.7	2	1	1	1	2	3	4
35-49	19	3.5	2							35-49	118	1.7	1	1	1	2	2	3	3
50-69	0									50-69	42	2.7	13						
70 +	0									70 +	0								
SUBTOTAL	**163**	**2.2**	**2**	**1**	**1**	**2**	**3**	**5**	**5**		**699**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**181**	**2.3**	**2**	**1**	**1**	**2**	**4**	**5**	**5**		**741**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	65	4.0	19	1	1	2	3	15	15	0-17	17	16.0	287						
70-74	0									18-34	19	1.5							
75-79	8	1.0								35-49	9	2.0							
80-84	34	6.1	22							50-69	33	2.7							
85 +	26	26.9	1100							70 +	9	1.0							
SUBTOTAL	**134**	**8.9**	**307**	**1**	**2**	**3**	**6**	**15**	**71**		**87**	**4.8**	**85**	**< 1**	**1**	**2**	**3**	**3**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	3.0	11	< 1	< 1	1	4	8	12	0-17	151	1.8	2	< 1	< 1	1	3	4	5
70-74	67	1.9	2	< 1	< 1	2	2	5	5	18-34	110	2.1	1	1	1	2	3	3	5
75-79	8	2.0								35-49	70	1.3		1	1	1	2	2	2
80-84	37	3.5	1							50-69	130	1.7	1	1	1	1	2	4	4
85 +	17	1.0								70 +	0								
SUBTOTAL	**231**	**2.6**	**6**	**< 1**	**1**	**1**	**4**	**5**	**8**		**461**	**1.8**	**1**	**< 1**	**1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**365**	**4.9**	**125**	**< 1**	**1**	**2**	**4**	**8**	**14**		**548**	**2.3**	**16**	**< 1**	**1**	**1**	**2**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9	2.0								0-17	28	3.0							
18-34	17	4.8	13							18-34	64	3.3	6	1	1	3	5	8	8
35-49	0									35-49	45	2.6	7						
50-69	0									50-69	17	1.5							
70 +	0									70 +	25	3.4							
SUBTOTAL	**26**	**3.8**	**10**								**178**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	42	1.4								0-17	140	2.1	10	< 1	1	1	1	3	15
18-34	36	2.5	3							18-34	172	2.7	6	< 1	1	1	4	8	9
35-49	0									35-49	274	2.2	2	1	1	2	3	4	5
50-69	0									50-69	259	1.4	1	< 1	1	1	2	2	3
70 +	0									70 +	62	1.1		< 1	< 1	1	1	2	2
SUBTOTAL	**78**	**1.9**	**2**	**1**	**1**	**1**	**2**	**5**	**5**		**908**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**104**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**8**		**1086**	**2.1**	**4**	**< 1**	**1**	**1**	**3**	**4**	**5**

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	458	12.7	198	2	4	7	16	34	50	0-17	40	13.8	313						
70-74	301	10.0	71	3	4	7	14	22	27	18-34	153	5.2	25	1	1	3	6	16	17
75-79	183	8.6	31	1	5	7	14	15	18	35-49	181	7.6	123	1	2	6	8	11	32
80-84	158	8.9	38	2	2	9	15	18	21	50-69	186	5.8	47	1	2	3	8	14	14
85 +	138	11.4	111	2	6	10	12	19	50	70 +	17	6.6	17						
SUBTOTAL	**1237**	**10.8**	**115**	**2**	**4**	**7**	**14**	**23**	**34**		**578**	**6.8**	**86**	**1**	**2**	**3**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1237**	**10.8**	**115**	**2**	**4**	**7**	**14**	**23**	**34**		**578**	**6.8**	**86**	**1**	**2**	**3**	**8**	**14**	**17**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	67	5.8	22	< 1	2	5	9	15	15	0-17	67	4.7	13	1	1	4	9	10	10
18-34	42	15.3	203							18-34	194	6.5	102	1	3	4	7	10	11
35-49	136	7.4	21	1	3	7	10	13	19	35-49	143	5.9	18	1	2	4	10	12	14
50-69	17	33.9	917							50-69	194	7.3	62	1	2	4	15	19	20
70 +	8	1.0								70 +	36	4.3	6						
SUBTOTAL	**270**	**9.7**	**152**	**1**	**3**	**7**	**10**	**19**	**36**		**633**	**6.3**	**57**	**1**	**2**	**4**	**8**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**270**	**9.7**	**152**	**1**	**3**	**7**	**10**	**19**	**36**		**633**	**6.3**	**57**	**1**	**2**	**4**	**8**	**14**	**19**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	430	4.9	29	1	2	3	6	13	14
70-74	251	3.8	13	< 1	1	2	5	7	13
75-79	220	2.3	4	< 1	1	2	2	5	5
80-84	79	3.7	8	< 1	2	2	7	8	8
85 +	19	5.5	13						
SUBTOTAL	**999**	**4.0**	**19**	**< 1**	**1**	**2**	**5**	**9**	**13**
GRAND TOTAL	**999**	**4.0**	**19**	**< 1**	**1**	**2**	**5**	**9**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	925	1.5	2	< 1	< 1	< 1	1	3	5
18-34	569	2.2	3	< 1	1	2	3	5	6
35-49	451	1.9	2	< 1	1	1	2	4	6
50-69	686	2.3	4	< 1	1	1	3	5	7
70 +	16	2.5	2						
	2646	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
	2646	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	260	2.5	9	< 1	< 1	1	3	5	9
18-34	147	2.2	1	1	1	2	3	4	4
35-49	144	3.0	5	< 1	1	2	5	6	7
50-69	26	6.2	10						
70 +	0								
SUBTOTAL	**577**	**2.7**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**577**	**2.7**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	696	2.0	3	< 1	< 1	1	2	4	7
18-34	782	2.7	7	< 1	1	2	4	6	9
35-49	703	2.7	4	1	1	2	3	6	7
50-69	599	3.3	10	1	1	2	4	7	9
70 +	31	3.5	3						
	2812	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**6**	**8**
	2812	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**6**	**8**

DRG 271: Skin Ulcers

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	488	9.6	58	3	4	7	13	21	25	0-17	16	4.5	7						
70-74	167	6.5	15	3	3	6	8	14	14	18-34	8	10.0							
75-79	257	8.9	25	3	5	8	11	15	21	35-49	43	7.3	5						
80-84	166	8.2	28	3	5	6	11	15	25	50-69	71	8.1	19	< 1	4	8	13	14	14
85 +	282	7.0	14	3	4	6	8	11	15	70 +	50	16.9	60	8	8	17	24	28	28
SUBTOTAL	**1361**	**8.4**	**35**	**3**	**4**	**6**	**11**	**15**	**21**		**188**	**10.0**	**43**	**4**	**6**	**8**	**13**	**20**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	150	6.4	17	1	3	7	9	13	15	0-17	0								
70-74	28	18.7	447							18-34	19	3.5	2						
75-79	25	12.3	33							35-49	36	7.7	29						
80-84	90	10.3	60	3	5	7	16	24	28	50-69	40	13.6	17						
85 +	164	10.0	200	2	3	5	14	63	92	70 +	33	4.6	3						
SUBTOTAL	**457**	**9.5**	**126**	**2**	**3**	**6**	**11**	**20**	**48**		**127**	**8.2**	**30**	**2**	**3**	**6**	**14**	**20**	**99 +**
GRAND TOTAL	**1819**	**8.6**	**58**	**3**	**4**	**6**	**11**	**17**	**21**		**315**	**9.3**	**39**	**2**	**5**	**8**	**14**	**20**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	22.0	471							0-17	9	4.0							
18-34	54	7.3	14	2	3	8	10	13	13	18-34	82	11.0	181	3	4	5	11	21	51
35-49	42	8.7	8							35-49	42	3.9	2						
50-69	87	8.8	46	2	4	6	10	22	22	50-69	161	8.4	34	2	5	8	9	15	21
70 +	8	3.0								70 +	45	9.7	49						
SUBTOTAL	**206**	**9.2**	**73**	**2**	**4**	**7**	**10**	**21**	**22**		**340**	**8.5**	**71**	**3**	**4**	**6**	**9**	**15**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	1.0								0-17	17	4.8	4						
18-34	19	1.5								18-34	9	63.0							
35-49	17	6.0								35-49	34	4.3	7						
50-69	9	7.0								50-69	48	14.1	65	5	8	15	16	30	30
70 +	0									70 +	8	3.0							
SUBTOTAL	**53**	**3.9**	**7**	**< 1**	**1**	**4**	**6**	**7**	**7**		**116**	**13.0**	**270**	**3**	**3**	**7**	**15**	**30**	**63**
GRAND TOTAL	**259**	**8.1**	**64**	**2**	**3**	**7**	**10**	**13**	**22**		**456**	**9.7**	**125**	**3**	**4**	**7**	**10**	**16**	**30**

DRG 272: Major Skin Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	161	6.4	31	2	3	4	10	17	21	0-17	90	5.3	11	3	3	4	8	9	13
70-74	161	6.0	21	2	3	4	8	15	17	18-34	26	3.1	5						
75-79	96	8.1	19	4	4	6	11	13	16	35-49	70	6.6	30	1	3	3	10	18	18
80-84	155	6.7	16	3	3	6	10	11	17	50-69	111	5.1	6	2	3	6	8	8	9
85 +	138	9.6	46	3	4	8	11	23	28	70 +	17	3.9	1						
SUBTOTAL	**712**	**7.2**	**28**	**2**	**3**	**5**	**10**	**15**	**17**		**315**	**5.3**	**13**	**1**	**3**	**4**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**712**	**7.2**	**28**	**2**	**3**	**5**	**10**	**15**	**17**		**315**	**5.3**	**13**	**1**	**3**	**4**	**8**	**10**	**13**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	9.3	46							0-17	81	3.9	5	2	2	3	7	7	7
18-34	9	3.0								18-34	56	5.4	10	1	3	5	7	12	12
35-49	9	3.0								35-49	23	9.0	13						
50-69	26	7.8	16							50-69	82	6.2	10	3	3	6	8	9	13
70 +	9	11.0								70 +	19	4.0	1						
SUBTOTAL	**85**	**7.6**	**28**	**3**	**3**	**5**	**13**	**13**	**18**		**261**	**5.4**	**10**	**2**	**3**	**5**	**7**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**85**	**7.6**	**28**	**3**	**3**	**5**	**13**	**13**	**18**		**261**	**5.4**	**10**	**2**	**3**	**5**	**7**	**8**	**13**

DRG 273: Major Skin Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	149	5.3	8	2	3	5	7	10	12	0-17	208	4.5	29	2	2	3	5	7	8
70-74	56	3.8	5	< 1	2	3	6	7	7	18-34	85	3.6	4	1	2	3	5	7	7
75-79	98	4.0	8	1	1	3	7	8	9	35-49	36	15.0	79						
80-84	73	8.3	122	2	3	3	6	39	39	50-69	115	3.7	6	2	2	2	6	7	8
85 +	56	5.3	9	2	3	3	8	10	10	70 +	9	2.0							
SUBTOTAL	**431**	**5.3**	**29**	**1**	**3**	**4**	**7**	**10**	**11**		**453**	**4.9**	**30**	**2**	**2**	**3**	**6**	**8**	**15**
GRAND TOTAL	**431**	**5.3**	**29**	**1**	**3**	**4**	**7**	**10**	**11**		**453**	**4.9**	**30**	**2**	**2**	**3**	**6**	**8**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	34	2.8	2							0-17	123	2.6	1	1	2	3	3	4	4
18-34	17	3.7	9							18-34	42	5.2	19						
35-49	8	8.0								35-49	70	4.8	6	2	2	4	5	9	9
50-69	9	2.0								50-69	76	3.8	2	2	3	4	4	7	7
70 +	0									70 +	0								
SUBTOTAL	**68**	**3.5**	**6**	**< 1**	**2**	**2**	**4**	**8**	**8**		**311**	**3.7**	**6**	**2**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**68**	**3.5**	**6**	**< 1**	**2**	**2**	**4**	**8**	**8**		**311**	**3.7**	**6**	**2**	**2**	**3**	**4**	**7**	**9**

DRG 274: Malignant Breast Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	88	6.2	18	1	3	5	8	12	15	0-17	0								
70-74	98	6.7	24	1	1	7	11	13	14	18-34	0								
75-79	46	7.8	10							35-49	68	7.9	46	< 1	3	5	12	23	23
80-84	8	9.0								50-69	76	5.3	23	1	3	4	4	17	18
85 +	42	12.3	232							70 +	8	15.0							
SUBTOTAL	**282**	**7.6**	**53**	**1**	**2**	**7**	**11**	**14**	**15**		**152**	**7.0**	**37**	**1**	**3**	**4**	**11**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**282**	**7.6**	**53**	**1**	**2**	**7**	**11**	**14**	**15**		**152**	**7.0**	**37**	**1**	**3**	**4**	**11**	**18**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	9	8.0							
35-49	9	4.0								35-49	43	6.7	63						
50-69	28	8.3	24							50-69	79	9.3	73	< 1	2	8	15	22	29
70 +	0									70 +	16	1.0							
SUBTOTAL	**37**	**7.3**	**21**								**148**	**7.6**	**64**	**< 1**	**1**	**7**	**9**	**21**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**37**	**7.3**	**21**								**148**	**7.6**	**64**	**< 1**	**1**	**7**	**9**	**21**	**29**

DRG 275: Malignant Breast Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	0								
70-74	9	1.0								18-34	0								
75-79	0									35-49	8	2.0							
80-84	9	2.0								50-69	26	1.6							
85 +	9	1.0								70 +	0								
SUBTOTAL	**36**	**1.3**									**34**	**1.7**							
GRAND TOTAL	**36**	**1.3**									**34**	**1.7**							

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	25	3.8	13						
50-69	9	5.0								50-69	42	2.9	4						
70 +	0									70 +	9	1.0							
SUBTOTAL	**9**	**5.0**									**76**	**2.9**	7	< 1	1	2	4	8	9
GRAND TOTAL	**9**	**5.0**									76	2.9	7	< 1	1	2	4	8	9

DRG 276: Non-malignant Breast Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	4.1	9							0-17	0								
70-74	0									18-34	0								
75-79	9	3.0								35-49	0								
80-84	0									50-69	9	2.0							
85 +	9	3.0								70 +	0								
SUBTOTAL	**45**	**3.6**	**6**								**9**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	19	4.0	1							0-17	42	1.6	1						
70-74	17	1.9	1							18-34	64	2.6	2	1	2	2	3	6	6
75-79	19	1.0								35-49	115	1.3		< 1	< 1	1	1	2	3
80-84	0									50-69	34	1.2							
85 +	0									70 +	0								
SUBTOTAL	**54**	**2.3**	**2**	**< 1**	**< 1**	**1**	**3**	**5**	**5**		**254**	**1.7**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**99**	**2.9**	**4**	**< 1**	**1**	**3**	**3**	**5**	**8**		**264**	**1.7**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	9	3.0							
18-34	0									18-34	8	1.0							
35-49	0									35-49	0								
50-69	0									50-69	23	6.3	14						
70 +	0									70 +	0								
SUBTOTAL	**0**										**40**	**4.5**	**13**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	2.5								0-17	42	4.4	5						
18-34	19	5.0	1							18-34	129	2.5	3	< 1	< 1	2	3	5	8
35-49	9	3.0								35-49	119	4.3	12	< 1	1	3	8	10	11
50-69	19	4.0	10							50-69	78	1.7	3	< 1	< 1	1	1	5	7
70 +	0									70 +	0								
SUBTOTAL	**64**	**3.8**	**4**	**< 1**	**2**	**3**	**6**	**7**	**7**		**368**	**3.1**	**7**	**< 1**	**1**	**2**	**4**	**8**	**8**
GRAND TOTAL	**64**	**3.8**	**4**	**< 1**	**2**	**3**	**6**	**7**	**7**		**408**	**3.3**	**8**	**< 1**	**1**	**2**	**4**	**8**	**10**

Western Region, July 1988 - June 1989

DRG 277: Cellulitis Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2475	6.8	26	3	4	5	8	12	16	0-17	0								
70-74	1620	6.3	14	3	4	6	8	11	13	18-34	392	6.5	178	2	2	4	6	9	13
75-79	1586	7.1	19	3	4	6	8	14	16	35-49	812	5.6	18	2	3	4	7	10	15
80-84	974	7.5	28	3	4	7	9	12	15	50-69	1187	6.2	17	2	3	5	9	12	15
85 +	1223	7.3	22	3	4	6	9	14	17	70 +	133	6.3	10	3	4	6	9	10	14
SUBTOTAL	**7878**	**6.9**	**22**	**3**	**4**	**6**	**8**	**12**	**16**		**2525**	**6.1**	**42**	**2**	**3**	**4**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7878**	**6.9**	**22**	**3**	**4**	**6**	**8**	**12**	**16**		**2525**	**6.1**	**42**	**2**	**3**	**4**	**8**	**11**	**15**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	332	4.5	5	2	3	4	5	7	10	18-34	720	5.3	13	2	3	4	7	9	12
35-49	339	6.4	25	2	3	5	8	12	18	35-49	1221	6.6	18	2	3	6	9	13	15
50-69	329	6.9	14	3	4	6	10	12	14	50-69	1545	6.6	21	3	4	5	8	13	16
70 +	34	10.9	52							70 +	140	10.4	107	3	6	8	9	24	48
SUBTOTAL	**1034**	**6.1**	**18**	**2**	**4**	**5**	**7**	**12**	**13**		**3626**	**6.5**	**22**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1034**	**6.1**	**18**	**2**	**4**	**5**	**7**	**12**	**13**		**3626**	**6.5**	**22**	**2**	**3**	**5**	**8**	**12**	**15**

DRG 278: Cellulitis Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1425	5.4	11	2	3	4	7	10	12
70-74	945	5.5	9	3	4	5	7	9	11
75-79	753	5.7	14	2	3	5	7	12	13
80-84	580	6.0	18	3	4	5	7	10	12
85 +	725	6.0	13	3	3	5	7	11	13
SUBTOTAL	**4428**	**5.6**	**12**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**4428**	**5.6**	**12**	**2**	**3**	**5**	**7**	**10**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1444	3.9	8	1	2	3	5	7	9
35-49	1588	3.6	5	1	2	3	5	7	8
50-69	1349	4.7	9	2	3	4	6	8	10
70 +	133	5.3	8	2	3	5	6	10	13
	4515	**4.1**	**8**	**2**	**2**	**3**	**5**	**7**	**9**
	4515	**4.1**	**8**	**2**	**2**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	372	3.9	6	2	2	3	5	7	8
35-49	322	5.6	17	3	3	5	6	9	18
50-69	226	6.0	16	3	4	4	7	15	16
70 +	17	3.8	4						
SUBTOTAL	**937**	**5.0**	**13**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**937**	**5.0**	**13**	**2**	**3**	**4**	**6**	**9**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2230	3.8	9	2	2	3	5	6	8
35-49	2069	4.5	8	2	3	4	6	8	10
50-69	1822	5.3	11	2	3	4	7	10	13
70 +	105	4.2	4	1	3	4	6	7	7
	6226	**4.5**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
	6226	**4.5**	**9**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 279: Cellulitis Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	503	3.8	5	1	2	3	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**503**	**3.8**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	8.0								0-17	1727	3.1	4	1	2	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**8.0**									**1727**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**8**	**8.0**									**2230**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	259	4.8	7	2	3	4	7	8	11	0-17	421	4.3	7	2	3	4	5	10	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**259**	**4.8**	**7**	**2**	**3**	**4**	**7**	**8**	**11**		**421**	**4.3**	**7**	**2**	**3**	**4**	**5**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	988	3.5	8	1	2	3	4	6	7	0-17	1877	3.5	6	1	2	3	4	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**988**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**7**		**1877**	**3.5**	**6**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1248**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**8**		**2298**	**3.7**	**6**	**2**	**2**	**3**	**4**	**7**	**8**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	332	3.7	11	1	2	2	5	8	9
70-74	260	4.1	10	1	1	3	6	8	9
75-79	313	4.5	9	1	2	4	6	9	11
80-84	443	5.1	18	2	2	4	6	12	17
85 +	559	4.6	9	1	2	4	6	9	10
SUBTOTAL	**1907**	**4.5**	**12**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1907**	**4.5**	**12**	**1**	**2**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	592	2.6	4	< 1	1	2	3	5	7
35-49	386	2.9	8	< 1	1	2	4	6	8
50-69	290	3.4	7	1	1	3	4	7	8
70 +	170	4.4	16	1	1	3	7	10	16
	1438	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1438	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	144	2.5	8	< 1	1	2	2	5	13
35-49	73	2.6	3	< 1	1	2	4	6	6
50-69	71	9.9	302	1	1	2	5	58	58
70 +	36	5.4	7						
SUBTOTAL	**324**	**4.5**	**80**	**1**	**1**	**2**	**4**	**8**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**324**	**4.5**	**80**	**1**	**1**	**2**	**4**	**8**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1325	2.0	2	< 1	1	1	3	4	4
35-49	415	2.5	3	< 1	1	2	3	5	5
50-69	208	2.9	5	1	1	2	4	6	6
70 +	155	5.0	14	1	2	4	7	12	12
	2103	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2103	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	290	2.5	5	1	1	2	3	4	6	0-17	0								
70-74	206	2.1	1	1	1	2	3	4	4	18-34	1581	2.1	3	1	1	1	2	4	5
75-79	371	4.0	7	1	2	3	6	8	10	35-49	802	2.3	6	1	1	1	3	4	5
80-84	376	4.0	9	1	2	4	5	7	9	50-69	662	2.2	3	1	1	2	3	4	7
85 +	548	4.2	13	1	2	3	5	7	12	70 +	192	3.3	11	1	1	2	4	6	11
SUBTOTAL	**1791**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**9**		**3237**	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**1791**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**9**		**3237**	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	297	1.9	3	1	1	1	2	3	5	18-34	2646	1.9	2	< 1	1	1	2	4	5
35-49	82	1.9	1	< 1	1	1	3	3	4	35-49	800	2.0	2	1	1	1	2	4	4
50-69	19	3.0								50-69	422	2.4	5	< 1	1	2	3	4	6
70 +	26	19.4	433							70 +	107	3.4	16	1	1	2	4	4	16
SUBTOTAL	**424**	**3.1**	**46**	**1**	**1**	**2**	**3**	**4**	**6**		**3974**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**424**	**3.1**	**46**	**1**	**1**	**2**	**3**	**4**	**6**		**3974**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	19	8.5	21							0-17	380	1.8	2	1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**19**	**8.5**	**21**								**380**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9	2.0								0-17	1299	1.4	1	< 1	1	1	2	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**9**	**2.0**									**1299**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**28**	**6.3**	**24**								**1679**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	140	3.3	15	1	1	2	4	6	17	0-17	278	2.2	5	< 1	1	1	2	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**140**	**3.3**	**15**	**1**	**1**	**2**	**4**	**6**	**17**		**278**	**2.2**	**5**	**< 1**	**1**	**1**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	686	1.6	2	1	1	1	2	3	5	0-17	1235	1.6	3	< 1	1	1	2	3	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**686**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**5**		**1235**	**1.6**	**3**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**825**	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**5**		**1512**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 283: Minor Skin Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	174	4.3	9	1	2	4	5	10	11
70-74	143	5.0	11	1	2	5	5	12	13
75-79	155	11.1	308	2	3	5	11	24	67
80-84	147	6.1	18	1	4	5	9	14	16
85 +	70	4.4	7	1	1	4	6	9	9
SUBTOTAL	**689**	**6.4**	**85**	**1**	**2**	**5**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**689**	**6.4**	**85**	**1**	**2**	**5**	**7**	**12**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	8.5	92	1	2	3	11	30	31
18-34	91	2.6	2	1	1	2	3	5	5
35-49	101	2.4	1	1	1	3	3	4	4
50-69	178	4.2	15	1	2	4	5	5	15
70 +	16	2.5							
	515	**4.6**	**34**	**1**	**2**	**3**	**4**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	515	**4.6**	**34**	**1**	**2**	**3**	**4**	**11**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	101	4.0	10	1	1	3	6	10	10
18-34	37	4.3	5						
35-49	43	5.4	8						
50-69	28	2.0	1						
70 +	0								
SUBTOTAL	**209**	**4.1**	**8**	**1**	**2**	**3**	**5**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**209**	**4.1**	**8**	**1**	**2**	**3**	**5**	**10**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	98	3.3	6	2	2	2	3	6	10
18-34	152	6.3	23	1	2	5	9	14	17
35-49	134	5.7	28	1	2	3	8	12	21
50-69	134	5.3	29	1	1	3	6	18	18
70 +	16	3.0	1						
	533	**5.2**	**23**	**1**	**2**	**3**	**7**	**12**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	533	**5.2**	**23**	**1**	**2**	**3**	**7**	**12**	**18**

DRG 284: Minor Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	119	4.6	7	3	3	3	6	9	11	0-17	470	2.2	6	< 1	< 1	1	2	4	6
70-74	71	3.1	5	1	1	2	4	8	8	18-34	156	3.4	8	< 1	2	2	4	10	11
75-79	42	3.3	3							35-49	318	2.5	3	< 1	1	2	3	6	7
80-84	70	3.8	3	1	2	5	5	6	6	50-69	273	3.9	15	1	1	3	4	7	11
85+	88	4.5	6	2	2	4	6	8	10	70+	9	7.0							
SUBTOTAL	**391**	**4.0**	**6**	**1**	**2**	**3**	**6**	**8**	**9**		**1227**	**2.9**	**8**	**< 1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**391**	**4.0**	**6**	**1**	**2**	**3**	**6**	**8**	**9**		**1227**	**2.9**	**8**	**< 1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	162	2.5	5	< 1	1	1	3	6	8	0-17	323	2.6	4	1	1	2	3	6	9
18-34	45	2.9	5							18-34	253	3.2	7	1	1	3	4	5	10
35-49	28	3.0	1							35-49	217	4.2	11	< 1	2	3	6	9	11
50-69	28	6.0	13							50-69	239	2.5	4	< 1	1	1	3	7	7
70+	9	4.0								70+	0								
SUBTOTAL	**272**	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**8**		**1032**	**3.1**	**7**	**< 1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**272**	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**8**		**1032**	**3.1**	**7**	**< 1**	**1**	**2**	**4**	**7**	**9**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	211	15.7	105	3	9	13	26	31	35	0-17	0								
70-74	113	15.3	76	5	11	14	22	30	32	18-34	0								
75-79	93	12.9	37	7	7	11	16	22	27	35-49	42	23.2	349						
80-84	26	14.6	5							50-69	93	11.4	72	2	6	9	14	23	32
85 +	36	23.8	56							70 +	0								
SUBTOTAL	**479**	**15.6**	**82**	**5**	**9**	**13**	**22**	**30**	**33**		**135**	**15.0**	**187**	**3**	**7**	**11**	**21**	**32**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	13.0								0-17	0								
70-74	9	6.0								18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	19	9.5	2						
85 +	0									70 +	0								
SUBTOTAL	**17**	**9.2**	**13**								**19**	**9.5**	**2**						
GRAND TOTAL	**497**	**15.4**	**81**	**5**	**9**	**13**	**22**	**30**	**32**		**154**	**14.4**	**167**	**3**	**7**	**11**	**14**	**32**	**55**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	9	11.0								18-34	9	11.0							
35-49	0									35-49	76	12.3	37	3	9	13	14	25	26
50-69	19	19.0	17							50-69	180	17.3	81	8	13	15	20	25	28
70 +	0									70 +	0								
SUBTOTAL	**28**	**16.3**	**26**								**266**	**15.6**	**71**	**8**	**11**	**14**	**20**	**25**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**28**	**16.3**	**26**								**266**	**15.6**	**71**	**8**	**11**	**14**	**20**	**25**	**28**

DRG 286: Adrenal & Pituitary Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	79	12.6	245	5	6	6	9	55	55
70-74	42	12.7	62						
75-79	0								
80-84	8	13.0							
85+	0								
SUBTOTAL	**129**	**12.7**	**169**	**5**	**6**	**8**	**13**	**27**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	8.5	2						
70-74	26	6.6	2						
75-79	17	12.4	17						
80-84	8	10.0							
85+	0								
SUBTOTAL	**67**	**8.9**	**11**	**5**	**7**	**8**	**10**	**16**	**16**
GRAND TOTAL	**196**	**11.4**	**118**	**5**	**6**	**8**	**10**	**16**	**27**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	8.3	27						
18-34	9	6.0							
35-49	50	10.7	36	4	7	9	15	22	22
50-69	118	7.9	4	6	6	7	10	11	11
70+	0								
	208	**8.6**	**16**	**5**	**6**	**7**	**11**	**15**	**15**
0-17	16	7.5							
18-34	124	7.7	11	5	5	7	9	12	17
35-49	137	7.0	10	4	6	6	7	10	18
50-69	101	5.6	2	4	4	6	6	8	8
70+	0								
	378	**6.9**	**8**	**4**	**5**	**6**	**8**	**9**	**12**
	586	**7.5**	**12**	**4**	**5**	**7**	**8**	**11**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	10.5	32						
18-34	0								
35-49	0								
50-69	19	11.0	10						
70+	0								
SUBTOTAL	**34**	**10.8**	**19**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	5.0							
18-34	16	6.5	2						
35-49	19	12.0	86						
50-69	0								
70+	0								
SUBTOTAL	**42**	**8.7**	**47**						
GRAND TOTAL	**76**	**9.6**	**35**	**3**	**5**	**8**	**14**	**21**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	14.2	188						
18-34	59	6.8	5	5	5	5	8	11	11
35-49	19	18.5	95						
50-69	48	8.3	4	6	6	8	10	11	11
70+	0								
	165	**10.3**	**73**	**5**	**6**	**8**	**10**	**28**	**31**
0-17	31	7.0	2						
18-34	33	5.8	1						
35-49	87	6.3	19	3	4	5	8	8	19
50-69	65	6.4	6	4	4	5	7	11	11
70+	0								
	216	**6.4**	**10**	**4**	**5**	**6**	**7**	**9**	**11**
	381	**8.1**	**41**	**4**	**5**	**6**	**9**	**11**	**19**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	325	11.5	118	2	5	9	15	26	51	0-17	0								
70-74	107	11.3	105	1	7	8	12	27	37	18-34	9	4.0							
75-79	127	16.7	203	4	6	16	21	27	62	35-49	73	10.0	86	2	2	6	16	27	27
80-84	78	13.4	119	4	5	7	22	36	36	50-69	138	11.8	37	4	8	8	15	21	26
85 +	54	11.1	34	3	4	12	16	18	18	70 +	25	6.1	5						
SUBTOTAL	**691**	**12.6**	**129**	**3**	**5**	**9**	**17**	**27**	**37**		**245**	**10.4**	**51**	**2**	**4**	**8**	**15**	**23**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	13.5	225							0-17	9	1.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	17	6.3	7						
85 +	0									70 +	0								
SUBTOTAL	**25**	**13.5**	**225**								**26**	**4.4**	**11**						
GRAND TOTAL	**715**	**12.7**	**132**	**3**	**5**	**9**	**17**	**27**	**37**		**272**	**9.8**	**50**	**2**	**4**	**8**	**15**	**21**	**26**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	25	9.5	14							18-34	19	13.0	68						
35-49	19	6.5	2							35-49	122	15.1	112	5	8	11	22	28	43
50-69	8	4.0								50-69	278	13.1	78	3	7	12	18	19	32
70 +	0									70 +	0								
SUBTOTAL	**51**	**7.6**	**12**	**4**	**4**	**8**	**12**	**12**	**12**		**419**	**13.7**	**88**	**4**	**8**	**11**	**18**	**28**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	17	11.9	1						
35-49	0									35-49	8	7.0							
50-69	0									50-69	9	13.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**34**	**11.1**	**6**						
GRAND TOTAL	**51**	**7.6**	**12**	**4**	**4**	**8**	**12**	**12**	**12**		**453**	**13.5**	**82**	**4**	**8**	**11**	**18**	**22**	**32**

DRG 288: O.R. Procedures for Obesity

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	11.3	78						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**26**	**11.3**	**78**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	9	2.0							
70-74	9	4.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**19**	**3.0**	**1**						
GRAND TOTAL	**45**	**7.9**	**63**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	5.0							
35-49	110	6.2	3	5	5	6	7	9	10
50-69	9	11.0							
70 +	0								
	156	**6.2**	**4**	**5**	**5**	**5**	**7**	**10**	**11**
0-17	0								
18-34	73	3.7	1	2	3	4	4	5	5
35-49	220	4.7	6	2	3	4	7	7	10
50-69	111	3.3	4	1	2	3	5	6	7
70 +	9	3.0							
	413	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**7**
	570	**4.7**	**5**	**2**	**3**	**5**	**6**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	51.0							
35-49	9	69.0							
50-69	0								
70 +	0								
SUBTOTAL	**17**	**60.8**	**85**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17**	**60.8**	**85**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	9	3.0							
50-69	17	5.4	2						
70 +	0								
	26	**4.5**	**3**						
0-17	0								
18-34	36	3.6	2						
35-49	112	2.8	2	1	2	3	4	4	6
50-69	42	3.0	7						
70 +	9	4.0							
	199	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**
	225	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 289: Parathyroid Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	123	8.8	150	2	2	4	7	29	48	0-17	0								
70-74	79	3.7	9	1	2	3	4	9	12	18-34	9	3.0							
75-79	51	5.3	4	2	4	5	6	9	9	35-49	26	2.1	1						
80-84	17	32.0	856							50-69	33	7.8	41						
85 +	23	11.3	41							70 +	0								
SUBTOTAL	**293**	**8.4**	**157**	**2**	**2**	**4**	**7**	**18**	**48**		**68**	**4.9**	**27**	**1**	**2**	**3**	**5**	**18**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	182	2.9	3	1	2	2	3	5	8	0-17	0								
70-74	96	2.6	1	2	2	2	3	3	6	18-34	33	1.7	1						
75-79	59	3.2	1	2	2	3	4	5	5	35-49	200	3.1	2	2	2	3	4	5	5
80-84	34	2.0	1							50-69	237	2.4	1	1	2	2	3	4	4
85 +	0									70 +	17	6.4	17						
SUBTOTAL	**371**	**2.8**	**2**	**2**	**2**	**2**	**3**	**5**	**6**		**487**	**2.8**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**664**	**5.3**	**78**	**2**	**2**	**3**	**5**	**8**	**14**		**555**	**3.0**	**6**	**1**	**2**	**2**	**3**	**5**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	8	4.0								35-49	34	5.6	15						
50-69	0									50-69	57	4.0	9	2	2	3	6	11	11
70 +	0									70 +	0								
SUBTOTAL	**8**	**4.0**									**92**	**4.6**	**12**	**2**	**2**	**3**	**6**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	17	1.5							
18-34	0									18-34	33	2.5	1						
35-49	8	3.0								35-49	169	2.8	1	2	2	3	4	4	6
50-69	9	2.0								50-69	162	2.8	1	2	2	2	3	4	5
70 +	0									70 +	9	3.0							
SUBTOTAL	**17**	**2.5**									**390**	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**4**
GRAND TOTAL	**25**	**2.9**	**1**								**481**	**3.1**	**4**	**2**	**2**	**3**	**3**	**6**	**7**

DRG 290: Thyroid Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	121	6.4	37	2	3	4	6	13	25	0-17	17	3.0							
70-74	137	3.7	22	1	2	2	3	5	22	18-34	161	3.7	9	1	2	3	4	9	13
75-79	62	8.3	149	1	2	4	5	37	37	35-49	212	3.3	5	2	2	3	4	6	6
80-84	68	7.0	53	3	3	4	6	25	25	50-69	133	4.0	3	2	3	4	5	6	7
85 +	36	17.1	171							70 +	8	8.0							
SUBTOTAL	**423**	**6.8**	**74**	**2**	**2**	**4**	**6**	**22**	**25**		**532**	**3.7**	**6**	**2**	**2**	**3**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	522	2.2	1	1	2	2	3	3	4	0-17	115	1.5		1	1	1	2	2	2
70-74	377	3.1	4	2	2	2	3	5	7	18-34	1279	2.3	1	1	2	2	3	4	4
75-79	178	2.7	2	2	2	2	3	5	5	35-49	2000	2.3	1	1	2	2	3	3	4
80-84	59	2.0		1	2	2	2	3	3	50-69	1308	2.2	1	1	2	2	3	3	4
85 +	43	4.8	15							70 +	17	1.5							
SUBTOTAL	**1180**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**		**4718**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**1604**	**3.8**	**25**	**1**	**2**	**2**	**4**	**6**	**9**		**5250**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	34	4.0	1						
18-34	56	3.2	10	1	1	2	3	10	10	18-34	73	4.3	6	1	2	5	6	8	8
35-49	17	3.4	2							35-49	141	2.9	2	2	2	3	4	4	7
50-69	0									50-69	200	4.2	8	2	2	3	5	8	9
70 +	26	3.4	7							70 +	0								
SUBTOTAL	**99**	**3.3**	**8**	**1**	**1**	**2**	**5**	**7**	**10**		**449**	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	1.0								0-17	113	2.0	2	1	1	2	3	3	6
18-34	147	2.6	3	1	1	2	3	5	7	18-34	739	2.2	1	1	1	2	3	4	4
35-49	125	2.2	1	1	2	2	3	3	4	35-49	975	2.1	1	1	1	2	2	3	4
50-69	85	2.6	1	2	2	3	3	3	4	50-69	776	2.2	1	1	1	2	2	4	5
70 +	0									70 +	8	4.0							
SUBTOTAL	**375**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**4**		**2612**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**474**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**7**		**3060**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 291: Thyroglossal Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	3.0								0-17	8	2.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**8**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	2.5								0-17	213	1.0		< 1	1	1	1	1	1
70-74	0									18-34	42	1.4							
75-79	9	3.0								35-49	43	1.0							
80-84	0									50-69	34	1.0							
85 +	0									70 +	0								
SUBTOTAL	**26**	**2.7**									**332**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**34**	**2.8**									**340**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	9	2.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**9**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	75	2.5	11	< 1	1	1	2	12	12	0-17	211	1.4	1	1	1	1	2	2	3
18-34	0									18-34	34	1.5	1						
35-49	0									35-49	51	2.3	2	1	1	2	3	5	5
50-69	0									50-69	23	1.7	1						
70 +	0									70 +	0								
SUBTOTAL	**75**	**2.5**	**11**	**< 1**	**1**	**1**	**2**	**12**	**12**		**320**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**75**	**2.5**	**11**	**< 1**	**1**	**1**	**2**	**12**	**12**		**329**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	216	11.7	69	2	5	10	18	23	23	0-17	31	10.0	34							
70-74	93	12.1	47	3	7	12	18	20	26	18-34	42	5.6	16							
75-79	67	8.4	10	4	5	8	12	13	13	35-49	45	6.8	24							
80-84	73	7.0	10	4	4	5	9	13	13	50-69	129	8.7	67	3	3	6	12	14	34	
85 +	51	6.7	8	2	5	6	9	11	11	70 +	23	16.0	53							
SUBTOTAL	**500**	**10.1**	**47**	**4**	**5**	**9**	**13**	**20**	**23**		**270**	**8.7**	**53**	**3**	**3**	**6**	**12**	**14**	**26**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**500**	**10.1**	**47**	**4**	**5**	**9**	**13**	**20**	**23**		**270**	**8.7**	**53**	**3**	**3**	**6**	**12**	**14**	**26**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	39	18.8	319							0-17	31	13.0	97							
18-34	36	8.1	18							18-34	23	10.3	10							
35-49	9	10.0								35-49	48	2.3	3	< 1	1	2	3	6	6	
50-69	17	16.0	32							50-69	121	16.4	206	2	4	13	23	31	57	
70 +	0									70 +	0									
SUBTOTAL	**101**	**13.7**	**156**	**5**	**6**	**10**	**15**	**22**	**53**		**224**	**12.2**	**157**	**1**	**3**	**9**	**16**	**30**	**31**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**101**	**13.7**	**156**	**5**	**6**	**10**	**15**	**22**	**53**		**224**	**12.2**	**157**	**1**	**3**	**9**	**16**	**30**	**31**	

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	3.0								0-17	64	4.1	10	< 1	< 1	2	7	9	9
70-74	8	3.0								18-34	33	3.1	2						
75-79	0									35-49	36	7.3	8						
80-84	17	11.5	38							50-69	26	8.4	9						
85 +	8	5.0								70 +	0								
SUBTOTAL	**40**	**7.0**	**31**								**158**	**5.3**	**12**	**< 1**	**2**	**5**	**8**	**12**	**12**
GRAND TOTAL	**40**	**7.0**	**31**								**158**	**5.3**	**12**	**< 1**	**2**	**5**	**8**	**12**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	3.6	11							0-17	16	5.5	22						
18-34	0									18-34	25	2.6	6						
35-49	0									35-49	25	4.1	17						
50-69	19	1.5								50-69	33	5.6	20						
70 +	0									70 +	0								
SUBTOTAL	**57**	**2.9**	**8**	**< 1**	**1**	**1**	**7**	**8**	**8**		**98**	**4.4**	**17**	**< 1**	**1**	**2**	**9**	**10**	**12**
GRAND TOTAL	**57**	**2.9**	**8**	**< 1**	**1**	**1**	**7**	**8**	**8**		**98**	**4.4**	**17**	**< 1**	**1**	**2**	**9**	**10**	**12**

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2774	6.2	21	2	3	5	8	11	14
70-74	1674	6.6	29	2	4	6	8	11	13
75-79	1562	5.8	27	2	3	5	7	10	13
80-84	1131	6.8	13	3	4	6	9	12	14
85 +	843	6.9	29	3	3	6	8	13	19
SUBTOTAL	**7983**	**6.3**	**24**	**2**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1372	4.8	15	2	3	4	6	9	11
70-74	834	4.2	4	2	3	4	5	7	9
75-79	600	5.0	5	2	3	5	6	8	9
80-84	400	5.1	8	2	3	4	6	10	11
85 +	188	4.9	10	2	3	4	7	9	10
SUBTOTAL	**3393**	**4.7**	**10**	**2**	**3**	**4**	**6**	**9**	**10**
GRAND TOTAL	**11376**	**5.9**	**20**	**2**	**3**	**5**	**7**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	1106	5.2	15	2	3	4	6	10	14
50-69	1291	5.6	18	2	3	4	7	11	15
70 +	157	14.5	420	2	5	7	14	55	75
	2554	**6.0**	**46**	**2**	**3**	**4**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	976	3.7	6	1	2	3	5	7	7
50-69	1215	4.0	7	2	2	3	5	7	8
70 +	84	5.3	4	2	4	6	7	7	7
	2275	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
	4828	**5.0**	**28**	**2**	**3**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	356	6.3	81	2	3	4	6	9	12
50-69	580	5.2	9	2	3	5	6	9	11
70 +	73	7.6	25	2	4	6	11	18	18
SUBTOTAL	**1009**	**5.8**	**36**	**2**	**3**	**5**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	287	4.4	5	2	3	4	6	7	9
50-69	245	3.3	3	1	2	3	4	5	6
70 +	26	3.2	4						
SUBTOTAL	**558**	**3.8**	**4**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**1566**	**5.1**	**26**	**2**	**3**	**4**	**6**	**9**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	1065	4.9	17	2	3	4	6	8	11
50-69	1658	6.6	23	2	3	5	8	14	15
70 +	121	4.5	7	2	2	4	7	9	11
	2844	**5.8**	**21**	**2**	**3**	**5**	**7**	**12**	**14**
0-17	0								
18-34	0								
35-49	1113	3.4	4	1	2	3	5	6	7
50-69	992	4.1	7	2	2	4	5	6	8
70 +	42	4.1	4						
	2146	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**7**
	4990	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**13**

DRG 295: Diabetes Age 0-35

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	192	6.0	16	3	3	4	9	12	14	0-17	810	4.0	14	1	2	3	5	6	9
70-74	0									18-34	707	3.5	5	2	2	3	4	6	7
75-79	0									35-49	45	3.7	4						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**192**	**6.0**	**16**	**3**	**3**	**4**	**9**	**12**	**14**		**1562**	**3.8**	**10**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	203	4.3	6	2	2	3	6	8	10	0-17	2287	3.1	4	1	2	3	4	5	6
70-74	0									18-34	1295	3.1	4	1	2	3	4	6	7
75-79	0									35-49	53	7.8	66	3	3	4	6	25	25
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**203**	**4.3**	**6**	**2**	**2**	**3**	**6**	**8**	**10**		**3636**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**395**	**5.1**	**11**	**2**	**3**	**4**	**7**	**10**	**12**		**5197**	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	390	3.6	11	1	1	2	5	8	10	0-17	626	3.4	5	1	2	3	5	6	8
18-34	737	4.3	5	2	3	4	5	7	8	18-34	1389	4.8	59	2	2	3	5	9	13
35-49	43	3.6	2							35-49	60	3.2	1	1	2	3	4	5	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1170**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**2075**	**4.3**	**41**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	447	4.1	24	1	2	3	5	7	8	0-17	2186	3.3	4	1	2	3	4	5	7
18-34	603	3.3	3	1	2	3	4	6	7	18-34	1934	2.8	2	1	2	3	4	5	6
35-49	9	2.0								35-49	85	3.6	14	2	2	2	4	4	15
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1059**	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**7**		**4204**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2229**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**8**		**6280**	**3.5**	**16**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5721	5.7	23	2	3	4	7	12	15	0-17	0								
70-74	4297	5.7	22	2	3	5	7	10	13	18-34	1155	8.9	79	1	2	7	14	17	20
75-79	4803	5.7	18	2	3	5	7	11	14	35-49	924	5.0	51	1	2	3	5	10	15
80-84	4985	6.3	23	2	3	5	8	11	15	50-69	2098	5.6	32	1	2	4	7	11	14
85 +	5419	6.5	23	2	3	5	8	12	15	70 +	345	6.0	36	1	3	4	7	11	14
SUBTOTAL	**25227**	**6.0**	**22**	**2**	**3**	**5**	**7**	**11**	**15**		**4522**	**6.4**	**51**	**1**	**2**	**4**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**25227**	**6.0**	**22**	**2**	**3**	**5**	**7**	**11**	**15**		**4522**	**6.4**	**51**	**1**	**2**	**4**	**8**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	520	7.3	34	2	2	6	10	15	16	18-34	716	5.4	35	1	2	3	6	14	17
35-49	448	6.4	60	2	3	4	8	11	15	35-49	738	5.4	30	1	2	4	6	11	18
50-69	1272	4.0	54	< 1	< 1	2	5	9	12	50-69	1738	5.3	22	1	2	4	7	11	13
70 +	146	6.6	20	2	3	4	8	14	16	70 +	323	4.8	13	2	2	4	6	10	14
SUBTOTAL	**2385**	**5.3**	**51**	**< 1**	**1**	**3**	**7**	**12**	**15**		**3514**	**5.3**	**25**	**1**	**2**	**4**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2385**	**5.3**	**51**	**< 1**	**1**	**3**	**7**	**12**	**15**		**3514**	**5.3**	**25**	**1**	**2**	**4**	**6**	**11**	**14**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1534	3.1	6	1	2	3	4	5	7	0-17	0								
70-74	1394	3.1	4	1	2	3	4	6	7	18-34	993	2.6	6	1	1	2	3	5	7
75-79	1542	3.7	6	2	2	3	5	7	8	35-49	751	3.4	21	1	1	2	3	5	9
80-84	1499	4.3	8	1	3	3	5	8	9	50-69	922	3.5	11	1	2	3	4	7	10
85 +	1993	4.2	8	2	2	4	5	8	9	70 +	181	4.0	13	1	1	2	5	10	12
SUBTOTAL	**7963**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**2848**	**3.2**	**12**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**7963**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**2848**	**3.2**	**12**	**1**	**1**	**2**	**3**	**6**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	228	3.7	9	1	2	2	5	8	8	18-34	742	2.8	7	1	1	2	3	7	9
35-49	201	3.1	7	1	2	2	3	6	7	35-49	399	3.7	8	1	2	3	5	8	10
50-69	395	3.5	13	< 1	< 1	2	4	7	9	50-69	609	3.4	7	1	2	2	4	7	8
70 +	88	5.2	10	1	3	4	7	9	12	70 +	175	3.1	4	1	2	2	4	6	8
SUBTOTAL	**912**	**3.6**	**11**	**< 1**	**1**	**2**	**5**	**7**	**9**		**1925**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**912**	**3.6**	**11**	**< 1**	**1**	**2**	**5**	**7**	**9**		**1925**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	45	2.9	3							0-17	1523	6.4	83	1	2	3	9	13	16
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**45**	**2.9**	**3**								**1523**	**6.4**	**83**	**1**	**2**	**3**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	4.5								0-17	4286	2.7	10	1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**17**	**4.5**									**4286**	**2.7**	**10**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**62**	**3.3**	**3**	**< 1**	**2**	**3**	**5**	**6**	**6**		**5809**	**3.7**	**32**	**1**	**1**	**2**	**4**	**8**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1211	6.8	48	1	2	5	8	15	19	0-17	870	5.2	32	1	2	3	8	13	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1211**	**6.8**	**48**	**1**	**2**	**5**	**8**	**15**	**19**		**870**	**5.2**	**32**	**1**	**2**	**3**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2083	3.8	20	1	1	2	4	8	13	0-17	2552	3.4	15	1	1	2	4	7	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2083**	**3.8**	**20**	**1**	**1**	**2**	**4**	**8**	**13**		**2552**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**3294**	**4.9**	**33**	**1**	**2**	**3**	**6**	**12**	**16**		**3422**	**3.9**	**20**	**1**	**1**	**2**	**4**	**9**	**14**

DRG 299: Inborn Errors of Metabolism

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	5.8	3						
70-74	8	1.0							
75-79	19	4.0							
80-84	16	10.0	17						
85+	0								
SUBTOTAL	**79**	**5.7**	**11**	**1**	**4**	**6**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	28	5.0	9						
70-74	17	1.0							
75-79	9	1.0							
80-84	8	17.0							
85+	0								
SUBTOTAL	**62**	**4.8**	**29**	**1**	**1**	**1**	**8**	**17**	**17**
GRAND TOTAL	**141**	**5.3**	**19**	**1**	**1**	**4**	**7**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	10.4	120						
18-34	0								
35-49	45	10.7	23						
50-69	37	7.0	16						
70+	0								
	124	**9.5**	**56**	**2**	**3**	**10**	**13**	**18**	**29**
0-17	162	6.1	98	1	1	2	6	19	26
18-34	46	1.6	1						
35-49	54	2.2	7	<1	<1	1	1	8	8
50-69	59	3.4	8	1	1	3	6	9	9
70+	8	9.0							
	329	**4.4**	**54**	**<1**	**1**	**1**	**4**	**9**	**19**
	453	**5.8**	**60**	**<1**	**1**	**2**	**8**	**14**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	42	3.4	3						
18-34	9	3.0							
35-49	9	2.0							
50-69	19	1.0							
70+	0								
SUBTOTAL	**79**	**2.6**	**2**	**<1**	**1**	**2**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	5.7	76	1	2	3	4	30	30
18-34	17	3.7	7						
35-49	36	2.7							
50-69	0								
70+	0								
SUBTOTAL	**123**	**4.5**	**46**	**1**	**2**	**3**	**4**	**6**	**30**
GRAND TOTAL	**202**	**3.8**	**30**	**<1**	**2**	**3**	**4**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	87	4.4	7	1	2	4	6	7	10
18-34	34	5.6	9						
35-49	17	10.7	7						
50-69	43	6.5	7						
70+	0								
	182	**5.7**	**11**	**1**	**4**	**6**	**7**	**10**	**12**
0-17	64	5.9	90	<1	1	3	4	31	31
18-34	33	1.0							
35-49	54	3.2	5	<1	1	3	5	7	7
50-69	9	5.0							
70+	0								
	160	**3.9**	**41**	**<1**	**1**	**2**	**4**	**7**	**18**
	342	**4.9**	**25**	**1**	**1**	**4**	**6**	**9**	**12**

DRG 300: Endocrine Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	402	7.0	23	3	5	6	7	14	15	0-17	126	6.1	51	1	2	4	7	19	27
70-74	235	5.3	11	2	3	4	6	10	11	18-34	133	5.0	23	2	2	4	6	10	22
75-79	378	6.8	67	2	3	5	7	11	16	35-49	150	5.4	25	1	2	3	8	11	20
80-84	262	7.2	20	3	4	6	10	12	18	50-69	278	4.7	9	2	2	4	6	8	8
85 +	211	5.4	8	2	3	5	7	9	12	70 +	43	5.4	7						
SUBTOTAL	**1488**	**6.5**	**30**	**2**	**3**	**5**	**7**	**12**	**15**		**731**	**5.2**	**22**	**1**	**2**	**4**	**6**	**10**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1488**	**6.5**	**30**	**2**	**3**	**5**	**7**	**12**	**15**		**731**	**5.2**	**22**	**1**	**2**	**4**	**6**	**10**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	72	4.7	19	1	1	3	6	13	13	0-17	72	4.6	12	< 1	2	3	6	12	12
18-34	16	3.0	1							18-34	40	7.4	39						
35-49	25	2.3	2							35-49	78	12.0	364	1	2	3	11	62	62
50-69	68	4.4	13	< 1	2	3	7	11	11	50-69	197	5.4	16	2	3	4	6	12	15
70 +	19	4.5								70 +	60	5.6	3	2	4	6	7	7	7
SUBTOTAL	**199**	**4.1**	**12**	**1**	**2**	**3**	**5**	**11**	**11**		**447**	**6.6**	**82**	**2**	**3**	**5**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**199**	**4.1**	**12**	**1**	**2**	**3**	**5**	**11**	**11**		**447**	**6.6**	**82**	**2**	**3**	**5**	**7**	**12**	**17**

DRG 301: Endocrine Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	115	2.9	3	1	2	3	3	4	8
70-74	202	4.1	22	1	1	2	5	11	13
75-79	60	3.5	4	< 1	1	4	6	6	6
80-84	43	3.8	6						
85 +	25	5.3							
SUBTOTAL	**445**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**11**
GRAND TOTAL	**445**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	314	2.1	3	1	1	1	3	5	7
18-34	164	1.8	1	1	1	2	3	3	4
35-49	312	2.8	10	1	1	2	3	6	14
50-69	113	4.1	16	1	2	2	5	9	15
70 +	8	3.0							
	911	**2.5**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
	911	**2.5**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	112	3.4	13	1	1	2	3	8	14
18-34	23	5.0	33						
35-49	34	2.2	3						
50-69	28	5.3	14						
70 +	0								
SUBTOTAL	**197**	**3.6**	**14**	**1**	**1**	**2**	**5**	**10**	**13**
GRAND TOTAL	**197**	**3.6**	**14**	**1**	**1**	**2**	**5**	**10**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	184	2.3	7	< 1	1	1	3	5	8
18-34	188	2.8	5	1	1	2	3	7	8
35-49	148	3.3	15	1	2	2	3	7	17
50-69	127	2.1	2	< 1	1	2	2	5	5
70 +	0								
	646	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**8**
	646	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 302: Kidney Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	386	18.5	222	7	10	14	22	36	42	0-17	23	33.3	296						
70-74	0									18-34	16	37.5	96						
75-79	0									35-49	40	12.1	20						
80-84	0									50-69	25	15.3	135						
85 +	0									70 +	0								
SUBTOTAL	386	18.5	222	7	10	14	22	36	42		104	21.4	231	6	9	16	32	47	49
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	110	8.9	7	6	7	9	10	12	15	0-17	0								
70-74	8	6.0								18-34	8	7.0							
75-79	0									35-49	26	11.2	6						
80-84	0									50-69	19	6.0							
85 +	0									70 +	0								
SUBTOTAL	118	8.7	7	6	7	8	10	12	15		53	8.7	9	6	6	7	12	14	14
GRAND TOTAL	504	16.2	189	6	8	13	18	31	39		157	17.2	192	6	7	12	28	45	48

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	31	7.8	2						
35-49	0									35-49	40	10.4	21						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										72	9.2	14	5	6	9	10	17	17
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	21.0								0-17	0								
18-34	0									18-34	16	6.5	2						
35-49	0									35-49	16	7.5							
50-69	0									50-69	23	5.7							
70 +	0									70 +	0								
SUBTOTAL	8	21.0									54	6.4	1	5	5	6	8	8	8
GRAND TOTAL	8	21.0									126	8.0	11	5	6	7	9	14	17

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	569	11.8	54	6	8	10	14	20	22	0-17	31	10.3	40						
70-74	569	12.4	44	6	8	11	16	19	20	18-34	53	11.8	117	5	5	7	11	37	37
75-79	483	11.2	24	6	8	10	14	18	21	35-49	85	13.1	86	5	7	9	20	29	30
80-84	189	13.6	49	6	8	13	18	25	26	50-69	422	11.9	158	6	7	9	11	19	27
85 +	160	10.8	45	6	7	8	11	18	34	70 +	78	15.3	75	5	8	13	23	30	30
SUBTOTAL	**1971**	**11.9**	**43**	**6**	**7**	**10**	**15**	**19**	**22**		**668**	**12.4**	**131**	**6**	**7**	**9**	**12**	**24**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	180	7.8	9	5	6	7	8	12	15	0-17	78	8.5	5	6	7	8	11	12	13
70-74	270	8.6	11	6	6	8	9	12	17	18-34	9	9.0							
75-79	127	7.8	9	5	6	8	10	11	14	35-49	130	6.4	2	4	5	7	7	8	9
80-84	112	8.5	8	6	7	8	9	14	15	50-69	291	7.7	16	5	6	6	8	10	21
85 +	9	8.0								70 +	25	10.4	22						
SUBTOTAL	**698**	**8.2**	**9**	**6**	**6**	**8**	**9**	**12**	**15**		**534**	**7.6**	**12**	**5**	**6**	**7**	**8**	**11**	**13**
GRAND TOTAL	**2668**	**10.9**	**37**	**6**	**7**	**9**	**14**	**18**	**21**		**1202**	**10.3**	**84**	**5**	**6**	**8**	**10**	**20**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	10.8	9							0-17	47	9.0	18	4	4	9	11	16	16
18-34	9	9.0								18-34	26	7.3	1						
35-49	0									35-49	93	9.8	9	7	7	10	11	12	18
50-69	0									50-69	399	13.2	116	6	7	9	15	25	36
70 +	9	6.0								70 +	50	14.4	65	8	8	11	22	29	29
SUBTOTAL	**50**	**9.5**	**9**	**6**	**7**	**9**	**12**	**15**	**15**		**615**	**12.2**	**87**	**6**	**7**	**9**	**14**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	10.0								0-17	23	6.7	7						
18-34	0									18-34	17	5.9	1						
35-49	19	7.5								35-49	79	8.1	4	5	7	8	10	11	12
50-69	19	11.0	17							50-69	163	7.8	4	5	6	7	9	10	11
70 +	0									70 +	25	8.6	6						
SUBTOTAL	**45**	**9.4**	**10**								**308**	**7.7**	**5**	**5**	**7**	**7**	**10**	**11**	**12**
GRAND TOTAL	**95**	**9.5**	**9**	**7**	**7**	**9**	**12**	**15**	**15**		**923**	**10.7**	**64**	**5**	**7**	**8**	**11**	**17**	**26**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	971	11.7	106	3	5	8	15	24	33	0-17	566	7.0	17	3	4	6	9	11	12
70-74	433	9.6	33	3	6	7	14	17	23	18-34	223	6.5	25	3	4	5	7	10	17
75-79	481	12.4	75	4	7	10	17	25	26	35-49	249	9.7	123	2	4	7	13	24	62
80-84	177	17.5	102	5	9	15	26	32	32	50-69	456	7.7	44	2	4	6	9	12	19
85 +	93	11.5	86	2	2	9	21	24	27	70 +	60	9.3	28	5	6	7	17	19	19
SUBTOTAL	**2154**	**11.9**	**87**	**3**	**6**	**9**	**16**	**24**	**28**		**1555**	**7.6**	**45**	**3**	**4**	**6**	**9**	**13**	**19**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2154**	**11.9**	**87**	**3**	**6**	**9**	**16**	**24**	**28**		**1555**	**7.6**	**45**	**3**	**4**	**6**	**9**	**13**	**19**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	185	10.2	63	3	4	8	15	23	23	0-17	317	6.8	17	4	5	6	8	11	13
18-34	91	8.8	19	4	5	7	12	15	17	18-34	154	7.6	11	4	5	6	9	14	15
35-49	62	11.6	36	2	7	12	19	20	20	35-49	264	11.5	89	3	5	8	15	26	37
50-69	9	5.0								50-69	359	11.5	73	5	6	9	12	25	30
70 +	0									70 +	26	8.9	43						
SUBTOTAL	**348**	**9.9**	**46**	**3**	**5**	**8**	**14**	**21**	**23**		**1120**	**9.6**	**56**	**4**	**5**	**8**	**11**	**17**	**27**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**348**	**9.9**	**46**	**3**	**5**	**8**	**14**	**21**	**23**		**1120**	**9.6**	**56**	**4**	**5**	**8**	**11**	**17**	**27**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	321	5.4	16	1	2	5	7	10	16
70-74	226	5.9	16	1	3	6	8	11	11
75-79	116	11.3	136	3	5	8	14	17	51
80-84	64	7.4	22	1	3	7	9	17	17
85 +	17	8.3	67						
SUBTOTAL	**744**	**6.7**	**41**	**1**	**3**	**6**	**8**	**14**	**17**
GRAND TOTAL	**744**	**6.7**	**41**	**1**	**3**	**6**	**8**	**14**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1487	4.8	7	2	3	4	5	8	11
18-34	509	5.2	17	2	3	4	7	8	10
35-49	604	4.0	11	1	2	3	6	7	8
50-69	711	5.2	15	1	2	5	7	10	14
70 +	28	5.0	1						
	3340	**4.8**	**11**	**1**	**3**	**4**	**6**	**8**	**11**
	3340	**4.8**	**11**	**1**	**3**	**4**	**6**	**8**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	284	6.4	45	2	4	5	7	11	15
18-34	95	5.3	5	3	4	5	6	8	11
35-49	64	8.2	36	3	5	6	9	22	22
50-69	0								
70 +	0								
SUBTOTAL	**443**	**6.4**	**36**	**3**	**4**	**5**	**7**	**11**	**15**
GRAND TOTAL	**443**	**6.4**	**36**	**3**	**4**	**5**	**7**	**11**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	798	5.2	6	3	3	5	7	8	10
18-34	447	5.3	10	2	4	5	7	9	11
35-49	546	5.7	20	2	2	5	7	10	12
50-69	440	4.7	11	1	2	4	6	9	12
70 +	23	7.7	41						
	2254	**5.3**	**11**	**2**	**3**	**5**	**7**	**9**	**11**
	2254	**5.3**	**11**	**2**	**3**	**5**	**7**	**9**	**11**

DRG 306: Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	350	5.7	23	2	3	4	7	11	16	0-17	0								
70-74	388	5.5	9	2	3	5	7	10	10	18-34	0								
75-79	400	4.7	11	2	2	4	6	10	12	35-49	42	4.1	4						
80-84	299	8.2	31	3	4	6	13	17	20	50-69	181	6.6	36	2	3	3	8	17	18
85 +	277	7.3	40	3	4	5	8	12	25	70 +	71	9.6	89	2	3	6	14	32	32
SUBTOTAL	**1714**	**6.1**	**23**	**2**	**3**	**5**	**7**	**12**	**16**		**294**	**6.9**	**47**	**2**	**3**	**4**	**8**	**17**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1714**	**6.1**	**23**	**2**	**3**	**5**	**7**	**12**	**16**		**294**	**6.9**	**47**	**2**	**3**	**4**	**8**	**17**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	64	4.9	3	3	3	5	6	8	8	50-69	51	4.7	6	2	3	4	5	10	10
70 +	17	8.1	21							70 +	45	5.8	34						
SUBTOTAL	**81**	**5.5**	**8**	**3**	**4**	**5**	**6**	**10**	**13**		**96**	**5.2**	**20**	**2**	**2**	**4**	**5**	**10**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**81**	**5.5**	**8**	**3**	**4**	**5**	**6**	**10**	**13**		**96**	**5.2**	**20**	**2**	**2**	**4**	**5**	**10**	**17**

DRG 307: Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	412	3.4	3	1	2	3	4	5	7
70-74	333	3.4	3	2	2	3	4	5	6
75-79	301	4.0	9	1	2	3	5	10	11
80-84	183	3.3	1	1	3	3	4	5	5
85 +	116	4.7	3	2	4	4	5	7	8
SUBTOTAL	**1345**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1345**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	28	2.3	1						
50-69	375	3.1	2	2	2	3	3	5	6
70 +	36	2.3	1						
	438	**3.0**	**2**	**1**	**2**	**3**	**3**	**5**	**6**
	438	**3.0**	**2**	**1**	**2**	**3**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	19	3.5							
70 +	9	5.0							
SUBTOTAL	**28**	**4.0**	**1**						
GRAND TOTAL	**28**	**4.0**	**1**						

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	16	2.0	1						
50-69	118	2.9	1	2	2	3	3	4	4
70 +	28	1.7							
	161	**2.6**	**1**	**1**	**2**	**3**	**3**	**4**	**4**
	161	**2.6**	**1**	**1**	**2**	**3**	**3**	**4**	**4**

DRG 308: Minor Bladder Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	482	7.7	64	2	3	6	8	17	20
70-74	322	9.8	178	2	2	6	10	25	29
75-79	307	6.2	24	1	2	5	9	13	18
80-84	333	7.0	34	1	2	6	10	14	19
85 +	214	6.4	42	2	3	4	7	18	22
SUBTOTAL	**1659**	**7.5**	**71**	**2**	**3**	**5**	**9**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1659**	**7.5**	**71**	**2**	**3**	**5**	**9**	**17**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	135	11.9	125	4	6	8	15	20	52
18-34	45	5.5	23						
35-49	62	6.4	24	2	3	6	8	18	18
50-69	160	5.2	60	1	1	3	5	14	34
70 +	25	10.4	2						
SUBTOTAL	**427**	**7.9**	**77**	**1**	**3**	**5**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**427**	**7.9**	**77**	**1**	**3**	**5**	**9**	**15**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	9.3	95	2	3	5	10	30	30
18-34	34	9.2	27						
35-49	19	6.5	7						
50-69	8	24.0							
70 +	0								
SUBTOTAL	**107**	**9.9**	**67**	**2**	**4**	**9**	**12**	**24**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**107**	**9.9**	**67**	**2**	**4**	**9**	**12**	**24**	**30**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	87	9.9	90	3	4	7	9	21	36
18-34	43	4.8	6						
35-49	40	18.7	540						
50-69	175	8.1	35	1	4	7	13	15	16
70 +	19	3.5	7						
SUBTOTAL	**365**	**9.1**	**112**	**2**	**4**	**6**	**9**	**16**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**365**	**9.1**	**112**	**2**	**4**	**6**	**9**	**16**	**25**

DRG 309: Minor Bladder Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	468	3.3	5	1	2	3	4	7	8
70-74	270	2.9	4	1	1	2	4	6	8
75-79	203	3.1	4	1	2	3	4	5	6
80-84	169	5.0	13	1	2	5	7	9	10
85 +	54	4.3	10	2	3	3	4	12	12
SUBTOTAL	**1165**	**3.5**	**6**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1165**	**3.5**	**6**	**1**	**2**	**3**	**4**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	142	5.3	11	2	3	4	6	12	15
18-34	26	5.2	9						
35-49	129	4.2	10	1	2	3	6	9	12
50-69	369	3.1	4	1	2	3	4	6	8
70 +	42	2.9	4						
	708	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
	708	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	56	5.5	28	1	2	2	11	15	15
18-34	28	2.0	1						
35-49	9	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**93**	**4.0**	**20**	**1**	**1**	**2**	**4**	**12**	**15**
GRAND TOTAL	**93**	**4.0**	**20**	**1**	**1**	**2**	**4**	**12**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	117	3.7	6	1	2	3	5	7	10
18-34	57	5.6	18	1	2	6	9	14	14
35-49	168	6.4	29	1	2	4	7	15	19
50-69	213	4.4	14	1	1	3	7	11	12
70 +	43	4.1	5						
	598	**4.9**	**17**	**1**	**2**	**3**	**7**	**12**	**13**
	598	**4.9**	**17**	**1**	**2**	**3**	**7**	**12**	**13**

DRG 310: Transurethral Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1099	3.9	17	1	1	3	4	9	11	0-17	19	5.0							
70-74	1177	3.4	25	1	1	2	4	7	9	18-34	249	2.9	4	1	1	3	4	5	7
75-79	1127	3.5	8	1	2	2	5	7	9	35-49	401	3.4	8	1	1	2	5	7	10
80-84	866	4.3	25	1	2	3	5	8	9	50-69	945	3.3	7	1	2	3	4	7	8
85 +	634	4.5	13	1	2	3	6	8	11	70 +	39	3.6	1						
SUBTOTAL	**4903**	**3.8**	**18**	**1**	**1**	**3**	**5**	**8**	**10**		**1654**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4903**	**3.8**	**18**	**1**	**1**	**3**	**5**	**8**	**10**		**1654**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	1.0							
18-34	37	3.0	2							18-34	119	4.0	18	1	2	3	4	7	19
35-49	28	6.7	21							35-49	281	3.2	7	1	2	2	4	5	11
50-69	90	4.0	13	1	2	3	4	11	14	50-69	691	3.3	15	1	1	2	4	6	11
70 +	9	4.0								70 +	88	2.8	14	< 1	< 1	1	3	5	14
SUBTOTAL	**164**	**4.2**	**12**	**2**	**2**	**3**	**4**	**13**	**14**		**1188**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**164**	**4.2**	**12**	**2**	**2**	**3**	**4**	**13**	**14**		**1188**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**11**

DRG 311: Transurethral Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1393	2.3	4	1	1	2	3	4	5	0-17	59	2.9	3	< 1	1	2	5	6	6
70-74	1097	2.1	2	1	1	2	3	4	5	18-34	686	2.2	3	1	1	2	3	4	5
75-79	1078	2.0	1	1	1	2	3	4	4	35-49	1237	2.6	4	1	1	2	3	5	6
80-84	767	2.1	1	1	1	2	3	4	4	50-69	1832	2.2	2	1	1	2	3	4	5
85 +	400	2.2	4	1	1	2	3	5	6	70 +	121	2.3	2	< 1	1	2	4	4	5
SUBTOTAL	**4735**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**3935**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4735**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**3935**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	73	1.6	1	< 1	1	1	3	3	3
18-34	81	2.4	1	1	2	2	3	4	4	18-34	533	2.7	4	1	1	2	3	5	7
35-49	37	2.3	1							35-49	949	2.3	6	1	1	2	2	4	6
50-69	54	2.3	1	1	2	3	3	3	3	50-69	1229	1.9	2	1	1	1	2	4	5
70 +	9	3.0								70 +	76	2.2	3	< 1	1	1	4	5	6
SUBTOTAL	**181**	**2.4**	**1**	**1**	**2**	**3**	**3**	**4**	**4**		**2860**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**181**	**2.4**	**1**	**1**	**2**	**3**	**3**	**4**	**4**		**2860**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 312: Urethral Procedures, Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	158	4.0	16	1	1	2	6	10	16	0-17	0								
70-74	96	4.0	5	2	2	4	6	7	9	18-34	74	1.1		1	1	1	1	2	2
75-79	129	2.0	1	1	1	2	3	3	5	35-49	54	1.5	1	<1	1	1	2	3	3
80-84	36	3.7	2							50-69	84	1.9	4	1	1	1	1	7	7
85 +	45	4.3	8							70 +	0								
SUBTOTAL	**464**	**3.4**	**9**	**1**	**1**	**2**	**5**	**7**	**9**		**212**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**464**	**3.4**	**9**	**1**	**1**	**2**	**5**	**7**	**9**		**212**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**3**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	9	1.0								18-34	19	4.5							
35-49	0									35-49	9	1.0							
50-69	0									50-69	50	2.8		2	2	3	3	4	4
70 +	9	1.0								70 +	17	5.4	17						
SUBTOTAL	**19**	**1.0**									**95**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**19**	**1.0**									**95**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**9**

DRG 313: Urethral Procedures, Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	276	1.9	12	1	1	1	2	3	3	0-17	0									
70-74	236	1.6	2	1	1	1	1	2	6	18-34	135	1.4	1	1	1	1	1	2	5
75-79	81	1.6		1	1	2	2	3	3	35-49	160	1.3		1	1	1	1	3	3
80-84	46	1.6	1							50-69	195	1.8	2	1	1	1	2	4	5
85 +	17	2.0								70 +	28	1.0							
SUBTOTAL	**656**	**1.7**	**6**	**1**	**1**	**1**	**2**	**2**	**3**		**518**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**656**	**1.7**	**6**	**1**	**1**	**1**	**2**	**2**	**3**		**518**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	75	1.7	1	1	1	1	2	4	4
35-49	19	1.0								35-49	90	2.0	2	1	1	2	2	3	6
50-69	0									50-69	160	1.6	1	< 1	1	1	2	3	4
70 +	0									70 +	0								
SUBTOTAL	**19**	**1.0**									**325**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**19**	**1.0**									**325**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 314: Urethral Procedures, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	7.8	66						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	33	**7.8**	**66**						
0-17	152	1.7	2	< 1	< 1	1	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	152	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**5**	**6**
	185	**2.8**	**19**	**< 1**	**1**	**1**	**2**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	3.5	7						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**16**	**3.5**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	25	1.3							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**25**	**1.3**							
GRAND TOTAL	**40**	**2.2**	**4**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	7.5	13						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16	**7.5**	**13**						
0-17	149	1.8	1	< 1	1	1	3	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	149	**1.8**	**1**	**< 1**	**1**	**1**	**3**	**3**	**4**
	165	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**4**	**6**

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1356	8.8	101	1	3	7	11	16	24	0-17	62	11.8	56	5	6	9	13	28	28
70-74	508	13.4	186	2	4	9	16	31	41	18-34	121	6.7	54	1	2	5	7	15	29
75-79	512	10.7	75	2	4	9	15	26	30	35-49	187	8.3	74	2	4	7	9	11	16
80-84	214	13.0	71	4	5	13	18	23	30	50-69	570	8.9	79	2	4	7	11	16	27
85 +	102	11.5	53	3	7	10	13	24	28	70 +	42	13.3	47						
SUBTOTAL	**2693**	**10.5**	**112**	**2**	**3**	**8**	**13**	**22**	**30**		**981**	**8.9**	**74**	**2**	**4**	**6**	**11**	**16**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	568	4.5	16	1	1	3	6	10	11	0-17	17	1.5							
70-74	217	2.8	5	1	1	2	4	6	7	18-34	162	5.9	21	2	4	5	6	9	17
75-79	140	6.6	92	1	1	2	5	26	33	35-49	182	4.0	7	1	2	3	5	8	9
80-84	34	3.9	8							50-69	382	4.5	12	1	2	3	7	9	10
85 +	25	2.9	2							70 +	39	1.2							
SUBTOTAL	**983**	**4.4**	**25**	**1**	**1**	**3**	**5**	**9**	**12**		**781**	**4.5**	**13**	**1**	**2**	**3**	**6**	**9**	**10**
GRAND TOTAL	**3676**	**8.8**	**96**	**1**	**2**	**6**	**11**	**20**	**27**		**1763**	**6.9**	**52**	**1**	**2**	**5**	**8**	**13**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	48	25.2	425	3	4	33	61	99 +	99 +	0-17	25	18.8	15						
18-34	70	8.4	20	2	4	8	10	16	16	18-34	230	8.7	27	2	5	8	12	14	20
35-49	95	10.2	24	6	6	9	13	19	20	35-49	222	8.1	47	1	2	6	13	18	24
50-69	155	14.5	218	2	4	8	22	44	53	50-69	402	10.8	132	1	3	7	14	27	34
70 +	19	30.0	271							70 +	9	1.0							
SUBTOTAL	**386**	**14.4**	**198**	**3**	**5**	**8**	**19**	**44**	**53**		**888**	**9.7**	**84**	**1**	**3**	**7**	**13**	**23**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	6.5	21							0-17	33	1.8	1						
18-34	82	6.4	55	1	2	4	6	26	26	18-34	138	2.9	3	1	1	3	4	5	6
35-49	33	3.7	3							35-49	227	4.1	16	1	1	3	7	10	11
50-69	45	6.3	36							50-69	356	3.0	9	1	1	1	4	9	9
70 +	8	10.0								70 +	8	1.0							
SUBTOTAL	**199**	**6.1**	**36**	**1**	**2**	**4**	**8**	**13**	**17**		**761**	**3.2**	**10**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**585**	**11.6**	**158**	**2**	**4**	**8**	**15**	**29**	**46**		**1649**	**6.7**	**60**	**1**	**1**	**4**	**9**	**15**	**23**

DRG 316: Renal Failure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1064	7.0	44	1	3	5	8	16	20
70-74	590	7.4	23	3	4	6	9	13	16
75-79	933	7.8	27	3	5	6	10	15	20
80-84	640	7.1	17	2	5	7	9	12	14
85 +	507	8.6	50	3	4	7	9	15	18
SUBTOTAL	**3734**	**7.5**	**33**	**2**	**4**	**6**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	191	3.8	9	< 1	1	2	5	9	10
70-74	141	5.8	45	1	2	3	5	23	23
75-79	81	5.4	16	< 1	2	4	8	13	13
80-84	53	6.0	8	< 1	4	6	9	9	9
85 +	99	5.3	14	1	2	5	7	8	15
SUBTOTAL	**564**	**5.0**	**21**	**1**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**4299**	**7.2**	**32**	**2**	**4**	**6**	**9**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	87	13.4	569	1	2	5	13	20	87
18-34	60	3.3	5	< 1	1	2	5	7	7
35-49	78	5.7	25	1	2	3	9	15	15
50-69	305	7.2	28	2	3	6	10	17	21
70 +	79	10.9	81	< 1	5	6	17	29	29
	610	**8.0**	**117**	**1**	**2**	**5**	**9**	**17**	**21**
0-17	17	1.5							
18-34	42	5.3	4						
35-49	43	4.1	2						
50-69	43	4.3	9						
70 +	17	6.1	1						
	163	**4.4**	**6**	**1**	**2**	**4**	**6**	**8**	**9**
	773	**7.2**	**95**	**1**	**2**	**5**	**9**	**16**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	7.3	77						
18-34	91	6.4	96	1	2	4	5	14	35
35-49	101	8.8	58	2	3	7	13	18	28
50-69	87	8.3	24	4	5	6	14	14	19
70 +	19	8.0							
SUBTOTAL	**322**	**7.8**	**58**	**1**	**3**	**5**	**8**	**19**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	1.0							
18-34	9	6.0							
35-49	9	1.0							
50-69	19	13.0	52						
70 +	0								
SUBTOTAL	**45**	**7.0**	**50**						
GRAND TOTAL	**367**	**7.7**	**57**	**1**	**3**	**5**	**8**	**19**	**22**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	4.8	22	2	2	3	5	15	15
18-34	116	6.5	17	3	4	5	7	13	17
35-49	132	6.2	25	< 1	2	4	9	11	21
50-69	419	7.0	53	1	3	5	8	11	25
70 +	105	8.3	36	3	3	6	9	18	23
	820	**6.8**	**40**	**2**	**3**	**5**	**9**	**14**	**21**
0-17	31	2.0	1						
18-34	84	3.8	5	1	2	3	5	8	8
35-49	95	2.7	3	1	1	2	4	5	6
50-69	164	3.2	5	< 1	1	3	5	6	7
70 +	17	3.7	9						
	391	**3.1**	**4**	**1**	**1**	**3**	**5**	**6**	**7**
	1211	**5.6**	**32**	**1**	**2**	**4**	**7**	**11**	**17**

DRG 317: Admit for Renal Dialysis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	56	4.8	13	1	2	3	10	10	10	0-17	8	5.0							
70-74	8	3.0								18-34	0								
75-79	0									35-49	9	2.0							
80-84	8	1.0								50-69	0								
85 +	0									70 +	0								
SUBTOTAL	72	4.2	12	1	2	3	6	10	10		17	3.4	2						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	2.0								0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	8	1.0								50-69	0								
85 +	0									70 +	8	1.0							
SUBTOTAL	16	1.5									8	1.0							
GRAND TOTAL	87	3.7	11	1	1	2	6	10	10		25	2.6	3						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	2.0								0-17	0								
18-34	0									18-34	19	2.0							
35-49	0									35-49	17	2.0							
50-69	0									50-69	28	1.0							
70 +	0									70 +	0								
SUBTOTAL	39	2.0									64	1.6		< 1	< 1	2	2	2	2
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	39	2.0									64	1.6		< 1	< 1	2	2	2	2

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	160	6.0	22	1	3	5	8	10	16	0-17	70	2.7	2	< 1	1	3	3	5	5
70-74	220	7.1	34	1	2	5	10	15	19	18-34	8	10.0							
75-79	180	5.9	34	1	3	4	6	10	23	35-49	64	3.8	17	1	1	1	9	11	11
80-84	105	5.7	27	2	2	4	6	12	19	50-69	149	6.3	21	1	3	6	9	15	15
85 +	158	5.8	20	1	3	4	8	14	17	70 +	17	5.6	2						
SUBTOTAL	**823**	**6.2**	**28**	**1**	**2**	**5**	**8**	**14**	**19**		**307**	**5.0**	**17**	**1**	**1**	**3**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**823**	**6.2**	**28**	**1**	**2**	**5**	**8**	**14**	**19**		**307**	**5.0**	**17**	**1**	**1**	**3**	**7**	**11**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	2.8								0-17	82	6.4	33	1	1	5	10	17	17
18-34	0									18-34	16	6.0	4						
35-49	19	8.5	13							35-49	57	8.2	18	3	4	8	13	15	15
50-69	25	5.0								50-69	116	8.4	77	2	3	6	8	23	35
70 +	9	10.0								70 +	43	12.0	61						
SUBTOTAL	**84**	**5.5**	**10**	**3**	**3**	**5**	**5**	**12**	**12**		**315**	**8.2**	**52**	**2**	**4**	**6**	**10**	**17**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**84**	**5.5**	**10**	**3**	**3**	**5**	**5**	**12**	**12**		**315**	**8.2**	**52**	**2**	**4**	**6**	**10**	**17**	**26**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	81	2.3	2	1	1	2	3	4	6
70-74	48	2.2	1	1	2	2	2	4	4
75-79	53	3.4	8	1	1	3	3	9	9
80-84	17	3.1	1						
85 +	8	4.0							
SUBTOTAL	**207**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**207**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	70	2.2	2	< 1	< 1	1	3	5	5
18-34	0								
35-49	9	2.0							
50-69	88	3.9	28	< 1	1	1	4	15	15
70 +	0								
	168	**3.1**	**16**	**< 1**	**1**	**1**	**3**	**11**	**15**
	168	**3.1**	**16**	**< 1**	**1**	**1**	**3**	**11**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**8**	**2.0**							
GRAND TOTAL	**8**	**2.0**							

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	42	2.9	2						
18-34	8	1.0							
35-49	17	1.5							
50-69	47	3.3	6	< 1	1	2	5	8	8
70 +	9	1.0							
	123	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**5**	**8**
	123	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**5**	**8**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3886	6.7	27	3	4	6	8	11	14	0-17	0								
70-74	2964	6.2	26	2	3	5	7	10	14	18-34	968	3.2	2	2	2	3	4	5	6
75-79	3327	6.2	19	2	3	5	7	11	14	35-49	865	4.7	13	2	2	4	6	8	10
80-84	3380	7.2	27	3	4	6	8	13	16	50-69	1061	6.0	23	2	3	5	7	11	14
85 +	3989	7.1	24	3	4	6	9	12	15	70 +	311	5.1	8	2	3	5	7	9	11
SUBTOTAL	**17545**	**6.7**	**25**	**3**	**4**	**6**	**8**	**12**	**15**		**3206**	**4.7**	**14**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**17545**	**6.7**	**25**	**3**	**4**	**6**	**8**	**12**	**15**		**3206**	**4.7**	**14**	**2**	**3**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	641	4.3	7	2	2	4	6	9	10	18-34	1068	4.2	5	2	3	4	5	8	9
35-49	389	5.5	9	2	4	5	7	8	10	35-49	1082	5.8	12	2	3	5	7	11	12
50-69	474	6.1	18	2	3	5	8	12	15	50-69	1455	6.9	35	2	4	5	8	12	18
70 +	111	6.1	4	4	4	6	7	8	10	70 +	422	7.6	65	3	4	5	9	14	17
SUBTOTAL	**1615**	**5.2**	**11**	**2**	**3**	**4**	**7**	**9**	**10**		**4026**	**6.0**	**25**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1615**	**5.2**	**11**	**2**	**3**	**4**	**7**	**9**	**10**		**4026**	**6.0**	**25**	**2**	**3**	**5**	**7**	**10**	**13**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1407	4.9	8	2	3	4	6	8	10
70-74	1102	5.1	9	2	3	5	6	9	11
75-79	916	5.1	9	2	3	4	6	9	11
80-84	955	5.5	14	2	3	5	7	9	12
85 +	1118	5.1	11	2	3	5	6	8	11
SUBTOTAL	**5498**	**5.1**	**10**	**2**	**3**	**5**	**6**	**9**	**11**
GRAND TOTAL	**5498**	**5.1**	**10**	**2**	**3**	**5**	**6**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2712	3.2	3	1	2	3	4	5	6
35-49	1252	3.4	13	1	2	3	4	5	5
50-69	1044	3.7	4	2	2	3	5	6	7
70 +	98	5.2	20	2	3	4	6	7	18
SUBTOTAL	**5106**	**3.4**	**6**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**5106**	**3.4**	**6**	**1**	**2**	**3**	**4**	**5**	**7**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1050	3.3	2	2	2	3	4	5	6
35-49	240	4.4	13	1	2	3	5	8	13
50-69	111	3.7	2	2	2	4	5	6	6
70 +	53	6.1	21	2	3	5	7	15	15
SUBTOTAL	**1455**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1455**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3444	3.7	4	2	2	3	5	6	7
35-49	1400	4.0	5	2	3	4	5	7	8
50-69	1171	4.6	5	2	3	4	6	7	8
70 +	107	4.6	9	2	2	3	6	10	11
SUBTOTAL	**6122**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**6122**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	64	7.1	25	2	3	5	14	16	16	0-17	764	4.5	10	2	2	3	5	9	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**64**	**7.1**	**25**	**2**	**3**	**5**	**14**	**16**	**16**		**764**	**4.5**	**10**	**2**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	1.5								0-17	2428	3.7	5	1	2	3	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**1.5**									**2428**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**79**	**6.0**	**25**	**1**	**2**	**5**	**6**	**15**	**16**		**3192**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	540	4.6	11	1	2	3	7	10	12	0-17	640	5.0	11	2	3	4	6	10	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**540**	**4.6**	**11**	**1**	**2**	**3**	**7**	**10**	**12**		**640**	**5.0**	**11**	**2**	**3**	**4**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	947	3.8	6	1	2	3	5	7	9	0-17	1797	3.9	5	2	2	3	5	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**947**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**1797**	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**1487**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**10**		**2437**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**9**

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	814	3.4	15	1	1	2	4	6	10
70-74	561	2.9	6	1	1	2	4	6	7
75-79	476	5.5	38	1	2	4	6	10	12
80-84	245	4.4	8	2	2	3	6	9	11
85 +	147	4.6	9	1	2	5	6	9	12
SUBTOTAL	**2242**	**3.9**	**17**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	1.8	2	1	1	1	2	4	5
70-74	33	1.5							
75-79	43	1.9	1						
80-84	8	2.0							
85 +	0								
SUBTOTAL	**172**	**1.8**	**1**	**1**	**1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**2415**	**3.7**	**16**	**1**	**1**	**2**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	124	2.3	5	< 1	1	2	2	6	10
18-34	823	1.9	3	1	1	1	2	3	5
35-49	996	2.7	4	1	1	2	3	5	7
50-69	1024	2.7	4	1	1	2	3	6	7
70 +	60	3.6	10	1	1	2	5	11	11
	3028	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	0								
18-34	72	1.3	1	1	1	1	1	4	4
35-49	126	2.1	2	1	1	1	3	5	5
50-69	199	1.8	2	1	1	1	2	3	4
70 +	16	1.0							
	412	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
	3440	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	48	3.6	8	1	1	4	6	8	8
18-34	129	2.5	1	1	2	2	3	3	5
35-49	125	5.2	42	1	2	2	7	10	26
50-69	84	2.3	1	1	1	2	3	4	4
70 +	9	11.0							
SUBTOTAL	**395**	**3.7**	**18**	**1**	**2**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	17	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**17**	**2.0**							
GRAND TOTAL	**412**	**3.6**	**17**	**1**	**2**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	2.7	4	< 1	1	2	5	6	6
18-34	520	2.5	2	1	1	2	3	5	5
35-49	624	2.7	7	1	1	2	3	6	8
50-69	720	3.6	25	1	1	2	4	8	10
70 +	36	1.8	1						
	1955	**3.0**	**12**	**1**	**1**	**2**	**3**	**6**	**8**
0-17	0								
18-34	16	2.0	1						
35-49	54	2.4	1	1	1	2	4	4	4
50-69	31	2.5	1						
70 +	0								
	101	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
	2056	**2.9**	**12**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 324: Urinary Stones w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1243	2.0	2	1	1	2	3	3	4
70-74	665	2.0	1	1	1	2	3	4	4
75-79	373	2.4	3	1	1	2	3	4	4
80-84	99	2.7	7	1	1	2	4	4	11
85 +	122	2.4	2	1	1	2	3	4	7
SUBTOTAL	**2503**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**2503**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	249	1.9	2	1	1	1	2	3	4
18-34	2836	1.6	1	1	1	1	2	3	4
35-49	4883	1.7	1	1	1	1	2	3	4
50-69	3255	1.7	1	1	1	1	2	3	4
70 +	51	2.0	1	1	1	2	3	3	3
	11274	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	11274	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	45	1.6							
18-34	319	1.5		< 1	1	1	2	3	3
35-49	130	1.9	1	< 1	1	2	2	4	4
50-69	46	2.0	1						
70 +	8	2.0							
SUBTOTAL	**548**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**548**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	219	2.3	7	< 1	1	1	3	4	8
18-34	1912	1.8	2	< 1	1	1	2	3	4
35-49	2615	1.8	2	1	1	1	2	3	4
50-69	1674	2.0	2	1	1	2	2	4	5
70 +	98	3.0	2	1	2	3	4	5	6
	6518	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	6518	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	187	3.7	7	1	2	3	5	7	9	0-17	0								
70-74	211	4.0	5	1	2	4	5	6	8	18-34	43	4.3	15						
75-79	177	4.3	10	2	3	3	5	6	13	35-49	101	2.8	12	1	1	1	3	5	13
80-84	229	3.9	7	1	2	4	5	8	8	50-69	107	2.2	1	1	1	2	3	4	4
85 +	257	4.8	12	1	2	5	7	8	10	70 +	19	8.5	32						
SUBTOTAL	**1062**	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**10**		**270**	**3.2**	**12**	**1**	**1**	**2**	**3**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1062**	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**10**		**270**	**3.2**	**12**	**1**	**1**	**2**	**3**	**9**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	19	1.5								18-34	36	1.7	1						
35-49	36	7.5	5							35-49	59	2.4	2	1	1	2	4	5	5
50-69	26	4.0	3							50-69	93	3.9	9	1	2	3	5	7	12
70 +	0									70 +	45	3.4	2						
SUBTOTAL	**81**	**5.0**	**9**	**< 1**	**2**	**5**	**7**	**11**	**11**		**233**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**81**	**5.0**	**9**	**< 1**	**2**	**5**	**7**	**11**	**11**		**233**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	45	4.1	32							0-17	0								
70-74	189	2.8	2	1	1	3	4	5	5	18-34	99	3.4	11	1	1	2	4	7	12
75-79	108	2.3	1	1	2	2	3	3	4	35-49	143	2.1	2	1	1	2	3	5	6
80-84	60	4.0	6	1	1	4	7	7	7	50-69	217	2.9	9	1	1	2	2	8	9
85 +	99	3.5	4	1	2	4	5	5	7	70 +	25	4.1	17						
SUBTOTAL	**502**	**3.1**	**6**	**1**	**1**	**2**	**4**	**5**	**7**		**483**	**2.8**	**8**	**1**	**1**	**2**	**3**	**7**	**10**
GRAND TOTAL	**502**	**3.1**	**6**	**1**	**1**	**2**	**4**	**5**	**7**		**483**	**2.8**	**8**	**1**	**1**	**2**	**3**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	36	3.1	9							18-34	129	1.9	1	1	1	2	3	3	3
35-49	26	2.3	1							35-49	92	2.4	3	1	1	2	4	4	6
50-69	8	1.0								50-69	57	3.5	22	< 1	1	2	3	15	15
70 +	0									70 +	19	2.5							
SUBTOTAL	**70**	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**8**	**8**		**296**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**70**	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**8**	**8**		**296**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	16	1.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**16**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	165	1.6	1	1	1	1	2	3	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**165**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**0**										**180**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	6.7	56							0-17	33	3.2	6						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**23**	**6.7**	**56**								**33**	**3.2**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	2.0	2							0-17	92	2.0	4	1	1	1	2	3	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**31**	**2.0**	**2**								**92**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**8**
GRAND TOTAL	**54**	**4.0**	**30**	**1**	**1**	**2**	**4**	**17**	**17**		**124**	**2.3**	**5**	**1**	**1**	**1**	**2**	**7**	**8**

DRG 328: Urethral Stricture Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	19	1.5								0-17	0								
70-74	19	2.5	2							18-34	19	2.5							
75-79	0									35-49	46	1.8	3						
80-84	0									50-69	26	4.3	20						
85 +	9	6.0								70 +	16	1.5							
SUBTOTAL	**46**	**2.8**	**4**								**107**	**2.5**	**7**	**1**	**1**	**1**	**2**	**5**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**46**	**2.8**	**4**								**107**	**2.5**	**7**	**1**	**1**	**1**	**2**	**5**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	19	1.5							
50-69	9	2.0								50-69	8	3.0							
70 +	0									70 +	0								
SUBTOTAL	**9**	**2.0**									**26**	**1.9**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9**	**2.0**									**26**	**1.9**	**1**						

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	40	1.2							
70-74	16	2.0	1						
75-79	28	1.7							
80-84	0								
85+	19	3.0							
SUBTOTAL	102	1.8	1	1	1	2	3	3	3
GRAND TOTAL	102	1.8	1	1	1	2	3	3	3

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	19	2.0	1						
35-49	19	1.0							
50-69	26	1.3							
70+	9	1.0							
SUBTOTAL	73	1.4		1	1	1	1	3	3
GRAND TOTAL	73	1.4		1	1	1	1	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	9	1.0							
70+	0								
SUBTOTAL	9	1.0							
GRAND TOTAL	9	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	16	4.5	13						
35-49	23	2.3	4						
50-69	23	1.0							
70+	8	3.0							
SUBTOTAL	70	2.4	6	1	1	1	3	8	8
GRAND TOTAL	70	2.4	6	1	1	1	3	8	8

DRG 330: Urethral Stricture Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	26	1.6	1						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**26**	**1.6**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	36	1.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**36**	**1.0**							
GRAND TOTAL	**0**										**62**	**1.3**		**< 1**	**1**	**1**	**1**	**3**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	17	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**17**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**17**	**1.0**							

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1386	5.2	20	1	2	4	6	10	13	0-17	0								
70-74	736	5.5	20	1	2	4	7	12	14	18-34	282	4.0	17	1	1	2	5	9	15
75-79	615	6.2	34	1	3	5	7	11	16	35-49	315	3.9	10	1	2	3	6	8	12
80-84	414	6.4	29	2	3	4	7	13	22	50-69	550	4.4	20	1	1	3	5	10	14
85 +	363	8.2	163	2	3	5	10	14	15	70 +	110	6.6	36	1	4	5	6	14	23
SUBTOTAL	**3514**	**5.9**	**39**	**1**	**3**	**4**	**7**	**12**	**15**		**1257**	**4.4**	**19**	**1**	**1**	**3**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3514**	**5.9**	**39**	**1**	**3**	**4**	**7**	**12**	**15**		**1257**	**4.4**	**19**	**1**	**1**	**3**	**6**	**10**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	82	4.2	10	1	3	3	4	12	12	18-34	372	4.0	10	1	2	3	5	8	9
35-49	81	6.6	81	1	2	3	4	23	30	35-49	497	4.6	13	1	2	3	6	10	11
50-69	70	5.8	7	2	4	7	7	11	11	50-69	568	5.2	12	2	3	4	7	11	12
70 +	8	2.0								70 +	50	6.0	21	2	3	4	11	14	14
SUBTOTAL	**240**	**5.4**	**34**	**1**	**2**	**4**	**7**	**12**	**18**		**1487**	**4.7**	**13**	**1**	**2**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**240**	**5.4**	**34**	**1**	**2**	**4**	**7**	**12**	**18**		**1487**	**4.7**	**13**	**1**	**2**	**4**	**6**	**10**	**12**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	402	3.3	11	1	1	2	4	7	11	0-17	0								
70-74	172	2.7	3	1	1	2	3	6	6	18-34	425	2.7	9	1	1	1	3	5	10
75-79	180	2.5	1	1	2	2	3	4	5	35-49	408	1.9	1	1	1	2	2	3	4
80-84	121	3.8	9	1	2	3	5	7	12	50-69	459	3.0	69	1	1	1	2	5	7
85 +	79	3.1	12	1	1	2	3	12	12	70 +	36	4.9	30						
SUBTOTAL	**954**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**9**		**1327**	**2.6**	**28**	**1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**954**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**9**		**1327**	**2.6**	**28**	**1**	**1**	**1**	**2**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	37	3.8	1							18-34	394	3.0	5	1	1	2	4	7	7
35-49	46	6.0	15							35-49	354	3.5	9	1	1	3	5	8	8
50-69	26	4.0								50-69	509	2.7	4	1	1	2	4	6	7
70 +	0									70 +	8	1.0							
SUBTOTAL	**110**	**4.8**	**8**	**2**	**2**	**4**	**5**	**10**	**11**		**1265**	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**110**	**4.8**	**8**	**2**	**2**	**4**	**5**	**10**	**11**		**1265**	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	56	5.1	3	3	3	5	6	8	8	0-17	469	4.2	12	1	2	3	6	8	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**56**	**5.1**	**3**	**3**	**3**	**5**	**6**	**8**	**8**		**469**	**4.2**	**12**	**1**	**2**	**3**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	23	4.7	3							0-17	724	2.9	7	<1	1	2	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**23**	**4.7**	**3**								**724**	**2.9**	**7**	**<1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**79**	**5.0**	**3**	**3**	**3**	**5**	**6**	**8**	**8**		**1193**	**3.4**	**9**	**1**	**1**	**2**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	137	5.3	18	2	2	4	6	11	19	0-17	499	2.4	5	<1	<1	1	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**137**	**5.3**	**18**	**2**	**2**	**4**	**6**	**11**	**19**		**499**	**2.4**	**5**	**<1**	**<1**	**1**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	194	3.2	3	1	2	2	5	6	7	0-17	703	2.7	6	<1	1	2	3	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**194**	**3.2**	**3**	**1**	**2**	**2**	**5**	**6**	**7**		**703**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**331**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**9**		**1202**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**6**	**8**

DRG 334: Major Male Pelvic Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	868	8.4	15	5	6	8	9	12	17
70-74	873	9.3	32	5	6	7	10	16	23
75-79	354	8.1	7	5	6	8	9	11	14
80-84	169	8.4	6	5	7	8	9	12	13
85 +	76	13.0	101	4	8	8	13	37	39
SUBTOTAL	**2340**	**8.9**	**23**	**5**	**6**	**8**	**9**	**13**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2340**	**8.9**	**23**	**5**	**6**	**8**	**9**	**13**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	19	6.0	10						
35-49	23	7.0	1						
50-69	453	8.5	19	5	6	8	9	12	20
70 +	33	7.5	3						
	527	**8.3**	**17**	**5**	**6**	**7**	**9**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	527	**8.3**	**17**	**5**	**6**	**7**	**9**	**12**	**17**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	9	8.0							
50-69	0								
70 +	0								
SUBTOTAL	**9**	**8.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9**	**8.0**							

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	23	7.7							
50-69	401	8.1	8	5	6	8	9	13	15
70 +	25	8.3	17						
	449	**8.1**	**8**	**5**	**6**	**8**	**9**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	449	**8.1**	**8**	**5**	**6**	**8**	**9**	**13**	**15**

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	850	7.0	7	4	5	6	8	11	12
70-74	836	6.7	4	4	5	7	8	9	10
75-79	461	6.9	5	4	6	7	8	10	11
80-84	115	8.0	3	5	7	8	10	10	11
85 +	50	8.0	2	6	7	8	9	10	10
SUBTOTAL	**2312**	**7.0**	**5**	**4**	**5**	**7**	**8**	**10**	**11**
GRAND TOTAL	**2312**	**7.0**	**5**	**4**	**5**	**7**	**8**	**10**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	36	5.0	7						
35-49	54	8.9	55	4	5	6	7	25	25
50-69	806	6.6	8	4	5	6	8	10	11
70 +	81	5.8	1	5	5	6	6	7	8
	976	**6.6**	**10**	**4**	**5**	**6**	**7**	**10**	**11**
	976	**6.6**	**10**	**4**	**5**	**6**	**7**	**10**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	9	6.0							
70 +	0								
SUBTOTAL	**9**	**6.0**							
GRAND TOTAL	**9**	**6.0**							

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	1.0							
18-34	25	4.4	8						
35-49	16	7.0	10						
50-69	534	6.7	4	5	6	6	7	9	11
70 +	40	8.7	3						
	631	**6.6**	**5**	**4**	**6**	**6**	**7**	**9**	**12**
	631	**6.6**	**5**	**4**	**6**	**6**	**7**	**9**	**12**

DRG 336: Transurethral Prostatectomy w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3503	4.3	13	2	3	3	5	7	9
70-74	4428	4.2	9	2	3	4	5	7	9
75-79	3977	4.7	11	2	3	4	5	9	11
80-84	2890	5.1	12	2	3	4	6	9	11
85+	1939	6.3	24	3	3	5	8	11	13
SUBTOTAL	**16738**	**4.7**	**13**	**2**	**3**	**4**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16738**	**4.7**	**13**	**2**	**3**	**4**	**5**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	9	2.0							
35-49	19	4.5	2						
50-69	1616	4.1	5	2	3	4	5	7	8
70+	476	5.1	17	2	3	4	6	9	11
	2120	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2120	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	10.0							
50-69	81	3.5	1	2	3	4	4	5	5
70+	68	5.2	12	3	3	3	6	14	14
SUBTOTAL	**157**	**4.6**	**8**	**2**	**3**	**4**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**157**	**4.6**	**8**	**2**	**3**	**4**	**5**	**9**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	48	2.5	1	2	2	2	3	4	4
50-69	1056	3.7	5	2	2	3	4	7	9
70+	547	5.9	33	2	3	4	6	13	18
	1651	**4.4**	**16**	**2**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1651	**4.4**	**16**	**2**	**2**	**3**	**5**	**8**	**10**

DRG 337: Transurethral Prostatectomy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7271	3.1	2	2	2	3	4	4	5	0-17	9	1.0							
70-74	6831	3.2	2	2	2	3	4	5	6	18-34	9	3.0							
75-79	5076	3.4	2	2	2	3	4	5	6	35-49	158	2.2	1	1	2	2	3	3	4
80-84	2422	3.5	2	2	3	3	4	5	6	50-69	5244	3.0	1	2	2	3	4	4	5
85 +	1204	3.9	5	2	3	3	4	6	9	70 +	711	3.1	2	2	2	3	4	4	7
SUBTOTAL	22803	3.3	2	2	2	3	4	5	6		6131	2.9	1	2	2	3	4	4	5
GRAND TOTAL	22803	3.3	2	2	2	3	4	5	6		6131	2.9	1	2	2	3	4	4	5

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	1.0							
18-34	0									18-34	8	4.0							
35-49	8	2.0								35-49	165	2.6	1	1	2	2	4	4	5
50-69	143	3.3	2	2	2	3	4	5	6	50-69	3467	2.9	2	1	2	3	3	4	5
70 +	68	4.3	2	2	4	4	5	6	6	70 +	513	3.3	2	2	3	3	4	5	5
SUBTOTAL	219	3.6	2	2	2	4	5	6	6		4160	2.9	2	1	2	3	3	4	5
GRAND TOTAL	219	3.6	2	2	2	4	5	6	6		4160	2.9	2	1	2	3	3	4	5

DRG 338: Testes Procedures, for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	186	4.5	31	1	1	3	5	10	15	0-17	0								
70-74	254	3.8	20	1	1	2	5	11	15	18-34	9	9.0							
75-79	203	4.9	22	1	1	2	7	10	11	35-49	9	1.0							
80-84	228	4.9	32	1	1	3	6	13	18	50-69	104	3.4	7	1	1	2	7	7	8
85 +	124	4.2	10	1	1	4	6	8	12	70 +	23	13.0	51						
SUBTOTAL	**996**	**4.5**	**24**	**1**	**1**	**3**	**6**	**10**	**15**		**146**	**5.2**	**27**	**1**	**1**	**3**	**7**	**12**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	116	2.1	2	1	1	2	3	4	6	0-17	0								
70-74	102	1.6	1	< 1	1	1	2	3	5	18-34	121	1.2		< 1	< 1	1	1	1	3
75-79	210	1.6	1	1	1	1	2	3	3	35-49	101	1.2		1	1	1	1	2	2
80-84	137	1.4		1	1	1	2	2	3	50-69	36	1.0							
85 +	101	1.5	1	1	1	1	2	2	4	70 +	25	1.7							
SUBTOTAL	**666**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**282**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**1662**	**3.3**	**17**	**1**	**1**	**2**	**4**	**8**	**11**		**428**	**2.5**	**13**	**< 1**	**1**	**1**	**2**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	40	9.3	45						
35-49	0									35-49	9	1.0							
50-69	0									50-69	90	5.0	21	< 1	1	2	9	12	14
70 +	0									70 +	34	4.9	52						
SUBTOTAL	**0**										**174**	**5.8**	**36**	**< 1**	**1**	**2**	**9**	**17**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	9	7.0							
18-34	8	9.0								18-34	132	1.4		1	1	1	2	2	3
35-49	9	1.0								35-49	95	2.0	5	< 1	1	1	2	3	9
50-69	0									50-69	51	1.5		1	1	1	2	2	2
70 +	0									70 +	9	1.0							
SUBTOTAL	**17**	**4.6**	**17**								**297**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**7**
GRAND TOTAL	**17**	**4.6**	**17**								**471**	**3.2**	**19**	**1**	**1**	**1**	**2**	**9**	**16**

DRG 339: Testes Procedures, Non-malignancy Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	78	3.5	32	1	1	1	2	15	20	0-17	0									
70-74	79	4.2	21	1	1	3	3	14	14	18-34	17	1.5								
75-79	54	7.2	49	1	3	4	9	23	23	35-49	9	2.0								
80-84	0									50-69	45	2.9	4							
85 +	26	3.0								70 +	0									
SUBTOTAL	**237**	**4.5**	**31**	**1**	**1**	**3**	**4**	**14**	**20**		**71**	**2.4**	**3**	**1**	**1**	**2**	**2**	**6**	**6**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	250	2.1	7	1	1	1	2	4	5	0-17	0									
70-74	85	1.3		1	1	1	2	2	2	18-34	381	1.6	2	< 1	1	1	2	2	3	
75-79	60	3.1	8	1	1	2	6	9	9	35-49	341	1.7	3	1	1	1	2	4	5	
80-84	98	3.4	8	1	1	2	4	9	9	50-69	305	2.7	9	1	1	1	4	6	13	
85 +	36	2.0	1							70 +	17	1.5								
SUBTOTAL	**529**	**2.3**	**6**	**1**	**1**	**1**	**2**	**4**	**9**		**1044**	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**6**	
GRAND TOTAL	**766**	**3.0**	**15**	**1**	**1**	**2**	**3**	**6**	**11**		**1116**	**2.0**	**4**	**1**	**1**	**1**	**2**	**5**	**6**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	8	3.0								18-34	34	3.3	18							
35-49	0									35-49	23	1.3								
50-69	0									50-69	51	3.0	7	1	1	1	7	7	7	
70 +	19	4.5	13							70 +	16	3.5	2							
SUBTOTAL	**26**	**4.1**	**9**								**124**	**2.8**	**9**	**1**	**1**	**1**	**5**	**7**	**11**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	53	1.3		< 1	1	1	2	2	2	18-34	626	1.7	3	1	1	1	2	3	4	
35-49	0									35-49	413	1.5	3	1	1	1	1	2	4	
50-69	19	5.5	21							50-69	320	1.2		1	1	1	1	2	2	
70 +	9	4.0								70 +	28	1.3								
SUBTOTAL	**81**	**2.6**	**8**	**< 1**	**1**	**1**	**2**	**10**	**10**		**1386**	**1.5**	**3**	**1**	**1**	**1**	**1**	**2**	**4**	
GRAND TOTAL	**107**	**3.0**	**9**	**1**	**1**	**1**	**4**	**8**	**10**		**1511**	**1.6**	**3**	**1**	**1**	**1**	**1**	**3**	**4**	

DRG 340: Testes Procedures, Non-malignancy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	42	2.4	1						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**42**	**2.4**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1725	1.2		< 1	< 1	1	1	2	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1725**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**0**										**1767**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	48	1.2		< 1	1	1	1	2	2	0-17	98	2.1	1	1	1	2	3	4	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**48**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**		**98**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	307	1.2		< 1	< 1	1	1	1	3	0-17	1683	1.2		< 1	1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**307**	**1.2**		**< 1**	**< 1**	**1**	**1**	**1**	**3**		**1683**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**355**	**1.2**		**< 1**	**< 1**	**1**	**1**	**1**	**2**		**1781**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**

DRG 341: Penis Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	315	4.2	15	1	2	3	5	6	11
70-74	341	3.9	10	1	2	3	4	7	7
75-79	232	3.7	3	2	3	3	5	6	7
80-84	164	7.6	56	3	4	5	8	12	36
85 +	99	3.6	2	3	3	3	5	5	6
SUBTOTAL	**1151**	**4.4**	**17**	**2**	**3**	**3**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	879	2.7	3	1	1	2	4	5	6
70-74	559	2.7	2	1	2	3	4	5	5
75-79	434	2.9	2	1	2	3	4	5	5
80-84	177	3.2	4	1	1	3	4	4	8
85 +	78	4.6	6	2	3	4	5	10	10
SUBTOTAL	**2127**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**
GRAND TOTAL	**3278**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	3.7	9	1	1	4	7	8	8
18-34	8	3.0							
35-49	46	6.0	9						
50-69	208	2.6	2	1	1	2	3	4	6
70 +	8	1.0							
	316	**3.2**	**6**	**1**	**1**	**3**	**4**	**7**	**8**
0-17	912	1.8	3	< 1	< 1	< 1	2	4	7
18-34	79	1.9	1	1	1	1	3	4	4
35-49	113	2.2	2	1	1	2	2	4	5
50-69	723	2.6	3	1	1	2	3	5	7
70 +	65	2.7	2	1	2	3	4	5	5
	1892	**2.2**	**3**	**< 1**	**< 1**	**1**	**3**	**5**	**7**
	2208	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	9	7.0							
18-34	9	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**19**	**4.0**	**10**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	247	2.6	4	< 1	1	2	4	6	7
18-34	0								
35-49	9	1.0							
50-69	0								
70 +	8	8.0							
SUBTOTAL	**264**	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**283**	**2.8**	**5**	**< 1**	**1**	**2**	**4**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	5.0	10						
18-34	16	7.0	10						
35-49	78	2.2	3	1	1	2	2	6	7
50-69	272	3.6	13	1	1	2	3	8	14
70 +	26	2.2	2						
	407	**3.4**	**11**	**1**	**1**	**2**	**4**	**8**	**10**
0-17	512	2.0	3	1	1	1	3	5	6
18-34	67	2.1	2	< 1	1	2	3	5	5
35-49	121	1.6	1	1	1	1	2	3	4
50-69	832	1.9	1	1	1	1	2	3	4
70 +	34	3.2							
	1566	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**5**
	1972	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**6**

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	17	1.0							
SUBTOTAL	**17**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	1.2							
70-74	16	1.0							
75-79	9	1.0							
80-84	8	1.0							
85 +	9	1.0							
SUBTOTAL	**84**	**1.1**		< 1	< 1	1	1	2	2
GRAND TOTAL	**101**	**1.1**		< 1	< 1	1	1	1	2

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	9	1.0							
50-69	36	2.7	11						
70 +	0								
	45	**2.4**	9						
0-17	0								
18-34	28	1.0							
35-49	0								
50-69	28	1.0							
70 +	0								
	56	**1.0**		< 1	< 1	< 1	< 1	1	1
	101	**1.6**	5	< 1	< 1	< 1	1	1	9

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	9	4.0							
70 +	0								
SUBTOTAL	**9**	**4.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	9	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**9**	**1.0**							
GRAND TOTAL	**19**	**2.5**	2						

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	31	1.0							
35-49	17	1.0							
50-69	16	1.0							
70 +	0								
	64	**1.0**		< 1	< 1	< 1	1	1	1
	64	**1.0**		< 1	< 1	< 1	1	1	1

DRG 343: Circumcision Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	17	1.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**17**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	347	1.0		< 1	< 1	< 1	< 1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**347**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
GRAND TOTAL	**0**										**364**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	23	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**23**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	86	1.0		< 1	< 1	< 1	< 1	< 1	< 1	0-17	165	1.0		< 1	< 1	< 1	1	1	1
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**86**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**		**165**	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**
GRAND TOTAL	**86**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**		**188**	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	105	5.6	21	2	3	4	7	10	18	0-17	0								
70-74	135	6.1	29	3	3	5	6	13	25	18-34	0								
75-79	88	6.3	24	3	4	5	6	16	20	35-49	8	14.0							
80-84	54	5.5	8	1	2	7	8	8	8	50-69	65	4.6	1	3	4	5	5	6	6
85 +	8	4.0								70 +	8	22.0							
SUBTOTAL	**391**	**5.8**	**22**	**2**	**3**	**5**	**7**	**10**	**18**		**81**	**7.2**	**32**	**3**	**4**	**5**	**6**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	104	4.0	5	1	3	4	5	7	8	0-17	0								
70-74	133	3.8	4	1	3	3	5	6	9	18-34	28	6.0	1						
75-79	99	4.3	4	2	2	4	6	7	7	35-49	0								
80-84	9	3.0								50-69	110	3.6	1	2	3	3	4	5	5
85 +	9	1.0								70 +	9	4.0							
SUBTOTAL	**355**	**3.9**	**4**	**1**	**3**	**4**	**5**	**7**	**8**		**147**	**4.1**	**2**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**745**	**4.9**	**15**	**1**	**3**	**4**	**6**	**8**	**10**		**228**	**5.2**	**15**	**3**	**3**	**4**	**5**	**7**	**14**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	16	7.0	1						
35-49	0									35-49	17	4.6	17						
50-69	0									50-69	34	7.2	12						
70 +	0									70 +	0								
SUBTOTAL	**0**										**67**	**6.5**	**12**	**1**	**2**	**7**	**9**	**11**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	16	8.0	1						
35-49	9	4.0								35-49	8	7.0							
50-69	0									50-69	47	5.5	5	1	6	6	6	8	8
70 +	0									70 +	8	5.0							
SUBTOTAL	**9**	**4.0**									**78**	**6.1**	**4**	**3**	**6**	**6**	**7**	**9**	**9**
GRAND TOTAL	**9**	**4.0**									**145**	**6.3**	**8**	**1**	**6**	**6**	**8**	**9**	**11**

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	73	2.1	2	1	1	2	2	6	6	0-17	0								
70-74	34	4.5	17							18-34	0								
75-79	36	8.4	78							35-49	26	4.3	20						
80-84	34	5.1	23							50-69	9	1.0							
85+	26	6.7	12							70+	0								
SUBTOTAL	**203**	**4.7**	**28**	**1**	**2**	**2**	**5**	**12**	**12**		**36**	**3.4**	**17**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	2.8	1	1	2	3	3	5	5	0-17	8	7.0							
70-74	8	7.0								18-34	9	5.0							
75-79	26	2.9	2							35-49	19	2.5	2						
80-84	28	3.3								50-69	25	3.3	4						
85+	16	2.5	2							70+	0								
SUBTOTAL	**129**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**7**		**60**	**3.8**	**4**	**1**	**2**	**4**	**6**	**7**	**7**
GRAND TOTAL	**332**	**4.1**	**18**	**1**	**2**	**3**	**4**	**8**	**12**		**96**	**3.7**	**9**	**1**	**1**	**2**	**6**	**7**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	17	3.2	4						
18-34	0									18-34	17	11.5	38						
35-49	0									35-49	0								
50-69	8	2.0								50-69	31	2.8	2						
70+	0									70+	0								
SUBTOTAL	**8**	**2.0**									**65**	**5.1**	**26**	**1**	**2**	**5**	**6**	**18**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	3.0							
18-34	0									18-34	0								
35-49	9	1.0								35-49	17	2.4	2						
50-69	0									50-69	113	2.0	3	1	1	1	2	3	8
70+	0									70+	9	1.0							
SUBTOTAL	**9**	**1.0**									**148**	**2.0**	**3**	**<1**	**1**	**1**	**3**	**4**	**8**
GRAND TOTAL	**17**	**1.5**									**213**	**3.0**	**12**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 346: Malignancy, Male Reproductive System, w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	197	8.6	114	1	3	5	10	14	37	0-17	0								
70-74	163	7.2	37	2	2	4	11	18	20	18-34	0								
75-79	174	6.1	40	2	3	5	7	8	9	35-49	17	3.1	1						
80-84	177	6.0	15	2	2	6	8	11	15	50-69	79	6.1	14	2	3	4	10	12	12
85 +	150	7.1	15	2	4	6	10	13	14	70 +	23	5.7	29						
SUBTOTAL	**861**	**7.0**	**47**	**2**	**3**	**6**	**8**	**13**	**17**		**119**	**5.6**	**16**	**1**	**3**	**4**	**10**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**861**	**7.0**	**47**	**2**	**3**	**6**	**8**	**13**	**17**		**119**	**5.6**	**16**	**1**	**3**	**4**	**10**	**12**	**13**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	8	9.0							
50-69	0									50-69	101	7.4	11	2	5	8	10	11	12
70 +	0									70 +	25	8.5	41						
SUBTOTAL	**0**										**133**	**7.7**	**16**	**1**	**5**	**9**	**10**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**133**	**7.7**	**16**	**1**	**5**	**9**	**10**	**12**	**16**

DRG 347: Malignancy, Male Reproductive System, w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	1.0								0-17	8	7.0							
70-74	50	1.2		< 1	1	1	1	2	2	18-34	31	3.8	1						
75-79	34	1.0								35-49	0								
80-84	25	3.6	3							50-69	36	1.8	1						
85 +	17	3.5								70 +	0								
SUBTOTAL	**152**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**		**75**	**3.1**	**3**	**< 1**	**2**	**3**	**4**	**7**	**7**
GRAND TOTAL	**152**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**		**75**	**3.1**	**3**	**< 1**	**2**	**3**	**4**	**7**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	9	2.0							
18-34	0									18-34	0								
35-49	0									35-49	16	6.5	7						
50-69	8	1.0								50-69	59	2.5	11	< 1	1	1	2	11	11
70 +	0									70 +	8	2.0							
SUBTOTAL	**8**	**1.0**									**92**	**3.1**	**11**	**< 1**	**1**	**2**	**4**	**9**	**11**
GRAND TOTAL	**8**	**1.0**									**92**	**3.1**	**11**	**< 1**	**1**	**2**	**4**	**9**	**11**

DRG 348: Benign Prostatic Hypertrophy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	116	3.6	15	1	1	2	4	5	16	0-17	0								
70-74	108	4.1	7	1	3	3	5	8	10	18-34	0								
75-79	110	5.6	24	1	2	4	7	12	17	35-49	9	3.0							
80-84	99	4.0	6	1	3	4	4	6	10	50-69	28	4.3	7						
85 +	70	6.6	24	1	2	5	9	15	15	70 +	17	2.6	2						
SUBTOTAL	**504**	**4.6**	**16**	**1**	**2**	**4**	**5**	**11**	**14**		**54**	**3.6**	**5**	**< 1**	**2**	**3**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**504**	**4.6**	**16**	**1**	**2**	**4**	**5**	**11**	**14**		**54**	**3.6**	**5**	**< 1**	**2**	**3**	**4**	**8**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	16	5.0	10						
50-69	0									50-69	101	3.8	5	< 1	1	4	6	6	7
70 +	0									70 +	45	2.8	5						
SUBTOTAL	**0**										**161**	**3.6**	**5**	**< 1**	**1**	**3**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**161**	**3.6**	**5**	**< 1**	**1**	**3**	**6**	**7**	**8**

DRG 349: Benign Prostatic Hypertrophy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	181	2.3	7	< 1	1	1	2	5	8	0-17	0								
70-74	95	1.9	1	< 1	1	1	3	3	4	18-34	0								
75-79	87	2.7	5	< 1	1	2	4	4	9	35-49	19	1.0							
80-84	37	1.0								50-69	119	2.3	3	< 1	1	1	3	4	6
85 +	60	1.9	1	< 1	1	2	3	3	3	70 +	25	2.1	2						
SUBTOTAL	**461**	**2.1**	**4**	**< 1**	**1**	**1**	**3**	**4**	**5**		**163**	**2.1**	**2**	**< 1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**461**	**2.1**	**4**	**< 1**	**1**	**1**	**3**	**4**	**5**		**163**	**2.1**	**2**	**< 1**	**1**	**1**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	8	1.0							
50-69	0									50-69	101	1.5	1	< 1	1	1	2	3	3
70 +	0									70 +	25	3.5	14						
SUBTOTAL	**0**										**134**	**1.9**	**4**	**< 1**	**1**	**1**	**2**	**3**	**9**
GRAND TOTAL	**0**										**134**	**1.9**	**4**	**< 1**	**1**	**1**	**2**	**3**	**9**

DRG 350: Inflammation of the Male Reproductive System

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	333	4.8	10	2	3	4	6	8	11	0-17	60	4.1	24	1	1	2	5	16	16
70-74	194	5.0	11	2	2	4	6	11	11	18-34	56	3.0	3	1	2	2	4	6	6
75-79	102	4.8	4	2	2	5	7	7	8	35-49	118	3.6	1	3	3	3	4	4	6
80-84	91	7.9	8	4	5	7	10	12	13	50-69	268	4.8	10	2	3	4	6	8	12
85 +	73	6.1	15	3	3	4	7	15	15	70 +	8	3.0							
SUBTOTAL	**793**	**5.3**	**11**	**2**	**3**	**5**	**7**	**10**	**12**		**510**	**4.2**	**9**	**2**	**2**	**4**	**5**	**7**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	231	3.6	4	1	2	3	5	6	7	0-17	101	3.2	5	1	1	2	5	6	8
70-74	105	3.6	5	1	2	3	5	6	9	18-34	234	3.4	7	1	1	3	5	8	9
75-79	71	3.7	1	2	3	4	4	6	6	35-49	200	3.2	4	1	1	3	5	6	7
80-84	62	3.1	1	2	2	3	4	5	5	50-69	218	4.3	6	2	3	4	5	7	10
85 +	9	1.0								70 +	0								
SUBTOTAL	**479**	**3.5**	**3**	**1**	**2**	**3**	**5**	**6**	**7**		**753**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1272**	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**11**		**1263**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	25	2.8	3							0-17	16	6.0	1						
18-34	9	2.0								18-34	95	3.2	5	1	2	3	4	4	10
35-49	9	2.0								35-49	154	5.3	7	2	4	5	8	9	9
50-69	19	6.0	4							50-69	248	4.3	5	2	3	4	5	8	8
70 +	0									70 +	8	4.0							
SUBTOTAL	**62**	**3.5**	**5**	**1**	**2**	**2**	**5**	**8**	**8**		**520**	**4.4**	**6**	**2**	**2**	**4**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	46	2.0	1							0-17	85	2.5	6	< 1	1	2	3	9	9
18-34	25	7.1	7							18-34	362	4.3	8	2	2	4	6	7	9
35-49	45	5.8	11							35-49	350	3.9	5	1	2	4	6	7	7
50-69	9	3.0								50-69	232	3.8	3	2	3	4	5	6	7
70 +	0									70 +	8	4.0							
SUBTOTAL	**125**	**4.5**	**10**	**1**	**2**	**3**	**8**	**10**	**11**		**1036**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**187**	**4.2**	**9**	**1**	**2**	**3**	**5**	**9**	**10**		**1556**	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**8**

Western Region, July 1988 - June 1989

DRG 351: Sterilization, Male

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	28	1.0							
35-49	19	1.0							
50-69	0								
70 +	0								
	46	**1.0**							
	46	**1.0**							

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 352: Other Male Reproductive System Diagnoses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	19	7.0	17						
70-74	9	5.0							
75-79	19	4.0	1						
80-84	17	4.6	2						
85 +	8	1.0							
SUBTOTAL	**71**	**4.7**	**8**	**1**	**3**	**5**	**6**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	9	1.0							
70-74	17	1.0							
75-79	19	2.0	1						
80-84	8	1.0							
85 +	0								
SUBTOTAL	**53**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**124**	**3.3**	**8**	**1**	**1**	**3**	**5**	**6**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	5.0	1						
18-34	9	1.0							
35-49	9	4.0							
50-69	0								
70 +	8	3.0							
	42	**3.5**	**3**						
0-17	135	1.5	1	1	1	1	2	3	4
18-34	73	1.5	1	< 1	< 1	1	3	3	3
35-49	25	2.3	4						
50-69	0								
70 +	0								
	233	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
	275	**1.9**	**2**	**< 1**	**1**	**1**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	17	4.9	1						
18-34	0								
35-49	0								
50-69	0								
70 +	9	9.0							
SUBTOTAL	**26**	**6.4**	**5**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	64	1.6		< 1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**64**	**1.6**		**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**90**	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	6.7	7						
18-34	23	1.3							
35-49	51	3.7	9	1	2	2	4	10	10
50-69	8	1.0							
70 +	0								
	99	**3.5**	**9**	**1**	**1**	**2**	**4**	**9**	**10**
0-17	141	1.1		< 1	< 1	1	1	2	2
18-34	59	2.3	4	1	1	1	5	6	6
35-49	72	4.5	36	< 1	1	2	4	21	21
50-69	40	3.2	5						
70 +	0								
	312	**2.4**	**12**	**< 1**	**1**	**1**	**2**	**6**	**7**
	412	**2.6**	**11**	**< 1**	**1**	**1**	**3**	**6**	**9**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23	47.0	1133							0-17	0								
70-74	8	13.0								18-34	16	9.5	2						
75-79	8	14.0								35-49	42	8.4	1						
80-84	9	17.0								50-69	50	9.0	13	4	7	8	11	15	15
85 +	0									70 +	0								
SUBTOTAL	**48**	**30.4**	**802**	**10**	**13**	**17**	**41**	**90**	**90**		**107**	**8.9**	**7**	**7**	**8**	**8**	**10**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	8.0								0-17	0								
70-74	16	6.5								18-34	8	5.0							
75-79	25	7.6	1							35-49	51	5.9	4	3	4	6	8	8	8
80-84	0									50-69	31	7.0	5						
85 +	0									70 +	0								
SUBTOTAL	**48**	**7.3**	**1**	**6**	**7**	**7**	**8**	**9**	**9**		**90**	**6.2**	**4**	**3**	**4**	**6**	**8**	**9**	**9**
GRAND TOTAL	**96**	**18.9**	**532**	**7**	**7**	**9**	**17**	**41**	**90**		**197**	**7.6**	**7**	**4**	**6**	**8**	**9**	**11**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	6.0							
35-49	0									35-49	54	10.4	18	7	7	9	12	20	20
50-69	0									50-69	56	9.5	10	6	7	8	13	15	15
70 +	0									70 +	0								
SUBTOTAL	**0**										**118**	**9.7**	**14**	**6**	**7**	**8**	**12**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	31	7.5							
35-49	0									35-49	23	7.3	1						
50-69	0									50-69	8	9.0							
70 +	0									70 +	8	5.0							
SUBTOTAL	**0**										**70**	**7.3**	**1**	**5**	**7**	**8**	**8**	**9**	**9**
GRAND TOTAL	**0**										**188**	**8.8**	**11**	**6**	**7**	**8**	**10**	**13**	**15**

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	376	7.0	11	4	5	6	8	12	14	0-17	0								
70-74	349	8.9	119	4	4	5	9	14	21	18-34	107	4.6	2	3	4	4	5	6	8
75-79	357	6.7	11	4	5	6	7	11	11	35-49	157	5.7	10	3	4	5	7	10	14
80-84	187	9.2	34	5	5	7	10	15	20	50-69	274	7.1	23	3	4	6	7	12	22
85 +	28	8.3	31							70 +	9	4.0							
SUBTOTAL	1297	7.8	45	4	5	6	9	14	16		547	6.1	16	3	4	5	7	10	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	1297	7.8	45	4	5	6	9	14	16		547	6.1	16	3	4	5	7	10	14

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	26	4.3								18-34	51	6.6	77	1	3	3	4	27	27
35-49	17	4.4	2							35-49	225	5.3	4	4	4	5	6	7	9
50-69	19	4.5								50-69	394	6.0	7	4	4	5	7	10	13
70 +	0									70 +	17	5.5							
SUBTOTAL	62	4.4	1	3	4	4	5	6	6		688	5.8	11	4	4	5	7	9	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	62	4.4	1	3	4	4	5	6	6		688	5.8	11	4	4	5	7	9	13

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	599	4.7	2	3	4	4	5	7	7
70-74	487	4.8	2	4	4	4	6	7	7
75-79	248	4.8	3	3	4	5	5	6	7
80-84	143	5.8	3	4	5	5	7	8	9
85 +	79	5.6	1	4	5	5	6	7	7
SUBTOTAL	**1556**	**4.9**	**2**	**3**	**4**	**5**	**5**	**7**	**8**
GRAND TOTAL	**1556**	**4.9**	**2**	**3**	**4**	**5**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	652	3.5	1	3	3	3	4	4	5
35-49	958	3.8	1	3	3	4	4	5	6
50-69	788	4.2	1	3	3	4	5	5	6
70 +	25	4.7	2						
	2422	**3.8**	**1**	**3**	**3**	**4**	**4**	**5**	**6**
	2422	**3.8**	**1**	**3**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	319	3.4	1	2	3	3	4	5	5
35-49	118	3.7	1	3	3	4	4	4	6
50-69	8	4.0							
70 +	0								
SUBTOTAL	**445**	**3.5**	**1**	**2**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**445**	**3.5**	**1**	**2**	**3**	**4**	**4**	**5**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	6.0							
18-34	427	3.4	1	2	3	3	4	4	5
35-49	637	3.8	1	2	3	4	5	5	6
50-69	778	4.2	1	3	3	4	5	6	7
70 +	17	5.0							
	1867	**3.9**	**1**	**3**	**3**	**4**	**5**	**5**	**6**
	1867	**3.9**	**1**	**3**	**3**	**4**	**5**	**5**	**6**

DRG 356: Female Reproductive System Reconstructive Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	35TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	721	4.9	5	3	3	5	6	7	8	0-17	17	3.5							
70-74	468	5.5	14	3	3	4	6	9	15	18-34	46	3.8	5						
75-79	276	5.0	4	3	4	5	6	8	8	35-49	294	4.1	2	2	3	4	5	6	7
80-84	116	5.8	7	3	5	5	7	9	12	50-69	581	4.8	7	3	3	4	5	8	9
85 +	50	4.8	4	2	4	4	6	8	8	70 +	25	8.4	27						
SUBTOTAL	**1631**	**5.2**	**8**	**3**	**4**	**5**	**6**	**8**	**9**		**964**	**4.6**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2266	3.9	2	2	3	4	5	6	7	0-17	0								
70-74	1812	4.0	4	2	3	4	5	6	7	18-34	411	3.6	2	2	3	3	4	5	7
75-79	883	4.5	5	2	3	4	5	7	8	35-49	2011	3.7	2	2	3	4	4	5	6
80-84	305	5.0	27	1	3	4	6	7	22	50-69	3534	3.7	2	2	3	4	4	5	6
85 +	150	4.0	2	2	3	4	5	5	8	70 +	101	3.8	1	3	3	3	5	5	6
SUBTOTAL	**5417**	**4.1**	**5**	**2**	**3**	**4**	**5**	**6**	**7**		**6056**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**7048**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**8**		**7020**	**3.8**	**3**	**2**	**3**	**4**	**5**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	36	4.3	1							18-34	17	2.9	1						
35-49	26	9.6	31							35-49	236	4.7	2	3	4	5	5	6	7
50-69	64	3.6	3	1	2	3	6	6	6	50-69	533	4.5	3	3	3	4	5	8	9
70 +	9	8.0								70 +	19	4.0							
SUBTOTAL	**135**	**5.3**	**13**	**2**	**3**	**4**	**6**	**8**	**17**		**804**	**4.5**	**3**	**3**	**3**	**4**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	84	3.8	2	2	2	4	5	6	6	18-34	191	2.9	1	2	2	3	4	4	5
35-49	211	3.5	2	2	2	4	4	5	7	35-49	1376	3.4	2	2	2	4	4	5	6
50-69	127	3.4	2	2	2	3	5	5	6	50-69	1996	3.5	2	2	3	3	4	5	5
70 +	37	4.3	4							70 +	81	3.5	2	1	3	4	4	5	6
SUBTOTAL	**458**	**3.6**	**2**	**2**	**2**	**4**	**5**	**6**	**6**		**3643**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**5**
GRAND TOTAL	**593**	**4.0**	**5**	**2**	**2**	**4**	**5**	**6**	**7**		**4448**	**3.6**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	290	10.4	93	5	6	8	11	19	25
70-74	206	11.4	49	6	7	9	13	22	23
75-79	147	14.3	116	5	7	9	16	36	36
80-84	85	16.0	152	6	8	13	19	44	44
85 +	62	13.2	27	8	9	12	16	24	24
SUBTOTAL	**791**	**12.2**	**90**	**5**	**7**	**9**	**13**	**24**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	136	6.5	16	4	4	5	7	13	18
70-74	90	5.4	2	3	4	5	7	8	8
75-79	45	7.0	1						
80-84	46	5.8	9						
85 +	8	8.0							
SUBTOTAL	**325**	**6.2**	**9**	**4**	**4**	**5**	**7**	**9**	**13**
GRAND TOTAL	**1116**	**10.4**	**74**	**4**	**6**	**8**	**12**	**20**	**32**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	3.9	5						
35-49	155	6.2	6	4	4	6	8	11	12
50-69	280	7.8	21	4	5	6	10	12	17
70 +	26	9.9	3						
	488	**7.2**	**16**	**4**	**4**	**6**	**8**	**12**	**16**
0-17	16	4.0	1						
18-34	78	4.3	1	3	4	4	4	6	6
35-49	197	5.1	3	4	4	5	5	7	8
50-69	220	4.8	2	3	4	4	6	7	8
70 +	9	9.0							
	519	**4.9**	**3**	**3**	**4**	**4**	**6**	**7**	**8**
	1008	**6.0**	**10**	**3**	**4**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	9	6.0							
50-69	36	10.2	20						
70 +	0								
SUBTOTAL	**45**	**9.3**	**19**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	36	3.7							
35-49	0								
50-69	9	4.0							
70 +	0								
SUBTOTAL	**45**	**3.8**							
GRAND TOTAL	**90**	**6.6**	**17**	**3**	**4**	**4**	**8**	**14**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VAR!-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	9	5.0							
18-34	75	5.8	3	4	5	5	6	10	10
35-49	163	9.3	33	4	6	7	10	17	27
50-69	230	8.9	27	4	5	7	10	17	22
70 +	19	19.5	95						
	495	**8.9**	**33**	**4**	**5**	**7**	**10**	**17**	**23**
0-17	8	5.0							
18-34	127	4.3	2	3	3	4	5	6	7
35-49	134	4.8	2	3	3	4	6	7	8
50-69	78	5.0	2	4	4	5	6	7	8
70 +	0								
	346	**4.7**	**2**	**3**	**4**	**4**	**6**	**7**	**7**
	841	**7.2**	**25**	**3**	**4**	**6**	**8**	**14**	**17**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1200	6.5	22	4	4	5	7	11	13
70-74	664	5.8	6	4	4	5	7	9	11
75-79	513	6.4	15	4	5	5	7	8	18
80-84	161	7.5	7	3	5	7	9	11	12
85 +	99	8.4	10	6	6	7	12	12	15
SUBTOTAL	**2637**	**6.4**	**15**	**4**	**4**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2637**	**6.4**	**15**	**4**	**4**	**5**	**7**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	3.5	2	2	3	4	4	4	7
18-34	3012	4.5	8	3	3	4	5	7	8
35-49	7138	4.8	6	3	4	4	5	7	8
50-69	1648	5.3	8	3	4	5	6	7	9
70 +	25	6.2	3						
	11940	**4.8**	**7**	**3**	**4**	**4**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11940	**4.8**	**7**	**3**	**4**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	5.0	22						
18-34	663	5.1	9	3	3	4	6	8	11
35-49	542	5.6	9	3	4	5	6	9	12
50-69	96	5.1	2	4	4	4	7	7	8
70 +	9	20.0							
SUBTOTAL	**1337**	**5.4**	**10**	**3**	**4**	**4**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1337**	**5.4**	**10**	**3**	**4**	**4**	**6**	**8**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	3.0	2	1	2	3	4	6	6
18-34	2010	4.7	5	3	3	4	5	8	10
35-49	5432	5.3	9	3	4	5	6	8	10
50-69	1273	5.5	6	3	4	5	6	8	12
70 +	34	10.6	56						
	8825	**5.2**	**8**	**3**	**4**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	8825	**5.2**	**8**	**3**	**4**	**4**	**6**	**8**	**10**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2761	4.5	2	3	4	4	5	6	7
70-74	1570	4.9	3	3	4	4	6	7	8
75-79	810	5.0	3	3	4	5	6	7	8
80-84	220	5.3	2	4	4	5	6	7	8
85 +	71	6.3	5	3	4	6	8	10	10
SUBTOTAL	**5433**	**4.7**	**3**	**3**	**4**	**4**	**5**	**7**	**8**
GRAND TOTAL	**5433**	**4.7**	**3**	**3**	**4**	**4**	**5**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	640	3.3	2	2	3	3	4	5	5
18-34	19383	3.6	2	2	3	4	4	5	5
35-49	35359	3.9	1	3	3	4	4	5	6
50-69	8964	4.2	1	3	3	4	5	6	6
70 +	137	4.1	3	2	3	4	5	6	7
	64482	**3.8**	**1**	**3**	**3**	**4**	**4**	**5**	**6**
	64482	**3.8**	**1**	**3**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	127	3.7	3	2	3	3	5	7	7
18-34	3871	3.7	2	2	3	4	4	5	6
35-49	1905	4.1	2	3	3	4	5	5	6
50-69	280	4.8	3	3	4	5	5	6	9
70 +	8	5.0							
SUBTOTAL	**6191**	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**6191**	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	357	3.4	2	2	3	3	4	5	6
18-34	9036	3.6	2	2	3	3	4	5	5
35-49	16242	3.9	1	3	3	4	4	5	6
50-69	4090	4.1	2	3	3	4	5	5	6
70 +	90	4.3	4	1	3	4	6	7	8
	29815	**3.8**	**2**	**3**	**3**	**4**	**4**	**5**	**6**
	29815	**3.8**	**2**	**3**	**3**	**4**	**4**	**5**	**6**

DRG 360: Vagina, Cervix & Vulva Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	79	7.0	68	1	2	3	8	28	28
70-74	25	8.3	90						
75-79	51	6.6	101	1	2	3	4	30	30
80-84	17	10.6	26						
85 +	57	7.2	22	3	3	6	14	15	15
SUBTOTAL	**230**	**7.4**	**63**	**1**	**2**	**4**	**9**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	113	3.2	1	2	2	3	4	5	5
70-74	116	3.1	8	< 1	1	2	4	8	10
75-79	43	1.9	2						
80-84	40	4.2	1						
85 +	45	2.6	6						
SUBTOTAL	**358**	**3.0**	**4**	**< 1**	**1**	**3**	**4**	**5**	**8**
GRAND TOTAL	**588**	**4.7**	**32**	**1**	**2**	**3**	**5**	**9**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	70	1.9	2	1	1	1	2	5	5
35-49	42	6.2	22						
50-69	84	3.8	7	1	3	3	4	7	11
70 +	0								
	203	**3.6**	**11**	**1**	**1**	**3**	**4**	**8**	**11**
0-17	124	2.3	3	< 1	< 1	2	3	3	8
18-34	356	2.1	2	< 1	1	1	3	4	4
35-49	291	2.2	2	< 1	1	2	3	4	4
50-69	187	2.1	2	< 1	1	2	2	3	5
70 +	0								
	960	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**4**
	1163	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	5.7	6						
18-34	64	2.1		1	2	2	3	3	3
35-49	9	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**96**	**2.9**	**4**	**1**	**2**	**2**	**3**	**4**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	1.0							
18-34	73	2.2	1	< 1	1	2	3	4	4
35-49	8	1.0							
50-69	26	3.0							
70 +	0								
SUBTOTAL	**130**	**2.1**	**1**	**< 1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**226**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	5.5	13						
18-34	109	4.6	65	1	1	1	2	7	30
35-49	42	4.4	12						
50-69	47	6.2	36	1	3	4	6	19	19
70 +	9	16.0							
	222	**5.4**	**48**	**1**	**1**	**2**	**7**	**16**	**19**
0-17	163	2.0	3	< 1	1	1	3	5	6
18-34	320	1.7	2	< 1	1	1	2	4	5
35-49	202	1.7	3	1	1	1	1	4	4
50-69	196	2.7	7	< 1	1	1	4	6	8
70 +	8	3.0							
	889	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**5**	**6**
	1111	**2.7**	**14**	**< 1**	**1**	**1**	**3**	**6**	**8**

DRG 361: Laparoscopy & Incisional Tubal Interruption

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**9**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	46	2.0	2						
70-74	17	1.0							
75-79	17	4.6	17						
80-84	0								
85 +	0								
SUBTOTAL	**81**	**2.3**	**6**	**< 1**	**1**	**1**	**3**	**6**	**9**
GRAND TOTAL	**90**	**2.2**	**5**	**< 1**	**1**	**1**	**3**	**4**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	19	2.5							
18-34	187	4.6	23	1	1	4	7	8	11
35-49	91	5.0	45	1	1	3	5	13	24
50-69	28	3.0	8						
70 +	0								
	325	**4.5**	**27**	**1**	**1**	**3**	**6**	**8**	**22**
0-17	191	2.7	3	< 1	1	2	4	4	6
18-34	1624	2.3	4	< 1	< 1	1	3	5	7
35-49	514	1.9	2	< 1	< 1	1	3	4	5
50-69	28	2.0	2						
70 +	0								
	2356	**2.2**	**3**	**< 1**	**< 1**	**1**	**3**	**5**	**6**
	2682	**2.5**	**7**	**< 1**	**< 1**	**1**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	194	2.9	5	1	1	2	4	6	6
35-49	25	3.8	9						
50-69	0								
70 +	0								
SUBTOTAL	**218**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	2.4	4						
18-34	675	2.7	4	< 1	1	2	4	6	7
35-49	64	1.9	1	1	1	1	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	**765**	**2.6**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**983**	**2.7**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	4.3	9						
18-34	228	3.5	13	1	1	3	5	7	8
35-49	72	3.4	12	1	1	1	4	11	11
50-69	17	1.5							
70 +	0								
	334	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**8**
0-17	71	3.3	5	1	1	3	5	8	8
18-34	1736	2.4	4	< 1	1	1	3	5	7
35-49	666	1.7	2	< 1	1	1	2	4	4
50-69	8	5.0							
70 +	0								
	2481	**2.2**	**4**	**< 1**	**1**	**1**	**3**	**5**	**6**
	2815	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**7**

DRG 362: Endoscopic Tubal Interruption

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	9	2.0							
35-49	0								
50-69	0								
70 +	0								
	9	**2.0**							
0-17	0								
18-34	74	1.0		< 1	< 1	< 1	< 1	1	1
35-49	102	1.5	1	< 1	< 1	< 1	2	3	4
50-69	0								
70 +	0								
	176	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**3**	**4**
	186	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	149	1.1		< 1	< 1	< 1	< 1	< 1	3
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**149**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**3**
GRAND TOTAL	**149**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**3**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	17	1.0							
35-49	8	1.0							
50-69	0								
70 +	0								
	25	**1.0**							
0-17	0								
18-34	116	1.1		1	1	1	1	1	2
35-49	75	1.6	1	< 1	< 1	< 1	1	4	4
50-69	0								
70 +	0								
	191	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
	216	**1.2**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 363: D&C, Conization & Radio-implant, for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	45	4.7	8							0-17	0								
70-74	26	5.2	6							18-34	26	3.0							
75-79	45	3.2	7							35-49	45	2.0							
80-84	36	6.0	3							50-69	81	3.6	7	1	2	2	4	9	9
85 +	0									70 +	0								
SUBTOTAL	**152**	**4.6**	**7**	**1**	**3**	**4**	**7**	**8**	**10**		**152**	**3.0**	**4**	**1**	**2**	**2**	**3**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	122	2.4	1	< 1	2	2	3	4	4	0-17	0								
70-74	56	2.2	1	< 1	1	2	3	4	4	18-34	54	1.9		< 1	1	2	2	3	3
75-79	71	2.0	1	1	2	2	3	3	3	35-49	88	1.5	1	< 1	1	1	2	3	3
80-84	25	3.3	2							50-69	84	2.0		< 1	2	2	2	3	3
85 +	37	2.5								70 +	0								
SUBTOTAL	**311**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**226**	**1.8**	**1**	**< 1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**463**	**3.1**	**4**	**1**	**2**	**3**	**4**	**7**	**8**		**378**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	9	1.0							
35-49	9	2.0								35-49	8	4.0							
50-69	9	2.0								50-69	33	3.2	1						
70 +	19	2.0								70 +	0								
SUBTOTAL	**37**	**2.0**									**50**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	26	1.0								18-34	57	1.5	1	< 1	< 1	1	2	3	3
35-49	26	2.2	2							35-49	50	1.3		1	1	1	2	2	2
50-69	9	2.0								50-69	78	1.9	1	< 1	1	2	2	4	4
70 +	0									70 +	17	1.5							
SUBTOTAL	**62**	**1.7**	**1**	**< 1**	**< 1**	**1**	**2**	**4**	**4**		**202**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**99**	**1.8**	**1**	**< 1**	**1**	**2**	**2**	**2**	**4**		**252**	**1.9**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**

DRG 364: D&C, Conization except for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	130	2.4	3	< 1	< 1	2	4	6	6	0-17	9	1.0							
70-74	36	1.7								18-34	119	1.8	1	1	1	2	2	4	4
75-79	54	2.2	1	1	2	2	2	4	4	35-49	287	2.2	9	1	1	1	2	3	10
80-84	34	6.2	2							50-69	91	1.7	1	< 1	1	1	2	3	4
85 +	34	4.4	3							70 +	0								
SUBTOTAL	288	2.9	4	< 1	1	2	4	6	7		507	2.0	5	1	1	1	2	4	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	98	1.1		< 1	< 1	< 1	1	1	2	0-17	19	2.0							
70-74	26	1.4								18-34	475	1.3		< 1	< 1	1	1	2	2
75-79	37	1.0								35-49	604	1.3		< 1	< 1	< 1	1	2	3
80-84	54	1.5	1	< 1	1	1	2	3	3	50-69	285	1.5	1	< 1	< 1	1	2	2	3
85 +	26	2.4								70 +	17	5.4	2						
SUBTOTAL	242	1.3		< 1	< 1	1	2	2	3		1400	1.4	1	< 1	< 1	< 1	1	2	3
GRAND TOTAL	530	2.2	3	< 1	< 1	2	2	5	7		1906	1.5	2	< 1	< 1	1	2	3	4

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	9	1.0							
18-34	74	2.3	3	< 1	< 1	1	2	6	6	18-34	182	1.3	1	1	1	1	1	2	3
35-49	56	2.0	1	1	1	1	3	4	4	35-49	318	1.7	2	1	1	1	2	3	5
50-69	36	10.7	205							50-69	110	1.6	2	< 1	1	1	1	2	6
70 +	9	1.0								70 +	9	2.0							
SUBTOTAL	175	3.8	55	< 1	1	2	4	6	7		629	1.5	1	1	1	1	2	3	4
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	45	1.9	4							0-17	0								
18-34	173	1.5	1	< 1	< 1	< 1	1	4	5	18-34	576	1.2	1	< 1	< 1	1	1	1	3
35-49	99	1.5		< 1	1	1	2	2	3	35-49	1004	1.2	1	< 1	< 1	1	1	1	2
50-69	9	1.0								50-69	348	1.0		< 1	1	1	1	1	2
70 +	0									70 +	9	1.0							
SUBTOTAL	327	1.5	1	< 1	< 1	1	1	3	5		1937	1.2	1	< 1	< 1	1	1	1	2
GRAND TOTAL	502	2.3	21	< 1	< 1	1	2	4	6		2566	1.3	1	< 1	1	1	1	2	3

DRG 365: Other Female Reproductive System O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	109	8.6	110	2	4	7	8	10	45	0-17	25	4.6	3								
70-74	81	13.2	66	3	7	10	20	29	29	18-34	95	7.7	26	2	4	5	12	12	18		
75-79	9	14.0								35-49	105	7.5	19	3	3	6	10	13	17		
80-84	34	11.1	6							50-69	87	6.3	14	3	3	4	11	12	12		
85 +	45	12.3	28							70 +	17	26.7	380								
SUBTOTAL	**278**	**11.0**	**71**	**3**	**7**	**9**	**14**	**22**	**29**		**329**	**8.0**	**56**	**3**	**3**	**5**	**12**	**13**	**18**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	127	3.3	1	2	3	3	4	4	5	0-17	87	4.5	13	2	2	4	5	6	15		
70-74	62	4.9	8	1	3	4	8	9	9	18-34	318	3.3	4	1	2	3	4	5	7		
75-79	8	9.0								35-49	428	4.2	6	2	3	4	5	7	9		
80-84	0									50-69	237	3.4	3	2	2	3	4	6	7		
85 +	9	2.0								70 +	0										
SUBTOTAL	**206**	**3.9**	**5**	**2**	**3**	**3**	**4**	**8**	**9**		**1070**	**3.8**	**5**	**2**	**2**	**3**	**4**	**7**	**8**		
GRAND TOTAL	**484**	**8.0**	**55**	**2**	**3**	**7**	**9**	**15**	**22**		**1399**	**4.8**	**21**	**2**	**3**	**4**	**5**	**10**	**12**		

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	17	3.4	2							0-17	9	9.0									
18-34	36	4.8	1							18-34	129	5.2	12	2	3	4	7	8	17		
35-49	19	11.0	17							35-49	64	6.2	8	3	4	6	7	12	12		
50-69	28	11.7	56							50-69	64	14.6	196	3	5	8	16	47	47		
70 +	0									70 +	0										
SUBTOTAL	**99**	**7.6**	**32**	**3**	**4**	**5**	**11**	**15**	**21**		**266**	**7.8**	**69**	**3**	**3**	**6**	**8**	**13**	**26**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	9	4.0								0-17	59	3.3	1	2	3	3	4	5	5		
18-34	73	3.6	2	2	2	3	5	6	6	18-34	346	4.0	7	2	3	3	5	5	7		
35-49	45	3.2	2							35-49	247	4.1	6	1	2	4	5	8	9		
50-69	9	4.0								50-69	134	4.4	6	2	3	4	6	9	10		
70 +	0									70 +	8	5.0									
SUBTOTAL	**136**	**3.5**	**2**	**2**	**2**	**3**	**5**	**6**	**6**		**794**	**4.0**	**6**	**2**	**3**	**3**	**5**	**7**	**9**		
GRAND TOTAL	**235**	**5.3**	**19**	**2**	**3**	**4**	**6**	**11**	**15**		**1059**	**5.0**	**25**	**2**	**3**	**4**	**5**	**9**	**12**		

DRG 366: Malignancy, Female Reproductive System w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	205	7.8	98	1	2	3	7	21	32
70-74	105	7.8	36	2	3	5	11	17	21
75-79	98	7.7	53	3	3	6	9	9	29
80-84	50	6.7	2	4	6	7	8	9	9
85 +	70	9.7	14	3	7	10	12	15	15
SUBTOTAL	**527**	**7.9**	**58**	**2**	**3**	**6**	**9**	**16**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**527**	**7.9**	**58**	**2**	**3**	**6**	**9**	**16**	**29**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	9	2.0							
35-49	43	2.5	2						
50-69	160	6.3	39	1	2	5	8	14	20
70 +	0								
	213	**5.4**	**33**	**1**	**2**	**4**	**7**	**14**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	213	**5.4**	**33**	**1**	**2**	**4**	**7**	**14**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	3.0							
18-34	0								
35-49	0								
50-69	36	8.0	44						
70 +	9	6.0							
SUBTOTAL	**53**	**6.9**	**33**	**2**	**3**	**6**	**6**	**20**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**53**	**6.9**	**33**	**2**	**3**	**6**	**6**	**20**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	25	5.6	21						
35-49	78	5.5	7	1	4	5	7	9	10
50-69	101	5.9	50	1	2	3	6	7	27
70 +	0								
	211	**5.6**	**29**	**1**	**3**	**4**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	211	**5.6**	**29**	**1**	**3**	**4**	**7**	**10**	**12**

DRG 367: Malignancy, Female Reproductive System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	36	2.5	1						
70-74	45	2.2	2						
75-79	17	2.0							
80-84	34	3.0	1						
85 +	0								
SUBTOTAL	**132**	**2.5**	1	< 1	1	2	4	4	4
GRAND TOTAL	**132**	**2.5**	1	< 1	1	2	4	4	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	8	4.0							
35-49	26	2.4							
50-69	19	2.5							
70 +	0								
	53	**2.6**	1	2	2	3	3	4	4
	53	**2.6**	1	2	2	3	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	3.7	1						
18-34	0								
35-49	19	1.5							
50-69	0								
70 +	0								
SUBTOTAL	**42**	**2.7**	2						
GRAND TOTAL	**42**	**2.7**	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	23	5.3	2						
18-34	17	7.8	59						
35-49	16	4.5	2						
50-69	16	4.5	7						
70 +	9	1.0							
	81	**5.0**	18	< 1	2	4	7	10	16
	81	**5.0**	18	< 1	2	4	7	10	16

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	12.7	144	3	3	4	22	36	36
70-74	0								
75-79	16	11.5	32						
80-84	16	13.5	7						
85 +	0								
SUBTOTAL	**82**	**12.6**	**96**	**3**	**4**	**11**	**17**	**25**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	45	3.3	2						
70-74	9	2.0							
75-79	0								
80-84	9	7.0							
85 +	0								
SUBTOTAL	**64**	**3.6**	**4**	**1**	**2**	**4**	**5**	**7**	**7**
GRAND TOTAL	**146**	**8.7**	**76**	**2**	**3**	**5**	**12**	**22**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	121	3.8	10	2	2	3	3	6	14
18-34	414	3.4	2	2	3	3	4	6	6
35-49	88	4.1	18	1	2	3	5	5	17
50-69	19	4.0	1						
70 +	0								
	641	**3.6**	**6**	**2**	**2**	**3**	**4**	**6**	**6**
0-17	463	3.3	4	1	2	3	4	5	9
18-34	2100	3.5	3	2	2	3	4	6	7
35-49	590	3.8	5	2	2	3	5	6	8
50-69	54	5.2	6	1	3	7	7	8	8
70 +	0								
	3207	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
	3848	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	4.0	1						
18-34	234	3.7	2	2	3	3	4	6	7
35-49	19	4.5							
50-69	0								
70 +	0								
SUBTOTAL	**297**	**3.8**	**2**	**2**	**3**	**4**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	203	3.2	2	2	2	3	4	5	5
18-34	1290	3.6	4	2	2	3	5	6	7
35-49	74	2.5	1	1	1	3	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	**1567**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1865**	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	4.0	4						
18-34	621	4.2	7	2	3	4	5	6	11
35-49	171	4.7	6	2	3	4	5	9	9
50-69	40	9.4	48						
70 +	0								
	877	**4.5**	**10**	**2**	**3**	**4**	**5**	**8**	**11**
0-17	628	3.4	3	2	2	3	4	6	7
18-34	3090	3.6	3	2	2	3	4	6	7
35-49	754	3.6	3	1	3	4	5	6	6
50-69	26	4.1	2						
70 +	0								
	4499	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
	5376	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**7**

DRG 369: Menstrual & Other Female Reproductive System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	76	3.2	5	< 1	1	3	5	6	7	0-17	79	4.7	61	1	1	2	3	19	28	
70-74	26	3.8	6							18-34	335	2.8	5	1	1	2	4	5	8	
75-79	73	2.9	4	1	1	2	5	6	6	35-49	180	1.8	1	1	1	1	3	3	4	
80-84	25	5.5	20							50-69	43	2.9	5							
85 +	0									70 +	0									
SUBTOTAL	**200**	**3.5**	**7**	**1**	**1**	**3**	**5**	**7**	**7**		**637**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**7**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	71	2.8	8	1	1	1	3	10	10	0-17	434	1.5		< 1	1	1	2	3	3	
70-74	62	1.4	1	< 1	1	1	2	3	3	18-34	1472	1.9	6	1	1	1	2	3	4	
75-79	64	2.1	1	< 1	< 1	2	3	3	3	35-49	555	2.9	55	< 1	1	1	2	4	8	
80-84	45	1.4								50-69	81	3.2	11	< 1	1	2	3	12	12	
85 +	26	4.6								70 +	8	1.0								
SUBTOTAL	**268**	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**5**	**5**		**2549**	**2.1**	**16**	**< 1**	**1**	**1**	**2**	**3**	**4**	
GRAND TOTAL	**468**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**		**3186**	**2.2**	**15**	**1**	**1**	**1**	**2**	**4**	**5**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	45	2.6	1							0-17	34	1.5								
18-34	65	2.4	3	1	1	2	4	6	6	18-34	196	1.9	1	1	1	2	2	3	4	
35-49	37	4.8	13							35-49	208	2.0	2	< 1	1	2	2	5	5	
50-69	9	6.0								50-69	48	2.1	4	< 1	< 1	1	2	6	6	
70 +	0									70 +	8	1.0								
SUBTOTAL	**156**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**10**		**494**	**1.9**	**1**	**< 1**	**1**	**2**	**2**	**4**	**5**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	108	1.7	1	1	1	1	2	4	4	0-17	341	1.6	1	< 1	1	1	2	2	3	
18-34	463	2.2	2	< 1	1	2	3	4	5	18-34	1273	2.1	9	< 1	1	1	2	3	4	
35-49	37	1.8	1							35-49	504	2.0	4	< 1	1	1	2	4	5	
50-69	9	4.0								50-69	106	2.7	4	1	1	2	4	5	7	
70 +	0									70 +	9	1.0								
SUBTOTAL	**618**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**		**2234**	**2.0**	**7**	**< 1**	**1**	**1**	**2**	**4**	**5**	
GRAND TOTAL	**774**	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**		**2727**	**2.0**	**6**	**< 1**	**1**	**1**	**2**	**4**	**5**	

DRG 370: Cesarean Section w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	70	8.7	144	3	4	4	5	39	39
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	70	8.7	144	3	4	4	5	39	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	70	8.7	144	3	4	4	5	39	39

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	118	4.9	7	3	3	4	6	6	12
18-34	10026	4.6	9	3	3	4	5	6	8
35-49	1721	5.9	78	3	4	4	5	7	12
50-69	0								
70 +	0								
	11865	4.7	19	3	3	4	5	6	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11865	4.7	19	3	3	4	5	6	8

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	327	5.0	8	3	3	4	5	7	9
18-34	4950	4.5	8	3	3	4	5	7	8
35-49	474	5.7	25	3	3	4	5	11	16
50-69	0								
70 +	0								
SUBTOTAL	5751	4.6	9	3	3	4	5	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	5751	4.6	9	3	3	4	5	7	9

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	572	6.1	24	3	4	5	6	11	16
18-34	12373	5.3	23	3	4	4	5	7	10
35-49	2368	6.0	57	3	3	4	5	8	17
50-69	0								
70 +	0								
	15313	5.4	29	3	4	4	5	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15313	5.4	29	3	4	4	5	8	11

DRG 371: Cesarean Section w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	320	3.5		3	3	3	4	4	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**320**	**3.5**		**3**	**3**	**3**	**4**	**4**	**5**
GRAND TOTAL	**320**	**3.5**		**3**	**3**	**3**	**4**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	528	4.3	7	3	3	4	4	6	9
18-34	57263	3.8	3	3	3	4	4	5	5
35-49	10211	4.0	6	3	3	4	4	5	5
50-69	0								
70 +	0								
	68002	**3.8**	**3**	**3**	**3**	**4**	**4**	**5**	**5**
	68002	**3.8**	**3**	**3**	**3**	**4**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1281	3.8	2	3	3	3	4	5	6
18-34	19371	3.7	3	3	3	3	4	5	5
35-49	1059	3.6	1	3	3	4	4	5	5
50-69	9	4.0							
70 +	0								
SUBTOTAL	**21720**	**3.7**	**3**	**3**	**3**	**3**	**4**	**5**	**5**
GRAND TOTAL	**21720**	**3.7**	**3**	**3**	**3**	**3**	**4**	**5**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1372	4.1	2	3	3	4	5	6	8
18-34	47253	3.9	5	3	3	4	4	5	6
35-49	8069	4.1	13	3	3	4	4	5	6
50-69	9	5.0							
70 +	0								
	56703	**3.9**	**6**	**3**	**3**	**4**	**4**	**5**	**6**
	56703	**3.9**	**6**	**3**	**3**	**4**	**4**	**5**	**6**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	51	3.0	2	2	2	2	4	6	6	0-17	108	2.9	1	2	2	3	3	4	5
70-74	0									18-34	3531	2.7	3	1	2	2	3	4	5
75-79	0									35-49	333	2.7	3	1	2	2	3	4	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**51**	**3.0**	**2**	**2**	**2**	**2**	**4**	**6**	**6**		**3972**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	90	1.3		1	1	1	1	2	3	0-17	191	2.2	1	1	2	2	2	3	4
70-74	0									18-34	11411	2.3	6	1	2	2	3	3	4
75-79	0									35-49	1281	2.4	3	1	2	2	3	4	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**90**	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**		**12883**	**2.3**	**6**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**141**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**6**		**16856**	**2.4**	**5**	**1**	**2**	**2**	**3**	**4**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	372	3.4	10	1	2	2	3	6	12	0-17	428	3.1	5	1	1	3	4	6	8
18-34	1617	2.7	7	1	2	2	3	4	6	18-34	5551	3.1	9	1	2	2	3	6	7
35-49	98	2.6	2	1	1	3	4	4	5	35-49	654	3.5	20	1	2	2	4	7	13
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2087**	**2.8**	**8**	**1**	**2**	**2**	**3**	**4**	**6**		**6633**	**3.2**	**10**	**1**	**2**	**2**	**3**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	423	2.0	1	1	1	2	2	3	3	0-17	840	2.7	3	1	2	2	3	4	6
18-34	3332	2.0	2	1	1	2	2	3	4	18-34	11527	2.3	5	1	1	2	3	3	4
35-49	170	1.8	1	1	1	2	2	3	4	35-49	1693	2.5	6	1	1	2	3	4	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3925**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**		**14060**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**6012**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**		**20693**	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**6**

Western Region, July 1988 - June 1989

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	98	2.4	1	1	2	2	3	4	5	0-17	147	2.4	1	2	2	2	3	4	5
70-74	0									18-34	5922	2.2	3	1	2	2	3	3	4
75-79	0									35-49	699	2.3	1	1	2	2	3	3	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**98**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**5**		**6768**	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1466	1.6		1	1	1	2	2	3	0-17	3019	1.7	1	1	1	2	2	3	3
70-74	0									18-34	167911	1.8	1	1	1	2	2	3	3
75-79	0									35-49	18547	1.9	2	1	1	2	2	3	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**1466**	**1.6**		**1**	**1**	**1**	**2**	**2**	**3**		**189478**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**1564**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**196246**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	437	2.0		1	2	2	2	3	3	0-17	695	2.1	1	1	1	2	2	4	4
18-34	3931	2 1	5	1	1	2	2	3	3	18-34	8676	2.1	4	1	1	2	2	3	5
35-49	113	2.5	1	1	2	2	3	5	5	35-49	720	2.3	3	1	1	2	3	4	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4481**	**2.1**	**4**	**1**	**1**	**2**	**2**	**3**	**3**		**10091**	**2.2**	**4**	**1**	**1**	**2**	**2**	**3**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7568	1.7	1	1	1	2	2	3	3	0-17	10935	1.6	1	1	1	2	2	2	3
18-34	62957	1.6	1	1	1	1	2	2	3	18-34	213092	1.5	1	1	1	1	2	2	3
35-49	2468	1.6		1	1	1	2	2	3	35-49	21446	1.6	1	1	1	1	2	3	3
50-69	0									50-69	16	2.0							
70 +	0									70 +	0								
SUBTOTAL	**72994**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**		**245489**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**77475**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**		**255581**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	184	1.8		1	1	2	2	2	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**184**	**1.8**		**1**	**1**	**2**	**2**	**2**	**3**
GRAND TOTAL	**199**	**1.8**		**1**	**1**	**2**	**2**	**2**	**3**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	9	3.0							
18-34	1190	2.8	3	1	2	2	3	4	6
35-49	225	3.6	6	2	2	3	4	8	8
50-69	0								
70 +	0								
	1424	**2.9**	**3**	**1**	**2**	**3**	**3**	**5**	**6**
0-17	26	1.7							
18-34	12564	2.3	1	1	2	2	3	3	4
35-49	2831	2.4	1	1	2	2	3	3	4
50-69	0								
70 +	0								
	15421	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
	16845	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	28	2.0							
18-34	609	2.6	2	1	2	2	3	4	5
35-49	42	2.8	1						
50-69	0								
70 +	0								
SUBTOTAL	**679**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	19	1.0							
18-34	6341	2.1	1	1	2	2	2	3	3
35-49	646	2.3	1	1	2	2	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	**7006**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**7684**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	3.0	1	2	2	3	3	5	5
18-34	1057	3.6	33	1	2	2	3	5	8
35-49	342	3.7	20	1	2	3	4	5	11
50-69	8	3.0							
70 +	0								
	1468	**3.6**	**28**	**2**	**2**	**2**	**3**	**5**	**8**
0-17	68	2.2	1	1	1	2	3	4	4
18-34	13856	2.1	1	1	2	2	2	3	3
35-49	4421	2.2	2	1	2	2	3	3	4
50-69	0								
70 +	0								
	18345	**2.2**	**2**	**1**	**2**	**2**	**2**	**3**	**3**
	19813	**2.3**	**4**	**1**	**2**	**2**	**3**	**3**	**4**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	19	4.0							
75-79	0									35-49	9	7.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**28**	**5.0**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	217	2.1	1	1	2	2	2	3	3
75-79	0									35-49	48	2.0	1	1	1	2	3	3	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**265**	**2.0**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**0**										**293**	**2.3**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9	4.0								0-17	8	3.0							
18-34	9	1.0								18-34	67	4.3	11	1	2	3	5	12	12
35-49	0									35-49	8	10.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**19**	**2.5**	**2**								**82**	**4.7**	**12**	**1**	**3**	**3**	**6**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	8	2.0							
18-34	73	2.6	2	1	1	2	5	5	5	18-34	194	2.1	1	1	2	2	2	3	4
35-49	0									35-49	19	7.0	10						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**73**	**2.6**	**2**	**1**	**1**	**2**	**5**	**5**	**5**		**220**	**2.5**	**3**	**1**	**2**	**2**	**2**	**4**	**5**
GRAND TOTAL	**91**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**5**		**303**	**3.1**	**7**	**1**	**2**	**2**	**4**	**6**	**10**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	28	3.7	2						
70-74	0									18-34	341	4.1	13	2	2	3	4	9	15
75-79	0									35-49	36	4.4	6						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**404**	**4.1**	**11**	**2**	**2**	**3**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	3.0								0-17	64	2.4	1	1	2	2	3	4	4
70-74	0									18-34	1288	2.6	4	1	1	2	3	4	7
75-79	0									35-49	161	3.1	7	1	1	2	3	9	10
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**3.0**									**1512**	**2.7**	**5**	**1**	**1**	**2**	**3**	**4**	**8**
GRAND TOTAL	**8**	**3.0**									**1917**	**3.0**	**6**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	2.0								0-17	67	3.9	5	1	2	3	5	7	7
18-34	248	3.5	9	1	2	3	4	6	9	18-34	809	3.4	6	1	2	3	4	6	7
35-49	19	2.5								35-49	123	3.6	1	2	3	4	4	5	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**293**	**3.3**	**8**	**2**	**2**	**3**	**3**	**5**	**9**		**998**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	90	3.0	6	< 1	2	2	3	8	10	0-17	96	2.0	1	1	1	2	3	3	4
18-34	920	2.0	3	1	1	1	2	4	6	18-34	1844	2.3	2	1	1	2	3	4	5
35-49	45	1.0								35-49	223	2.2	1	1	1	2	3	4	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1055**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**6**		**2164**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1347**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**3162**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	220	4.0	15	1	1	3	6	7	13
75-79	0									35-49	9	8.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**229**	**4.1**	**15**	**1**	**1**	**3**	**6**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	3.1	1							0-17	0								
70-74	0									18-34	397	1.9	2	< 1	1	1	2	4	4
75-79	0									35-49	28	1.3							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**17**	**3.1**	**1**								**424**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**17**	**3.1**	**1**								**654**	**2.7**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	46	2.8	4							0-17	23	5.0	13						
18-34	163	2.7	7	1	2	2	3	4	7	18-34	413	3.2	6	1	1	2	4	7	7
35-49	8	3.0								35-49	73	5.0	12	1	2	5	6	13	13
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**217**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**6**		**509**	**3.5**	**8**	**1**	**1**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	19	1.0								0-17	17	1.5							
18-34	217	2.8	7	< 1	1	2	3	6	7	18-34	533	2.0	4	1	1	1	2	4	8
35-49	9	3.0								35-49	43	1.6	1						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**245**	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**6**	**7**		**593**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**462**	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**5**	**7**		**1103**	**2.7**	**6**	**1**	**1**	**1**	**3**	**6**	**8**

DRG 378: Ectopic Pregnancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9	4.0								0-17	45	4.2	2						
70-74	0									18-34	1198	3.6	1	2	3	4	4	5	5
75-79	0									35-49	262	4.6	10	3	3	4	5	7	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**9**	**4.0**									**1505**	**3.8**	**3**	**3**	**3**	**4**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	2.5								0-17	28	2.7	2						
70-74	0									18-34	3603	3.2	1	2	3	3	4	4	5
75-79	0									35-49	798	3.1	1	2	2	3	4	4	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**17**	**2.5**									**4429**	**3.1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**
GRAND TOTAL	**26**	**3.1**	**1**								**5934**	**3.3**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	3.0								0-17	40	3.8	1						
18-34	363	3.8	1	3	3	4	4	5	7	18-34	2166	3.8	2	2	3	4	4	5	6
35-49	42	3.9	1							35-49	317	4.2	7	3	3	4	4	6	9
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**412**	**3.8**	**1**	**3**	**3**	**4**	**4**	**5**	**6**		**2524**	**3.8**	**2**	**3**	**3**	**4**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	28	4.0								0-17	132	3.4	1	2	3	3	4	5	6
18-34	928	3.2	1	2	3	3	4	4	4	18-34	4979	3.2	1	2	3	3	4	4	5
35-49	73	3.1		3	3	3	3	4	4	35-49	817	3.4	1	2	3	3	4	5	5
50-69	0									50-69	8	4.0							
70 +	0									70 +	0								
SUBTOTAL	**1029**	**3.2**	**1**	**2**	**3**	**3**	**4**	**4**	**4**		**5936**	**3.2**	**1**	**2**	**3**	**3**	**4**	**4**	**5**
GRAND TOTAL	**1441**	**3.4**	**1**	**2**	**3**	**3**	**4**	**4**	**5**		**8459**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**5**

DRG 379: Threatened Abortion

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	36	2.0	2						
70-74	0									18-34	1186	3.0	17	1	1	2	3	6	9
75-79	0									35-49	209	3.1	6	1	1	2	4	7	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1431**	**3.0**	**15**	**1**	**1**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	40	4.9	23							0-17	187	1.8	2	< 1	1	1	2	5	5
70-74	0									18-34	6971	2.4	11	< 1	1	1	2	4	7
75-79	0									35-49	716	3.1	25	1	1	2	2	6	10
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**40**	**4.9**	**23**								**7874**	**2.5**	**12**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**40**	**4.9**	**23**								**9305**	**2.6**	**13**	**< 1**	**1**	**1**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	105	2.4	7	< 1	1	2	3	3	11	0-17	188	4.3	54	< 1	1	2	3	6	17
18-34	1008	3.0	15	1	1	2	3	6	8	18-34	1639	3.3	30	< 1	1	2	3	6	10
35-49	17	4.7	9							35-49	247	6.0	155	< 1	1	2	5	10	48
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1130**	**3.0**	**14**	**1**	**1**	**2**	**3**	**6**	**8**		**2074**	**3.7**	**48**	**< 1**	**1**	**2**	**3**	**6**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	635	1.7	1	< 1	< 1	1	2	3	3	0-17	635	1.8	5	< 1	1	1	2	3	3
18-34	4145	2.0	4	< 1	1	1	2	3	6	18-34	8001	2.3	12	< 1	< 1	1	2	4	7
35-49	111	1.9	1	< 1	1	2	2	3	4	35-49	949	2.2	5	< 1	1	1	3	4	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4892**	**1.9**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**		**9584**	**2.2**	**10**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**6022**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**		**11658**	**2.5**	**17**	**< 1**	**< 1**	**1**	**3**	**4**	**7**

DRG 380: Abortion w/o D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	1.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**26**	**1.0**							
GRAND TOTAL	**26**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	9	2.0							
18-34	113	2.0	1	1	1	2	3	3	4
35-49	8	2.0							
50-69	0								
70+	0								
	130	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
0-17	45	1.2							
18-34	741	1.4	2	<1	1	1	1	2	3
35-49	226	1.7	2	1	1	1	2	3	4
50-69	0								
70+	0								
	1012	**1.5**	**2**	**<1**	**1**	**1**	**2**	**3**	**3**
	1142	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	65	1.3		<1	1	1	2	2	2
35-49	17	7.9	45						
50-69	0								
70+	0								
SUBTOTAL	**82**	**2.7**	**16**	**<1**	**1**	**1**	**2**	**6**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	19	1.0							
18-34	294	1.3		<1	1	1	2	2	2
35-49	9	1.0							
50-69	0								
70+	0								
SUBTOTAL	**322**	**1.3**		**<1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**404**	**1.6**	**4**	**<1**	**1**	**1**	**2**	**2**	**2**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	146	4.8	16	2	2	3	5	12	16
35-49	16	1.0							
50-69	0								
70+	0								
	161	**4.5**	**16**	**1**	**2**	**3**	**5**	**12**	**14**
0-17	112	1.2		<1	<1	1	1	2	2
18-34	1146	1.4	1	<1	1	1	1	2	3
35-49	255	1.4	1	1	1	1	1	2	3
50-69	0								
70+	0								
	1513	**1.4**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**
	1674	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	34	1.3								0-17	28	1.7	1						
70-74	0									18-34	344	1.4	1	< 1	1	1	1	2	3
75-79	0									35-49	113	2.4	8	1	1	1	2	6	11
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**34**	**1.3**									**485**	**1.6**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	34	1.3								0-17	82	1.3	1	< 1	1	1	1	4	4
70-74	0									18-34	3167	1.3	1	< 1	< 1	1	1	2	3
75-79	0									35-49	885	1.2	1	< 1	< 1	1	1	2	2
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**34**	**1.3**									**4133**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**68**	**1.3**		**< 1**	**1**	**1**	**2**	**2**	**2**		**4618**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	45	1.8	1							0-17	78	1.5	1	< 1	1	1	2	3	3
18-34	208	2.0	3	1	1	1	2	4	5	18-34	692	2.4	5	< 1	1	1	3	5	8
35-49	19	2.0								35-49	175	1.7	1	< 1	1	1	2	4	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**271**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**5**		**945**	**2.2**	**4**	**< 1**	**1**	**1**	**2**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	93	1.2		< 1	< 1	1	1	2	2	0-17	444	1.1		< 1	< 1	1	1	1	2
18-34	1132	1.3	1	< 1	< 1	1	1	2	3	18-34	6729	1.2	1	< 1	< 1	1	1	2	3
35-49	135	1.3		< 1	1	1	1	3	3	35-49	1822	1.3	1	< 1	< 1	1	1	2	3
50-69	0									50-69	8	1.0							
70 +	0									70 +	0								
SUBTOTAL	**1360**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**		**9002**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**1631**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**		**9947**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 382: False Labor

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	91	2.3	3	< 1	1	1	3	3	7	
75-79	0									35-49	9	1.0								
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**101**	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**3**	**7**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	156	1.1		< 1	< 1	< 1	1	2	2	
70-74	0									18-34	3490	1.1		< 1	< 1	< 1	1	1	1	
75-79	0									35-49	144	1.1		< 1	< 1	< 1	1	1	2	
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**3790**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**	
GRAND TOTAL	**0**										**3891**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	19	1.5								0-17	28	1.0								
18-34	93	1.5	1	< 1	< 1	1	2	3	3	18-34	137	1.8	8	< 1	< 1	1	1	2	12	
35-49	9	1.0								35-49	16	1.0								
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**121**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**		**180**	**1.6**	**6**	**< 1**	**< 1**	**< 1**	**1**	**1**	**7**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	285	1.0		< 1	< 1	< 1	1	1	1	0-17	240	1.0		< 1	< 1	< 1	1	1	1	
18-34	2016	1.0		< 1	< 1	< 1	1	1	1	18-34	2948	1.1	1	< 1	< 1	< 1	1	1	1	
35-49	73	1.0		< 1	< 1	1	1	1	1	35-49	241	1.0		< 1	< 1	< 1	1	1	1	
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**2373**	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**		**3429**	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**1**	
GRAND TOTAL	**2494**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**		**3609**	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**1**	

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	5.4	27							0-17	96	3.1	6	1	1	2	4	6	9
70-74	0									18-34	4060	3.2	6	1	2	3	4	6	8
75-79	0									35-49	312	4.0	30	1	1	3	4	6	13
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	25	5.4	27								4468	3.2	8	1	2	3	4	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	2.4	1							0-17	164	1.8		1	1	2	2	3	3
70-74	0									18-34	5174	2.6	5	1	1	2	3	4	6
75-79	0									35-49	685	3.2	8	1	2	2	4	6	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	25	2.4	1								6023	2.6	5	1	1	2	3	5	6
GRAND TOTAL	50	3.9	16	1	2	2	3	13	13		10491	2.9	6	1	1	2	3	5	7

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	263	3.2	3	1	2	3	4	6	6	0-17	480	3.1	5	1	2	3	4	5	7
18-34	2053	2.9	4	1	2	2	4	5	6	18-34	5788	3.6	9	1	2	3	4	6	9
35-49	85	3.4	3	1	3	3	4	5	8	35-49	599	3.4	4	1	2	3	4	6	7
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	2401	2.9	4	1	2	2	4	5	6		6867	3.5	8	1	2	3	4	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	248	2.5	4	< 1	1	2	3	7	7	0-17	255	2.5	6	< 1	1	2	3	4	6
18-34	2212	2.1	1	1	1	2	3	4	4	18-34	4822	2.3	3	< 1	1	2	3	4	6
35-49	65	3.9	5	2	2	3	6	8	8	35-49	835	3.1	6	< 1	1	2	4	6	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	2525	2.2	2	1	1	2	3	4	4		5911	2.4	3	< 1	1	2	3	5	6
GRAND TOTAL	4926	2.5	3	1	1	2	3	4	6		12778	3.0	6	1	1	2	4	6	7

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	19	2.5	2						
70-74	0									18-34	431	3.7	24	1	1	2	4	7	19
75-79	0									35-49	116	7.4	293	< 1	1	2	3	8	65
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**566**	**4.4**	**80**	**1**	**1**	**2**	**4**	**8**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	31	2.0	2							0-17	110	2.5	8	< 1	< 1	1	3	6	10
70-74	0									18-34	4010	1.8	6	< 1	< 1	1	2	3	5
75-79	0									35-49	578	1.6	1	< 1	1	1	2	3	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**31**	**2.0**	**2**								**4698**	**1.8**	**6**	**< 1**	**< 1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**31**	**2.0**	**2**								**5264**	**2.1**	**14**	**< 1**	**< 1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	16.0	407							0-17	31	1.5	1						
18-34	181	2.0	1	< 1	1	2	3	4	4	18-34	586	4.2	48	< 1	1	2	4	8	20
35-49	0									35-49	75	1.5		1	1	1	2	3	3
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**209**	**3.9**	**76**	**< 1**	**1**	**2**	**3**	**4**	**4**		**691**	**3.8**	**41**	**< 1**	**1**	**2**	**4**	**7**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	127	1.1		< 1	< 1	< 1	1	1	2	0-17	177	2.1	5	< 1	1	1	2	4	8
18-34	1680	1.7	3	< 1	< 1	1	2	3	4	18-34	4982	2.0	6	< 1	< 1	1	2	4	6
35-49	90	1.3		< 1	1	1	1	2	3	35-49	1022	1.8	4	< 1	< 1	1	2	3	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1897**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**6181**	**1.9**	**6**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**2106**	**1.8**	**10**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**6873**	**2.1**	**10**	**< 1**	**< 1**	**1**	**2**	**4**	**7**

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	43	79.5	333	63	98	99 +	99 +	99 +	99 +
1000-1499	161	45.5	252	31	39	54	99 +	99 +	99 +
1500-1749	220	37.2	181	26	27	37	45	66	74
1750-2499	510	14.5	136	4	6	13	19	26	28
2500 +	1224	5.4	14	2	3	4	7	10	13
	2159	**15.3**	**340**	**2**	**4**	**8**	**28**	**92**	**99 +**
1-999	0								
1000-1499	8	63.0							
1500-1749	0								
1750-2499	8	15.0							
2500 +	47	5.5	12	< 1	1	6	8	10	10
	62	**13.9**	**369**	**< 1**	**3**	**7**	**12**	**63**	**63**
	2222	**15.2**	**340**	**2**	**4**	**8**	**27**	**87**	**99 +**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	25	88.0	86	76	93	99 +	99 +	99 +	99 +
1000-1499	82	49.2	920	9	30	51	94	99 +	99 +
1500-1749	40	30.5	83	23	24	31	99 +	99 +	99 +
1750-2499	305	15.8	162	3	5	14	19	32	48
2500 +	472	6.0	52	2	3	4	6	13	19
SUBTOTAL	**925**	**16.4**	**464**	**2**	**4**	**7**	**27**	**88**	**99 +**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	8	7.0							
2500 +	17	8.6	2						
SUBTOTAL	**25**	**8.1**	**2**						
GRAND TOTAL	**950**	**16.2**	**453**	**2**	**4**	**7**	**27**	**88**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	244	74.0	315	59	69	86	99 +	99 +	99 +
1000-1499	627	50.3	334	28	39	51	62	85	99 +
1500-1749	323	35.3	175	25	26	31	42	58	80
1750-2499	826	17.0	160	3	8	16	21	30	38
2500 +	827	7.3	39	2	3	6	9	13	16
	2846	**28.5**	**635**	**4**	**8**	**23**	**51**	**84**	**99 +**
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	8	8.0							
	8	**8.0**							
	2854	**28.4**	**634**	**4**	**8**	**23**	**51**	**84**	**99 +**

DRG 387: Prematurity w/ Major Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	9	15.0							
1750-2499	16	6.5	7						
2500 +	16	3.5	2						
SUBTOTAL	**40**	**7.3**	**23**						
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**40**	**7.3**	**23**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	33	52.5	100						
1000-1499	144	40.5	163	25	32	40	52	99 +	99 +
1500-1749	205	26.6	109	15	17	25	36	42	43
1750-2499	1498	9.3	46	3	4	8	13	17	23
2500 +	1319	6.0	97	2	3	4	6	8	13
	3199	**10.9**	**161**	**2**	**4**	**6**	**13**	**30**	**42**
1-999	0								
1000-1499	33	34.1	48						
1500-1749	48	25.2	31	18	20	23	29	34	34
1750-2499	360	8.2	34	2	4	6	13	16	17
2500 +	212	3.9	9	2	2	3	4	7	8
	653	**9.3**	**86**	**2**	**3**	**6**	**14**	**23**	**29**
	3852	**10.6**	**148**	**2**	**4**	**6**	**13**	**29**	**40**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	51	39.7	514	5	30	32	73	99 +	99 +
1500-1749	158	25.3	287	14	19	22	26	36	68
1750-2499	503	10.7	83	3	5	9	14	21	32
2500 +	377	5.4	15	1	3	4	7	11	14
SUBTOTAL	**1089**	**12.4**	**187**	**2**	**4**	**8**	**17**	**29**	**36**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	17	49.0	32						
1500-1749	42	21.3	52						
1750-2499	157	5.8	29	< 1	2	3	10	14	17
2500 +	124	5.9	65	2	2	3	5	11	35
SUBTOTAL	**340**	**9.9**	**151**	**2**	**2**	**4**	**14**	**26**	**40**
GRAND TOTAL	**1429**	**11.8**	**179**	**2**	**3**	**7**	**16**	**29**	**36**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	50	59.1	181	33	62	65	99 +	99 +	99 +
1000-1499	196	35.1	205	18	25	35	48	58	68
1500-1749	294	22.1	68	11	16	21	27	33	40
1750-2499	2527	10.5	115	3	5	8	13	20	25
2500 +	1523	6.7	52	2	3	5	7	13	19
	4589	**11.6**	**159**	**3**	**4**	**7**	**14**	**26**	**39**
1-999	0								
1000-1499	34	18.3	32						
1500-1749	33	22.5	96						
1750-2499	394	7.0	24	2	4	5	10	14	16
2500 +	298	5.8	28	1	3	4	6	16	19
	759	**7.7**	**45**	**2**	**3**	**5**	**11**	**17**	**23**
	5348	**11.0**	**145**	**3**	**4**	**7**	**14**	**25**	**35**

DRG 388: Prematurity w/o Major Problems

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	8	19.0							
1750-2499	16	2.0	1						
2500 +	9	2.0							
SUBTOTAL	**33**	**6.1**	**55**						
GRAND TOTAL	**33**	**6.1**	**55**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	119	9.1	48	2	3	10	12	19	26
2500 +	56	11.8	289	2	2	6	11	53	53
	175	**10.0**	**125**	**2**	**3**	**6**	**12**	**19**	**26**
1-999	0								
1000-1499	25	27.4	1						
1500-1749	54	18.9	118	8	9	11	29	36	36
1750-2499	2073	4.7	16	1	2	4	5	11	15
2500 +	3024	2.9	4	1	2	2	4	5	6
	5176	**3.9**	**16**	**1**	**2**	**3**	**4**	**7**	**12**
	5352	**4.1**	**20**	**1**	**2**	**3**	**4**	**7**	**12**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	65	7.8	25	1	4	9	11	17	17
2500 +	0								
SUBTOTAL	**65**	**7.8**	**25**	**1**	**4**	**9**	**11**	**17**	**17**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	34	39.9	48						
1500-1749	25	13.4	9						
1750-2499	1396	4.6	21	1	2	3	5	9	14
2500 +	1292	2.3	2	1	1	2	3	4	5
SUBTOTAL	**2747**	**4.0**	**31**	**1**	**1**	**3**	**4**	**7**	**13**
GRAND TOTAL	**2813**	**4.1**	**31**	**1**	**1**	**3**	**4**	**8**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	8	23.0							
1500-1749	25	16.2	46						
1750-2499	446	6.7	31	1	3	5	9	14	20
2500 +	129	6.2	11	2	4	5	8	12	12
	608	**7.2**	**34**	**1**	**3**	**5**	**10**	**15**	**22**
1-999	9	55.0							
1000-1499	36	36.1	145						
1500-1749	113	18.4	35	12	14	17	21	23	34
1750-2499	3080	4.6	19	1	2	3	6	11	13
2500 +	3293	2.5	3	1	1	2	3	5	6
	6532	**4.0**	**26**	**1**	**1**	**2**	**4**	**9**	**13**
	7140	**4.3**	**28**	**1**	**1**	**3**	**5**	**9**	**14**

DRG 389: Full Term Neonate w/ Major Problems

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	40	41.8	18						
1500-1749	0									1500-1749	19	17.0	68						
1750-2499	0									1750-2499	543	5.6	16	2	4	4	7	10	13
2500 +	202	2.8	3	1	2	3	3	5	7	2500 +	13833	3.6	9	1	2	3	4	6	8
SUBTOTAL	**202**	**2.8**	**3**	**1**	**2**	**3**	**3**	**5**	**7**		**14435**	**3.8**	**14**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	8	34.0							
1500-1749	0									1500-1749	33	19.5	140						
1750-2499	0									1750-2499	149	4.6	24	1	1	3	6	9	21
2500 +	33	3.6	3							2500 +	5365	3.1	4	1	2	3	4	4	5
SUBTOTAL	**33**	**3.6**	**3**								**5554**	**3.3**	**8**	**1**	**2**	**3**	**4**	**4**	**6**
GRAND TOTAL	**235**	**2.9**	**3**	**1**	**2**	**3**	**3**	**6**	**7**		**19989**	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	8	52.0								1-999	17	30.5	38						
1000-1499	19	28.0	106							1000-1499	110	32.0	161	23	27	28	38	44	68
1500-1749	17	26.5								1500-1749	51	20.9	96	10	15	21	21	40	40
1750-2499	267	3.1	3	1	2	3	4	5	6	1750-2499	1349	6.7	42	2	3	4	9	14	17
2500 +	4621	3.7	12	1	2	3	4	7	9	2500 +	18392	4.1	19	1	2	3	5	8	10
SUBTOTAL	**4931**	**3.9**	**20**	**1**	**2**	**3**	**4**	**7**	**10**		**19920**	**4.4**	**27**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	8	71.0							
1000-1499	8	6.0								1000-1499	26	20.4	15						
1500-1749	0									1500-1749	34	16.9	38						
1750-2499	180	4.4	6	3	3	3	5	8	8	1750-2499	379	5.1	18	2	3	3	6	11	17
2500 +	3448	3.4	4	2	3	3	4	5	7	2500 +	8330	3.2	4	1	2	3	4	5	6
SUBTOTAL	**3636**	**3.5**	**4**	**2**	**3**	**3**	**4**	**5**	**7**		**8777**	**3.4**	**11**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**8568**	**3.7**	**13**	**1**	**2**	**3**	**4**	**6**	**9**		**28697**	**4.1**	**22**	**1**	**2**	**3**	**5**	**8**	**10**

Western Region, July 1988 - June 1989

DRG 390: Neonate w/ Other Significant Problems

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	16	3.0							
SUBTOTAL	**16**	**3.0**							
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	23	2.3							
2500 +	261	1.9	1	1	1	2	3	4	4
SUBTOTAL	**285**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**300**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	62	8.1	8	3	6	8	11	11	11
2500 +	701	3.3	5	1	2	3	4	6	8
	763	**3.6**	**7**	**1**	**2**	**3**	**4**	**8**	**9**
1-999	0								
1000-1499	9	15.0							
1500-1749	45	16.0	22						
1750-2499	1832	3.1	5	1	2	3	4	5	8
2500 +	33968	2.4	2	1	1	2	3	4	5
	35854	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	36617	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	73	4.3	6	1	3	4	5	9	9
2500 +	209	3.0	2	2	2	3	4	5	5
SUBTOTAL	**282**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	19	13.0	26						
1750-2499	1069	2.9	9	1	1	2	4	5	7
2500 +	10746	2.3	2	1	1	2	3	4	5
SUBTOTAL	**11833**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**12115**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	8	13.0							
1750-2499	140	7.3	32	2	3	5	8	17	19
2500 +	1402	3.5	8	1	2	3	4	6	8
	1550	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**13**
1-999	9	73.0							
1000-1499	59	20.1	46	11	16	17	25	32	32
1500-1749	48	14.0	15	7	12	14	16	20	20
1750-2499	2671	3.6	11	1	2	3	4	8	11
2500 +	41590	2.3	3	1	1	2	3	4	5
	44378	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
	45928	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 391: Normal Newborn

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	1295	1.5	1	1	1	1	2	2	3
SUBTOTAL	**1295**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**1295**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	2648	2.4	2	1	1	2	3	4	5
2500 +	199869	2.0	1	1	1	2	3	4	4
	202516	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
	202516	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	19	28.0	207						
1750-2499	1671	2.2	2	1	1	2	3	4	5
2500 +	83792	1.8	1	1	1	2	2	3	4
SUBTOTAL	**85482**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**85482**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	0								
1000-1499	0								
1500-1749	8	18.0							
1750-2499	3674	2.3	3	1	1	2	3	4	5
2500 +	272422	1.7	1	1	1	1	2	3	4
	276103	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	276103	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 392: Splenectomy Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	180	11.8	50	4	7	10	14	18	28
70-74	53	12.4	56	4	7	12	27	99 +	99 +
75-79	98	17.5	447	4	5	7	15	50	69
80-84	46	20.0	615						
85 +	26	13.2	34						
SUBTOTAL	**403**	**14.3**	**218**	**4**	**7**	**9**	**15**	**33**	**69**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	7.4	18	3	4	6	11	15	17
70-74	71	7.9	15	4	6	7	8	17	17
75-79	17	7.5							
80-84	0								
85 +	0								
SUBTOTAL	**166**	**7.6**	**15**	**4**	**5**	**7**	**8**	**16**	**17**
GRAND TOTAL	**569**	**12.3**	**168**	**4**	**6**	**8**	**13**	**27**	**50**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	265	12.0	79	5	6	9	12	28	32
35-49	169	15.3	116	5	8	11	21	31	47
50-69	54	11.2	47	4	6	10	11	25	25
70 +	9	7.0							
	497	**13.0**	**89**	**5**	**6**	**10**	**16**	**28**	**32**
0-17	0								
18-34	160	5.5	3	3	5	5	7	8	8
35-49	82	5.4	3	3	4	5	7	8	9
50-69	82	5.3	2	3	4	5	6	7	8
70 +	0								
	324	**5.4**	**3**	**3**	**4**	**5**	**7**	**8**	**8**
	821	**10.0**	**69**	**4**	**5**	**7**	**11**	**22**	**29**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	70	16.3	218	7	8	9	27	50	50
35-49	0								
50-69	37	23.5	217						
70 +	0								
SUBTOTAL	**107**	**18.8**	**228**	**8**	**8**	**10**	**27**	**47**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	26	4.6							
35-49	19	6.0	1						
50-69	0								
70 +	0								
SUBTOTAL	**45**	**5.2**	**1**						
GRAND TOTAL	**152**	**14.8**	**199**	**5**	**7**	**8**	**13**	**47**	**50**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	359	8.1	54	4	5	7	8	12	15
35-49	119	7.6	8	5	6	6	10	13	13
50-69	180	13.1	133	5	7	10	12	23	42
70 +	9	8.0							
	668	**9.3**	**71**	**4**	**5**	**7**	**10**	**15**	**21**
0-17	0								
18-34	98	6.4	3	4	5	6	8	8	9
35-49	37	6.8	6						
50-69	42	5.6	10						
70 +	0								
	177	**6.3**	**5**	**4**	**4**	**6**	**8**	**9**	**10**
	845	**8.7**	**59**	**4**	**5**	**7**	**9**	**13**	**18**

DRG 393: Splenectomy Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	122	8.5	29	4	5	6	8	17	22
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**122**	**8.5**	**29**	4	5	6	8	17	22
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	248	5.3	11	3	4	5	6	9	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**248**	**5.3**	**11**	3	4	5	6	9	9
GRAND TOTAL	**0**										**371**	**6.4**	**19**	3	4	5	8	9	17

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	25	13.0	48							0-17	67	8.0	6	4	6	7	9	13	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**25**	**13.0**	**48**								**67**	**8.0**	**6**	4	6	7	9	13	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	60	4.9	1	4	4	5	6	6	6	0-17	90	4.4	1	3	4	4	5	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**60**	**4.9**	**1**	4	4	5	6	6	6		**90**	**4.4**	**1**	3	4	4	5	6	7
GRAND TOTAL	**85**	**7.2**	**28**	4	4	5	8	9	23		**157**	**5.9**	**6**	3	4	5	7	10	12

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	59	13.2	326	1	4	6	15	58	58	0-17	84	6.2	13	1	3	6	9	12	12
70-74	26	6.9	29							18-34	19	3.5	7						
75-79	0									35-49	28	4.7	28						
80-84	36	4.1	10							50-69	9	2.0							
85 +	9	5.0								70 +	0								
SUBTOTAL	**130**	**8.8**	**171**	**1**	**3**	**5**	**8**	**15**	**58**		**140**	**5.3**	**16**	**1**	**1**	**4**	**8**	**12**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	1.9	4	< 1	1	1	1	6	6	0-17	496	4.0	54	< 1	< 1	2	4	7	11
70-74	46	4.4	7							18-34	108	2.4	2	< 1	1	2	4	5	5
75-79	36	1.7	2							35-49	111	1.7	1	< 1	1	1	2	3	4
80-84	9	8.0								50-69	93	4.2	10	1	1	2	8	8	9
85 +	17	7.3	9							70 +	8	4.0							
SUBTOTAL	**160**	**3.5**	**9**	**< 1**	**1**	**2**	**6**	**8**	**10**		**816**	**3.5**	**35**	**< 1**	**< 1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**290**	**5.9**	**89**	**1**	**1**	**4**	**6**	**10**	**15**		**956**	**3.7**	**33**	**< 1**	**1**	**2**	**4**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	11.0	115	1	1	14	23	26	26	0-17	70	18.3	399	1	3	7	40	50	50
18-34	9	1.0								18-34	53	14.9	147	3	5	7	26	37	37
35-49	0									35-49	25	9.2	40						
50-69	9	4.0								50-69	50	4.9	8	1	1	6	7	8	8
70 +	0									70 +	0								
SUBTOTAL	**65**	**8.6**	**98**	**1**	**1**	**3**	**14**	**26**	**26**		**197**	**12.9**	**215**	**1**	**3**	**7**	**17**	**40**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	138	2.5	4	< 1	1	2	3	6	7	0-17	370	4.3	44	1	1	2	5	8	10
18-34	26	2.2	3							18-34	92	4.7	24	1	2	4	6	9	19
35-49	0									35-49	65	2.0	1	< 1	1	2	3	4	4
50-69	17	8.7	9							50-69	56	2.0	3	< 1	1	1	2	6	6
70 +	0									70 +	0								
SUBTOTAL	**182**	**3.1**	**8**	**< 1**	**1**	**2**	**5**	**6**	**7**		**583**	**3.9**	**33**	**1**	**1**	**2**	**5**	**7**	**10**
GRAND TOTAL	**247**	**4.5**	**37**	**< 1**	**1**	**2**	**5**	**12**	**23**		**780**	**6.1**	**94**	**1**	**1**	**3**	**6**	**13**	**37**

DRG 395: Red Blood Cell Disorders Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1635	4.8	19	1	2	3	6	11	14
70-74	1313	4.8	16	1	2	4	6	10	15
75-79	1435	4.3	16	1	2	3	6	8	10
80-84	1057	5.1	14	1	2	4	7	9	10
85 +	1306	5.2	20	2	2	4	7	11	14
SUBTOTAL	**6746**	**4.8**	**17**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	791	5.0	14	1	2	5	6	11	12
70-74	333	3.5	5	1	2	3	5	7	8
75-79	418	3.3	9	1	1	2	4	8	10
80-84	389	3.9	11	< 1	1	3	5	8	9
85 +	459	3.7	10	1	1	3	5	7	10
SUBTOTAL	**2390**	**4.1**	**11**	**1**	**2**	**3**	**5**	**8**	**12**
GRAND TOTAL	**9136**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	224	6.7	38	1	2	4	9	17	19
35-49	271	5.0	18	1	2	4	7	11	14
50-69	755	4.7	14	1	2	4	6	9	12
70 +	98	6.9	55	1	1	3	11	20	21
	1347	**5.3**	**22**	**1**	**2**	**4**	**7**	**11**	**17**
0-17	0								
18-34	318	4.7	16	1	2	3	7	10	12
35-49	330	3.0	7	1	1	2	4	5	11
50-69	270	2.7	3	1	1	2	4	5	6
70 +	8	6.0							
	926	**3.5**	**10**	**1**	**1**	**2**	**5**	**8**	**10**
	2273	**4.6**	**18**	**1**	**2**	**3**	**6**	**9**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	230	6.7	29	1	2	5	9	17	18
35-49	149	4.1	4	1	3	4	4	8	9
50-69	266	4.3	10	1	2	4	5	11	11
70 +	56	6.8	8	2	5	7	9	11	11
SUBTOTAL	**701**	**5.2**	**17**	**1**	**2**	**4**	**7**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	553	5.6	13	2	3	5	8	11	11
35-49	95	5.7	7	2	4	6	8	8	11
50-69	28	6.7	3						
70 +	9	5.0							
SUBTOTAL	**684**	**5.7**	**12**	**2**	**3**	**5**	**8**	**10**	**11**
GRAND TOTAL	**1385**	**5.4**	**14**	**1**	**2**	**5**	**7**	**11**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	597	4.9	9	2	3	4	7	9	10
35-49	523	5.0	18	1	2	4	6	9	15
50-69	781	5.9	25	1	3	4	7	14	17
70 +	143	4.3	15	< 1	1	4	7	10	15
	2043	**5.2**	**18**	**1**	**2**	**4**	**7**	**10**	**15**
0-17	0								
18-34	936	5.5	17	2	3	4	7	11	14
35-49	637	4.4	12	1	2	3	6	10	13
50-69	430	4.1	21	1	1	3	6	8	12
70 +	121	1.5		< 1	< 1	1	2	2	2
	2123	**4.7**	**16**	**1**	**2**	**4**	**6**	**10**	**14**
	4167	**4.9**	**17**	**1**	**2**	**4**	**7**	**10**	**14**

DRG 396: Red Blood Cell Disorders Age 0-17

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8	1.0								0-17	390	3.9	20	< 1	1	2	6	11	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**8**	**1.0**									**390**	**3.9**	**20**	**< 1**	**1**	**2**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	688	2.1	2	1	1	2	3	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**688**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**6**
GRAND TOTAL	**8**	**1.0**									**1078**	**2.7**	**9**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	212	4.5	22	1	1	3	5	14	15	0-17	428	4.6	18	1	1	3	7	9	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**212**	**4.5**	**22**	**1**	**1**	**3**	**5**	**14**	**15**		**428**	**4.6**	**18**	**1**	**1**	**3**	**7**	**9**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	745	2.7	27	< 1	1	2	3	4	7	0-17	1356	2.6	7	1	1	1	3	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**745**	**2.7**	**27**	**< 1**	**1**	**2**	**3**	**4**	**7**		**1356**	**2.6**	**7**	**1**	**1**	**1**	**3**	**6**	**8**
GRAND TOTAL	**957**	**3.1**	**26**	**< 1**	**1**	**2**	**4**	**6**	**8**		**1784**	**3.1**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 397: Coagulation Disorders

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	304	6.2	20	2	3	5	9	13	15	0-17	278	3.3	21	< 1	1	2	3	5	12
70-74	294	6.2	27	2	2	5	8	11	22	18-34	53	3.8	5	2	2	3	5	8	8
75-79	153	4.4	11	1	2	3	6	11	14	35-49	109	8.1	26	2	3	8	13	15	15
80-84	143	11.0	145	1	2	7	12	31	41	50-69	158	5.0	11	1	2	5	8	11	11
85 +	167	7.2	22	3	3	6	11	15	17	70 +	0								
SUBTOTAL	**1062**	**6.7**	**41**	**2**	**3**	**5**	**8**	**14**	**18**		**598**	**4.7**	**21**	**1**	**2**	**3**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	170	5.3	11	2	3	4	9	11	11	0-17	769	2.3	3	1	1	2	3	5	6
70-74	81	3.6	3	1	3	3	4	7	7	18-34	79	4.9	9	1	2	5	6	10	10
75-79	105	3.3	5	1	2	3	4	6	9	35-49	88	4.0	21	2	2	3	3	13	17
80-84	36	6.3	4							50-69	79	4.5	7	2	2	4	5	9	10
85 +	34	5.8	2							70 +	9	4.0							
SUBTOTAL	**426**	**4.6**	**8**	**1**	**3**	**4**	**7**	**9**	**10**		**1025**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**1488**	**6.1**	**32**	**2**	**3**	**5**	**8**	**12**	**16**		**1623**	**3.5**	**12**	**1**	**1**	**2**	**4**	**8**	**11**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	155	4.4	15	1	1	3	6	13	13	0-17	201	3.9	17	1	1	2	4	9	10
18-34	54	4.5	7	2	2	3	6	9	9	18-34	57	6.1	10	1	5	5	8	12	12
35-49	26	9.6	93							35-49	112	7.0	56	2	2	4	10	14	30
50-69	8	8.0								50-69	149	7.7	30	2	4	6	9	20	21
70 +	0									70 +	34	5.8	10						
SUBTOTAL	**244**	**5.1**	**24**	**1**	**2**	**3**	**6**	**13**	**13**		**553**	**5.9**	**30**	**1**	**2**	**4**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	418	2.4	8	1	1	2	2	3	7	0-17	741	2.4	2	1	1	2	3	4	5
18-34	26	1.4								18-34	152	3.6	4	1	2	3	6	7	8
35-49	0									35-49	121	6.0	27	3	3	4	7	9	24
50-69	26	3.8	5							50-69	227	4.5	22	1	2	3	5	7	13
70 +	0									70 +	26	5.2	3						
SUBTOTAL	**471**	**2.4**	**8**	**1**	**1**	**2**	**2**	**3**	**7**		**1268**	**3.3**	**10**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**715**	**3.3**	**15**	**1**	**1**	**2**	**3**	**8**	**12**		**1821**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**12**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	618	6.0	11	2	4	6	8	10	13	0-17	863	5.6	27	2	3	4	7	11	15
70-74	438	6.8	26	2	4	5	8	14	16	18-34	239	6.2	27	3	3	4	7	13	22
75-79	265	8.0	21	4	5	7	9	14	18	35-49	236	6.7	46	1	2	4	8	15	28
80-84	167	5.4	21	1	1	4	7	15	18	50-69	291	5.4	17	1	2	4	8	11	20
85 +	140	6.8	12	1	5	6	9	12	14	70 +	45	22.2	1008						
SUBTOTAL	**1628**	**6.5**	**18**	**2**	**4**	**6**	**8**	**13**	**15**		**1674**	**6.3**	**61**	**2**	**3**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1628**	**6.5**	**18**	**2**	**4**	**6**	**8**	**13**	**15**		**1674**	**6.3**	**61**	**2**	**3**	**4**	**7**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	358	6.9	43	2	3	4	9	15	19	0-17	385	6.9	39	2	3	5	8	15	17
18-34	99	10.6	45	3	4	8	18	19	20	18-34	371	9.8	47	4	5	7	13	18	24
35-49	82	7.0	49	2	3	5	7	26	26	35-49	452	10.9	96	3	5	8	15	22	28
50-69	28	2.7	1							50-69	497	10.1	101	3	5	7	11	17	32
70 +	0									70 +	53	6.0	4	3	5	6	8	9	9
SUBTOTAL	**567**	**7.4**	**45**	**2**	**3**	**5**	**9**	**18**	**20**		**1759**	**9.4**	**74**	**3**	**4**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**567**	**7.4**	**45**	**2**	**3**	**5**	**9**	**18**	**20**		**1759**	**9.4**	**74**	**3**	**4**	**7**	**11**	**18**	**25**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	130	3.9	8	1	2	4	5	7	12	0-17	951	3.9	11	1	2	3	5	7	10
70-74	76	4.4	18	1	1	3	6	13	14	18-34	280	3.0	8	< 1	< 1	2	5	5	10
75-79	104	5.7	9	1	3	6	8	9	10	35-49	127	4.7	9	2	3	4	6	9	13
80-84	36	8.1	11							50-69	152	6.7	196	1	2	3	6	8	60
85 +	64	2.8	3	< 1	< 1	3	4	6	6	70 +	8	2.0							
SUBTOTAL	**409**	**4.7**	**12**	**1**	**2**	**4**	**7**	**10**	**12**		**1518**	**4.1**	**29**	**< 1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**409**	**4.7**	**12**	**1**	**2**	**4**	**7**	**10**	**12**		**1518**	**4.1**	**29**	**< 1**	**2**	**3**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	350	3.7	5	1	2	3	5	6	7	0-17	763	4.4	13	1	2	4	5	8	9
18-34	19	8.0	4							18-34	236	3.4	9	1	2	3	4	7	7
35-49	17	1.5								35-49	194	6.1	35	3	3	4	7	11	19
50-69	9	7.0								50-69	163	4.2	9	1	2	4	6	7	10
70 +	0									70 +	0								
SUBTOTAL	**395**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**7**		**1357**	**4.4**	**16**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**395**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**7**		**1357**	**4.4**	**16**	**1**	**2**	**4**	**5**	**8**	**10**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	209	13.3	99	4	6	9	18	30	36
70-74	231	10.8	45	3	6	10	14	24	24
75-79	147	18.4	324	2	8	12	18	46	68
80-84	81	10.8	75	2	5	10	12	24	34
85 +	53	8.9	26	4	4	8	12	18	18
SUBTOTAL	**721**	**12.9**	**128**	**4**	**6**	**10**	**15**	**29**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	202	5.5	10	2	4	5	8	9	10
70-74	133	5.3	11	1	3	5	7	9	13
75-79	36	10.6	5						
80-84	60	6.7	29	1	2	6	8	19	19
85 +	28	5.0	26						
SUBTOTAL	**459**	**6.0**	**15**	**1**	**4**	**5**	**8**	**11**	**14**
GRAND TOTAL	**1180**	**10.2**	**96**	**2**	**4**	**8**	**12**	**21**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	35.4	302	5	18	43	49	58	58
18-34	87	11.0	91	5	5	7	14	17	38
35-49	84	16.0	295	4	8	9	11	61	61
50-69	212	10.5	120	4	5	8	11	20	27
70 +	8	23.0							
	445	**14.9**	**231**	**4**	**5**	**9**	**17**	**43**	**58**
0-17	62	8.1	87	2	3	5	7	32	32
18-34	137	5.2	10	1	3	5	6	11	13
35-49	191	5.5	21	2	4	5	6	8	9
50-69	313	5.8	18	2	2	6	7	10	13
70 +	9	2.0							
	712	**5.8**	**24**	**2**	**3**	**5**	**7**	**9**	**13**
	1157	**9.3**	**123**	**2**	**4**	**6**	**9**	**20**	**32**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	47.0	616						
18-34	0								
35-49	28	11.7	3						
50-69	17	25.3	9						
70 +	0								
SUBTOTAL	**60**	**24.6**	**364**	**10**	**11**	**22**	**28**	**71**	**71**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	10.0							
18-34	9	6.0							
35-49	9	5.0							
50-69	8	3.0							
70 +	0								
SUBTOTAL	**34**	**6.0**	**6**						
GRAND TOTAL	**95**	**17.9**	**315**	**5**	**6**	**11**	**23**	**28**	**71**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	33.7	362	7	10	39	53	54	54
18-34	57	14.8	345	2	2	4	45	45	45
35-49	92	18.1	658	4	4	8	27	37	95
50-69	168	16.3	279	1	3	8	22	43	52
70 +	33	8.9	13						
	396	**17.9**	**399**	**2**	**4**	**8**	**30**	**52**	**54**
0-17	40	13.6	245						
18-34	207	10.9	155	3	5	7	10	42	43
35-49	177	7.5	33	2	5	6	9	13	16
50-69	190	4.9	9	2	3	5	7	9	9
70 +	8	10.0							
	622	**8.3**	**87**	**2**	**4**	**6**	**9**	**13**	**42**
	1018	**12.0**	**230**	**2**	**4**	**6**	**11**	**37**	**45**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	174	9.0	73	1	2	7	15	17	32	0-17	39	9.2	19						
70-74	197	10.4	119	2	3	6	14	28	34	18-34	26	11.5	65						
75-79	147	12.7	79	3	6	9	16	27	33	35-49	88	8.0	50	3	3	5	9	14	28
80-84	115	6.4	17	2	3	5	8	12	17	50-69	140	7.6	18	3	3	7	11	14	15
85 +	88	5.3	18	2	3	3	7	11	16	70 +	25	7.1	13						
SUBTOTAL	**721**	**9.3**	**77**	**2**	**3**	**6**	**12**	**20**	**28**		**318**	**8.2**	**32**	**3**	**4**	**8**	**11**	**14**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**721**	**9.3**	**77**	**2**	**3**	**6**	**12**	**20**	**28**		**318**	**8.2**	**32**	**3**	**4**	**8**	**11**	**14**	**22**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	13.0							
18-34	9	2.0								18-34	50	21.1	269	3	5	20	40	42	42
35-49	0									35-49	53	10.8	68	< 1	3	12	17	24	24
50-69	9	9.0								50-69	132	22.7	428	6	8	10	44	60	63
70 +	0									70 +	0								
SUBTOTAL	**19**	**5.5**	**13**								**242**	**19.5**	**326**	**3**	**7**	**11**	**24**	**50**	**60**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**19**	**5.5**	**13**								**242**	**19.5**	**326**	**3**	**7**	**11**	**24**	**50**	**60**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	147	4.9	18	1	1	5	7	12	17	0-17	98	4.3	14	1	1	4	7	8	14
70-74	118	4 1	16	1	1	2	6	8	16	18-34	59	2.7	5	1	1	2	6	7	7
75-79	116	3.4	5	1	2	3	4	7	8	35-49	127	3.5	12	< 1	2	2	4	5	15
80-84	99	6.1	53	1	1	2	8	19	23	50-69	214	2.9	5	< 1	1	2	4	6	7
85 +	60	4.7	17	1	1	3	9	13	13	70 +	8	1.0							
SUBTOTAL	**541**	**4.6**	**22**	**1**	**1**	**3**	**6**	**9**	**16**		**506**	**3.3**	**9**	**< 1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**541**	**4.6**	**22**	**1**	**1**	**3**	**6**	**9**	**16**		**506**	**3.3**	**9**	**< 1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	3.8	5							0-17	78	7.7	179	1	1	2	4	43	43
18-34	9	2.0								18-34	81	2.3	4	< 1	1	2	2	5	8
35-49	37	1.5								35-49	92	8.2	83	1	1	5	11	25	28
50-69	28	4.7	6							50-69	197	4.1	10	1	1	3	6	10	10
70 +	8	16.0								70 +	36	3.2	18						
SUBTOTAL	**113**	**3.9**	**15**	**1**	**2**	**3**	**4**	**8**	**16**		**483**	**5.1**	**55**	**1**	**1**	**3**	**6**	**11**	**25**
GRAND TOTAL	**113**	**3.9**	**15**	**1**	**2**	**3**	**4**	**8**	**16**		**483**	**5.1**	**55**	**1**	**1**	**3**	**6**	**11**	**25**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	645	10.8	79	3	4	8	16	24	28	0-17	157	7.9	88	1	2	3	10	28	30
70-74	523	7.6	26	3	4	6	10	16	19	18-34	73	7.0	51	1	2	2	8	22	22
75-79	650	9.2	65	3	4	7	11	18	27	35-49	171	8.4	58	2	2	4	15	21	22
80-84	538	7.8	32	2	4	7	10	14	18	50-69	462	10.0	73	2	4	7	14	23	31
85 +	320	8.3	26	3	4	7	11	16	17	70 +	43	5.4	6						
SUBTOTAL	**2675**	**8.9**	**51**	**3**	**4**	**7**	**11**	**18**	**23**		**906**	**8.9**	**69**	**2**	**3**	**6**	**12**	**22**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2675**	**8.9**	**51**	**3**	**4**	**7**	**11**	**18**	**23**		**906**	**8.9**	**69**	**2**	**3**	**6**	**12**	**22**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	79	8.3	45	2	3	6	12	18	25	0-17	78	10.3	123	1	5	8	10	26	42
18-34	17	2.9	1							18-34	56	7.1	48	1	3	4	9	23	23
35-49	34	9.1	82							35-49	252	13.7	102	5	6	9	20	31	36
50-69	34	6.7	23							50-69	690	13.9	272	2	5	8	17	27	43
70 +	8	11.0								70 +	70	8.1	54	1	3	7	9	26	26
SUBTOTAL	**172**	**7.7**	**45**	**2**	**3**	**6**	**11**	**15**	**25**		**1145**	**12.9**	**204**	**2**	**5**	**8**	**17**	**27**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**172**	**7.7**	**45**	**2**	**3**	**6**	**11**	**15**	**25**		**1145**	**12.9**	**204**	**2**	**5**	**8**	**17**	**27**	**41**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	281	3.2	6	< 1	< 1	3	5	7	8
70-74	228	4.5	12	< 1	1	3	7	11	11
75-79	195	6.8	46	< 1	2	4	10	18	19
80-84	130	6.2	43	2	2	3	10	15	26
85 +	76	4.6	13	< 1	3	4	5	12	13
SUBTOTAL	**910**	**4.8**	**24**	**< 1**	**1**	**3**	**5**	**11**	**14**
GRAND TOTAL	**910**	**4.8**	**24**	**< 1**	**1**	**3**	**5**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	213	2.5	3	< 1	1	1	4	6	6
18-34	59	4.4	54	< 1	1	1	4	23	23
35-49	203	4.1	9	1	2	3	5	10	11
50-69	332	5.3	27	1	2	3	8	12	20
70 +	23	11.3	56						
	830	**4.4**	**22**	**< 1**	**1**	**3**	**5**	**10**	**15**
	830	**4.4**	**22**	**< 1**	**1**	**3**	**5**	**10**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	110	5.0	18	1	2	3	7	8	18
18-34	37	3.0	3						
35-49	16	11.5	32						
50-69	45	4.5	2						
70 +	0								
SUBTOTAL	**208**	**5.0**	**17**	**2**	**2**	**4**	**7**	**8**	**17**
GRAND TOTAL	**208**	**5.0**	**17**	**2**	**2**	**4**	**7**	**8**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	169	4.6	9	1	3	4	7	7	7
18-34	89	3.9	8	1	2	3	6	8	10
35-49	174	5.0	15	1	1	5	8	11	14
50-69	300	3.8	6	1	1	3	5	8	8
70 +	17	1.9	1						
	749	**4.2**	**9**	**1**	**2**	**3**	**6**	**8**	**9**
	749	**4.2**	**9**	**1**	**2**	**3**	**6**	**8**	**9**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	660	12.0	125	3	3	6	19	29	31
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**660**	**12.0**	**125**	**3**	**3**	**6**	**19**	**29**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	696	4.9	13	< 1	2	4	7	10	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**696**	**4.9**	**13**	**< 1**	**2**	**4**	**7**	**10**	**12**
GRAND TOTAL	**0**										**1355**	**8.4**	**80**	**1**	**3**	**5**	**10**	**23**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	337	12.5	215	2	3	8	19	24	30	0-17	379	13.6	260	1	4	8	18	32	41
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**337**	**12.5**	**215**	**2**	**3**	**8**	**19**	**24**	**30**		**379**	**13.6**	**260**	**1**	**4**	**8**	**18**	**32**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	185	4.1	14	1	1	2	9	10	11	0-17	544	5.8	30	1	2	4	8	13	15
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**185**	**4.1**	**14**	**1**	**1**	**2**	**9**	**10**	**11**		**544**	**5.8**	**30**	**1**	**2**	**4**	**8**	**13**	**15**
GRAND TOTAL	**522**	**9.5**	**160**	**1**	**2**	**5**	**11**	**23**	**26**		**923**	**9.0**	**139**	**1**	**2**	**6**	**10**	**23**	**30**

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	200	17.4	229	6	8	11	19	40	44	0-17	31	8.8	16						
70-74	70	12.9	37	5	10	13	14	26	36	18-34	9	6.0							
75-79	65	11.3	34	3	7	10	15	22	22	35-49	62	10.8	97	2	2	6	16	31	31
80-84	78	14.7	133	5	6	8	19	39	39	50-69	147	10.0	111	1	5	6	11	30	43
85 +	25	8.8	11							70 +	9	4.0							
SUBTOTAL	**438**	**14.8**	**147**	**6**	**7**	**11**	**16**	**32**	**40**		**259**	**9.7**	**90**	**2**	**5**	**6**	**13**	**25**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**438**	**14.8**	**147**	**6**	**7**	**11**	**16**	**32**	**40**		**259**	**9.7**	**90**	**2**	**5**	**6**	**13**	**25**	**31**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	7.5	7							0-17	47	18.7	791	< 1	4	5	16	80	80
18-34	0									18-34	25	10.1	3						
35-49	9	3.0								35-49	25	24.0	438						
50-69	8	5.0								50-69	120	15.7	168	8	8	9	21	40	44
70 +	0									70 +	0								
SUBTOTAL	**33**	**5.6**	**7**								**216**	**16.7**	**322**	**5**	**8**	**9**	**16**	**44**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**33**	**5.6**	**7**								**216**	**16.7**	**322**	**5**	**8**	**9**	**16**	**44**	**54**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	122	5.8	3	3	4	6	7	7	9
70-74	78	7.2	22	3	4	5	8	18	18
75-79	43	9.2	49						
80-84	0								
85 +	9	2.0							
SUBTOTAL	253	6.7	19	3	4	6	7	14	18
GRAND TOTAL	253	6.7	19	3	4	6	7	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
0-17	39	4.6	2						
18-34	25	5.2	4						
35-49	54	6.2	10	4	4	5	6	13	13
50-69	161	7.8	111	1	4	5	7	11	49
70 +	0								
SUBTOTAL	279	6.8	68	3	4	5	7	9	13
GRAND TOTAL	279	6.8	68	3	4	5	7	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	6.0							
18-34	0								
35-49	9	4.0							
50-69	0								
70 +	0								
SUBTOTAL	17	4.9	1						
GRAND TOTAL	17	4.9	1						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
0-17	16	4.0	1						
18-34	43	4.8	7						
35-49	78	4.0	3	1	3	4	6	6	6
50-69	90	3.9	6	1	2	4	6	8	8
70 +	0								
SUBTOTAL	227	4.1	5	1	3	4	6	8	8
GRAND TOTAL	227	4.1	5	1	3	4	6	8	8

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	135	4.8	15	2	2	3	6	12	15	0-17	39	9.6	114						
70-74	126	6.0	18	1	2	6	9	13	15	18-34	42	4.6	7						
75-79	98	7.2	50	2	3	5	8	22	22	35-49	95	6.0	41	2	2	4	7	12	25
80-84	26	3.9	2							50-69	253	7.7	75	2	3	6	8	12	17
85 +	25	7.4	44							70 +	17	1.9	1						
SUBTOTAL	410	5.8	26	2	2	4	7	15	17		446	7.0	65	2	3	5	8	12	25
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	166	3.0	5	1	1	3	3	7	9	0-17	86	1.4	1	< 1	< 1	< 1	1	1	5
70-74	110	4.0	33	1	1	2	4	7	24	18-34	16	2.0							
75-79	84	3.2	5	1	2	2	3	7	9	35-49	118	2.4	1	1	2	2	3	4	5
80-84	26	4.3	1							50-69	150	3.4	11	1	2	2	4	7	15
85 +	34	1.9	1							70 +	0								
SUBTOTAL	420	3.3	12	1	1	2	4	7	9		370	2.6	6	< 1	1	2	3	5	6
GRAND TOTAL	830	4.6	21	1	2	3	5	9	15		815	5.0	43	1	2	3	5	10	15

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	10.0							
18-34	0									18-34	39	13.2	73						
35-49	0									35-49	17	1.9	1						
50-69	16	14.0	107							50-69	183	9.0	45	2	4	6	14	16	19
70 +	9	4.0								70 +	9	2.0							
SUBTOTAL	25	10.3	90								256	8.9	51	2	3	6	14	19	22
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	2.3	2							0-17	40	1.8	1						
18-34	9	3.0								18-34	57	3.2	4	1	1	2	6	6	6
35-49	19	2.0								35-49	87	2.2	1	1	1	2	3	4	5
50-69	9	1.0								50-69	216	3.2	7	1	2	2	4	7	8
70 +	0									70 +	25	2.3	2						
SUBTOTAL	60	2.1	1	1	1	2	3	4	4		426	2.8	5	1	1	2	3	6	7
GRAND TOTAL	85	4.5	40	1	2	2	4	4	24		682	5.1	31	1	2	3	6	14	18

DRG 409: Radiotherapy

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	93	12.4	422	3	3	5	11	25	77
70-74	110	6.7	30	2	4	5	8	18	19
75-79	42	4.7	9						
80-84	16	5.5	7						
85 +	16	17.0	181						
SUBTOTAL	276	8.8	177	2	3	5	8	19	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	75	2.2	2	1	1	2	3	5	5
70-74	31	3.0							
75-79	16	2.5							
80-84	0								
85 +	8	2.0							
SUBTOTAL	129	2.4	1	1	1	3	3	3	5
GRAND TOTAL	405	6.8	130	2	3	4	5	16	25

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	17	6.9	21						
35-49	34	5.4	6						
50-69	78	6.2	41	1	3	4	6	19	23
70 +	16	11.0	17						
	152	6.4	29	1	3	5	9	15	21
0-17	0								
18-34	70	1.3		1	1	1	2	2	2
35-49	112	1.6		1	1	2	2	2	3
50-69	50	2.7	1	1	2	3	4	4	4
70 +	0								
	232	1.8	1	1	1	2	2	3	4
	384	3.6	17	1	1	2	4	9	11

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	9	4.0							
35-49	8	2.0							
50-69	0								
70 +	0								
SUBTOTAL	17	3.1	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	19	4.0							
35-49	0								
50-69	19	3.5							
70 +	0								
SUBTOTAL	37	3.8							
GRAND TOTAL	54	3.5	1	2	3	4	4	4	4

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	43	2.6							
35-49	68	3.7	6	1	2	3	4	10	10
50-69	98	3.5	3	2	3	3	3	6	8
70 +	0								
	217	3.3	4	2	2	3	3	6	8
0-17	0								
18-34	115	2.6	1	1	2	2	3	4	5
35-49	128	2.0	1	1	2	2	3	3	3
50-69	155	2.7	1	1	2	3	3	4	4
70 +	0								
	398	2.4	1	1	2	2	3	4	4
	615	2.7	2	1	2	3	3	4	5

Western Region, July 1988 - June 1989

DRG 410: Chemotherapy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7047	3.0	11	1	1	2	4	5	6	0-17	5100	2.8	4	1	1	2	4	5	6
70-74	4713	2.7	12	1	1	2	4	5	6	18-34	1175	3.9	9	1	2	4	5	6	8
75-79	2108	2.8	3	1	1	2	4	5	6	35-49	2693	2.9	9	1	1	2	4	5	6
80-84	967	3.0	5	1	1	2	4	6	6	50-69	9090	2.7	13	1	1	2	3	5	6
85 +	250	3.8	5	2	2	3	5	5	8	70 +	432	2.6	2	1	1	2	4	5	5
SUBTOTAL	**15085**	**2.9**	**10**	**1**	**1**	**2**	**4**	**5**	**6**		**18489**	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2194	2.3	5	1	1	1	3	5	6	0-17	2871	2.9	4	1	2	2	4	5	6
70-74	1532	1.8	2	1	1	1	2	4	5	18-34	1053	3.2	3	1	1	3	5	5	6
75-79	1004	1.7	2	1	1	1	2	4	5	35-49	1947	2.2	3	1	1	1	3	5	5
80-84	327	1.9	2	1	1	1	2	4	5	50-69	2863	1.7	2	1	1	1	2	4	5
85 +	0									70 +	79	1.2		1	1	1	1	2	2
SUBTOTAL	**5057**	**2.0**	**3**	**1**	**1**	**1**	**2**	**5**	**5**		**8814**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**20142**	**2.7**	**8**	**1**	**1**	**2**	**4**	**5**	**6**		**27303**	**2.7**	**7**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2213	3.1	9	1	1	2	4	5	6	0-17	2412	2.7	6	1	1	2	4	5	5
18-34	377	3.6	2	2	2	4	5	5	6	18-34	493	3.8	14	1	2	3	5	6	6
35-49	494	3.7	10	1	2	3	4	7	7	35-49	1192	3.2	10	1	1	2	4	5	6
50-69	712	3.3	6	1	1	3	5	5	6	50-69	2618	3.0	10	1	1	2	4	6	7
70 +	28	4.0								70 +	342	1.9	1	1	1	2	2	3	4
SUBTOTAL	**3825**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**6**		**7057**	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	817	2.8	2	1	2	3	4	4	5	0-17	1399	3.1	3	1	2	3	4	6	6
18-34	147	3.4	24	1	1	2	3	6	23	18-34	452	2.7	3	1	1	2	5	5	6
35-49	220	3.4	10	1	1	3	5	5	8	35-49	832	2.8	4	1	1	2	4	6	6
50-69	273	3.6	2	2	3	3	5	6	6	50-69	1246	2.7	4	1	1	2	5	6	6
70 +	0									70 +	28	1.0							
SUBTOTAL	**1457**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**		**3957**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**6**
GRAND TOTAL	**5282**	**3.2**	**7**	**1**	**2**	**3**	**4**	**5**	**6**		**11014**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 411: History of Malignancy w/o Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9	6.0								0-17	8	1.0							
70-74	9	1.0								18-34	0								
75-79	0									35-49	0								
80-84	9	6.0								50-69	19	6.5	13						
85 +	0									70 +	0								
SUBTOTAL	**28**	**4.3**	**6**								**26**	**4.9**	**16**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	9	2.0							
75-79	9	2.0								35-49	19	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**9**	**2.0**									**28**	**1.3**							
GRAND TOTAL	**37**	**3.8**	**5**								**54**	**3.1**	**11**	**<1**	**<1**	**1**	**3**	**10**	**10**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	9	2.0								18-34	0								
35-49	9	1.0								35-49	0								
50-69	0									50-69	16	5.5	13						
70 +	0									70 +	9	1.0							
SUBTOTAL	**19**	**1.5**									**25**	**3.8**	**13**						
GRAND TOTAL	**19**	**1.5**									**25**	**3.8**	**13**						

DRG 412: History of Malignancy w/ Endoscopy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9	1.0								0-17	0								
70-74	8	1.0								18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	8	3.0							
85 +	0									70 +	0								
SUBTOTAL	**17**	**1.0**									**8**	**3.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	19	1.0								0-17	0								
70-74	0									18-34	0								
75-79	19	1.0								35-49	0								
80-84	19	1.0								50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**56**	**1.0**		<1	<1	<1	<1	1	1		**0**								
GRAND TOTAL	73	1.0		<1	<1	<1	1	1	1		8	3.0							

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	9	5.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**9**	**5.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	9	1.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**9**	**1.0**							
GRAND TOTAL	0										19	3.0	4						

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	310	9.2	79	3	5	7	9	17	28
70-74	239	9.4	41	3	4	9	13	21	21
75-79	228	9.4	44	2	4	7	14	20	23
80-84	141	9.2	45	3	6	7	9	24	26
85 +	79	7.5	9	5	5	6	9	14	14
SUBTOTAL	**997**	**9.1**	**52**	**3**	**5**	**7**	**11**	**19**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**997**	**9.1**	**52**	**3**	**5**	**7**	**11**	**19**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	10.9	307	< 1	1	4	7	53	53
18-34	17	14.4	116						
35-49	78	7.7	16	4	4	6	10	15	16
50-69	231	7.9	59	2	3	5	10	20	27
70 +	17	9.1	1						
	397	**8.6**	**86**	**2**	**3**	**6**	**10**	**20**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	397	**8.6**	**86**	**2**	**3**	**6**	**10**	**20**	**27**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	3.0							
18-34	40	5.8	9						
35-49	17	4.5							
50-69	19	10.5	76						
70 +	0								
SUBTOTAL	**84**	**6.3**	**26**	**1**	**3**	**5**	**7**	**19**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**84**	**6.3**	**26**	**1**	**3**	**5**	**7**	**19**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	8	11.0							
35-49	82	12.9	272	3	5	6	11	57	57
50-69	151	8.4	24	4	5	7	11	17	22
70 +	17	13.9	45						
	266	**10.0**	**107**	**4**	**5**	**7**	**11**	**20**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	266	**10.0**	**107**	**4**	**5**	**7**	**11**	**20**	**23**

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	144	9.6	95	2	3	5	11	29	35	0-17	39	3.2	4						
70-74	178	4.6	9	1	3	4	5	9	11	18-34	34	3.1	6						
75-79	78	3.1	4	1	2	2	4	6	7	35-49	79	4.7	17	1	1	4	6	13	14
80-84	51	3.2	3	1	2	3	5	6	6	50-69	144	7.6	100	1	2	4	8	21	39
85+	17	5.2	13							70+	8	1.0							
SUBTOTAL	**468**	**5.7**	**41**	**1**	**2**	**4**	**6**	**9**	**19**		**304**	**5.6**	**57**	**1**	**1**	**3**	**7**	**14**	**21**
GRAND TOTAL	**468**	**5.7**	**41**	**1**	**2**	**4**	**6**	**9**	**19**		**304**	**5.6**	**57**	**1**	**1**	**3**	**7**	**14**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9	1.0								0-17	50	2.9	7	<1	1	2	3	9	9
18-34	8	4.0								18-34	16	3.0	4						
35-49	0									35-49	59	2.8	2	1	1	3	4	4	4
50-69	23	10.7	36							50-69	174	6.1	21	1	3	5	9	11	17
70+	0									70+	8	4.0							
SUBTOTAL	**40**	**7.2**	**39**								**306**	**4.7**	**16**	**1**	**2**	**3**	**7**	**10**	**17**
GRAND TOTAL	**40**	**7.2**	**39**								**306**	**4.7**	**16**	**1**	**2**	**3**	**7**	**10**	**17**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	831	20.6	228	4	9	18	29	40	56
70-74	510	19.5	298	5	8	15	23	48	63
75-79	279	22.0	437	5	8	13	28	65	73
80-84	327	16.0	51	7	11	14	19	26	34
85 +	276	15.5	76	6	7	13	25	28	30
SUBTOTAL	**2223**	**19.2**	**230**	**6**	**9**	**15**	**25**	**38**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	310	9.8	38	3	4	8	13	20	22
70-74	160	9.7	67	1	4	8	11	23	33
75-79	174	11.0	106	3	7	8	11	21	45
80-84	46	11.4	33						
85 +	62	12.8	60	1	7	12	21	25	25
SUBTOTAL	**752**	**10.4**	**62**	**3**	**5**	**8**	**13**	**21**	**23**
GRAND TOTAL	**2975**	**17.0**	**202**	**4**	**7**	**13**	**22**	**33**	**48**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	132	9.4	23	3	5	8	14	17	17
18-34	163	12.4	89	4	7	9	13	33	35
35-49	299	13.2	178	3	7	9	11	37	49
50-69	506	15.0	208	4	7	11	17	39	60
70 +	42	8.0	27						
	1142	**13.3**	**159**	**4**	**7**	**10**	**14**	**33**	**46**
0-17	203	5.3	17	< 1	2	4	8	11	13
18-34	313	6.1	15	2	3	5	9	11	15
35-49	299	9.9	76	2	5	8	11	21	29
50-69	277	8.3	69	1	3	5	11	18	23
70 +	8	13.0							
	1101	**7.6**	**49**	**1**	**3**	**5**	**10**	**14**	**21**
	2242	**10.5**	**113**	**2**	**5**	**8**	**12**	**20**	**35**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	95	22.2	172	9	9	17	34	39	42
18-34	64	7.6	20	2	4	7	9	17	17
35-49	70	15.6	86	3	7	13	27	27	27
50-69	67	19.2	319	3	8	14	28	62	62
70 +	9	17.0							
SUBTOTAL	**304**	**16.8**	**175**	**3**	**7**	**13**	**26**	**37**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	6.3	11						
18-34	65	7.0	39	1	3	5	9	21	21
35-49	71	6.6	11	3	3	6	9	12	12
50-69	33	9.0	54						
70 +	9	5.0							
SUBTOTAL	**202**	**7.0**	**27**	**2**	**3**	**6**	**10**	**15**	**17**
GRAND TOTAL	**506**	**12.9**	**139**	**3**	**5**	**9**	**17**	**30**	**37**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	102	18.1	259	9	10	13	16	28	71
18-34	106	15.0	180	1	4	17	31	42	99 +
35-49	172	13.7	128	4	7	10	15	36	42
50-69	272	15.6	136	2	7	14	21	29	47
70 +	9	24.0							
	661	**15.5**	**161**	**3**	**7**	**13**	**21**	**35**	**44**
0-17	101	7.2	16	2	4	8	10	10	16
18-34	254	7.6	30	3	4	6	9	16	19
35-49	230	7.4	23	2	4	6	11	13	17
50-69	246	13.1	319	1	3	7	13	22	69
70 +	8	7.0							
	838	**9.1**	**117**	**2**	**4**	**7**	**11**	**17**	**22**
	1500	**11.9**	**146**	**2**	**5**	**9**	**15**	**26**	**36**

DRG 416: Septicemia Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3266	9.7	55	4	5	8	12	17	21	0-17	0								
70-74	2340	9.1	36	4	5	7	11	16	21	18-34	243	7.9	27	2	4	6	11	15	20
75-79	2327	9.9	50	4	6	8	12	16	20	35-49	547	8.2	48	3	4	6	9	19	24
80-84	2396	9.1	37	4	6	8	11	16	20	50-69	1006	8.2	30	3	5	6	11	15	20
85 +	2519	9.1	31	4	6	8	11	16	19	70 +	197	9.6	54	4	5	8	13	16	20
SUBTOTAL	12848	9.4	43	4	6	8	11	16	20		1994	8.3	37	3	4	6	11	16	21
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	281	6.8	20	2	4	6	9	12	14	0-17	0								
70-74	206	6.0	12	2	4	5	7	10	14	18-34	125	4.9	9	2	3	4	8	9	12
75-79	215	9.0	26	4	5	7	13	14	15	35-49	144	4.3	13	1	2	3	5	8	16
80-84	163	6.8	13	2	4	6	9	13	13	50-69	164	4.3	5	1	2	4	6	8	8
85 +	173	6.5	15	2	3	6	9	12	15	70 +	19	8.0	1						
SUBTOTAL	1038	7.1	19	3	4	6	9	13	14		452	4.6	9	2	2	4	7	8	9
GRAND TOTAL	13886	9.2	41	4	5	8	11	16	20		2446	7.6	34	2	4	6	9	15	20

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	222	9.1	30	4	5	8	12	16	20	18-34	425	9.5	42	3	5	8	14	19	22
35-49	192	7.3	27	3	4	6	10	13	21	35-49	433	9.0	46	3	4	6	12	17	21
50-69	229	12.6	125	6	7	10	13	23	30	50-69	956	9.4	42	4	5	8	11	16	21
70 +	88	12.3	74	3	6	9	22	26	28	70 +	234	9.6	64	3	5	8	12	16	34
SUBTOTAL	732	10.1	69	4	5	8	12	22	25		2049	9.4	45	3	5	8	12	17	21
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	67	5.7	12	3	4	4	5	15	15
35-49	9	9.0								35-49	134	6.2	17	2	3	6	7	13	18
50-69	19	6.5	7							50-69	165	6.1	10	1	4	6	8	11	13
70 +	0									70 +	16	11.5	45						
SUBTOTAL	28	7.3	6								381	6.3	15	2	4	6	7	13	15
GRAND TOTAL	760	10.0	67	4	5	8	12	21	25		2429	8.9	42	3	4	7	11	16	21

DRG 417: Septicemia Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	48	5.1	17	2	2	3	5	14	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**48**	**5.1**	**17**	**2**	**2**	**3**	**5**	**14**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**48**	**5.1**	**17**	**2**	**2**	**3**	**5**	**14**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1054	7.4	35	2	3	5	10	16	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1054	**7.4**	**35**	**2**	**3**	**5**	**10**	**16**	**18**
0-17	1228	3.9	12	2	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1228	**3.9**	**12**	**2**	**2**	**3**	**5**	**7**	**10**
	2281	**5.5**	**26**	**2**	**3**	**4**	**7**	**12**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	797	6.7	48	2	3	5	8	14	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**797**	**6.7**	**48**	**2**	**3**	**5**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	750	4.3	17	2	2	3	5	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**750**	**4.3**	**17**	**2**	**2**	**3**	**5**	**9**	**10**
GRAND TOTAL	**1548**	**5.5**	**34**	**2**	**2**	**4**	**7**	**10**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	769	7.8	32	2	3	6	11	16	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	769	**7.8**	**32**	**2**	**3**	**6**	**11**	**16**	**19**
0-17	1632	3.9	8	2	2	3	4	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1632	**3.9**	**8**	**2**	**2**	**3**	**4**	**7**	**10**
	2402	**5.2**	**19**	**2**	**3**	**3**	**7**	**11**	**14**

DRG 418: Postoperative & Post-traumatic Infections

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	450	9.7	102	3	4	7	11	18	22
70-74	338	8.6	46	3	4	7	11	15	17
75-79	225	8.7	28	3	5	7	13	15	17
80-84	198	9.0	110	2	4	8	11	13	14
85 +	143	10.9	35	4	5	10	15	17	26
SUBTOTAL	**1353**	**9.3**	**70**	**3**	**4**	**7**	**12**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	382	5.5	15	2	3	5	7	9	10
70-74	253	6.1	16	2	4	5	7	11	12
75-79	160	5.3	11	3	3	4	6	13	14
80-84	96	7.2	10	4	6	6	8	12	15
85 +	76	7.1	14	3	5	5	9	14	14
SUBTOTAL	**966**	**5.9**	**14**	**2**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**2320**	**7.9**	**50**	**3**	**4**	**6**	**10**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	3.0	3	1	2	3	4	4	7
18-34	118	5.3	10	2	3	5	9	10	11
35-49	144	6.4	18	2	3	4	9	12	16
50-69	263	4.9	9	2	3	4	6	9	12
70 +	50	4.8	8	1	2	5	7	9	9
	668	**5.0**	**11**	**2**	**3**	**4**	**6**	**10**	**12**
0-17	222	3.4	5	1	2	3	4	6	6
18-34	262	4.7	5	2	3	4	5	8	10
35-49	448	4.4	9	1	2	4	6	8	11
50-69	350	5.3	14	2	3	4	7	10	13
70 +	23	9.3	99						
	1305	**4.6**	**11**	**2**	**2**	**4**	**6**	**9**	**11**
	1973	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	9.7	11						
18-34	54	4.7	4	2	3	5	7	7	7
35-49	45	3.3	3						
50-69	62	4.5	3	1	3	5	6	7	7
70 +	0								
SUBTOTAL	**184**	**4.9**	**8**	**2**	**3**	**5**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	96	3.8	11	2	2	3	4	6	14
18-34	136	3.1	4	1	2	3	4	5	9
35-49	81	4.1	4	1	3	3	6	7	8
50-69	43	6.0	9						
70 +	0								
SUBTOTAL	**357**	**3.9**	**7**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**541**	**4.2**	**8**	**2**	**2**	**3**	**5**	**8**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	106	6.5	14	3	4	6	8	12	16
18-34	124	5.5	15	1	2	4	9	11	15
35-49	188	6.3	44	2	3	5	7	9	10
50-69	337	9.1	61	3	4	7	10	20	26
70 +	16	4.5							
	771	**7.4**	**44**	**2**	**4**	**6**	**9**	**12**	**20**
0-17	280	5.3	33	2	2	4	6	9	25
18-34	410	4.6	10	1	2	4	7	8	8
35-49	483	4.9	9	2	3	4	6	8	12
50-69	415	6.1	12	2	4	5	8	11	13
70 +	68	6.5	10	2	3	7	10	10	10
	1655	**5.3**	**14**	**2**	**3**	**4**	**7**	**9**	**12**
	2426	**5.9**	**25**	**2**	**3**	**5**	**7**	**10**	**13**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1035	5.4	15	2	3	4	6	10	16
70-74	409	5.6	28	2	3	4	7	10	14
75-79	589	7.6	66	2	4	5	9	14	26
80-84	268	7.8	33	2	4	6	11	16	17
85 +	273	6.6	27	3	3	6	7	11	16
SUBTOTAL	**2574**	**6.3**	**33**	**2**	**3**	**5**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2574**	**6.3**	**33**	**2**	**3**	**5**	**7**	**12**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	169	3.7	8	1	3	3	4	5	6
35-49	302	5.3	12	2	3	4	7	10	14
50-69	443	5.1	12	2	3	4	6	11	13
70 +	34	5.1	2						
	948	**4.9**	**11**	**2**	**3**	**4**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	948	**4.9**	**11**	**2**	**3**	**4**	**6**	**9**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	95	3.2	2	2	2	3	4	5	6
35-49	81	6.4	21	1	2	5	9	14	14
50-69	43	6.6	25						
70 +	17	4.7	7						
SUBTOTAL	**236**	**5.0**	**15**	**2**	**2**	**4**	**6**	**13**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**236**	**5.0**	**15**	**2**	**2**	**4**	**6**	**13**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	217	6.6	38	2	3	5	8	12	25
35-49	205	5.2	11	1	3	4	8	10	11
50-69	418	6.2	16	2	4	6	8	9	13
70 +	51	7.0	27	2	3	4	11	16	16
	891	**6.1**	**21**	**2**	**3**	**5**	**8**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	891	**6.1**	**21**	**2**	**3**	**5**	**8**	**11**	**13**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	175	4.2	10	2	2	3	4	10	11
70-74	223	5.0	7	2	3	4	6	10	10
75-79	107	4.7	10	2	3	4	6	9	13
80-84	124	4.6	2	3	3	4	6	7	7
85+	170	6.2	17	2	3	5	8	12	18
SUBTOTAL	**800**	**5.0**	**10**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**800**	**5.0**	**10**	**2**	**3**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	166	3.1	2	1	2	3	4	5	8
35-49	220	4.7	7	2	3	4	6	8	10
50-69	188	5.0	9	3	3	4	6	7	12
70+	16	7.5	32						
	589	**4.4**	**8**	**2**	**3**	**4**	**5**	**8**	**11**
	589	**4.4**	**8**	**2**	**3**	**4**	**5**	**8**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	45	2.4	1						
35-49	19	4.0	10						
50-69	9	2.0							
70+	9	5.0							
SUBTOTAL	**82**	**3.0**	**3**	**1**	**2**	**3**	**3**	**7**	**7**
GRAND TOTAL	**82**	**3.0**	**3**	**1**	**2**	**3**	**3**	**7**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	125	3.7	7	1	2	3	5	7	11
35-49	188	4.4	13	2	3	3	4	7	8
50-69	168	6.0	10	3	4	5	7	10	12
70+	9	5.0							
	491	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**11**
	491	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**11**

DRG 421: Viral Illness Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	597	4.1	4	2	3	4	5	7	8	0-17	0								
70-74	341	3.6	6	1	2	3	4	8	9	18-34	756	3.3	7	1	2	2	4	7	9
75-79	442	4.1	6	2	2	4	6	7	10	35-49	417	4.3	19	1	2	3	5	7	8
80-84	248	5.4	30	2	3	4	5	14	17	50-69	378	3.8	5	2	2	3	5	7	8
85 +	248	5.5	20	2	3	5	6	9	14	70 +	17	4.1	1						
SUBTOTAL	**1875**	**4.4**	**11**	**2**	**2**	**4**	**5**	**8**	**10**		**1568**	**3.7**	**10**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	223	3.4	4	1	2	3	5	6	6	0-17	0								
70-74	175	3.9	4	2	2	3	5	7	8	18-34	685	2.8	3	1	2	2	4	5	6
75-79	161	4.2	4	2	3	4	5	7	9	35-49	367	2.5	2	1	1	2	3	5	6
80-84	143	4.1	8	2	2	3	4	10	12	50-69	318	3.4	4	1	2	3	4	7	8
85 +	150	3.0	2	1	2	3	4	5	6	70 +	9	3.0							
SUBTOTAL	**852**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**9**		**1379**	**2.9**	**3**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**2728**	**4.2**	**9**	**2**	**2**	**3**	**5**	**7**	**9**		**2946**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	187	3.7	3	2	3	3	4	6	7	18-34	880	4.0	11	1	2	3	5	7	11
35-49	54	4.2	2	3	3	5	5	6	6	35-49	488	5.8	25	1	2	4	8	14	17
50-69	28	6.0	5							50-69	345	4.9	19	2	3	3	5	9	15
70 +	9	6.0								70 +	45	4.3	2						
SUBTOTAL	**279**	**4.1**	**3**	**2**	**3**	**3**	**5**	**7**	**8**		**1758**	**4.7**	**17**	**1**	**2**	**3**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	139	3.7	6	2	2	3	4	5	12	18-34	1010	2.8	3	1	2	2	3	5	7
35-49	28	5.3	11							35-49	296	2.8	5	1	2	2	4	5	6
50-69	34	2.5	1							50-69	211	3.1	6	1	2	2	3	6	6
70 +	0									70 +	8	4.0							
SUBTOTAL	**201**	**3.7**	**7**	**2**	**2**	**3**	**4**	**5**	**10**		**1525**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**480**	**4.0**	**5**	**2**	**3**	**3**	**5**	**7**	**9**		**3283**	**3.8**	**12**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
				PERCENTILES					
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
				PERCENTILES					
1.PATIENTS W/ CCs									
0-17	2602	3.3	8	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2602**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
0-17	4380	2.6	4	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4380**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**6982**	**2.9**	**5**	**1**	**2**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
				PERCENTILES					
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1309	3.4	5	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1309**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2072	2.8	4	1	2	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2072**	**2.8**	**4**	**1**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**3381**	**3.0**	**4**	**1**	**2**	**3**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
				PERCENTILES					
1.PATIENTS W/ CCs									
0-17	1685	3.7	13	1	2	3	4	6	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1685**	**3.7**	**13**	**1**	**2**	**3**	**4**	**6**	**12**
2.PATIENTS W/OUT CCs									
0-17	4465	2.7	2	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4465**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**6150**	**3.0**	**5**	**1**	**2**	**3**	**3**	**5**	**6**

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	256	8.9	53	3	4	6	13	16	18	0-17	109	11.7	90	2	3	10	17	27	29
70-74	146	13.8	239	3	5	8	14	30	67	18-34	167	6.6	13	2	4	5	10	12	15
75-79	125	7.7	25	4	5	6	8	15	22	35-49	124	11.9	75	3	4	11	18	28	29
80-84	91	10.5	127	4	5	7	10	27	43	50-69	197	12.6	112	3	5	9	19	25	30
85 +	127	6.8	35	3	4	5	8	10	28	70 +	0								
SUBTOTAL	**745**	**9.5**	**96**	**3**	**4**	**6**	**11**	**16**	**28**		**597**	**10.6**	**79**	**3**	**4**	**9**	**14**	**25**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	6.3	48							0-17	167	4.9	82	2	2	3	3	5	42
70-74	9	7.0								18-34	238	4.7	15	2	2	3	6	9	13
75-79	56	7.8	30	1	6	6	8	19	19	35-49	132	6.5	19	2	3	5	8	14	16
80-84	8	14.0								50-69	88	4.5	11	1	1	4	7	10	11
85 +	9	7.0								70 +	0								
SUBTOTAL	**119**	**7.6**	**32**	**1**	**3**	**7**	**8**	**18**	**19**		**626**	**5.1**	**34**	**2**	**2**	**3**	**5**	**11**	**14**
GRAND TOTAL	**864**	**9.2**	**87**	**3**	**4**	**6**	**11**	**17**	**28**		**1223**	**7.8**	**63**	**2**	**3**	**5**	**10**	**18**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	89	17.6	483	2	2	10	15	50	75	0-17	116	13.5	229	3	5	8	15	36	61
18-34	68	10.2	111	2	4	6	11	38	38	18-34	272	11.2	112	3	5	8	11	26	33
35-49	28	9.3	25							35-49	243	12.5	130	3	4	8	17	27	37
50-69	53	17.1	538	2	2	11	12	66	66	50-69	140	11.5	172	2	3	7	11	31	48
70 +	9	14.0								70 +	0								
SUBTOTAL	**247**	**14.4**	**332**	**2**	**4**	**10**	**14**	**46**	**66**		**771**	**12.0**	**146**	**3**	**5**	**8**	**14**	**28**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	62	4.3	10	2	2	3	6	12	12	0-17	219	5.5	22	2	3	4	5	14	16
18-34	74	3.5	3	1	2	3	4	7	7	18-34	273	5.0	8	2	3	5	6	8	12
35-49	19	13.0	38							35-49	85	6.5	12	3	3	6	10	10	13
50-69	0									50-69	34	7.0	27						
70 +	0									70 +	0								
SUBTOTAL	**155**	**5.0**	**19**	**2**	**3**	**3**	**6**	**12**	**19**		**611**	**5.5**	**15**	**2**	**3**	**4**	**6**	**10**	**14**
GRAND TOTAL	**402**	**10.7**	**232**	**2**	**3**	**5**	**12**	**19**	**50**		**1382**	**9.1**	**99**	**2**	**3**	**6**	**10**	**22**	**31**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	88	26.1	622	3	8	20	38	78	84	0-17	9	31.0							
70-74	43	23.4	304							18-34	9	14.0							
75-79	26	8.7	36							35-49	16	42.0	1385						
80-84	17	17.6	2							50-69	26	14.9	43						
85 +	9	14.0								70 +	17	27.1	510						
SUBTOTAL	**184**	**21.6**	**411**	**4**	**8**	**16**	**21**	**53**	**64**		**78**	**24.8**	**499**	**5**	**7**	**18**	**31**	**72**	**78**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	10.5	21							0-17	31	23.5	514						
70-74	19	1.0								18-34	26	21.1	770						
75-79	9	5.0								35-49	51	11.6	88	1	9	9	11	32	32
80-84	19	1.0								50-69	76	17.6	520	1	2	10	24	67	78
85 +	0									70 +	8	17.0							
SUBTOTAL	**84**	**5.7**	**30**	**1**	**1**	**5**	**8**	**18**	**18**		**193**	**17.4**	**427**	**1**	**2**	**10**	**24**	**55**	**63**
GRAND TOTAL	**268**	**16.6**	**346**	**1**	**5**	**10**	**20**	**53**	**53**		**270**	**19.5**	**457**	**1**	**4**	**10**	**27**	**55**	**78**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	21.4	270							0-17	25	7.1	1						
18-34	0									18-34	0								
35-49	9	6.0								35-49	25	1.9	2						
50-69	8	29.0								50-69	26	13.7	282						
70 +	9	43.0								70 +	0								
SUBTOTAL	**43**	**24.1**	**259**								**76**	**7.7**	**120**	**1**	**1**	**4**	**7**	**36**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	23.5	418	4	10	40	99 +	99 +	99 +	0-17	17	29.6	116						
18-34	28	17.0	9							18-34	16	19.5	7						
35-49	34	15.4	63							35-49	25	25.8	69						
50-69	25	7.6	38							50-69	39	5.2	42						
70 +	0									70 +	0								
SUBTOTAL	**118**	**16.3**	**166**	**4**	**8**	**15**	**24**	**99 +**	**99 +**		**96**	**17.1**	**161**	**2**	**3**	**18**	**29**	**33**	**41**
GRAND TOTAL	**161**	**18.4**	**202**	**4**	**8**	**16**	**29**	**56**	**99 +**		**172**	**13.0**	**164**	**1**	**2**	**7**	**20**	**34**	**36**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	509	6.2	35	2	3	5	8	13	17	0-17	95	5.4	102	1	1	2	4	9	38
70-74	219	7.8	67	2	3	6	8	14	17	18-34	206	2.5	6	< 1	1	2	3	4	7
75-79	394	6.5	28	1	3	5	8	13	22	35-49	234	4.6	21	1	2	3	6	10	11
80-84	222	4.7	19	2	3	3	5	12	13	50-69	419	5.1	30	1	2	3	6	12	15
85 +	357	4.2	11	1	2	3	6	8	10	70 +	42	6.2	16						
SUBTOTAL	**1700**	**5.9**	**31**	**1**	**3**	**4**	**7**	**12**	**17**		**996**	**4.5**	**30**	**1**	**1**	**3**	**5**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	451	3.7	9	1	2	3	5	8	12	0-17	428	8.8	202	1	1	2	11	31	58
70-74	152	6.3	33	2	2	3	9	17	19	18-34	724	4.4	29	1	1	2	6	10	13
75-79	143	4.3	11	1	3	3	6	8	15	35-49	790	5.9	67	1	2	3	5	20	28
80-84	178	5.1	21	1	2	4	6	11	17	50-69	370	4.3	18	1	2	3	6	11	12
85 +	205	4.0	8	1	2	3	6	7	9	70 +	16	9.5							
SUBTOTAL	**1128**	**4.4**	**15**	**1**	**2**	**3**	**6**	**9**	**13**		**2329**	**5.7**	**74**	**1**	**1**	**3**	**6**	**14**	**25**
GRAND TOTAL	**2828**	**5.3**	**25**	**1**	**2**	**4**	**7**	**12**	**15**		**3325**	**5.4**	**61**	**1**	**1**	**3**	**6**	**13**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8	3.0								0-17	33	3.0	3						
18-34	79	2.2	1	1	1	2	3	4	5	18-34	200	3.7	16	< 1	1	2	4	11	13
35-49	43	6.6	20							35-49	197	3.1	17	1	1	2	3	4	8
50-69	87	8.1	51	1	2	5	13	23	24	50-69	175	5.4	12	2	3	5	7	9	14
70 +	16	2.5	2							70 +	42	3.7	3						
SUBTOTAL	**233**	**5.3**	**30**	**1**	**2**	**3**	**6**	**14**	**14**		**647**	**3.9**	**15**	**1**	**1**	**3**	**5**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	210	17.0	529	1	2	4	26	58	71	0-17	214	4.0	59	1	1	2	3	7	10
18-34	235	4.0	17	1	2	3	6	10	10	18-34	566	3.1	16	< 1	1	1	3	6	12
35-49	164	5.0	40	1	3	4	5	6	30	35-49	429	4.5	174	1	1	2	3	5	13
50-69	9	3.0								50-69	219	2.8	4	1	1	2	4	6	7
70 +	25	5.2	5							70 +	54	2.2	3	< 1	1	1	2	6	6
SUBTOTAL	**643**	**8.5**	**223**	**1**	**2**	**3**	**6**	**26**	**36**		**1482**	**3.6**	**66**	**1**	**1**	**2**	**3**	**6**	**11**
GRAND TOTAL	**876**	**7.7**	**174**	**1**	**2**	**3**	**6**	**21**	**35**		**2130**	**3.7**	**50**	**1**	**1**	**2**	**4**	**7**	**12**

Western Region, July 1988 - June 1989

DRG 426: Depressive Neuroses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	237	8.5	96	1	3	5	12	18	22	0-17	471	18.4	148	6	8	17	26	33	46
70-74	73	7.5	27	2	3	6	10	19	19	18-34	402	7.3	65	1	2	4	9	22	25
75-79	101	5.4	13	2	3	4	6	11	14	35-49	460	6.5	62	1	2	3	7	13	24
80-84	45	12.9	262							50-69	287	6.7	39	2	2	4	10	16	20
85 +	34	4.1	8							70 +	47	8.5	28	1	5	7	14	16	16
SUBTOTAL	**490**	**7.8**	**82**	**2**	**3**	**4**	**9**	**16**	**22**		**1667**	**10.1**	**109**	**1**	**3**	**6**	**14**	**26**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	291	9.6	129	2	3	5	11	29	40	0-17	2177	18.1	200	3	7	14	29	39	45
70-74	98	7.4	28	3	3	5	13	16	17	18-34	1709	7.3	69	1	2	5	10	18	23
75-79	98	5.6	21	1	1	4	10	13	14	35-49	1323	7.1	64	1	2	4	9	17	24
80-84	53	3.8	6	1	1	4	5	8	8	50-69	493	6.3	26	2	3	4	8	16	18
85 +	28	10.0	71							70 +	56	7.7	8	3	6	7	11	11	11
SUBTOTAL	**567**	**8.0**	**83**	**1**	**3**	**5**	**9**	**17**	**29**		**5757**	**11.3**	**142**	**1**	**3**	**7**	**16**	**29**	**36**
GRAND TOTAL	**1057**	**7.9**	**82**	**2**	**3**	**5**	**9**	**16**	**24**		**7424**	**11.0**	**134**	**1**	**3**	**7**	**16**	**28**	**35**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	180	24.1	282	5	10	22	36	58	63	0-17	71	3.9	15	< 1	1	3	3	13	13
18-34	304	7.9	61	1	2	4	13	19	27	18-34	472	4.1	27	< 1	1	2	6	9	11
35-49	133	7.1	44	1	1	4	12	16	25	35-49	251	4.2	21	1	1	2	5	10	13
50-69	43	4.5	5							50-69	78	3.6	3	1	2	4	5	6	6
70 +	0									70 +	23	10.0	63						
SUBTOTAL	**661**	**11.9**	**170**	**1**	**3**	**7**	**17**	**30**	**45**		**895**	**4.2**	**24**	**1**	**1**	**3**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1163	28.0	245	6	17	29	38	50	63	0-17	578	19.7	301	2	6	14	30	42	49
18-34	700	6.1	49	1	2	4	7	14	24	18-34	979	5.1	32	1	1	3	6	13	18
35-49	431	5.7	42	2	3	4	7	12	15	35-49	468	4.3	15	1	2	3	5	10	12
50-69	40	11.7	77							50-69	186	3.9	6	2	2	3	6	7	9
70 +	9	1.0								70 +	33	5.4	7						
SUBTOTAL	**2344**	**16.9**	**265**	**2**	**3**	**10**	**29**	**41**	**50**		**2244**	**[illegible].6**	**138**	**1**	**2**	**4**	**10**	**25**	**34**
GRAND TOTAL	**3004**	**15.8**	**249**	**1**	**3**	**8**	**28**	**40**	**49**		**3139**	**7.3**	**109**	**1**	**2**	**3**	**9**	**20**	**30**

DRG 427: Neuroses except Depressive

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	155	4.9	16	1	2	4	5	11	16	0-17	220	11.2	102	2	3	10	15	26	32
70-74	42	6.0	3							18-34	297	7.7	136	1	2	4	7	18	30
75-79	43	9.9	103							35-49	186	4.1	7	1	2	3	6	8	9
80-84	8	9.0								50-69	62	3.8	9	1	1	3	6	10	10
85 +	19	8.0	10							70 +	23	16.3	23						
SUBTOTAL	**267**	**6.2**	**30**	**2**	**3**	**5**	**8**	**11**	**16**		**789**	**7.8**	**93**	**1**	**2**	**4**	**10**	**18**	**26**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	225	5.5	31	1	2	3	7	15	19	0-17	942	13.1	218	1	3	8	18	36	49
70-74	36	9.2	58							18-34	600	6.6	69	1	2	4	7	12	23
75-79	28	12.0	133							35-49	460	7.2	36	1	3	6	8	17	23
80-84	36	2.8	3							50-69	122	5.1	9	1	2	6	7	9	10
85 +	45	3.8	1							70 +	0								
SUBTOTAL	**369**	**5.9**	**40**	**1**	**2**	**3**	**7**	**15**	**20**		**2125**	**9.5**	**135**	**1**	**3**	**6**	**11**	**23**	**37**
GRAND TOTAL	**635**	**6.0**	**36**	**1**	**2**	**4**	**7**	**12**	**20**		**2913**	**9.1**	**124**	**1**	**2**	**5**	**11**	**23**	**32**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	70	22.4	456	2	3	13	48	55	55	0-17	107	6.2	82	< 1	1	3	5	18	32
18-34	172	5.5	27	1	2	3	8	13	14	18-34	235	3.8	57	< 1	1	2	3	6	8
35-49	74	5.4	27	< 1	2	3	6	18	18	35-49	130	3.0	10	1	1	1	5	7	13
50-69	37	5.3	8							50-69	34	3.8	7						
70 +	0									70 +	0								
SUBTOTAL	**353**	**8.8**	**154**	**1**	**2**	**4**	**10**	**18**	**48**		**507**	**4.1**	**48**	**< 1**	**1**	**2**	**4**	**7**	**18**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	568	17.0	301	2	4	13	31	50	99 +	0-17	174	6.9	86	1	2	3	8	16	21
18-34	231	4.4	41	1	2	3	6	6	7	18-34	467	4.5	40	1	1	2	6	10	14
35-49	146	5.1	17	2	2	4	6	13	16	35-49	312	6.0	47	< 1	1	2	9	12	26
50-69	17	14.3	192							50-69	26	12.2	75						
70 +	0									70 +	0								
SUBTOTAL	**961**	**12.1**	**229**	**2**	**3**	**5**	**20**	**35**	**51**		**978**	**5.6**	**53**	**1**	**1**	**3**	**7**	**13**	**24**
GRAND TOTAL	**1315**	**11.2**	**211**	**2**	**2**	**5**	**15**	**35**	**51**		**1485**	**5.1**	**52**	**1**	**1**	**2**	**6**	**12**	**21**

DRG 428: Disorders of Personality & Impulse Control

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	189	6.4	120	1	2	3	4	17	17
70-74	0								
75-79	17	2.6	2						
80-84	0								
85 +	0								
SUBTOTAL	**206**	**6.1**	**111**	**1**	**2**	**3**	**4**	**17**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	191	12.1	193	2	3	7	17	38	43
70-74	9	6.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**200**	**11.9**	**186**	**2**	**3**	**6**	**16**	**38**	**43**
GRAND TOTAL	**406**	**8.9**	**156**	**1**	**2**	**4**	**9**	**19**	**43**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	119	16.7	335	2	3	15	21	49	66
18-34	284	14.2	123	2	4	14	22	30	39
35-49	73	17.0	215	1	8	11	24	46	46
50-69	26	3.6	2						
70 +	0								
	503	**14.7**	**188**	**2**	**3**	**12**	**22**	**31**	**46**
0-17	393	23.7	319	5	10	23	30	50	65
18-34	448	12.3	166	1	4	7	17	30	45
35-49	234	12.4	126	2	4	9	14	33	40
50-69	57	10.0	324	< 1	2	3	5	55	55
70 +	0								
	1133	**16.1**	**249**	**2**	**5**	**10**	**25**	**41**	**54**
	1636	**15.7**	**230**	**2**	**4**	**10**	**24**	**41**	**49**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	25.0	72						
18-34	70	9.4	49	2	4	7	19	21	21
35-49	19	5.5	13						
50-69	0								
70 +	0								
SUBTOTAL	**112**	**12.0**	**94**	**2**	**4**	**9**	**21**	**34**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	141	24.9	434	4	8	20	45	77	99 +
18-34	205	5.7	25	< 1	2	5	7	13	13
35-49	34	4.0	9						
50-69	9	15.0							
70 +	0								
SUBTOTAL	**389**	**12.7**	**257**	**< 1**	**3**	**7**	**18**	**42**	**58**
GRAND TOTAL	**501**	**12.6**	**221**	**1**	**3**	**7**	**19**	**35**	**58**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	48	22.6	527	1	1	5	49	57	57
18-34	110	6.4	66	1	2	2	6	15	31
35-49	25	7.8	34						
50-69	25	19.8	507						
70 +	0								
	208	**11.9**	**269**	**1**	**2**	**5**	**15**	**49**	**52**
0-17	75	10.9	241	2	4	5	55	99 +	99 +
18-34	287	6.2	63	1	2	3	6	17	30
35-49	87	12.6	187	2	3	6	19	28	48
50-69	9	1.0							
70 +	0								
	458	**8.0**	**122**	**1**	**2**	**4**	**12**	**30**	**54**
	666	**9.3**	**171**	**1**	**2**	**4**	**12**	**31**	**52**

DRG 429: Organic Disturbances & Mental Retardation

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	346	8.9	58	2	4	7	11	21	21
70-74	437	5.8	13	2	3	5	7	12	13
75-79	551	6.4	18	2	3	6	9	13	15
80-84	716	7.3	32	2	3	6	9	15	21
85 +	849	7.2	37	2	3	5	9	14	17
SUBTOTAL	**2899**	**7.1**	**32**	**2**	**3**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	228	10.2	103	2	4	7	10	32	32
70-74	352	9.7	90	3	3	6	13	25	37
75-79	505	6.9	39	2	3	5	8	15	21
80-84	599	5.7	16	1	2	5	7	12	14
85 +	425	4.9	12	1	2	4	7	10	12
SUBTOTAL	**2108**	**7.0**	**46**	**2**	**3**	**5**	**8**	**14**	**21**
GRAND TOTAL	**5007**	**7.0**	**38**	**2**	**3**	**5**	**9**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	19.7	639	< 1	6	8	21	81	81
18-34	19	8.5							
35-49	68	6.2	25	1	2	4	10	15	15
50-69	105	4.1	9	1	1	3	5	7	12
70 +	126	8.7	12	5	6	8	11	13	16
	382	**8.8**	**143**	**1**	**3**	**7**	**10**	**15**	**16**
0-17	137	19.6	231	1	6	21	35	42	46
18-34	25	9.5	35						
35-49	26	8.4	5						
50-69	78	6.7	14	1	4	7	8	13	13
70 +	169	8.5	23	2	6	9	11	15	18
	435	**11.7**	**115**	**2**	**5**	**9**	**14**	**29**	**39**
	817	**10.4**	**130**	**1**	**3**	**7**	**12**	**21**	**35**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	40	23.1	278						
18-34	43	6.2	5						
35-49	45	7.7	15						
50-69	19	14.0	10						
70 +	0								
SUBTOTAL	**147**	**12.3**	**132**	**3**	**5**	**9**	**13**	**38**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	93	17.9	183	2	5	20	31	36	42
18-34	60	11.1	56	1	3	14	19	20	20
35-49	9	3.0							
50-69	17	11.9	152						
70 +	17	3.8	4						
SUBTOTAL	**197**	**13.4**	**140**	**2**	**3**	**11**	**20**	**31**	**36**
GRAND TOTAL	**344**	**12.9**	**137**	**2**	**4**	**9**	**20**	**31**	**38**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	3.8	10						
18-34	50	5.0	13	2	2	4	6	12	12
35-49	59	10.9	129	2	3	7	12	36	36
50-69	65	8.7	39	1	2	7	12	19	19
70 +	78	11.9	135	2	4	10	15	88	99 +
	283	**8.9**	**85**	**2**	**2**	**7**	**12**	**19**	**41**
0-17	16	14.5	195						
18-34	33	9.3	71						
35-49	36	8.2	43						
50-69	78	5.8	9	2	4	5	7	12	12
70 +	127	16.4	846	< 1	2	4	13	93	99 +
	288	**11.6**	**418**	**1**	**2**	**5**	**11**	**28**	**93**
	571	**10.3**	**254**	**1**	**2**	**6**	**12**	**28**	**78**

DRG 430: Psychoses

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2118	11.7	144	2	4	8	15	25	37
70-74	803	12.9	151	2	5	8	16	27	35
75-79	768	12.2	162	2	3	8	18	27	35
80-84	444	10.6	94	2	5	7	14	24	27
85 +	386	8.5	57	2	3	6	10	21	26
SUBTOTAL	**4518**	**11.6**	**137**	**2**	**4**	**8**	**15**	**25**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5601	12.8	125	3	5	10	17	27	33
70-74	989	12.3	107	2	4	10	17	25	31
75-79	667	12.7	145	2	4	9	18	27	49
80-84	414	10.6	86	1	3	8	17	20	31
85 +	183	11.1	104	2	4	7	17	29	31
SUBTOTAL	**7854**	**12.6**	**122**	**3**	**5**	**10**	**17**	**27**	**33**
GRAND TOTAL	**12372**	**12.2**	**128**	**2**	**4**	**9**	**17**	**26**	**33**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	475	19.7	202	4	9	15	30	39	47
18-34	1109	13.8	211	2	4	9	18	33	46
35-49	994	11.8	105	2	5	9	16	26	33
50-69	1003	12.6	78	3	6	11	17	24	32
70 +	281	14.5	85	5	7	11	19	27	32
	3863	**13.8**	**145**	**3**	**5**	**11**	**18**	**31**	**38**
0-17	2146	22.8	315	4	8	20	34	45	63
18-34	4218	12.7	143	2	4	9	18	29	39
35-49	5274	12.8	142	2	4	9	17	29	38
50-69	2535	12.4	142	2	5	10	16	24	30
70 +	511	12.7	57	4	7	11	16	22	25
	14683	**14.2**	**177**	**2**	**5**	**10**	**20**	**31**	**41**
	18546	**14.1**	**170**	**2**	**5**	**10**	**19**	**31**	**41**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	210	28.9	458	4	7	27	42	64	65
18-34	881	11.0	73	3	5	8	15	25	30
35-49	465	10.9	106	2	3	8	15	21	31
50-69	301	11.1	69	2	5	10	14	21	28
70 +	8	2.0							
SUBTOTAL	**1864**	**12.9**	**156**	**2**	**5**	**9**	**17**	**29**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1040	27.1	236	5	15	28	39	49	64
18-34	2275	9.1	73	2	3	7	11	21	27
35-49	1553	8.9	52	2	4	7	13	18	25
50-69	606	11.5	81	3	5	9	15	24	30
70 +	45	15.3	164						
SUBTOTAL	**5519**	**12.8**	**148**	**2**	**4**	**8**	**17**	**32**	**41**
GRAND TOTAL	**7384**	**12.8**	**150**	**2**	**4**	**8**	**17**	**31**	**40**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	67	25.7	536	1	2	17	35	75	75
18-34	715	8.2	70	1	2	6	12	21	34
35-49	717	9.0	84	2	3	6	13	26	31
50-69	355	9.0	71	2	3	8	14	17	23
70 +	146	13.4	231	< 1	4	8	20	30	66
	2000	**9.6**	**113**	**1**	**3**	**6**	**13**	**26**	**34**
0-17	452	19.0	183	3	6	19	29	39	43
18-34	2804	8.6	94	1	3	6	10	20	26
35-49	1871	8.4	69	2	3	5	11	22	29
50-69	832	12.0	159	1	4	9	15	29	34
70 +	129	15.1	169	1	2	16	21	34	48
	6088	**9.9**	**112**	**2**	**3**	**6**	**13**	**24**	**32**
	8088	**9.8**	**112**	**1**	**3**	**6**	**13**	**24**	**32**

DRG 431: Childhood Mental Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	19	22.0	10							0-17	193	21.4	341	3	9	21	28	65	76
70-74	0									18-34	25	3.5	14						
75-79	8	8.0								35-49	0								
80-84	0									50-69	8	3.0							
85 +	9	3.0								70 +	0								
SUBTOTAL	**36**	**14.0**	**80**								**225**	**18.8**	**334**	**1**	**5**	**17**	**27**	**65**	**76**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	7.3	7							0-17	1220	19.4	220	4	9	17	28	42	52
70-74	9	4.0								18-34	39	6.4	15						
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**6.1**	**7**								**1259**	**19.0**	**219**	**4**	**8**	**16**	**28**	**42**	**52**
GRAND TOTAL	**62**	**10.6**	**63**	**3**	**4**	**8**	**19**	**25**	**25**		**1484**	**19.0**	**236**	**3**	**8**	**16**	**28**	**42**	**54**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	211	24.1	268	4	9	23	38	47	51	0-17	45	11.3	233						
18-34	9	1.0								18-34	9	40.0							
35-49	0									35-49	0								
50-69	9	6.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**230**	**22.5**	**279**	**3**	**7**	**21**	**36**	**47**	**51**		**54**	**16.3**	**311**	**2**	**4**	**4**	**40**	**44**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1248	27.7	282	5	15	29	41	54	79	0-17	272	17.0	247	1	3	7	32	42	42
18-34	9	5.0								18-34	16	3.0	4						
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1257**	**27.5**	**284**	**5**	**15**	**29**	**41**	**54**	**79**		**287**	**16.2**	**243**	**1**	**3**	**7**	**31**	**42**	**42**
GRAND TOTAL	**1487**	**26.8**	**286**	**4**	**12**	**28**	**41**	**51**	**75**		**342**	**16.2**	**253**	**1**	**3**	**7**	**32**	**42**	**42**

DRG 432: Other Mental Disorder Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	13.4	115							0-17	48	19.8	130	4	12	17	27	40	40
70-74	9	4.0								18-34	119	17.0	107	2	6	20	29	35	99 +
75-79	0									35-49	65	24.1	191	11	12	18	41	48	48
80-84	31	7.5	26							50-69	9	30.0							
85 +	17	4.5								70 +	0								
SUBTOTAL	**84**	**8.3**	**58**	**1**	**3**	**4**	**13**	**26**	**26**		**242**	**20.0**	**142**	**5**	**12**	**19**	**29**	**41**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	19	16.0	207							0-17	220	24.3	267	2	10	26	32	43	47
70-74	0									18-34	665	26.7	181	6	15	28	39	42	47
75-79	9	1.0								35-49	277	24.9	227	2	6	30	38	40	42
80-84	17	1.0								50-69	127	14.9	201	1	1	14	27	33	41
85 +	8	2.0								70 +	0								
SUBTOTAL	**53**	**6.4**	**121**	**1**	**1**	**2**	**2**	**30**	**30**		**1289**	**24.7**	**219**	**3**	**12**	**27**	**38**	**41**	**44**
GRAND TOTAL	**137**	**7.6**	**83**	**1**	**1**	**3**	**12**	**26**	**30**		**1531**	**24.0**	**210**	**3**	**12**	**26**	**37**	**41**	**46**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	40	6.6	26						
18-34	0									18-34	25	24.2	161						
35-49	9	6.0								35-49	0								
50-69	0									50-69	9	4.0							
70 +	0									70 +	0								
SUBTOTAL	**9**	**6.0**									**75**	**12.1**	**140**	**1**	**4**	**8**	**13**	**37**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	59	20.8	411	< 1	3	14	43	58	58	0-17	51	29.7	332	1	14	24	46	53	53
18-34	16	24.0	274							18-34	180	16.8	191	3	5	13	24	40	42
35-49	0									35-49	43	24.2	125						
50-69	0									50-69	28	14.0	233						
70 +	0									70 +	0								
SUBTOTAL	**75**	**21.5**	**380**	**< 1**	**3**	**14**	**40**	**58**	**58**		**302**	**19.8**	**235**	**3**	**6**	**18**	**35**	**42**	**46**
GRAND TOTAL	**84**	**19.7**	**361**	**2**	**3**	**11**	**40**	**45**	**58**		**377**	**18.3**	**225**	**2**	**5**	**14**	**26**	**42**	**44**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2157	9.3	60	2	3	6	14	21	27	0-17	144	19.8	397	< 1	1	8	44	46	49
70-74	992	8.4	54	2	3	6	13	16	26	18-34	950	15.7	123	2	4	17	27	29	30
75-79	502	8.6	44	3	3	6	14	19	21	35-49	1400	11.6	115	2	3	5	22	28	29
80-84	215	4.7	7	2	2	5	6	7	10	50-69	1695	12.2	104	2	4	7	23	28	29
85 +	125	4.8	9	2	3	4	6	11	11	70 +	75	6.3	13	1	3	7	9	12	12
SUBTOTAL	**3992**	**8.6**	**53**	**2**	**3**	**6**	**13**	**19**	**25**		**4263**	**12.9**	**125**	**2**	**3**	**8**	**23**	**28**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3992**	**8.6**	**53**	**2**	**3**	**6**	**13**	**19**	**25**		**4263**	**12.9**	**125**	**2**	**3**	**8**	**23**	**28**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	45	5.9	29							0-17	90	2.1	1	< 1	1	2	3	4	4
18-34	237	3.4	7	1	2	3	4	6	8	18-34	1404	6.7	66	1	2	3	8	20	25
35-49	288	5.3	26	1	2	4	7	10	18	35-49	2043	6.0	39	2	2	4	7	13	21
50-69	243	3.3	4	2	2	3	4	5	5	50-69	1600	7.1	36	2	3	5	9	17	22
70 +	19	5.5	21							70 +	93	5.9	37	1	2	4	9	9	24
SUBTOTAL	**832**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**12**		**5229**	**6.5**	**45**	**1**	**2**	**4**	**7**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**832**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**12**		**5229**	**6.5**	**45**	**1**	**2**	**4**	**7**	**16**	**22**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2212	10.1	68	1	3	7	15	21	27	0-17	2191	25.9	300	1	9	28	41	46	52
70-74	694	8.4	65	1	3	5	14	21	24	18-34	9439	17.8	111	2	6	21	27	28	30
75-79	361	10.0	62	2	3	8	14	19	26	35-49	5449	15.2	113	1	4	18	26	28	29
80-84	155	7.1	68	2	2	3	8	27	28	50-69	2086	12.5	120	1	3	6	24	28	29
85 +	42	3.4	2							70 +	54	14.5	143	5	5	10	16	39	39
SUBTOTAL	**3463**	**9.5**	**67**	**1**	**3**	**6**	**14**	**21**	**27**		**19219**	**17.4**	**146**	**2**	**4**	**21**	**27**	**29**	**33**
GRAND TOTAL	**3463**	**9.5**	**67**	**1**	**3**	**6**	**14**	**21**	**27**		**19219**	**17.4**	**146**	**2**	**4**	**21**	**27**	**29**	**33**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	186	3.3	12	< 1	< 1	1	5	9	11	0-17	879	16.1	299	1	1	7	31	45	48
18-34	548	4.2	23	1	1	3	4	9	20	18-34	7954	7.9	64	1	3	5	9	23	28
35-49	389	3.2	6	1	2	2	4	6	8	35-49	5711	6.2	37	1	2	5	7	14	23
50-69	133	3.0	4	1	1	2	5	5	7	50-69	2004	5.9	29	2	3	5	7	10	16
70 +	17	2.0								70 +	124	6.6	44	1	2	5	8	9	28
SUBTOTAL	**1274**	**3.6**	**14**	**< 1**	**1**	**2**	**4**	**7**	**11**		**16674**	**7.5**	**67**	**1**	**3**	**5**	**8**	**21**	**27**
GRAND TOTAL	**1274**	**3.6**	**14**	**< 1**	**1**	**2**	**4**	**7**	**11**		**16674**	**7.5**	**67**	**1**	**3**	**5**	**8**	**21**	**27**

The patient records used in these tables represent discharges prior to the addition of new procedure codes (10/1/89) necessary to group to this DRG.

The patient records used in these tables represent discharges prior to the addition of new procedure codes (10/1/89) necessary to group to this DRG.

DRG 439: Skin Grafts for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	6.9	14						
70-74	28	6.7	10						
75-79	9	5.0							
80-84	0								
85 +	8	21.0							
SUBTOTAL	**71**	**8.1**	**30**	**2**	**5**	**6**	**11**	**21**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	6.8	82	1	1	2	13	26	26
70-74	0								
75-79	36	7.9	25						
80-84	26	8.4	32						
85 +	0								
SUBTOTAL	**115**	**7.5**	**52**	**1**	**2**	**4**	**13**	**15**	**26**
GRAND TOTAL	**186**	**7.7**	**44**	**1**	**2**	**5**	**11**	**15**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	28.0							
18-34	34	10.4	44						
35-49	17	1.5							
50-69	45	14.0	108						
70 +	0								
	104	**11.8**	**101**	**2**	**5**	**8**	**20**	**28**	**32**
0-17	51	5.0	38	< 1	1	2	5	19	19
18-34	85	4.2	17	1	2	3	5	6	16
35-49	36	6.2	9						
50-69	36	4.1	10						
70 +	0								
	208	**4.7**	**20**	**1**	**1**	**4**	**6**	**9**	**16**
	312	**7.1**	**58**	**1**	**2**	**5**	**8**	**19**	**28**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	9	30.0							
35-49	9	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**19**	**16.5**	**193**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	7.6	2						
18-34	0								
35-49	0								
50-69	8	7.0							
70 +	0								
SUBTOTAL	**25**	**7.4**	**2**						
GRAND TOTAL	**43**	**11.3**	**101**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	9	22.0							
35-49	8	4.0							
50-69	25	19.8	336						
70 +	0								
	42	**17.3**	**238**						
0-17	26	2.7	3						
18-34	84	5.3	24	< 1	1	4	7	16	16
35-49	53	4.4	23	1	1	3	5	14	14
50-69	50	2.8	4	1	1	2	5	6	6
70 +	0								
	213	**4.2**	**17**	**1**	**1**	**3**	**5**	**11**	**14**
	255	**6.3**	**77**	**1**	**1**	**4**	**6**	**16**	**22**

DRG 440: Wound Debridements for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	191	15.8	175	3	6	11	27	35	53	0-17	67	13.0	613	1	3	3	4	80	80
70-74	140	24.4	437	6	10	12	37	46	84	18-34	118	13.1	144	1	6	10	15	30	45
75-79	82	17.0	197	4	9	13	29	75	99 +	35-49	107	8.7	51	1	3	9	12	13	28
80-84	102	30.1	410	7	10	27	47	53	62	50-69	146	10.8	60	1	5	9	14	27	30
85 +	51	18.4	122	6	10	15	31	37	37	70 +	28	17.0	192						
SUBTOTAL	**566**	**20.9**	**308**	**4**	**9**	**15**	**34**	**52**	**62**		**465**	**11.6**	**169**	**1**	**4**	**9**	**13**	**28**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	157	7.0	45	1	2	4	11	22	22	0-17	308	2.9	5	1	1	2	3	6	9
70-74	132	4.4	26	1	1	2	7	10	22	18-34	383	4.4	19	1	1	3	5	10	17
75-79	137	15.5	245	3	5	9	21	48	59	35-49	198	3.9	17	1	1	3	4	7	14
80-84	26	9.1	7							50-69	176	7.5	68	1	2	4	8	27	28
85 +	53	9.6	103	3	3	5	9	31	31	70 +	51	5.3	17	1	2	6	6	13	13
SUBTOTAL	**504**	**9.0**	**116**	**1**	**2**	**6**	**9**	**22**	**31**		**1117**	**4.4**	**25**	**1**	**1**	**3**	**5**	**10**	**17**
GRAND TOTAL	**1070**	**15.3**	**253**	**2**	**4**	**10**	**22**	**46**	**53**		**1582**	**6.5**	**78**	**1**	**2**	**4**	**7**	**15**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	25	7.1	1							0-17	59	26.5	995	< 1	4	9	64	86	86
18-34	19	13.5	45							18-34	121	12.5	47	5	7	10	21	23	23
35-49	60	12.7	202	2	5	6	13	45	45	35-49	95	15.3	143	7	7	11	15	38	42
50-69	36	13.9	61							50-69	146	17.4	152	3	8	12	24	41	42
70 +	0									70 +	0								
SUBTOTAL	**140**	**12.1**	**114**	**5**	**6**	**7**	**15**	**25**	**45**		**421**	**16.8**	**254**	**4**	**7**	**11**	**22**	**39**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	53	1.5	1	1	1	1	2	3	3	0-17	184	3.4	7	1	1	3	5	6	9
18-34	19	3.0								18-34	470	4.8	20	1	2	4	6	9	14
35-49	17	5.0								35-49	127	4.7	19	1	2	3	6	11	18
50-69	17	17.0	32							50-69	76	10.9	95	1	3	12	14	31	35
70 +	0									70 +	8	9.0							
SUBTOTAL	**105**	**4.8**	**36**	**1**	**1**	**3**	**5**	**12**	**23**		**866**	**5.1**	**27**	**1**	**2**	**3**	**6**	**11**	**14**
GRAND TOTAL	**245**	**9.0**	**93**	**1**	**3**	**6**	**10**	**23**	**25**		**1286**	**8.9**	**132**	**1**	**3**	**5**	**10**	**21**	**35**

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	33	12.9	143						
70-74	0								
75-79	0								
80-84	17	3.7	7						
85 +	9	4.0							
SUBTOTAL	**59**	**8.8**	**100**	**1**	**2**	**5**	**10**	**31**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	129	2.6	4	1	1	2	4	5	8
70-74	62	4.4	12	1	1	3	9	10	10
75-79	28	2.3	1						
80-84	8	1.0							
85 +	0								
SUBTOTAL	**226**	**3.0**	**6**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**285**	**4.2**	**31**	**1**	**1**	**3**	**5**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	19	2.0	1						
35-49	25	20.9	728						
50-69	19	7.0	17						
70 +	0								
SUBTOTAL	**62**	**11.1**	**359**	**1**	**3**	**3**	**11**	**60**	**60**
2.PATIENTS W/OUT CCs									
0-17	71	1.7	1	1	1	2	2	4	4
18-34	175	2.6	4	1	1	1	5	6	7
35-49	158	3.5	8	1	2	2	5	9	10
50-69	138	2.7	3	1	1	2	4	5	7
70 +	0								
SUBTOTAL	**542**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**604**	**3.6**	**47**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	1.0							
35-49	9	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**17**	**2.1**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	1.0							
18-34	8	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**25**	**1.0**							
GRAND TOTAL	**42**	**1.4**	**1**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	17	1.5							
18-34	28	2.7							
35-49	8	10.0							
50-69	36	7.0	10						
70 +	0								
SUBTOTAL	**88**	**4.8**	**12**	**1**	**2**	**3**	**6**	**11**	**12**
2.PATIENTS W/OUT CCs									
0-17	70	1.2		1	1	1	1	3	3
18-34	216	3.2	7	1	1	2	4	7	10
35-49	82	4.2	17	1	1	4	4	9	16
50-69	96	3.3	10	1	1	2	8	8	9
70 +	0								
SUBTOTAL	**464**	**3.1**	**9**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**552**	**3.4**	**10**	**1**	**1**	**2**	**4**	**8**	**10**

DRG 442: Other O.R. Procedures for Injuries w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3672	6.7	72	1	2	4	9	15	20	0-17	258	9.0	67	1	4	7	15	99 +	99 +
70-74	1261	7.7	60	1	2	5	10	17	27	18-34	296	5.4	22	1	2	4	8	11	12
75-79	1192	7.2	108	1	2	4	8	15	24	35-49	493	7.1	80	1	2	4	9	18	20
80-84	802	8.0	86	1	2	5	10	16	21	50-69	993	8.2	90	1	3	6	10	15	29
85 +	273	13.1	153	3	5	10	14	29	45	70 +	148	10.3	66	2	3	9	14	21	32
SUBTOTAL	**7200**	**7.4**	**82**	**1**	**2**	**5**	**10**	**16**	**22**		**2188**	**7.8**	**75**	**1**	**2**	**6**	**10**	**18**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7200**	**7.4**	**82**	**1**	**2**	**5**	**10**	**16**	**22**		**2188**	**7.8**	**75**	**1**	**2**	**6**	**10**	**18**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	194	15.1	196	1	2	15	22	41	55	0-17	197	10.2	204	1	2	6	10	24	49
18-34	91	10.2	158	1	3	3	13	32	43	18-34	530	5.2	26	1	2	4	7	9	13
35-49	119	11.7	264	1	2	7	10	39	61	35-49	326	6.5	38	1	3	4	9	14	16
50-69	223	8.0	165	2	3	4	7	39	64	50-69	824	9.1	161	1	1	4	10	28	39
70 +	62	2.6	11	1	1	1	3	11	11	70 +	54	16.2	432	1	2	3	32	59	59
SUBTOTAL	**691**	**10.4**	**189**	**1**	**2**	**5**	**13**	**39**	**55**		**1932**	**7.9**	**120**	**1**	**2**	**4**	**9**	**18**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**691**	**10.4**	**189**	**1**	**2**	**5**	**13**	**39**	**55**		**1932**	**7.9**	**120**	**1**	**2**	**4**	**9**	**18**	**32**

DRG 443: Other O.R. Procedures for Injuries w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1150	5.0	29	1	2	3	7	9	14
70-74	692	4.9	15	1	2	4	7	10	12
75-79	439	4.1	16	1	1	2	6	11	12
80-84	236	7.2	18	1	4	7	10	15	15
85 +	143	3.6	7	1	2	3	6	9	9
SUBTOTAL	**2659**	**4.9**	**22**	**1**	**2**	**3**	**7**	**10**	**14**
GRAND TOTAL	**2659**	**4.9**	**22**	**1**	**2**	**3**	**7**	**10**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	700	2.4	8	< 1	1	1	2	6	7
18-34	1084	2.5	7	1	1	2	2	6	9
35-49	904	2.8	9	1	1	2	3	5	7
50-69	949	4.1	13	1	1	3	5	9	11
70 +	88	7.4	63	1	2	2	12	22	24
	3726	**3.1**	**11**	**1**	**1**	**2**	**3**	**7**	**10**
	3726	**3.1**	**11**	**1**	**1**	**2**	**3**	**7**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	148	3.0	6	1	1	2	4	9	9
18-34	164	2.6	7	< 1	1	2	2	9	10
35-49	132	3.7	15	< 1	1	2	5	7	16
50-69	87	4.3	19	1	1	2	6	12	13
70 +	8	17.0							
SUBTOTAL	**538**	**3.5**	**13**	**< 1**	**1**	**2**	**4**	**9**	**12**
GRAND TOTAL	**538**	**3.5**	**13**	**< 1**	**1**	**2**	**4**	**9**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	528	3.0	11	< 1	1	1	4	8	10
18-34	904	3.2	14	1	1	2	4	7	10
35-49	703	3.7	9	1	1	3	5	8	10
50-69	765	4.8	24	1	1	3	8	10	12
70 +	50	5.1	3	3	4	4	7	8	8
	2951	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**11**
	2951	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**11**

DRG 444: Multiple Trauma Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	95	5.3	9	2	3	5	8	9	11	0-17	0								
70-74	177	5.6	13	2	3	5	6	11	11	18-34	180	5.5	164	< 1	1	3	4	5	7
75-79	60	4.1	7	< 1	1	4	5	9	9	35-49	118	4.5	9	1	2	4	6	8	11
80-84	119	4.5	2	3	3	5	6	6	7	50-69	88	4.0	3	2	3	4	4	7	8
85 +	130	6.4	10	3	4	6	8	12	14	70 +	19	2.5							
SUBTOTAL	**581**	**5.4**	**9**	**2**	**3**	**5**	**6**	**10**	**11**		**404**	**4.7**	**77**	**1**	**2**	**3**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**581**	**5.4**	**9**	**2**	**3**	**5**	**6**	**10**	**11**		**404**	**4.7**	**77**	**1**	**2**	**3**	**4**	**8**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	56	6.2	12	1	3	8	10	10	10	18-34	245	3.1	7	1	1	2	4	9	10
35-49	46	5.8	15							35-49	101	5.9	7	3	4	6	8	9	10
50-69	0									50-69	96	3.8	4	1	2	4	5	6	8
70 +	0									70 +	0								
SUBTOTAL	**102**	**6.0**	**13**	**1**	**3**	**5**	**10**	**10**	**12**		**442**	**3.9**	**8**	**1**	**2**	**3**	**5**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**102**	**6.0**	**13**	**1**	**3**	**5**	**10**	**10**	**12**		**442**	**3.9**	**8**	**1**	**2**	**3**	**5**	**9**	**10**

DRG 445: Multiple Trauma Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	153	4.0	5	1	2	4	5	8	9	0-17	0								
70-74	45	3.7	2							18-34	588	2.3	3	1	1	2	3	4	6
75-79	56	3.3	4	1	2	3	4	7	7	35-49	391	3.2	7	1	1	2	5	7	9
80-84	56	3.2	1	1	3	3	4	5	5	50-69	217	3.6	27	1	1	2	4	6	7
85+	105	5.0	19	2	2	4	5	7	18	70+	43	3.8	3						
SUBTOTAL	**415**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**8**		**1238**	**2.9**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**415**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**8**		**1238**	**2.9**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	119	2.7	4	1	1	2	4	4	8	18-34	890	2.8	4	1	1	2	4	5	7
35-49	56	3.2	4	1	1	2	5	6	6	35-49	394	3.3	4	1	2	3	5	6	7
50-69	0									50-69	200	2.9	4	1	1	2	4	5	6
70+	0									70+	17	6.7	9						
SUBTOTAL	**175**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**		**1502**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**175**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**		**1502**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 446: Multiple Trauma Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9	3.0								0-17	76	2.6	2	1	2	2	3	6	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**9**	**3.0**									**76**	**2.6**	**2**	**1**	**2**	**2**	**3**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	662	1.9	2	< 1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**662**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**9**	**3.0**									**738**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	19	3.5	7							0-17	102	2.8	3	1	1	2	4	6	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**19**	**3.5**	**7**								**102**	**2.8**	**3**	**1**	**1**	**2**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	208	2.7	6	1	1	2	3	7	7	0-17	491	1.9	2	< 1	1	1	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**208**	**2.7**	**6**	**1**	**1**	**2**	**3**	**7**	**7**		**491**	**1.9**	**2**	**< 1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**227**	**2.8**	**6**	**1**	**1**	**2**	**4**	**7**	**7**		**593**	**2.1**	**2**	**< 1**	**1**	**1**	**3**	**5**	**5**

DRG 447: Allergic Reactions Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	56	1.7	1	< 1	< 1	1	2	4	4	0-17	0								
70-74	8	1.0								18-34	16	1.0							
75-79	88	3.0	4	< 1	1	3	5	6	6	35-49	99	4.1	11	1	2	3	4	9	13
80-84	28	4.0	5							50-69	95	2.5	5	1	1	2	3	3	9
85 +	19	2.5	2							70 +	0								
SUBTOTAL	**198**	**2.6**	**3**	**< 1**	**1**	**2**	**4**	**5**	**6**		**209**	**3.1**	**9**	**1**	**1**	**2**	**3**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	73	2.0	4	< 1	< 1	1	1	7	7	0-17	0								
70-74	62	1.4	1	< 1	1	1	1	4	4	18-34	108	1.3		1	1	1	2	2	2
75-79	19	3.0								35-49	189	1.7	1	1	1	1	2	3	4
80-84	26	1.6								50-69	161	2.0	1	< 1	1	2	3	4	4
85 +	0									70 +	0								
SUBTOTAL	**180**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**4**		**459**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**378**	**2.3**	**3**	**< 1**	**1**	**1**	**3**	**5**	**6**		**668**	**2.1**	**4**	**1**	**1**	**1**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	8	11.0							
35-49	9	4.0								35-49	9	3.0							
50-69	0									50-69	65	2.5	2	1	1	2	2	6	6
70 +	0									70 +	0								
SUBTOTAL	**9**	**4.0**									**82**	**3.3**	**8**	**1**	**2**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	28	1.3								18-34	132	2.3	7	1	1	1	2	7	11
35-49	9	2.0								35-49	104	2.1	2	< 1	1	2	3	4	5
50-69	0									50-69	64	1.7	1	< 1	1	1	2	4	4
70 +	0									70 +	8	1.0							
SUBTOTAL	**37**	**1.5**									**307**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**46**	**2.0**	**1**								**389**	**2.3**	**5**	**1**	**1**	**2**	**2**	**5**	**7**

DRG 448: Allergic Reactions Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	8	1.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**8**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	177	1.4		1	1	1	2	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**177**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**0**										**184**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	37	2.3	1							0-17	23	1.7	1						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**37**	**2.3**	**1**								**23**	**1.7**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	33	1.0								0-17	110	1.9	1	1	1	2	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**33**	**1.0**									**110**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**70**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**4**	**4**		**134**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1661	4.1	14	1	2	3	5	9	11	0-17	0								
70-74	885	4.2	9	1	2	3	6	8	10	18-34	1208	3.1	27	1	1	1	3	6	11
75-79	770	5.9	34	2	3	4	7	10	11	35-49	1066	2.6	6	1	1	2	3	5	9
80-84	705	5.1	11	2	3	4	7	11	12	50-69	795	3.5	11	1	1	2	5	7	10
85 +	558	4.7	11	1	3	4	6	9	11	70 +	59	4.0	5	2	2	3	7	8	8
SUBTOTAL	**4579**	**4.7**	**16**	**1**	**2**	**4**	**6**	**9**	**11**		**3127**	**3.1**	**16**	**1**	**1**	**2**	**3**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4579**	**4.7**	**16**	**1**	**2**	**4**	**6**	**9**	**11**		**3127**	**3.1**	**16**	**1**	**1**	**2**	**3**	**6**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	796	3.6	20	< 1	1	2	4	10	14	18-34	2533	2.8	13	< 1	1	2	3	5	9
35-49	572	3.4	21	1	1	2	4	6	8	35-49	1529	3.0	17	1	1	2	3	6	8
50-69	341	5.0	17	1	2	4	5	13	15	50-69	599	4.3	21	1	2	3	5	7	11
70 +	54	4.9	6	2	3	4	7	9	9	70 +	95	4.2	3	2	2	4	6	6	8
SUBTOTAL	**1764**	**3.8**	**20**	**1**	**1**	**2**	**4**	**8**	**14**		**4756**	**3.1**	**15**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1764**	**3.8**	**20**	**1**	**1**	**2**	**4**	**8**	**14**		**4756**	**3.1**	**15**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	627	2.1	3	1	1	2	2	4	6
70-74	231	3.1	14	1	1	2	3	5	12
75-79	222	2.5	3	1	1	2	3	5	6
80-84	133	3.1	4	1	2	2	5	6	7
85 +	91	2.7	1	1	2	3	3	4	5
SUBTOTAL	**1305**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1305**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3099	2.2	16	< 1	1	1	2	4	6
35-49	1454	1.7	1	< 1	1	1	2	4	4
50-69	632	2.7	18	1	1	1	3	5	8
70 +	36	3.4	1						
	5221	**2.1**	**12**	**< 1**	**1**	**1**	**2**	**4**	**5**
	5221	**2.1**	**12**	**< 1**	**1**	**1**	**2**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1157	2.3	15	< 1	1	1	2	4	6
35-49	344	2.4	4	< 1	1	2	3	5	7
50-69	107	4.4	33	1	1	2	3	13	21
70 +	0								
SUBTOTAL	**1608**	**2.5**	**14**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**1608**	**2.5**	**14**	**< 1**	**1**	**1**	**2**	**4**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3880	1.7	2	< 1	1	1	2	3	4
35-49	1502	2.1	12	< 1	1	1	2	4	5
50-69	529	2.4	7	< 1	1	1	3	4	11
70 +	51	3.6	20	1	1	2	3	14	14
	5962	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**3**	**4**
	5962	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	924	2.4	12	1	1	2	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**924**	**2.4**	**12**	**1**	**1**	**2**	**2**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	1.5								0-17	3923	1.8	16	< 1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**1.5**									**3923**	**1.8**	**16**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**16**	**1.5**									**4847**	**1.9**	**15**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	444	5.6	121	1	1	2	4	9	31	0-17	752	2.2	5	< 1	1	1	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**444**	**5.6**	**121**	**1**	**1**	**2**	**4**	**9**	**31**		**752**	**2.2**	**5**	**< 1**	**1**	**1**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1854	1.5	2	1	1	1	2	2	3	0-17	3738	1.5	2	< 1	1	1	2	3	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1854**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**		**3738**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**2298**	**2.3**	**28**	**1**	**1**	**1**	**2**	**3**	**5**		**4490**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 452: Complications of Treatment w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1669	5.3	18	1	2	4	8	11	14
70-74	837	5.1	19	2	2	4	7	10	13
75-79	685	5.9	25	2	2	4	8	12	15
80-84	442	6.3	36	1	2	4	10	15	16
85+	299	5.3	15	1	2	4	8	11	14
SUBTOTAL	**3933**	**5.5**	**21**	**1**	**2**	**4**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3933**	**5.5**	**21**	**1**	**2**	**4**	**8**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	527	5.6	32	1	1	3	7	14	18
18-34	274	3.0	3	1	2	3	4	5	6
35-49	440	5.8	32	1	2	4	7	15	18
50-69	797	5.1	30	1	1	3	7	10	16
70+	82	5.3	22	1	2	3	7	14	15
	2121	**5.1**	**28**	**1**	**2**	**3**	**6**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2121	**5.1**	**28**	**1**	**2**	**3**	**6**	**12**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	353	7.7	30	1	3	7	11	17	17
18-34	99	3.2	1	2	2	3	4	5	5
35-49	104	5.8	12	2	2	7	9	9	12
50-69	70	6.3	24	2	2	3	9	17	17
70+	16	8.0	52						
SUBTOTAL	**642**	**6.5**	**25**	**2**	**2**	**5**	**10**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**642**	**6.5**	**25**	**2**	**2**	**5**	**10**	**15**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	302	6.1	41	1	3	4	7	15	22
18-34	334	5.7	30	2	3	4	6	12	16
35-49	444	6.2	32	2	3	4	8	11	16
50-69	655	5.1	16	1	2	4	6	12	13
70+	64	8.0	26	<1	5	7	9	19	19
	1798	**5.8**	**27**	**1**	**2**	**4**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1798	**5.8**	**27**	**1**	**2**	**4**	**7**	**12**	**16**

DRG 453: Complications of Treatment w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	639	3.1	4	1	2	3	4	6	8	0-17	521	2.2	4	< 1	1	1	3	5	7
70-74	473	3.2	12	1	1	2	4	6	10	18 34	667	2.4	3	1	1	2	3	4	8
75-79	386	5.0	23	1	2	3	6	12	14	35-49	670	2.5	5	1	1	2	3	5	7
80-84	233	5.3	70	1	2	3	6	7	9	50-69	712	2.9	7	1	1	2	3	7	9
85 +	135	2.5	3	1	1	2	5	5	6	70 +	23	10.7	123						
SUBTOTAL	**1866**	**3.8**	**19**	**1**	**1**	**3**	**5**	**7**	**10**		**2593**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1866**	**3.8**	**19**	**1**	**1**	**3**	**5**	**7**	**10**		**2593**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	169	2.5	6	< 1	1	1	3	6	10	0-17	372	3.9	27	1	1	2	5	8	12
18-34	121	1.7	1	1	1	1	2	3	4	18-34	373	3.0	10	1	1	2	3	6	9
35-49	90	2.2	2	1	1	2	3	4	5	35-49	421	3.0	5	1	1	2	4	7	7
50-69	9	2.0								50-69	548	3.2	8	1	1	2	4	6	7
70 +	0									70 +	9	1.0							
SUBTOTAL	**389**	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**5**		**1723**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**389**	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**5**		**1723**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	163	4.2	17	1	2	3	4	11	18
70-74	116	3.2	5	1	2	2	4	7	8
75-79	132	4.4	8	1	1	4	7	8	9
80-84	112	3.7	4	1	2	3	5	7	7
85 +	136	4.2	9	2	2	4	6	7	14
SUBTOTAL	**659**	**4.0**	**9**	**1**	**2**	**3**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**659**	**4.0**	**9**	**1**	**2**	**3**	**6**	**7**	**9**

	BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	269	1.7	2	1	1	1	2	3	5
18-34	64	1.4	1	1	1	1	2	3	3
35-49	54	3.7	5	2	2	2	5	8	8
50-69	116	2.5	5	1	1	1	3	6	8
70 +	26	4.1	11						
	529	**2.2**	**4**	**1**	**1**	**1**	**2**	**5**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	529	**2.2**	**4**	**1**	**1**	**1**	**2**	**5**	**8**

	MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
0-17 (YRS.)	172	15.0	527	1	1	3	14	65	66
18-34	19	1.5							
35-49	9	2.0							
50-69	8	3.0							
70 +	0								
SUBTOTAL	**208**	**12.8**	**461**	**1**	**1**	**2**	**14**	**65**	**66**
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**208**	**12.8**	**461**	**1**	**1**	**2**	**14**	**65**	**66**

	NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	272	2.3	15	1	1	1	2	4	9
18-34	192	1.6	1	< 1	1	1	2	2	3
35-49	88	6.1	69	1	2	2	7	23	29
50-69	74	3.3	3	1	2	3	5	6	6
70 +	28	2.7	3						
	654	**2.8**	**18**	**1**	**1**	**2**	**3**	**5**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	654	**2.8**	**18**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	62	3.1	12	1	1	2	3	11	11
70-74	65	2.1	6	1	1	1	2	8	8
75-79	73	2.4	4	1	1	1	4	6	6
80-84	36	4.0	10						
85 +	105	1.8	1	1	1	1	3	4	4
SUBTOTAL	**341**	**2.5**	**6**	**1**	**1**	**1**	**3**	**6**	**9**
GRAND TOTAL	**341**	**2.5**	**6**	**1**	**1**	**1**	**3**	**6**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	738	1.3	1	< 1	1	1	1	2	3
18-34	366	1.8	4	< 1	1	1	2	3	5
35-49	164	1.7	1	1	1	1	2	3	3
50-69	56	2.0	2	1	1	2	2	5	5
70 +	62	2.8	8	< 1	1	1	5	9	9
	1385	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
	1385	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	452	1.8	3	1	1	1	2	4	5
18-34	25	1.7							
35-49	9	2.0							
50-69	9	1.0							
70 +	0								
SUBTOTAL	**496**	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**496**	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	514	1.4	1	1	1	1	1	2	3
18-34	352	1.4	1	1	1	1	1	2	2
35-49	181	2.0	2	< 1	1	1	3	4	5
50-69	54	1.5		1	1	1	2	2	2
70 +	46	1.8	1						
	1148	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	1148	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 457: Extensive Burns w/o O.R. Procedure

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	9	14.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	9	14.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	9	14.0							

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	3.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8	3.0							
	8	3.0							

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	9	1.0							
GRAND TOTAL	9	1.0							

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	4.0							
35-49	0								
50-69	0								
70 +	0								
	8	4.0							
0-17	0								
18-34	9	4.0							
35-49	0								
50-69	0								
70 +	0								
	9	4.0							
	17	4.0							

DRG 458: Non-extensive Burns w/ Skin Graft

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	21.9	1							0-17	19	7.5	13						
70-74	9	15.0								18-34	19	7.0	4						
75-79	28	22.0	127							35-49	28	10.7	50						
80-84	19	5.0	4							50-69	9	1.0							
85 +	19	17.0	4							70 +	0								
SUBTOTAL	**91**	**16.8**	**82**	**5**	**9**	**15**	**21**	**28**	**36**		**74**	**7.8**	**32**	**1**	**3**	**9**	**11**	**19**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	74	14.4	110	2	2	11	21	34	34	0-17	163	6.5	126	< 1	< 1	1	11	17	47
70-74	26	6.4	2							18-34	45	3.7	4						
75-79	19	31.0	1							35-49	54	12.1	147	3	4	5	18	36	36
80-84	17	20.6	116							50-69	36	10.9	91						
85 +	8	5.0								70 +	0								
SUBTOTAL	**144**	**15.3**	**126**	**2**	**6**	**11**	**24**	**32**	**34**		**298**	**7.6**	**114**	**< 1**	**1**	**3**	**11**	**19**	**36**
GRAND TOTAL	**235**	**15.9**	**109**	**3**	**7**	**14**	**23**	**32**	**34**		**372**	**7.7**	**98**	**< 1**	**1**	**3**	**11**	**19**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	9	12.0							
18-34	17	6.9	1							18-34	33	8.3	8						
35-49	0									35-49	0								
50-69	0									50-69	8	20.0							
70 +	0									70 +	0								
SUBTOTAL	**17**	**6.9**	**1**								**50**	**10.8**	**23**	**5**	**7**	**11**	**12**	**20**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	87	5.0	78	< 1	< 1	1	2	17	29	0-17	96	3.5	19	< 1	1	2	4	7	17
18-34	37	3.0	6							18-34	43	7.4	20						
35-49	0									35-49	78	9.8	40	3	7	9	12	22	26
50-69	0									50-69	16	14.0	181						
70 +	0									70 +	0								
SUBTOTAL	**124**	**4.4**	**57**	**< 1**	**< 1**	**1**	**2**	**17**	**29**		**233**	**7.0**	**47**	**< 1**	**2**	**7**	**9**	**17**	**26**
GRAND TOTAL	**141**	**4.7**	**51**	**< 1**	**1**	**1**	**6**	**17**	**29**		**283**	**7.7**	**45**	**< 1**	**2**	**7**	**12**	**17**	**26**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	54	11.5	241	1	2	5	12	48	48
70-74	42	13.8	45						
75-79	0								
80-84	0								
85 +	9	34.0							
SUBTOTAL	**105**	**14.4**	**179**	**2**	**5**	**8**	**21**	**34**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	9	3.0							
85 +	0								
SUBTOTAL	**9**	**3.0**							
GRAND TOTAL	**115**	**13.5**	**174**	**2**	**5**	**8**	**19**	**34**	**48**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	12.0							
18-34	9	9.0							
35-49	0								
50-69	28	8.7	18						
70 +	0								
	45	**9.3**	**13**						
0-17	75	6.3	68	< 1	1	1	5	25	25
18-34	74	3.8	5	1	2	3	5	8	8
35-49	19	6.5	7						
50-69	19	20.5	76						
70 +	0								
	186	**6.7**	**60**	**1**	**1**	**3**	**8**	**15**	**26**
	231	**7.2**	**51**	**1**	**2**	**5**	**10**	**14**	**25**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	90	3.9	15	< 1	1	2	6	8	14
18-34	0								
35-49	9	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**99**	**3.9**	**13**	**< 1**	**1**	**3**	**5**	**8**	**14**
GRAND TOTAL	**99**	**3.9**	**13**	**< 1**	**1**	**3**	**5**	**8**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	3.5							
18-34	8	19.0							
35-49	0								
50-69	0								
70 +	0								
	25	**8.3**	**54**						
0-17	56	3.5	10	< 1	< 1	2	4	11	11
18-34	53	6.0	13	1	2	6	10	10	10
35-49	26	5.7	18						
50-69	9	6.0							
70 +	0								
	144	**5.0**	**13**	**< 1**	**2**	**4**	**8**	**11**	**12**
	169	**5.5**	**20**	**1**	**2**	**4**	**8**	**11**	**13**

DRG 460: Non-extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	116	7.6	25	4	4	6	8	16	19	0-17	17	2.5							
70-74	36	6.7	23							18-34	9	1.0							
75-79	28	6.0	26							35-49	9	3.0							
80-84	8	33.0								50-69	62	8.6	18	4	5	6	14	14	14
85 +	17	11.4	17							70 +	0								
SUBTOTAL	**205**	**8.5**	**48**	**3**	**4**	**7**	**13**	**16**	**19**		**98**	**6.3**	**21**	**2**	**3**	**5**	**13**	**14**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	2.0								0-17	405	2.7	5	1	1	2	4	6	7
70-74	36	7.5	43							18-34	102	8.5	143	1	1	2	8	29	37
75-79	19	12.0	17							35-49	101	2.7	4	1	1	2	4	5	8
80-84	19	10.0	26							50-69	54	8.4	14	4	5	7	13	14	14
85 +	19	13.5	32							70 +	0								
SUBTOTAL	**108**	**8.9**	**40**	**2**	**5**	**7**	**15**	**19**	**19**		**662**	**4.1**	**33**	**1**	**1**	**2**	**5**	**8**	**13**
GRAND TOTAL	**313**	**8.6**	**45**	**2**	**4**	**7**	**15**	**19**	**19**		**759**	**4.4**	**32**	**1**	**1**	**2**	**5**	**8**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	40	9.3	109							0-17	40	10.9	96						
18-34	36	24.1	1271							18-34	26	14.3	266						
35-49	0									35-49	25	8.5	14						
50-69	9	10.0								50-69	34	13.7	128						
70 +	0									70 +	0								
SUBTOTAL	**85**	**15.6**	**626**	**2**	**2**	**6**	**13**	**30**	**90**		**126**	**11.9**	**126**	**3**	**3**	**7**	**16**	**32**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	293	3.7	14	1	1	3	5	7	10	0-17	532	4.4	19	1	1	3	6	9	10
18-34	19	4.0	1							18-34	146	4.4	19	1	1	2	5	11	17
35-49	9	2.0								35-49	124	3.7	17	1	1	2	3	13	14
50-69	17	4.7	9							50-69	26	3.1	5						
70 +	0									70 +	0								
SUBTOTAL	**338**	**3.7**	**12**	**1**	**1**	**3**	**5**	**7**	**8**		**828**	**4.3**	**19**	**1**	**1**	**3**	**6**	**9**	**12**
GRAND TOTAL	**423**	**6.1**	**157**	**1**	**1**	**3**	**6**	**10**	**21**		**954**	**5.3**	**39**	**1**	**1**	**3**	**6**	**11**	**16**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	165	13.1	359	1	1	2	17	42	51	0-17	112	13.3	430	<1	1	3	44	99+	99+
70-74	202	7.1	139	1	1	2	9	21	22	18-34	71	4.4	13	1	2	2	4	11	11
75-79	96	5.5	141	1	1	1	5	6	45	35-49	39	4.0	19						
80-84	96	10.8	123	1	1	6	19	24	37	50-69	146	8.9	167	1	1	3	8	36	50
85+	67	4.3	48	1	1	1	3	23	23	70+	0								
SUBTOTAL	**626**	**8.7**	**194**	**1**	**1**	**2**	**10**	**24**	**45**		**368**	**8.9**	**213**	**1**	**1**	**3**	**10**	**50**	**61**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	376	2.7	10	1	1	1	3	6	12	0-17	223	2.5	19	<1	<1	1	1	6	7
70-74	231	2.3	13	1	1	1	2	4	7	18-34	411	2.5	3	1	1	2	4	4	5
75-79	92	1.8	4	1	1	1	1	4	8	35-49	305	4.0	91	1	1	2	4	4	10
80-84	116	1.5	1	1	1	1	2	2	5	50-69	341	3.4	46	1	1	1	3	6	10
85+	57	1.2		1	1	1	1	2	2	70+	26	11.0	250						
SUBTOTAL	**873**	**2.2**	**9**	**1**	**1**	**1**	**2**	**5**	**8**		**1307**	**3.3**	**44**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1499**	**4.9**	**96**	**1**	**1**	**1**	**3**	**15**	**22**		**1675**	**4.5**	**86**	**1**	**1**	**2**	**4**	**8**	**22**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	21.7	892							0-17	42	2.4	3						
18-34	19	4.0	1							18-34	34	1.0							
35-49	33	1.6	1							35-49	98	1.8	2	1	1	1	2	3	6
50-69	28	5.3	17							50-69	162	2.2	3	<1	1	2	2	6	7
70+	0									70+	17	4.2	4						
SUBTOTAL	**102**	**7.6**	**263**	**1**	**1**	**3**	**5**	**63**	**99+**		**353**	**2.1**	**3**	**1**	**1**	**1**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	112	2.2	9	<1	1	1	1	3	12	0-17	202	1.4	1	1	1	1	1	2	4
18-34	60	1.3		1	1	1	2	2	2	18-34	331	2.1	5	1	1	1	3	4	4
35-49	9	5.0								35-49	311	4.6	103	1	1	1	3	9	30
50-69	25	3.7	4							50-69	250	1.9	5	1	1	1	2	2	7
70+	0									70+	0								
SUBTOTAL	**206**	**2.2**	**6**	**<1**	**1**	**1**	**2**	**5**	**5**		**1094**	**2.6**	**31**	**1**	**1**	**1**	**2**	**4**	**9**
GRAND TOTAL	**309**	**4.0**	**97**	**1**	**1**	**1**	**3**	**11**	**47**		**1447**	**2.5**	**26**	**1**	**1**	**1**	**2**	**5**	**8**

DRG 462: Rehabilitation

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	502	21.9	144	8	14	21	26	36	51	0-17	210	22.1	482	4	10	18	53	99+	99+
70-74	424	18.4	138	6	10	16	25	30	50	18-34	31	43.0	523						
75-79	507	18.9	103	7	13	19	24	28	34	35-49	112	16.7	252	3	4	12	22	38	60
80-84	406	18.4	62	8	14	17	24	29	34	50-69	421	18.9	227	6	9	15	25	40	56
85+	364	18.3	124	7	11	17	23	35	46	70+	171	18.4	108	5	8	18	25	29	39
SUBTOTAL	**2203**	**19.3**	**117**	**7**	**13**	**18**	**24**	**31**	**45**		**946**	**20.1**	**294**	**4**	**9**	**17**	**28**	**57**	**99+**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	415	14.9	224	5	7	10	17	24	35	0-17	188	16.2	134	3	8	14	21	35	36
70-74	273	14.7	69	4	8	12	22	27	29	18-34	87	28.4	322	8	11	23	43	57	63
75-79	353	14.5	76	7	9	12	17	26	27	35-49	93	16.4	178	5	6	11	26	34	46
80-84	373	16.2	50	6	12	16	21	25	31	50-69	210	21.5	212	7	10	18	26	45	50
85+	305	17.5	121	8	10	15	22	29	44	70+	62	13.3	26	7	9	13	16	23	23
SUBTOTAL	**1718**	**15.5**	**114**	**6**	**9**	**13**	**20**	**26**	**31**		**641**	**19.3**	**200**	**5**	**8**	**16**	**25**	**43**	**48**
GRAND TOTAL	**3921**	**17.7**	**119**	**6**	**10**	**16**	**22**	**29**	**36**		**1587**	**19.6**	**256**	**5**	**8**	**17**	**28**	**50**	**70**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	41.0	683	22	25	32	98	99+	99+	0-17	39	27.8	218	9	18	31	50	99+	99+
18-34	72	19.7	180	10	13	15	21	56	56	18-34	59	14.7	84	2	8	12	25	29	29
35-49	31	27.0	231							35-49	57	23.1	242	6	9	15	37	50	50
50-69	16	30.5								50-69	282	25.2	181	10	16	24	36	47	59
70+	16	7.0	10							70+	584	21.4	96	11	14	21	26	33	41
SUBTOTAL	**188**	**26.9**	**412**	**10**	**13**	**23**	**39**	**98**	**99+**		**1021**	**22.4**	**138**	**10**	**14**	**22**	**28**	**41**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	148	29.2	869	3	6	20	48	89	96	0-17	62	12.8	71	3	5	13	15	31	31
18-34	9	4.0								18-34	8	11.0							
35-49	23	23.3	46							35-49	23	22.3	128						
50-69	8	18.0								50-69	70	14.4	213	1	5	11	16	52	52
70+	0									70+	78	21.4	98	9	16	18	31	37	42
SUBTOTAL	**188**	**26.7**	**722**	**4**	**7**	**18**	**41**	**87**	**92**		**241**	**16.9**	**139**	**4**	**8**	**15**	**22**	**31**	**42**
GRAND TOTAL	**377**	**26.8**	**566**	**4**	**10**	**23**	**41**	**87**	**99+**		**1262**	**21.3**	**143**	**8**	**13**	**21**	**28**	**40**	**50**

DRG 463: Signs & Symptoms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	273	5.0	8	2	3	5	6	10	12	0-17	90	2.9	7	1	1	2	4	6	10
70-74	275	6.3	16	2	4	5	9	11	15	18-34	34	2.2	3						
75-79	261	4.0	7	1	2	3	5	7	11	35-49	65	4.9	6	2	3	4	6	10	10
80-84	273	5.5	14	2	3	5	7	10	13	50-69	248	4.2	21	1	2	2	6	8	13
85 +	228	5.0	18	1	2	4	7	10	12	70 +	34	4.4	5						
SUBTOTAL	**1309**	**5.2**	**13**	**2**	**3**	**4**	**7**	**10**	**12**		**471**	**3.9**	**14**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1309**	**5.2**	**13**	**2**	**3**	**4**	**7**	**10**	**12**		**471**	**3.9**	**14**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	79	4.9	27	1	2	3	6	14	18	0-17	16	5.0	1						
18-34	37	3.3	8							18-34	53	2.9	2	< 1	1	3	4	5	5
35-49	37	3.0	3							35-49	34	2.7	4						
50-69	45	2.7	3							50-69	93	7.0	30	1	3	7	9	12	21
70 +	9	7.0								70 +	50	10.8	56	1	7	8	15	24	24
SUBTOTAL	**208**	**3.9**	**14**	**1**	**2**	**2**	**5**	**8**	**11**		**245**	**6.2**	**32**	**1**	**3**	**5**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**208**	**3.9**	**14**	**1**	**2**	**2**	**5**	**8**	**11**		**245**	**6.2**	**32**	**1**	**3**	**5**	**8**	**15**	**21**

DRG 464: Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	73	2.9	3	1	2	2	3	7	7	0-17	151	1.7	1	1	1	1	2	4	4
70-74	153	3.4	10	1	1	2	5	9	11	18-34	93	2.3	6	1	1	1	3	4	9
75-79	45	2.5	3							35-49	108	2.6	4	1	1	2	3	5	8
80-84	137	3.0	3	1	2	2	4	6	6	50-69	199	2.3	7	1	1	2	2	3	4
85 +	71	3.0	2	1	2	3	4	6	6	70 +	23	3.3	7						
SUBTOTAL	**479**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**574**	**2.2**	**5**	**1**	**1**	**2**	**2**	**4**	**7**
GRAND TOTAL	**479**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**574**	**2.2**	**5**	**1**	**1**	**2**	**2**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	110	2.2	1	1	1	2	3	4	4	0-17	84	6.0	201	1	1	1	2	8	50
18-34	9	2.0								18-34	45	2.7	5						
35-49	37	2.3	3							35-49	25	2.6	6						
50-69	19	1.5								50-69	132	3.1	18	1	1	1	2	14	14
70 +	0									70 +	8	3.0							
SUBTOTAL	**175**	**2.1**	**1**	**1**	**1**	**2**	**2**	**4**	**5**		**293**	**3.8**	**68**	**1**	**1**	**1**	**2**	**7**	**14**
GRAND TOTAL	**175**	**2.1**	**1**	**1**	**1**	**2**	**2**	**4**	**5**		**293**	**3.8**	**68**	**1**	**1**	**1**	**2**	**7**	**14**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	5.4	10							0-17	0								
70-74	19	1.5								18-34	0								
75-79	16	1.0								35-49	23	5.3	12						
80-84	8	8.0								50-69	50	4.9	51	1	1	2	5	21	21
85 +	0									70 +	8	20.0							
SUBTOTAL	**67**	**3.6**	**10**	**< 1**	**1**	**2**	**7**	**8**	**8**		**81**	**6.5**	**54**	**1**	**1**	**2**	**10**	**20**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8	1.0								0-17	8	1.0							
70-74	26	2.4	2							18-34	0								
75-79	36	2.6	7							35-49	16	1.0							
80-84	9	2.0								50-69	23	1.0							
85 +	0									70 +	8	3.0							
SUBTOTAL	**79**	**2.3**	**4**	**1**	**1**	**1**	**2**	**7**	**7**		**54**	**1.3**		**1**	**1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**146**	**2.9**	**7**	**1**	**1**	**1**	**4**	**8**	**8**		**135**	**4.4**	**39**	**1**	**1**	**1**	**4**	**20**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	8	3.0							
18-34	0									18-34	8	1.0							
35-49	0									35-49	8	2.0							
50-69	0									50-69	17	1.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**40**	**1.6**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8	2.0								0-17	0								
18-34	0									18-34	8	2.0							
35-49	0									35-49	19	1.0							
50-69	0									50-69	8	3.0							
70 +	0									70 +	0								
SUBTOTAL	**8**	**2.0**									**34**	**1.7**	**1**						
GRAND TOTAL	**8**	**2.0**									**75**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	89	2.2	3	1	1	1	3	5	6	0-17	103	3.2	5	< 1	1	2	5	7	7
70-74	60	3.3	4	1	2	4	6	99 +	99 +	18-34	118	2.6	5	1	1	1	5	5	9
75-79	75	4.4	13	1	1	3	8	11	11	35-49	95	2.0	2	1	1	1	3	4	5
80-84	73	4.6	22	1	1	2	6	15	15	50-69	289	2.7	13	1	1	1	3	5	15
85 +	98	5.9	58	1	1	2	10	13	26	70 +	62	8.1	212	1	1	3	6	46	46
SUBTOTAL	394	4.2	24	1	1	2	6	11	15		668	3.2	30	1	1	1	3	6	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	54	2.4	7	< 1	1	1	2	8	8	0-17	336	3.5	12	1	1	2	6	8	14
70-74	78	4.4	71	1	1	1	2	27	27	18-34	414	1.9	2	1	1	1	3	4	4
75-79	90	3.8	15	< 1	1	1	6	11	12	35-49	409	1.6	1	1	1	1	2	3	4
80-84	62	2.5	2	< 1	1	2	3	5	5	50-69	403	1.4	2	< 1	1	1	1	2	3
85 +	76	2.3	13	< 1	1	1	1	12	12	70 +	95	1.6	1	1	1	1	2	3	4
SUBTOTAL	360	3.2	24	< 1	1	1	3	9	12		1656	2.0	4	1	1	1	2	4	6
GRAND TOTAL	754	3.7	24	1	1	1	5	10	13		2324	2.3	12	1	1	1	3	5	6

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	4.7	10	< 1	1	4	9	9	9	0-17	48	2.1	4	< 1	1	1	2	6	6
18-34	23	7.0	9							18-34	25	2.9	5						
35-49	0									35-49	31	4.5	15						
50-69	0									50-69	57	2.2	4	1	1	1	3	7	7
70 +	8	1.0								70 +	0								
SUBTOTAL	86	5.0	11	1	1	4	9	9	11		162	2.8	7	1	1	2	3	6	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	87	4.1	13	< 1	1	2	8	9	11	0-17	62	1.6		< 1	1	1	2	3	3
18-34	25	2.7	2							18-34	84	1.9	2	1	1	1	2	4	6
35-49	0									35-49	65	3.3	8	1	1	2	6	8	8
50-69	9	1.0								50-69	137	1.5	1	1	1	1	2	3	4
70 +	0									70 +	9	12.0							
SUBTOTAL	121	3.6	11	< 1	< 1	2	6	9	11		357	2.2	5	1	1	1	2	6	7
GRAND TOTAL	207	4.2	11	< 1	1	3	6	9	[illegible]		519	2.4	6	1	1	1	3	6	7

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	148	10.6	20	7	7	9	12	17	23	0-17	8	8.0							
70-74	110	17.5	158	8	11	15	17	21	57	18-34	0								
75-79	68	13.8	55	6	6	15	17	29	29	35-49	0								
80-84	57	22.4	213	8	9	17	27	52	52	50-69	51	14.7	137	4	7	11	16	38	38
85 +	9	12.0								70 +	9	8.0							
SUBTOTAL	**393**	**14.8**	**109**	**7**	**8**	**13**	**17**	**24**	**29**		**68**	**13.0**	**111**	**4**	**8**	**8**	**16**	**38**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	101	10.9	18	8	8	10	12	13	23	0-17	8	4.0							
70-74	75	10.7	19	5	8	9	13	19	19	18-34	0								
75-79	70	13.3	85	5	8	9	15	35	35	35-49	17	9.7	7						
80-84	31	11.5	18							50-69	43	8.3	3						
85 +	0									70 +	0								
SUBTOTAL	**276**	**11.5**	**36**	**7**	**8**	**9**	**12**	**19**	**23**		**68**	**8.2**	**6**	**4**	**7**	**8**	**11**	**12**	**12**
GRAND TOTAL	**669**	**13.5**	**81**	**7**	**8**	**11**	**15**	**23**	**29**		**137**	**10.6**	**64**	**4**	**7**	**8**	**11**	**16**	**38**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	23	16.7	141						
50-69	0									50-69	16	14.0	17						
70 +	0									70 +	0								
SUBTOTAL	**0**										**39**	**15.6**	**91**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	9	8.0								18-34	0								
35-49	0									35-49	16	9.0	1						
50-69	19	7.5	2							50-69	33	8.8	7						
70 +	0									70 +	9	10.0							
SUBTOTAL	**28**	**7.7**	**2**								**57**	**9.0**	**4**	**6**	**7**	**9**	**10**	**13**	**13**
GRAND TOTAL	**28**	**7.7**	**2**								**96**	**11.7**	**49**	**7**	**8**	**10**	**10**	**18**	**33**

DRG 472: Extensive Burns w/ O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	8	15.0								70 +	0								
SUBTOTAL	**8**	**15.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	8	38.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**8**	**38.0**							
GRAND TOTAL	**8**	**15.0**									**8**	**38.0**							

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**0**								

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	188	21.8	357	6	8	12	34	38	56
70-74	112	11.7	123	3	5	6	16	34	36
75-79	180	18.1	121	6	10	13	24	32	34
80-84	71	8.3	26	2	5	5	13	16	16
85 +	115	7.6	74	1	3	6	9	11	37
SUBTOTAL	**665**	**15.2**	**200**	**3**	**6**	**10**	**20**	**35**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	101	9.2	117	1	2	3	10	30	36
70-74	9	26.0							
75-79	34	16.1	322						
80-84	36	15.7	114						
85 +	26	17.9	195						
SUBTOTAL	**206**	**13.3**	**173**	**1**	**3**	**8**	**23**	**36**	**39**
GRAND TOTAL	**872**	**14.8**	**194**	**3**	**5**	**10**	**22**	**36**	**38**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	92	11.3	128	1	2	6	17	27	39
35-49	89	19.5	101	9	13	15	30	37	99 +
50-69	135	21.6	166	4	10	22	32	39	50
70 +	8	9.0							
	323	**17.8**	**154**	**4**	**9**	**14**	**30**	**39**	**39**
0-17	0								
18-34	42	7.5	70						
35-49	43	13.4	175						
50-69	25	14.6	234						
70 +	0								
	110	**11.4**	**155**	**1**	**3**	**4**	**22**	**34**	**34**
	433	**16.2**	**161**	**2**	**5**	**13**	**29**	**34**	**39**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	26	8.2	38						
35-49	8	31.0							
50-69	17	2.1	1						
70 +	0								
SUBTOTAL	**51**	**9.6**	**111**	**1**	**2**	**3**	**17**	**31**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	17	15.6	165						
35-49	0								
50-69	9	1.0							
70 +	0								
SUBTOTAL	**26**	**10.5**	**155**						
GRAND TOTAL	**78**	**9.9**	**124**	**< 1**	**2**	**3**	**17**	**30**	**31**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	90	32.3	625	6	8	27	53	70	81
35-49	160	29.6	443	6	8	31	44	67	75
50-69	101	19.5	213	6	7	15	30	43	48
70 +	26	21.8	438						
	378	**27.0**	**447**	**6**	**8**	**27**	**43**	**55**	**67**
0-17	0								
18-34	43	13.2	244						
35-49	51	13.7	172	3	3	6	24	37	37
50-69	16	6.0							
70 +	0								
	110	**12.4**	**181**	**1**	**3**	**6**	**24**	**37**	**37**
	488	**23.7**	**424**	**3**	**6**	**15**	**36**	**53**	**67**

DRG 474: Respiratory System Diagnosis with Tracheostomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	256	37.3	734	8	18	30	73	99 +	99 +
70-74	70	27.6	122	12	21	35	39	99 +	99 +
75-79	166	35.6	355	19	27	29	53	75	95
80-84	64	30.5	291	7	15	31	46	56	56
85 +	48	40.5	211	23	28	39	50	67	67
SUBTOTAL	**603**	**35.3**	**482**	**10**	**22**	**34**	**56**	**95**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	9	3.0							
70-74	9	20.0							
75-79	8	6.0							
80-84	9	4.0							
85 +	0								
SUBTOTAL	**36**	**8.3**	**50**						
GRAND TOTAL	**639**	**33.8**	**496**	**7**	**21**	**31**	**55**	**91**	**99 +**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	64	51.6	835	22	38	50	99 +	99 +	99 +
18-34	9	68.0							
35-49	33	48.5	759						
50-69	127	44.6	725	14	18	38	61	89	91
70 +	26	28.6	253						
SUBTOTAL	**259**	**46.0**	**733**	**16**	**22**	**47**	**87**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	7.0	4						
18-34	8	1.0							
35-49	0								
50-69	28	7.7	26						
70 +	8	8.0							
SUBTOTAL	**59**	**6.7**	**18**	**1**	**1**	**8**	**9**	**13**	**13**
GRAND TOTAL	**318**	**38.7**	**835**	**9**	**16**	**36**	**68**	**99**	**99 +**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	35.4	236						
18-34	43	28.4	446	7	11	30	67	99 +	99 +
35-49	37	59.5	434						
50-69	36	36.8	563						
70 +	0								
SUBTOTAL	**155**	**39.5**	**546**	**10**	**18**	**34**	**63**	**86**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	9	9.0							
50-69	0								
70 +	0								
SUBTOTAL	**9**	**9.0**							
GRAND TOTAL	**164**	**37.8**	**565**	**9**	**16**	**34**	**63**	**86**	**98**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	25	45.7	726						
18-34	33	20.4	35						
35-49	43	23.8	181						
50-69	57	48.1	631	7	34	55	83	99 +	99 +
70 +	17	50.7	443						
SUBTOTAL	**175**	**36.8**	**559**	**14**	**20**	**34**	**75**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9	21.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**9**	**21.0**							
GRAND TOTAL	**185**	**36.0**	**543**	**14**	**20**	**34**	**73**	**99 +**	**99 +**

DRG 475: Respiratory System Diagnosis with Ventilator Support

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2108	12.6	78	4	6	11	17	24	29	0-17	337	13.6	217	3	6	10	15	23	40
70-74	1153	14.2	138	4	6	12	17	24	38	18-34	125	17.8	236	6	6	13	26	47	53
75-79	1107	14.7	117	4	8	13	19	27	32	35-49	95	7.8	19	3	5	7	11	13	17
80-84	668	13.8	44	6	9	13	19	25	28	50-69	716	13.5	133	4	7	10	16	23	39
85 +	450	14.8	93	7	9	12	16	25	30	70 +	109	9.8	26	5	5	9	15	16	19
SUBTOTAL	**5487**	**13.7**	**96**	**4**	**7**	**12**	**17**	**25**	**30**		**1382**	**13.2**	**151**	**4**	**6**	**10**	**16**	**24**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	70	7.1	18	2	3	8	11	15	15	0-17	87	5.2	18	1	2	4	7	11	15
70-74	62	9.4	36	1	5	8	12	21	21	18-34	25	4.0	1						
75-79	17	4.9	1							35-49	28	6.3	24						
80-84	36	14.0	40							50-69	79	9.8	34	3	5	7	16	18	18
85 +	17	5.6	17							70 +	0								
SUBTOTAL	**202**	**8.7**	**34**	**2**	**4**	**8**	**12**	**20**	**21**		**219**	**6.9**	**28**	**2**	**3**	**5**	**11**	**16**	**18**
GRAND TOTAL	**5688**	**13.5**	**95**	**4**	**7**	**12**	**17**	**25**	**29**		**1601**	**12.4**	**139**	**3**	**6**	**9**	**15**	**22**	**39**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	348	16.3	226	4	6	12	20	38	52	0-17	218	8.4	40	2	4	6	12	15	18
18-34	116	11.2	106	4	6	8	11	22	42	18-34	214	8.9	83	1	4	5	12	14	25
35-49	135	14.5	158	3	6	12	17	27	54	35-49	347	13.0	90	6	6	12	18	21	28
50-69	175	12.8	51	6	7	12	15	21	32	50-69	703	11.3	84	3	5	9	13	24	29
70 +	23	9.3	17							70 +	85	8.3	16	1	6	8	11	12	16
SUBTOTAL	**798**	**14.3**	**156**	**4**	**6**	**11**	**17**	**24**	**42**		**1568**	**10.8**	**78**	**3**	**5**	**9**	**13**	**20**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	79	13.8	643	1	2	5	13	45	89	0-17	89	5.6	14	1	3	4	10	11	11
18-34	9	2.0								18-34	25	6.1	2						
35-49	9	9.0								35-49	50	3.8	2	2	2	4	5	6	6
50-69	19	7.5	13							50-69	70	11.0	36	3	5	10	15	22	22
70 +	0									70 +	8	3.0							
SUBTOTAL	**116**	**11.5**	**452**	**1**	**2**	**5**	**11**	**15**	**89**		**241**	**6.8**	**24**	**2**	**3**	**5**	**10**	**14**	**16**
GRAND TOTAL	**915**	**13.9**	**194**	**3**	**6**	**11**	**16**	**24**	**42**		**1309**	**10.2**	**72**	**3**	**5**	**8**	**13**	**20**	**25**

Appendix 1

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix 2

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
105	Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothor~~acic~~ or Vascular Procedures, w/ Pump
109	Other Cardiothoracic Procedures w/o Pump
110	Major Reconstructive Vascular Proc w/o Pump w/ CC
111	Major Reconstructive Vascular Proc w/o Pump w/o CC
112	Vascular Procedures except Major Reconstruction w/o Pump
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures, Age >17 w/ CC
313	Urethral Procedures, Age >17 w/o CC
314	Urethral Procedures, Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC
444	Multiple Trauma Age >17 w/ CC
445	Multiple Trauma Age >17 w/o CC
446	Multiple Trauma Age 0-17
447	Allergic Reactions Age > 17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid As Discharge Diagnosis
470	Ungroupable
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	Respiratory System Diagnosis with Tracheostomy
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis